

Customer:

No. SW945497 A

ALPS ELECTRIC EUROPA GMBH

Date: Mar. 14 '94

Attention:

Your ref. No.: 15 1058

Your Part No.: STSSS2121

SPECIFICATIONS

ALPS:

STSSS2121

00

MODEL:

F.E.C. No. 733-568

Sample No.: F3711036M
SSSS21382A

RECEIPT STATUS
RECEIVED
By. Date _____
Signature _____
Name
Title

ALPS ELECTRIC CO., LTD.

DSG' D M. Kishi

APP' D T. Maruyama
ENG. DEPT. DIVISION

HEAD OFFICE
1-7, YUKIGAYA-OHTSUKA-CHO,
OHTA-KU, TOKYO 145 JAPAN

Sales

SSSS2-S-801 PRODUCT SPECIFICATIONS

Items	Test conditions	Criterion									
5.8 Solderability	Switch shall be checked after following test. (1) Solder : H83A (JIS Z 3282) (2) Flux : Rosin flux (JIS K 5902) having a nominal composition of 25% solids by weight of water white rosin in methyl alcohol (JIS K 1501)solution. (3) Soldering temperature : 230±5°C Immersing time : 3±0.5 s Flux immersing time shall be 5~10 seconds in normal temperature (4) Immersion depth : Immersion depth shall be at copper plating portion for P.C.B. terminal after mounting. Thickness of P.C. board : 1.6 mm Immersion depth shall be at wiring portion of lead wire for lead wire terminal.	More than 75% of immersed part shall be covered with solder. If frame is made of tin plate, cutting section shall not be applied.									
5.9 Soldering heat resistance	Switch shall be measured after following test. (1) Solder : H83A (JIS Z 3282) (2) Flux : Rosin flux (JIS K 5902) having a nominal composition of 10% solids by weight of water white rosin in methyl alcohol (JIS K 1501)solution. (3) Temperature and immersing time <table border="1" style="margin-left: 20px;"> <thead> <tr> <th></th> <th>Temperature (°C)</th> <th>Time (s)</th> </tr> </thead> <tbody> <tr> <td>Dip soldering</td> <td>260±5</td> <td>5.9</td> </tr> <tr> <td>Manual soldering</td> <td>350±10</td> <td>4 MAX</td> </tr> </tbody> </table> (4) Immersion depth : Immersion depth shall be at copper plating portion for P.C.B. terminal after mounting. Thickness of P.C. board (Single sided copper clad P.C.B.) : 1.6mm		Temperature (°C)	Time (s)	Dip soldering	260±5	5.9	Manual soldering	350±10	4 MAX	No abnormalities shall be recognized in appearance. The electrical performance requirements specified in item 4 shall be satisfied. Soldering condition of each P.C. board thickness shall be according to paragraph 6 of precaution in use.
	Temperature (°C)	Time (s)									
Dip soldering	260±5	5.9									
Manual soldering	350±10	4 MAX									

6. Durability

Items	Test conditions	Criterion
6.1 Operating life without load	Switch shall be operated 10,000 cycles at 15~20 cycles/minute without load.	Contact resistance (Item 4.1) : 100 mΩ MAX Insulation resistance (Item 4.2) : 10 MΩ MIN (Measured at 100V DC) Voltage proof (Item 4.3) : Apply 100 V AC for 1 minute. No dielectric breakdown shall occur. Operating force (Item 5.1) : Within $\pm 10\%$ % of specified value. No abnormalities shall be recognized in appearance and construction.
6.2 Operating life with load	Switch shall be operated 10,000 cycles at 15~20 cycles/minute with 6 V DC 0.3 A. (Resistive load)	Contact resistance (Item 4.1) : 130 mΩ MAX Insulation resistance (Item 4.2) : 10 MΩ MIN (Measured at 100V DC) Voltage proof (Item 4.3) : Apply 100 V AC for 1 minute. No dielectric breakdown shall occur. Operating force (Item 5.1) : Within $\pm 10\%$ % of specified value. No abnormalities shall be recognized in appearance and construction.

7. Weather proof

Items	Test conditions	Criterion
7.1 Cold proof	After testing at -10±2°C for 98 hours, the switch shall be allowed to stand under normal temperature and humidity conditions for 1 hour, and then measurement shall be made within 1 hour. Water drops shall be removed.	Contact resistance (Item 4.1) : 100 mΩ MAX Insulation resistance (Item 4.2) : 10 MΩ MIN Voltage proof (Item 4.3) : Apply 500 V AC for 1 minute. No dielectric breakdown shall occur. Operating force (Item 5.1) : Within $\pm 10\%$ % of specified value. No abnormalities shall be recognized; in appearance and construction.

APPD.	CHKD.	DSGD.	TITLE
M.	S.	Jun 7. '93	
			DRAWING NO.
PAGE	SYMB	DATE	APPD
			CHKD
			DSGD

SSSS2-S-801

PRODUCT SPECIFICATIONS

	Items	Test conditions	Criterion
7.2	Dry heat	After testing at $65 \pm 2^\circ\text{C}$ for 96 hours, the switch shall be allowed to stand under normal temperature and humidity conditions for 1 hour, and then measurement shall be made within 1 hour.	Contact resistance (Item 4.1) : <u>100</u> $\text{m}\Omega$ MAX Insulation resistance (Item 4.2) : <u>10</u> $\text{M}\Omega$ MIN Voltage proof (Item 4.3) : Apply <u>500</u> V AC for 1 minute. No dielectric breakdown shall occur. Operating force (Item 5.1) : Within $\frac{+10}{-30}$ % of specified value. No abnormalities shall be recognized in appearance and construction.
7.3	Damp heat	After testing at $40 \pm 2^\circ\text{C}$ and 90~95%RH for 96 hours, the switch shall be allowed to stand under normal temperature and humidity conditions for 1 hour, and measurement shall be made within 1 hour after that. Water drops shall be removed.	Contact resistance (Item 4.1) : <u>100</u> $\text{m}\Omega$ MAX Insulation resistance (Item 4.2) : <u>10</u> $\text{M}\Omega$ MIN Voltage proof (Item 4.3) : Apply <u>100</u> V AC for 1 minute. No dielectric breakdown shall occur. Operating force (Item 5.1) : Within $\frac{+10}{-30}$ % of specified value. No abnormalities shall be recognized in appearance and construction.
7.4	Salt mist	Switch shall be checked after following test. (1) Temperature : $35 \pm 2^\circ\text{C}$ (2) Salt solution : $5 \pm 1\%$ (Solids by weight) (3) Duration : 24 ± 1 h After the test, salt deposit shall be removed in running water.	No remarkable corrosion shall be recognized in metal part.
7.5	Temperature cycling	After 5 cycles of following conditions, the switch shall be allowed to stand under normal temperature and humidity conditions for 1 hour, and measurement shall be made within 1 hour after that. Water drops shall be removed. <div style="text-align: center;"> <p>70±2°C</p> <p>Normal temperature</p> <p>-25±3°C</p> <p>30 min 30 min</p> <p>10~15 min 10~15 min</p> <p>1 cycle</p> </div>	Contact resistance (Item 4.1) : <u>100</u> $\text{m}\Omega$ MAX Insulation resistance (Item 4.2) : <u>10</u> $\text{M}\Omega$ MIN Voltage proof (Item 4.3) : Apply <u>100</u> V AC for 1 minute. No dielectric breakdown shall occur. Operating force (Item 5.1) : Within $\frac{+10}{-30}$ % of specified value. No abnormalities shall be recognized in appearance and construction.
7.6	Damp heat with load (Silver migration)	DC voltage 1.5 times as much as rated voltage shall be applied continuously between adjacent terminal at $60 \pm 2^\circ\text{C}$ and 90~95%RH. After 500 hours testing, switch shall be allowed to stand under normal temperature and humidity condition for 1 hour, and measurement shall be made within 1 hour after that. Water drops shall be removed.	Insulation resistance (50V DC) : <u>10</u> $\text{M}\Omega$ min. Voltage proof : Apply 100V AC for 1 minute. No dielectric breakdown shall occur.

PAGE	SYMB	DATE	APPD	CHKD	DSGD	APPD.	CHKD.	DSGD.	TITLE
			M.	S.				Jun 7. '93	
			Kia.e	Takahashi					DRAWING NO.

Precaution in use

1. Note that if the load is applied to the terminals during soldering they might suffer deformation and defects in electrical performance.
2. Use of water-soluble soldering flux shall be avoided because it may cause corrosion of the switch.
3. For series SSSS212, operation may be heavy if the switch is used with a case fixed or 2 pcs in a line. When 2 pcs of switches are used in a line, please detach them 1mm. at least.
4. For series SSSS212, Knob horizontal type, soldering flux might be flowed in the switch in case of auto-dip soldering. Therefore manual soldering shall be available.
5. The knob of slider shall be moved to first contact or second contact completely when soldering.
6. The soldering condition of series SSSS shall be as follows. The deformation or defects in electrical performance might be occurred if the time or temperature exceed this specification.

• Auto-dip soldering

Temperature : $260 \pm 5^{\circ}\text{C}$, Time $5 - 1^{\circ}$ sec.
 Thickness of P.C. board : 0.8, 1.0, 1.2, 1.6

• Manual soldering

Temperature Thickness of iron of P.C. board	(Sec. max.)		
	260 ± 10	300 ± 10	350 ± 10
0.8	5	5	3
1.0	5	5	3
1.2	5	5	4
1.6	5	5	4


* Abnormal pressure shall not be applied to the terminal.

Notes) (1) P.C. board shall be single sided copper clad P.W.B.


(2) This test shall be performed up to twice.

After first test, temperature shall be back to normal.




						APPD. M.	CHKD. S.	DSGD. Jun 7 '93 m.	TITLE
PAGE	SYHB	DATE	APPD	CHKD	DSGD	Kiso	Ishikawa	Yumura	DRAWING NO.



TERMINAL GAUGE (7722314-348)
ALL TOLERANCES (27088): ±0.05



CIRCUIT DIAGRAM (電路図)
SEE DIRECTION "A" (参照図)



APPLICABLE TO THE BENT TERMINAL BASE
PROVIDED THAT THE TERMINAL TIP IS (3.2)
(彎曲端子取付面が、必ず、彎曲(3.2)である)

3. OPERATING FORCE: 211.5N (204115391)

(作動力)
MEASURE AT THE BOTTOM OF KNOB
(ボウツミ部分にて測定する)

2. CHANGE OVER TIMING OF CONTACTS: NONSHORTING
(接点の切換タイミング: ノンショート)

1. PRODUCT SPECIFICATIONS NO. SSS52-5-801
(注記) (消費電圧仕様番号)

TOLERANCES UNLESS OTHERWISE SPEC.	TOLERANCES
BASIC DIMENSIONS	±0.3
UP TO 10	±0.3
ABOVE 10 TO 100	±0.5
ABOVE 100	±0.8

ALPS ELECTRIC CO., LTD.

UNIT: MM SCALE: % MODEL NO. (8888) SSS521

APPRO. (承認) Dec. 11/73
DESIGN (設計) Dec. 27/73
TITLE: PRODUCT DRAWING (製品図)
DOCUMENT NO.: SSS521382A

TOLERANCES UNLESS OTHERWISE SPEC.	TOLERANCES
BASIC DIMENSIONS	±0.3
UP TO 10	±0.3
ABOVE 10 TO 100	±0.5
ABOVE 100	±0.8