



TransImp[®]

HARD DRIVE DOCK **PLUS**

SATA TO USB 3.0

User's Manual / 使用手冊




www.mukii.com.tw

All Registered Trademarks Belong To Their Respective Companies Copyright © 2010 MUKii Technology INC. All Rights Reserved.


PACKAGE INCLUDES




Please check your packing list to be sure all parts are received.



TransImp
Hard Drive Dock Plus X 1



AC Power Adapter X 1



USB 3.0 Cable X 1



User's Manual x 1



Value Added
Software CD X 1

TABLE OF CONTENTS

1.FEATURE / SPECIFICATIONS	2
2.SYSTEM REQUIREMENTS.....	3
3.PARTS LAYOUT.....	4
4.INSTALL A HARD DRIVE TO DOCK.....	5
5.REMOVE A HARD DRIVE FROM DOCK.....	6
6.M1 TUNING SYSTEM INTRODUCTION	7
7.WARRANTY / CONTACT.....	8

目 錄

1. 產品特色 / 產品規格	10
2. 系統需求	11
3. 裝置說明	12
4. 安裝硬碟	13
5. 移除硬碟	14
6. M1硬碟調校程式介紹.....	15
7. 授權 / 保證書.....	16

1. FEATURE / SPECIFICATIONS

SATA to USB 3.0 HARD DRIVE DOCK PLUS :




- Easy Installation with Tool-free Design.
- Simple to Use Design; No Need to Add Enclosure or Open Case.
- Considerate Take-in Storage Bucket Design Keep Your Desk Neat & Tidy Any Time.
- USB Interface for Easy Data Access.
- Our Unique LCD Display Shows the Transmission Speed, keeping You Informed of the Transmission Status.
- Compatible with Any 2.5"/3.5" SATA Hard Drive / SATA SSD.
- Compliant with USB 3.0 Backward Compatible with USB 2.0. Transfer Rates Up to 5Gb/s with USB 3.0.
- White Paint with Aluminum Hair-line Surface Treatment Plate in Sleek Design. (TIP-D185U3-WH)
- Black Soft Touch Paint with Aluminum Hair-line Surface Treatment Plate in Sleek Design. (TIP-D185U3-BK)
- Hot Swappable : Plug and play.
- M One Tuning System Included : Auto Format / Smart Energy Saving / USB Turbo / Auto Backup / Status Feedback.

SPECIFICATIONS

SATA to USB 3.0 HARD DRIVE DOCK PLUS :

- | | |
|----------------------|-----------------------------|
| ■ Model | : TIP-D185U3 |
| ■ Device support | : SATA I/II HDD or SATA SSD |
| ■ Device size | : 2.5" / 3.5" |
| ■ Internal interface | : Serial ATA |
| ■ External interface | : USB 3.0 |
| ■ Material | : Aluminum / Plastic |
| ■ Dimension | : 152.7 x 91 x 85.5 mm |
| ■ Power | : AC Power Adapter |



* For the most current storage capacity & operating system support, please check our website : www.mukii.com.tw

2. SYSTEM REQUIREMENTS



Intel Pentium II 350 MHz-compatible.
Microsoft Windows XP/VISTA/7(32/64bit).


1. USB Equipped System
 2. For USB 2.0 Speeds, the System must Support USB 2.0 Specifications
 3. For USB 3.0 Speeds, the System must Support USB 3.0 Specifications
 4. CD Rom Drive (for value added software)
- ※ USB 3.0 Only Support Windows XP and above.



Mac G3 Processor .
Mac OS X v10.4 & and above.


1. USB Equipped System
 2. For USB 2.0 Speeds, the System must Support USB 2.0 Specifications
 3. For USB 3.0 Speeds, the System must Support USB 3.0 Specifications
 4. CD Rom Drive (for value added software)
- ※ In order to run USB 3.0 features, Mac motherboards and external PCI-E cards must have USB 3.0 specifications.

3. PARTS LAYOUT




4. INSTALL A HARD DRIVE TO DOCK

1. Connect the power adapter to the TransImp Hard Drive Dock.
2. Connect the USB 3.0 Cable to the TransImp Hard Drive Dock and attach the other end to your computer. (Pic-A)




(Pic-A)

3. Insert 2.5" or 3.5" SATA HDD / SATA SSD into the slot. (Pic-B)



(Pic-B)

4. To turn it on, press & hold the power button until you hear a click sound, and the LCD light comes on. (Pic-C)



(Pic-C)


[Note] : The new hard drive needs to be formatted and partitioned before it can be found on Widows/Mac's Desktop.

5. REMOVE A HARD DRIVE FROM DOCK

[Warning]:Please power off the unit
before removing the hard drive!


1. Remove the HDD safely from your
computer system. 

2. Power off the device. (Pic-A)



(Pic-A)

3. Stabilize the device to eject the HDD.
(Pic-B)




(Pic-B)

6. M1 TUNING SYSTEM INSTALLATION

Auto Format :

Partition and format your hard drive into one or two disks, label your disk and setting partition size as you want. (Pic-A)



(Pic-A)

Auto Backup :

Auto Backup automatically backup your critical data from local disk to MUKii TransImp external hard disk. (Pic-B)



(Pic-B)

Status Feedback :

When you connect MUKii TransImp external hard disk, you can read the status of your hard disk situation such as, the brand of HDD, available disk space, healthy condition. (Pic-C)



(Pic-C)

Smart Energy Saving :

The unit will be automatically running into sleeping mode when you stop operating it for a while.(Pic-D)



(Pic-D)

USB Turbo :

Boost TransImp external hard disk data transfer rate.(Pic-E)



(Pic-E)

※ Please Find Software CD for “ M1 TUNING SYSTEM ” User's Manual.

7. WARRANTY / CONTACT

The TransImp comes with a One (1) year Limited Warranty (90-day on defective parts). Should your product become defective within the specified time frame, please visit www.mukii.com.tw to receive instructions for obtaining repair or warranty exchange. Cosmetic defects and missing parts are not covered by this warranty. Please check to make sure all parts are included & no visible flaws. If a replacement is required for any cosmetic defects or missing parts, please contact the retailer from whom you purchased the Product immediately.

CONTACT



MUKii Technology INC.

2F, No. 588, Tanmei St, Neihu District, Taipei City 114, Taiwan (R.O.C)


TEL : 02-87927289 FAX : 02-87920373

www.mukii.com.tw


包裝內附




請先檢查產品內附是否齊全



勁速-2.5/3.5吋雙用
高速傳輸硬碟外接座PLUS x 1



專用變壓器 x 1



USB 3.0高速傳輸線 x 1



使用說明書 x 1



增值程式光碟 x 1

1. 產品特色 / 規格

2.5/3.5吋雙用高速傳輸硬碟外接座PLUS：




- 簡易插拔安裝設計，不需使用工具拆裝硬碟，迅速好用。
- 獨特硬碟導入設計，輕易使用裝置不費力。
- 貼心收納置物槽設計，隨時保持桌面整齊清潔。
- 透過USB介面，可輕易連接儲存設備至任何電腦存取資料。
- 獨家液晶螢幕顯示傳輸速度，隨時掌握傳輸狀態。
- 適用於市面上所有2.5/3.5吋SATA硬碟/SATA SSD（支援SATA2向下相容SATA1硬碟）。
- USB傳輸介面符合USB 3.0標準規格並向下相容USB 2.0規格，最高支援5Gb/s傳輸速度。
- 經典時尚白色烤漆搭配髮絲鋁片造型，經典設計更勝別家。
(TIP-D185U3-WH)
- 經典時尚黑色烤漆搭配髮絲鋁片銘板，彰顯個人品味。
(TIP-D185U3-BK)
- 隨插即用，支援熱插拔。
- 硬碟調校程式:HDD自動分割 / 省電功能 / USB Turbo / 自動備份 / 硬碟資訊回報

產品規格

2.5/3.5吋雙用高速傳輸硬碟外接座PLUS：

- 產品型號 : TIP-D185U3
- 支援裝置 : SATA I/II 硬碟
SATA SSD
- 裝置規格 : 2.5吋/3.5吋
- 內部連接介面 : Serial ATA
- 外部傳輸介面 : USB3.0
- 外觀材質 : 塑膠/鋁合金
- 本體尺寸 : 152.7x91x85.5mm
- 電 源 : AC電源供應器



* 最新硬碟容量與作業系統支援請上萌科技網站查詢：www.mukii.com.tw

2.系統需求



Intel Pentium II 350 MHz-compatible
Microsoft Windows 2000/XP/VISTA/7

1. 硬體配備支援USB介面
2. USB 2.0傳輸速度，系統須支援USB 2.0規格
3. USB 3.0傳輸速度，系統須支援USB 3.0規格
4. CD Rom 光碟機 (安裝增值程式使用)

※ USB 3.0 只支援 Windows XP 以上系統





Mac G3 processor 含以上
MAC OS X v10.4含以上

1. 硬體配備支援USB介面
2. USB 2.0傳輸速度，系統須支援USB 2.0規格
3. USB 3.0傳輸速度，系統須支援USB 3.0規格
4. CD Rom 光碟機 (安裝增值程式使用)


※ MAC主機板或MAC外接PCIE卡需支援USB 3.0規格，才可使用USB 3.0功能

3.裝置說明




4. 安裝硬碟

1. 使用USB介面，請先確定USB 2.0/USB 3.0裝置是否已經安裝驅動程式，確保USB 2.0/USB 3.0裝置能正常運作。
 2. 將USB 3.0傳輸線，連接到勁速硬碟外接座的USB連接埠。
 3. 將USB 3.0傳輸線，連接到您電腦的USB連接埠。
 4. 將電源線連接到硬碟外接座的電源連接埠。
- (圖-A)




5. 將2.5吋或3.5吋SATA硬碟/SATA SSD插入勁速硬碟外接座插槽內。(圖-B)



6. 開啟電源即可開始使用。(圖-C)

[注意]: 請下壓至Led燈亮及發出“喀”一聲才代表正確開啟電源。




[注意]: 新硬碟需經過初始化與分割，才能顯示於Windows或Mac桌面。M one 硬碟調校程式可自動格式化HDD，詳見M ONE光碟說明書。

5. 移除硬碟


[警告]：未關閉電源前請勿移除硬碟

1. 滑鼠雙擊在工具列的綠色小箭頭，然後選擇您想要移除的設備。
2. 關閉勁速硬碟外接座電源。(圖-A)



(圖-A)

3. 請輕扶勁速硬碟外接座，將硬碟取出。
(圖-B)




(圖-B)

6. M1 硬調校程式介紹

硬碟自動分割：

可將硬碟分割為一個或兩個磁碟，並依照您的喜好為磁碟命名與設定磁碟容量。

(圖-A)



(圖-A)

自動備份：

可將本機硬碟中的資料備份至萌科技外接硬碟內。(圖-B)



(圖-B)

磁碟資訊回報：

當您連接萌科技硬碟外接盒時，會顯示您目前硬碟的狀態。(圖-C)

(硬碟廠牌.可用空間.健康狀態)



(圖-C)

省電功能：

當您閒置一段時間未使用硬碟時，會自動進入休眠狀態節省用電。(圖-D)



(圖-D)

USB Turbo：

可加速外接硬碟傳輸資料的速度。(圖-E)



(圖-E)

※ 獨家“M1硬碟調校程式”詳見光碟內容

7. 授權 / 保證書

萌銓科技實業股份有限公司

(維修記錄表)

持有人姓名:					持 有 人 自 行 填 寫
電話: (行動)	: (室內)				
地址:	縣	鄉	村	路	
	市	鎮	里	街	
	段	巷	弄	號	樓

產品編號		維修專員填寫	
1	收件日期		無法修復原因:
	維修專員		
	費 用		
	是否修復 ☐ 是 ☐ 否		
2	收件日期		無法修復原因:
	維修專員		
	費 用		
	是否修復 ☐ 是 ☐ 否		

(需蓋經銷商章, 保固方有效, 此保固卡只限於台灣地區使用)

萌銓科技實業股份有限公司

(產品保固卡)



產品名稱: 勁速系列-2.5/3.5吋雙用高速傳輸硬碟外接座PLUS


購買日期: 年 月 日

產品型號: TIP-D185U3

- 商品憑保固卡享有自購買日起一年內之保固服務。
- 保固卡如有遺失, 恕不補發請妥善保管。
- 產品在保固期間如有下列情況亦得酌收費用, 敬請見諒。

- 1) 因人員未按使用手冊上之規定及注意事項而造成損壞。
- 2) 天災地變或電壓異常造成損壞。
- 3) 未能出示保固卡或相關購買證明。
- 4) 保固卡經塗改或難以辨識。

- 產品在保固期間如需維修服務時, 請提出保固卡或相關購買證明。



客服相關訊息

服務時間: 週一到週五09:00-12:00及14:00-1800(假日除外)

專線: (02)-87927289 ; 傳真: (02)-87920373

電郵: cs@mukii.com.tw ; http://www.mukii.com.tw

住址: 台北市內湖區潭美街588號2樓

(需蓋經銷商章, 保固方有效, 此保固卡只限於台灣地區使用)