

V3手机软件升级操作手册

软件升级内容

- Flash 软件升级
- 主复位主清除

软硬件需求

- 操作系统:WinNT/Win2000/WinXP
- CPU: Pentium233MHz或以上
- 硬盘: 100M以上空间
- 内存: 64M以上
- Mini USB 数据线: SKN6311B
- WibuKey
- 手机升级软件: PST(6.2版本以上)
- Reflash软件:

R374_G_0E.40.64R_PDS002_LP0015_DRM0001_JPJAVA_G_0E_V3
_03_06R_GSMV3xxT672VD057_1FF.shx

- (软件以E-support上公布的最新软件版本为准)

手机Reflash 升级

- 手机开机并打开PST程序, 运行PST&Test command (如图1所示)
- 用Mini USB数据线连接手机与升级电脑(如图2所示)
- 分别选择并安装
R374_G_0E.40.64R_PDS002_LP0015_DRM000
1_JPJAVA_G_0E_V3_03_06R_GSMV3xxT672
VD057_1FF.shx (如图3所示), 只需按提示操作,
手机会自动进入升级模式.
- PST软件会自动检测到手机已开机,(如图4所示)
- 点击Flash开始升级(如图5所示), 只需按提示操作即可(如图6,7,8,9所示)




图1




图2




图3




图4




图5

Flash Prog | Test Cmd

File Name

D:\gsm\R52_G_OD.38.A3P_OD.27.B1P_T672ZD_L001_S019_P008_GSOA780T672ZD013

Browse

File Information

Platform Type

GSM Dalhart

App Version

Boot Version

RAM Version

Checksums:

Software App

Boot Loader

RAM Downloader

File Date

Mon October 18 15:20:42 2004

File Size

146844924

Misc. Files:

Flash

Phone Information

Platform Type

Motorola Reflash Ezx

Checksums:

Misc. Files:

A

S

-

C

PST_FP_Flash



Before you upgrade the software, verify the following:

1. Is the selected software file (R52_G_OD.38.A3P_OD.27.B1P_T672ZD_L001_S019_P008_GSOA780T672ZD013_full.shx) correct? Failure to use the correct software file will damage the phone.
2. Is either the serial or USB cable connected to the phone and PC?
3. Is a fully charged battery connected to the phone? (Use of the Rapid Charger and battery is preferred.)

Yes

No

图6




图7




图8




图9

手机进行主复位及主清除操作.

升级结束