


STEP TO INSTALL CAPICOM.DLL


The Installation of or registration of capicom.dll varies according to the Windows bit version like 32 bit version or 64 bit.

- ✓ For Windows XP, Windows 7 or Windows 8 (32 bit)
- √ For Windows 7 or Windows 8 (64 bit)


To see windows bit version right click on My Computer and choose property, given below screen show Windows bit version



- ✓ For Windows XP, Windows 7 or Windows 8 (32 bit)
- Go to My Computer/ Local Disc (C:)/Windows/ System32
- Copy capicom.dll to My Computer/ Local Disc (C:)/Windows/ System32



- Search cmd file
- Right click on cmd and open in Administrator Mode



- Type command *regsvr32 capicom.dll*
- On clicking Enter button, the successful installation message displays.

√ For Windows 7 or Windows 8 (64 bit)

- Click on windows Start button
- Type "%systemroot%\SysWoW64\" in the search text box to open system folder
- Copy the corresponding capicom.dll to following folder "%systemroot%\SysWoW64\"
- Open the *cmd* prompt in administrator mode
- Goto folder "%systemroot" \SysWoW64" from cmd prompt
- Run command "regsvr32 capicom.dll"
- On clicking the **'Enter'** button, the successful installation message displays.

✓ IE Settings

Settings	Enable	Disable	Prompt
Allow previously unused ActiveX controls to run	Y		
without prompt			
Allow Scriptlets	Y		
Automatic prompting of ActiveX controls	Υ		
Run ActiveX controls and plug-ins	Υ		
Script ActiveX controls marked safe for scripting	Υ		