Manual Supplement

Manual Title:	1750 Getting Started	Supplement Issue:	**3**
Print Date:	October 2006	Issue Date:	12/16
Part Number:	2386767	Page Count:	2
Revision/Date:	2, 7/11		

This supplement contains information necessary to ensure the accuracy of the above manual.

© 2012-2016 Fluke Corporation. All rights reserved.

FLUKE®

Change #1

On page 5, Table 2 add:

CS1750/1760 Case Polyester, for Fluke 1750 & 1760	2673962

On page 5, Table 2:

Change:

Personal Digital Assistant (PDA) with USB cable and accessories	2386780

To:

Archos A43 Internet Tablet (pre-installed with Fluke Power View), stylus and pouch	Contact Fluke

On page 5, Table 2, remove:

Sets of international ac power plug adapters for the PDA charger	2583479

On page 9, delete the ***Installing the Software*** and ***Installing Power View on the PDA*** sections and replace with:

For complete instructions on how to install the **Archos 43 Internet Tablet**, go to the **Power Quality Software Downloads** page at www.Fluke.com.

Change #2

On page 3, replace the CAT III and CAT IV with the following and add:

KC	Conforms to relevant South Korean EMC Standards
CAT III	Measurement Category III is applicable to test and measuring circuits connected to the distribution part of the building's low-voltage MAINS installation.
CAT IV	Measurement Category IV is applicable to test and measuring circuits connected at the source of the building's low-voltage MAINS installation.

Change #3, 366

On page 1, add the following table to the ***Introduction*** section:

Introduction	The control and setup requires a wired connection to the tablet or PC running Power Analyze software
Standard Accessories	Personal Digital Assistant (PDA) with USB cable and Accessories replaced by: **Lenovo Miix 310 Windows 10 tablet (or similar)** **USB/Ethernet adapter** Sets of international ac power plug adapters for the PDA Charger: no longer included
Charging the PDA Battery	no longer valid
Installing Power View on the PDA	no longer valid
Language Selection	no longer valid
Installing the Recorder	In step 5, start Power Analyze on the tablet. For details refer to **Using Fluke Power Analyze**
Managing Recorded Data	Interactive copy of measurement data from the Recorder to the SD card is no longer supported. Refer to **Auto Download** to use the automatic data download instead.
PDA Download	no longer valid
Managing Image and Voice Files	no longer valid