

TALON™ | TEMPEST SERIES



♂ TALON 22 EF ↗



♀ TEMPEST 20 EF ↗



SUSTAINABLE DESIGN

OUR HOLISTIC APPROACH to sustainability uses high quality materials to lower our impact on the environment, promote a safe chemical process and care for the people in our supply chain.

+ **View additional details** about the sustainable fabrics included in this product on page 2 and on individual product hangtags at the point of sale.



♂ TALON 44



TALON 36



TALON 33



TALON 26



TALON 22



TALON 11



TALON 6



♀ TEMPEST 40



TEMPEST 34



TEMPEST 30



TEMPEST 24



TEMPEST 20



TEMPEST 9



TEMPEST 6

Welcome to Osprey. We pride ourselves on creating the most functional, durable and innovative carrying products for your adventures. Please refer to this owner's manual for information on product features, use, maintenance, customer service and warranty.

OWNER'S MANUAL



osprey.com

OVERVIEW



FABRIC

MAIN bluesign® approved, 100% recycled 100D x 210D high-tenacity nylon, DWR treatment made without PFAS

BOTTOM bluesign® approved, 100% recycled 420HD nylon, DWR treatment made without PFAS

PRODUCT PROMISE

One of the most versatile technical pack series ever created, the Talon/Tempest is designed for dynamic body movement, whether you're bagging peaks or bike-packing. A lightweight, ventilated and close-to-body fit moves with you on the most technical terrain due to a BioStretch harness, continuous-wrap hipbelt and an injection-molded, die-cut foam AirScape™ backpanel. The Talon/Tempest Series ranges from lumbar packs to ultralight backpacks with each style offering not only optimal stability, but sustainable recycled fabric and appropriate features—all in a lightweight package to support big and small adventures alike.

OVERVIEW

TALON 44

MEN'S

SPECS	S/M	L/XL
Cubic Inches	2563	2685
Liters	42	44
Pounds	2.95	3.34
Kilograms	1.34	1.51
Inches	27 h x 12 w x 11 d	30 h x 13 w x 11 d
Centimeters	69 h x 31 w x 27 d	75 h x 34 w x 29 d
LOAD RANGE	15-30 lb 7-11 kg	
ADD ON	Raincover M 3L Reservoir	

PACK FEATURES:

- + Stow-on-the-Go trekking pole attachment
- + Dual upper and lower side compression straps
- + Dual entry side stretch mesh pockets
- + External hydration sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets



TALON 36

MEN'S

SPECS	S/M	L/XL
Cubic Inches	2075	2197
Liters	34	36
Pounds	2.59	2.68
Kilograms	1.17	1.21
Inches	25 h x 12 w x 11 d	26 h x 12 w x 11 d
Centimeters	63 h x 31 w x 27 d	67 h x 31 w x 27 d
LOAD RANGE:	15-25 lb 7-11 kg	
ADD ON:	Raincover M 3L Reservoir	

PACK FEATURES:

- + Wide-mouth, bucket-style main compartment opening
- + Top panel external zippered slash pocket
- + Large stretch mesh front panel pocket
- + Dual ice tool loops with bungee tie-offs
- + Stow-on-the-Go trekking pole attachment
- + Dual upper and lower side compression straps
- + Stretch mesh side pockets
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets



TALON 33

MEN'S

SPECS	S/M	L/XL
Cubic Inches	1892	2014
Liters	31	33
Pounds	2.21	2.34
Kilograms	1	1.06
Inches	24 h x 11 w x 10 d	26 h x 11 w x 10 d
Centimeters	61 h x 29 w x 26 d	66 h x 29 w x 26 d
LOAD RANGE:	10-20 lb 5-8 kg	
ADD ON:	Raincover M 3L Reservoir	

PACK FEATURES:

- + Stow-on-the-Go trekking pole attachment
- + Dual upper and lower side compression straps
- + Stretch mesh side pockets
- + External hydration sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets



OVERVIEW

TALON 26

MEN'S

SPECS	S/M	L/XL
Cubic Inches	1465	1587
Liters	24	26
Pounds	1.96	2.11
Kilograms	0.89	0.96
Inches	21 h x 11 w x 10 d	22 h x 11 w x 10 d
Centimeters	54 h x 29 w x 25 d	56 h x 29 w x 25 d
LOAD RANGE	10-20 lb 5-8 kg	
ADD ON	Raincover S 3L Reservoir	

PACK FEATURES:

- + Wide-mouth, bucket-style main compartment opening
- + Top panel external zippered slash pocket
- + Large stretch mesh front panel pocket
- + Dual ice tool loops with bungee tie-offs
- + Stow-on-the-Go trekking pole attachment
- + Lower side compression straps
- + Stretch mesh side pockets
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets



TALON 22

MEN'S

SPECS	S/M	L/XL
Cubic Inches	1220	1343
Liters	20	22
Pounds	1.91	2.04
Kilograms	0.87	0.92
Inches	19 h x 11 w x 9 d	21 h x 11 w x 9 d
Centimeters	49 x 27 w x 23 d	54 h x 28 w x 23 d
LOAD RANGE:	10-20 lb 5-8 kg	
ADD ON:	Raincover S 3L Reservoir	

PACK FEATURES:

- + Stow-on-the-Go trekking pole attachment
- + Lower side compression straps
- + Stretch mesh side pockets
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets



TALON 11

MEN'S

SPECS	S/M	L/XL
Cubic Inches	549	671
Liters	9	11
Pounds	1.79	1.94
Kilograms	0.81	0.88
Inches	19 h x 11 w x 8 d	20 h x 11 w x 8 d
Centimeters	48 h x 27 w x 21 d	52 h x 27 w x 21 d
LOAD RANGE:	10-20 lb 5-8 kg	
ADD ON:	Raincover XS 3L Reservoir	

PACK FEATURES:

- + Stow-on-the-Go trekking pole attachment
- + Lower side compression straps
- + Stretch mesh side pockets
- + Ice tool loop with bungee tie-offs
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets
- + Blinker light attachment



OVERVIEW

TALON 6

MEN'S

SPECS	O/S	L/XL
Cubic Inches	366	1587
Liters	6	26
Pounds	0.96	2.11
Kilograms	0.41	0.96
Inches	8 h x 10 w x 6 d	22 h x 11 w x 10 d
Centimeters	21 h x 25 w x 15 d	56 h x 29 w x 25 d



PACK FEATURES:

- + Two zippered fabric hipbelt pockets

*(bottles not included)

TALON JR

SPECS	O/S
Cubic Inches	671
Liters	11
Pounds	1.20
Kilograms	0.54
Inches	15 h x 10 w x 7 d
Centimeters	39 h x 25 w x 17 d
ADD ON:	Raincover XS 1.5L Reservoir

PACK FEATURES:

- + Dual-zippered panel access to main compartment
- + Internal zippered mesh pocket with key clip
- + Stretch mesh front panel pocket
- + Side stretch mesh pockets
- + Top panel zippered slash pocket
- + LidLock bike helmet attachment
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Dual mesh hipbelt pockets
- + Blinker light attachment



TALON 22 EF

SPECS	S/M	L/XL
Cubic Inches	1220	1343
Liters	20	22
Pounds	2.06 lbs.	2.21 lbs.
Kilograms	0.93 kg.	1.00 kg.
Inches	19h x 11w x 9d	21h x 11w x 9d
Centimeters	49h x 27w x 23d	54h x 28w x 23d
LOAD RANGE	10-20 lbs. 5-8 kg.	10-20 lbs. 5-8 kg.
ADD-ON	Raincover S 3 L Reservoir	Raincover S 3 L Reservoir

PACK FEATURES:

- + Stow-on-the-Go trekking pole attachment
- + Lower side compression straps
- + Stretch mesh side pockets
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets

EXTENDED FIT FEATURES:

- + Designed to fit up to 70-inch hips
- + Extended hipbelt and shoulder straps
- + Repositioned pockets
- + Longer sternum strap



OVERVIEW

TEMPEST 40

WOMEN'S

SPECS	WXS/S	WM/L
Cubic Inches	2319	2441
Liters	38	40
Pounds	2.74	2.29
Kilograms	1.24	1.33
Inches	26 h x 13 w x 10 d	28 h x 13 w x 10 d
Centimeters	65 h x 34 w x 26 d	70 h x 34 w x 26 d
LOAD RANGE	15-30 lb 7-11 kg	
ADD ON	Raincover M 3L Reservoir	



PACK FEATURES:

- + Stow-on-the-Go trekking pole attachment
- + Dual upper and lower side compression straps
- + Dual entry side stretch mesh pockets
- + External hydration sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets

TEMPEST 34

WOMEN'S

SPECS	WXS/S	WM/L
Cubic Inches	1953	2075
Liters	32	34
Pounds	2.33	2.52
Kilograms	1.06	1.14
Inches	21 h x 11 w x 9 d	23 h x 11 w x 9 d
Centimeters	54 h x 29 w x 23 d	59 h x 29 w x 23 d
LOAD RANGE:	15-25 lb 7-11 kg	
ADD ON:	Raincover M 3L Reservoir	



PACK FEATURES:

- + Wide-mouth, bucket-style main compartment opening
- + Top panel external zippered slash pocket
- + Large stretch mesh front panel pocket
- + Dual ice tool loops with bungee tie-offs
- + Stow-on-the-Go trekking pole attachment
- + Dual upper and lower side compression straps
- + Stretch mesh side pockets
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets

TEMPEST 30

WOMEN'S

SPECS	WXS/S	WM/L
Cubic Inches	1709	1831
Liters	28	30
Pounds	2.09	2.23
Kilograms	0.95	1.01
Inches	23 h x 12 w x 10 d	24 h x 12 w x 10 d
Centimeters	58 h x 30 w x 26 d	61 h x 30 w x 26 d
LOAD RANGE:	10-20 lb 5-8 kg	
ADD ON:	Raincover M 3L Reservoir	



PACK FEATURES:

- + Stow-on-the-Go trekking pole attachment
- + Dual upper and lower side compression straps
- + Stretch mesh side pockets
- + External hydration sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets

OVERVIEW

TEMPEST 24

WOMEN'S

SPECS	WXS/S	WM/L
Cubic Inches	1343	1465
Liters	22	24
Pounds	1.81	1.95
Kilograms	0.82	0.89
Inches	19h x 10w x 9d	20h x 10w x 9d
Centimeters	47h x 26w x 22d	52h x 26w x 22d
LOAD RANGE	10-20 lb 5-8 kg	
ADD ON	Raincover S 3L Reservoir	

PACK FEATURES:

- + Wide-mouth, bucket-style main compartment opening
- + Top panel external zippered slash pocket
- + Large stretch mesh front panel pocket
- + Dual ice tool loops with bungee tie-offs
- + Stow-on-the-Go trekking pole attachment
- + Lower side compression straps
- + Stretch mesh side pockets
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets



TEMPEST 20

WOMEN'S

SPECS	WXS/S	WM/L
Cubic Inches	1098	1220
Liters	18	20
Pounds	1.78	1.91
Kilograms	0.81	0.87
Inches	17h x 11w x 8d	19h x 11w x 8d
Centimeters	44h x 27w x 20d	49h x 27w x 20d
LOAD RANGE:	10-20 lb 5-8 kg	
ADD ON:	Raincover S 3L Reservoir	

PACK FEATURES:

- + Stow-on-the-Go trekking pole attachment
- + Lower side compression straps
- + Stretch mesh side pockets
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets



TEMPEST 9

WOMEN'S

SPECS	WXS/S	WM/L
Cubic Inches	427	549
Liters	7	9
Pounds	1.64	1.79
Kilograms	0.75	0.81
Inches	17h x 11w x 8d	19h x 11w x 8d
Centimeters	43h x 27w x 20d	47h x 27w x 20d
LOAD RANGE:	10-20 lb 5-8 kg	
ADD ON:	Raincover XS 3L Reservoir	

PACK FEATURES:

- + Stow-on-the-Go trekking pole attachment
- + Lower side compression straps
- + Stretch mesh side pockets
- + Ice tool loop with bungee tie-offs
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets
- + Blinker light attachment



OVERVIEW

TEMPEST 6

WOMEN'S

SPECS	O/S
Cubic Inches	366
Liters	6
Pounds	0.96
Kilograms	0.41
Inches	8 h x 10 w x 6 d
Centimeters	21 h x 25 w x 15 d

PACK FEATURES:

- + Two zippered fabric hipbelt pockets

*(bottles not included)



TEMPEST JR

SPECS	O/S
Cubic Inches	671
Liters	11
Pounds	1.20
Kilograms	0.54
Inches	15 h x 10 w x 7 d
Centimeters	39 h x 25 w x 17 d

ADD ON: Raincover XS | 1.5L Reservoir

PACK FEATURES:

- + Dual-zippered panel access to main compartment
- + Internal zippered mesh pocket with key clip
- + Stretch mesh front panel pocket
- + Side stretch mesh pockets
- + Top panel zippered slash pocket
- + LidLock bike helmet attachment
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Dual mesh hipbelt pockets
- + Blinker light attachment



TALON 22 EF

SPECS	WS/M	WL/XL
Cubic Inches	1098	1220
Liters	18	20
Pounds	2.04	2.11
Kilograms	0.93	0.96
Inches	17h x 11w x 8d	19h x 11w x 8d
Centimeters	44h x 27w x 20d	49h x 27w x 20d

LOAD RANGE 10-20 lbs. | 5-8 kg. 10-20 lbs. | 5-8 kg.
ADD-ON Raincover S | 3 L Reservoir Raincover S | 3 L Reservoir

PACK FEATURES:

- + Stow-on-the-Go trekking pole attachment
- + Lower side compression straps
- + Stretch mesh side pockets
- + External hydration reservoir sleeve
- + Stretch mesh harness stash pocket
- + Two zippered fabric hipbelt pockets

EXTENDED FIT FEATURES:

- + Designed to fit up to 70-inch hips
- + Extended hipbelt and shoulder straps
- + Repositioned pockets
- + Longer sternum strap



CARRY



BIOSTRETCH HARNESS

STERNUM STRAP

FRAME

AIRSCAPE BACKPANEL

BIOSTRETCH HIPBELT



SUSPENSION

- + LightWire peripheral frame (Talon/Tempest 44/40L only) effectively transfers load to hipbelt

AIRSCAPE BACKPANEL*

- + Injection-molded AirScape® framesheet with die-cut foam provides a close-to-body stable fit while offering flexibility and ventilated airflow channels for active use
- + Mesh-covered foam lumbar for lightweight and comfortable contact surfaces

BIOSTRETCH HARNESS*

- + Integrated BioStretch seams offer maximum flexibility without sacrificing stability for dynamic body movement

- + Spacermesh over die-cut foam provides breathable, comfortable contact surface
- + Harness system easily adjusts to fit various torso lengths
- + Adjustable sternum strap with safety whistle buckle

BIOSTRETCH HIPBELT

- + Seamless lumbar-to-hipbelt body wrap and BioStretch seams offer maximum flexibility without sacrificing stability for dynamic body movement
- + Spacermesh over die-cut foam provides breathable, comfortable contact surface Crossbody ErgoPull hipbelt system to pull lumbar into body

*TALON/TEMPEST 6 EXCLUDED

SIZING / FIT

TALON - MEN'S SIZING

S/M 16-20" / 41-51 cm
M/L 19-23" / 48-58 cm

TEMPEST - WOMEN'S SIZING


WXS/S 13-17" / 33-43 cm
WM/L 16-20" / 41-51 cm

WOMEN'S SPECIFIC FIT

- + The unique suspended mesh located on the shoulders, backpanel, lumbar and hipbelt contour to a wide variety of body shapes and sizes to create a custom fit to your body.
- + The pack shape is narrower and deeper, allowing greater freedom of movement and increases stabilization by lowering the position of the load to a woman's center of gravity.
- + The shoulder harness is designed with different curves to create an anatomical fit for a woman's neck, shoulders and chest.
- + Women's hips are conically shaped with a larger difference between the waist and hip measurements. The hipbelts are shaped and angled to accommodate this difference, which allows a more comfortable load transfer and support.

PACK FIT INSTRUCTIONS

SIZING/FIT DISCLAIMER: Pack depicted in images may not be the pack represented in this owner's manual.



1 POSITION THE PACK

Completely loosen the pack's hipbelt, harness and load-lifter straps (if applicable). Load the pack with 10-20 lb/4-9 kg of gear. Put the pack on and make sure the hipbelt is centered and rests over the hipbone. The hipbelt padding should sit halfway above/below the hipbone.



2 BUCKLE HIPBELT

Buckle and tighten the hipbelt evenly using Osprey's cross-body ErgoPull. The padding of the hipbelt should wrap around the hips with approximately 1-3 in/2.5-6 cm of webbing between the buckle and the hipbelt when tightened.

3 HIPBELT ADJUSTMENT

If the hipbelt is too large and "tops out" or does not offer the preferred amount of coverage, the customer may need a different pack size, model or adjustment.



4 TIGHTEN SHOULDER STRAP

Tighten the shoulder harness straps by pulling them down and back.



5 TIGHTEN LOAD LIFTERS (IF APPLICABLE)

Tightening the load lifters will pull the pack close to the body and help stabilize the load. If the torso length on the pack is adjusted correctly, the load lifters will sit between a 30- to 60-degree angle and align naturally with the shoulder straps.

6 CHECK TORSO LENGTH

Locate the harness yoke – this is where the harness straps come together near the base of the user's neck. Locate the C7 vertebra – the large protruding bone at the base of the neck. The yoke should be 1 in/2.5 cm - 2 in/5 cm below the C7 vertebra.

7 TORSO LENGTH ADJUSTMENT

For steps on adjusting the torso length to the correct size, see page 11.



8 CHECK HARNESS FIT

The harness straps should wrap fully around the shoulders with no gaps between the pack and back. The padded part of the shoulder straps should end at 2 in/5 cm or more below the armpits without topping out.

9 HARNESS/SHOULDER STRAP ADJUSTMENT

If the harness is too small or large, but the torso length of the pack is correct, the customer may need a different pack size, model or adjustment.

10 BUCKLE THE STERNUM STRAP

The sternum strap should be adjusted to approximately 2 in/5 cm below the collarbone.



FEATURE DETAILS



HARNESS ADJUSTMENT

44L / 40L / 36L / 34L / 33L / 30L / 26L / 24L / 22L / 22L EF / 20L / 20L EF / 11L / 9L / JR

Loosen load lifter straps at the top of the harness, slide hand between backpanel and harness to release hook and loop attachment and slide harness into position using arrows to guide. Firmly press on backpanel to reengage hook and loop attachment.



EXTERNAL RESERVOIR SLEEVE

44L / 40L / 36L / 34L / 33L / 30L / 26L / 24L / 22L / 22L EF / 20L / 20L EF / 11L / 9L / JR

External reservoir sleeve located behind the shoulder harness, allows for easy loading/unloading of a hydration reservoir. Place reservoir inside the sleeve to help provide proper weight distribution. Clip reservoir to buckled loop to keep upright.



STOW-ON-THE-GO TREKKING POLE ATTACHMENT

44L / 40L / 33L / 30L / 22L / 22L EF / 20L / 20L EF / 11L / 9L

Osprey's Stow-on-the-Go trekking pole attachment is designed to quickly attach and carry trekking poles while wearing a pack.

- Locate the elasticized loop on the lower left side of pack. While pulling the loop out from the pack, insert the basket end of the trekking poles into the loop.
- On the left harness strap locate the trekking pole icon. Pull up on the cord to open, place pole handles in the loop and tighten with the cord lock to secure.
- Reverse these steps to remove the trekking poles.



SIDE STRETCH MESH POCKETS

44L / 40L / 36L / 34L / 33L / 30L / 26L / 24L / 22L / 22L EF / 20L / 20L EF / 11L / 9L / JR

Stretch mesh pockets on both sides of pack provide convenient storage for smaller items.



DUAL AND SINGLE ICE TOOL LOOPS

44L / 40L / 36L / 34L / 33L / 30L / 26L / 24L / 22L / 22L EF / 20L / 20L EF / 11L / 9L

Dual and single ice tool loops provide secure storage for mountaineering axes and ice tools.

- Slide the tool shaft through the top of the ice tool loop and flip the shaft up toward the top of the pack.
- Loosen the bungee cord lock and route the tool handle through the bungee. Tighten the cord lock nesting it into the Y-clip to secure the tool into place.
- Reverse to remove.



LOWER INSIDEOUT COMPRESSION / CARRY STRAPS

44L / 40L / 36L / 34L / 33L / 30L / 26L / 24L / 22L / 22L EF / 20L / 20L EF / 11L / 9L

InsideOut Compression straps compress pack when not full to ensure stable carry and secure items in side pockets. They can be routed inside or outside of the side mesh pockets:

- Locate duckbill buckle at the top and side of each side pocket and unthread the webbing.
- Route the webbing by positioning the slider buckle inside or outside of the side pocket and reverse the process.



LIDLOCK

22L / 22L EF / 20L / 20L EF / 11L / 9L / JR

To use LidLock helmet attachment, locate LidLock clip on top front panel of pack, pull clip away from pack, pass through helmet vent and secure in horizontal position. The cord located on the inside of the pack is used to increase or decrease tension as needed. Reverse to remove helmet.

For more information on this product and others, pack care, how to pack your pack, our lifetime guarantee, or to contact Osprey Customer Service, visit osprey.com.

OWNER'S MANUAL

