



File Name: boss rv-3 manual pdf.pdf

Size: 1744 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 11 May 2019, 13:11 PM

Rating: 4.6/5 from 754 votes.

Status: AVAILABLE

Last checked: 18 Minutes ago!

In order to read or download boss rv-3 manual pdf ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with boss rv-3 manual pdf . To get started finding boss rv-3 manual pdf , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

boss rv-3 manual pdf

It offers four different highdensity reverb modes plus three delay modes offering delay times up to 2,000ms. Combination digital reverb and delay pedal with studio quality sound. Offers 4 reverb modes and 3 delay modes with delay time up to 2,000ms. Intuitive control via Balance, Tone, Reverb Time and Mode knobs. Mono input and Stereo outputs. BOSS 5year warranty. The Boss RV3 is a combination reverb and digital delay pedal all in one. Find great deals on ebay for boss rv3 and boss rv5. It has four reverb modes. Its kinda like a CE1 and DD3 all rolled up into one device. View and Download Boss Digital Reverb RV5 owners manual online. AC Adapter For BOSS RV3 RV5 Digital Reverb. Digital Reverb RV5 Music Pedal pdf manual download. Compare prices for the Boss RV3 across tons of sellers and get the best deal. If anyone could help me out, thatd be great. Any love for Boss RV3. Boss Rv 3 Manual Accessory USA AC Adapter For BOSS RV3 RV5 Digital Reverb. The Boss RV3 is a combination reverb and digital delay pedal all in one. Find great deals on ebay for boss rv3 and boss rv5. It has four reverb modes. Its kinda like a CE1 and DD3 all rolled up into one device. Rc 3 Loop Station Manual Get boss rc 3 loop station pedal manual pdf PDF file for free from our. Loop Station 3 Stereo tracks, each with two separate footswitches Rec, play and stop, Easily operated volume fader for each track, Expression pedal to effect control. Boss rc 3 loop station pedal manual pdf 1. BOSS y Loop Station son marcas registradas o marcas de Roland Corporation en Estados Unidos y otros. Boss RC3 Loop Station Looper. Rv Owner39s Manuals Truck Camper Owners Manuals Your Northwood RV contains components that are not manufactured by Northwood such as the Refrigerator, Range, Generator and Microwave to name a few. View and Download Boss Rv6 owners manual online. 5. Find owners manuals of past and present Triple E RV models.<http://zavalasministorage.com/assets/media/damocles-mini-manual.xml>

- **boss rv3 manual pdf, boss rv-3 manual pdf download, boss rv-3 manual pdf free, boss rv-3 manual pdf online, boss rv-3 manual pdf file.**

ALP has been a premium RV manufacturer since Through a lifetime of four season, adventure fun, theres a Bigfoot RV perfect for you Boss Bx45 Manual Your address will not be published. Boss Audio BX55 User Manual in English There are some Boss boss Audio Bx Way Elec Crossover Remote Included picture Boss Audio Bx55. There are no reviews yet. View and Download BOSS BX45 instruction manual online. 2 4 Boss Tu 2 Manual To download BOSS TU2 service manual, parts catalog, schematic follow the instructions on the page. Find great deals on ebay for boss tu2 chromatic tuner and boss tu12h. Anyone know where to find one of these. The specs on boss's site say the TU2 goes to C0. In our Boss TU3 Chromatic Tuner Review, we find out if the TU3 really wins the TU2 vs TU3 battle. You can examine Boss TU2. Boss Br 80 Manual Getting to Know the BR Roland Corporation U.S. Boss micro br80 manual download along tool for guitarists and other musicians. The Boss Micro BR80 has 3 simple modes to it, a multi track recorder, eband and live recording functions. MICRO BR BR80 Voice Recorder pdf manual download. View and Download Boss BR8 instruction. Boss ML2 Metal boss bcb60 manual Core Effects Pedal Boss ML2. An important point after buying a device Boss Audio Systems BCB60 or even before the purchase is to read its user manual. With 16 different cases to solve, Boss Bcb30 Manual game could keep you busy. Boss Cs3 Compressor Manual See reviews and prices for the Boss CS3 Compression Sustainer, as used by Jack White, Mike Einziger, The Edge and 67 others. Find great deals on ebay for boss cs3 compressor and boss cs3. Dura ace 9000 rear derailleur manually. Boss CS2 compressor demo and tutorial. Mge ups evolution 1150 manuals. Nextgeneration guitar compressor powered by MDP. 3 5 Boss Audio Car Stereo Subwoofer Users Manual Check Boss Subwoofer On Downloadsearch. Where

do I find user manual Boss BA 41 CDC 3 in 1 CD cassette receiver. <https://arezzowave.com/userfiles/damixa-kiwa-manual.xml>

Refer to page 11 in the User Manual for troubleshooting steps. Shop from the worlds largest selection and best deals for Boss Subwoofers. Way Car Audio Coaxial Speakers Stereo. Manuals and User Guides for BOSS BX25. View and Download Boss ME6B owners manual online. You may find documents other than just manuals as we also make available many user guides. Manual Boss Bx 55 Boss Audio Systems BX55 Car Amplifier Frequentlyviewed manuals. We have the following Boss Audio BX55 manuals available for free PDF download. Free download of Boss Audio BX55 User Manual. Product manuals and user guides. Boss Rc 2 Loop Station Instruction Manual The Boss RC2 Loop Station is a compact looping pedal that can be used with any electric instrument. Cookies help us improve performance, enhance user experience and deliver our services. RC2 Loop Station, Looper from Boss in the RC. Boss RC50 Loop Station How To Demo. Bosss RC2 compact effects pedal aims to cram in at least some of the technology from the much. 4 6 Boss Bx55 Manual View online or download 1 Manuals for Boss Audio Systems REV555. Comprei 4 drives Hinor HDC2000 e no manual fala que eles do 150w rms ligados no crossover 2000 Hz 18 db. The Best Deals on Combination Signal. Please refer to your subwoofers owners manual for the proper wiring of its terminals. The versatility of the Amplifier makes it the perfect choice for almost every type of custom multiroom This publication is protected by copyright and all rights are reserved. Voodoo Lab, Control Switcher, OD100 Tube Guitar Amplifiers OPERATING GUIDE 10648 Magnolia Blvd. North Hollywood, CA. 91601 Phone 818 7638898 Fax 818 7638890 We at Custom Audio Electronics would This guide will help you quickly set up your new ButtKicker Kit Contents BKKit4 In most CD players, the reduction This publication is protected by copyright and all rights are reserved. Defining the Micro Component, Stunning Audio Performance for the next generation.

This publication is protected by It has been designed, engineered and manufactured How Sound Works in a PC. SoundCapture Basics. SoundCapture Basics Active Speaker System with remote input LX523. This publication is protected by copyright and all rights are reserved. Voodoo Lab and Pedal Power are trademarks English CONTENTS Accessories. 5 FEATURES 6 What you can This guide will help you to quickly set up your new ButtKicker system with your PC or gaming console. This guide will help you to quickly set up your new ButtKicker system with your PC or gaming console. Contents a. ButtKicker Gamer Copyright Earthquake Sound Corporation Earthquake Stream internet music, Owner s Manual All Rights Reserved. PRINTING NOTE These pages were built 21cm wide 8.26in When used with a high quality 2 ohm rated power The text below is provided for the convenience of SWR users who purchased this model on the used This publication is protected by copyright and all rights are reserved. Voodoo Lab and Pedal Power are Instruction Manual. MARK L Custom Guitar Electronics 1 Before starting the system and using the Media Center setup wizard, please read this updated information Feature Summary The AMP825 is an ultraefficient Class D amplifier delivering 8 channels of reliable amplification rated at 25 watts English CONTENTS Accessories. FEATURES 6 What you can do Simply use your household power circuit no need to drill or lay new cables. Connect Owner smanual ENG The carton and packaging have You see, your amplifier is This publication is protected by copyright and all rights are reserved. Two Channel High Performance Power Amplifier. Four Channel High Performance Power Amplifier Please read carefully before use of this product failure to follow the instructions Key Features. Product Overview. Product Information. Fender s Passport brand of products are known for their portability, To use this website, you must agree to our Privacy Policy, including cookie policy.

Please do not offer the downloaded file for sell only use it for personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program. In addition, Also some files are djvu so you need djvu

viewer to open them. These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Translate this page Relevant INSTRUMENT forum topics BOSS MT2 METAL ZONE Sziasztok! Megepitettem a cimbeli gitartorzitot, de nem jon ki belole az a hang, ami a YouTubeos demovideokon hallatszik. Ossze szeretnem hasonlítani egy gyarival. Van esetleg valakinek You can write in English language into the forum not only in Hungarian. RV3 Music Pedal pdf manual download. Boss RV3 Pdf User Manuals. View online or download Boss RV3 Owners Manual. The RV3 is a popular professional quality pedal that can produce reverb, delay or both. It offers four different high density reverb modes plus three delay modes The plunderers 1960 games, Warcraft 2 no cd, Hawaii 50 4 temporada youtube, Color scheme revit 2012, Internet manager 5.05 build 2. Reload to refresh your session. Reload to refresh your session. Search results for found ask for a document File Date Descr Size Popular Mfg Model Found in chassis2model Found in repair tips. If anyone could help me out, thatd be great. I thought it might be enjoyable to see how everyone uses this pedal, as its a very versatile pedal. Ill post some as soon as I get the chance to play with it some more. Thanks fender. I generally like it at 10 2 oclock. I hope its as good as youve been saying. It gets progressively louder until my speaker itself is pumping back and forth and only stops when I turn the rev. Know what the problem is, etc.

It gets progressively louder until my speaker itself is pumping back and forth and only stops when I turn the rev. Know what the problem is, etc. Even after the delay was off. Ive paid, and cant get a hold of the seller. Even after the delay was off. Ive paid, and cant get a hold of the seller. Perhaps its my amp. 1 x 12 no good Perhaps if I add a 2 x 12 extension cab which Ive been wanting to do for a really long time. Paste as plain text instead Display as a link instead Clear editor Upload or insert images from URL. The RV3 is a combination reverb and delay pedal with four different reverb modes plus three delay modes with delay times up to 2000ms. There are an additional four modes that combines delay and room, hall or plate reverb types. Discover everything Scribd has to offer, including books and audiobooks from major publishers. Start Free Trial Cancel anytime. Report this Document Download Now save Save bossrv6manual.pdf For Later 364 views 0 0 upvotes 0 0 downvotes bossrv6manual.pdf Uploaded by wplais Description Full description save Save bossrv6manual.pdf For Later 0 0 upvotes, Mark this document as useful 0 0 downvotes, Mark this document as not useful Embed Share Print Download Now Jump to Page You are on page 1 of 1 Search inside document Scribd members can read and download full documents. Your first days are free. Continue Reading with Trial Share this document Share or Embed Document Sharing Options Share on Facebook, opens a new window Share on Twitter, opens a new window Share on LinkedIn, opens a new window Share with Email, opens mail client Copy Text Related Interests Alternating Current Electrical Engineering Manufactured Goods Electric Power Electronic Engineering Footer Menu Back To Top About About Scribd Press Our blog Join our team. Browse Books Site Directory Site Language English Change Language English Change Language. For a better experience, please enable JavaScript in your browser before proceeding.

It may not display this or other websites correctly. You should upgrade or use an alternative browser. Very low mix, a bit more than 1 repeat, slightly longer than slapback. Usually on mode 10 or 11. Mix is at about 12 oclock, tone about 1, release time about 11 oclock. It had the role of an instant shortcut minus all the Spaces necessary tweaking to good sounds that may be not as rich as Eventides, but for simple purposes like some of the ones described above they are just fine more than fine, actually, and always cutting through the mix. Its a classic pedal used a lot by Radiohead, Isis, Cure, Sigur Ros etc. Decent slapback, sure. Jumbo delivers the sound of an Enhance gives guitarists a brilliant, Level adjusts the There is also a direct output where the signal have BODY center, Topcenter This technology The top knob controls the The AC3 also has a In addition to the regular Auto Wah This make the Theres also an extra powerful wah that combines the Adjust the SENS control so The AW3 added a lot of new sounds, not heard Theres a dedicated bass guitar

input, an input for expression pedal, Set two vowel sounds and the wah effect. It is all here everything from warm, Leaves the expressiveness. Sound control is as easy as using your favorite amp. Set the TONE the way you want. Turn GAIN to just about max with TONE set slightly lower. TONE should be adjusted to match. The BF2 has been around for a long time and is one of the most commonly used flanger pedals. These were later changed to the white top knobs. The change took place 1990, This was the original colour choice, but it was changed to. Whether some pink ones exist out there is uncertain. The TL022CP opamp was replaced with the Sharp IR9022 opamp. It was changed to green in The CE2B is the only other pedal to have use the orange label.

Orange became pink in July The Bass Flanger. After almost 10 years Boss replaced it with the The bass fundamentals remain. The LFO Low Frequency oscillator is variable between The MANUAL knob controls the delay time, The CE1 was released 1976 and The CE2 builds on the The middle region is boosted in the CE2 compared. The pedal was however still produced and sold at least The CE2 was produced in Japan up until 1988 when production moved to. This results in the C in This is the only 3knob pedal that has the knobs. The CE3 was the first metallic. These were later changed to the white top knobs. The two outputs can be further combined. The major difference between the CE5 and its predecessors. It has been in production for longer than any. This is printed on the PCB so it is easy to. The first version is closely related to the CE2 and CE3. It uses the 1024 stage. The CE5A is completely restructured. The easiest way to determine which version you. The CEX pedals doesn't do this and. The CH1s made. The easiest way to determine which version you have is to use the serial number. The later CS2 and CS3 used VCAs. The sound of the CS1 is thus very. The CS2 uses a VCA. It is similar to. The DC3 is a digital device while the DC2 uses analog electronics. The chorus produced is a bit different from. The sound is often described. There are no. This popular pedal had controls for delay time, effect level and mode, The DD2 digital delay also features a wide, A unique hold function and two stereo outputs are also included, The DD2. By using the unlatch. For example, by setting. Dropping the price didn't look so good so it. The front of the pedal got. The DD3 was redesigned. The new version is called the DD3A. The DC socket was at the. The design change happened before production was moved from Japan to Taiwan. The latest version of the DD3 is. In addition to three delay time modes, a Delay Time control. Delay time ranges from 50 to 200ms.

Then use the. Connect a footswitch, In Hold mode, press. The delay can also be inserted into an effects loop. To enhance solos, Endless repeats, reverse mode. Enhancements include builtin tap tempo capability. When you step on the. The feedbacked note will stop immediately when you release the pedal. The newly developed 2mode Pedal. A builtin Overtone. This effect draws a. The vintage analog. This was soon. It is worth noting that the MN3005 has a. The MN3205 only produces 0.8% distortion. It should have a 4 digit number. Note that this is the production date of the integrated. The circuitry is similar to the DM2s but it. The delay time is variable. The knobs on the. They only featured on the DM3 and early versions. It produces a distortion sound with a hard edge and is known to have a. Many people swear that the older Japan made pedals. The DS1 has over the years been used by a lot of great. Keeley, Analogman and Stinkfoot all provide their. This remained unchanged for about 16 years but in 1994 it was replaced by the Rohm BA728N. This time the Mitsubishi M5223AL was used. The last change came 2006 when the New Japan Radio NJM2904L opamp was introduced. The first version. This is usually referred to as the long. Since early 1982 the only changes has been to the bottom label. In mode I the DS2 sounds a bit. Mode II gives a sound more in the direction of the HM2 or MT2. The special Turbo Circuit serve to remove unpleasant shrill caused by distorted frequencies. The Turbo Circuit again create a powerful grunge distorted overload. The Delay has two modes, S and L. In. In the play mode, a recorded. Recording and replay is archived simultaneously while the pedal is In, Output, AC Adaptor. The DSD3 was however. This was made possible because of a. As a result Boss decided to release it as a new version. In, Output, AC Adaptor. Keep playing for a. You will then realize the effect that this pedal has.

What it does is This restores the clarity and delicate harmonic It is much used in studio work Thos control will cut or boost The setting of the SENS Sensitivity knob will determine how This restores the clarity and delicate harmonic structures The EH2 adds life to any performance, This pedal can be controlled by the touch sensitivity of With a Roland EV5 expression pedal linked to the Exp In A newly developed envelope With a Q control for filter peak level adjustment builtin, the In, Output, AC Adaptor Fuzz 1 is used for The FZ2 can also be There are no known production changes. In addition to its classic sound, Picking dynamics Make sure your basss The GE6 has 6 bands with This equalizer is quite noisy in the high Its got the sameThis lets you completely control your sound and Place the GE7 The design is very similar to the GE7 butThe bands have center frequencies at 62Hz, There is also a level control that allows each band The change These are now at 50Hz, 120Hz, 400Hz, 500Hz, 800Hz, 4.5kHz and 10kHz The most critical area for a bass guitar is around 400Hz500Hz and thats Its a great Well, not exactly, but it More like youd expect from fully overdriven stacked tube Using independent COLOR MIX controls for high Perfect for solos as well as backing.This setting lets your guitar solos You can also select the key that you are playing in, Separate controls for each voice level The HR2 does 1 and 2 part harmonies in any interval in the following The key can be selected and the interval and volume Features Intelligent pitchshifting; one or two This instantly A new highspeed detection circuit ensures A Detector In jack allows correct pitch Adopting a high The highspeed envelope With the use of the Tone Control, the Limiter can The limiter was mainly used by bass players and this is why When the second generation limiter was launched, it was labeled The LM2 gives you a little volume drop when it is turned on.

This makes With the massive gain that this pedal can produce, it can easily become It is one of the best selling Boss pedals of all time. The Metal Zone produces The distortion is produced in an analog circuit The pedal has 2 mainThe MZ2 has stereo outputs Production came to an end some time Its not going to get The NF1 should by normal conventions be called NG1, but NG could be Pedals with serial number earlier You can connect the NS2 last in your chain of Wire the Output jack of The NS2 can also be wired like an effects loop, which allows you to kill The NS2 attempts to The natural attack and envelope of the signal itself are unaffected To get a steady andIt is also an advantage to use a compressor in front of the OC2 to limit the Each octave tones volume can be controlled independently. The OC2 features The OC3 incorporates a digital In Octave2 mode, Artist of the 70s was mostly using a fuzz distortion sound and the It was however soon accepted as the new standard The sound is therefore still close to the original even The different versions have been named The version letter is printed on the PCB in the form of the number 052281A to 052281E. ThereEach with minor differences like opamps from different manufacturers.These numbers are not real serial numbers It is so far unknown how many pedals there were in a batch. The section below lists the The OD1 was already legendaryThe design goal was to create a pedal with two modes. The OD2 is built using After the production was discontinued, 1994, the pedal Boss chose to The OD3 features a new dual stageIt is designed with theWith the overdrive turned off it also works wellIt can be adjusted from dry clean to fully overdriven. With overdrive sounds, more gain will increase the The OS2 is both.

With the color knobTurn it up and the overdrive will be gradually The OS2 provides The phaser attempts to emulate a rotating speaker With the added settings This is a 4 stage phaser like the It can create an wide This control is adjustable over a wide range in order to With a phase shift circuit that provides Two modes give you completely Depth controls This can be seen as the This is the feedback level. Mode selects between phaser mode 1 or 2. Switch it into Mode 2 for a more inyourface Theres also 4, 8, 10, and The PN2 has a Rate and Depth control in addition to a 4way Mode switch The PN2 was officially sold until 1995 butMost likely, it ranged only 10 months between The level can be boosted or cut with 18dBThe low band ranges from 25Hz to 400Hz, the middle band The level control is placed before It was never a big seller and as Boss presently doesnt You can adjust Each frequency range selector has its own individual This was alleviated from serial

number 845800 but There is seven pitch shift modes, and three The pitch shift level is selectable in 26 steps 24. The delay is up to a Good for slightly shifted sounds. Good for greatly shifted sounds. Pitch A controls Output A and Ptch B controls Output B There are 5 different modes.It creates harmonies based on the Set the PITCH control to plus or minus 3rd, 4th, 5th, 6th, Ajdust the balance between direct sound and the effect with BALANCE. Set the PITCH control to the Press the pedal to activate the T.ARM effect, release the pedal to return The Flutter mode adds quick pitch vibrato to the input sound when the pedal is pressed.It can supply power to up to 7 other Its been obsoleted by the release When the check indicator light is green, Press the switch and In this mode the Guitar connection is connected to Send and the Amp Originally theThe production moved to Taiwan 1991.

Maybe it was a mistake to label the tone controls FAT and MUSCLE The PW2 has a mid range boost with a heavy low end sound designed to create the sound of a Boss officially claims that production only lasted 9 months but investigations shows that the Since sales were really Digital reverbs had prior to the RV2 only been The RV2 changed all that when it was launched 1987.As a result of this it was The pedal and the power supply wouldnt fit in a normal The reverb time is adjustable from 0.2 to 10 seconds. In front of the reverb The production span of the RV2 was likely very short and might have Exclusive BOSS asymmetric overdrive circuitry delivers a genuine The SD1 is ideal for The SD1 is equipped with It is recommended that the Tone control be set at around 90 degrees This effect was BOSSS unique asymmetric overdrive circuitry delivers a genuine overdrive effect for a A tone control is also provided for precise tonal adjustment.Good for a bluesy sound.With this setting, the SD1 functions as aCRUNCH mode gives you a fat, crunchy sound thats You can even independently modify these two tones with Whats more, the LEAD and CRUNCH modes can be For solos, With the effect on, you can use an This gives you instant There are only The attack knob controls the A compressor or overdrive in front of it may be helpful to minimize Used with a delay it sounds sort of With the NF1, the sound decays away but is cut when it falls below a threshold. With the The spectrum knob sets the frequency The balance knob sets the peak within the range.

The SP1 was more Today it is one of the most sought after Together with the CS1, the TW1 is Automatic variations of tone according to the level of the input signal provides radical The TW1 is therefore ideal for musicians who The use of a unique coiltype resonance circuit makes possible a number of The TW1 is also equipped with a Drive control that lets you choose any of the up As a result, any desired wah effect In latch mode, the vibrato Like the CE1 Chorus Ensemble, the It is based around the MN3207 BBD with accompanying For guitar players who apply finger vibrato without thinking about it, this effect can be difficult In order to produce a true and natural vibrato effect,When used with a guitar, the VB2 can produce a wide array of smooth and natural vibrato And with the units unlatch mode which activates the vibrato effect only while the pedal It was originally written by the maker of bossarea.comThat is the reason I created a mirror because I missed the great reference site that was bossarea.com.I am an avid collector and programmer, just a happy marriage of both. Feel free to send cheers, errata and additions to info at gitaargast dot nl. While the first such processors weren't entirely successful in emulating these acoustic and mechanical reverberations they offered a distinctive sound of their own which quickly became part of our musical history.Boss might not be the first name to spring to mind if you were seeking a really esoteric reverb, but the new Boss RV500 not only bears comparison with its aforementioned rivals in terms of sound quality and effect variety, but it also offers a number of useful functions that most of its rivals can't. A ducker is also available for every preset, which is a nice, practical touch. The RV500 also offers detailed emulations of two classic Roland products that date back to the 1970s and 1980s, specifically the venerable RE201 Space Echo, complete with switchable head combinations, and the SRV2000 Digital Reverb.

After using the pedal in the studio for a few days I have nothing but praise for the sounds, but it does seem a bit tight not to include a suitable power supply as standard, given that the pedal that can

barely manage an evening on a set of batteries! Its three footswitches are sited well away from the other controls, and from the backlit LCD that doubles as a patch name and parameter readout. A rotary switch accesses the 12 main reverb modes but behind the scenes there are actually 21 reverb types with comprehensive but not overfiddly editing facilities accessible both from the front panel or via the software. If you have a computer to hand, I'd recommend downloading the free editing software, as it makes the process of tweaking or creating patches much faster. They can also be reconfigured to allow direct access to three stored reverb patches or other userdefined functions. Tap is normally used to set tempo or to activate another function as set up in the current patch. How the two patches in a dual preset work together can be set up in Simul Mode. The options are Series or Parallel, with the sound either mixed or sent separately to the two output jacks. Alternatively, the two inputs can be split, with one reverb applied to each and output in mono from the corresponding output jack. The signal can also be split into two frequency bands, with a different reverb effect applied to each. All the more commonplace reverb types are catered for by the Room, Hall, Plate and Spring modes, and most of these have suboptions such as room size or number of springs. All four are available in Dual mode, though the other types are excluded. There are also four types of dedicated Early Reflections, a Nonlinear reverb for creating gated or reverse effects, the Dual mode for combining two reverbs, plus the SRV reverb and Space Echo emulations. The old SRV has a nice vintage character. Spring sounds suitably metallic and fluttery if surf music is your thing.