



## Quantitative PCR

Quantitative PCR (qPCR) is one of the most powerful and sensitive gene analysis techniques available. The main advantage of qPCR over traditional end-point PCR is that it allows you to determine the starting template copy number of your DNA or cDNA with accuracy and high sensitivity over a wide dynamic range. Most modern PCR applications are qPCR based and can be used in diagnostic, agricultural, biotechnology and pharmaceutical research.

### Gene Expression Using qPCR - Technical Considerations

Although qPCR is considered the gold standard for accurate measurement of gene expression, the true accuracy and subsequent usability of qPCR data is greatly dependent on experimental design, overall workflow and analysis techniques.

There are a number of critical issues across the entire workflow from sample selection and processing, use of appropriate controls and calculation methods, as well as overall experimental design and reporting strategies. Bioline recommends complying with the MIQE (Minimum Information for Publication of Quantitative Real-Time PCR Experiments) Guidelines\* during qPCR experimental design.

| Table of Contents                 | Page |
|-----------------------------------|------|
| SensiFAST Selection Table         | 04   |
| One-Step qPCR Kits                | 05   |
| - SensiFAST SYBR One-Step Kit     | 06   |
| - SensiFAST Probe One-Step Kit    | 07   |
| - SensiFAST Probe Direct SuperMix | 08   |
| Two-Step qPCR Kits                | 09   |
| - SensiFAST SYBR Kit              | 10   |
| - SensiFAST Probe Kit             | 11   |
| - SensiFAST Lyo-Ready No-ROX Mix  | 12   |
| - SensiFAST HRM Kit               | 13   |
| - SensiFAST cDNA Synthesis Kit    | 14   |



# SensiFAST Selection Table

| Manufacturer         | Model                                      | Lo-ROX   | Hi-ROX   | No-ROX   | HRM<br>Compatible |
|----------------------|--|----------|----------|----------|-------------------|
| Anilant (Chartanana) | AriaMX                                     | <b>~</b> |          |          | <b>✓</b>          |
| Agilent (Stratagene) | MX3000P™, MX3005P™, MX4000P™               | <b>✓</b> |          |          | <b>✓</b>          |
| Analytika Jena       | qTower, qTower 2.x                         |          |          | <b>✓</b> |                   |
|                      | 7000                                       |          | <b>✓</b> |          |                   |
|                      | 7300                                       |          | <b>✓</b> |          |                   |
|                      | 7500                                       | <b>~</b> |          |          |                   |
|                      | 7500 FAST                                  | <b>✓</b> |          |          | <b>✓</b>          |
|                      | 7700                                       |          | <b>✓</b> |          |                   |
| A                    | 7900                                       |          | <b>✓</b> |          |                   |
| Applied Biosystems™  | 7900 HT                                    |          | <b>~</b> |          |                   |
|                      | 7900HT FAST                                | <b>✓</b> |          |          | ✓                 |
|                      | Quantstudio <sup>™</sup> 3,5,6,7, 12k flex | <b>✓</b> |          |          | ✓                 |
|                      | Step0ne <sup>™</sup>                       |          | <b>~</b> |          | ✓                 |
|                      | StepOne <sup>™</sup> Plus                  |          | <b>✓</b> |          | <b>✓</b>          |
|                      | Viia7™                                     | <b>✓</b> |          |          | <b>✓</b>          |
|                      | CFX96™                                     |          |          | <b>✓</b> | <b>✓</b>          |
|                      | CFX384 <sup>™</sup>                        |          |          | <b>✓</b> | <b>✓</b>          |
| Bio-Rad®             | Chromo4 <sup>™</sup>                       |          |          | <b>✓</b> |                   |
|                      | iCycler®                                   | <b>✓</b> |          |          |                   |
|                      | iQ™5                                       |          |          | <b>✓</b> |                   |
|                      | MiniOpticon™                               |          |          | <b>V</b> |                   |
|                      | MyiQ™                                      |          |          | <b>V</b> |                   |
|                      | Opticon™                                   |          |          | <b>V</b> |                   |
|                      | Opticon™2                                  |          |          | <b>V</b> |                   |
| BJS                  | Xxpress®                                   |          |          | <b>V</b> |                   |
| BMS                  | MIC  |          |          | <b>V</b> | <b>✓</b>          |
| Cepheid®             | SmartCycler®                               |          |          | <b>V</b> |                   |
|                      | Mastercycler® ep realplex                  |          |          | <b>V</b> | <b>✓</b>          |
| Eppendorf            | Mastercycler® ep realplex 2S               |          |          | <b>V</b> | <b>✓</b>          |
| Fluidigm             | BioMark™                                   | <b>✓</b> |          |          |                   |
| IT-IS Life Science   | MyGo Pro                                   |          |          | <b>✓</b> | <b>✓</b>          |
| PCRmax               | Eco™                                       |          |          | <b>V</b> | · /               |
|                      | Rotor-Gene™ 3000                           |          |          | <b>V</b> |                   |
| Qiagen               | Rotor-Gene™ 6000                           |          |          | <b>V</b> | <b>✓</b>          |
| diagon               | Rotor-Gene™ Q                              |          |          | <b>*</b> | <b>*</b>          |
|                      | Lightcycler®96                             |          |          | <b>V</b> | <b>✓</b>          |
| Roche                | Lightcycler®480                            |          |          | <b>*</b> | <b>*</b>          |
|                      | Lightcycler®Nano                           |          |          | <b>*</b> | <b>*</b>          |
| Takara               | Thermal Cycler Dice®                       |          |          | <b>*</b> |                   |
|                      | PrimeQ                                     |          |          | <b>*</b> |                   |
| Techne               | Quantica®                                  |          |          | <b>V</b> |                   |
| Thermo               | Piko Real™                                 |          |          | <b>*</b> |                   |
| monino               | i ino rioui                                |          |          |          |                   |

## One-Step qPCR Kits

SensiFAST™ One-Step RT-qPCR Kits are available in a variety of configurations to suit all of your different applications and techniques.

SensiFAST One-Step Kits are a complete range of highly-optimized ready-to-use kits, designed for first-strand cDNA synthesis and subsequent qPCR amplification of a specific target RNA, from either total RNA or mRNA, in a single tube. This reduces sample handling, which helps to decrease the chances of pipetting errors and cross contamination, as well as reduced bench time, meaning faster time to results. In contrast to two-step protocols, gene specific primers are required and all of the cDNA is consumed in the qPCR step.

SensiFAST benefits from the latest developments in real-time reverse transcription qPCR (RT-qPCR) to realize the fastest cycling times and greatest sensitivity, without compromising accuracy reproducibility or performance. SensiFAST One-Step Kits can be used on all qPCR instruments and are ideal for the new generation of fast PCR cyclers (see selection table).

SensiFAST One-Step Kits provide the perfect solution when processing multiple samples and amplifying only a few genes of interest, making SensiFAST One-Step Kits ideal for assays such as virus detection and quantification and high-throughput gene expression screening, without compromising on sensitivity and reproducibility (see Table 1).

- **Sensitive:** optimized buffer formulation delivers reliable quantification from even very low-copy number RNA targets
- Reproducible: consistent results between technical replicates for increased accuracy
- Specific: antibody-mediated hot-start DNA polymerase minimizes non-specific amplification for improved assay sensitivity and reliability
- Robust: reliable detection of RNA targets from a broad range of sample types
- Fast: optimized proprietary mix of enzymes and RT buffer chemistry, delivers reproducible, accurate assay results in as little as 40 minutes

Table 1 Applications for SensiFAST One-Step kits

| Gene expression analysis                | Microarray validation              | Viral quantitation        |
|---|------------------------------------|---------------------------|
| Pathogen detection                      | Biomarker discovery and validation | Gene knockdown validation |
| Genotyping                              | Cellular mRNA and miRNA            | ChIP                      |
| Gene dosage determination               | Cancer risk assessment             | Microbial quantification  |
| Detection of extremely low copy targets | Quantification                     | Drug therapy efficacy     |

### SensiFAST™ SYBR® One-Step Kit

SensiFAST SYBR® One-Step Kit has been formulated for fast, efficient, unbiased cDNA synthesis and subsequent highly-sensitive (Fig. 1), reproducible RT-qPCR in a single tube (Fig. 2). An antibody-mediated hot-start DNA polymerase promotes rapid activation and supports highly-specific amplification, which in turn improves assay sensitivity and dynamic range. A combination of the latest advances in buffer chemistry and PCR enhancers confer superior assay performance under fast thermal cycling conditions. The inclusion of separate RiboSafe Inhibitor ensures accuracy by protecting RNA targets from RNase degradation.

SensiFAST SYBR® One-Step Kit consists of a 2x SensiFAST SYBR® One-Step mix, a separate reverse transcriptase and RiboSafe RNase Inhibitor and has been validated on all commonly used qPCR instruments.

SensiFAST Probe One-Step Kit has provided our lab with a fast, reliable and economic solution for our viral testing qPCR assays. Our lab routinely uses a quadruplex reaction and SensiFAST is the only mix where we achieve the same results as with a singleplex reaction.

Center for Vectorbourne Diseases, University of California Davis, USA

| SYBR                                 | Size          | Cat. #    |
|--------------------------------------|---------------|-----------|
| CanaiEACT CVDD Na DOV One Step Vit   | 100 Reactions | BIO-72001 |
| SensiFAST SYBR No-ROX One-Step Kit   | 500 Reactions | BIO-72005 |
| CanaiFACT CVDD III: DOV One Ctan Vit | 100 Reactions | BIO-73001 |
| SensiFAST SYBR Hi-ROX One-Step Kit   | 500 Reactions | BIO-73005 |
| CanaiFACT CVDD La DOV One Ctan Vit   | 100 Reactions | BIO-74001 |
| SensiFAST SYBR Lo-ROX One-Step Kit   | 500 Reactions | BIO-74005 |





Fig. 1 Sensitivity under fast cycling conditions

A 10-fold serial dilution of human RNA (in triplicate) was amplified over 5 orders of magnitude, according to the manufacturers' standard protocol. The results illustrate that SensiFAST SYBR One-Step (red) could be diluted further than supplier T (green) and so is more sensitive.






Fig. 2 Reproducibility under fast cycling conditions

A 10-fold serial dilution of human RNA (in triplicate) was amplified over 5 orders of magnitude, according to the manufacturers' standard protocol. The earlier Ct values illustrate that SensiFAST SYBR One-Step Kit (red) with tight replicates illustrating greater reproducibility than supplier Q (green).

### SensiFAST™ Probe One-Step Kit

SensiFAST Probe One-Step Kit has been developed for fast RT-qPCR and designed for superior sensitivity (Fig. 1) and specificity (Fig. 2) with probe-detection technology, including TaqMan®, Scorpions® and molecular beacon probes. SensiFAST Probe One-Step Kit has been formulated for highly reproducible first-strand cDNA synthesis and subsequent RT-qPCR in a single tube. An antibody-mediated hot-start DNA polymerase promotes rapid activation and supports highly-specific amplification, which in turn improves assay sensitivity and dynamic range. A combination of the latest advances in buffer chemistry and PCR enhancers confer superior assay performance under fast thermal cycling conditions. This also gives SensiFAST Probe One-Step Kit unmatched efficiency in multiplexing (Fig. 3).

SensiFAST Probe One-Step Kit consists of a 2x SensiFAST Probe Mix, plus separate reverse transcriptase and RiboSafe RNase Inhibitor and has been validated on all commonly used qPCR instruments.

| Probe                                | Size          | Cat. #    |
|--------------------------------------|---------------|-----------|
| Consider Ducks No. DOV One Ober 19th | 100 Reactions | BIO-76001 |
| SensiFAST Probe No-ROX One-Step Kit  | 500 Reactions | BIO-76005 |
| SensiFAST Probe Hi-ROX One-Step Kit  | 100 Reactions | BIO-77001 |
|                                      | 500 Reactions | BIO-77005 |
| Consider Dunks La DOV Our Other Kit  | 100 Reactions | BIO-78001 |
| SensiFAST Probe Lo-ROX One-Step Kit  | 500 Reactions | BIO-78005 |

SensiFAST Probe
One-Step Kit was
used with human
parainfluenzavirus
type 4 to show
sensitivity of down
to 10 copies per
reaction across an
8 log<sub>10</sub> dynamic
range.

University of Queensland, Australia




Fig. 1 Copy number of viral RNA in nasal washes
The WHO Collaborating Centre for Reference and Research
on Influenza in Australia used RT-qPCR analysis of a mixed
population of influenza viruses in ferret nasal washes to
measure the viral replication and transmission kinetics
of each virus population (\*Butler et al 2014). The copy
number of viral RNA in each nasal wash was determined
over 11 days using SensiFAST Probe One-Step Kit. The
results illustrate sensitivity of RT-qPCR, helping to
show the fitness advantage conferred by mutations in
drug-resistant influenza viruses.




Fig. 2 Fast cycling conditions

Mouse β-actin amplified in triplicate using gene specific primers and TaqMan probe according to each manufacturer's protocol, from 10-fold serial dilution of RNA with SensiFAST Probe One-Step and supplier A mix. The results illustrate that SensiFAST Probe One-Step Kit is faster than supplier A mix by four Ct (more than 10-fold).





Fig. 3 Multiplexing performance comparison
A 100-fold dilution of human cDNA was used with four probes, either in singleplex reactions (darker line) or in quadruplex reaction (lighter line), using a conventional TaqMan prime/probe set. The results illustrate that the SensiFAST Probe One-Step Kit is very efficient in delivering the same Ct in singleplex and multiplex assays.

### SensiFAST™ Probe Direct SuperMix

SensiFAST<sup>TM</sup> Probe Direct SuperMix is a highly inhibitor-resistant qPCR master mix that provides quick and easy extraction and amplification of DNA from a variety of tissue types. The supermix maximizes sensitivity while simultaneously minimizing the effect of blood, tissue and plant PCR inhibitors, to deliver greater experiment success rates. It has been designed for highly reproducible, accurate assay results in the presence of inhibitors, making it ideal for direct amplification from the most challenging samples.


The SensiFAST™ Probe Direct SuperMix is a combination of the latest advances in buffer chemistry and PCR enhancers and stabilizers, together with an antibody-mediated hot-start polymerase, dNTPs and MgCl<sub>2</sub>.


| Product                         | Size           | Cat. #    |
|---------------------------------|----------------|-----------|
| CanaiFACT Droba Direct CunorMiy | 500 Reactions  | BIO-86105 |
| SensiFAST Probe Direct SuperMix | 2000 Reactions | BIO-86120 |



### Fig. 1 Efficient amplification from different sample types

20% (final volume in reaction) samples of human whole blood containing anticoagulants (EDTA, Heparin and Citrate) and bovine whole blood (EDTA), human cerebrospinal fluid, human urine and cow whole milk were analyses using the SensiFAST Probe Direct SuperMix along with 2% alkaline or proteinase K mouse tail, liver and brain crude DNA extracts. The results illustrate that the reaction efficiency of the SensiFAST Probe Direct SuperMix remained within tolerances (90-110%) in the presence of a wide range of common PCR inhibitors.








Fig. 2 Efficient amplification from biofluids

A 10-fold serial dilution of genomic DNA was spiked into cerebrospinal fluid, human urine and cow whole milk was amplified, using SensiFAST Probe Direct SuperMix (green) and an Inhibitor-Tolerant Mix from supplier K (red) and the manufacturers' recommended protocol. The results illustrate SensiFAST Probe Direct SuperMix is more sensitive than the mix from supplier K, as lower dilutions could be detected, with better efficiencies for all three inhibitor samples.

## Two-Step qPCR Kits

In two-step RT-qPCR, reverse transcription and PCR are performed as two separate reactions, allowing the cDNA and qPCR reactions to be optimized separately, resulting in higher yields of cDNA during the RT step than for one-step procedures, making it more sensitive than one step RT-qPCR.

RNA is converted into cDNA in the first step, using a choice of random hexamers, oligo  $d(T)_n$  primers, or gene-specific primers, or for unbiased reverse transcription a mixture of random hexamer and anchored oligo  $d(T)_n$  (Such as in the SensiFAST cDNA Synthesis Kit). Either a portion of the RT reaction is diluted into the qPCR in the second step, or the RT reaction is diluted into the qPCR in the second step, or the RT reaction can be extracted and precipitated prior to use, allowing control over the amount of cDNA input. This flexibility is useful when working with genes of variable abundance or on challenging sequences. Any residual DNA cDNA is also available for future amplification reactions of other genes, or even for other applications. The two-step method is particularly useful when the goal is to detect multiple targets from a single sample, or to perform multiple PCR amplifications from a single sample.

- Reproducible: consistent results between technical replicates for increased confidence in results
- Specific: antibody-mediated hot-start DNA polymerase minimizes non-specific amplification for improved assay sensitivity and reliability
- Sensitive: reliable quantification of low abundance targets and scarce samples
- Robust: accurate detection of DNA and RNA targets from a broad range of sample types
- Fast: delivers reproducible, accurate assay results in as little as 30 minutes

Table 1 Applications for SensiFAST™ kits

| Biomarker discovery and validation | Cancer risk assessment                                  | Cellular mRNA and miRNA   |
|------------------------------------|---|---------------------------|
| ChIP                               | Detection of extremely low copy targets                 | DNA damage measurement    |
| Drug therapy efficacy              | Gene dosage determination                               | Gene expression analysis  |
| Gene knockdown validation          | Genotyping, allelic discrimination, SNP,<br>haplotyping | High-throughput qPCR      |
| Microarray validation              | Microbial quantification                                | Mitochondrial DNA studies |
| Pathogen detection                 | Quantification  | Viral load                |

### SensiFAST™ SYBR® Kit

The SensiFAST SYBR® Kit has been developed for fast highly sensitive and reproducible qPCR and has been validated on commonly used in qPCR instruments.

The use of antibodies for the hot-start DNA polymerase system reduces the chances of primer-dimer formation, reducing non-specific priming and leading to greater sensitivity (Fig. 1). The addition of the latest advances in buffer chemistry and enhancers also ensures that the SensiFAST SYBR® Kit produces faster (under 30 minutes), highly reproducible (Fig. 2) qPCR results.


In contrast to specific probes that must be synthesized for each target, SYBR® Green can be used directly in the PCR, making it more convenient and less expensive than probes, however SYBR will detect all double-stranded DNA preventing its use in multiplexing.

Very good linearity right down to 10 copies, very good correlation coefficient, good qPCR reaction efficiency and gave a single band on an agarose gel.

King's College London, UK

| 000 Reactions<br>0000 Reactions<br>0000 Reactions | BIO-98005<br>BIO-98020<br>BIO-98050 |
|---|-------------------------------------|
|   |                                     |
| 000 Reactions                                     | BIO-98050                           |
|   |                                     |
| 00 Reactions                                      | BIO-94005                           |
| 000 Reactions                                     | BIO-94020                           |
| 000 Reactions                                     | BIO-94050                           |
|   | DIO 00005                           |
| 00 Reactions                                      | BIO-92005                           |
|   |                                     |





#### b) Standard curve




Fig. 1 High sensitivity qPCR under fast cycling conditions.

SensiFAST SYBR No-ROX Kit was used to amplify the rat dopamine 4 receptor using fast cycling conditions (customer results). The process used a 10-fold serial dilution rat DNA (in triplicate) over 7 orders of magnitude. The results illustrate a) very good linearity, down to 10 copies, b) very good correlation coefficient (r2 = 0.998) qPCR reaction efficiency (95%) and c) a single band on an agarose gel (data not shown).




Fig. 2 Reproducibility under fast cycling conditions

The PGK gene diluted in a 10-fold serial dilution of mouse cDNA (in triplicate) over 5 orders of magnitude and amplified using SensiFAST SYBR No-ROX under fast cycling conditions. The results illustrate that the SensiFAST SYBR is fast, highly reproducible and sensitive.

### SensiFAST™ Probe Kit

The SensiFAST Probe Kit has been developed for fast qPCR and is designed for superior sensitivity and specificity with probe-detection technology, including TaqMan®, Scorpions® and molecular beacon probes. SensiFAST Probe Kit has been optimized for fast mode on fast qPCR instruments. A combination of the latest advances in buffer chemistry and PCR enhancers, with antibodies for the hot-start DNA polymerase system, ensures that the SensiFAST Probe Kit delivers shorter run times, is highly reproducible, highly-specific and ultra-sensitive (Fig. 1). The advanced buffer chemistry and enhancers also make SensiFAST Probe perfect for multiplexing (Fig. 2), allowing more samples to be run in a day with the highest confidence, ideal for high-throughput assays.

| Product                      | Size           | Cat.#     |
|------------------------------|----------------|-----------|
|                              | 500 Reactions  | BIO-86005 |
| SensiFAST Probe No-ROX Kit   | 2000 Reactions | BIO-86020 |
|                              | 5000 Reactions | BIO-86050 |
|                              | 500 Reactions  | BIO-84005 |
| SensiFAST Probe Lo-ROX Kit   | 2000 Reactions | BIO-84020 |
|                              | 5000 Reactions | BIO-84050 |
| ConsiCACT Drobe His DOV I/it | 500 Reactions  | BIO-82005 |
| SensiFAST Probe Hi-ROX Kit   | 2000 Reactions | BIO-82020 |

With SensiFAST I was able to dramatically boost my efficiencies and increase reproducibility. In addition, I found that multiple primer pairs produced cleaner products with improved melting curves.

UC Davis School of Veterinary Medicine, USA






Fig. 1 Sensitivity and reproducibility

Comparison of sensitivity and reproducibility of SensiFAST Probe (red) and a Kit from supplier I (green), the process used a 10-fold serial dilution of human DNA (in quadruplicate) over several orders of magnitude. The results illustrate that SensiFAST Probe is far more sensitive than supplier I.





#### Fig. 2 Sensitivity and efficiency in multiplexing

A 10-fold serial dilution of human cDNA amplified with four different probes; both in singleplex reactions (blue line) and quadruplex reaction (the red line displayed is for the same primers as for the singleplex). Five replicates were run using a conventional TaqMan primer/probe set under fast cycling conditions. SensiFAST Probe No-ROX Kit illustrates a) exactly the same high sensitivity, excellent reproducibility and Ct values for both the singleplex and multiplex reactions and b) no reduction of efficiency that is commonly associated with multiplexing.

### SensiFAST™ Lyo-Ready No-ROX Mix

- Glycerol-free: ideal for preparation of custom lyophilized qPCR master mixes for improved convenience and extended room-temperature stability
- Reproducible: consistent results between technical replicates for increased confidence
- Robust: accurate detection of DNA and cDNA targets from a broad range of sample types
- **Sensitive:** reliable quantification of low abundance targets and scarce samples
- Fast: delivers reproducible, accurate assay results in as little as 30 minutes


SensiFAST Lyo-Ready No-ROX Mix is a glycerol-free qPCR mix, that can be lyophilized with assay-specific primers and probes to produce ambient temperature stable qPCR master mixes that give outstanding assay reproducibility, sensitivity and robustness following rehydration. The reconstitution of SensiFAST Lyo-Ready No-ROX, containing target-specific primers and probes, with aqueous template is key to reducing handling time and maximizing sample input, while ambient temperature stability of the lyophilized test permits transportation and storage under a range of conditions.

The SensiFAST Lyo-Ready No-ROX Mix delivers the same accurate, highly-reproducible assay performance from the reconstituted mix as it does from the wet mix (Fig. 1) and has been validated in viral detection assays to give the same PCR efficiencies for both singleplex and multiplex for both wet and reconstituted mixes.

Following lyophilization, the SensiFAST Lyo-Ready No-ROX Mix is stable for a minimum of 24 months at room temperature (17 - 23 °C) and for up to three months at 37 °C (Fig. 2). Furthermore, the mix is stable when lyophilized in the absence and presence of primers and probes.

In one-step RT-qPCR format, SensiFAST Lyo-Ready No-ROX Mix can simultaneously detect low abundance RNA and DNA viruses direct from sample (Fig. 3). A wet mix is at two times concentration, so the maximum amount of sample that can be added is an equal volume, however as the volume of SensiFAST Lyo-Ready No-ROX Mix is reduced by lyophilization, larger volumes of sample can be added, thereby increasing the potential sensitivity even further.

| Product                        | Size       | Cat.#     |  |
|--------------------------------|------------|-----------|--|
| SensiFAST Lyo-Ready No-ROX Mix | 10 x 10 mL | BIO-11060 |  |



**Fig. 1. Sensitivity of wet and lyophilized mixes**The lyophilized (blue) and wet (red) mix amplification profiles for *Actg* amplicons are shown. The results illustrate the same

for *Actg* amplicons are shown. The results illustrate the same sensitivity and very similar efficiencies, for the wet mix and the lyophilized mix




Fig. 2. Storage and stability

Lyophilized SensiFAST Lyo-Ready No-ROX Mix demonstrates stability at room temperature (blue) and 37 °C (red) up to 24 months and 12 months, respectively. Ct values were calculated as a ratio of the lyophilized to wet mix




Fig. 3. Simultaneous detection of DNA and RNA viruses Amplification of viral gene targets in a multiplexed RT-qPCR assay. The amplification profiles show that as few as five viral particles per reaction can be detected for both A. cytomegalovirus (DNA) and B. hepatitis A virus (RNA)


### SensiFAST™ HRM Kit

- Accurate: clear discrimination of even the most challenging sequence differences
- Reproducible: unparalleled consistency between replicate difference plots for increased confidence in sample characterization
- Sensitive: efficient detection from even very limiting amounts of sample
- Flexible: enables reliable characterization of a broad range of sequence differences
- **Fast:** rapid PCR amplification prior to high resolution melting, enabling higher throughput

SensiFAST HRM Kit incorporates an antibody-mediated hot-start DNA polymerase with EvaGreen® fluorescent dye, to deliver precise, highly reproducible and fast genotyping of sequence variants through high resolution melting.

SensiFAST HRM Kit has been developed for detailed characterization of samples according to their base composition, length and GC content by high resolution melting (HRM). The latest advances in buffer chemistry and enhancers, together with an antibody-mediated hot-start DNA polymerase, ensure SensiFAST HRM Kit delivers reproducible, accurate HRM analysis. SensiFAST HRM Kit enables reliable detection of even single base changes, making it suitable for genotyping single nucleotide polymorphisms (SNPs) (Table 1).

SensiFAST HRM Kit contains EvaGreen®, a third generation saturating fluorescent dye which selectively binds to double-stranded DNA. In contrast to dyes such as SYBR® Green I, EvaGreen can be used at higher concentrations without inhibiting PCR and shows equal binding affinity for GC-rich and AT-rich regions. The combination of SensiFAST DNA Polymerase, a unique buffer system and EvaGreen dye enables amplification and discrimination of even the most challenging sequence differences, such as class 4 SNPs (Fig. 1), without sequence preference. Since it does not require labelled oligonucleotide probes, SensiFAST HRM Kit is also a cost-effective alternative to traditional probe based genotyping methods.






Fig. 1 Highly accurate genotyping of an A/T Class 4 SNP

Three different genotypes of an A>T SNP were analyzed by HRM, using SensiFAST HRM Kit. Normalized HRM melt profiles of each genotype are shown (Profile 1), where A (blue) corresponds to the homozygous wild type, T (green) to the homozygous mutant A/T (red) to heterozygous samples. A difference plot of this data (Profile 2) shows the effect of subtracting an average heterozygous curve from all curves. The results illustrate clear discrimination and highly accurate results even with class 4 SNPs when using SensiFAST HRM.

| Table 1. Classes of SNP genotyping |             |                  |                     |  |
|------------------------------------|-------------|------------------|---------------------|--|
| SNP Class                          | Base Change | Tm Curve Shift   | Frequency in humans |  |
| 1                                  | C/T and G/A | Large > 0.5 °C   | 65%                 |  |
| 2                                  | C/A and G/T | Large > 0.5 °C   | 19%                 |  |
| 3                                  | C/G         | Small 0.2-0.5 °C | 9%                  |  |
| 4                                  | A/T         | Small < 0.2 °C   | 7%                  |  |

| Product           | Size           | Cat. #    |
|-------------------|----------------|-----------|
| SensiFAST HRM Kit | 500 Reactions  | BIO-32005 |
|                   | 2000 Reactions | BI0-32020 |

### SensiFAST™ cDNA Synthesis Kit

- Efficient: high-target affinity, coupled with a novel TransAmp<sup>™</sup> buffer system for improved yield of full-length cDNA
- Unbiased: optimized mix of random hexamers and anchored oligo dT primers for complete 5' to 3' RNA sequence representation
- Sensitive: lower Ct values from a broad range of input cDNA concentrations, enabling accurate detection of very low-copy targets
- Robust: reliable reverse transcription under challenging conditions, including the use of complex templates and in the presence of inhibitors
- Fast: high-yield reverse transcription from a broad range of targets in as little as 5 minutes

To complement the SensiFAST Probe and SYBR® qPCR Kits, Bioline has developed the SensiFAST cDNA Synthesis Kit which displays excellent linearity across a wide range of starting materials. This gives the same relative representation in cDNA templates, regardless of gene abundance, making it excellent for use in qPCR studies.

A novel, highly-pure reverse transcriptase and TransAmp buffer system delivers both highly efficient first strand synthesis (Fig. 1) and higher cDNA yields. This leads to enhanced reproducibility (Fig. 2) and data accuracy. SensiFAST cDNA Synthesis Kit also displays excellent linearity across a wide range of starting material, giving the same relative target representation regardless of input cDNA concentration.

To ensure unbiased 3' and 5' coverage and reverse transcription of all regions in RNA transcripts (Fig. 3), the TransAmp Buffer employs a unique blend of random hexamers and anchored oligo dT primers. Additionally, the SensiFAST cDNA Synthesis Kit can be used with SensiFAST Probe and SYBR Kits for fast qPCR to produce high-quality results in less than 1 hour.

| Size          | Cat. #       |
|---------------|--------------|
| 50 Reactions  | BIO-65053    |
| 250 Reactions | BIO-65054    |
|               | 50 Reactions |





Fig. 1 Speed and sensitivity

SensiFAST cDNA synthesis Kit and a kit from supplier B were used in a first-strand reaction of the same source of total RNA using the manufacturers' recommended conditions. A 10-fold serial dilution was used in a qPCR reaction. The results illustrate that the SensiFAST cDNA Synthesis Kit (red) is also much faster and even more sensitive than supplier B (blue).



#### Fig. 2 High reproducibility

SensiFAST cDNA synthesis Kit was employed in 48 independent first-strand reactions, containing 100 ng or 100 pg of total RNA. The first-strand products form the high and input RNA were used in a qPCR assay (reactions performed in triplicate). The results demonstrate the excellent reproducibility of the SensiFAST cDNA Synthesis Kit (the same Ct values), across all 144 wells with 100 ng of input target RNA and all 144 wells with 100 pg of input target RNA.





Fig. 3 Unbiased representation across target genes

SensiFAST cDNA Synthesis Kit and a kit from supplier B were used in a first-strand reaction containing total RNA. Primer pairs were designed at 1 kb intervals across the same transcript and used in a qPCR reaction with SensiFAST SYBR® No-ROX. The results illustrate that unlike the results from supplier B (blue). SensiFAST cDNA Synthesis Kit (red) did not show any bias across the intervening transcript.

## Ordering Information

| SYBR                                | Size           | Cat. #    |
|-------------------------------------|----------------|-----------|
| SensiFAST SYBR® No-ROX One-Step Kit | 100 Reactions  | BIO-72001 |
| SensiFAST SYBR® No-ROX One-Step Kit | 500 Reactions  | BI0-72005 |
| SensiFAST SYBR® Hi-ROX One-Step Kit | 100 Reactions  | BIO-73001 |
| SensiFAST SYBR® Hi-ROX One-Step Kit | 500 Reactions  | BI0-73005 |
| SensiFAST SYBR® Lo-ROX One-Step Kit | 100 Reactions  | BIO-74001 |
| SensiFAST SYBR® Lo-ROX One-Step Kit | 500 Reactions  | BIO-74005 |
| SensiFAST SYBR® No-ROX Kit          | 500 Reactions  | BIO-98005 |
| SensiFAST SYBR® No-ROX Kit          | 2000 Reactions | BIO-98020 |
| SensiFAST SYBR® No-ROX Kit          | 5000 Reactions | BIO-98050 |
| SensiFAST SYBR® Hi-ROX Kit          | 500 Reactions  | BIO-92005 |
| SensiFAST SYBR® Hi-ROX Kit          | 2000 Reactions | BIO-92020 |
| SensiFAST SYBR® Lo-ROX Kit          | 500 Reactions  | BIO-94005 |
| SensiFAST SYBR® Lo-ROX Kit          | 2000 Reactions | BIO-94020 |
| SensiFAST SYBR® Lo-ROX Kit          | 5000 Reactions | BIO-94050 |
| SensiFAST SYBR® & Fluorescein Kit   | 500 Reactions  | BIO-96005 |
| SensiFAST SYBR® & Fluorescein Kit   | 2000 Reactions | BIO-96020 |

| Probe                               | Size           | Cat. #    |
|-------------------------------------|----------------|-----------|
| SensiFAST Probe No-ROX One-Step Kit | 100 Reactions  | BIO-76001 |
| SensiFAST Probe No-ROX One-Step Kit | 500 Reactions  | BIO-76005 |
| SensiFAST Probe Hi-ROX One-Step Kit | 100 Reactions  | BIO-77001 |
| SensiFAST Probe Hi-ROX One-Step Kit | 500 Reactions  | BIO-77005 |
| SensiFAST Probe Lo-ROX One-Step Kit | 100 Reactions  | BIO-78001 |
| SensiFAST Probe Lo-ROX One-Step Kit | 500 Reactions  | BIO-78005 |
| SensiFAST Probe No-ROX Kit          | 500 Reactions  | BIO-86005 |
| SensiFAST Probe No-ROX Kit          | 2000 Reactions | BIO-86020 |
| SensiFAST Probe No-ROX Kit          | 5000 Reactions | BIO-86050 |
| SensiFAST Probe Hi-ROX Kit          | 500 Reactions  | BIO-82005 |
| SensiFAST Probe Hi-ROX Kit          | 2000 Reactions | BIO-82020 |
| SensiFAST Probe Lo-ROX Kit          | 500 Reactions  | BIO-84005 |
| SensiFAST Probe Lo-ROX Kit          | 2000 Reactions | BIO-84020 |
| SensiFAST Probe Lo-ROX Kit          | 5000 Reactions | BIO-84050 |
|                                     |                |           |
| cDNA Synthesis                      | Size           | Cat. #    |
| SensiFAST cDNA Synthesis Kit        | 50 Reactions   | BIO-65053 |
| SensiFAST cDNA Synthesis Kit        | 250 Reactions  | BIO-65054 |
|                                     |                |           |
| HRM                                 | Size           | Cat. #    |
| SensiFAST HRM Kit                   | 500 Reactions  | BIO-32005 |
| SensiFAST HRM Kit                   | 2000 Reactions | BIO-32020 |



The following are trademarks registered by other companies: SYBR® Green (Molecular Probes), ROX<sup>™</sup> (Applera Corporation), iCycler®, MyiQ<sup>™</sup>, iQ<sup>™</sup>5, Opticon<sup>™</sup>, CFX384<sup>™</sup> and CFX96<sup>™</sup> (Bio-Rad®), Lightcycler® and TaqMan® (Roche Molecular Systems Inc), EvaGreen® (Biotium, Inc), HRM<sup>™</sup> and Rotor-Gene<sup>™</sup> (Qiagen), MX3005P<sup>™</sup> and MX4000P<sup>™</sup> (Agilent Technologies Inc), Scorpions<sup>™</sup> (Sigma-Aldrich Co.), SmartCycler® (Cepheid®), Quantica® (Techne), Mastercycler® (Eppendorf®AG), ROX<sup>™</sup>, StepOne<sup>™</sup>, QuantStudio<sup>™</sup> and ViiA7<sup>™</sup> (Applied Biosystems Inc.), Xxpress<sup>™</sup> (BJS), BioMark<sup>™</sup> (Fluidigm®), Eco<sup>™</sup> (PCRmax), Thermal Cycler Dice® (Takara), Piko Real<sup>™</sup> (Thermo®).

#### US

email: info@meridianlifescience.com Toll Free: +1 800 327 6299

#### UK

email: info.uk@bioline.com Tel: +44 (0)20 8830 5300

#### Germany

email: info.de@bioline.com Tel: +49 (0)3371 60222 00

#### France

email: info.fr@bioline.com Tel: +33 (0)1 42 56 04 40

#### 美国迈迪安生命科学公司

电子邮箱: vivian.li@meridianlifescience.com 电话: +65 6774 7196

#### Australia

email: info.au@bioline.com Tel: +61 (0)2 9209 4180

