


Compliance Guide For Healthcare

- Power Strip and Surge Protection solutions for the entire facility
- Meet special healthcare requirements



Patient Care Vicinity Solutions

Mobile Application Solutions

Administrative Area Solutions

TRIPP·LITE Healthcare Power Outlet Strips

DO YOU KNOW IF YOUR
POWER STRIPS MEET SPECIAL
REQUIREMENTS FOR HEALTHCARE
ENVIRONMENTS? YOUR
REGULATORY AUTHORITY WILL!

Implement a power strip compliance plan before you are cited for code violations!


Governing bodies that monitor electrical power inside healthcare facilities base their regulations on Article 517 of NFPA 70, NFPA 99 and NFPA 101. Tripp Lite Healthcare Power Outlet Strips are designed and manufactured in accordance with Article 517 and certified to meet UL standards to ensure regulatory code compliance, avoid hazardous conditions and provide a safe environment for patients, staff and visitors. This guide will help you understand the different requirements in every part of your facility.


UL STANDARDS QUICK REFERENCE

Standard	Description	Application	
UL 60601-1	Shock-prevention measure required for all devices that can potentially come in contact with patients and staff.	Patient and treatment rooms	
UL 1363A	Basic safety standard for power strips integrated as components of a larger system where they supply power to equipment in a movable assembly that is rack, table or pedestal-mounted.	Mobile applications inside and outside patient and treatment rooms	
UL 1363	Basic safety standard for power strips that stand alone and are NOT designed as components of a larger system.	Lab applications and administrative areas	
UL 1449	Surge protector safety standard for units used outside of patient care vicinities.	Administrative areas and business offices	

PATIENT CARE ROOMS Do you need additional outlets located within a 6 ft. radius around a patient? If so, your solution must meet UL 60601-1, the standard for shock prevention required for all devices that potentially come in contact with patients and staff. Tripp Lite Solutions: PS-406-HGULTRA, PS-415-HGULTRA, SPS406HGULTRA, SPS415HGULTRA Patented shock prevention technology Patented shock prevention technology Up to 1,410 joules of surge protection (SPS models)

 $7\frac{1}{2}$ ft. above the floor.





FEATURES



- A UL 60601-1 Compliance and Patented Site Wiring Fault Protection (internal)
- B Hospital-Grade AC Input Plug
- Hospital-Grade AC Outlets
- Outlet Safety Covers
- Diagnostic LED
- Metal Housing
- **G** Mounting Keyholes and Flanges
- Circuit Breaker
- Mounting Clamps Fit 1-inch to 2½-inch Diameter Poles
- Included Cord Management System and Optional Drip Shield
- PSCLAMP fits Any Tripp Lite Medical-Grade or OEM Series Power Strip (sold separately)

Specifications

opecinications						
Model	UL Certification	Outlets	Surge Suppression	Cord Length		
Medical-Grade Powe	r Strip for Patient Care Rooms					
SPS406HGULTRA	UL 60601-1 (1)	4	1,410 joules	6 ft.		
SPS415HGULTRA	UL 60601-1 ⁽¹⁾	4	1,410 joules	15 ft.		
PS-406-HGULTRA	UL 60601-1 (1)	4	_	6 ft.		
PS-415-HGULTRA	UL 60601-1 ⁽¹⁾	4	_	15 ft.		
OEM-Series Power S	trips for Mobile Applications In Patie	nt Care Vicinities (Specialty-Purpos	e Relocatable Power Strips)			
PS615HG20A0EM	UL 1363A	6	_	15 ft.		
PS625HG20A0EM	UL 1363A	6	_	25 ft.		
PS-615-HG-0EM	UL 1363A	6	_	15 ft.		
PS-415-HG-0EM	UL 1363A	4	_	15 ft.		
PS-402-HG-0EM	UL 1363A	4	_	2 ft.		
PS-410-HG0EMCC	UL 1363A	4	_	3 to 10 ft. (2)		
PS410HG0EMX	UL 1363A	4	_	10 ft.		
Hospital-Grade Surge Protectors for Administrative Areas ^(3, 5) (Relocatable Power Strips with Surge Protection)						
ISOBAR6ULTRAHG	UL 1449	6	3,330 joules	15 ft.		
SPS-615-HG	UL 1449	6	1,050 joules	15 ft.		
SPS606HGRA	UL 1449	6	1,050 joules	6 ft. ⁽⁴⁾		
SPS610HGRA	UL 1449	6	1,050 joules	10 ft. ⁽⁴⁾		
Accessories						
PSCLAMP	Pre-Assembled Locking Pole Mount Clamp. Compatible with Tripp Lite Medical-Grade Power Strips. Fits a diameter from 1" to 2 1/4".					
HGOUTLETCVR	Reusable locking safety covers prevent the connection of unauthorized devices—tool required for removal. Compatible with all					

NEMA 5-15HG receptacles.

All models have nominal 120 V input/output, hospital-grade plug and hospital-grade outlets. UL certifications are shown; additional certifications vary by model. (1) Meets the standards of a medical device when installed properly.

(2) Coiled cord. (3) Also suitable for use in other areas outside patient care vicinities. (4) Right-angle plug. (5) The models listed here are suggestions. Any hospital-grade solution in this guide can be used in Administrative Areas.

Distributed By:







1111 W. 35th Street, Chicago, IL 60609 USA 773.869.1282 • medical@tripplite.com www.tripplite.com