



User Manual Foxit[®] PhantomPDF[™] Standard



Gold Independent Software Vendor (ISV)

©2014 Foxit Software Incorporated. All rights reserved.

Copyright © 2004-2014 Foxit Software Incorporated. All Rights Reserved.

No part of this document can be reproduced, transferred, distributed or stored in any format without the prior written permission of Foxit.

Anti-Grain Geometry - Version 2.4

Copyright (C) 2002-2004 Maxim Shemanarev (<u>http://www.antigrain.com</u>) Permission to copy, use, modify, sell and distribute this software is granted provided this copyright notice appears in all copies. This software is provided "as is" without express or implied warranty, and with no claim as to its suitability for any purpose.

Contents

Contents	2
Chapter 1 – Introduction	5
PhantomPDF Overview	5
About the User Manual	7
Quick Installation Guide	8
Foxit Plug-In Platform	8
Chapter 2 – Get Started	11
Workspace Basics	
Customize the Workspace	19
Set Preferences	19
Chapter 3 – Read	20
Open & Close & Save PDFs	20
Integrate with IFilter	22
Standards Validation and Creation	
Read	
Select & Copy	
Check the Accessibility of PDFs	
Others	49
Chapter 4 – Create	52
Create a PDF in Different Ways	52
Create and Customize a PDF Portfolio	66
Create a table of contents from bookmarks	67
Chapter 5 – Edit	68
Undo and Redo	68
Header & Footer, Watermark & Background to PDFs	68
Adding Format Page Numbers	72
Links	73
File Attachments	
Bookmarks	80
Images	83
PDF Optimizer	

	eser manaan
Work with Video & Audio	
Objects	
Spelling Check	
Chapter 6 – Organize	
Insert Pages	
Delete Pages	
Extract Pages	
Replace Pages	
Swap Two Pages	
Duplicate Pages	
Move Pages	
Split Document	
Crop Pages	
Rotate Pages	
Flatten Pages	
Chapter 7 – Comments	
Use Different Comments Tools	
Change the Appearance of Comments	
Work on Comments	
Chapter 8 – Share PDFs	142
Email Documents	
SharePoint Integration	
Shared Review and Email Review	
Chapter 9 – Forms	152
	192
Interactive Form and Non-interactive form	
Fill in PDF Forms	
Comment on Forms	
Manage Form Data	
Form Fields	
JavaScript	
Chapter 10 – Security	
Check PDF Security	103
Password Protection & Certificate Protection	
AD RMS Protection	
Remove Hidden Data	
	3

Foxit PhantomPDF Standard

	User Manual
Chapter 11 – Signature	
Digital Signature	
Quick PDF Signature	202
Chapter 12 – Print	204
Print a PDF document	204
Print Dialog Box	205
Set Foxit PhantomPDF Printer Properties	
Chapter 13 – Appendices	214
Quick Installation Guide	214
GPO Manual	219
SharePoint Configuration	232
Quick Start for Azure Active Directory Rights Managemen	t234
Shortcut Keys	235
Command Lines	238
Get Help	239
Ticket Support	239
Technical Support	239

Chapter 1 – Introduction

PhantomPDF Overview

Foxit PhantomPDF, small and fast, provides various advanced features, allowing you to produce great looking PDF documents and forms quickly, affordably, and securely. Foxit PhantomPDF comes in three editions: **Foxit PhantomPDF** *Express* to fit the different basic needs of home/home offices, with features such as PDF viewing, creating, commenting, etc.; and **Foxit PhantomPDF** *Standard/Business* to fit large enterprises, with features like object editing, PDF security, GPO, creating interactive forms, JavaScript, etc.

Feature Comparison Sheet	Foxit PhantomPDF <i>Express</i>	Foxit PhantomPDF Standard/Business
Create PDF from Microsoft Word, Excel and PowerPoint, scanner, blank page, printer	•	•
Provides PDF creation by converting emails to PDF directly from the Microsoft [®] Outlook [®] application		•
Convert PDF to Microsoft [®] Office, RTF, HTML, text, and image formats		•
Read and search PDF portfolios	•	•
Read out loud	•	•
Integrated with PDF IFilter for desktop systems, allowing PDF documents to be searched with Windows search technologies	•	•
Add, edit, delete and manage document hyperlinks, bookmarks, image and multimedia annotations	•	•
Compare documents		•
Paragraph edit with automatic reflow and reformat		•
Add, edit, delete and manage text, image and path objects		•
OCR text recognition to create searchable and selectable documents		•
Add, manage, view, navigate, Import/Export, and summarize document comments	•	•
PDF optimizer		•

Foxit PhantomPDF Standard

	User Manual
Form filling, Import/Export form data, reset form fields	• •
Form field recognition and Form designer assistant	•
Enables 2D barcode generation from Ultraforms [®] enabled fillable PDF forms	•
JavaScript support	•
Draw and edit form controls (text fields, buttons, drop-down lists, check boxes, radio buttons and digital signature fields)	•
PDF Sign - Add, edit, delete and manage an image of your signatures to PDF files	• •
Add, edit, delete and manage digital signatures to PDF files	•
Validate digital signature	• •
Add, edit, delete and manage passwords and certifications secure encryption and permission controls to PDF files	•
Microsoft Active Directory Rights Management Service Encryption	• (<i>Business</i> Edition Only)
Redaction	• (<i>Business</i> Edition Only)
Removes undesired information from your document before publishing, like metadata, comments, hidden data from previous saves, hidden layers, overlapping objects, and more	
SharePoint PDF file checkout and check-in	• •
Participate in a Shared Review initiated by Foxit PhantomPDF <i>Business</i>	• •
Initiate a Shared Review to include PhantomPDF, Foxit Reader, and MobilePDF users through email, a network	• (Business
folder, or a SharePoint workspace.	Edition Only)

Foxit PhantomPDF *Express*

Foxit PhantomPDF *Express* provides the high end features you need for free. It is small, incredibly fast, and highly accurate for converting popular file formats to professional quality PDF

documents with one click of the mouse, while retaining the look and feel of the original documents.

- XFA Form Filling
- One Click PDF Creation
- <u>Convenient Annotation</u>
- Advanced Search
- Digital Signature Validation
- SharePoint Integration

Foxit PhantomPDF Standard/Business

Foxit PhantomPDF *Standard/Business* provides business the security that ensures regulatory compliance and corporate governance of their important documents and archives and to ensure documents don't change after they are approved. It stands up to the demands of large enterprises but lightweight enough to easily deploy to thousands of users without exhausting resources. Supports the right features at the right price with the quality and support you expect from an enterprise solution.

- XFA Form Filling
- Form Fields
- Export PDF to Image
- <u>Redaction (Business Only)</u>
- Document Certification (Business Only)
- Bates Number (Business Only)
- Read out Loud
- <u>Robust Document Security</u>
- Optical Character Recognition(OCR)
- PDF Optimizer
- <u>Microsoft® Active Directory® Rights Management Service Protector and Policy Manager</u> (*Business* Only)
- High Compression (Business Only)
- SharePoint Integration
- Shared Review

About the User Manual

This user manual covers all features included in Foxit PhantomPDF Standard.

Quick Installation Guide

To get installation, registration, uninstallation and update instructions step by step, please refer to Foxit PhantomPDF <u>Quick Installation Guide</u>.

Foxit Plug-In Platform

For flexible and convenient management of plugins, Foxit PhantomPDF offers a Plug-in Platform, in which you can view the plug-in status, learn the information about the plugins installed, as well as manage the plug-ins as needed.

To open Foxit Plug-in Platform, please choose **Help** > **Product** > **About Foxit Plug-Ins**^{(About Foxit})</sup>, and Foxit Plug-in Platform will show up as below.

Name		Certified	Loaded	
•//	PigPitfm 2.0.1.1112 The plug-in platform helps manage the plug-ins by disabling, enabling, installing and uninstalling the plug-ins if permitted. More	*	4	
İ	PlgDynLoader 1.0.1.1121 The plugin dynamic loader manages the loading of all the Foxit Reader/PhantomPDF plugins. With it, Foxit Reader/PhantomPDF More	4	J.	
Ø	Edit Object 2.0.0.1126 Page Objects editor plugin allows users to edit page objects.	4	×	
6	FoxitUpdater 7.0.6.1113 FoxitUpdater helps to check, download and install updates manually or automatically. More	*	1	
	IntegrateWithSP 2.3.0.1125 SharePoint Plugin allows users to seamlessly check out and check in PDF files located in SharePoint through the Foxit Reader or Phant More	4	J.	
	the operations to the plug-ins will take effect after you restart	the program.		

Foxit Plug-in Platform

Plug-in Status

- Certified: Shows whether the signature of the plug-in is valid or not.
- Loaded: Shows whether the plug-in has been loaded successfully or not.

Plug-in Information

In addition to plug-in status, you can learn more information about the plug-in installed, including the name, date, description and legal copyright.

To learn the details of a plug-in, please click **More...** under the general description of the plug-in in the Foxit Plug-in Platform. Then a dialog box showing the details of the plug-in will pop up (as shown below).

2014-08-27 11:35:38
wnload and install updates manually or
ftware Inc. All Rights Reserved.

Detailed Information about Foxit Updater Plugin

Plug-in Management


Within Foxit Plug-in Platform, you can manage the plug-ins as needed, including installing, enabling, disabling and uninstalling plug-ins.

Installing a Plug-in

To install a plug-in, please follow the steps below:

- Select Help > Product > About Foxit Plug-Ins to open Foxit Plug-In Platform;
- Click Install Plugin > choose the plug-in file (in .xml format) > click Open.

Then Foxit PhantomPDF will verify whether the signature of the plug-in to be installed is valid or not. If it is valid, Foxit PhantomPDF will load the plug-in directly; if not, a prompt message will pop up (as shown below), and the installation will be terminated.



Note: The .xml and .fpi files of a plug-in to be installed should be placed in the same folder, otherwise, installation will fail.

Disabling a Plug-in

To disable a plug-in, please follow the steps below:

- Select Help > Product > About Foxit Plug-Ins to open Foxit Plug-in Platform.
- Select the plug-in you want to disable, and click the **Disable** button 🛇 to disable it.

Enabling a plug-in

To enable a plug-in, please follow the steps below:

- Select Help > Product > About Foxit Plug-Ins to open Foxit Plug-in Platform.

Uninstalling a plug-in

To uninstall a plug-in, please follow the steps below:

- Select Help > Product > About Foxit Plug-Ins to open Foxit Plug-in Platform.
- Select the plug-in to be uninstalled, and click the **Uninstall** button **\overline{m{m}}** to uninstall it.

Note:

1. All the operations to the plug-ins will take effect after you restart Foxit PhantomPDF.

2. Foxit PhantomPDF includes plug-ins that are necessary for the realization of its functionalities or are necessarily required for maintenance. To ensure normal operation, you are not allowed to disable or uninstall these plug-ins (such as Foxit Updater plugin, Foxit Plug-in Platform plugin, etc.)

Chapter 2 – Get Started

The Foxit PhantomPDF workspace is packed with tools that help make working with PDF files easier, and is organized into a document pane, a navigation pane, toolbar pane menu bar and status bar. A good way to get up to speed in using Foxit PhantomPDF is by familiarizing yourself with its workspace.

Workspace Basics

Foxit PhantomPDF provides an intuitive user interface with a menu bar, a toolbar, a navigation pane, work area and status bar.

About Start Page

The Start Page appears when you first start Foxit PhantomPDF and shows the recent documents opened, helpful product tutorials and more. You can click any document you recently opened from the recent document list or choose one tutorial for any feature to learn about our product.

The Start Page will continue to appear every time you start the program until you uncheck the **Show Start Page** at **FILE** > **Preferences** > **General** > **Application Startup**.

Menu Bar and Context Menus

Foxit PhantomPDF provides menus like FILE, HOME, EDIT, ORGANIZE, COMMENTS, and more. And it has numerous context-sensitive menus which appear when you right-click an object in the workspace. A context menu displays commands that relate to the item or area clicked.

Toolbar

The toolbar displays the FILE page (the backstage view like Office 2013) and other tabs with different tools.

	HC	DME															
Hand	T Select Text	Select Annotation	 SnapShot Clipboard Bookmark 	Actual Size		I25.00% Rotate Left Rotate Right	Edit Text	Edit Object •	Typewriter	Note	abc Highlight	Rotate Pages •	☐ Insert ▼ ☐ Delete ☐ Extract	Quick Scan		Suspect Results •	PDF Sign •
		Tools			1	View		Edit		Commer	nt	Page O	rganization		Conve	rt	Protect

Toolbar under HOME Tab

Note: Position the pointer over a tool to see a description of the tool.

Click **FILE** to create, open, save to manage your PDF files.



Show/Hide Toolbar

To show/hide all toolbars, please do the following:

In Classic Toolbar Mode,

• Choose View > Toolbars > show/hide Toolbars.

In Ribbon Mode, please do either of the following:

- To collapse/expand the toolbar, please click △ or ♡ in the upper right corner.
- Right-click toolbar and check **Minimize the Ribbon** option to hide the ribbon toolbar and uncheck the option to show it.

Set Favorite Toolbar

The Ribbon is designed to help you find the commands in an easy and convenient way. Foxit PhantomPDF gives you the capability to personalize and fine-tune the Ribbon in the way you want. With this feature, you can customize the default Ribbon, and create custom tabs or groups with your favorite commands.

To customize the Ribbon, you can right click the Ribbon, choose **Customize the Ribbon** from the context menu to bring out the **Customize Tools** dialog box first, and then follow the steps below.

Customize Quick Access	Toolbar						
Show Quick Access Toolbar Below the Ribbon							
Customize the Ribbon							
Minimize the Ribbon	•						

Context Menu

Customize Quick Access Toolbar Choose commands from: Popular Commands	Keyboard •		Ribbon Customize the Ri <u>b</u> bon: All Tabs	•
Close Topen Copen Rotate Left Rotate Right Save As Save As		Add Remove	Main Tabs Image: V HOME Image: Tools Image: View Image: Edit Image: Convert Image: Page Organization Image: Convert Image: Page Organization Image: Convert Image: Convert Image: Convert Image: Convert Image: Convert Image: Convert Import Export Report	E E M M M M M M M M M M M M M M M M M M

Customize Tools Dialog Box

Create a new tab

To create a new tab, please do one of the following:

- Select the tab after which you want to add the new tab, and then click **New Tab**.
- (Alternatively) Right-click the tab after which you want to add the new tab, and then choose
 New Tab from the context menu.

Add a new group to a tab

To add a new group to a tab, please do one of the following:

- Select the tab to which you want to add the group, and then click **New Group**.
- (Alternatively) Right-click the tab to which you want to add the group, and then choose New
 Group from the context menu.

Rename a tab or group

- Select the tab or group to be renamed, and click **Rename**.
- (Alternatively) Right-click the tab or group to be renamed, and choose **Rename** from the context menu.
- > In the **Rename** dialog box, input the new name and click **OK**.
- For a custom group, you can also choose the display symbol from the **Rename** dialog box.

Rename									x
Symbol:									
28 😣	0	0		I.	٠	۲	-	£	^
P: 🛑		*-	-	:	e		睂		
اله 🏀	•	•	۸	•	►	€	*	6	
۵ 🔍	►	Ē	Q,	T	T		40	Ø	
🎍 🤸	2					U	٢		
6 ک	"\$"	•			\square				-
Display Na	me:								
New Gro	up								
Use Lar	ge Ic	on							
				ОК			Ca	incel	

Add commands to a group

- Select the group under which you want to add a command.
- Choose the command category and the desired command from the Choose command from list.
- Click **Add** to add the selected command to the desired group.

Remove a tab, group or command

To remove a tab, group or command, please do one of the following:

- Select the tab, group or command to be removed, and click **Remove**.
- (Alternatively) Right-click the tab, group or command to be removed, and choose Delete from the context menu.

Reorder the tabs or groups

To reorder the tabs or groups, please do one of the following:

- Select the tab or group you want to reorder, then click the Up or Down arrow to move accordingly.
- (Alternatively) Right-click the tab or group you want to reorder, and then select Move Item
 Up or Move Item Down to move accordingly.

Reset the Ribbon

Click **Reset** in the **Customize Tools** dialog box to reset the Ribbon to the default settings.

Import a customized Ribbon

- Click Import.
- > In the **Open** dialog box, select the Ribbon customization file (.xml file), and click **Open**.

Note: After importing a Ribbon customization file, you will lose all the arrangements you have customized previously. If you want to revert to the customization you currently have, it is easier to export the customized Ribbon before importing any customization.

Export a customized Ribbon

- Click Export.
- > In the **Save As** dialog box, specify the file name and path and click **Save**.

Note:

1. After customization, you need to click **OK** in the **Customize Ribbon** tab to save and apply your customizations to the Ribbon.

2. To help you distinguish a default tab or group from the customized ones, the custom tabs or groups in the **Customize the Ribbon** list are tabbed with "(Custom)" after the name (like this:

New Tab (Custom)), but the word "(Custom)" will not appear in the Ribbon.

3. The commands in the default group under a default tab are displayed in grey, and they cannot be renamed, reordered or removed.

4. You cannot remove default tabs in Foxit PhantomPDF.

To set favorite toolbar in Classic Toolbar Mode:

- Choose View > UI Options > Customize Toolbars, and the Customize Tools dialog box pops up.
- In the Favorite Toolbar tab, please do the following:
 - Add Select your preferred tools from the left "Command" pane, click Add and see them appear in the right "Favorite Toolbar" pane.
 - Remove Select the tools you accidently added to the right "Favorite Toolbar" pane, click Remove, and see them disappear from the right pane.
 - ♦ Reset Reset the Favorite Toolbar pane to the default settings.
- Click Up/Down button on the right side to adjust the position of your favorite toolbars, and click OK.
- To show/hide Favorite Toolbars, you can either right-click toolbars to check/uncheck Favorite or go to **View** > **Toolbars** > check/uncheck **Favorite**.

Move toolbars in Classic Toolbar Mode

Any toolbars can float or be docked. Docked toolbars appear in the toolbar area. Floating toolbars appear as independent palettes that you can move anywhere in the work area. Each toolbar has

a grabber bar i at the left edge of the toolbar.

- To rearrange the docked toolbars, use the toolbar grabber bars to drag them from one position to another.
- To float a docked toolbar, drag it by its grabber bar from the toolbar area.
- To move a floating toolbar, drag it by its title bar to another location in the work area.
- To dock a floating toolbar, double-click its title bar or drag it by its title bar to the toolbar area.
- To move all floating toolbars to the toolbar area, choose View> Toolbars > Reset Toolbars.

Note: No need to move toolbars in Ribbon mode, where all tools are displayed under each ribbon.

Return toolbars to their default configuration in Classic Toolbar Mode

- Choose View > Toolbars > Reset Toolbars or right-click to choose Reset Toolbars.
- Press the hotkey Alt+F8 on your keyboard.

Navigation Panels

Show or hide the navigation panels

The buttons on the left side of the navigation pane provides easy access to various panels, such

as the Bookmarks panel button 🖪 and the Pages thumbnails button

• To show the navigation panels, use keyboard shortcut F4, or click VIEW > View Setting >

Navigation Panels 📙 > Show Navigation Panels.

• To hide the navigation panels, use keyboard shortcut F4, or click VIEW > View Setting >

Navigation Panels 🔲 > Hide Navigation Panels.

- To open a navigation panel, click its button on the left side of the navigation pane.
- To close a navigation panel, click its button on the left side of the navigation pane.

Adjust the navigation pane

Like the toolbars, the navigation pane can be docked in the navigation pane or float anywhere in the workspace. You can choose to hide or close the panels that you don't need and open the ones you do. What's more, you can also adjust the width of the navigation pane easily.

- Viewing a panel in the navigation pane
 By default, all the panels dock in the navigation pane with a set of panel buttons appearing on the left side of the work area. Do the following:
- Select the button for the panel on the left side of the navigation pane.
- 2. Changing the display area for navigation pane
- To change the view area of the navigation pane, drag its right border to adjust the width.
- **3.** Docking or floating a navigation pane
- To float a navigation panel, drag the panel button into the document pane.
- To move a panel, drag it by its panel button to another location.
- To dock a floating panel, double-click its title bar.


Working with Layers

A layer or as it is more formally known Optional Content Groups (OCG) is a dictionary representing a collection of graphics that can be made visible or invisible dynamically by users of viewer applications. In a PDF file, each layer may hold any portion of the document's objects, and layers may be made visible or invisible, showing or hiding their contained objects, in any combination.

With Foxit PhantomPDF, you can control the display of PDF layers with the Layer panel. For example, you may divide background imagery, main content areas, and advertisements amongst their own top-level layers, and easily hide the layers that you don't want others to view.

Show or hide PDF layers

In a PDF, information can be stored on different layers. To show or hide related content stored in a variable number of separate layers, you can simply refer to the Layer panel on the left side of the work area. Please note that you cannot create or edit layers in Foxit PhantomPDF; however, you can view layers and choose to show or hide the content associated with each layer.



A. A checkmark indicates a displayed layer B. Hidden layer

1. Open the Layer panel, and then do one of the following:


- To hide a layer, uncheck the layer.
- To show a hidden layer, click the empty box and a checkmark will appear.

2. From the Option menu at the top right corner of the Layer panel, choose one of the following:

- List Layers for All Pages Shows every layer across every page of the document.
- List Layers for Visible Pages Shows layers only on the visible pages.
- Reset to Initial Visibility Resets layers to their default state.
- Expand All Expands all layers.
- Collapse All Collapses all of the current layers in the view.

Status Bar

The status bar is an area of the workspace that displays the page number where you are, the number of total pages, page transition buttons, zoom buttons, etc. for view setting. The status bar is open by default when you open a PDF. In the VIEW ribbon, the items on the View Setting tab help you to show or hide the status bar.



Show Status Bar: If you check it, the status bar will appear in the bottom of the workspace.

Auto-hide Status Bar: If you check it, the status bar is hidden. But if you put the cursor near the bottom of the page, the status bar will appear.

Hide Status Bar: If you check it, the status bar will be hidden.

Customize the Workspace

As you get acquainted with workspace of Foxit PhantomPDF, you can set up your work environment on your demand.

Customize the Skin and the Interface Style

Skin and Interface Style

There are five kinds of skin, **Classic, Black, Blue, Orange and Purple** for you to change the look of your software. Also, two kinds of interface style, Classic Toolbar Mode and Ribbon Mode for you to change the interface of your software.

To change the skin of the workspace, please do the following:

- Go to FILE > Change Skin.
- Check the skin you like and click OK.

To change the interface style of the workspace, please do the following:

Go to FILE > Change Toolbar Mode > Check Classic Toolbar Mode or Ribbon Mode.

Set Preferences

Many program settings are specified in the Preferences dialog box, including settings for File Associations, Forms, Full Screen, General, History, JavaScript, Languages, OCR, Page Display, PDF/A, Reading, RMS Setting, Signature, and Trust Manager. Once you set preferences, they remain in effect until you change them.

- 1. Choose **FILE** > **Preferences**.
- 2. Under Categories, select the type of preference you want to change.

Chapter 3 – Read

After getting acquainted with the workspace and the basic tools, you can start the journey of PDF reading. You can open a PDF, reach a specific page easily, adjust the view of a document, read pure texts by text viewer tool, view documents while listening to them, and more. Foxit PhantomPDF also provides a new feature to view PDF portfolios.

Open & Close & Save PDFs

Open PDFs

Open PDFs in Foxit PhantomPDF

Do one of the following:

- Choose FILE > Open, or click the Open button
 on Quick Access toolbar. In the Open dialog box, select the file name, and click Open. PDF documents are usually identified with .pdf extension.
- Open the Foxit PhantomPDF window, drag and drop the PDF file into the Foxit PhantomPDF window.
- **Note:** You can open more than one PDF document within the same Foxit PhantomPDF application. When you open more than one file at a time, you can navigate the PDF files easily by clicking the corresponding tabs or file names under the Window menu.

Open PDFs from Desktop or within Other Applications

If you set Foxit PhantomPDF as your default viewer for PDF files, you are able to launch and open PDF files in the following applications:

- Email Application: in your email applications, you can double-click the attachment icon to open the document.
- Web Application: you can open a PDF document by clicking on the PDF file link in your web browser. Also, you can view the PDF content embedded in the HTML.
- File System: double-click the PDF file icon in your file system.

Open a secured PDF document

If you receive a PDF that is protected by security features, you may need a password to open the document. Some protected documents have other restrictions that prevent you from printing,

editing, copying, etc.

- When opening a protected PDF, you will be prompted to enter the password.
- When trying to copy or edit a secured PDF, you will be prompted that you are prohibited to do it without the owner's permission.
- If you open a PDF which is encrypted by AD RMS feature of PhantomPDF, please refer to <u>AD</u> <u>RMS Protection</u>.

Retrieve recently opened documents from within Foxit PhantomPDF

In "FILE" pull-down menu, you will be able to instantly retrieve recently opened documents. Foxit PhantomPDF provides a list of recently opened PDF documents. Choose FILE > Open > Recent Documents.

Note: To customize the number of document in recently used list, please choose **FILE** > **Preferences** > **History**.

Save PDFs

When saving or saving as PDFs, Foxit PhantomPDF will optimize PDFs by removing redundant data including deleted pages, objects or annotations.

Save a copy of a PDF

- 1. Choose **FILE** > **Save As**.
- 2. In the Save As dialog box, enter the filename and location, and click **Save**.

Save a PDF as a TXT

- 1. Choose **FILE** > **Save As**.
- 2. Choose the extension name from the Files of Type Option in the Save As dialog box.
- 3. Enter the filename and location, and click **Save**.

Note: This function allows PDF documents to appear, for confidential purposes; in different file types as if they were created on a different platform other than PDF.

Close a PDF

Do the following:

If you are in multi-tab browsing, to close the current PDF file click the file's **Close** button in the tab bar instead of the Foxit PhantomPDF application window, or double-click the tab, or click **FILE** > **Close**. To close all PDF files, click the **Close** button in the Foxit PhantomPDF application window.

If you are in single document interface mode, just click the **Close** button on the PDF file, or click **FILE** > **Close**.

Export PDFs

Export PDF to Word, RTF, Excel, PPT or HTML file

- 1. Select FILE > Export, or click CONVERT > Export.
- 2. Select the format you want to convert PDF to.
- 3. You can select the language used in the PDF from Setting before you save as to ensure the quality of the exported Word document.

Export a PDF as an image

- 1. Select FILE > Export to Image, or click CONVERT > Export.
- 2. Specify the file type of images and the page range (all pages, current page, a range of pages), and click **OK**.
- 3. You can set the quality, colorspace, resolution from "Setting" in the Save As dialog box before you save as. Click **OK** to continue.
- 4. Click Save.

Integrate with IFilter

Foxit PhantomPDF has been integrated with Foxit PDF IFilter– Desktop which allows users to index a large amount of PDF documents and then quickly find text within these documents on desktop system. You can trigger Foxit PDF IFilter under the installation location of your Foxit PhantomPDF. For more information, please download Foxit PDF IFilter first and refer to the user manual of Foxit PDF IFilter

Standards Validation and Creation



With the **Industry Standard** of Foxit PhantomPDF, you can detect and fix problems for different usage. Foxit PhantomPDF has the PDF/A, PDF/E and PDF/X compliance validation as the industry

standards. Click **CONVERT** > **Compliance** > **Industry Standard** button A select one of the compliances and click **Analyze** or **Analyze and Fix** in the pop-up dialog box.

Read

Foxit PhantomPDF enables you to retrieve recently opened documents, as well as provides different ways for you to read PDF files: multi-tab reading and single document reading.

Multi-tab Reading & Single Document Reading

Multi-tab Reading

The multi-tab browsing feature enables you to open multiple files in a single instance. Newly opened PDFs will be displayed in tabs.

To enable tabbed browsing, go to FILE > Preferences > Documents > Open Setting > uncheck Allow Multiple Instances.



Tab Bar

Single Document Reading

Create a new window when you double-click to open a new PDF file.

 To enable single document interface mode, go to FILE > Preferences > Documents > Open Setting > check Allow Multiple Instances.

Read Contents

Go to Specified Page


Click the **First Page**, **Last Page**, **Previous Page** and **Next Page** in the **Go To** ribbon under the **View** menu or in the status bar to view your PDF file. You can also input the page specific page number to go to that page. The **Previous View** lets you return to the previous view and **Next View** goes to the next view.



Read with Bookmark


To jump to a topic using bookmarks, click the **Bookmark** button **I** on the left Navigation pane.

And then click the bookmark or right-click the bookmark and choose "**Go to Bookmark**". Click the plus (+) or minus (-) sign to expand or collapse the bookmark contents.




Read with Page Thumbnail

To jump to a page with page thumbnails, click the Page **Thumbnails** button in the left Navigation pane and click its thumbnail. To move to another location on the current page, drag and move the red box in its thumbnail. To resize a page thumbnail, right-click on the thumbnail and choose "**Enlarge Page Thumbnails**" or "**Reduce Page Thumbnails**".



View PDF Portfolios

PDF portfolios are a combination of files with different formats such as Word Office files, text documents and Excel files. Foxit PhantomPDF provides viewing and printing PDF portfolios and searching keywords in PDFs in the portfolio.



A Sample PDF Portfolio

- > Download a Sample PDF portfolio (preferably with files in different formats).
- Open it in Foxit PhantomPDF by right clicking and "Open with Foxit PhantomPDF".
- You can view the coversheet, details and layout of the portfolio. To open and read the files in the portfolio, please do any of the following:
 - Double-click a file.
 - Select a file and click Foundation in the upper right corner of the document area.
 - Right-click a file and choose **Open File in Native Application**.
- Right-click a document in the portfolio and choose Show Information or click 1

button in the upper right corner of the document area to view the properties of the document.

Search in portfolio by typing keywords in Search box or using shortcut keys CTRL+ Shift
 + F.

Search & Index in PDFs

Find Text

To quickly find text you are looking for, follow the steps below:

- Select the Find Field Find \checkmark on the menu bar. Click 3 to set the search criteria.
 - A. Whole words only -- limits the search to match only whole words. For example, if you search for the word *Read*, the word *Reader* will not be found.
 - B. Case-Sensitive -- makes the search case-sensitive. For example, if you search for the word *text*, the words *Text* and *TEXT* will not be found.
 - C. Include Bookmarks -- enables you to search for a word in the whole text, including bookmarks.
 - D. Include Comments -- enables you to search for a word in the whole text, including comments.
 - E. Include Form Data enables you to search for a word in the whole text, including form data.
- Type the text in the field and press Enter button. Foxit PhantomPDF jumps to the first instance of the search term, which appears highlighted.
- Click d and b or press shortcut keys **Shift+F3** and **F3** to find previous or next result, or press **Enter** to find the next result.

Foxit PhantomPDF supports the advanced search function which enables you to search a string in a single PDF file, multiple PDF files under a specified folder or PDFs in a PDF portfolio. When the

search finishes, all occurrences will be listed in a tree view, allowing you to quickly preview the context and jump to specific locations.

To do the advanced searching, do as below:

• Click the search button 🗖, and select a document or folder you want to search in the

Search Panel. Then in the Searching box, type the text you want to search for and click

button to set the search criteria. See also Search Criteria.

- Click Search button. Foxit PhantomPDF jumps to the first instance of the search term, which appears highlighted. And all occurrences will be listed in a tree view, allowing you to quickly preview the contexts and jump to specific locations.
- Press **New Search** in the search panel to start a new search or press the close button in the top of the search panel to finish search.

Move and Resize Search Box

The advanced search box can float or be docked. You can also resize the box with ease.

- To float the docked search box, please double-click the title bar.
- To move the floating search box, drag it by its title bar to another location in the work area.
- To resize the search box, drag any corner point to adjust.
- To dock the floating search box, double-click again the title bar.

OCR Function

Optical Character Recognition, or OCR, is a software process which enables images or printed text to be translated into machine-readable text. OCR is most commonly used when scanning paper documents to create electronic copies, but can also be performed on existing electronic documents (e.g. PDF).

♦ Recognize text

Foxit PhantomPDF can detect whether a PDF file is scanned or image-based and make corresponding suggestions to initiate OCR when opening a scanned or image-based PDF as below:

This document doesn't have editable text, it is scanned or image-based.

Recognize Text(Make searchable/editable)

To recognize image-based or scanned text in a file, perform one of the following:

Click HOME > Convert > OCR > Current File, in the Select OCR Engine dialog box, specify the

range you need,

elect OCR Engine	
Page Range	
Current Page	
All Pages	
Pages From	→ of 6
Settings	
Current Language Supported:	
Chinese-Simplified	*
Chinese-Traditional	=
Czech	
🔲 Danish	
Dutch	
English	
Estonian	
E Faeroese	-
 Searchable Text Image (The text can be searched but no The appearance of the PDF file will not change.) 	ot allowed to be edited.
Editable Text (The PDF image text will be replaced with r edited with PhantomPDF Text & Paragraph Edit Content	
0	K Cancel

- 1. Choose the language used in your document. You can select multiple languages as well.
- 2. In the output type, check **Searchable Text Image** to make the image searchable when finding text. Click **OK** to recognize the text.

Note: If you check Editable Text, the image objects will be deleted with only the text remaining.

3. A recognition text process bar will pop up to show the progress.

Page 1: Image opening		
	8%	\otimes

4. Do the search function, the text on your image or scanned document will be searchable.

You can also recognize text from an opened image-based or scanned PDF document.

To recognize text in multiple files:

- 1. Click HOME > Convert > OCR > Multiple Files.
- 2. In the OCR Multiple Files dialog box, click **Add Files** to add files or folders. Use **Move up**, **Move down**, and **Remove** to adjust the order of the files and click **OK**.
- 3. In Output Options dialog box, select the destination folder and choose to name the new file or overwrite an existing one.
- 4. Click OK. After recognition, a message box will pop up to prompt you the recognition is

finished.

See also "To recognize text in a file"

Note: When you are using the CJK OCR engine for the first time, the system will remind you to download and install the engine from Foxit server.

♦ Find and Correct OCR Suspects

After recognizing image-based or scanned texts in the PDF file, you can pick out and correct the texts or characters that are uncertain as the steps below:

 Click HOME > Convert > OCR > Suspect Results > First Suspect. A pop-up Find OCR Suspects dialog box appears with a Foxit PhantomPDF box appearing to prompt you Find Completed.

Find OCR Suspects	i i i i i i i i i i i i i i i i i i i
in the document and type	t, click on the highlighted object a in the new text. After making pt and Find" to identify the next
Original Document	OCR text
mountains,	mountains,
Search Page	Search <u>D</u> ocument
<u> </u>	lot Text
Find Next <u>A</u> cce	pt and Find

Find OCR Suspects dialog box

Note: By default, the suspect results are based on the Search Document. You can also select Search Page to find suspects on the current page and redo this step.

- 2. The Find OCR Suspects dialog box shows both the original document text and the OCR text. You can edit text in the OCR text box directly if needed. If the highlighted text is incorrectly identified, click Not Text. Click Find Next to find the next suspect or click Accept and Find to accept the suspect and find next suspect.
- 3. If you choose HOME > Convert > OCR > Suspect Results > All Suspects. The Find OCR Suspects dialog box also pops up and all the OCR suspects will be highlighted with red boxes as below:

The bird painting is peculiar to China as birds are always appeared with flowers. From of old, all kinds of flowers, plants, and birds were given various symbolic meanings. Flowers and birds can be compared to almost all thoughts and feelings of human being. They can symbolize feminine beauty, virtues, political authority, omens, and lucky niceness. And once established, this tradition became popular in every dynasty. Therefore, their symbolic meaning grow increasingly rich and specific.

Original Document Text in the PDF file

The bird painting is peculiar to China as birds are always appeared with flowers. From of old, all kinds of flowers, plants, and birds were given various symbolic meanings. Flowers and birds can be compared to almost all thoughts and feelings of human being. They can symbolize feminine beauty, virtues, political authority, omens, and lucky niceness. And once established, this tradition became popular in every dynasty. Therefore, their symbolic meaning grow increasingly rich and specific.

Suspect Results of the OCRed Text

You can check the highlighted text by clicking any highlighted parts. Click the place where is incorrect and input the correct text in the OCR text box in the Find OCR Suspects dialog box.

4. Click **Close** to exit the Find OCR Suspects dialog box.

Adjust Page View

Foxit PhantomPDF provides multiple tools that help you adjust the view of your PDF documents, such as the page magnification and the display of pages.

Adjust Page Magnification

Do one of the following procedures:

- **1.** Click the **Zoom In** tool \bigcirc or **Zoom Out** tool \bigcirc in **HOME** > View.
- 2. Right-click the document pane and select Zoom In or Zoom Out.
- **3.** Select or input a magnification percentage in the **Zoom To** Area **145.15% •** on the same tab.
- Adjust a magnification percentage in the Magnification Percentage Area
 113.60%

 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 □
 <li
- 5. Using the Marquee tool
- Choose the Marquee tool Arguee in VIEW > Assistant.
- The cursor changes into \mathfrak{A} , drag a rectangle on the page or just click on the page to

increase the magnification by one preset level, centering on the point where you clicked.

- Choose the **Marquee** tool, the cursor changes to \bigcirc as Ctrl-click on the page. Drag a rectangle on the page or just click on the page to decrease the magnification
- 6. Using the Loupe tool
- Choose the Loupe tool Ctoupe in VIEW > Assistant.
- Move the loupe tool to the places you want to view, you will see the amplificatory or decreased objects in the Loupe Tool dialog box.
- (Optional) Select the Lock option in the Loupe Tool dialog box. Click the area of the document you want to view in closer detail. A red rectangle appears in the document, corresponding to the area shown in the Loupe Tool window. You can drag or resize the rectangle to change the Loupe tool view.
- To change the scale ratio of the Loupe Tool, you can either enter a value in the zoom text box, or drag the slider in the Loupe Tool dialog box.

Loupe Tool			~ <u>~</u>
the	cente	er of	the
hen	the to	ool w	ill zc
200	• % 😑 🖞	•	🔲 Lock

7. Using the Magnifier tool

You can easily magnify areas of the PDF files as you work on Foxit PhantomPDF with this free tool. It is especially useful for visually impaired people with some functional vision.



Magnifier

Fisheye Magnifier

- Choose the Magnifier Magnifier in VIEW > Assistant > Magnifier.
- Move the Magnifier to the places you want to view.
- To switch between Magnifier and Fisheye Magnifier, press the left mouse button.
- To change the size of magnifier window, press the right mouse button.

• To turn off the Magnifier, choose any other tools.

Resizing a Page to Fit the Window

There are three types for you to choose:

- To resize the page to fit entirely in the document pane, click the Fit Page button ¹ Fit Page in HOME > View, or right-click the Document Pane and choose Fit Page.
- To resize the page to fit the width of the window, click the Fit Width button [•]D[•] Fit Width in HOME > View, or right-click the Document Pane and choose Fit Width. Part of the page may be out of view.
- To resize the page to its actual size, click the **Actual Size** in **HOME** > **View**, or right-click the Document Pane and choose **Actual Size**.
- To resize the page to fit the visible width of the window, removing the margins, click the Fit
 Visible button Fit Visible in HOME > View.

Adjust the Page Display

To change the Page Orientation, do one of the following:

- Click the **Rotate View** button Rotate View in **VIEW** > **Page Display**.
- Click the **Rotate Left** button or the **Rotate Right** button in **HOME** > View.
- Right-click the document pane and choose the **Rotate Right** tool.

Note: You can change the page view in 90-degree increments, but the change only affects screen display instead of its actual orientation. You cannot save the changes in page view.

To change the page display, Foxit PhantomPDF provides the following page layouts:

- Single Page Displays one page in the document pane at a time.
- **Continuous** Arranges the pages in the document pane in a continuous vertical column.
- **Facing** Arranges the pages side by side, displaying only two pages at a time.
- **Continuous Facing** Arranges the pages side by side in a continuous vertical column.

- Show Cover Page During Facing -If a document has more than two pages, the first page can be displayed alone on the right side of the document pane in Facing and Continuous Facing views.
- **Split Split** View a PDF with the document pane divided into two panes (**Split** command) or four panes (**Spreadsheet Split** command).

Note: To restore single-pane view, choose VIEW > deselect Split/Spreadsheet Split.

With **Split** view, you can scroll, change the magnification level, or turn to a different page in the active pane without affecting the other pane.

The **Spreadsheet Split** view is useful if you want to keep column headings and row labels visible while scrolling through a large spreadsheet or table. In this mode, changing the magnification in one pane changes the magnification in all panes. Also, scrolling is coordinated between the panes. Scrolling a pane horizontally also scrolls the pane above or below it; scrolling vertically also scrolls the pane to the left or right of that pane.

View Mode

Read Mode

User interface settings, such as the navigation pane, toolbar, and status bar, will be hidden when a PDF is displayed in Read Mode. The document pane is enlarged, reducing wasted reading space while leaving the menu bar available for necessary operations.

To view a document in Read Mode, please choose one of the following:

- Click the Read Mode button Read Mode in VIEW > Document Views.
- Press the shortcut key "Ctrl + H" on the keyboard.
- Right-click the document pane and select **Read Mode**.

In Read Mode, a basic toolbar will float when the cursor is put at the bottom of the screen. This offers basic tools, such as save, print, zoom in/out, etc.

If you open multiple PDFs, please press "Ctrl + Tab" on the keyboard to switch through them in Read Mode.

To exit the Read Mode, please do any of the following:

• Click the **Read Mode** button Read Mode in **VIEW** > **Document Views**.

- Press the shortcut key "Ctrl + H" on the keyboard.
- Click the **Read Mode** button III on the floating basic toolbar at the bottom of the screen.

Full Screen Mode

In Full Screen mode, Foxit PhantomPDF Document Pane fills the entire screen, with Menu Bar, Toolbar, Status bar, and Bookmarks pane hidden behind. The mouse pointer remains active in Full Screen mode so that you can click links.

- 1. To set Full Screen preferences, please go to **FILE > Preferences > Full Screen**.
- 2. To enter Full Screen mode, please do one of the following:
 - Right-click the Document Pane and select Full Screen.
 - Press the shortcut key **F11**.
- 3. To adjust the view in Full Screen mode, right-click the document and work with the Context Menu.

Note: This feature will not be available unless you clear **Left click to go forward one page; right click to go back one page** checkbox in the **Preference** > **Full Screen**.

- 4. To exit Full Screen mode:
 - Press **Esc** key.
 - Press the shortcut key **F11**.
- 5. Page Transition in Full Screen

Foxit PhantomPDF supports page transition to turn pages in Full Screen mode. It helps you to turn pages as the transition feature in Microsoft Power Point. There are 10 transition types: Split, Blinds, Box, Wipe, Dissolve, Glitter, Push, Cover, Uncover and Fade. Also, you could set the direction, speed and page range for the transition.

To edit page transition, click the **Page Transitions** \square in **VIEW** > **Page Display**.

Page Transitions	X
-Page Transition -	
Transition:	No Transition
Direction:	
Speed:	Ţ
Page Range	
All Pages	
Selected P	ages
© From 72	2 × To 72 ×
	OK Cancel

Note:

- This change only works for the current PDF.
- The pages will be turned in the same way the next time you open and view the document in full screen mode.
- If you want to set page transition to all PDF documents opened by Foxit PhantomPDF, please choose FILE > Preferences > Full Screen.

Accessibility	*	
Commenting		Full Screen Navigation
_		Show Scroll bar
Create PDF		Show Status bar
Documents		Show Tab bar
Editing		Show Navigation Panels
Export PDF		Show Menu bar
File Associations	=	Show Exit Button
Forms		Image: Supervision
Full Screen		One page at a time Use the page at a time I click to go forward one page; right click to go back one page
General		E Leick to go forward one page, fight click to go back one page
History		Full Screen Appearance
Identity		Background:
Languages		
Layout Grid		- Full Screen Transitions
OCR		Ignore all transitions
Page Display		Default transition: No Transition
PDF Sign		Direction:
i bi bigit		

Reverse View

To read documents in a backward order, please do one of the following:

- Choose VIEW > Document Views >Reverse View Reverse View
- Right-click on the document pane and choose **Reverse View**.

Text Viewer

With Foxit Text Viewer, you can work on all PDF documents in pure text view mode. It allows you to easily reuse the texts scattered among images and tables, and acts like Notepad. Also, you can adjust some settings to meet your needs.

To Enter Text View mode, do one of the following:

- Choose VIEW > Document Views > Text Viewer
- Press the shortcut key **Ctrl** + **6**.
- ♦ Customizing Text Viewer

As soon as Text Viewer is activated, you can use the Font Setting Tools to customize your own work area. Right-click the text area to select **Font Setting**.

1. To change text font when reading with Text Viewer

- Right-click and choose Font Setting > Font....
- Choose Font name, Font Style, Font Size, Effects, Color and Script from respective fields in Font dialog box. The suggested font for best screen display is Courier New.

Font:		Font style:		Size:		
		Regular		14		ОК
Bookshelf Symbol 7	*	Regular	*	14 16	*	Cancel
Calibri		Italic		18		
Cambria	-	Bold		20 22	Ξ	
Cambria Math		Bold Italic		22		
Consolas	Ŧ		-	26	*	
Effects Strikeout Underline Color:		Sample				
Black +		Script:				
					•	

- 2. Toggle between regular style and Bold style, choose Font Setting > Bold.
- 3. Toggle between regular style and Italic style, choose Font Setting > Italic.
- **4.** Change the text color and the background color
- Right-click and choose Font Setting > Color....
- Text Viewer Colors dialog box pops up.

Text Viewe	er Colors			×
- Foregr red:			<u> </u>	
green:	0			
blue:	0			
Backg	round			
red:	255		-	
green:	255		-	
blue:	255		-	
		123	45	
			ОК	Cancel

- Drag respective sliders or type the value to change the Foreground (Font) Color and Background (page) Color. You can preview the changes in the box with a word "Sample".
- Click **OK** to complete the procedure, or click **Cancel** to abandon the changes.
- 5. Change Text Viewer settings
 - Right click the text area > select **Setting...**
 - The text Viewer Settings dialog box pops up.

Auto Width Auto Rotate Auto Width
V Auto Rotate
☑ Auto Width
Auto Width
Auto Rotate
Auto Width
Auto Rotate
OK Cancel

- Below are the text viewer settings:
 - A. Set page width at three different levels: Current page width, Current document width and System default width.
 - B. Minimal width the valid value for this field is 0-1024. It is set to 78 by default.
 - C. Keep Column for PDF tables or text columns, you can check Keep Column to retain

appropriate column in text viewer mode. It is checked by default.

- D. Auto Width for PDF tables or text columns, you can check Auto Width to keep proper width between texts automatically. It is checked by default.
- E. Auto Rotate you can check Auto Rotate to ensure consistent orientation with that of the printer. It is checked by default.

♦ Navigating in text viewer mode

1. To go to next or previous page, do one of the following:

- Choose VIEW > Go To > Previous Page
- Click the **Previous Page** icon <a>fml or **Next Page** icon <a>fml on the Status Bar.
- Put the cursor in the Document Pane, press the **Left** or **Right Arrow** on keyboard to move the pages up or down.

2. To go to the first or last page, do one of the following:

- Choose VIEW > Go To > First Page 4 or Last Page 1.
- Click the **First Page** icon **I** or **Last Page** icon **I** on the Status Bar.
- Press the Home or End keys.

3. To go to a specific page, do one of the following:

- Choose VIEW > Go To > input the specific page number > press Enter.
- Input or select the specific page number on the Current Page Number Box
 185 / 185

 on Status Bar, and press Enter.

♦ Changing the magnification level of a document

Do one of the following procedures:

- 1. Click the **Zoom Out** button \bigcirc or the **Zoom In** button \bigcirc on the status bar.
- 2. Choose HOME > View > Zoom In \bigcirc or Zoom Out \bigcirc .

Note: The **Zoom To** box is unavailable in Text Viewer mode.

♦ Finding text in Text Viewer mode

To find text you are looking for, please refer to Find Text.

♦ Copying and pasting text in Text Viewer mode

1. Select text

- Select a word: Double-click the word you want to select.
- Select a line of text: Click and drag the cursor on the line of text you want to select.
- Select all the text: Press Ctrl + A or right-click the Document Pane > choose Select All.

2. Copying text, do one of the following:

- Right-click the selected text > choose **Copy**.
- Select the text and then press shortcut key Ctrl + C.

3. Pasting text

To paste the selected text on Clipboard to another application, please follow the paste command of the specific application.

Read Out Loud

What's Read Out Loud?

Read Out Loud is a Text-to-Speech (TTS) tool. This tool can read the text in comments and alternate text descriptions for images and fillable fields. With this feature, you can obtain information without having to view the page, helping to effectively relieve eyestrain. It also enables you to view other materials while listening to a PDF's content.

To use the Read Out Loud, please do as below:

• Choose VIEW > Assistant > Read > Read Current Page/Read from Current Page.

Setting Reading Preferences

Please go to FILE > Preferences > Reading.

Page vs Document:

- 1. **Only read the currently visible pages** Read the visible page displayed on the current window.
- 2. Read the entire document Read every page of the document in order.
- 3. For large documents, only read the currently visible pages If you open a large PDF, the system will only read the current, visible page.

4. **Minimum number of pages in a large document** - Set a minimum number of pages to define a PDF as a "large document".

Reading Actions

In Read Out Loud Mode, some simple actions are offered for users to control the reading status, including read this page, read this document, pause, resume, rate up, rate down and stop.




Read Out Loud uses the available voices installed on your system. If you have SAPI 5 voices installed from text-to-speech or other language applications, you can choose to have them read your PDFs.

Note: Read Out Loud isn't a screen reader. Some operating systems may not support it.

Rulers & Guides & Measurements

Using Rulers & Guides

Foxit PhantomPDF provides horizontal and vertical ruler guides to help you align and position text, graphics or other objects on the page. They can also be used to check their size and the margins in your documents.



Rulers & Guides



To show or hide rulers/guides, select VIEW > check or uncheck Rulers/Guides.

To create ruler guides, follow the steps as below:

- Drag down from the horizontal ruler to create a horizontal guide, or drag to the right of the vertical ruler to create a vertical guide.
- Double-click a location on the horizontal ruler to create a vertical guide, or double-click a location on the vertical ruler to create a horizontal guide.

To move ruler guides, select the Hand tool, click and hold the guide, and then drag it to a new location.

To change the unit of measurement, right-click the horizontal ruler or the vertical ruler, and select a measurement system for the rulers.

To delete ruler guides, please do one of the following:

- To delete a guide, click the guide to select it, and then press the **Delete** key.
- To delete all guides on a certain page, scroll to the page, right-click in the ruler area and choose **Clear Guides** on Page.
- To delete all guides, right-click in the ruler area and choose **Clear All Guides**.

Using Measuring

The Measure Tools enable you to measure distances and areas of objects in PDF documents. The measure tools are especially useful when you need to know the distances or areas associated with objects in a form or computer-aided design (CAD) drawing or when you want to measure certain areas of a document before sending to a professional printer. The measure tools are available to Reader users only if the PDFs are measurable.

When you use a measure tool, the tool dialog box displays the measurements of the line segments you draw.

♦ Measuring the objects

Choose **COMMENT** > **Measure** > [measure tool name], and do any of the following:

- Select the **Distance Tool** is to measure the distance between two points. Click the first point, move the pointer to the second point, and click again. The measurements will appear on the page.
- Select the **Perimeter Tool** to measure a set of distance between multiple points. Click the first point to start, and then click each point you want to measure. Double-click the last point to end measuring.
- Select the **Area Tool** to measure the area within the line segments that you draw. Click the first point to start, and then click each point you want to measure. After you have clicked at least two points, click the first point or double-click the last point to complete the

area measurement.

Note: You can also choose to complete or cancel measurement by right-clicking the measurement and choosing options from the context menu.

Before measuring, you can set the scale ratio or other options. The **COMMENT FORMAT** tab appears after you select the measuring tool, and then do any of the following:

Scale R	atio:	Show result information Annotation:	DISTANCE TOOL COMMENT FORMAT
2	inch • = 1 inch •	Measurement markup Width Width	
	Scale Ratio	Setting	
	Start Untitled	d.pdf * ×	•
•		2	· 4 7 8
 ▶ ▶ ₩ 		Distance Meas.2014/1 Administrator Width: 0.33 inch	2/23 9:39:26 Options • Distance Tool • → Distance: 0.33 inch Angle: 90.00 △ X: 0.00 inch △ Y: 0.33 inch Scale: 2 inch = 1 inch
a Ø	Administrator Width: 0.33 inch	The pop-up i	note The result information

- To change the scaling ratio (such as 2:1, say, when the distance on the screen is 2 inch then the actual distance is 1 inch.) on the drawing areas, specify the appropriate numbers. If necessary, change the unit of measurement next to this ratio.
- Check **Show result information** if you want to see the current measuring result, including real distance, angle, horizontal and vertical position, etc.
- Check **Measurement markup** to type text as a comment in the Annotation box. When you put the pointer over the measurement with the Hand tool selected you can view the measurement result and annotation you typed in the Annotation box. Or when you double-click the measurement, the pop-up note of the measurement will also show the measurement result and the annotation.
- Click **Rulers** to show the rulers.

Note: The object you draw will disappear when the Measurement Markup is deselected in the Distance dialog box.

♦ Working on the measurement object

After you complete the measurement, you are able to do further operations on it, such as move, resize, flip, and even work on it the way you work on comments.

1. Moving the measurement object

• With the Hand Tool Selection Selection Tool selected, click the measurement

object you want to move.

 Place the cursor over the object when the pointer changes into ▶, hold and drag the mouse to move it to the intended place.

2. Changing the length and orientation of the line segment

• With the Hand Tool Selection Selection Tool selected, select one of the resize

corners∎, you will see the pointer change into .

• Hold and drag the mouse to change the length and orientation of the line segment.

3. Flipping the measurement and annotation

You can reverse measurement and annotation of the object you draw.



To flip the measurement and annotation of the object, do the following:

- Select the Hand Tool I or Annotation Selection Tool .
- Right-click the object you draw > select Flip.

♦ Working on measurement objects as comments


The measurement objects can also be used as comments, as a result of which, you cannot only set status, open popup note, delete, reply to the objects, but you can also set properties, and set current properties as default for them.

For the information of how to work on the objects as comments, please refer to the corresponding section of <u>"Chapter 7 – Comments"</u>.

Line Weights View

In Line Weights View, the lines will be displayed with the weights defined in the PDF file. When Line Weights View is turned off, the lines will be displayed with the constant stroke width (1 pixel), regardless of zoom. The following screenshots show the comparison of the PDF file displayed in Line Weights View and Non-Line Weights View.

Foxit PhantomPDF Standard



PDF in Line Weights View

PDF in Non-Line Weights View

- To enter Line Weights View, please choose VIEW > Page Display, and then check Line Weights option.
- To exist Line Weights View, please choose VIEW > Page Display, and then uncheck Line Weights option.

Compare PDF Files

The Document Compare feature lets you see the difference in two versions of a PDF, as well as select the type of differences you're looking for to verify that the appropriate changes have been made. The Document Compare feature does not compare comments in the PDF.

Comparing a revised PDF to an earlier version

• Choose VIEW tab > Compare group > Compare

Co <u>m</u> pare (initial	document)				
Document:	7.0 New Feature Des	criptions_1.pd	f		▼ choose
Ol <u>d</u> er From:	1 • <u>T</u>	o: 5	•		
<u>T</u> o (changed d	ocument)				
Document:	7.0 New Feature Des	criptions_2.pd	f		 choose
Newer <u>F</u> rom:	1 • T <u>e</u>	<u>o</u> : 5	•		
Type of Compa	arison				
Page by p	age visual differences				
Textual di	fferences				
In a	clude font information (s	style, size, typ	eface)		
				than this percenta	age: 60 %
Highli	ght differences only wh	en documents		than this percenta	age: 60 %
Highli Include pag		en documents	differ by less		age: 60 %
Highli Include pag	ght differences only who ge reassembled changes as are replaced, it will igr	en documents	a differ by less		age: 60 %
Highli Include page If the page	ght differences only who ge reassembled changes as are replaced, it will igr	en documents	a differ by less		age: 60 %
Highli Include page If the page	ght differences only who ge reassembled changes as are replaced, it will igr	en documents	a differ by less		age: 60 %
Highli Include page If the page	ght differences only who ge reassembled changes as are replaced, it will igr	en documents	a differ by less		sge: 60 %
Highli Include page If the page	ght differences only who ge reassembled changes as are replaced, it will igr	en documents	a differ by less		age: 60 %
Highli Include page If the page	ght differences only who ge reassembled changes as are replaced, it will igr	en documents	a differ by less		age: 60 %
Highli Include page If the page	ght differences only who ge reassembled changes as are replaced, it will igr	en documents	a differ by less		age: 60 %
Highli Include page If the page	ght differences only who ge reassembled changes as are replaced, it will igr	en documents	a differ by less		
Highli Include page If the page	ght differences only who ge reassembled changes as are replaced, it will igr	en documents	a differ by less	ged document)	age: 60 %

Compare PDF Files dialog box


- Specify the two documents to be compared. Click **Choose...** to select the file and choose the specific pages you want to compare by dragging the slider or clicking the list box to select the page number.
- Type of Comparison:

Page by page visual differences – Compares by visual differences, including texts, images, annotations, etc.

Textual differences – Compares texts only between the two documents. Check **Include font information (style, size, typeface)** if needed. You can also set to highlight differences when documents differ by less than a percentage to easier find out the differences.

Include page reassembled changes – If you check this option, the application will automatically ignore the textual differences of the pages that were replaced or inserted and will indicate that the pages will be inserted in the comparison result.

- You can preview pages after you check **Show preview** option. Choose the specific page you want to preview by dragging on the page range bar or select the page number by clicking the list box near the range bar.
- Click OK. And then a PDF document named "The result of Comparison.pdf*" will be automatically created and opened with PhantomPDF. The first page shows a summary of the comparison results and the differences will be classified with different colors.



Select & Copy

With Foxit PhantomPDF, you can copy texts and images to other applications.

Select and Copy Text

The Select Text tool lets you select horizontal and vertical text or columns of text in a PDF. PhantomPDF sets its each ribbon with hand tool and Select tools for user's convenience. To copy

text, click Select Text Tool Thand do the following:

Select text

- Select a line of text: Drag the cursor \mathbb{I} toward a line of text you want to select.
- Select a column of text: Put the cursor between the lines, drag the cursor 🗓 toward a column of text you want to select.
- Select a word: Double-click the word you want to select.
- Select multiple paragraphs through pages: Click at the start of the selection, scroll to the end of the selection without releasing your mouse.
- Select all the text: Press Ctrl + A, or select some text, right-click it and then choose Select All.
- Deselect all the text: Click any area of the text.

Copy text

After selecting the text, do one of the following:

- Right-click the selected text > choose **Copy**.
- Press shortcut key **Ctrl + C**.

Tip: The style (including font, bold, color, etc.) of the text will be copied to the clipboard as well when you copy text in PDF.

Paste text

To paste the selected text on Clipboard to another application, please follow the paste command of the specific application.

Copy Images

You can copy and paste individual images from a PDF to the clipboard, to other applications, or to other files.

Take a snapshot of an image

To copy an image, please switch to the Snapshot tool on SnapShot :

- Choose **HOME** > **Snapshot** and the cursor changes into a Cross $-\frac{1}{2}$ automatically.
- Hold the cursor over the image and drag a rectangle around it.
- You will be prompted that the selected area has been copied to the clipboard.
- (Optional) Right-click the selected area, and then choose Copy Select Graphic.
- Paste the selected image to other applications.

Note: The selected area will be highlighted in blue.

Take a snapshot of a page

You can use the snapshot tool **SnapShot** to copy the entire page. Both text and images will be copied as an image.

- Select the Snapshot tool by choosing HOME> Snapshot.
- Click anywhere in the page, or right-click anywhere in the page and choose "Select All" to copy the entire page.

Tip: To deselect it, please click anywhere in the page.

- You will be prompted that the selected area has been copied to the clipboard.
- (Optional) Right-click the selected area, and then choose Copy Select Graphic.
- Paste the selected image to other applications.

Note: The selected area will be highlighted in blue.

Copy a Combination of Text and Images as an Image

You can use the snapshot tool to copy the all selected content (text, images, or both) to the clipboard or other applications. Text and images will be copied as an image.

To copy a combination of text and images as an image, do the following:

- Select the **Snapshot** tool by choosing **HOME** > **Snapshot**.
- Drag a rectangle around the text and images.
- You will be prompted that the selected area has been copied to the clipboard.
- (Optional) Right-click the selected area, and then choose Copy Select Graphic.
- Paste the selected image to other applications.

Check the Accessibility of PDFs

A document is accessible if it can be used by people with disabilities, such as the visually impaired people. Foxit PhantomPDF allows users to evaluate the accessibility of your documents and identify areas that may be in conflict with Foxit's interpretations of referenced guidelines with Accessibility Checker.

Use Accessibility Full Check to check whether a PDF is compliant with accessibility standards of Section 508. You can choose which kinds of accessibility items to check for and how to view the results.

To check accessibility with Full Check, please do as below:

- 1. Choose FILE > Accessibility Checker > Accessibility Full Check
- 2. In the Accessibility Check dialog box, select options you need to check for.

Accessibility Check			×
Standard: Section 508 Web-based intranet and	d internet information and applications(§1	194.22)	
Checking Options			
🛛 (a) Text equivalents	🗹 (g) Table headers	📝 (m) Applets & plu	ıg-ins
(b) Multimedia presentations	(h) Complex tables	🗹 (n) Forms	
🔽 (c) Color	🔽 (i) Frames	🔽 (o) Navigation lin	ks
🗹 (d) Readability	🔽 (j) Flicker rate	📝 (p) Timed respon	ises
🗹 (e) Server-side image maps	📝 (k) Text-only alternative		
🗹 (f) Client-side image maps	🗹 (I) Scripts		
Select All Clear All			
Report Options:			
Create Accessibility Report	Folder: C:\Users\Administrator\Do	cuments	Choose
Options		Start Checking	Cancel

3. In Report Options section, check Create Accessibility Report option if needed to save the

results as an HTML file and specify its Save Path.

- 4. Click **Options** button and specify the page range to do a full check.
- 5. Click Start Checking.
- 6. When the check is completed, the accessibility report appears in the Accessibility report

panel in the left Navigation Pane. And the result report file is also created in the specified folder.

The report includes the name of the PDF document, Detailed Report and Summary. Detailed Report displays if there are any areas with problems. Summary clearly lists one of the following statuses for each item check:

- Passed automatic verification The item is accessible.
- Needs manual verification by user The Full Check feature couldn't check the item automatically. Please verify the item manually.
- Not applicable There is no applicable content for this item.
- The items with problems are totaled. For detailed information, please refer to Detailed Report.

Note: Because some content types are difficult to be distinguished clearly by the checker, some issues reported may not affect readability. It would be better to review all issues to definitely decide which ones are not accessible.

7. (Optional) If you didn't choose to create a report in Step 3, you can click button in the Accessibility report panel to save the results. You can also open a report by clicking

🧲 button.

To view Full Check results:

- 1. Choose FILE > Accessibility Checker > Open Report
- 2. In the Open dialog box, select the report file from the folder where you saved the report file and click **Open**.
- 3. The report file will be opened with the associated PDF.

Others

Asian Languages

If you try opening PDF files directly that contain Eastern Asian Languages such as Traditional and simplified Chinese, Japanese, and Korean, you can open them with Foxit PhantomPDF directly

now. The add-on of Eastern Asian Language has been integrated into Foxit PhantomPDF package, so you won't be prompted to download and install the required language font kits. Foxit PhantomPDF lets you view, search, and print PDF documents with Asian language text.

Note: To update the Eastern Asian Language font kits, users still have to go to **HELP** > **Check for Update** to download and **HELP** > **Install Update** to install the updated version.

PDF Properties

To view the PDF properties, please choose **FILE** > **Properties**. You can acquire all relevant information as follows:

Description

This tab shows some basic information about the document. The title, subject, author, and keywords may have been set by the person who created the document in the source application. You can easily edit the document information within the PDF document, a useful way for searching and indexing files.

Initial View

When a user opens your PDF document, they see the initial view of the PDF. You can set the initial view to the magnification level, page and page layout that you want. If your PDF is a presentation, you may want to set the initial view to Full Screen Mode. After you define the initial view of the PDF, you can add page transitions to selected pages of the entire document.

Define the initial view as Full Screen mode

When setting the initial view of a PDF to Full Screen mode, you must define how the document opens.

- 1. Choose **FILE > Properties**.
- 2. In the Document Properties dialog box, select Initial View.
- 3. For best results, do the following:
 - ♦ Choose Page Only from the Navigation tab menu.
 - ♦ Choose Single Page from the Page layout menu.
 - ♦ Set **Open to page** to the page on which you want to start the presentation.
- 4. Select **Open in Full Screen mode** to open the document without the menu bar or toolbar displayed. Click **OK**. (You have to save and reopen the file to see the effects.)

Note: Users can exit Full Screen mode by pressing **Esc** if their preferences are set this way. However, in Full Screen mode, users cannot apply commands and select tools unless they know

the keyboard shortcuts. You may set up page actions in the document to provide this functionality.

Security

This tab describes security permissions and what functionality is allowed within a PDF. All the security information is listed here if a password has been applied to the PDF.

Properties		
	🔒 Security	
Description	No Protection	
Initial View	Change Settings	
	Document Restrictions Summary	
0	Printing	Allowed
Security	Fill in a form	Allowed
	Comment in the document	Allowed
Aa Fonts	Manage pages and bookmarks	Allowed
Ra Tonis	Modify document	Allowed
	Content copying for accessibility	Allowed
	Extract the contents of the document	Allowed
	Signing	Allowed

Security tab of the Document Properties

See also "Checking PDF Security"

Fonts

The Fonts tab lists the fonts and the font types used in the original document, as well as the encoding used to display the original fonts.

GPO

Group Policy (GPO), a feature of the Microsoft <u>Windows NT</u> family of <u>operating systems</u>, is a set of rules that control the working environment of user accounts and computer accounts. It offers the centralized management and configuration of operating systems, applications, and users' settings in an <u>Active Directory</u> environment.

For instructions to use group policy of Foxit PhantomPDF, please refer to Foxit PhantomPDF <u>GPO</u> <u>Manual</u>.

Chapter 4 – Create

Up to 3 times faster than other PDF tools, Foxit PhantomPDF makes creating PDF and PDF/A documents simple and streamlined. With a click you can quickly convert virtually any kind of file to PDF without having to open the source application.

Create a PDF in Different Ways

With Foxit PhantomPDF, you can easily create PDF files from files in other formats.

One-click PDF Creation from Any File

Foxit PhantomPDF can create any kind of printable files to PDF simply by dragging the file into the program window; alternatively you can use Foxit PhantomPDF to quickly convert files to PDF directly from within Windows[®] Explorer.

To create a PDF with one click:

- Drag the document you want to convert on to the Foxit PhantomPDF desktop icon
- If Foxit PhantomPDF is open, drag the file directly into the application window.
- Right click the document icon you want to convert and choose **Convert to PDF in PhantomPDF**.

Create PDFs in the Foxit PhantomPDF Application Window

Create a PDF from a File

You can create a PDF from Office, email, a web site, or from any file that prints.

1. Launch Foxit PhantomPDF, choose FILE > Create > From File, or choose CONVERT > Create > From Files > From File.

2. In the **Open** dialog box, select a file. You can browse all file types when you select All Supported Files (*.xls, *.xlt, ...) from the File type menu.

3. Select a file you want to convert and click **Open** to convert the file to a PDF.

4. Type a filename and specify a location in pop-up **Save** dialog box.

Note: Depending on the type of file being converted, a progress dialog box appears and Foxit

PhantomPDF opens automatically.

Create a PDF from multiple files

You can easily merge files of different types into a single PDF.

- 1. Choose FILE > Create > From Multiple Files, or choose CONVERT > Create > From Files > From Multiple Files.
- 2. In the **Convert Multiple Files** dialog box, click **Add Files...** to select the files you want to combine.
- 3. Adjust the order of files as desired by using **Move Up/Down**, click the title of the table or drag and drop the change the file order.
- 4. Choose a type of converted PDF files and click **Convert**:
- Convert multiple files to PDF files All the files will be converted to different PDF files.
- Merge multiple files into a single PDF file All the files will be converted to a single PDF file

Tip: Foxit PhantomPDF uses original filename as a bookmark as default when combining multiple files into a single PDF.

Create a PDF from a blank page

You can create a PDF from a blank page rather than beginning with a file, a clipboard image, or scanning.

- 1. Choose FILE > Create >Blank, or choose CONVERT > Create > Blank.
- 2. Choose EDIT > Edit Content > Add Text tool or COMMENT > Typewriter > Typewriter.
- 3. Click on the blank page to start typing the text you want to add to the blank page.
- 4. As needed, select other tools and options that you want to apply to the PDF.
- 5. Choose **FILE** > **Save**, and select a name and location for the PDF file.

Create a PDF from Clipboard

You can create a PDF directly from your clipboard.

- 1. Choose FILE > Create > From Clipboard, or choose CONVERT > Create > From Clipboard.
- 2. The texts or images in the clipboard will be converted to a new PDF file.

Create a PDF in Other Applications

Foxit PhantomPDF enables you to create intelligent PDF files from other applications such as Microsoft Office (Word, Excel, PowerPoint and Outlook), automatically keeping bookmarks, links, hyperlinks, outline and more of the source files in the created PDF.

Microsoft Office (Word, Excel, PowerPoint and Outlook)

In Microsoft Office 2007/2010/2013, Foxit PhantomPDF appears as a tab, allowing you to quickly create PDF files and change your conversions settings with just a few clicks.

♦ Microsoft Word, Excel and PowerPoint

W 🗖	ט - רי	Ŧ			Fox	it PhantomPDF L
File	Home	Insert Page Layout	References Mailings	Review View	Foxit Reader PDF	Foxit PDF
Create PDF	Create and email	 View PDF Results Prompt for File Name Convert Document Information 	Support PDF/A-1b S Create Bookmark	itandard 👜 Advanced		
Creat	te PDF		General Settings			

Microsoft Word 2010 Foxit PDF Tab

To create a PDF in Microsoft Word, Excel and PowerPoint, please do as below:

Open a file in Microsoft Word, Excel or PowerPoint, click **Foxit PDF** tab and do one of the following:

- To create a PDF using the current settings, click **Create PDF** button. Then enter the file name, specify the location and click **Save**.
- To create and email a PDF using the current settings, click Create PDF and Email button.
 Then enter the file name, specify the location and click Save. The created PDF file will be attached to your mail system automatically for you to send out.
- To customize your PDF conversion settings before creating PDF, check desired options in **General Settings** group.

View PDF Results – Once the conversion finishes, the converted PDF will be opened with PhantomPDF automatically. This option is checked by default.

Prompt for File Name – Before conversion, a dialog box will pop up for you to name the PDF file to be created. This option is checked by default.

Convert Document Information – Keeps the document properties information of the source file in the converted PDF during the conversion. This option is checked by default.

Support PDF/A-1b Standard – Creates a PDF that is compliant with PDF/A-1b standard.


Create Bookmark – Keeps the bookmarks of the source file in the converted PDF. (Word Only) This option is checked by default.

For more settings, click Advanced button and the Foxit PhantomPDF Add-in dialog box pops up. You can add headers/footers, watermarks, security, etc. See also <u>Setting Foxit</u>
 <u>PhantomPDF Printer Properties</u>. In the Security tab, you can also add RMS protection. For instructions on how to add RMS protection, please refer to <u>AD RMS Protection</u>.

ettings Watermarks	Headers/Footers	s Security	
No Protection	•		
No Protection			
Password Protection			
Certificate Protectio	n en the	document	
RMS Protection			
Document op	en password:		
_			
Rep	eat password:		

♦ Microsoft Outlook

Foxit PhantomPDF helps you quickly to create a PDF file or PDF portfolio from the selected email message(s) or folder(s).



Microsoft Outlook 2010 Foxit PDF Tab

To create a new PDF or PDF portfolio from the selected message(s), please select the message(s) you want to convert and click Selected Message > Create New PDF..., or right-click the selected message(s) and choose Convert to Foxit PDF. Then specify the name and the location of the created PDF or PDF portfolio to begin the conversion.

Note:

- 1) To create a new PDF portfolio, the **Output PDF Portfolio** option should be checked in **General Settings** group. Each message will be converted to a single PDF.
- 2) If the **Output PDF Portfolio** option is not checked, the selected message(s) will be merged into one continuous PDF according to the time of each message was sent or received, i.e. the latest message is on the first page.
- 3) The default name of the created PDF or PDF portfolio will be the title of the selected message or the folder name of the selected messages.

 To create a new PDF or PDF portfolio from the selected folder(s), please click Selected Folder > Create New PDF..., or right-click a folder and choose Convert to Foxit PDF. Select folders you want to convert in the pop-up Convert folder(s) to PDF dialog box. Then specify the name and the location of the created PDF or PDF portfolio to begin the conversion.

Convert folder(s) to PDF
Please select one or more folders to create PDF from.
⊡ Devin0910@sina.com
Deleted Items
Inbox
Outbox
Sent Items
Junk Email
undone undone
PAD
Notice
RSS Subscriptions
Tasks
Notes
Journal
Drafts
⊡ Contacts
Calendar
News Feed
Quick Step Settings
Sync Issues Conversation Action Settings
Conversation Action Setungs
\overline{ullet} Convert this folder and sub folders
OK Cancel

Note:

- 1) To create a new PDF portfolio, the **Output PDF Portfolio** option should be checked in **General Settings** group. Each message will be converted to a single PDF and then the created PDF will be put into corresponding folders in the portfolio.
- 2) If the Output PDF Portfolio option is not checked, all messages in the selected folders will be merged into one continuous PDF. If you create a PDF file from one folder, the latest email message will be arranged on the first pages of the created PDF file. If you create from multiple folders, the order is based on the order how each folder is displayed on Convert folder(s) to PDF dialog box first and then the time of each message was sent or received.
- To append to an existing PDF or PDF portfolio from the selected message(s), please select the message(s) you want to convert and click Selected Message > Append to Existing PDF..., or right-click the selected message(s) and choose Append to Foxit PDF. Select the existing PDF or PDF portfolio you want to append to and click Open. The selected message(s) will be appended to the end of the existing PDF. If the existing PDF is a PDF portfolio, the selected messages will be created to single PDF files and then put into corresponding folders in the existing PDF portfolio.
- To append to an existing PDF or PDF portfolio from the selected folder(s), please click
 Selected Folder > Append to Existing PDF..., or right-click a folder and choose Append to
 Foxit PDF. Select folders you want to convert in the pop-up Convert folder(s) to PDF dialog

box. Select the existing PDF or PDF portfolio you want to append to and click **Open**. All messages of the selected folder(s) will be appended to the end of the existing PDF. If the existing PDF is a PDF portfolio, each message of the selected folders will be created to single PDF files and then put into corresponding folders in the existing PDF portfolio.

 To customize your PDF conversion settings before creating PDF, check desired options in General Settings group.

View PDF Result – Once the conversion finishes, the converted PDF will be opened with PhantomPDF automatically.

Output PDF Portfolio – Creates a new PDF portfolio from the selected email message(s) or folder(s) and keeps the folder information of the selected folders in the created PDF portfolio (i.e., the location path information of the folder in your email system). If you don't want to keep the folder information during conversion, please click **Advanced** button and uncheck **Convert folder information** option in the Settings tab. For instructions on how to modify a PDF portfolio, please refer to <u>Customize PDF Portfolios</u>.

Include Attachment – Keeps the attachments of the selected email messages or folders as the created PDF's attachments, with the file types of the attachments unchanged.

Support PDF/A-1b Standard – Creates a PDF that is compliant with PDF/A-1b standard.

For more settings, click Advanced button and a Foxit PhantomPDF Add-in dialog box pops up. You can add headers/footers, watermarks, security, etc. See also <u>Setting Foxit</u>
 <u>PhantomPDF Printer Properties</u>. In the Security tab, you can also add RMS protection. For instructions on how to add RMS protection, please refer to <u>AD RMS Protection</u>.

Foxit PhantomPDF Add-in	
Settings Watermarks Headers/Footers Securi	ity
General	
View PDF Result	
Support PDF/A-1b Standard	
Include Attachment	
Output PDF Portfolio	
Convert folder information	

Foxit PhantomPDF supports automatic email archiving based on your settings. Click **Automatic Archival** button and check **Enable Automatic Archival** option in the pop-up Automatic Archival dialog box to do archival settings:

Automatic Arc	val	
Enable A	utomatic Archival	Run Archival Now
Frequency:	C Daily Weekly Sunday C Monthly 1 Day of Mo	inth
Run at:	4:00:00	
Maintain	Log of Archival	Choose File
Choose Folde Folders Inbox	rs for Automatic Archival PDF Archive File C:\Users\Administrator\Desktop\	outlook\inbox.pdf
	Add Delete	Change Archive File

• Specify the frequency and the time of the day to do the automatic archiving.

• (Optional) Enable "Maintain Log of Archival" to create a record for each archiving. Click Choose File ... to name the log file and specify its storage location.

• In **Choose Folders for Automatic Archival** box, click **Add** to select email folders you need to archive and specify the name and location of the archived email PDF. You can also click **Delete** to remove folders from the list or click **Change Archive File**... to modify the name and location of the archived email PDF.

• (Optional) You can start archiving email right after you choose the folders for automatic archival by clicking **Run Archival Now** button in the top right corner of the Automatic Archival dialog box.

• Click **OK** to complete setting.

Note: All archived email PDFs are PDF portfolios.

Windows Notepad

- 1. Open a .txt file.
- 2. Select from main menu File > Print.

Internet Explorer

- 1. Run your Windows web browser, open a website or stay on a web page.
- 2. Select from main menu File > Print.
- 3. Select Foxit PhantomPDF Printer from the Pinter list;

- 4. If you need to deploy printing settings, click the **Preferences** button on the right (Refer to <u>Setting Foxit PhantomPDF Printer Properties</u>).
- 5. Click **OK**;
- 6. A dialog box will pop up for you to specify the folder and file name of the PDF document to be generated, after done, click **Save** button.

Outlook Express

- 1. Run your Email client software and open an E-mail by clicking its title.
- 2. Select from main menu File> Print.
- 3. Select **Foxit PhantomPDF Printer** from the Printer list.
- 4. If you need to deploy printing settings, click the **Preferences** button on the right (Refer to <u>Setting Foxit PhantomPDF Printer Properties</u>).
- 5. Click **OK**.
- 6. A dialog box will pop up for you to specify the folder and file name of the PDF document to be generated, after done, click **Save** button.

Create a PDF using the Print command

Foxit PhantomPDF Printer works like a standard printer, so you can use it to print your files from any windows applications as if you would print to a real printer.

- 1. Open the file in its authoring application.
- 2. Choose **FILE** > **Print**.

3. Select the printer named Foxit PhantomPDF Printer, and click the **Print** button. Specify the name and the storage location in the pop-up dialog box and click **Save** to start printing. After the printing is finished, the generated PDF file will be opened directly.

4. You can click **FILE** > **Save** to save the PDF file. Specify the name of the PDF file and where to store. Click **Save**.

5. Or you can just close the generated PDF and click **No** in the pop-up message to prompt you whether to save the PDF file.

Foxit PhantomPDF supports to append newly generated PDF files to a previously generated one which are created by **Print** command in other application using Foxit PhantomPDF Printer. More details please refer to the steps below.

1. Do some settings to Foxit PhantomPDF. Run and open the application window. Click FILE > Preferences > Documents > uncheck Allow Multiple Instances, if it is checked. And click FILE > Preferences > Create PDF > check Insert printed PDF into previous generated one, exclude the


PDF files created from PhantomPDF application.

2. Open the file you want to convert to PDF and use the Print command to generate a new PDF. The generated PDF file will be opened automatically with PhantomPDF. A Print Job pane appears in navigation pane and the name of the file will be displayed on the pane. Do not close and save the PDF file.

	Print Job 🏼 🕨 🖌
	Name
	File 1
Ē	
Z	
ł	
Ø	
-=	
12	

3. Open another file you want to append to the PDF file generated on Step 2. Convert the file with **Print** command to PDF.

4. You will see that the name of the file in Step 3 is also added to the Print Job pane. That is to say, the generated PDF file on Step 3 is appended to the generated PDF file on Step 2.




5. Click **FILE** > **Save**. In the pop-up Save As dialog box, specify the name and location and click **Save**.

Create a PDF using Scanner

Foxit PhantomPDF provides you with an easy way to create a PDF directly from a paper document using your scanner. In total there are three methods for you to scan paper documents to PDFs: Quick Scan, Custom Scan and Scan by the configured presets.

Quick Scan

Foxit PhantomPDF allows users to create PDFs from scanner with just one click.



- Choose FILE > Create > From Scanner > Scan..., or choose CONVERT > Create > From Scanner > Quick Scan, or choose HOME > Convert > Quick Scan. If there is more than one scanner device on your system, then you will be prompted to set one as the default quick scanner the first time you use Quick Scan feature.
- A dialog box will pop up upon completion. You can click **Yes** to continue scanning more pages, or click **No** to complete scanning.

• Choose **FILE** > **Save**, and specify a name and location for the created PDF file.

Note: By Quick Scan, PDFs will be created by default settings and default scanner. To change the default settings, please check **Set as default quick Scanner** in **Configure Presets** dialog box and then change the settings as needed. See also <u>Configure Presets</u>.

Configure Presets	×
Presets: AutoDetect Color Mode 🔹	Delete Preset
Scanner: Please select a scanner 🔹	Scanner Options
Input	
Sides:	
Color Mode:	
Resolution:	
Paper Size:	
Width: Height:	
Prompt for continuous scanning	
Documents	
Optimization	Options
Make Searchable(run OCR)	Options
Preset menu setting	
Setting maximum number of menu in preset menu	1
Save	Cancel

Custom Scan

You can specify the scanning options and scan paper documents to PDFs at your command.

To custom scan paper documents to PDF:

- 1. Choose **CONVERT > Create > From Scanner > Custom Scan**.
- 2. Select the input, output, and documents options in the Custom Scan dialog box, and then click **Scan**.
- 3. A dialog box will pop up upon completion. You can click **Yes** to continue scanning more pages, or click **No** to complete scanning.
- 4. Choose **FILE** > **Save**, and specify a name and location for the created PDF file.

X Custom Scan Scanner: Please select a scanner Scanner Options... Input Sides: Color Mode: Resolution: Paper Size: + Width: Height: Prompt for continuous scanning Output New PDF Document Information Browse... Append ÷ Documents Optimization Options... Optimization Text Recognition Options.. Make Searchable(run OCR) Scan Close

Custom Scan dialog box

• Scanner: select an installed scanner. You must have the manufacturer's scanning software installed on your computer.

Scanner Options (Windows only): click to open the Scanner Options dialog box. (Available only after you select a scanner.)

- **Transfer Mechanism**: Native mode transfers data by default in your scanner. Buffered memory mode scans in resolutions of over 600DPI.
- User Interface: Hide scanner's interface option bypasses the windows and dialog boxes provided by the scanner manufacturer. Instead, scanning from Foxit opens the Foxit Scanner dialog box.
- Input

Sides: choose single-sided or double-sided scanning.

Color Mode (Windows only): select a basic color mode (Color, Black and White, or Grayscale) supported by your scanner. This option is enabled if your Scanner Options are set to use the Foxit scanning dialog box instead of the scanner application.

Resolution (Windows only): select a resolution supported by your scanner. This option is enabled if your Scanner Options are set to use the Foxit scanning dialog box instead of the scanner application.

Note: If you select a Color Mode or Resolution option not supported by your scanner, a message appears and your scanner's application window opens, where you can select

different options.

Paper Size (Windows only): select a paper size or specify a custom width and height.

Prompt for continuous scanning: a pop-up message box to prompt you whether to continue scanning when the current scanning is completed.

• Output

New PDF Document: select this to create a new PDF; deselect it if you want to append the scanned page to an existing PDF.

Append: select this if you want to add the converted scan to an existing PDF. Click **Browse** to find and select another PDF.

Documents

Optimization: click Options to customize compression and filtering. The **Optimization Options** dialog box for image settings controls how scanned images are compressed for the PDF. Default settings are suitable for a wide range of document pages, but you may want to customize settings for higher quality images and smaller file sizes.

Optimization Opti	ons				×
Image Settings Color/Gray:	JPEG				•
Low	,	 		High Q	uality
Monochrome:	JBIG2				•
		ОК		Cance	el

Color/Gray settings:

♦ JPEG: applies JPEG compression to the entire gray or RGB input page.

Low/High Quality: drag the slider to set the balance point between file size and quality.

Monochrome: when scanning black-and-white or monotone images, select one of the following:

- CCITT Group 4: applies CCITT Group 4 compression to black-and-white input page images.
- JBIG 2: an image compression standard for bi-level images which is suitable for both lossless and lossy compression.

Text Recognition: see "Recognize Text".

Scan by the Configured Presets

You can configure scan parameters or options and save several presets. When you are ready to scan you can choose one of the presets with just one click.

♦ Configure presets

To configure a new preset, please do as the following:

1. Click **CONVERT** > **Create** > **From Scanner** > **Configure Presets**, or choose **FILE** > **Create** > **From Scanner** > **Configure Presets...** A Configure Presets dialog box pops up.

Presets:	AutoDetect Color Mode 👻	Delete Preset
Sca <u>n</u> ner:	AutoDetect Color Mode Black & White Document Grayscale Document	Scanner <u>O</u> ptions.
Input	Color Document New Preset	
<u>S</u> ides:		
<u>C</u> olor Mode:	▼	
Resolution:		
Paper Size:	· ·	
	Width: Height: Height:	
Documents		
🗌 Optim	ization	Optjons
<u>M</u> ake	Searchable(run OCR)	Op <u>t</u> ions

2. Select New Preset... in the list box of Presets item, and specify the name of the preset.

3. Select a scanner and then do the settings of Input and Documents items (See also "<u>Custom</u> <u>Scan</u>"). You can also set the scanner as the default quick Scanner.

4. For the **Preset menu setting** item, you can set the maximum number of presets in Presets menu.

5. When finishing configuring, click **Save**. Or click **Delete Preset** to remove the preset.

♦ Scan by the configured presets

1. Click **FILE** > **Create** > **From Scanner**, and select a scanner and a preset.

2. Click **Scan...** button. After scanning is finished, you can choose to continue scanning or stop. Then specify a name of the created PDF file and the location. And click **Save** to finish.

Create and Customize a PDF Portfolio

You can use Foxit PhantomPDF to quickly create a blank PDF portfolio or a new PDF portfolio from any file. After creation, you can also add more files/folders, create folders, delete files/folders and more within the PDF portfolio.

To create a blank PDF portfolio, please click **CONVERT** > **Create** > **PDF Portfolio** > **Create a blank PDF portfolio**, or click **FILE** > **Create** > **PDF Portfolio** > **Create a blank PDF Portfolio**. In the ribbon appears the PORTFOLIO tab with buttons to add files/folders and create folders.

Layout Details Cover Sheet	Add Add Create Files Folder		PORTFOLIO	
View Portfolio2.pdf Home ►	Add	> 1	90 📅	Search × Where would you like to search? All PDFs in portfolio
	FleProperty.png	Language List. Abx		Desktop What word or phrase would you like to search for? Searching Search
	Linda.txt	Ntro_Amy.pdf		

To create a new PDF portfolio from a file, please click **CONVERT** > **Create** > **PDF Portfolio** > **Create** a **new PDF portfolio**, or click **FILE** > **Create** > **PDF Portfolio** > **Create** a **new PDF Portfolio** from **existing files**. Select the files you want to attach to a PDF portfolio and click **Open**. You can also add more files or folders after creation.

Tip: To quickly add files/folders, you can also copy-and-paste or drag-and-drop files/folders to the portfolio.

To customize a PDF portfolio, you can edit PDF files in the portfolio using PhantomPDF's tools as needed and do any of the following:

- To delete a file, select it and click **m** button in the upper right corner of the document area, or right-click it and choose **Delete**.
- To extract a file from the portfolio, select it and click 🗎 button in the upper right corner of the document area, or right-click the file and choose Extract from Portfolio.... Then specify the name and location of the extracted file.

Tip: You can do more actions by right-clicking a file in the portfolio.

Create a table of contents from bookmarks

You may want to conveniently create a table of contents from existing bookmarks for a hierarchy structure when viewing a PDF file. Foxit PhantomPDF offers two ways to create a table of contents. The new table of contents page will be inserted as the first page of the PDF.

- To create a table of contents when merging multiple files into a single PDF file, please select "Add a new table of contents page converted from bookmarks" in the Convert Multiple Files dialogue box. The table of contents page will be created from the filenames of the selected files.
- To create a table of contents in a current PDF, please click the button and the bookmark panel. The table of contents page will be created from the bookmarks of the current PDF.

Chapter 5 – Edit

Foxit PhantomPDF provides not only general editing features to create bookmarks, add links, attach files, add images, play and insert multimedia files on PDF files, but also advanced editing features to select, insert, modify, remove and rotate texts, images, graphics and shadings. You can go to the **EDIT** tab directly to use different editing features to easily and efficiently change contents in any existing PDF files.

Undo and Redo

When making quick adjustments to your document, you may want to undo or redo the most recent action performed. You can undo and redo up to 10,000 actions in Foxit PhantomPDF.

Undo your last action

- Click Undo O on the Quick Access toolbar of Foxit PhantomPDF window.
- Press Ctrl + Z.

Note: Some actions can't be undone, such as clicking any command on the File menu. If you can't

undo an action, the **Undo** command will be grayed out 🕗.

Redo actions

- Click **Redo** On the Quick Access toolbar of Foxit PhantomPDF window.
- Press Shift + Ctrl + Z.

Header & Footer, Watermark & Background to PDFs

Add Header/Footer, Watermark/Background to PDFs with Text, image and PDF, making your PDFs more professional and help you to easily view, navigate watermark and place marks on documents.

Header & Footer

- ♦ To add a new header & footer, please do the following:
- 1. Choose **ORGANIZE** > **Page Marks** > **Header & Footer** > **Add**.
- 2. Edit the text of header & footer in the "Add Headers and Footers" dialogue box.

Foxit PhantomPDF Standard

User Manual

Add Headers and Footers		X
Saved Settings: [None specified] Font Name: Helvetica Appearance Options	Save Settings Margin (Top: Left:	0.5 Bottom: 0.5
Left Header Text	Center Header Text	Right Header Text
Left Footer Text	Center Footer Text	Right Footer Text
Show Preview Insert Page Number	Insert Date Page number and date	format Page Range Options OK Cancel

Add Headers and Footers Dialog Box

- 3. (Optional) Click **Save Settings** at the top of the dialog box to save the current settings as a profile which can be applied directly to future documents.
- 4. Click **OK** to activate the operation.
- ♦ To update the header & footer, please do the following:
- 1. Choose ORGANIZE > Page Marks > Header & Footer > Update.
- 2. Update the content in the "Update Headers and Footers" dialogue box.
- 3. Click **OK** to activate it.
- ♦ To remove the header & footer, please do the following:
- 1. Choose **ORGANIZE** > **Page Marks** > **Header & Footer** > **Remove**.
- 2. Click "Yes" in the pop-up message box.

Background

- \diamond To add a new background, please do the following:
- 1. Choose ORGANIZE > Page Marks > Background > Add.
- 2. Edit the background in the "Add Background" dialogue box.
 - Choose one color as the background, or add the file from your computer via clicking the browse button. If the file has many pages, you can select one of them.
 - Set the appearance by choosing the rotation degree, the opacity. You also can choose to make the scale relative to target page or not. Click "Appearance Options" to set when to display the background.
 - Set the vertical and horizontal distance between the target page and the background.

- Choose the page range to play the background. You can select all pages or specify the page range, or choose even pages or odd pages via clicking the right items in the subset list.
- Check or uncheck the **Show Preview** option to preview the changes or not.

Add Background	X
Saved Settings: [None specified] 🔻	Delete Save Settings
Source	
From color	
🔘 File	Browse
Page Number: 1	Absolute Scale: 100%
Appearance	
Rotation: 0°	
Opacity:	100%
Scale relative to target page	100%
Appearance Options	
Position	
Vertical Distance: 0	Inches
Horizontal Distance: 0	Inches
Page Range Options	
Show Preview	OK Cancel

- 3. (Optional) Click **Save Settings** at the top of the dialog box to save the current settings as a profile which can be applied directly to future documents.
- 4. Click **OK** to activate it.
- ♦ To update the background, please do the following:
- 1. Choose **ORGANIZE** > **Page Marks** > **Background** > **Update**.
- 2. Update the content in the "Update Background" dialogue box.
- 3. Click **OK** to activate it.
- ♦ To remove the background, please do the following:
- 1. Choose **ORGANIZE** > **Page Marks** > **Background** > **Remove**.
- 2. Click "Yes" in the pop-up message box.

Watermark

- \diamond To add a new watermark, please do the following:
- 1. Choose **ORGANIZE** > **Page Marks** > **Watermark** > **Add**.

- 2. Edit the watermark in the "Add Watermark" dialogue box.
 - Input the text as the background and choose the font, size and the color, or add the file from your computer via clicking the browser button. If the file has many pages, you can select one of them.
 - Set the appearance by choosing the rotation degree, the opacity. You also can choose to make the scale relative to target page or not. Click "Appearance Options" to set when to display the watermark.
 - If you choose the "appear behind page", the page content will obstruct your view of some part of the watermark.
 - If you choose the "appear on the top of page", the watermark will cover some content, but you can adjust it via setting the opacity of the watermark.
 - Set the vertical and horizontal distance between the target page and the watermark.
 - Choose the page range to play the watermark. You can select all pages or specify the page range, or choose even pages or odd pages via clicking the right items in the subset list.
 - Check or uncheck the **Show Preview** option to preview the changes or not.

Add Watermark						×
Saved Sett Source	ings: [N	lone specified]	▼ De	elete Sav	ve Settings]
Text:					*	
	Font:	Helvetica	•	Size:	-	T
🔘 File:				Browse	e	
	Page N	umber: 1	×	Absolute S	cale: 100%	× v
Appearance	e					
Rotation:	0 -45	o 💿 None	© 45°	Custom	0°	V
Opacity:		0		50% 🖨		
🗹 Scale ı	relative to	o target page	50%	·		
Location:	0.14	pear behind pa	ge	Appear	on top of pag	e
Appearan	ice Optio	<u>ns</u>				
Position —						
Vertica	Distance	: 0	Inc	hes 🔻	from Cen	ter 👻
Horizontal	Distance	: 0	Inc	hes 🔻	from Cen	ter 🔻
Page Ran	<u>qe Optio</u>	<u>ns</u>				
Show Pro	eview			ОК		Cancel

- 3. Click **Save Settings** at the top of the dialog box to save your current settings as a profile which can be applied to other documents directly next time.
- 4. Click **OK** to activate it.

- ✤ To update the watermark, please do the following:
- 1. Choose **ORGANIZE** > **Page Marks** > **Watermark** > **Update**.
- 2. Update the content in the "Update Watermark" dialogue box.
- 3. Click **OK** to activate it.
- ✤ To remove the watermark, please do the following:
- 1. Choose ORGANIZE > Page Marks > Watermark > Remove.
- 2. Click "Yes" in the pop-up message box.

Adding Format Page Numbers

If your PDF file contains front matter likes document cover and copyright page, the page numbers on the document pages (i.e. printed page number) may not start from the document cover but from the body pages. You may need to synchronize the page numbers displayed below the page thumbnails (i.e. format page number) with printed page numbers. Foxit PhantomPDF enables users to add format page numbers to meet different needs.

To add custom format page number, please do as below:

- 1. Click **ORGANIZE** > **Page Marks** > **Format Page Numbers**. Or right-click a page thumbnail and select **Format Page Numbers...**.
- 2. In the Page Numbers dialog box, specify a range of pages you want to number and set the style of page number and the number you want to start at. You can also add a prefix to the number, like adding a letter "P" before the number. You can preview the result viewing the Sample at the bottom of the dialog box.
- 3. If you need to continue the numbering sequence from previous pages without interruption, please check **Extend numbering used in preceding section to selected pages**.
- 4. Click **OK** to finish.

ages				
All Pages				
Selected				
Pages From	2	То	6	of 6
Begin new sec Style:	1, 2, 3,			•
Style:	1, 2, 3,			V
Prefix:	P			
Start:	1			
Extend numbe	ring used in	prece	ding sectior	n to selected pages

Page Numbers dialog box

Links

This function helps you to lead the readers to related articles, references, or the intended web page.

Generally speaking, there are three options of links for you: rectangle link tool $\overset{\textcircled{}}{\textcircled{}}$ Link , Web

Links 💊 and Bookmark 🖺 in Foxit PhantomPDF.

Rectangle Link

Add a rectangle link

Rectangle Link tool enables you to add a link with the shape of rectangle on the PDFs.

To add a rectangle link, please do the following:

- Choose EDIT > Links > Link ^{® Link}.
- Position the cursor on the place you want to add the link, hold and drag your mouse button to draw a rectangle.

Tip: To draw a square link, press Shift key when you hold and drag your mouse button.

- Pops up **Create Link** dialog box. Specify the appearance and destination of the link.
 - Appearance
 - A. Thickness the thickness of the four sides of the rectangle. The higher of the value, the thicker of the sides. You can choose the thickness from 0-12, while the default is 1.
 - B. Border Style the style of the rectangle's border. There are three types of the border styles:

Solid: the border is solid, but not hollowed out.

Dashed: the border is drawn as a dashed line.

Underline: the sides are visible except the underline.

Three types of border style


C. Highlight - the effect when you click the rectangle link. There are four types of the highlighting effects:

None: doesn't change the appearance of the link.

Invert: changes the link's color to its opposite.


Outline: changes the link's outline color to its opposite.

Inset: creates the appearance of an embossed rectangle.



Four types of highlight

D. Color - the border color of the rectangle. Click the color button to choose any colors you like, or you may choose Other Color to add a customized color. The default color is red.



Choose the color

• Destination

The destination refers to any point or location, for example, a web page, a named file or position the link goes to. There are four options for you to choose:

A. Go to a page view – designate the link to a specific page view. Not only can you designate the link to a page in the current PDF, but you can also set the link to the page in another PDF. Also, you may change the current zoom setting and then set the position.

To go to a page view, choose this option, click the **Next** button and do one of the following:

- ♦ Set the position in current document scroll the current document, go to a new position where you want to set and click Set this position.
- \diamond Set the position in another PDF document click the **Open** button 庫 on the Quick

Access toolbar of the application window > select the PDF you want to set position > scroll this document and go to a position where you want to set > click **Set this position**.

Note: The new PDF document should be opened in the existing window but not a new window.

- Change the view magnification -- scroll in the current document or another document > go to a new position where you want to set > change the magnification of the position > click Set this position.
- ♦ Click Cancel to cancel out of your operation.

B. Go to a named position – designate the link to a named position that has been set by the creator of the current document.

To go to a named position, choose this option and click the Next button > select a named position for the pop-up list > click **OK**.

Note: An empty pop-up list indicates that no position has been named by the document's creator.

C. Open/execute a file – designate the link to open another file. To do this, please follow the steps below:

Choose Open/execute a file > click the Next button > select the destination file and click Select.

D. Open a web page – designate the link to open a web page. Do the following:

Choose Open a web page > click the Next button > enter the URL of the destination web page or click the drop-down button to select a web site you have opened before.

E. Others (use action property page) – add an action to the link. Please refer to <u>"Actions tab</u> <u>for the button properties"</u> for more details.

Move or resize a link

You can move and resize the link after you create it.

- Select one of the link tools or the Annotation Selection Tool , and then move the cursor over the link until the cursor turns into an arrow
- Then do one of the following:
 - A. To move the link, drag it to the desired area.
 - B. To resize the link, drag any corner point to adjust.

Delete a link

- Select one of the link tools or the Annotation Selection Tool
 , and then move the cursor over the link until the cursor turns into an arrow
- Select the link you want to delete.
- Press the **Delete** key.

Web Links

Foxit PhantomPDF allows users to check URLs in the PDF document automatically and add link annotations directly to the related URLs.

Create web links from URLs

To create web links, please do as following:

1. Click **EDIT** > **Links** > **Create links from URLs** A message box will pop up to prompt you whether to proceed because the operation cannot be undone. Click **Yes** to continue.

2. In the pop-up **Create web links** dialog box, choose **All** to create links from all URL in the document, or choose **From** ...**To** and enter a page range to create links on selected pages. Click **OK**.

3. A message box will pop up to prompt you how many web links were added to the document.

To remove all web links, choose EDIT > Links > Remove all links

Bookmark

Please refer to "Add a bookmark".

File Attachments

You can attach PDF files and other types of files to a PDF. There are two options for you to add an attachment: attaching a file as a comment and attaching a file to the entire PDF. An attached file

as a comment will appear in the page with the File Attachment icon + by default, while the attached file to the PDF file acts invisible and only can be seen when you click the Attachment panel in the navigation pane.

Add a file as a comment

- 1. Choose **COMMENT > Pin > File**.
- 2. Position the cursor to the place where you want to attach a file as a comment > click the selected position.
- 3. In the Open dialog box, select the file you want to attach, and click **Open**.
- 4. The File Attachment Icon 🕂 appears at the place you designated in the PDF file.

Work on the attachment comment

You can open the attachment, add a description, move and delete it, and set the preferences.

♦ Open an attachment

Select the Hand Tool $\stackrel{\text{\tiny CO}}{\longrightarrow}$ or Annotation Selection Tool $\stackrel{\text{\tiny CO}}{\longrightarrow}$ and do the following:

- 1. Double-click the File Attachment icon 🕂 .
- 2. In Open file attachment dialog box, select one of the three options and click **OK**.

Open File Attachment
The file attachment may harm your computer. Open this file only when you ensure that it is safe. Would you like to :
Open this file attachment
Always allow opening file attachments of this type
Never allow opening file attachments of this type
OK Cancel

Open file attachment dialog box

- A. Open the file attachment open this file attachment and the dialog box will always pop up when you double-click the File Attachment icon.
- B. Always open file attachments of this type open this file attachment and the files of this type will be opened automatically when you double-click the File Attachment Icon next time.
- C. Never open file attachments of this type forbid to open the file attachments of this type. Whenever you double-click the File Attachment Icon, the files of this type will be forbidden to open and you'll be prompted that "File attachment of this type cannot be opened because of your security settings".

See also <u>"Doing security settings"</u>.

Note: If you are in Safe Reading Mode, you cannot choose the way to open the attached file. Please go to **FILE** > **Preferences** > **Trust Manager** to uncheck the **Enable Safe Reading Mode** option.

♦ Move a file attachment icon

Select the Hand Tool W or Annotation Selection Tool \checkmark , click and drag the File Attachment Icon to move it to other place.

♦ Delete an attachment comment

Select the Hand Tool and Annotation Selection Tool , and do one of the following:

- Right-click the File Attachment icon ∔ and choose **Delete**.
- Click the File Attachment icon and press **Delete** key.

♦ More options with an attachment comment

You are able to work on the attachment comment just like an ordinary comment, including set status, mark with checkmark, open popup note and add some descriptions, reply to the comment, and change the icon's appearance. For all the operations, please refer to <u>"Chapter 7 – Comment"</u>.

Add a file to the entire PDF as an attachment

1. Click the attachment button \mathscr{O} on the navigation pane and click Add button \mathbf{k} , or choose

EDIT > Insert > File Attachment

- 2. In the FILE Attachment dialog box, click the Add Files... button.
- 3. Select the file you want to attach in the pop-up dialog box, and click **Open**.
- 4. Click **OK** after adding the desired files.
- 5. The added document will be displayed in the attachment panel.

Tip: An easy method to add a file attachment to PDFs, you can just drag and drop the file you want to attach to the attachment panel. Foxit PhantomPDF will pop up a window to ask you whether to attach the selected file to current PDF document. Click **OK** to complete the operation. Check "Always attach file when dragging files to the attachment panel" option and the next time you the file will be attached directly without this pop-up window.

♦ Work on the attachments

You can open, save, edit descriptions, delete and do settings to the attachments. Click the attachment button \checkmark on the navigation pane > Open button \succ /Save button \blacksquare /Add button

🗟 /Edit Description button 🏹 /Settings 🗟 /Delete button 🧰 .

Attachments					
Name	Description	TTP Size	Modified	Location in document	
FoxitPhantomP	Description	976 KB	4/12/	Page 14	
Foxit PDF IFilter		1 MB	4/12/	Page 23	
FoxitPhantomP		1 MB	7/24/	Page 51	
FoxitPhantomP		6 MB	4/12/	Page 59	
Quick Start for		216 KB	4/12/	Page 154	
SharePointConf		363 KB	4/12/	Page 167	
?					

Attachments Panel

♦ Security settings

To change the security settings you have set when you open the attachment file as a comment,

Click the **Settings** button L^{2} in the Attachment Panel and do one of the following:

- To add a new extension, click the **Add** button to input the file extension in the Security Settings dialog box.
- To delete an extension, click one of the existing extensions and click the **Delete** button.
- To change the settings of how to open the attachments of the type, choose one of the three options listed.

<u>A</u> dd	Delete	
Extension	Strategy	
Foxit	Ask me before operating file attachments of this type.	
Settings	fore exercise fle attachments of this type	
Ask me bei	fore operating file attachments of this type. en / save file attachments of this type.	


Bookmarks

Bookmarks are navigational tools that make your PDF files easier to read. They are usually generated automatically during the PDF creation.

Bookmarks are useful for users to mark a place in a PDF file so users can return to it with ease. Or you may like to have your own bookmark structure and new bookmark names. With Foxit PhantomPDF, you can easily nest, edit, or delete bookmarks in a PDF file if the security settings allow.


Add a bookmark

- 1. Go to the page where you want the bookmark to link to.
- 2. (Optional) If there is no bookmark in the document, click EDIT > Links > Bookmark \square , or click



3. Select the bookmark after which you want to place the new bookmark. If you don't select a bookmark, the new bookmark is automatically added at the end of the bookmark list. Click

EDIT > Links > Bookmark, or click the New Bookmark icon at the top of the Bookmarks panel, or right-click the selected bookmark and choose Add Bookmark.



4. Type or edit the name of the new bookmark, and press Enter.

Move a bookmark

Select the bookmark (named "Bookmark A") you want to move, and then do one of the following:

- Hold the mouse button down and then drag "Bookmark A" icon directly to the desired place. The Line icon ▶--- shows the place where the icon will be located.
- Right-click "Bookmark A" icon and choose the Cut option > right-click the bookmark(named "Bookmark B") under which you want to place "Bookmark A", choose "Paste after Selected Bookmark" if you want to put "Bookmark A" after "Bookmark B", which will be in the same hierarchy with "Bookmark A"; or choose "Paste under Selected Bookmark" if you want to put "Bookmark A" under the "Bookmark B" which will be the parent bookmark.

Note: The bookmark links to its original destination in the document although it is moved.

Organize a bookmark hierarchy

A bookmark hierarchy is an outline or stratified structure that places some bookmarks within others. In Foxit PhantomPDF, multilevel bookmark hierarchy can be defined by properly dragging the bookmark icon in the Bookmark panel.

To nest a bookmark or move a bookmark out of nested position, please refer to <u>Move a</u> <u>bookmark</u>.

♦ To expand or collapse a bookmark

Click the plus sign (+) next to the bookmark icon to show any children. Click the minus sign (-) to

collapse the list. Or click 👂 to collapse all bookmarks.

Edit a bookmark

In Foxit PhantomPDF, you are able to rename a bookmark, reset a bookmark's destination, or customize the text appearance of a bookmark with ease if the security settings allow.

♦ To rename a bookmark

Right-click the bookmark you want to rename in the Bookmarks panel > Rename> type the new bookmark name. Or you double click the bookmark you want to rename and then type the new name.

♦ To reset a bookmark's destination

- In the document pane, move to the location you want to specify as the new destination.
- (Optional) Adjust the view magnification.
- Right-click the bookmark, choose **Set Destination** and select **Yes**.

♦ To customize the text appearance of a bookmark

- In the Bookmarks panel, right-click the bookmark > choose **Properties**.
- In the Bookmark Properties dialog box, click the Appearance tab, and select the font style and color for the text.

Note: After defining a bookmark's appearance, you can set it as bookmarks' default property by right-clicking the bookmark and then selecting the option of **Use Current Appearance as New Default**.

♦ To add an action to a bookmark

- Right-click a bookmark, and choose **Properties**.
- In the Bookmark Properties dialog box, click Actions.
- Choose an action from the Select Action menu and click Add, and then refer to the section of <u>"Actions tab for the button properties"</u>.
- ✤ To delete a bookmark, please do one of the following:
- Select the bookmark you want to delete and click the **Delete** button ^[6] at the top of the Bookmarks panel.
- Right-click the bookmark you want to delete and choose **Delete**.

Note: Deleting a bookmark deletes all the bookmarks that are subordinate to it.

Images

You can specify a rectangle on any part of a PDF page and then insert an image into that rectangle. This feature is helpful when you want to explain or show something more dynamically.

Add an image

You can add an image to a PDF with the Image Annotation tool is. After you insert a new image, you can adjust its size and position, change the appearance and other settings, etc.

To add an image, do the following:

- Choose EDIT > Insert > Image Annotation
- Drag a rectangle on the page to define the canvas area for the image.
- In the Add Image dialog box, click the **Browse** button to select the image that you want to insert and click the **Open** button. You will see the URL of this image has been added to the Location field.
- Click the Advanced... button to edit the setting of the image.

Image placement	×
	Always Non-Proportionally
Border	Image (50,50)
Use this dialog to scaled to fit inside	change the way the image is the border
Reset	OK Cancel

Image Placement dialog box

- A. When to scale choose when to scale the image you insert.
- B. Scale choose to scale the image non-proportionally or proportionally. This option will be disabled when you select **Never** in the field of **When to scale**.

- C. Border drag and move the scroll bar to change image's position in the rectangle. The coordinates change when you move the scroll bar.
- Click **OK** for your changes to take effect, or click Reset to reset the data to the original settings.
- Click OK.

Apply an image to other pages

After adding an image, you may want to place the same image on additional pages while maintaining the original location and settings.

To apply an image to other pages, please do the following:

- 1. Right click on the image you wish to apply to other pages.
- 2. Choose the option **Place on Multiple Pages** in the menu.
- 3. Specify the page range.
- 4. Click OK.

Move and resize an image

To move an image, please do the following:

1. Select the Annotation Selection Tool 🔊 or the Image Tool 嶂 , put the cursor over the image

and the cursor changes into an arrow 🔭.


2. Click and drag the image to another place you like.

To resize an image, please do the following:

1. Select the Annotation Selection Tool $\widehat{}$ or the Image Tool $\widehat{}$, put the cursor over the

image and the cursor turns into an arrow \uparrow , and then click the image.

2. Place the cursor on any corner point. The cursor changes into the cursor showing the direction at which the rectangle will be resized.



To resize the image

3. Drag the cursor outside, it will increase the size of the rectangle proportionally. Drag the cursor inside, it will decrease the size of the rectangle proportionally.

Set properties of an image

- 1. Double-click the image or right-click it and select Properties....
- 2. In the Appearance tab, do any of the following:

Annotation is hidden from view – The image annotation will be invisible in Hand tool mode.

Border – Select the border width of the image and the border's style and color.

- ♦ Locked When selected, prevents any further changes to any image properties.
- Close Applies and saves the current properties, and closes the image properties dialog box.
- 3. In the Settings tab, follow the steps in <u>"To add an image"</u>.
- 4. For the Actions tab, Please refer to <u>"Actions tab for the button properties"</u>.

Delete an image

1. Select the Annotation Selection Tool 冰 or the Image Tool 嶂 , put the cursor over the

image and the cursor turns into an arrow \uparrow , and then click the image.

2. Press **Delete** or right-click the image > **Delete**.

Select multiple images

- 1. Select the Annotation Selection Tool \checkmark or the Image Tool 뒏 .
- 2. Press and hold Shift or Ctrl and click the images you want to edit.


Align images

- Select two or more images that you want to align.
- Click EDIT tab > Arrange group > Arrange button > select a type of alignment, or right-click the anchor > Align, and then choose a command as follows:
 - A. To align a column of images, choose Left, Right, or Vertically to align them respectively to the left edge, right edge, or vertical axis of the anchor image.
 - B. To align a row of images, choose Top, Bottom, or Horizontally to align them respectively to the top edge, bottom edge, or horizontal axis of the anchor image.


Note: When you right-click or Ctrl-click one of the selected images, it will be highlighted in red, indicating that it's the anchor image. The align menu commands move the other selected images

to line up with the edges of the anchor image.

Below is an example:



A. Suppose that you want to set A as the anchor image.




B. Select these two images > right-click A and choose Align > Left. You will see the other image is placed to the left edge of A.

Center images

This function enables you to center the rectangle enclosed by the images you select vertically, horizontally or both.

Below is an example:




Distribute images

This function will be available when selecting three or more images.

- To distribute the images evenly between the topmost and bottommost images, choose **Distribute > Vertically**.
- To distribute the images evenly between the leftmost and rightmost images, choose **Distribute > Horizontally**.


Below is an example:



Resize images

You can adjust multiple images with the same height, width, or both. Select one of the images as the anchor, and the rest of the images will be resized with the same height or width as that of the anchor image.

Below is an example:



Setting properties of multiple images

- Select multiple images > right-click one of them > Properties...
- A dialog pops up with an Appearance tab. Follow the steps specified in <u>"Setting properties of</u> <u>an image"</u>.

PDF Optimizer

With the PDF optimizer, users can compress the images, clear out the data redundancy of PDF objects and update your PDFs.

- Choose FILE > PDF Optimizer.
- Setting the properties in the PDF Optimizer dialogue box.

Foxit PhantomPDF Standard

User Manual

PDF Optimizer	×
Setting Select:	Current PDF Version: 1.7 Make compatible with: Retain existing
 ✓ Images ✓ Fonts ✓ Discard Objects ✓ Discard User Data ✓ Clean Up 	Color/Grayscale Images: Downsample: Bicubic Downsampling to 150 ppi for images above 225 ppi. Compression: JPEG Quality: Medium
	Monochrome Images: Downsample: Bicubic Downsampling to v 300 ppi for images above 450 ppi. Compression: JBIG2 v Quality: Lossless v Ø Optimize images only if there is a reduction in size All units are in pixels per inch(ppi).
	Default OK Cancel

PDF Optimizer Dialog Box

- Select the compatibility level to save the current PDF file in the list box of Make compatible with item.
- Click Audit space usage to see the space usage of the current PDF file and then you can decide which items are needed to be optimized.
- For Images, you can specify color/grayscale and monochrome image settings, including image downsampling and image compression. Choose the appropriate down sampling method in the Downsample list box (including average the downsampling, subsampling and the bicubic downsampling) or you can choose off item to turn off the option. Set the right pixels and image compression (including retaining existing, JPEG and JPEG2000).

Note: If you check the option "Optimize images only there is a reduction in size", the images will not be optimized when there is no reductions.

- For Fonts, move the embedded fonts to the right list to lift to embed. ٠
- For **Discard Objects**, please check the objects settings you want to discard. •
- For Discard User Data, please check the user related information you want to discard. ٠
- For **Clean Up**, please check the Cleanup settings you want to optimize the document.
- Click **OK** button and save the optimized PDF file.

Work with Video & Audio

Foxit PhantomPDF does not only support playing videos and audios in PDFs, but only allows users to add and edit multimedia files to a PDF.

Play a Movie or a Sound Clip

Some PDF files may be multifaceted with multimedia, including sound, music and video clips. Each movie and sound file usually includes a play area from which the media can be activated. The play area typically appears on the PDF page as an image or a blank rectangle, but can also be invisible. To play the media files, please make sure you have the necessary media player installed on your computer.

To play a movie or a sound, please do the following:

• Select the Hand tool $\overset{\text{(b)}}{\longrightarrow}$, and click the play area of the movie or sound file.

Note: To protect your computer from viruses, Foxit PhantomPDF pops up a dialog box soliciting your approval before playing multimedia files.

Multimedia Content
Multimedia contents have been opened. Please decide whether to play contents.
Remeber choice until close the document
Play Reject

Remember choice until close the document – check this option means to apply this setting to the media content which can be played directly without Multimedia Content dialog box pop-up the next time you click to play the media content.

Adding a movie or a sound clip

Adding movies or sounds to PDFs is as easy as inserting an image. "Movies" are desktop video files with formats such as FLV, AVI, QuickTime, and MPEG, and file extensions such as .avi, .wmv, .mov, .qt, .mpg, and .mpeg. An animated GIF file always has a .gif file extension, while "Sounds" are like midis, wavs, and mp3 files.

Note: If an alert message tells you that no media handler is available, you must install the appropriate player before you can add clips to the PDF. For example, you must install QuickTime if you want to embed an MOV file in a PDF.

Adding movies or sounds

- 1. Choose EDIT > Insert > Video & Audio
- 2. Press and hold mouse button down, drag to select an area on the page where you want the

movie or sound to appear. For movies, the play area is the exact size of the movie frame.

3. In the pop-up Add Video & Audio dialog box, you will see some options listed below:

Add Video & Audio			×
Content Settings			
Location:			Browse
Content Type:	Click here to select a o	content type 🔹	
Embed conte	nt in document	Show Player	
-Poster Settings-			
O not use a	poster		
Create poster	from file		
File:			Browse
		ОК	Cancel

- Embed content in document: includes the media file into the PDF file. This option will increase the file size of the PDF. It is selected by default. If the check box is cleared, you will not be able to play it if you open this PDF file on other computers.
- Poster Settings: choose whether to display an image in the play area when the movie isn't playing. You can choose to use no poster, or create poster from file.

Edit the play area

To move, resize, align, center or distribute a multiple clip, please refer to "Images".

Set Video & Audio properties

In Foxit PhantomPDF, you can specify properties for the multimedia files you added, such as the appearance of a movie's play area, whether the movie plays once or continuously, create alternate renditions, etc.

To set video & audio properties, please do the following:

- 1. Select the Video & Audio tool \square , or the Annotation Selection Tool \square .
- 2. Double-click the play area or right-click the play area > Properties.
- 3. For the Appearance tab, please refer to "<u>Setting properties of an image</u>".

Note: If you select Locked on any tab, it will lock all options for this multimedia file, but not just the options on that tab.

4. In the Settings tab , there are many options listed below:

Video & Audio Properties	X
Appearance Settings Actions	
Annotation Title: Annotation from Kalimba.mp3	
Alternate Text:	
Renditions	
List Renditions for Event: Mouse Up 👻	
Rendition from Kalimba.mp3	Up
	Down
Add Edit Delete	
Locked	Close

- **Annotation Title** -- Type the title of the movie or sound in the Annotation Title box. This title does not determine which media file is played.
- Alternate Text -- Type a description of the media file in the Alternate Text box.
- Renditions Allows you to create alternate or other renditions to ensure that users can play the movie or sound clip on their systems.
 - A. List Renditions for Event -- You can assign different renditions to different actions but **Mouse Up** is chosen by default. **Mouse Up** means that when the mouse button is clicked and released, the rendition is played.
 - B. Add Rendition There're three ways for you to choose: Use a File, Use a URL, By Copying an Existing Rendition
 - C. Edit Rendition When clicking the Edit Rendition button, the Rendition Settings dialog box appears, which allows you to specify the playback location, and other settings to differentiate it from other renditions.

Media Settings -- Specifies the general properties for the movie or sound clip:

General Rendition Set	tings
<u>R</u> endition Name:	-
-	Rendition is accessible to JavaScript
Rendition Media Setti	ngs
Media Clip Location:	(Embedded Content)
<u>C</u> ontent Type:	audio/mpeg
Rendition <u>A</u> lternate	
All <u>o</u> w Temp File:	If document properties allow content extraction for accessibility 💌

- **Rendition Name:** Enter the name for the rendition, which will appear in the list of renditions. (This name does not determine which media file is played.)
- **Media Clip Location:** Specify the clip by typing or navigating to it.
- **Content Type**: Will be selected automatically when you specify the clip location. Changing the Content Type setting may cause problems playing the media.
- **Embed content in document:** Includes the media file into the PDF file. This option will increase the file size of the PDF. It is selected by default. If the check box is cleared, you will not be able to play it if you open this PDF file on other computers.
- **Rendition Alternate Text:** Type a description of the rendition.
- Allow temp File: Specify whether writing a temp file is allowed and when. Some media players write a temp file when they play a movie or sound clip. If you want to prevent users from easily copying the media content in a secure document, you may want to disallow the creation of temp files. However, selecting this setting may prevent the movie from being played by media players that require the use of temp files.

Playback Settings – Use this tab to determine how the movie or sound clip is played.

Rendition Settings	The stars	x
Media Settings Playback S	Playback Location	
Playback Settings		
<u>K</u> eep Player Open:	-	
<u>V</u> olume:	100 🚔 % of volume of the content	
	Show Player Controls	
	<u>R</u> epeat	
	© Continuously	
	<u>T</u> imes 2	
-Player List		
Name	Status	
	Add Edit Delete	
	ОК	ancel

- **Keep Player Open:** Select whether you want the player to close after it plays the movie or sound clip.
- Volume: Lets you specify how loud the movie will be played.
- Show Player Controls: Select to display a controller bar at the bottom of the play area allowing users to stop, pause, or play the media, provided the media player supports player controls.
- **Repeat:** Lets you replay a clip two or more times, or continuously.
- **Player List:** Click Add to specify a player and the settings that are required, preferred, or disallowed to play the movie or sound clip. Select the name of the player and the status. If you set the status of more than one player to Required, only one of the required players may be used to play the rendition. If you set the status of players to

Preferred, these players are selected over non-preferred players (but not over required players). If you set the status of players to Disallowed, they are not used to play the rendition.

• Add/Edit/Delete button: Allows you to add a new player, as well as edit or delete the selected player in the Player List.

Playback Location – Determines whether a movie or sound clip is played in the PDF, remains hidden while played (recommended for sound clips), is played in a floating window, or is played full screen. The options for Floating Window Settings are unavailable except you choose Floating Window.

Rendition Settings	x
Media Settings Playback Settings Playback Location	
Playback Location Settings	
Playback Location: In Document	
Background Color:	
Floating Window Settings	
Show title bar	
Resize: Don't allow user to resize window	
Mindow Position: Top center - Relative To: Document window -	
Wi <u>d</u> th: O <u>H</u> eight: O	
If Window is Move window onto screen	
OK Cancel	

- Playback Location: Selects the location for playing a movie or sound clip.
- Background Color: Selects the background color for the media player.
- Show title bar: Selects to show or hide title bar when playing the media in a floating window.
- **Show control closing window:** Selects to show or hide the close button at the top right corner in a floating window.
- **Title Text:** Adds a title for the media that will be showed on the title bar when playing the media in a floating window.
- **Resize:** Determines to allow or forbid users to resize the floating window. There're three options for you to choose: **Don't allow user to resize window**, **Allow user to resize window but maintain original aspect ratio**, or **Allow user to resize window**.
- **Window Position:** The window position is determined relative to the document window, application window, the virtual desktop or document monitor.
- Width/Height: Specifies the width and height of the floating window.
- If Window is Off-screen: Selects to play, do not play, or move window onto screen to play the media file if the floating window is off-screen.

D. Delete Renditions – Deletes the selected renditions.

- E. Up/Down Arranges the order of the renditions. If the first rendition cannot be played, the next available rendition is played.
- 5. Actions tab for the Video & Audio properties

Please refer to <u>"Actions tab for the button properties"</u>.

Objects

When reading a PDF, you may need to frequently edit text, image, or other objects in this PDF file. With Foxit PhantomPDF, you can add, edit, modify, join and split objects.

Add New Objects

To add text objects, please do the following:

- Select EDIT > Edit Content > Add Text tool T.
- Click on the specific page you want to input the text and type new text in the position where the cursor is blinking. You can also paste or delete the text you input.
- You can choose the text font format as you want in the **Font** group. In **Paragraph** group, you can also align the text and set other paragraph formats including word spacing, character scale, line spacing, etc.



Paragraph Editing

With **Edit Text** tool , you can edit texts in a paragraph like Microsoft Office Word as well as changing their font, font size and color.

To edit texts in a paragraph, please do the following:

- Select EDIT > Edit Content > Edit Text tool
- Click on the desired paragraph to start editing. Foxit PhantomPDF will automatically change a line when the text comes to the margin of it. You can also start a new line by pressing **Enter**.
- You can set the font, paragraph in the EDIT > Font/Paragraph. More editing features please

refer to Edit Objects.

Link and Join Text Objects


To make editing easier, Foxit PhantomPDF supports linking multiple text blocks together or connecting separate text blocks into one single paragraph.

Link and Unlink Text Objects


Using **Link** tool, you can link multiple text blocks together and then editing text in these blocks will be treated as editing one paragraph. Text will reflow in these linked blocks and will not cover the page contents which are located among these blocks.

To link text blocks, please do the following:


 Click EDIT > Edit Content > Link & Join Text and a FORMAT tab appears in the ribbon. Select text blocks you need to link together and the selected blocks will be marked with numbers as you click them (See the example as below.).



Click Link tool in the FORMAT tab, or right-click the selected blocks and choose Link
 Text Boxes. Then the three blocks will be linked together.



• Then when you add or edit text in these blocks with **Edit Text** tool . the text will reflow in these linked blocks and will not cover the image among them. And when the text added exceeds the final block, content followed the linked blocks will be covered because they have not been linked together.



To unlink a text block, please click EDIT > Edit Content > Link & Join Text, select the text block you

need to unlink and then click **Unlink** tool **I** in the **FORMAT** tab. You can also right-click the selected block and choose **Unlink Text Blocks**.

Note:

- 1. You can select and link text blocks which are discontinuous or in different columns, or that are not arranged from top to bottom or from left to right on the page.
- 2. All selected blocks should be on the same page.

Join and Split Text Objects

With **Join** tool, you can connect blocks of text into one single paragraph in a block to improve text reflow. Blocks of text may be joined together when you need to join text as one object. Otherwise, a block of text can be divided up into several parts with **Split** tool.

To join text blocks, do the following:

- 1. Click EDIT > Edit Content > Link & Join Text button.
- 2. Click the text blocks you want to join. The text blocks you selected will be numbered.
- Click Join tool in the FORMAT tab, or right-click the selected blocks and select Join Text
 Boxes. Then the selected blocks will be joined together as one block.

To split a text block, please click **EDIT** > **Edit Content** > **Link & Join Text** button and click the text block you want to split. Click **Split** tool $\frac{1}{2}$ in the **FORMAT** tab, or right-click the selected block and select **Split Text Boxes**. Then the selected block will be divided.

Note: All selected blocks should be on the same page.

Edit Objects

A selected object usually is outlined by a bounding box. And the corresponding **FORMAT** or **ARRANGE** tab in the ribbon will appear after you select objects. With the tools in **FORMAT** or **ARRANGE** tab, you can modify and arrange objects.

Select **EDIT** > **Edit Content** > **Edit Object** tool > select **All/Text/Image/Shape/Shading**, and do one of the following:

1. To select one or multiple objects, please do one of the following:

- Click the object to select it, or press Ctrl/Shift and select more objects.
- Hold the pointer over the objects and drag a rectangle around them.
- Press **Ctrl + A** on keyboard. All objects on the current page are selected.

Note: To deselect all the objects, click any blank area in the document.

- 2. Move and resize an object
 - To move an object, select the object and drag the object to the desired place. Or right-click the object and choose **Cut** from the context menu and then right-click the desired place and choose **Paste**.
 - To resize an object, drag a handle of the object. Drag the handles of the four corners to retain the original aspect ratio.
- 3. Rotate an object

To rotate an object, put the cursor over the selected object, the cursor will change to \blacktriangleright , then do one of the following:

- In ARRANGE tab, click Rotate group > Rotate 2° > Clockwise/Counter-clockwise by
 - 90 degrees.
- Click and drag ^Q to rotate the image as you need.
- Right-click the selected and choose **Rotate**.
- 4. Arrange objects

After selecting multiple objects, you can arrange them in the documents. In the **ARRANGE** tab you can align, page-center or distribute objects. Or choose **Align/ Center/ Distribute** after right-clicking one of the selected objects. (See also "<u>Align Images</u>", "<u>Center Images</u>" and "<u>Distribute Images</u>".)

5. Move an object in front or behind other elements

Select an object and click **Z-order** > **Send to Back** or **Bring to Front** in the **ARRANGE** tab to send it to the front or back of the other elements on the page.

- 6. Delete an object
 - Select one or more objects, press **Delete** key or right-click and choose **Delete** from the context menu.

Object Properties

When you right-click an object and choose **Properties...**, you can view and change the options in it.

Set objects properties

- 1. With Edit Object tool, right-click text objects, images objects, shape objects (or path objects) and shading objects, and choose **Properties...**.
- 2. There are General tab and Appearance tab in the properties dialog box. The general tab is as below: (Take image objects properties for example.)

Image Obje	ct Properties			×
General	Appearance			
	Position X:	1.25	Width:	6.31
P	osition Y:	8.12	Height:	1.34
			Unit:	Inches
				Close

Image Object Properties Dialog Box

You can specify a number of properties that are common to all objects in the General properties.

- **Position X and Y:** Allow you to set the precise horizontal and vertical position of the objects.
- Width and Height: Displays the selected object's width and height values.
- 3. In Image Object Properties dialog box, please do as the following.

Image Object Properties	×
General Appearance	
Opacity: 100 %	û
	Close

- In the Appearance tab, drag the slider or enter a value to specify the opacity of the image object. Opacity can range from 1% to 100%. For transparent paint or a weak effect, specify a low percentage value; for more opaque paint or a strong effect, specify a high value.
- 4. In shape object properties dialog box, please do any of the following:

Shape Object Properties			×
General Appearance			
Line Color:	RGB 🔻		
Fill Color:	RGB 👻 🖊		
Line Width:	1.00	Dashed:	-
Miter Limit:	10.00	Line Cap Style: Flat	•
Line Join Style:	Miter 🔹		
Opacity:	100 %	·û	
		C	lose


Shape Object Properties

- **Stroke Color:** The stroke color is used to paint the border of paths and text that are stroked.
- *Fill Color:* The fill color is used to paint the interior of paths and text characters that are filled.
- *Line Width:* The line width specifies the thickness of the line used to stroke a path and is measured in user space units. A line width of 0 specifies the thinnest line that can be rendered on the output device. The default value is 1.

Note: A line width of 0 is an inherently device-dependent value. Its use is discouraged because the line may be nearly invisible when printing on high-resolution devices.

 Miter limit: When two line segments meet at a sharp angle it is called a Miter join and have been specified as the line join style. It is possible for the miter to extend far beyond the thickness of the line stroking the path. The miter limit imposes a maximum on the ratio of the miter length to the line width, as shown in the following figure. When the limit is exceeded, the join is converted from a miter to a bevel.

The value for miter limit is a number that must be greater than or equal to 1, and has a default value of 10.



Miter length

- *Line Join Style:* The line join style specifies the shape to be used at the corners of paths that are stroked. The allowed values are Miter joins, Round joins and Bevel joins.
 - Miter the outer edges of the strokes for the two segments are continued until they meet. If the extension projects too far, as determined by the miter limit, a bevel join is used instead.
 - Round a circular arc with a diameter equal to the line width is drawn around the point where the segments meet and filled in, producing a rounded corner.
 - Bevel the two path segments are drawn with butt end caps (see the discussion of line cap style), and the resulting notch beyond the ends of the segments is filled in with a triangle.



Miter





Square line cap style

Round line cap style

Round

Flat line cap style

Bevel

- Line Cap Style: The line cap style specifies the shape to be used at the ends of open sub paths when they are stroked. Allowed values are Butt end caps, Round end caps, and Projecting Square End.
 - **Square:** --- the stroke is squared off at the endpoint of the path.
 - Round: --- a semicircular arc with a diameter equal to the line width is drawn around the endpoint and filled in.
 - Flat: --- the stroke extends beyond the end of the line by a distance which is half the line width and is squared off.



- **Dash:** Select a type of line, dashed or solid.
- Opacity: Enter a value, or drag the slider to specify the opacity. Opacity can range from 1% to 100%. For transparent paint or a weak effect, specify a low percentage value; for more opaque paint or a strong effect, specify a high value.
- 5. In text object properties dialog box, please do any of the following:

Text Object Properties			and a local		-	×
General Appearance						
FontName:	(Embedd	ed Font)	ABCDEE+Calibri		•	
Font size:	10		Horizontal scale:	100	%	
Character space:	0.0		Word space:	0.0		
Text mode:	Fill text				•	
Stroke Color:	GRAY -				-0	
Fill Color:	GRAY -				Û	
Opacity:	100	%			-Û	
					Clo	se

Text Object Properties

Font Name- Changes the font used by the selected text to the font you specify.

Font Size – changes the font size to the size that you specify.

Horizontal Scaling – adjusts the width of characters by stretching or shrinking them in the horizontal direction. The scaling is specified as a percent of normal width of the characters, with 100 being the normal width. The scaling always applies to the x coordinate. The following figure shows the effect of horizontal scaling.

Word	100 (default)
WordWord	50

Text Mode – determines whether text is stroked or filled. There are four types of text modes: Fill Text, Stroke text, Fill then stroke text and Text with no fill and no stroke.



1. Fill text 2. Stroke text 3. Fill then stroke text 4. Text with no fill and no stroke

Character Space – inserts uniform spacing between two or more characters in selected text.

Character	0 (default)
Character	0.25

Word Space - inserts uniform spacing between two or more words in selected text.

Word Space	0 (default)
Word Space	2.5

For stroke color, fill color and opacity, please refer to Path Object Properties.

Spelling Check

Foxit PhantomPDF allows users to check the spelling of PDF files and provides suggestions to correct misspelled words. This feature is useful when users want to proofread text. You can check for possible mistakes and then confirm each correction.

To perform a spellcheck, please do the following:

- Click EDIT > Edit Content > SpellCheck button
- In the pop-up Spelling dialog box, you will see the suspect word and suggestions for correction.

Ignore – Click **Ignore** if no correction is needed.

Ignore All – Click Ignore All to skip all further occurrences of the current "misspelling".
Change – Click Change after selecting one suggestion to make the suggested correction.
Add To Dictionary – Click Add to Dictionary if the suspect word is spelled correctly but doesn't appear in Foxit PhantomPDF's dictionary. Choosing Add to Dictionary adds the word

to Foxit PhantomPDF's custom dictionary, which is a supplemental list of spelled-correctly words used to proofread a document.

Cancel – Click **Cancel** to exit the Spelling dialog box.

Spelling	-	×
Suspect:	enu	Ignore
Change To:	menu	Ignore All
Suggestions:	Imenu emu ennui en Venus	Change Add To Dictionary Cancel

Spelling dialog box

Chapter 6 – Organize

Foxit PhantomPDF comes with a built in functionality to combine various PDF files & split one PDF into various small single & multiple page PDF files according to page numbers as well as page range. Organize PDF files by re-arranging pages, composing page outlines, etc. Foxit PhantomPDF displays an overview page without any additional software so you can easily know what you are working on. It allows you to split, merge, and reorganize pages in your PDF document.

Insert Pages

Insert pages from file

Foxit PhantomPDF allows you to insert pages from a file or multiple files into a PDF.

To insert pages from a file or multiple files into a PDF, open the PDF and do either of the following:

- Directly drag the page thumbnails from a PDF file or files (not limited to PDFs) to the Page panel of navigation pane and drop at the place where you want to insert. If you need to insert certain pages from a non-PDF file, please choose the other method.
- Choose ORGANIZE > Pages > Insert 🔍 > From File, or click the Insert button 🎼 on Page

panel of navigation pane, or right-click one page thumbnail and choose **Insert Pages...** > **From File**. In the pop-up dialog box, select the files that you want to insert into the target document, and click **Open**. If the files are non-PDF files and you only want to add certain pages not the whole files, please choose to preview first in the pop-up Foxit PhantomPDF message. Then do the following steps to finish:

Add Files				Total 3 F	iles
Add documents to be i	nserted into the table below.				
The sequence in the ta	ble determines the insertion sequen	ce.			
Name	Location	Size	Туре	Added Time	Select
File 3.docx	C:\Users\foxit043\Desktop\	27.72 KB	Microsoft Wor	2013-09-13 1	2-3
File 1.pdf	C:\Users\foxit043\Desktop\	229.23 KB	Foxit Phanto	2013-09-13 1	1-7
📄 File 2.txt	C:\Users\foxit043\Desktop\	16.34 KB	Text Document	2013-09-13 1	1-10
•	m				•
Move Up	Nove Down Remove				
Insert From		Insert To			
Page: 2-3	of 7	Before	e page 4	🚔 of 🛛 5	
Sample:1,5-9,	.12	After	page 4	of 5	
If your document	t has page numbers with a dash or	Begin	ning of document		
🔥 comma, please e	nclose each page number in				
quotes. For exam	nple: "1-1" - "2-4".	C End o	f document		
Show Preview				OK Can	

Insert Files dialog box

1. In the Insert Files dialog box, you can still add files, folder and open files further by clicking **Add Files...** button.

2. Then choose one file you added, specify where you want to insert to the current PDF document (at the beginning or the end, or before or after a designated), and page range (insert from ...to ...) of the file that you want to insert.

3. Check **Show Preview** in the lower left corner, and you can preview the target page and the insert page in preview boxes. Click **OK** to insert the pages.

4. To leave the original PDF intact as a separate file, choose **FILE** > **Save As**, and type a new name for the merged PDF.

Note: When a whole file is inserted, its bookmarks will be inserted at the end of the bookmarks of the original PDF. The links of the bookmarks inserted remain unchanged. And the combined bookmarks will be the bookmarks of the combined PDF file.

Insert pages from folder

1. Open a PDF file, and choose **ORGANIZE** > **Pages** > **Insert From Folder**, or right-click one page thumbnail and choose **Insert Pages...** > **From Folder**.

2. The **Browse For Folder** dialog box pops up. Select the folder that you want to insert into the target document, and click **OK**. (See also "Insert pages from file".)

Browse For Fo	older	x
All supporte be added.	d files in the selected folder and subfolder	rs will
📃 Desk	top	*
🛛 🕞 Lib	raries	
D 🧏 fox	it043	=
⊳ 🖳 Co	mputer	
🔋 🛛 🖗 Ne	twork	
1 ,	2	
3		Ŧ
	OK Cano	el "#

Insert pages from open files

1. Open a PDF file, and choose **ORGANIZE** > **Pages** > **Insert** > **From Open Files**, or right-click one page thumbnail and choose **Insert Pages...** > **From Open Files**.

2. (Optional) Directly drag the page thumbnails from an open PDF file and drop at the target place of the current PDF file.

3. In the pop-up Open PDF Files dialog box, select files you want to insert and click Add Files to 108

continue. (See also "Insert pages from file".)

Insert pages from a scanner

You can insert pages from a paper document using Foxit PhantomPDF and your scanner.

1. Open the PDF that you want to serve as the basis of the combined file, and choose

ORGANIZE > **Pages** > **Insert** > **From Scanner**, or right-click one page thumbnail and choose **Insert Pages...** > **From Scanner**. In the pop-up From Scanner dialog box, specify the place you want to insert pages.

From Scanner				×
Destination				
Before page	4	of	5	
After page	4	of	5	
Beginning of d	locument			
End of docum	ent			
		OK		Cancel

2. Then select a scanner, the input and documents options in the Custom Scan dialog box, and then click **Scan**.

	Please select a scanner 🔹	Scanner Options.
Input		
Sides:	T	
Color Mode:		
Resolution:	▼	
Paper Size:		
Wi	dth: Height:	
Output		
New PDF I	Document	Information
O Append		Browse
Documents	•	
		Options
Optimizatio		
	inition	

Custom Scan dialog box

See also "Create a PDF Using Scanner"

3. To leave the original PDF intact as a separate file, choose **FILE** > **Save As**, and type a new name for the merged PDF.

Insert pages from clipboard

1. Open a PDF file, and choose **ORGANIZE** > **Pages** > **Insert** > **From Clipboard**, or right-click one page thumbnail and choose **Insert Pages...** > **From Clipboard**.

2. In the pop-up From Clipboard dialog box, specify the place you want to insert pages. Then the content in the clipboard will be inserted.

3. To leave the original PDF intact as a separate file, choose **FILE** > **Save As**, and type a new name for the merged PDF.

Insert pages from a blank page

1. Open the PDF that you want to serve as the basis of the combined file, and choose

ORGANIZE > **Pages** > **Insert** > **From Blank Page**, or right-click one page thumbnail and

choose Insert Pages... > From Blank Page.

2. In the Insert Blank Pages dialog box, specify where you want to insert the blank and page count (how many blank pages you want to insert), and click **OK**.

	X
of	6
of	6
ОК	Cancel
	of

Insert Blank Pages dialog box

3. To leave the original PDF intact as a separate file, choose **Save As**, and type a new name for the merged PDF.

Delete Pages

After combining PDF files, you can delete unwanted or blank pages.

Delete Pages using the Delete command

- 1. Open the PDF document where you want to delete pages.
- 2. Choose **ORGANIZE** > **Pages** > **Delete** \square .

Delete Pages	and marked in the	-	-	×
Page Rar	nge			
Page:	4,	of		6
	Sample:1,5-9,12			
Delete:	Even and odd pages	T		
	f your document has pag comma, please enclose ea quotes. For example: "1-1	ach page i		
Show I	Preview	ОК	(Cancel

Delete Page dialog box

3. Specify a page range and click **OK** to delete the selected pages.

Note: If you want to retain a copy of the original PDF, make sure that you save the new document using **Save As** rather than **Save**.

Delete Pages using page thumbnails

- 1. In the Pages panel, select a page or group of pages:
 - ♦ Drag the mouse to select the page thumbnails.
 - ♦ Shift-click or Ctrl-click to select a range of page thumbnails.
- 2. Press **Delete** to delete the selected pages. Or right-click the selected pages, choose "Delete Pages..." in the context menu and click **OK**.

Extract Pages

Extraction is the process of reusing selected pages of one PDF in a different PDF. Extracted pages contain not only the content but also all form fields, comments, and links associated with the original page content.

You can leave the extracted pages in the original document and create a new PDF that includes all of the extracted pages during the extraction process - comparable to the familiar processes of cutting-and-pasting or copying-and-pasting, but on the page level.

Note: Any bookmarks or article threading associated with pages are not extracted.

- Open the PDF in Foxit PhantomPDF and choose ORGANIZE > Pages > Extract
 Check
 Show Preview to preview the current document in the pop-up Extract Pages dialog box.
- 2. (Optional) Right-click the page thumbnails that you want to extract and choose **Extract Pages...** to open Extract Pages dialog box.

Extract Pages	11			×
-Page Rar	ge			
Pages:	1,		of	6
	Sample:1,5-9,12			
Extract:	Even and odd pages	-		
	If your document has comma, please enclos quotes. For example:	se each page	numbei	
Immed	liately save extracted	pages		
🔲 Delete	the pages after extra	ction		
C Show	Preview	ОК	(Cancel

Extract Pages dialog box

- 3. In the **Extract Pages** dialog box, specify the page range to be extracted. To extract even or odd pages, the page range should include both one even page and one odd page at least.
- 4. In the **Extract Pages** dialog box, check the item **Immediately save extracted pages** to save the extracted pages into a new PDF file after you click **OK**. The saved file will not be opened in Foxit PhantomPDF automatically. If the item is not checked, a new PDF file that includes the extracted pages will be opened without being saved. You will have to manually save it.
- 5. In the **Extract Pages** dialog box, check the item **Delete the pages after extraction** to delete the selected pages from the original document.
- 6. Click **OK** after setting. The extracted pages are placed in a new PDF document named "Extracted pages from [*original document name*].pdf".

Note: The creator of a PDF document can set the security to prevent the extraction of pages. To view the security settings for a document, choose **FILE** > **Properties**, and select **Security** tab.

Replace Pages

You can replace an entire PDF page with another PDF page. The text, images and comments on the original page will be replaced.

To quickly update a PDF, you can replace individual pages.

Foxit PhantomPDF Standard

User Manual

1. Open the PDF that contains the pages you want to replace. Choose ORGANIZE > Pages >

Replace or right-click the page thumbnails that you want to replace and choose

Replace Pages....

2. Select the PDF document containing the replacement pages, then click **Open**.

Replace Pages	×
Select pages to replace Replace pages: From: 1 (*) To: 1 (*) of 5 in test0.pdf	Select replacement pages Select file: File 1.pdf Browse Replace with pages: Page: 1, of 7 Sample:1,5-9,12
If your document has page numbers wit number in quotes. For example: "1-1" - "	h a dash or comma, please enclose each page '2-4". OK Cancel

Replace Pages dialog box

- 3. In the pop-up **Replace Pages** dialog box, from the original PDF file select pages you want to replace and select replacement pages from the selected file. You can click **Browse** to change the selected file.
- 4. Click **OK** to finish.

Note: The bookmarks associated with the original pages will be unavailable after the replacement.

Swap Two Pages

The Swap feature is useful sometimes if you want to swap two different pages within a PDF document.

- 1. Open the PDF document within which you want to swap pages.
- 2. (Optional) Directly drag and drop the page thumbnail to the target location in the Page panel of navigation pane.
- Choose ORGANIZE > Pages > Swap
 , or right-click the page thumbnail and choose Swap
 Pages....
- 4. In the Swap Two Pages dialog box, select or enter two different page numbers in the **Swap** and **For** options.
- 5. Click **OK**.

Duplicate Pages

The Duplicate Pages feature allows you to copy pages within a PDF document.

- 1. Open the PDF document within which you want to copy pages.
- Choose ORGANIZE > Pages > Duplicate ¹, or right-click the page thumbnail and choose Duplicate Pages....
- 3. In the **Duplicate Pages** dialog box, specify where you want to copy pages within the document and the page range that you want to copy.
- 4. Click **OK**.

Move Pages

The Move Pages feature allows you to move pages within a PDF document.

Move one or more pages within a PDF document

- 1. Open the PDF document within which you want to move pages.
- Choose ORGANIZE > Pages > Move
 Or right-click the page thumbnail and choose
 Move Pages....
- 3. In the Move Pages dialog box, specify where you want to move pages within the document, and page range that you want to move.
- 4. Click OK.

Note: Tagged bookmarks affect the order that reading devices follow, such as devices for the visually impaired. Tagged bookmarks do not change the sequence of pages in a PDF.

Move one or more pages within a PDF, using page thumbnails

- 1. Click the Pages button to open the Pages panel, and select one or more page thumbnails.
- 2. To move a page, drag the page thumbnail(s) to the new location.

Split Document

The Split Document feature is a process of splitting one or more documents into multiple smaller-size documents.

1. Open the PDF document you want to split.

2. Choose **ORGANIZE** > **Pages** > **Split**, or right-click on the target page thumbnails and choose **Split Document** in the context menu.

3. In the Split Document dialog box enter the maximum number of pages or file size after splitting, or choose whether to split by the top-level bookmarks if the document has bookmarks.

4. Click **Select More Files...** to split more files. Click **Output Options** to specify the storage location, the file names and other settings.


5. Click **OK**.

Crop Pages

The Crop Pages feature allows you to adjust the visible page area. You can create a PDF document with pages of different sizes.

Crop one or more pages

- 1. Open the PDF document you want to crop.
- 2. Right click the target page(s) on the Pages thumbnails, choose Crop Pages.
- 3. In the pop-up Crop Pages dialog box, specify the settings in the Margin Control: select CropBox, ArtBox, TrimBox, or BleedBox (they are displayed in the preview box in black, red, green and blue respectively) and adjust the proportions to crop. You can preview all the boxes on the right after checking the item **Show All Boxes**.



CropBox – Defines the content boundary of the page when it's displayed or printed.

ArtBox – Defines the meaningful content of the page including blank space.

TrimBox – Defines the final dimensions of the page after trimming.

BleedBox – Defines the clipping path when the page is printed professionally to allow for paper trimming and folding. Printing marks may fall outside the bleed area.

Constrain Proportions – Locks the cropped proportions and each margin will have the same distance from each side to the border.

Remove White Margins – Crops the page to the artwork boundary, which is useful for trimming the edges of presentation slides saved as PDFs.

Set To Zero – Restores all the crop margins to zero.

Reset – Resets all the margins to the original dimensions.

- 4. A rectangle in the page thumbnail showed in the preview box shows the boundaries of the cropped area.
- 5. Choose the page range you want to crop.
- 6. Choose the unit of the margin cropping values.
- 7. Click **OK**.

Crop one page

1. Choose **ORGANIZE** > **Transform** > **Crop** , the cursor will change to + . Drag the

cursor to select an area you want to crop. Then double-click the area you cropped.

2. In the pop-up Crop Pages dialog box, the margin measurement indicates the size of the area you selected. You can directly click **OK** or provide new settings in the dialog box.

Note: Cropping does not reduce file size because information is not discarded but merely hidden. So you can restore the page and its content to its original dimensions by resetting the page size.

Rotate Pages

You can rotate all or selected pages in a document.

- 1. Open the PDF document within which you want to rotate pages.
- 2. (Optional) To rotate one page, choose ORGANIZE >Transform > click Rotate Pages

L > Left/Right. Rotation is based on 90° increments.

Foxit PhantomPDF Standard

User Manual

- 3. To rotate one or more pages, please use one of the following methods:
 - \diamond Choose ORGANIZE > Transform > click Rotate Pages 1.5 > Multi-page rotate.
 - ♦ Right-click the selected page thumbnails and choose Rotate Pages.
 - ♦ Select multiple page thumbnails in Page panel and click the Rotate

Counterclockwise button $\begin{tabular}{ll} \begin{tabular}{ll} \hline \begin{tabular}{ll}$

based on 90° increments.

- 4. In the pop-up Rotate Pages dialog box, specify the direction you want to rotate the pages and the page range.
- 5. Click **OK**.

Note: To temporarily change your view of the page, choose *VIEW* > *Page Display* > *Rotate View* > *Rotate Left* or *Right*. The original page orientation is restored the next time you open the PDF.

Flatten Pages

The Flatten Pages feature can discard interactive annotations in the PDF file and make them become part of objects of the PDF pages.

- 1. Open the PDF document where you want to flatten pages.
- 2. Choose ORGANIZE > Transform > Flatten
- 3. In the Flatten Pages dialog box, specify the page range (current page, all pages, a range of pages), and click **OK**.

Note: If you want to retain a copy of the original PDF, make sure that you save the new document using **Save As** rather than **Save**.

Chapter 7 – Comments

A comment is a written note intended as an opinion, an explanation, an illustration, or a statement of fact or opinion, especially a remark that expresses a personal reaction or attitude. You can type a text message or add a line, circle, or other shape to make comments on PDFs you are reading with Foxit PhantomPDF commenting tools. You can also edit, reply, delete, and move the comments with ease.

Use Different Comments Tools

There are various annotation tools with different functions for you to choose: Text Markup Tools, Pin Tools, Typewriter Tools, Drawing Tools, Measure Tools and Stamp Tools. You can add different comments by selecting the annotation tools from the Comments tab or Toolbar.

Operating Systems

- Microsoft <u>Windows[®] XP Home, Professional, c</u> Text Markup (32-bit & 64-bit).
- Windows Vista Home Basic, Home Premium, E
 without Service Pack 1 (32-bit & 64-bit).

Note

- Vindows 7 (32-bishne54-bit). Options -
- Windows 8 (32-bit & 64-bit)
- Microsoft Office 2003 or later version (requir
- For users utilizing the Active Directory Rights I integration capability, Windows 7 or Windows

Text Markup Tools

You can use Text Markup tools to indicate where text should be edited or noticed. Text Markups do not change the actual text in the PDF. Instead, they indicate which text should be deleted, inserted, highlighted or underlined. Text Markup tools include Highlight Tool, Squiggly Tool, Underline Tool, Strikeout Tool, Replace Tool, and Insert Tool.

To select a markup tool:

• Choose **COMMENT** > **Text Markup** > select [Markup tools name]. Then click and drag from the beginning of the text you want to mark up.

Text Markup Tools

Button Tool Name	Description
------------------	-------------

abc	Highlight Text Tool	To mark important passages of text with a fluorescent (usually) marker as a means of memory retention or for later reference.
U	Squiggly Text Tool	To draw a squiggly line under. Similar to Underline Tool.
Ū	Underline Text Tool	To draw a line under to indicate emphasis.
Ŧ	Strikeout Text Tool	To draw a line to cross out text, making others know the text is deleted.
Ŧ	Replace Text Tool	To draw a line to cross out text and provide a substitute for it.
T_	Insert Text Tool	A proofreading symbol (^) used to indicate where something is to be inserted in a line.

Note: If you want to add multiple comments without reselecting the same tool, you can check **Keep Tool Selected** at **COMMENT > Manage Comments**.


Pin Tools

You can use pin tools to add comments by adding notes and attaching a file. In note comments

you can type a text message. Using the tool , you can attach a file in the document as a comment.

Add a Note Comment

To add a note comment, please click the **Note** tool , click where you want to place the note and make comments in the box.



Add a file attachment

To add a file attachment as a comment, do the following:

- ♦ Click the button → on the Pin group under the COMMENT tab.
- Position the pointer to the place where you want to attach a file as a comment > click the selected position.
- In the Add Attachment dialog box, select the file you want to attach, and click **Open**.

Note: If you try to attach certain file formats (such as EXE), Foxit Phantom PDF warns you that your attachment is denied because of your security settings.

 \diamond The File Attachment Icon $\overleftarrow{+}$ appears at the place you designated.

Typewriter

The Typewriter tools include Typewriter Tool, Callout Tool, and Textbox Tool.

Typewriter Tool

You can use the Typewriter Tool to add comments anywhere on a PDF, which doesn't appear as annotations.

Note: The Typewriter Tool can be used to fill forms. See also <u>"Filling non-interactive forms"</u>.

I'm using the Typewriter Tool. **Typewriter comment**

- ♦ Add comments with typewriter
 - Choose COMMENT > Typewriter > Typewriter Tool.
 - Put the cursor on the area to type any text you want. The COMMENT FORMAT tab appears for you to specify the font format.
 - Press Enter if you want to start a new line.
 - To finish typing, click anywhere outside the text you have inputted.

Tip: It's easy to copy-and-paste text to PDF document as a typewriter annotation from a text document or webpage.

♦ Editing the typewriter comment

• Choose **COMMENT** tab > **Typewriter** group > **Typewriter** tool.

• Put the pointer between the letters and double-click to activate the typewriter text field.

- Do any changes to the text you have inputted by using the COMMENT FORMAT tab. Use **Backspace** or **Delete** keys to delete the characters before or after the pointer.
- To finish editing, click anywhere outside the text field.

Tip: You can use the Arrow Keys to move the pointer right and left or up and down.

♦ Spell Checking Typewriter Input

You are able to use the Spell Checker to check your typewriter input give you correcting suggestions if the security settings allow. The Spell Checker component has been integrated into Foxit PhantomPDF. However in the future when an update of this component is available on the Foxit server, you have to manually download the component by going to **Check for Updates** in the Help menu of Foxit PhantomPDF.

If you have installed Spell Checker, when you use typewriter to insert any English text, this tool will try to find any spelling errors and highlight them with squiggly lines.

- Right click on the misspelled words, and you will see a list of suggested words.
- Choose one of the suggested words to correct your input or ignore the squiggly line.

♦ Move the typewriter comment

Do one of the following:

Choose COMMENT tab > Typewriter group > Typewriter Tool and put the cursor on the typewriter comment when the cursor turns to be an arrow , hold down the mouse and drag the typewriter comment to the intended place.

Tips:

- You can use Home, End or Arrow Key to move the cursor among characters.
- When moving the typewriter comment, a rectangle appears.
- Select Hand Tool or Annotation Selection Tool, click the typewriter comment, and move it to the intended place.

♦ Delete the typewriter comment

- Choose COMMENT tab > Typewriter group > Typewriter Tool. Position the cursor to the ending or the beginning of the text, drag the cursor to select them all, and press the Delete key.
- (Recommended method) Click the Annotation Selection Tool wor Hand Tool, right-click the text field, and choose **Delete**.


Callout Tool and Textbox Tool

Callout Tool and Textbox Tool are designed for users to create comments in a callout text box or a box.

Callout text boxes are especially useful when you want to single out (but not obscure) a particular area of a document.

t Software Callout s mo l engineers working in fiv Foxit PDF Core Technolo Foxit PDF User Interface

A textbox is a rectangle of any size, possibly with a border that separates the text box from the rest of the interface, allowing the user to input text information. A text box usually remains visible on the document page. It doesn't close like a pop-up note.



Note: You can add comments to Japanese, Chinese, and Korean text with the Callout Tool or Textbox Tool, but you must have the Eastern Asian Language module installed. Callout text boxes and Text boxes allow for horizontal text only.

- ♦ Add a callout or textbox
 - Choose COMMENT > Typewriter > Callout/Textbox.
 - Click the place where you want to insert the callout or text box. The **COMMENT FORMAT** tab appears for you to specify the font format.
 - Type the text. Text wraps automatically when it reaches the right edge of the box.
- ♦ Resize, move, edit or delete a callout or textbox

Select the Hand Tool \Im , Annotation Selection Tool \Im or the corresponding annotation tool, and do one of the following:

- To resize the callout or textbox, select it and drag any of the handles to resize it.
- To move the callout or textbox, select it and drag to the intended place.
- To edit the callout or textbox, double-click it and do the editing by using the **COMMENT FORMAT** tab.
- To delete the callout or textbox, select it and press **Delete**, or right-click it and then choose **Delete**.
- ♦ Setting callout or textbox preferences

Please refer to <u>"Editing the typewriter comment"</u>.

Drawing

Drawing Tools allow you to mark up a document with rectangles, ovals, polygons, clouds, arrows, lines, polylines, etc. It is quite useful when you have to make some shapes to mark the text or image.

Drawing Tools

Button	Tool Name	Description
	Rectangle Tool	To draw a four-sided plane figure with four right angles. Press Shift
		key to draw a square.
0	Oval Tool	To draw an oval shape or a circle with pressing Shift key.
0	Polygon Tool	To draw a closed plane figure bounded by three or more line segments.
0	Cloudy Tool	To draw cloudy shapes.
	Arrow Tool	To draw something, such as a directional symbol, that is similar to an
K	Allow 1001	arrow in form or function.
\sim	Line Tool	To mark with a line.
Ê	PolyLine Tool	To draw an open plan figure with three or more line segments.
1	Pencil Tool	To draw free-form shapes.
	Rubber Tool	An implement, acts as a piece of rubber, used for erasing the pencil
<u>v</u>		markups.
	Area Highlight	To mark important area as a means of memory retention or for later
	Tool	reference.

Note:

If you draw a cloud shape in a counterclockwise direction, the cloud comes out inward \bigcirc . If you

draw the lines forming the shape in a clockwise direction, the cloud is created with the points

outward

Tips:

- To draw a line in horizontal, vertical, or at a 45 degree angle, press Shift while you draw.
- To draw a square or circle with Oval Tool or Rectangle Tool, press Shift while you draw.

Adding Free-form Annotation with PSI (Pressure Sensitive Ink)

Foxit PhantomPDF adds PSI support for free-form annotation. You can use Surface Pro Pen or Wacom Pen to add free-form annotations with PSI in PDFs. Detailed steps are as follows:

- (For Surface Pro users) Choose **COMMENT** > **Drawing** > **Pencil**, and then add free-form annotation as needed with Surface Pro Pen;
- (For Wacom tablet users) Connect your Wacom tablet to the computer, choose COMMENT > Drawing > Pencil, and then add free-form annotation as needed with Wacom Pen.

Edit, resize or move the markup

Select the Hand Tool 3, Annotation Selection Tool 3 or the corresponding Drawing Tool.

- To edit the drawing markup, right-click, select **Properties** and do settings as needed.
- To resize the drawing markup, select it, put the cursor on one of the green points, and drag one of the handles to make your adjustments.
- To move the drawing markup, select it and drag it to the target place.
- To add a pop-up note to the markup, select it and double-click the markup or right-click it and choose **Open Popup Note**.
- If you draw a line or arrow, you can enable the comment to be shown on the line or arrow by checking **Show text in line** in the line properties box.
- Check **Set Current Properties as Default** so that the current settings can be applied next time by default.



Arrow Comment

Foxit PhantomPDF Standard

antom

					Manu
ne Properties	10011	And I I	2	×	J
Appearance Gene	eral Review History				
Thickness:	2				
Border style:	•				
Color:		Fill color:	?		
Start of line	None 🔹	End of line:	Open	•	
Opacity:	100 %	0	Show text i	n line	
		-0			
Locked Set	Current Properties as Def	ault		Close	
			•		1

The Properties of the Arrow Comment

Delete the markup

Select the markup and press the Delete key. Or right-click the markup and select Delete.

Group the markups

Grouping drawing markups enables you to combine them so that you can work with them as though they were a single object. You can move or delete the group, set its status, change its appearance, etc.

Select the Hand Tool or Annotation Selection Tool , and do one of the following:


- To group/ungroup markups, select the markups you want to group/ungroup by pressing Ctrl > right-click group/ungroup.
- To work with a group, select one of the markups and then work with the group as other comments.

Measure Tools

See also "Using Measuring"

Stamps

The Stamp Tools in Foxit PhantomPDF are a group of advanced tools that enable you to stamp content and watermarks into a PDF document. Foxit PhantomPDF supports image stamps with various image formats (JPEG, GIF, BMP, WMF, etc.) and PDF file stamps. You can either create dynamic stamps which can obtain information from your system including name, date and time, or import existing dynamic stamps. Stamping PDF files is a very useful feature especially when you need to give reviewers some advices about the document's status or sensitivity.



Stamp a PDF

You can choose from a list of predefined stamps, or create custom stamps before stamping a PDF. All the stamps that you import or create are listed in the menu of Stamp Tool and Stamps Palette. To apply a stamp, please do the following:

- Choose COMMENT tab > Stamps group > Stamp button > choose a stamp from the menu. Or choose COMMENT > Stamps > Create > Show Stamps Palette.... In the Stamps window, select a category from the menu, and then select a stamp.
- 2. The cursor changes into a rectangle. Click on the position where you want to place the stamp.

Note: All the stamps that you import or customize will be listed after you click **Stamp** button, you can choose directly a stamp from the menu.

Create a Stamp

You can create custom stamps and dynamic stamps.

- ♦ Creating a Custom Stamp
- 1. Choose COMMENT > Stamps > Create > Create Custom Stamp.
- 2. In the **Create Custom Stamp** dialog box, click **Browse...** and choose an image file or a PDF file. If the selected file contains multiple pages, you can drag the scroll bar to select a page.
- 3. Type a new category name or choose a category from drop-down menu, name the stamp, and then click **OK**.

Note: If the stamp you choose is an image file, you can adjust the opacity of the image via dragging the scrollbar as needed.

20	File: <u>C</u> ategory: <u>N</u> ame:	C:\Users\Shirley\Desktop Browse <to a="" category="" name="" new=""> New Stamp</to>
	<u>O</u> pacity:	55 %

Create Custom Stamps Dialog Box

You can also create a stamp from the clipboard. Please do as the following:

- Copy the image to the clipboard.
- Choose COMMENT > Stamps > Create > Paste Clipboard Image as Stamp Tool, the cursor will be changed into a rectangle.
- Put the cursor over the desired place and you're done.

♦ Create a Custom Dynamic Stamp

You can create a Custom Dynamic Stamp to add text, author name and date time on stamps. Please do the following:

- 1. Choose COMMENT > Stamps > Create > Create Custom Dynamic Stamp....
- 2. In the Create Custom Dynamic Stamp dialog box, choose one stamp template from the left

list or create your own stamp template which can be an image or a PDF file. Choose a category from drop-down menu or name a new one, then name the stamp.

- 3. Specify Font, Font Size and Font Color.
- 4. From the Stamp Text option, if you choose <author name>, <date and time>, <date> or < author name, date and time> category without typing any text, it will automatically obtain current user, date, time from your system when you click **Add** button.
- 5. You can instantly adjust the added content to fit your needs when you preview current stamp on the right top preview pane.
- 6. Click **OK**.

Create Custom Dynamic Stamp	
Stamp Template: Arrow Stamp(Blue) Arrow Stamp(Deep Blue) Arrow Stamp(Deep Green) Arrow Stamp(Green) Arrow Stamp(Blue) Diamond Stamp(Blue) Diamond Stamp(Blue) Diamond Stamp(Green) Ellipse Stamp(Green) Ellipse Stamp(Purple) Ellipse Stamp(Blue) Octagon Stamp(Blue) Octagon Stamp(Blue) Rectangle Stamp(Deep Blue) Square Stamp(Purple) Rectangle Stamp(Purple) Rectangle Stamp(Purple) Rectangle Stamp(Purple) Triangle Stamp(Blue)	Preview: Category: <to a="" category="" name="" new=""> • Name: New Stamp Font: Helvetica • Stamp Text: <type a="" create="" here="" text="" to=""> • Font Size: Auto • Color: Add Remove</type></to>
	OK

Create Custom Dynamic Stamp Dialog Box

Manage a stamp

To manage a stamp, please do the following:

- Choose COMMENT > Stamps > Create > Manage Stamps, open Management Custom Stamps dialog box, and select a stamp.
- Click **Create** and choose one option from the drop-down menu to create a stamp. Please refer to Creating a stamp.
- Click **Edit** to edit the selected stamp, such as changing category, stamp name, or replacing the image or PDF files etc. Please refer to <u>Creating a stamp</u>.
- Click **Delete** to remove the stamp.

Custom Stamps and Categories:	
😑 dog footprint	
dog footprint 1	
🖃 dynamic	
dynamic 1	
🖃 Foxit	
Foxit PDF	
Create Edit	Delete

Manage Custom Stamps Dialog Box

Note: Deleting a custom stamp category will delete all stamps that are subordinate to it.

♦ Cut/Copy and Paste a Stamp

To cut/copy and paste a stamp, please do the following:

- Select the stamp you want to cut or copy.
- Right-click the stamp > Cut/Copy. Or use the shortcut keys Ctrl + X/C to cut and copy.
- Right-click on the page you want to paste the stamp and select Paste. Or use the shortcut keys Ctrl + V to paste.

♦ Undo/Redo a Stamp

To undo/redo a Stamp, please click the undo button \circ and redo button \circ on the Quick Access toolbar.

♦ Resize/move a stamp

- Select the Hand Tool $\stackrel{\text{\tiny CD}}{\longrightarrow}$ or the Annotation Selection Tool $\stackrel{\text{\tiny CD}}{\longrightarrow}$.
- To resize a stamp, select it, put the cursor on one of the red points, and drag one of the handles to make your adjustments.
- To move a stamp, select it to drag.
- To add a pop-up note to a stamp, select it and double-click the stamp or right-click it and choose **Open Popup Note**.
- ♦ Delete a stamp

Do one of the following:

- Select the Hand Tool ⁽¹⁾ or the Annotation Selection Tool ⁽¹⁾, select the stamp you want to delete and then press the **Delete** key.
- Select the Hand Tool ⁽¹⁾ or the Annotation Selection Tool ⁽¹⁾, right-click on the stamp, and choose **Delete** from the Context Menu.

Set Favorite Stamps

- Choose COMMENT > Stamps > Create > Set Favorite Stamps....
- Select a stamp in **All Stamps** panel, and then click **Add to Favorite**, then the stamp you select will be added to Favorite Stamps panel.
- To remove a stamp from **Favorite Stamps** panel, select the stamp you want to remove and then click **Remove from Favorite**.

II Stamps			Favorite Stamps
 dog footprint dog footprint 1 dynamic 	* III	Add to Favorite	⊟ Favorite dog footprint 1
dynamic 1 □ Dynamic Stamps Approved Confidential Received Reviewed Revised □ Eavit	-	Remove from Favorite	

Set Favorite Stamps

Change the Appearance of Comments

You can change the color and appearances of comments or markups after you create them. Also, you can set the new look as the default appearance for that tool.

Change the appearance of Note Comments

1. After you create a note comment, right-click the note icon and choose **Properties...**, or click **Options** at the top-right corner of the note popup box and choose **Properties...**.

Note Properties	x
Appearance General Review History Note Type	
Color:	
Opacity: 100 %	
û	
Locked Set Current Properties as Default Clo	se

2. In the Note Properties dialog box, do any of the following, and then click Close:

- Click the Appearance tab to change the color and opacity of the comment.
- Click the Note Type tab to change the type of icon used.
- Click the General tab to change the author's name and subject of the comment.
- Click the Review History tab to see the history of changes people have made to the status of a comment during a review.

See also <u>"Set a status"</u>.

- Check **Locked** at the bottom of the Note Properties dialog box to prevent the comment from being moved, altered or deleted.
- Set Current Properties as Default Sets the current property settings as default so that all the settings can be applied by default next time.

Change the appearance of Text Markups

Appearance General Review History
Color:
Opacity: 100 %
û
Locked Set Current Properties as Default

- Follow the steps of <u>"Change the appearance of Note Comments"</u>.
- There is no Note Type tab in Text Markups settings.

Change the appearance of Drawing Markups

Appearance Gene	ral Review History	
Thickness:	2	
Border style:	•	
Color:		Fill color: <u>ମ</u>
Opacity:	100 %	
		-0
Locked Set C	Current Properties as Defa	ult Close

In the Properties dialog box, do any of the following, and then click **Close**:

- Click the Appearance tab to change such options as the border style, color and opacity. The type of the comment selected determines which options are available.
- Click the General tab to change the author's name and subject of the comment.
- Click the Review History tab to see the history of changes people have made to the status of a comment during a review.

See also <u>"Set a status"</u>.

- Select **Locked** at the bottom of the Properties dialog box to prevent the comment from being altered or deleted.
- Set Current Properties as Default Sets the current property settings as default so that all the settings can be applied by default next time.

Change the appearance of Typewriter Markups

Typewriter Properties
Appearance General Review History
Opacity: 100 %
û
Locked Set Current Properties as Default

In the Typewriter Properties dialog box, do any of the following, and then click **Close**:

- Click the Appearance tab to change the opacity.
- Click the General tab to change the author's name and subject of the comment.
- Click the Review History tab to see the history of changes people have made to the status of a comment during a review.

See also <u>"Set a status"</u>.

- Select **Locked** at the bottom of the Properties dialog box to prevent the comment from being altered or deleted.
- Set Current Properties as Default Sets the current property settings as default so that all the settings can be applied by default next time.

Change the appearance of a textbox or callout

Please refer to "Change the appearance of Drawing Markups".

Set the default appearance for a comment

You can set default properties for any type of comments or markups so that subsequent comments you create share the same icon and color properties.

- Choosing the Hand tool, or the Annotation Selection tool, or with the current comment tool selected, right-click the comments, and select **Set Current Properties as Default** in the pop-up Context Menu.
- All comments you create using this tool will display the properties you set.

Work on Comments

View all comments

The comments panel displays all comments in the PDF so that you can easily find the comments. In addition, it also provides a toolbar with basic options: **Search box**, **Expand All**, **Collapse All**, **Previous**, **Next**, **Sort By and Hide/Show all comments**.

- The comment is displayed in the popup note or on the markup icon and acts as a tooltip when the popup note is closed.
- If you input the comment with too many lines, it will only show some of the comment while the rest will be displayed as suspension points when the cursor is moved outside the popup note. Click inside the message box to view it with scroll bar.
- The Comments Panel displays all the comments in the PDF. When you navigate through comments, the selected comment will automatically be kept in sync with the current comment being displayed. And you click on a comment to go to the specify comment on page.

To view comments in Comments panel,

- Click the comments button 🧮 in Navigation pane to open Comments panel.
- In Comments panel, there are the following functions to provide you:



- \diamond Search box <u>search</u> Type a string to search comments that contains the string.
- ♦ Expand All ¹
 ♦ Expand All button to expand individual comments.
- ♦ Collapse All ¹ Click Collapse All button to collapse all comments.
- ♦ Previous
 ✓ Previous
 ✓ /Next
 → Browse through the comments. Click the Previous button or the Next button to go to the previous or next comment. The two buttons are unavailable if no comment is selected.
- Sort By I you can sort comments by author, page, type, date. In a thread of replies, only first message is sorted, and the reply messages are sorted in the same category as first message.
- \diamond Show/Hide all comments = you can show/hide all comments in the PDF document.

Note:

- 1. You can click the plus and minus signs next to comment to expand or collapse comments.
- 2. The page on which comment is located is kept in sync with the selected comment. To go to the page where a comment is located, only simply click the comment in the comment panel.
- 3. To show/hide all comments on the Comments panel, you can also choose COMMENT >

Manage Comments > Comments | | > Show All/ Hide All.

Cut, copy and paste comments

Cut comments

Cutting removes selected comments from the current location. Once you cut the comments, you can paste within the same document, into a different document.

- Select comments to be cut.
- Select **Cut** from the right-click menu, or press **Ctrl + X**.
- You are now ready to paste.

Copy comments

Once you copy the comments, you can paste within the same document, into a different document.

- Select comments to be copied.
- Select **Copy** from the right-click menu, or press **Ctrl + C**.

• You are now ready to paste.

Paste comments

You can paste comments within the same document, a different document in Foxit PhantomPDF.

- Copy or cut the selected comments.
- Place your cursor where you want to paste comments within the same document or to another opened document.
- Select **Paste** from the right-click menu, or press **Ctrl + V**.

Undo and Redo comments

See also "Undo and Redo"

Set and change a status

Set a status

Setting a status is useful for keeping track of comments that you have read or that require further action. You can use the status to indicate which comments you want to accept, reject, cancel, complete or export to other documents.

By setting the review status, you can show or hide a certain set of comments, and let review participants know how you are going to handle the comment. Once the review status is set, you cannot remove the review status display from history in the Review History list, even if you change the review status to **None**.

Change the status of a comment

- With the Hand tool, Annotation Selection tool or the corresponding tool selected, right-click
 a comment you want to change the status of, choose Set Status > choose one option from
 the pop-up Context menu, and then select an option.
- To view a markup's history of changes:
 - **A.** Right-click the markup, and then choose **Properties**.
 - **B.** In the Properties dialog box, click the Review History tab to view the history of status changes people have made to a markup.

Reply to comments

Replying to comments is useful in shared reviews, when participants can read each other's comments. They can also be used by review initiators to let reviewers know how their

suggestions are being implemented. All replies appear in the popup note and are listed below the original comment. You can view the respective reply with the reply title and mark.

- 1. To reply to original comments in the pop-up note, do any of the following:
 - Using the Hand tool, Annotation Selection tool, or the corresponding comment tool, open the pop-up note for the comment and select **Reply** in the **Options**. And then type your reply in the textbox that appears in the pop-up window.
 - Right-click the original comment and select **Reply**. And then type your reply in the textbox that appears in the pop-up window.
- 2. To respond to the reply, please do as below:
 - Using the Hand tool, Annotation Selection tool, or the corresponding comment tool, and open the pop-up note for the comment.
 - Right-click the title of the reply and select **Reply to this Reply**. And then type your reply in the textbox that appears in the pop-up window.
- 3. Delete the reply message

In the note pop-up window, right-click the Text message window and click **Delete this reply**.

- 4. Change the color of reply message windowIn the note pop-up window, right-click the reply message window and choose Change Color.
- 5. Flag comments with a checkmarkYou can mark with a comment with a checkmark by right-clicking the comment and selecting

Mark with a Checkmark. The checkmark icon 🗹 will appear in the Comments pane in the

navigation pane. Or you can directly make the checkmark for a comment in the Comments pane. With the checkmark you can sort comments.

Change the author name
 Right-click the comment and select Change Author Name.

Note: To open/close all comments' popup notes, please choose COMMENT > Manage Comments >

Popup notes 🦳 > Open All/ Close All.

Arrange comments

You can arrange multiple comments by aligning, centering and distributing them. Please follow the steps below.

Select multiple comments

- 1. Select the Annotation Selection Tool 脉.
- 2. Press and hold Shift or Ctrl and click the comments you want to edit.

Align Comments

Select two or more comments that you want to align. Then do one of the following:

- Choose COMMENT > Drawing > Arrange > Alignment, and then choose a command as follows:
 - A. To align a column of comments, choose \square , \square , or \square to align them respectively to the left edge, right edge, or vertical axis of the anchor comment.

Note: When you right-click or Ctrl-click one of the selected comments, it will be highlighted in red, indicating that it's the anchor comment. The align menu commands move the other selected comments to line up with the edges of the anchor comment.

• Refer to <u>Align Images</u> for more information.

Center Comments

This function enables you to center comments vertically, horizontally or both.

To center comments, select two or more comments that you want to center. Then do one of the following:

• Choose COMMENT > Drawing > Arrange > Page Center, and then choose _____, |---, or

to center them vertically, horizontally or both.

• Please refer to <u>Center Images</u> for more information.

Distribute Comments

In the context of laying out comments on a page, you can give a group of comments uniform spacing, based on the centers of adjacent comments. This function will be available when selecting three or more comments.

- To distribute the comments, choose COMMENT > Drawing > Arrange > Distribute, and then choose and to distribute vertically or horizontally.
- Please refer to <u>Distribute Images</u> for more information.


Summarize comments


Summarizing comments is an easy way to help you directly obtain a synopsis of comments associated with the PDF. Foxit PhantomPDF supports to create a comment summary PDF. To create a comment summary, do as below:

- 1. Choose COMMENT > Manage Comments > Summarize Comments.
- 2. In Create Comment Summary dialog box, do the following:


Create Comment Summary	×
Layout	 Document and comments with connector lines on separate pages Document and comments with connector lines on single pages Comments only
3	 Document and comments with sequence numbers on separate pages Document and comments with sequence numbers on single pages
Comment Type: All	Include Pages All pages
Paper Size: Letter Font Size: Medium	 ✓ Visible pages ✓ From 1 ✓ to 5 ✓
Sort comments by: Page	▼ ▼ Pages containing no comments
	OK Cancel

- A. Choose the layout of the summary and there are five types of layouts for you to choose:
 - L1--Document and comment with connector lines on separate pages
 - L2-- Document and comment with connector lines on single pages
 - L3—Comments only
 - L4-- Document and comment with sequence numbers on separate pages
 - L5-- Document and comment with sequence numbers on single pages









- L5
- B. Comment Type Choose the comment type you want to summarize.
- C. Paper Size-Select the paper size of the summary
- D. Font Size Select the font size of the summary.
- E. Sort comments by Choose how to sort the comments.
- F. Include pages– Specify the page range you need to summarize.
- 3. Click **OK** and a PDF named "Summary of Comments on [*original document name*].pdf" will be opened automatically. You can rename it before you save.

Send annotated PDFs

Foxit PhantomPDF makes it easy for users to share reviews. You can send your annotated PDFs to any reviewers to check and respond to your comments.

To send an annotated PDF file, do the following:

- Click on the **Save** button 📙 to save all the comments you have made.
- Choose SHARE > Send To > Email to send it out.


Import/export comments data

This feature is especially useful for PDF reviewing. When you receive an email invitation to a PDF review, the invitation typically includes the PDF as an attachment or provides a URL to the PDF. Alternatively, you may receive a Form Data Format (FDF) attachment. When opened, an FDF file configures your review settings and opens the PDF in a web browser. At this moment, you need to know how to import the comment data from the FDF file. Similarly, you may export comment data and send them as an FDF file to the other participants.

Import comments data

Do as the following:

- Double-click a FDF file to open it directly with Foxit PhantomPDF.
- Choose COMMENT > Manage Comments > Import > navigate to where the desired file is, select it (if you want to import multiple comments file, you can select them by holding Ctrl/Shift or by dragging the mouse to select), and press "Open". You will be prompted that the comments data has been imported successfully.



Export comments data

To export comments data, please do one of the following;

- To export comments data as a FDF
 - A. Choose **COMMENT** > Manage Comments > Export 5.
 - B. You will be presented with a standard Windows "Save As" dialog box. Navigate to where you want to save the FDF file (e.g., your Documents folder), specify its name and click Save button.
 - C. You will be prompted that the data has been exported successfully.
- To export and send in an e-mail
 - A. Choose COMMENT > Manage Comments > FDF via Email
 - B. Your default e-mail program will pop up, and the comments data will be exported as a FDF file and attached in the email automatically.
 - C. Type the e-mail address and title > click Send.

D. The comments in FDF will be sent separately.

Note: The option of Export comments data will be available only when the comments have been added to the PDFs.

Tip: The users of Foxit PhantomPDF can import the comments data from txt and dbf files or export the data of PDFs and save in FDF formats file. You can also export the data in FDF format and email as an attachment.

Chapter 8 – Share PDFs

Foxit PhantomPDF supports different methods to share PDF documents with others. You can easily email documents to share with others by one-click and, check out and check in PDFs in your SharePoint server. Foxit PhantomPDF *Standard* also allows you to participate in a Shared Review/Email Review initiated by Foxit PhantomPDF *Business*.

Email Documents

E-mailing documents is a useful feature. You may need to send a PDF file you are reading to the customers to speed up your daily work, or an interesting story that you want to share with your friends.

To e-mail a PDF file, please do the following:

- Choose SHARE > Send to > Email.
- System default e-mail application runs.
- The PDF will be attached in the e-mail automatically.
- Type the subject and e-mail address, and click **Send**.

SharePoint Integration

Foxit PhantomPDF has been integrated with Microsoft SharePoint, which helps you better manage and share PDFs. You can access PDFs in a SharePoint repository by any of the following:

- Open a PDF file in the SharePoint mapped drive by **Open** dialog box within Foxit PhantomPDF. You can open and check out a PDF, modify it and then check in and save to the SharePoint network drive.
- You can also use Foxit PhantomPDF's **Open** and **Save As** dialog box to work on PDFs in your SharePoint repository, whether the SharePoint repository is SharePoint online or SharePoint on-premise. More details please refer to <u>Open and Save As PDFs with Foxit PhantomPDF</u>.
- Directly check out and check in PDFs in your SharePoint repository on SharePoint on-premise through the SharePoint web interface using a browser after configuring your server. Please refer to <u>SharePoint Configuration</u> to configure your server first. More details please refer to <u>Open and Save As PDFs with a Browser</u>.

Open and Save As PDFs with Foxit PhantomPDF

Open PDF files in a SharePoint repository

To open PDF files in a SharePoint repository, please do the following: (Take opening PDFs in a SharePoint repository on SharePoint online for example)

• Run Foxit PhantomPDF and choose **FILE** > **Open** > **Add a place** +> SharePoint . In the **Add** dialog box, type the SharePoint URL to sign in and click **Next** to continue.

١dd	×
Add a service	
Type the URL you would like to use to sign in.	
http://sp.l10n.foxitsoftware.cn/	•
Next	


• In the pop-up dialog box enter the email address and the password to sign in.

Office 365	
Sign in with your organizational account	
Password	
C Keep me signed in	
Sign in	
Can't access your account?	

• In the **Open** dialog box, select the **Shared Documents** folder and click **Open**.

🚺 Fo	rmServer Templates		
🔰 im	ages		
	ON		
Lis Lis	ts		
🍌 m	01		
	ojectPolicyItemList		
	ared Documents aredReview01		
	eAssets		
1.000	ePages		
	yle Library		
	fault.aspx		
	ttingStarted.aspx		
22			

• Choose the PDF file you want to open and click **Open**.



• In the Foxit PhantomPDF dialog box, if you choose Check out and Open, other users cannot

edit the PDF at the same time; if you only choose **Open**, others are able to modify the PDF as well when you are editing.

Foxit Phant	tomPDF	×
?	You will open: File Name: test.pdf Source: foxit074.sharepoint.com	
	Tip: When finished with the file, you can check it in using the SHARE tab.	
	Check Out and Open Cancel	

• (Optional) If you want to cancel the Check Out status, please go to SHARE > SharePoint

Integration > Discard Check Out

- Edit the PDF according to your requirements.
- To set the PDF properties, please do as the following steps:
 - 1. Please go to SHARE > SharePoint Integration > Prepare Document Properties
 - 2. In the Document Properties dialogue, double-click the column name to edit the value in the Edit text box. For example, double-click **Title**, the Edit text box will pop up, type the content you want and click **OK** to finish the editing.

Column	Value
Title Single line of text	
Single line of text	
Multiple lines of text Choice	A
Number	<u>^</u>
Number %	
Currency	
Date and Time	
Lookup	
Yes/No	
Person or Group	
Hyperlink or Picture	
Task Outcome	

and the second se		
Title		
Foxit Software Incorp	orated	
	OK	Cancel

• Go to SharePoint > Check In.

In the Check In dialogue box, select a version number for the modified document along with the appropriate the version comments. To not allow other people to modify the document, you can check **Keep the document checked out after check in this version**.

• Click **OK**, the modified PDF will be loaded to the server automatically.

heck In	
Version Type	
What kind of version would you like to check in? 0.2 Minor version (draft)	
① 1.0 Major version (publish)	
0.1 Overwrite the current minor version	
Version Comments	
modified on 2012-08-21	*
	Ŧ
•	4
$\hfill \underline{K}$ eep the document checked out after checking in this vers	sion.
ок	Cancel

Save as PDF files to a SharePoint repository

To save as PDF files to a SharePoint repository, please do the following: (Take saving as PDFs to a SharePoint repository on SharePoint online for example)

Choose FILE > Save As > Add a place +> SharePoint . In the Add dialog box, type the SharePoint URL to sign in and click Next to continue.

•

• In the pop-up dialog box enter the email address and the password to sign in.

https://login.microsoftonline.com/login.srf?wa=wsignin1%2E0&rpsnv=2&ct=1378187641	×
Gffice 365	•
Sign in with your organizational	
account	E
Password	
C Keep me signed in	
Sign in Can't access your account?	

• In the Save As dialog box, select the Shared Documents folder and click Save.

X Save As https://foxit074.sharepoint.com/ FormServerTemplates 퉬 images IWConvertedForms Lists 鷆 m]) ProjectPolicyItemList Shared Do 퉬 SiteAssets SitePages 鷆 Style Library File name: test0.pdf Show: PDF Files(*.pdf) • Save Cancel

Open and Save As PDFs with a Browser

To work on PDFs in your SharePoint repository on SharePoint on-premise with a browser, you just need to log on to your SharePoint web portal, navigate to a PDF and click it. You will be prompted whether to check out and open the PDF. See also <u>Check Out and Open</u>. Then you can check in to save it back to your SharePoint repository.

Tip: If you need to save to your local folder, after editing the PDF you can click FILE > Save As >

Computer and choose a local foder to save.

Shared Review and Email Review


Shared Review

After receiving the invitation from the review initiator, reviewers can mark-up PDFs using a full set of commenting tools. Comments from reviewers will be stored in the internal server and synchronized by Foxit PhantomPDF to download them at a regular interval. Reviewers will be notified if new comments are added by others and they can also reply to these comments.

To review a shared review document:

Upon the review initiator sending out the document, the specified reviewers will receive an email invitation to a PDF review. The email includes an attached document named "[original document name]_review.pdf" or provides a URL to the PDF. To review the document:

- Download the document and open it with Foxit PhantomPDF.
- If it is your first time opening a shared review document, you will be prompted for your identity information. Please enter at least your name and email address.
- Enter an account name and password for the shared folder where the shared review document is located.
- A message bar appears in the application window with three buttons: **Check for New Comments, Publish Comments** and a button with three options.



- You can add your comments using annotation tools and then click **Publish Comments** button to publish your comments which will be saved to the shared server.
- Check for New Comments button allows you to view comments made by the initiator or other reviewers. You can also reply to the comments. In normal situations, comment publishing and checking will happen automatically.
- For the button with three options:

Track Reviews – To track all reviews you initiated or participated in, which is very useful when you are involved in multiple reviews. See also <u>Review Tracker</u>.

Save As Archive Copy – Saves a copy of the document with review comments to your hard drive when the review has ended.

Work Offline – If you don't want to publish comments right after you make the comments, this option can keep your work offline, until you click **Work Online** to be able to publish comments.

Email Review

Email Review is useful when reviewers don't have access to a common server or initiators don't need collaborative reviews.

To participate in an email review:

The recipients can download the document sent from the initiator and open it with Foxit PhantomPDF, add their comments and click **Send Comments** button in the message bar to send

their comments back to the initiator.

$\mathbb{R}^{\mathbb{P}}_{e}$ Please review this document and add your com	nents. When finished, click Send Comments to send your comments to the document owner.	Send Comments
Send Comments		
То	shirley0818@sina.com	
Subject	t: Comments on "Painting (1).pdf"	
Messag	E: I have reviewed and commented on the attached document: "Painting (1).pdf". Please open the attached file to view my comments.	
	Status: Ready to send	
9	Your comments have been saved and will be emailed to the given address(es). The recipients will see them just as you have placed them.	
	Send Cancel	

Likewise, you can manage your reviews by using the Tracker. See also Review Tracker.

Review Tracker

The Review Tracker tool helps you easily manage document reviews in real time. The tracker shows all reviews you joined and the detailed review status including review deadlines, reviewers, comments, etc. You can also email reviewers/initiators with the tracker.

To track all of your reviews, please click SHARE > Review > Tracker

Foxit PhantomPDF Standard

User Manual

Paracker Tracker					
Reviews	Reviews > Joined > Painting_r View Comments	review(1)			
	File Location:	C:\Users\Administrator\De	sktop\Painti	ng review(1).pdf	
	Received On:	2014/12/25 15:30:21			
	Deadline:	2015/01/09 15:29:29			
	Status:	Active			
	Reviewers Email chenbin6472@qq.com linxi5842@qq.com lanfang6228@qq.com wangxiao9249@qq.com	Reviewer Name Lily Shirley Clare	Title	Comments: New/Total 0 / 2 0 / 1 0 / 0 0 / 1	Type Added Initiator Required Added
Expand All Collapse All	Comments: Reviewers:	0 new / 4 total 0 new / 4 active	Email Initia	ator. 🖓 Email All Rev	iewers

Chapter 9 – Forms

Foxit PhantomPDF is extremely useful for form filling and form designing. Please read below for more information.

Interactive Form and Non-interactive form

There are two kinds of "form" files. One is a PDF file with fillable fields, which enables you to fill the form directly by clicking the form fields without using other features. This is called an *Interactive PDF Form*. The other kind of form is a plain PDF file with lines and texts, which should be filled with the typewriter feature in Foxit PhantomPDF. This is called a *Non-interactive PDF Form*.

Interactive Form

For interactive forms, you will see a document message bar appear between the toolbars and the form itself. If you do not want to see it again when reopening this file, please choose **FILE** > **Preferences** > **Forms** > **Always hide document message bar**. To show it, redo the steps.

This document contains interactive form fields.

🧷 Highlight Fields 🗙

The left side of the message bar typically informs you that this document is a fillable form. The right side of the message bar has two buttons. One is a **Highlight Fields** button, which colors the backgrounds of all blanks to be filled in and outlines any required blanks, making it easy to see them at a glance. Click it to highlight all fields or cancel the highlight. Another button is a **Close** button.

Acro Form and XFA (XML Forms Architecture) Form

Foxit PhantomPDF now supports both Acro Form and XFA Form. You can fill in XFA forms with the

Hand Tool $^{\textcircled{}}$, the same which you were able to do with normal fillable forms (also known as Acro Form).

Non-interactive Form

The document message bar will not appear. This kind of form acts like an ordinary PDF document that has plain text and you will need to use the Typewriter feature to fill in this form.

Fill in PDF Forms

Foxit PhantomPDF not only allows you to fill in PDF forms and print them out, but also supports advanced form operations, such as saving filled-out forms and importing/exporting forms data.

Fill Interactive Forms

If a PDF form contains interactive form fields, you can fill in the form with the Hand Tool \Im . When you place the pointer over an interactive form field, the pointer icon changes to one of the following:

- Hand icon ¹/₂ -- Appears when mousing over a button, radio button, check box, or item on a list.
- I-beam icon ${\mathbb I}$ -- Appears when you can type text into the form field.

To fill in an interactive form, please do the following:

- If necessary, select the Hand tool ${}^{\&}$.
- (Optional) To make form fields easier to identify, click the **Highlight Fields** on the document message bar. Form fields appear with a colored background (light blue by default).
- Choose FORM > Form Recognition > Run Form Field Recognition. Then click on the first

form field you want to fill in, either to select that option or to place an I-beam pointer $\, \mathbb{I} \,$ in

the field so that you can start typing.

- Right-click the text fields, and choose **Paste** or **Select All** to do other operations.
- After making a selection or entering text, do any of the following:
 - A. Press Tab or Shift + Tab to accept the form field change and go to the next or previous field.
 - B. Right-click the form field and press the Up arrow key to select the previous option in an item of list, or press the **Down** arrow key to select the next option.
- After you fill in the form fields, do one of the following:
 - A. Click the submit button if one exists. Clicking this button sends the form data to a database across the web or over your company intranet.
 - B. Click **Save** icon 📙 on toolbar, or choose **FILE** > **Save**.
 - C. Choose **FILE** > **Save As**, and specify a location for the copy.

Clear a form entry

Click one of the form fields, and use the **Backspace** key or **Delete** key.

Reset unsaved form entries

Choose FORM > Form Data > Reset Form

Clear a form in a browser

Do either of the following:

- Select the reset form button if one exists. You can't undo this action.
- Quit the browser, and start again.

Note: Clicking the web browser's Reload or Refresh button, the Back or Go Back button, or following a link to another page may not complete clearing the form.

Fill lengthy entries in forms

Some PDF forms can contain dynamic text fields, which changes the text you input in size to accommodate the text fields. The text appears smaller and smaller when the words you type exceed the current size of the field.

Spell-checking form entries

You can spell- check the text you typed in form fields after purchasing Foxit PhantomPDF if the security settings allow.

If you have installed the Spell Checker, when you insert any English text in the form fields, the spelling errors will be highlighted and underlined with squiggly lines.

To spell-check entries, do the following:

- Right-click on the misspelled words and you will see a list of five suggested words.
- Choose one of the suggested words to correct your input or ignore the squiggly line.
- If all the suggested words are not the exact words you want to input, try to correct them with other words.

Fill Non-interactive Forms

If a PDF form contains non-interactive form fields, you can fill in the form with the Typewriter \mathbf{V} . When you place the pointer over a non-interactive form field, the basic pointer icon doesn't change.

Non-interactive PDF forms can be printed and filled in by hand. Or choose **COMMENT** tab > **Typewriter** group > **Typewriter** Tool **T** to type information over the blank form fields and then save or print a copy of the completed form. To use the Typewriter Tool to fill the non-interactive forms and spell-check the entries, please refer to <u>"Typewriter Tool"</u>.

You can also recognize form fields with Run Form Field Recognition tool \square and then fill in forms with Hand Tool.

Note: To add text before or after the form fields, you can either choose to use **Edit** > **Edit Content** > **Add Text** or refer to the <u>Typewriter Tool</u>.

Comment on Forms

You can comment on PDF forms, just as on any other PDF. You can add comments only when the form creator has extended rights to the users.

Whether or not these comments are included when the form is submitted depends on how it is submitted. For example, if you use Foxit PhantomPDF to print the form for mailing or faxing, the comments do not appear. But if you attach the filled-in form to email as a complete PDF, the comments are included. Also, you can send the comments separately as an email attachment.

See also <u>"Chapter 7 - Comments"</u>.

Manage Form Data

You can import form data from other file formats to a PDF form, or export form data on a PDF form to other file formats. You can also export form data from multiple PDF forms to a CSV file. In addition, for PDF forms with Ultraforms technology, Foxit PhantomPDF supports to create and display 2D barcode that contains form data you filled in.

Import/Export Form Data

To import and export form data is similar to the way of importing and exporting comment data. However, this function is only for PDF interactive forms. All the options for importing and exporting form data will be unavailable when you open other ordinary PDFs or non-interactive forms.

To learn how to import and export form data, please view "Import/Export Comments Data".

You can also export form data to an existing CSV file by clicking **FORM** > **Form Data** > **Export** > **Append to an Existing Sheet**. In the Open dialog box, select a CSV file you want to append the form data to and click **Open**. A Foxit PhantomPDF message will pop up to prompt that the form data has been exported successfully and let you decide whether to open the file.

Tip: The users of Foxit PhantomPDF can import the form data from txt, xml, CSV, dbf or Excel format files or export the data of PDFs and save in FDF formats file, and it also can import and export the form data of PDFs and save as txt, xml, CSV, dbf or Excel format files.

Combine forms to a sheet

To export form data from multiple PDF forms to a CSV file, please do as following:

1. Choose FORM > Form Data > Combine Forms to a Sheet.

2. In the Export multi-forms to a sheet dialog box, click Add Files to add files that you want to

combine into a sheet. You can also click **Close** button ^{IM} in the dialog box to remove files.

3. (Optional) Check the option **Contain forms you closed recently** to add the PDF files you closed recently. You can also append the exported form data to an existing file by checking the option **Append to an existing file**.

4. Click **Export**. In the Save As dialog box, specify a folder and file name ("data source.csv" by default) for the CSV file and click **Save**. A Foxit PhantomPDF message will pop up to prompt that the form data has been exported successfully and let you decide whether to open the file.

Generate 2D Barcode

For forms integrated with Ultraforms technology, Foxit PhantomPDF supports the generation of 2D barcodes, making the form data easily to be scanned, captured and incorporated into a database. Steps are as follows:

- > Open and fill in the form.
- Upon completion, click the barcode generation button (if any) on the form file to generate 2D barcode.
- \succ Click the save button \bowtie on the Quick Access Toolbar to save the form.
- (If needed) Choose FILE > Print to print the form; and then you can use a supported scanner to scan, read and incorporate the form data into a database.

FORM		
🖑 Hand 📃 🤤 OK 🗸 💽 🖬 List Box	🕞 🦳 🔤 Import 📴 Combine Forms to a She	
Select Run Form Field Designer Push Check Radio Combo	t Static Calculation Reset	Document Action
	A Form Order Form 🖙 Email	្ទរត្តិ JavaScript Console
Tools Form Recognition Form Fields	Edit Form Data	JavaScript
FOXIT_2DFONTS.pdf x		•
This document contains interactive form fields.		∠ Highlight Fields ×
WEB DEMO FORM Although UltraForms® Technology works on-line as well as off-line, <u>this demo form will ONLY work</u> <u>online.</u> The provided symbol can hold up to 250 characters.	n se negative son ing magging die daar jaar jaar Keense songen negative de naar die daar jaar jaar die de soogen. Keense songen negative de naar die de soogen die	2D Reset
FILL THE FORM GO	Company Name	
You can fill the fields on the right by hand, or you	Foxit Software Incorporated, USA	
can press the "Go" button above, to populate them	Address Zip Co	
automatically with fictitious data.	42480 Christy Street, Suite 201 945	38
Feel free to edit them once filled.	City State	
	Fremont, CA US	A
GENERATE THE BARCODE GO	Ticket Number Numb	per of Boxes
		· ·

Note:

- 1. Currently, Foxit PhantomPDF only supports the generation of 2D barcode for forms integrated with Ultraforms technology.
- 2. The triggering method for 2D barcode generation may vary as the form creator may define when integrating Ultraforms technology into the form file. You can click the barcode generation button (if there is any) on the form file, or choose **Print** directly to generate 2D barcode.

Form Fields

Foxit PhantomPDF uses a group of buttons that can be used to create and design form fields in interactive forms. You are able to add push buttons, text fields, check boxes, combo boxes, list boxes or radio buttons to create an interactive PDF form and specify their properties.

Create Interactive Forms

You can either create an entirely new interactive form from a blank page or add form fields to an existing electronic form.

To start from a blank page, please do the following:

- Create a blank PDF from FILE > Create > Blank, or choose CONVERT > Create > Blank.
- Open the blank page with Foxit PhantomPDF, and then add form fields.

To create forms from non-interactive table:

• Open it with Foxit PhantomPDF and choose FORM > Form Recognition > Run Form Field

Recognition I. All fillable fields in the document will be recognized and highlighted.

• Add form fields from FORM > Form Fields > click a type of form field button and the cursor

changes to crosshair 🕂 . And the **Designer Assistant** 📑 is selected automatically.

- All the corresponding type of form fields will be automatically named with the text near the form fields (Take the text fields for an example as below).
- Click the place you want to add the form field. To edit the form field further, please refer to the properties of different buttons from "<u>Buttons</u>".

Applicant	Applicant	Gender	Gender
Address	Address		

Creating Text Fields

Buttons

There are seven basic buttons to add form fields for you to create an interactive PDF form:

Button	Tool Name	Description
		Creates an interactive form element to initiate certain predefined
	Push	actions, such as opening a file, submitting data to a web server, or
OK	Button	resetting a form. This button can also be customized with images and
		text.
Check Box		Presents yes-or-no choices for individual items. If the form contains
	CHECK DOX	multiple check boxes, users can select what they want.
Radio		Presents a group of choices from which the user can select only one
	Button	item.
	Combo	Lets the user either choose an item from a pop-up menu or type in a
-	Box	value.
	List Box	Displays a list of options the user can select.
4 4	Text Field	Lets the user type in text, such as name, address, phone number, etc.
V V	Signature	Creates a blank digital signature field for reviewers to sign the document
A/93A	Field	creates a shark a prai signature neta for reviewers to sign the document

		Foxit Software	Company
Persona	I Information		
First Nar	me:)	
Last Nar	ne:	Text	
Address		Field	
		Field	
City:		submit	
States:	CA - California		
Zip/Post	al Code:	ciear }	Push B
Country:	US - United States	print	i
How to C	Contact You? ne OEmail	Combo Box	
Pho	ne Venali		- i
Email			11-6
Email:	We will never sell or disclose	What is your Part-time	List
Email:	your email address to anyone. Once your account is setup you may add additional email	current availability? Full-time(Swing) C User the CTRL key to	\rightarrow Box
	your email address to anyone. Once your account is setublyou may add additional email addresses.	current availability? Full-time(Swing) C User the CTRL key to select more than one	\rightarrow
Email: Re-ente Email	your email address to anyone. Once your scoount is setup you may add addronal email addresses.	current availability? RullAtme(Swing) C User the CTRL key to select more than one Availability: Personne	\rightarrow
Re-ente Emai	your email address to anyone. Once your account is setupyou may add addronal email addresses. Must match the email address you just entered above.	current availability? Ruildone(Saving) User the CTRL key to eeter more than one Availability: Perstme Protome(Savis) Ruisme(Savis)	\rightarrow
Re-ente Email Phon	your email address to anyone. Once your account is setubyou may add addronal email addresses f Must match the email address you just entered above. et	current availability? FUILEme(Swing) User the CTR key to well those than one Availability: Parsime (Pladisme(Cays))	->Box
Re-ente Emai	your email address to anyone. Once your account is setubyou may add addronal email addresses f Must match the email address you just entered above. et	current availability? Ruiletime(Swing) Use the CTRL key to seect more than one Availability: Parkime Parkime (Days) Fuldome(Days) Fuldome(Draveyart)	->Box
Re-ente Email Phon Fa:	your email address to enjone. Once your account is setubyou may add addronal email addresse.	Current availability? Ruiteme(Swing) Use the CTRL key to select more than one Availability: Parkime Parkime(Swing) Ruideme(Swing) Ruideme(Swing) Ruideme(Swing) Ruideme(Swing) Weekends Only Styl	->Box
Re-enter Email Phone Fac	your enail address to anyone. Once your account is setubyou may add additional enail addresse. . Must match the email address you just ensere above. 	current availability? Ul-Kime(Swing) U-Kime(Swing) U-Kime(Swing) U-Kime(Swing) U-Kime(Swing) Parkime Parkime Parkime(Swing) Fuldame(Caveyart) Fuldame(Caveyart) Fuldame(Caveyart) Weekends Only Etyl	->Box
Re-enter Email Phon- Fa: Radio	your email address to anyone. Once your account is setupyou may add addronal email addresses.	current availability? Ul-Kime(Swing) U-Kime(Swing) U-Kime(Swing) U-Kime(Swing) U-Kime(Swing) Parkime Parkime Parkime(Swing) Fuldame(Caveyart) Fuldame(Caveyart) Fuldame(Caveyart) Weekends Only Etyl	->Box
Re-enter Email Phon- Fa: Radio	your email address to anyone. Once your account is setup you may add addronal email addresses.	current availability? Ul-Kime(Swing) U-Kime(Swing) U-Kime(Swing) U-Kime(Swing) U-Kime(Swing) Parkime Parkime Parkime(Swing) Fuldame(Caveyart) Fuldame(Caveyart) Fuldame(Caveyart) Weekends Only Etyl	-> Box
Re-enter Email Phon- Fa: Radio	your email address to anyone. Once your account is setup you may add addronal email addresses.	current availability? Ul-Kime(Swing) U-Kime(Swing) U-Kime(Swing) U-Kime(Swing) U-Kime(Swing) Parkime Parkime Parkime(Swing) Fuldame(Caveyart) Fuldame(Caveyart) Fuldame(Caveyart) Weekends Only Etyl	-> Box

A PDF Form

Push Button

$\diamond\quad {\rm Create\ a\ new\ push\ button}$

Choose **FORM** > **Form Fields** > **Push Button** OK, and your cursor changes into⁻¹. Then do the following:

- Drag an area in the desired place to create a push button.
- A box appears under the button for you to input the button name and the name of label.
- You can also click the **All Properties** to do more settings.

♦ Move and resize a push button

- To move a push button, select Annotation Selection Tool wor push button \overline{ok} , click and drag the button to move it to a new location.
- To resize a push button, select Annotation Selection Tool wor push button ., click to select the button, and then drag a border handle.

♦ Delete a push button

- Select Annotation Selection Tool or push button or, and click the push button you want to delete.
- Press **Delete**, or right-click the push button > **Delete**.

♦ Create multiple copies of a push button

You can create multiple copies of a push button. The new push button names are based on the original push buttons and appended with a number. However, you are able to create them with the same names. In addition, all the new push buttons are created sequentially, using standard array format.

• With the Annotation Selection Tool \searrow or push button \bigcirc , select one or more push

buttons that you want to copy (press Shift or Ctrl when clicking to select more buttons).

- Right-click one of the buttons > Create Multiple Copies...
- In the Create Multiple Copies of Fields dialog box, do the following:

Create Multiple Copies of Fields
Number of Fields
Copy selected fields <u>d</u> own (times)
Copy selected fields <u>a</u> cross (times)
Overall Size(All Fields)
Change Width (in) 0.04
Change Height (in) 0.04
Overall Position(All Fields)
<u>U</u> p
Left Right
Down
<u>Preview</u> <u>Same Name</u>
<u>O</u> K <u>C</u> ancel

The Create Multiple Copies of Fields dialog box

A. To specify the rows to be created, enter or select a number in Copy Selected fields down (times). The default number is set to 2.

- B. To specify the columns to be created, enter or select a number in Copy Selected fields across (times). The default number is set to 2.
- C. To specify the width of the area in which the columns of fields appear, enter or select a number in Change Width (in). The default number is set to 0.04.
- D. To specify the height of the area in which the columns of fields appear, enter or select a number in Change Height (in). The default number is set to 0.04.

Note: The width and height values don't change the dimensions of individual fields but designate the size of the entire area for all the selected and newly created fields.

- E. To change the position of buttons, use the Up, Down, Left, and Right buttons in the dialog box.
- F. Click **Preview** to apply the results.
- G. Click Same Name to apply the names of original buttons to the newly created buttons.
- Click OK.

Note: Copies of push buttons function independently of each other. You can use a different procedure to duplicate push buttons, creating an information- sharing relationship among these buttons.

♦ Duplicate a push button across multiple pages

- Select the push button that you want to duplicate.
- Right-click the button > **Duplicate...**

Note: The Duplicate command isn't available for forms with only one page.

- Then do one of the following:
 - A. To duplicate the push button on every page in the form, select **All**, and click **OK**.
 - B. To duplicate the push button on odd/even page in the form, select **Odd pages** or **Even pages**, and click **OK**.
 - C. To duplicate the push button on a limited range of pages, type the starting and ending page on which you want the button to appear. Click **OK**.

Note: Enter the page number including or not including the page on which the button originally appears doesn't affect the duplication process. Including that page won't create a second copy on top of the original one, and not including it won't remove the original button.

♦ Set tab order

You can set the tab order of the buttons you created. The order number will show on the top left corner.

- Choose the Annotation Selection Tool , select the buttons you want to order and move the cursor to one of the buttons you selected.
- Right click the button and choose Set Tab Order on the context menu.

♦ Set push button properties

You can set properties that apply formatting, determine the appearance and actions, and so forth.

The push button has a General tab, Appearance tab, an Options tab, and an Actions tab. Besides, there are two items on every tab:

- **Locked** When selected, prevents any further changes to any push button properties.
- Close Applies and saves the current button properties, and closes the button properties dialog box.

Note: If you select Locked on any tab, it will lock all options for the button, but not just the options on that tab.


1. General tab for the button properties

The General tab in push button properties contains the following options:

- Name Specifies the unique name of the selected push button.
- Tooltip Displays text that the hesitant user may find helpful in clicking the button. Tooltips appear when the pointer hovers over the push button.
- Form Field Specifies whether the push button can be seen, either on screen or in print. There are four choices for you: Visible, Hidden, Visible but doesn't print, and Hidden but printable.
- Orientation Rotates the push button by 0, 90, 180, or 270 Degrees.
- Read Only Prevents the user from clicking the push button.
- Required This option is not available for the push button.
- **2.** Appearance tab for the button properties

The Appearance properties determine how the push button looks on the page. The Appearance tab in push button properties contains the following options:

• Line Style – Alters the appearance of the frame. Select **Solid**, **Dashed**, **Beveled**, **Inset or Underline**.




The appearances of Push Button with different line styles

Note: You may not see the difference if no color is chosen as the border color.

- Thickness Specifies the width of the frame surrounding the push button: Thin, Medium, or Thick.
- Border Color Opens a color picker in which you can select a color for the frame surrounding the button. To leave the button without a frame, select **No color**.
- Fill Color Opens a color picker in which you can select a color for the button. To leave the button uncolored, select **No color**.

Note: A Fill Color choice other than No color will block any images on the PDF page that are behind the button.

- Font Size Sets the size of the label for the button. You can either choose **Auto**, various preset values, or type in a different value.
- Text Color Opens a color picker in which you can select a color for the label.
- Font Lists the fonts available on your computer.



Push Button

3. Options tab for the button properties

The Options properties determine how labels and icons appear on the button. A button can have a label, an icon, or both. The Options tab in push button properties enables you to add any labels you like. The Options tab in push button properties contains the following options:

• Layout – Specifies the layout of label and icon of the button. There are seven choices:

Label		Iabel		Label	isbel	l <mark>abe</mark> l
Α	В	С	D	Е	F	G

A. Label only B. Icon only C. Icon top, label bottom D. Label top, icon bottom E. Icon left, label right F. Label left, icon right G. Label over icon

Button Layouts

- Advanced Does the details settings to the icon.
 - A. When to scale choose when to scale the icon you insert. There are four options:

Always: scale the icon to fit the button you draw.

Never: never scale the icon. Show the icon with its original size all the time.

Icon is too Big: zoom out the icon to fit the button if the former one is bigger than the latter one, or show the icon with its original size.

Icon is too Small: zoom in the icon to fit the button if the former one is smaller than the latter one, or show the icon with its original size.

B. Scale – choose to scale the icon non-proportionally or proportionally. This option will be disabled when you select **Never** in the field of **When to scale**.

Proportionally: scale the icon in its proportion.

Non-proportionally: scale the icon to fit the button when the magnification is changed.

- C. Fit to bounds check this option to scale the icon to fit fully within the bounds of the button without taking into consideration the line width of the border.
- D. Border drag and move the scroll bar to change icon's position in the button. The coordinates change when you move the scroll bar.
- Behavior Specifies the display of the button when clicked. The button behavior options include:

None: Keeps the appearance of the button the same.

Push: Specifies appearances for the Up, Down, and Rollover states of the mouse. Select an option under State, and then specify a label or icon option:


Up: Determines what the button looks like when the mouse button is not clicked.

Down: Determines what the button looks like when the mouse is clicked on the button, but before it is released.

Rollover: Determines what the button looks like when the pointer is held over the button.

Outline: Highlights the button border.

Invert: Reverses the dark and light shades of the button.



The Button Behaviors

- To define the label or icon that appears on the button, do the following:
 - A. If a label option is selected from the Layout menu, type the text in the Label box.
 - B. If an icon option is selected from the Layout menu, click Choose icon... > click Browse... > Select the file type from the Objects of Type menu, double-click the file name, and click OK. (To remove the selected icon, click Clear button.)
- Click **Close** to accept these display properties.
- 4. Actions tab for the button properties

The Actions properties specify any actions that you want to associate with the push button, such as jumping to a specific page or going to a web site. The Actions tab in push button properties contains the following options:

- Select Trigger Specifies the user action that initiates an action: Mouse Up, Mouse Down, Mouse Enter, Mouse Exit, On Receiving Focus, or On Losing Focus.
- Select Action Specifies the event that occurs when the user triggers the action: Go to a page view, Open/execute a file, Open a web link, Show/hide a field, Execute a menu item, Submit a form, Reset a form, Import form data, and Run a JavaScript.
 - A. Go to a page view designate to a specific page view. You can not only designate to a page in the current PDF, but also to the page in another PDF. Also, you may change the current zoom setting and then set the position.

To go to a page view, choose this option, click **Add** button and do one of the following:

- a) Set the position in current document scroll the current document, go to a new position where you want to set and click **Set this position**.
- b) Set the position in another PDF document click the **Open** button on the toolbar > select the PDF you want to set position > scroll this document and go to a position where you want to set > click **Set this position**.

Note: The new PDF document should be opened in the existing window but not a new window.

- c) Change the view magnification -- scroll in the current document or another document > go to a new position where you want to set > change the magnification of the position > click Set this position.
- d) Click **Cancel** to revoke your operation.
- B. Open/execute a file designate to open another file. To do this, choose Open/execute a file > click Add button > select the destination file and click Select.
- C. Open a web link designate to open a web link. To do this, choose **Open a web link** > click **Add** button > enter the URL of the destination web page.
- D. To show/hide a field, select the option > click Add... > choose to show or hide the selected button when the user triggers the action, and click OK.
- E. To execute a menu item, select the option > click Add... > select one of the items in Menu Item Selection dialog box, and click OK.
- F. To submit a form, select the option > click **Add...** > choose the submission method, decide which fields should be submitted, and click **OK**.
- G. To reset a form, select the option > click **Add...** > select the fields that will be reset, and click **OK**.
- H. To import form data, select the option > click **Add...** > choose the FDF file that contains the form data you want to import, and click **Open**.
- To run a JavaScript, select the option > click Add... > enter JavaScript, and click OK and Close.
- Actions Displays the list of triggers and actions that you have defined.
- Up and down buttons Change the order in which the selected action appears listed under the trigger. (Available only when you have defined multiple actions for the same trigger.)
- Edit Opens a dialog box with specific options for the selected action. You can also double-click the actions to open a dialog box.
- Delete Removes the selected action.

♦ Set push button properties as default

After setting button properties for a new push button, you can set your settings as the new default for all the push buttons you create in future. To set the current properties as default, right-click the push button > select **Use Current Properties as New Defaults**.

Check Box Button

A check box button is a button to present yes-or-no choices for individual items. For creating, moving, resizing, deleting, creating multiple copies, duplicating a check box button and setting tab order, please refer to <u>"Push button"</u>.


♦ Set Check Box Button Properties

There are also four tabs a General tab, Appearance tab, an Options tab, and an Actions tab for you to set check box button's properties.

For General tab, Appearance tab and an Actions tab, please refer to Set Push Button Properties.

Options tab

Check Box Style - Specifies the style of the check box button. There are six choices:



Export Value - Identifies the check box button and differentiates it from other check box buttons that share the same Name value.

Checked by default – Sets the selection state of the button when the user first opens the form.

Note: If you create multiple copies of the check box button, please make sure both the form filed names and the export value are all different in related check boxes.

Radio Button

A radio button is a type of graphical user interface widget that allows you to choose one of a predefined set of options. For creating, moving, resizing, deleting, duplicating the buttons and setting tab order please refer to <u>"Push button"</u>.

Tip: How to toggle radio buttons

Related radio buttons must have exactly the same form field name but different export values. This ensures that the radio buttons toggle and that the correct values will be collected in the database.

- 1. Please use copy-paste to create multiple copies if having more than one form field with the same name. After this, to make the value usable, you have to change the value of the radio buttons to make sure all radio buttons have the same field name but different export value.
- 2. Please note you cannot use "Create Multiple Copies" option if there is more than one radio button with the same name. A warning message will pop up if you right click and choosing Create Multiple Copies.

♦ Set radio button properties

How a radio button behaves is determined by settings in the Radio Button Properties dialog box. You can set properties that apply formatting, determine the appearance and actions, and so forth.

The radio button has a General tab, Appearance tab, Actions tab, and an Options tab as push button. Also, there are two items on every tab:

- **Locked** When selected, prevents any further changes to any radio button properties.
- Close Applies and saves the current button properties, and closes the button properties dialog box.

Note: If you select Locked on any tab, it will lock all options for the button, but not just the options on that tab.

1. General tab for the radio button properties

The General tab in radio button properties contains the following options:

- Name Specifies the unique name of the selected radio button.
- Tooltip Displays text that the hesitant user may find helpful in clicking the button. Tooltips appear when the pointer hovers over the radio button.
- Form Field Specifies whether the radio button can be seen, either on screen or in print. There are four choices for you: Visible, Hidden, Visible but does not print, and Hidden but printable.
- Orientation Rotates the radio button by 0, 90, 180, or 270 Degrees.
- Read Only Prevents the user from clicking the radio button.
- Required Forces the user to click the radio button. If the user attempts to submit the form while a required radio button is not chosen, an error message appears.

2. Appearance tab for the radio button properties

The Appearance properties determine how the radio button looks on the page. The Appearance tab in push button properties contains the following options:

• Line Style – Alters the appearance of the frame. Select Solid, Dashed, Beveled, Inset or Underline.











Solid

Dashed

Beveled

Inset

Underline


The appearances of Radio Button with different line styles

Note: You may not see the difference if no color is chosen as the border color.

- Thickness Specifies the width of the frame surrounding the radio button: Thin, Medium, or Thick.
- Border Color Opens a color picker in which you can select a color for the frame surrounding the button. To leave the button without a frame, select **No color**.
- Fill Color Opens a color picker in which you can select a color for the background behind the button. To leave the background uncolored, select **No color**.

Note: A Fill Color choice other than No color will block any images on the PDF page that are behind the button.

• Text Color – Opens a color picker in which you can select a color for the button.





Note: The items of Font Size and Font are not available in the Appearance tab for the Radio Button properties.

3. Actions tab for the radio button properties

Please refer to <u>"Actions tab for the button properties"</u>.

4. Options tab for the radio button properties

The Options tab in radio button properties enables you to change the button style and do other additional settings. The Options tab in radio button properties contains the following options:

- Button style Specifies the shape of the maker that appears inside the button when the user selects it. There're six choices in total: Check, Circle (the default), Cross, Diamond, Square, or Star. This property does not alter the shape of the radio button itself.
- Export Value Identifies the radio button and differentiates it from other radio buttons that share the same Name value. The status of a radio button is "yes". You can give them other names with this box.
- Checked by default Sets the selection state of the button when the user first opens the form.
- Radio buttons with the same name and value are selected in unison Allows single-click selection of multiple related radio buttons. If the user selects a radio button that has the

same field name and export value as another, both radio buttons are selected.

• Click **Close** to accept these display properties.

♦ Set radio button properties as default

After setting radio button properties for a new radio button, you can you're your settings as the new default for all the radio buttons you create in future.

To set the current properties as default, right-click the radio button, select **Use Current Properties as New Defaults**.

Combo Box Button

A combo box is a commonly-used GUI widget. It is a combination of a drop-down list or list box and a single-line textbox, allowing the user either to type a value directly into the control or choose from the list of existing options.

For creating, moving, resizing, deleting, duplicating the combo box and setting tab order, please refer to <u>"Push button"</u>.

♦ Set combo box properties

How a combo box behaves is determined by settings in the Combo Box Properties dialog box. You can set properties that apply formatting, determine the appearance and actions, perform mathematical operations, and so forth.

The combo box has a General tab, an Appearance tab, an Options tab, a Format tab, a Validate tab, a Calculate tab and an Actions tab,. There are two items on every tab:

- **Locked** When selected, prevents any further changes to any combo box properties.
- Close Applies and saves the current properties, and closes the combo box properties dialog box.

Note: If you select Locked on any tab, it will lock all options for this combo box, but not just the options on that tab.

1. General tab for the combo box properties

Please refer to <u>"General tab for the radio button properties"</u>.

2. Appearance tab for the combo box properties

Please refer to <u>"Appearance tab for the button properties"</u>.

3. Actions tab for the combo box properties

Please refer to <u>"Actions tab for the button properties"</u>.

4. Options tab for the combo box properties

You can create a list of items from which the user selects with the Options tab.

- Item Accepts the text and space character that you type for options that you want to appear in the menu for the field.
- Add Moves the current entry in Item to Item List.
- Export value Where you type in a value to represent the item if the data will be exported. If left blank, the entry for Name in the General tab is used as the export value.
- Item list Displays the choices that will be available in the list.

Note: The highlighted item in the Item List box appears as the default selected item in the combo box field. To change the default item, highlight another item from the list.

- Delete Removes the selected item from the list.
- Up/Down Change the order in which the items are listed in the combo box list. These buttons are not available if Sort Items is selected.
- Sort items Arranges the listed items numerically and alphabetically. A numerical sort (if applicable) is performed before an alphabetical sort.
- Allow user to enter custom text Enable users to enter a value other than the ones in the list.
- Commit selected value immediately Saves the value as soon as the user selects it. If this
 option is not selected, the value is saved only when the user tabs out of the current field or
 clicks another form field.

5. Format tab for the combo box properties

The Format tab in the combo box properties dialog box enables you to format the field values. Select one of the categories listed below:

- None No additional options are available. The input in a combo box with this property does not require any specific formatting.
- Number Automatically imposes the selected formatting options on numeric data entries.
 - A. Decimal places Sets the number of digits that appear to the right of the decimal point.
 - B. Separator style Sets the placement of commas and periods.
 - C. Currency symbol Sets the type of currency, such as Dollars, Euros, or Pounds.
 - D. Negative Number Style Sets how negative numbers are displayed. You can choose Show parentheses, Use red text, neither, or both.
- Percentage Automatically imposes the selected formatting options on numeric data expressed as a percentage.

- A. Decimal places Sets the number of digits that appear to the right of the decimal point.
- B. Separator style Sets the placement of commas and periods.
- Date The list includes one-, two-, and four-digit variations where *d* stands for the day, *m* stands for the month, and *y* stands for the year. Also, you can choose **Custom** option and type your format.
- Time The list includes display variations where *h* stands for the hour on a 12-hour clock, *H* stands for the hour on a 24-hour clock, *MM* stands for minutes, *ss* stands for the seconds, and *tt* stands for AM or PM. Also, you can choose the Custom option and type your format.
- Special There are five options for you:
 - A. Zip Code For a five-digit postal code.
 - B. Zip Code + 4 For a nine-digit postal code.
 - C. Phone Number For a ten-digit telephone number.
 - D. Social Security Number For a nine-digit US Social Security Number.
 - E. Arbitrary Mask -- Changes the format category to Custom and makes another text box available, in which you can type a custom format. Use this option to specify which types of characters the user can enter in any given position, and how the data displays in the field.
 - a. A -- Accepts only letters (A–Z, a–z).
 - b. X -- Accepts spaces and most printable characters, including all characters available on a standard keyboard and ANSI characters in the ranges of 32–126 and 128–255.
 - c. O -- The letter "O" accepts alphanumeric characters (A–Z, a–z, and 0–9).
 - d. 9 -- Accepts only numeric characters (0–9).

For example, a mask setting of AAA--p#999 accepts the input BDF--p#367. A mask setting of OOOOO@XXX accepts the input vad12@3Up.

ombo Box	Properties					×
General	Appearance	Options	Format	Validate	Calculate	Actions
⊂ Sp(Select format	category	: Sp	ecial	•	
	Zip Code Zip Code+4 Phone Numbe Social Security Arbitrary Mask	Number				
<	000-AAA-XXX	>				
and	the Special for to display phor irity numbers					ing
Locked	1					Close

Example of an Arbitrary Mask entry

- Custom -- Makes additional options available to form designers who want to write their own JavaScripts for formatting and keystrokes. For example, a custom script could define a new currency format or limit the user entry to specific keystroke characters.
 - A. Custom Format Script Displays any custom scripts you have added for formats. The Edit button opens a JavaScript Edition dialog box in which you can write and add new scripts.
 - B. Custom Keystroke Script –Displays any custom scripts you have added to validate keystrokes. The Edit button opens a JavaScript Edition dialog box in which you can write and add new scripts.
- 6. Validate tab for the combo box properties

The Validate properties restrict entries to specified ranges, values, or characters, ensuring that users enter the appropriate data for a combo box.

- Field value is not validated Turns off validation.
- Field value is in range Sets a numeric range for a combo box using values you enter in either as a number or a percentage. It is available only when Number or Percentage is selected in Format tab.
- Run custom validation script Validates by a JavaScript that you create or provide. The Edit button opens a JavaScript Edition dialog box in which you can write and add new scripts.

7. Calculate tab for the combo box properties

With this option, you can perform mathematical operations on existing form field entries and display the result.

- Value is not calculated Select this option if you want the users to type.
- Value is the Select this to make further options available:
 - A. The List includes the mathematical functions to apply to the selected fields. Choose Sum to add the values entered in the selected fields, Product to multiply them, Average, Minimum, or Maximum.
 - B. Pick Opens a Field Selection dialog box with a list of the available fields in the form that you select to add or deselect to remove from the calculation.
- Simplified field notation -- Uses JavaScript with field names and simple arithmetic signs. The Edit button opens a JavaScript Edition dialog box in which you can write, edit, and add scripts.
- Custom calculation script -- Displays any custom scripts you have added for calculations. The Edit button opens a JavaScript Edition dialog box in which you can write and add new scripts.

♦ Set combo box properties as default

After setting combo box properties for a new combo box, you can set your settings as the new default for all the combo boxes you create in future.

To set the current properties as default, right-click the combo box > select **Use Current Properties** as **New Defaults**.

List Box and Text Field Button

A list box is a GUI widget that allows the user to select one or more items from a list contained within a static, multiple line text box. Also, you can set a list box property that enables the user to Shift-click or Ctrl-click/Control-click to select multiple items on the list.

A text field is a common element of graphical user interface of computer programs, as well as the corresponding type of widget used when programming GUIs, which let the user type in text, such as name, address, phone number, etc.

For creating, moving, resizing, deleting, duplicating the list box and text filed and setting tab order please refer to <u>"Push button"</u>.

♦ Set list box properties

Please refer to "<u>Set combo box properties"</u>.

♦ Set text field properties

Although most of the properties are common to those of combo boxes, the Options tab is exclusive.

1. For all the other properties of a text field, please refer to <u>"Set combo box properties"</u>.

2. Options tab for the text field properties

- Alignment Aligns the text left, right, or center within the field.
- Default Value Specifies the text that appears until the user overwrites it by typing in the field. Enter the default value by typing in this option.
- Multi-line Allows more than a single-line entry in the text field.
- Scroll long text Compensates for text that extends beyond the boundaries of the text field.
- Allow Rich Text Formatting Allows users to apply styling information to the text, such as bold or italic. This might be useful in certain text fields where such styling information is important to the meaning of the text, such as an essay.
- Limit of Characters Allows entries of up to the number of characters you specify.

Note: If you entered a default value, that value is clipped to this limit.

- Password Displays the user-entered text as a series of asterisks (*). This option is available only if Check Spelling is deselected.
- Field is used for file selection Allows the user to enter a file path as the field's value when a file is submitted along with the form. This option is available only when Scroll long text is the only selected option in the Options tab.
- Check spelling Checks the spelling of user-entered text.
- Comb of Characters -- Spreads the user-entered text evenly across the width of the text field. If a border color is specified, **Solid** or **Dashed Line** is selected in the Appearance tab, each character entered in the field is separated by lines of that color. This option is available only when no other check box is selected.



Text fields with and without the Comb property

A. Text field with a border color, using the Comb property

B. Text field without the Comb property

♦ Set text field properties as default

Foxit PhantomPDF Standard

User Manual

To set the current properties as default, right-click the text field > select **Use Current Properties** as **New Defaults**.

Signature Field Button

The signature field is specially designed by to create blank digital signature fields for reviewers to sign. You can place the field anywhere you want the reviewers to sign.

♦ Create a new Signature field

Choose **FORM** > **Form Fields** > **Signature Field** button , your cursor will change into ⁺⁺ and do the following:

- Drag an area in the desired place to create a signature field button.
- A box appears under the button for you to input the name.
- You can also click the **All Properties** to do more settings. Or double-click the button to open the signature Properties dialog box.

For moving, resizing, deleting, duplicating the signature field and setting tab order, please refer to <u>"Push button"</u>.

To set signature field's General, Appearance and Actions tab properties, please refer to "<u>Set push</u> <u>button properties</u>".

Foxit PhantomPDF supports to sign and verify digital signatures on XFA forms created by Adobe LiveCycle. To sign and verify digital signatures, please refer to <u>Digital Signature</u>.

Signed tab for the signature field properties

- Nothing Happens When Signed it is set as default.
- Mark As Read-Only Prevents other readers to change the digitally signed form.
 - ♦ All Fields Prevents any changes to any form field.
 - All Fields Except These Allows changing the selected form fields. Click the Pick button and select check boxes for the fields that you want the reviewers to edit after signing.
 - ♦ Just These Fields Prevent to change the form fields you pick.
- This Script Executes When Field is Signed:

Activate a custom JavaScript when the user digitally signs the form. Click the **Edit** button to change or create a new JavaScript action.

Arrange form fields

You can arrange form fields in a page, such as aligning, centering and distributing form fields. Before arranging form fields, select multiple form fields.

Select multiple form fields

To arrange the form fields, you have to select multiple form fields that you want to arrange first.

To select multiple form fields, do one of the following:

- Choose the Annotation Selection tool \Im > Shift-click or Ctrl-click each form field.
- Choose the Annotation Selection tool >> drag a selection marquee around the area to select them.

To deselect an individual form field, Ctrl-click the specific field.

Note: The form field highlighted in red is the anchor. When you select multiple form fields by clicking, the last field selected is the anchor.

Align multiple form fields

You can align the selected form fields left, right, top, bottom, vertically or horizontally. Select one of the form fields as the anchor, the rest of the form fields will be placed respectively to the left edge, right edge, top edge, bottom edge, vertical axis or horizontal axis of the anchor form field. Select two or more form fields that you want to align and do one of the following:

- Right-click the anchor, choose **FORM** > **Edit** > **Arrange**, and in the Alignment category select one to align the form fields.
- Right-click the anchor, and then choose a command as follows:
 - A. To align a column of form fields, choose Left, Right, or Vertically to align them respectively to the left edge, right edge, or vertical axis of the anchor form field.
 - B. To align a row of form fields, choose Top, Bottom, or Horizontally to align them respectively to the top edge, bottom edge, or horizontal axis of the anchor form field.

Note: When you right-click or Ctrl-click one of the selected form fields, it will be highlighted in red, indicating that it's the anchor form field. The align menu commands move the other selected form fields to line up with the edges of the anchor form fields.

Center multiple form fields

This function enables you to center the rectangle enclosed by form. Select form fields. You can

imagine that these form fields consist of an area with the shape of rectangle. Then do one of the following:

- Choose **FORM** > **Edit** > **Arrange**, in the Page Center category select one as the anchor to center the form fields.
- Right-click one of the form fields > **Center** > **Vertically/Horizontally/Both**. You will find that the rectangle is centered respectively vertically, horizontally or both in the page.

Distribute multiple form fields

This function will be available when selecting three or more form fields. Select the form fields to be distributed, and do one of following:

- Choose **FORM** > **Edit** > **Arrange**, in the Distribute category select one as the anchor to distribute the form fields.
- To distribute the form fields evenly between the topmost and bottommost form fields, choose Distribute > Vertically. To distribute the form fields evenly between the leftmost and rightmost form fields, choose Distribute > Horizontally.

Resize multiple form fields

Select one of the form fields as the anchor, and the rest of the form fields will be resized with the same height or width as that of the anchor form field. For example,

- Select form field A and B with the Annotation Selection Tool Suppose that you want to set A as the anchor form field.
- Right-click A > Size > Height/Width/Both. And you'll see that the height/width/height and width of B is resized to be the same as that of A.

Set Form-field Tab Order

After you create the form fields, you can set the tab order with ease. If you deselect to set the tab order, it will be automatically determined in a normal order. Do the following:

- With the Annotation Selection Tool selected, right-click a form field, and choose Set Tab
 Order.
- Click anywhere in the field that you want to be first in the tabbing order. The number in the upper left corner is set as 1.
- Click each of the other fields in the order that you want tabbing to occur.

Note: If you decide not to change the tabbing order, click a blank area of the page or a part of the page that is not part of a field. This hides the tabbing order numbers so that clicking a field no longer changes the tabbing order.

Set the field calculation order

When you define two or more calculations in a form, the order in which they are carried out is the order in which you defined the calculations. In some cases, you may need to modify the calculation order to obtain correct results.

For example, if you wanted to use the result obtained from calculating two form fields to calculate the value of a third form field, the first two form fields must be calculated together first to obtain the correct final results.

• Choose FORM > Edit > Calculation Order 🗔.

The Calculation Order dialog box displays all calculable fields in your form and the order in which the calculations are performed.

- To change the field calculation order, select the field from the list, and then click the Up or Down button as needed.
- Click **OK** to finish.

Edit Static XFA Forms

Foxit PhantomPDF supports editing of static XFA forms.

To edit static XFA forms, please do as below:

1. Open the static XFA form with Foxit PhantomPDF and choose FORM > Edit > Edit Static XFA

Form I. You'll be prompted to save a copy of the original file to continue to edit.

2. Click Yes to edit the form as needed.

Set properties of multiple form fields

- Select multiple form fields > right-click one of them > Properties....
- There pops up a dialog with a General tab and an Appearance tab, and then follow the steps specified above.

JavaScript

JavaScript is a dynamic, prototype-based language with first-class functions, which serves as a means to easily create interactive web pages. In Foxit PhantomPDF, you can easily integrate this level of interactivity into your PDF documents.

With Foxit PhantomPDF, you can invoke JavaScript code using actions associated with documents, bookmarks, links, and pages. Foxit PhantomPDF provides three options for you to do it – Document JavaScript, Document Action and JavaScript Console. The Document JavaScript lets you create or access document level scripts in Foxit PhantomPDF. The Document Action lets you create document-level JavaScript actions that apply to the entire document. The JavaScript Console provides an interactive and convenient interface for testing portions of JavaScript code and experimenting with object properties and methods.

Document JavaScript

Document JavaScripts are variable and function definitions that are generally useful to a given document, but are not applicable outside the document.

- Variable definitions: Define variables at the document level to make them visible to any executing script.
- Function definitions: Define functions at the document level that support the user interaction with the document. These functions may be utility functions for handling common tasks for string or number manipulation, or functions that execute lengthy scripts called by actions initiated by a user interacting with form fields, bookmarks, page changes, etc.

To create or access document level scripts in Foxit PhantomPDF, select **FORM** > **JavaScript** > **Document JavaScript**. The pop-up Java Script Functions dialog box enables you to add, edit, or delete document level scripts. All the document level scripts are stored within the PDF document.

In Java Script Functions dialog box, you will see the following buttons:

- Close Closes the dialog box.
- Add After typing a new Script Name, a JavaScript Editor dialog box pops up. You can create and edit document level scripts here. To change the font of JavaScripts, click the Font button.
- Edit The JavaScript Editor dialog box pops up, enabling you to modify the JavaScripts you create.
- Delete Delete the JavaScript you selected.

Document Action

You can create the document-level JavaScript actions that apply to the entire document. For example, selecting Document Did Save runs the JavaScript after a document is saved.


ocument Actions		×
When this happens	i	
Document Will	Close	
Document Will	Save	
Document Did	Save	Edit
Document Will	Print	
Document Did	Print	
Execute this Javaso	ript:	*
4		
	ОК	Cancel

JavaScript Console

JavaScript Console is a control panel for the execution and debugging of JavaScript code. Serving as a debugging aid, it is quite useful for displaying debug messages and executing JavaScript. To active the JavaScript console, select **FORM**> **JavaScript** > **JavaScript Console**, and do the following:

JavaSci	ipt Console		x
00000 00001 00002 00003 00004 00005 00006 00005	<pre>lvar nCount = ths.numFields; f (nCount = - undefined nCount ==0) sop.alert("no Fields here"); } else { app.alert("Fields count" + nCount);</pre>		•
٠.)	•
			*
Show	tips when editing Clear	<u>C</u> lose	

A. In the pop-up JavaScript Console dialog box, type your JavaScript code, or click Open and select one of the file with JS format.



B. Click Run button to run your JavaScript code. You will be prompted that the code has run successfully. When the code goes wrong, it gives you an error message.

You can click **Save** to save a copy of your JavaScript code, or click **Cancel** to revoke your operation.

Optional Database connectivity to Windows ODBC

The Optional Database Connectivity plug-in is a JavaScript object inside Foxit PhantomPDF PDF Suite, allowing you to connect to Windows ODBC (Open Database Connectivity) data sources. It provides some basic JavaScript properties and methods to gain increased customization options and data accuracy to access to information databases. More importantly, JavaScript can be used to execute SQL commands and retrieve data, which can, in turn, be used to populate a PDF file. Also, developers can create document level-scripts to connect to a database for the purposes of inserting new data, updating information, and deleting database entries.

Currently, ADBC is a Windows only feature and requires Open Database Connectivity (ODBC) provided by Microsoft.

Chapter 10 – Security

The security feature of PDF gives you an exceptional control over the PDF files you create. To provide adequate protection for PDF's contents, you can encrypt and secure PDF files to prevent unauthorized access, restrict sensitive operations, etc.

Check PDF Security

Some PDF files may contain restrictions preventing actions such as printing, editing, copying, etc. To check if you have these permissions, please do the following:

• Choose FILE > Properties > Security, or PROTECT > Secure Document > Security Properties.

Password Protection & Certificate Protection

In Foxit PhantomPDF, you can add password protection, certificate protection, MS AD RMS protection, and security restrictions to PDF files, limiting who can open the file, can copy, edit or print the file, etc.

Password Protection

You can add a password to a PDF document to limit access and restrict certain features, such as printing, copying and editing.

There are two kinds of passwords that could be applied to a PDF file: a **Document Open password** and a **Permissions password**. When you set a Document Open password, anyone who tries to open the PDF file must type in the password that you specified. When you set a Permissions password, anyone who wants to change the restrictions must type the Permissions password. Please note that if a PDF is secured with both types of passwords, it can be opened with either password, but only the Permissions password allows you to change the restrictions.

Tip: There's no way out to recover password from the PDF if you forgot it. To keep a backup copy of the PDF that isn't password-protected is a good choice.

Add a password security

- 1. Choose Protect > Secure Document > Password Protect.
- 2. In the Password Protection dialog box, do the following:

Document Open Settings:

Require a password to open the document – selects to require users to type the password you specify to open the document.

Password Input: specifies a password that users must type to open the document.

Password Confirm: type the password again to confirm the password.

Document Restriction Settings:

Add Document Restriction – restricts actions to PDF files, such as printing, editing, etc.

Password Input: specifies a password that is required to change the permissions settings. If the file is opened in Foxit PhantomPDF, the user can view the file but must enter the permissions password to change the file's security and permissions settings.

Password Confirm: type the password again to confirm the password.

Permission Specification:

The security details you specified are shown on the left. Click **Permission** to set the restriction settings. In the **PDF Permission** dialog box:

Permission setting – you can check options to specify file's permission setting. Click any of options to view the detail information in **Permission Item Specification field** below.

Print Permission – specifies the level of printing which users are allowed for the PDF document.

- A. Print with low resolution allows users to print at no higher than 150-dpi resolution.
- B. Print with high resolution allows users to print at any resolution.

Change Permission – defines which editing actions are allowed in the document.

- A. **Fill in a form** lets users fill in forms. The option doesn't mean that users can create form fields.
- B. Comment in the document lets users add comment to the PDF document.
- C. Manage pages and bookmarks lets users insert, rotate, delete pages, as well as add bookmarks.
- D. Modify document lets users modify the PDF document, but not add comments. If you check the option, both Fill in a form and Management pages and bookmarks options are automatically selected.

Content Extraction Permission - defines the contents that are allowed to be extracted in the PDF document.

- A. Enable text access for screen reader devices for the visually impaired.
- B. Extract the contents of the document lets users extract text and graphics, copy text, take snapshot, and play media clip, etc.

Encrypt Settings:

Encryption Algorithm- defines data transformations that cannot be easily reversed by unauthorized users. Foxit PhantomPDF supports 128-bit AES, 256-bit AES and 128-bit ARC-FOUR.

Don't encrypt metadata – encrypts the contents of a PDF file but still allow search engines access to the document metadata.

Save the setting as a new policy – save the current security settings as a policy so that you can apply it to other documents.

3. Click Ok and save the document to make setting take effect.

Modify password and security settings

1. Choose PROTECT > Secure Document > Security Properties, or choose FILE > Properties.

2. In the Security tab of the Document Properties dialog box, choose Document Security > Password Protection, and then click Change Settings...

3. Do the settings as "<u>Add a password security</u>" and then click OK.

Remove password and security settings

To remove password and security settings from a PDF file, you must have the permissions to do so.

- 1. Open a PDF file, and choose either way of the following to remove password and security settings.
- Choose **PROTECT** > **Secure Document** > **Remove Security**.
- Choose PROTECT > Secure Document > Security Properties, or choose FILE > Properties. In the Security tab of the Document Properties dialog box, choose No Encryption from Security Method menu.
- 2. A **Foxit Security** message box will prompt to ask whether you are sure to remove security from this document.

Certification Protection

The advantage of securing documents with certificates is that authors can specify unique permissions for each person. For example, authors can permit a person to fill in forms and comment in document, and permit another person to edit text or delete pages. You can choose certificates from files on disk, or from the Windows certificate store. Only a specific set of users whose identities can be verified and managed can have access to the document. A certificate that contains public key and other identifying information is used to encrypt documents, or verified a digital signature. Only corresponding private key decrypts the document that was encrypting using the certificate.

Generally, if possible, encrypt documents using certificates from third-party provider. If the certificate is lost or stolen, the issuing authority can replace it, if a self-signed certificate is deleted, all PDF encrypted using the certificate is forever in accessible.

Add a certificate security

- 1. Choose **PROTECT > Secure Document > Certificate Protect**.
- 2. In Certificate Protection dialog box, create intended recipient list for the encrypt document:
 - Click **New ID** to create and store your self-signed digital ID in:

New PKCS#12 digital ID file – Stores the digital ID information to a file with the extension .pfx on Windows and .p12 on Mac OS. You can use the files interchangeably across different operating systems.

Windows Certificate Store – Stores the digital ID to a common location. Other Windows applications can also retrieve it.

- Click **Import** to import certificate from Windows Certificate store.
- Click **Browse** to import certificate from disk.
- Click **Remove** to delete a recipient from recipient list.
- Click Permission to set document restriction for the selected recipient. About Permission options, please refer to "<u>Add document restrictions</u>" of Password security options.
- 3. Select Encryption Algorithm (support 128-bit AES, 256-bit AES and 128 bit ARC-FOUR.
- 4. Check **Don't Encrypt metadata** to encrypt the documents except metadata.
- 5. (Optional) Check **Save the settings as a new policy** to save the current security settings as a policy so that you can apply it to other documents.
- 6. Click **OK** and save the document.

See also "<u>About digital ID</u>"

Change or remove certificate protection

To change or remove security settings, you must have permission to do so. If you want to change or remove security encrypted with certificate, you must have all access to the document, or you can't do changes or remove security settings.

To change certificate protection, please do the following:

- 1. Choose **PROTECT > Secure Document > Security Properties**, or choose **FILE > Properties**.
- In the Security tab of the Document Properties dialog box, choose Document Security > Certificate Protection, and then click Change Settings...
- 3. In Certificate Protection dialog box, refer to <u>Add a certificate security</u>.
- 4. Click **OK** and save the document to apply your changes.

To remove certificate protection, please do one of the following:

- 1. Choose **PROTECT > Secure Document > Remove Security**.
- Choose PROTECT > Secure Document > Security Properties or choose FILE > Properties, in the Security tab of the Document Properties dialog box, choose No Encryption from Security Method menu.

Set Security Policies

If you often apply the same security settings to multiple PDFs, you can save your settings as a policy that you can apply to other PDFs. Security policies include the security method, encryption password, permission settings, etc.

Create a security policy

- 1. Choose **PROTECT > Secure Document > Security Policies**.
- 2. Click New.
- 3. Choose security method from menu and specify the policy name and description.
- 4. Click **Edit Details** to set restriction settings or passwords.
- 5. Review the policy details, and then click **Close**.

Secure PDFs using policies

You can apply any security policy to a PDF file. To secure a PDF with a security policy that you specified, do the following:

- 1. Open a PDF document.
- 2. Choose **PROTECT > Secure Document > Security Policies**.
- 3. In the Manage Security Policies dialog box, select a policy which you want to apply to the

PDF file.

4. Click **Apply to this Document**.

5. Save the document to apply the security policy.

Manage security policies

After you create security policies, you can manage them by copying, editing, and deleting.

1. Choose **PROTECT > Secure Document > Security Policies**.

- 2. In the Manage Security Policies dialog box, select a policy from left panel and do one or more of the following:
 - Click **New** to create a new policy.
 - Click **Copy** to copy a policy. This option is useful when you create a new policy that's based on the settings of the selected policy.
 - Click Edit Details to edit a policy.
 - Click **Delete** to delete a policy.
 - Click Close.

AD RMS Protection

Microsoft Windows Rights Management Services is an information technology that works with AD RMS enabled applications to help safeguard digital information from unauthorized use. If you are authorized you can use Foxit PhantomPDF to open an RMS-Protected document to improve information security and meet compliance requirements.

Note: If you open a PDF which is encrypted by AD RMS feature of PhantomPDF with other PDF programs, a wrapper (which is actually a PDF page) will prompt you to download Foxit PhantomPDF to open the PDF. If you want to edit the wrapper content, please save the updated content as a PDF file named "wrapperPDF.pdf" and place it within the Foxit PhantomPDF installation directory.

As for using Windows Azure AD Right Management (AAD RMS), please refer to the <u>Quick Start</u> for Windows Azure AD Right Management.

Foxit Configuration Tool

Foxit PhantomPDF RMS protector provides a handy configuration tool for administrators to audit logs and set valid network printers.

To start to use the configuration tool to encrypt PDFs, please do the following:

- Log on to your RMS server.
- Download the Foxit Configuration Tool from:

For X86:

http://cdn01.foxitsoftware.com/pub/foxit/rms/configtool/FoxitConfigurationTool_32.zip For X64:

http://cdn01.foxitsoftware.com/pub/foxit/rms/configtool/FoxitConfigurationTool_64.zip

• Unzip and Run Foxit Configuration Tool, you can use the tools in Foxit Configuration Tool window.

Auditing Logs

Foxit PhantomPDF enables you to track on the usage of RMS protected files to record the actions on the files during workflow and save to SQL server, including who accessed the document, what document was accessed, when it was accessed, how it was accessed and the success of that access, and more.

To audit logs, please do the following:

1. Follow the codes below to create the database table on the server.

```
USE [Database]
GO
/***** Object: Table [dbo].[Table_Name] ******/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[Table_Name](
[User] [nvarchar](50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[Action] [nvarchar](50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[FileName] [nvarchar](max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[DateTime] [datetime] NOT NULL,
[IP] [nchar](25) COLLATE SQL Latin1 General CP1 CI AS NOT NULL
[PrinterName] [nvarchar](max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[Copies] [numeric](18, 0) NULL,
[Result] [nchar](10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
) ON [PRIMARY]
```

2. Click **Audit Log** tool in Foxit Configuration Tool window. Enter all SQL Server information shown as below, including SQL Server Name, the name of Database and Table, User Name and Password. Then click on **Test Connection** button to test if the connection works well. A message box will pop up to tell you if the test connection is successful.

Foxit PhantomPDF Standard

			User Manual
Ø	Foxit Configuration Tool		_ X
< Audit Log			
Specify SQL Server			
SQL Server Name:	rms]*	
Database: Table:	RMSLog LogInformation]*	
User Name:	53]*	
Password:	•••••]	
		_	
	Test Connection Export	View Log	
1			

3. Click on the **Export** button and choose to export to Foxit Reader registry or Foxit PhantomPDF to generate a .reg file for the administrator's configuration. The administrator can distribute the .reg file to client-end computers.

4. Click **View Log** to view the operations records. You can search the records by different key words and export the log to a .csv file.

	۹L	lser 🗸					Export
lser	Action	File Name	Date Time	Printer Name	Copies	Result	IP
dministrator	Opened	test01.pdf	07/28/2014 08:23:00		0	Success	192,168,137,1
dministrator	Closed	test01.pdf	07/28/2014 08:23:17		0	Success	192.168.137.1
dministrator	Opened	test01.pdf	07/28/2014 08:25:34		0	Success	192.168.137.1
dministrator	Closed	test01.pdf	07/28/2014 08:25:39		0	Success	192.168.137.1
dministrator	Opened	test01.pdf	07/28/2014 08:25:41		0	Success	192,168,137,1
dministrator	Closed	test01.pdf	07/28/2014 08:26:21		0	Success	192.168.137.1
dministrator	Opened	test01.pdf	07/28/2014 19:53:52		0	Success	192.168.137.1
dministrator	Closed	test01.pdf	07/28/2014 19:54:23		0	Success	192.168.137.1
dministrator	Opened	test01.pdf	07/28/2014 19:54:36		0	Fail	192.168.137.1
dministrator	Opened	test01.pdf	07/28/2014 19:54:42		0	Success	192.168.137.1
dministrator	Closed	test01.pdf	07/28/2014 19:55:13		0	Success	192.168.137.1
dministrator	Opened	test01.pdf	07/28/2014 19:55:22		0	Fail	192.168.137.1
dministrator	Opened	test01.pdf	07/28/2014 19:56:11		0	Fail	192.168.137.1
dministrator	Opened	test01.pdf	07/28/2014 19:56:12		0	Success	192.168.137.1
dministrator	Opened	What's New in	07/28/2014 20:00:22		0	Success	192.168.137.1
dministrator	Closed	What's New in	07/28/2014 22:22:27		0	Success	192.168.137.1
dministrator	Closed	test01.pdf	07/28/2014 22:22:28		0	Success	192.168.137.1
dministrator	Opened	Doc1.pdf	07/28/2014 22:49:18		0	Success	192.168.137.1
dministrator	Closed	Doc1.pdf	07/28/2014 22:50:13		0	Success	192.168.137.1
dministrator	Opened	Doc1.pdf	07/28/2014 22:51:36		0	Success	192.168.137.1

Restrict Local Printing

You can also set the printing permissions by specifying certain network printers to protect the sensitive information from being printed arbitrarily.

♦ Network Printers Configuration

To avoid unauthorized printing of sensitive documents, you can limit the printing permissions to certain network printers. To configure network printers, please click the **Valid Network Printer Setting** tool in the "Foxit Configuration Tool" window and then do the following:

Ø	Foxit Configuration Tool	_ 🗆 X
< Valid Netwo	rk Printer Setting	
	,	
	Printer Ports List port01	
	Add Remove Export	

1. You should get the Printer Port first. Please go to **Start** > **Devices and Printers** > right-click a network printer > **Printer Properties**. In the printer properties dialog box, choose Ports tab and get the information, e.g. the "IP_192.168.3.239" is the printer port.

ieneral Sharing	Ports Ad	tvanced Color	Management	Security De	vice Settings	223	
4		423SeriesPS					
Print to the follow checked port. Port IP_192.168	De	scription	Printer	÷e			
		m		•			
Add Port		Delete Port	Config	jure Port			
Enable bidirec		:					

2. Click **Add** button in the "Foxit Configuration Tool" dialog box to add the Printer Port.

Note: About how to add a network printer, please see "Add a Network Printer".

- 3. Click on **Export** button to generate a .reg file for the administrator's configuration.
- 4. The administrator can distribute the .reg file to client-end computers.
- ♦ Add a Network Printer

There are two devices to add a network printer as below:


 Go to Start > Devices and Printers > Click Add a printer. In the Add Printer dialog box, click The printer that I want isn't listed to go to the next step.

Printer Name	Address	
k Lexmark X652de (Lexmark International)	192.168.0.7	
		Stop


Follow the instructions shown in the **Add Printer** dialog box as below and complete adding a printer.

Find a printer by name or TCP/IP address	
Browse for a printer	
Select a shared printer by name	
	Browse
Example: \\computername\printername or http://computername/printers/printername/.printer	
Add a printer using a TCP/IP address or hostname	
	Next

• Open the **Run** box by pressing shortcut keys **Win + R**, enter the printer URL you want to add and click **OK**.



In the pop-up dialog box, right-click the printer and choose **Connect** on the context menu.



Remove Hidden Data

Foxit PhantomPDF supports to sanitize documents by removing the hidden information that is private or sensitive for users from their PDFs, generally including metadata, embedded content and attached files, scripts, etc.

You can remove hidden data from a PDF by one-click, please go to PROTECT > Hidden Data >

Sanitize Document

Chapter 11 – Signature

Foxit PhantomPDF provides robust, secure and quick signature features, including digital signature, DocuSign and quick PDF Sign.

Digital Signature

A digital signature acts as a traditional handwritten signature that can be used to authenticate the identity of a user as well as the document content. It stores information about the signer along with the date, time, and state of the document when it was signed.

About Digital ID

Digital ID is the identity of a person/organization, which contains your name, Email address, a serial number, an expiration date, and the name of the company. A digital ID contains two keys, one is a public key (certificate) that is used to encrypt or lock data, and the other is a private key that is used to decrypt or unlock data that is encrypted.

You can distribute your certificate that contains the public key and other identifying information to those people who need to use it to verify your identity, validate your signature, or encrypt a document for you. Only your private key can unlock information that was encrypted using your certificate, so make sure to store your digital ID in a safe place.

You can not only obtain a digital ID from a trusted third-party provider called a Certificate Authority (CA) but also create a self-signed digital ID with Foxit PhantomPDF. Digital IDs are usually protected by password; you can store it on computer in PKCS#12 file format, or in the Windows Certificate Store.

Place a signature

Before you sign a document, you need to draw a signature field where the signature is placed, get a digital ID, and create the signature.

- 1. Choose **PROTECT > Protect > Sign & Certify > Place Signature**.
- 2. Press and hold the mouse button down, and drag to draw a signature filed for your signature.
- 3. In Sign Document dialog box, choose a digital ID from drop-down menu. If you can't find the specified digital ID, you will need to get a certificate from the third-party provider or create a self-signed digital ID.
- 4. (Optional)To create a self-designed digital ID, choose New ID from drop-down menu. In the **Add Digital ID** dialog box, select a location to store the digital ID. Click Next to type your

identity information such as name, organization unit, e-mail address, etc. to be used when generating the self-signed certificate. In **Use Digital ID for**, choose one option as needed. Click **Next** to enter a file name, storage location and password for your new digital ID file. Confirm your password and click **Finish**.

- Choose an appearance type from menu. There are two types to choose, one is Standard Style, and the other is to Create New Style for your signature. Please refer to Creating signature appearance. You can view your signature in Signature Preview panel.
- 6. Click **Sign**. In the Save As window, input the password of the signature, specify the location and file name of the signed document.

Sign Docume	nt 📃 🗙
Sign <u>A</u> s:	Shirley
Password:	•••••
Certificate Is	ssuer: Shirley
Text For S	igning
Location	:
Reason	I am the author of this document
- Signature Appear	ance Type: Shirley
SI	Shirley CN=Shirley, C=US, E=shirley0818@sin.com I am the author of this document 2014-09-07 11:58:10
	Sign Cancel

Note: You can't move or resize a signature after placing it on document, so be sure to the signature location and size before signing document.

By default, the document is signed after you place the signature and then you will not be able to move or resize it. To change the setting, please uncheck the **Sign the document immediately** after the signature is placed option in FILE > Preferences > Signature.

Create signature appearance

You can set the appearance of your digital signature by selecting different options in Sign Document dialog box. For example, a signature can include an image of your handwritten signature, a company logo, or a photo, date and so on. Furthermore you can create dynamic signature appearance to user for different purpose. A signature appearance also includes information that helps others verify your signature, such as reason for signing, contact information, and more.



Different appearances of signatures

- Choose **PROTECT > Protect > Sign & Certify > Place Signature**.
- Press and hold the mouse button down, and drag to draw a signature filed for your signature.
- In Sign Document dialog box, choose **Create New Style** from Appearance Type menu.

Sign Docume	nt
Sign <u>A</u> s:	Shirley
Password:	
Certificate Is	ssuer: Shirley
- Text For S	igning
Location	:
<u>R</u> eason	I am the author of this document
Signature	ocument After Signing Preview
Appear	ance Type: Standard Style Standard Style
Sł	Create New Style Digitally signed by Shirley DN: CN=Shirley, C=US, E=shirley0818@sin.com Reason: I am the author of this document Location: Date: 2014-09-07 11:34:40
	Sign Cancel

• Check the options that you want to appear in digital signature. A signature appearance can include lots of information showing the users attributes, including name, organization, country, logo, location, etc. Click **OK** to continue.

CC	your ommon me hei	Location: your signing location here
-	-	
● No graph	nic	Browse
● No graph	nic d graphic	Browse
No graph Imported Opaci	nic d graphic	
 No graph Imported Opaci Name 	d graphic	
Configure Gr No graph Imported Opaci Name Configure Te	d graphic	

Configure Signature Style Dialog Box

- Click Sign.
- (Optional) After placing the signature, right-click it and choose Properties.... In the Signature Properties dialog box, you can set the appearance, actions, etc. See also <u>Signature Field</u> <u>Properties</u>. (Note: This operation is not available after signing the document.)

Note: To manage the created styles, go to FILE > Preferences > Signature.

Move, resize and delete an unsigned signature

You can move, resize and delete signatures before signing the document, but you aren't allowed to change certificate and appearance of certificate.

1. To move a signature

Select the Annotation Selection Tool \searrow or the corresponding tool, put the pointer over the signature, click and drag the signature to another place you like.

2. To resize a signature

Select the Annotation Selection Tool is or the corresponding Tool, click the signature. Place the cursor on any corner point. Pointer changes into the cursor showing the direction at which the rectangle will be resized.

3. To delete a signature

- Right-click the signature and choose **Delete** from context menu, or press **Delete** key.

Note: If you have checked the **Locked** option in Signature Properties dialog box, the operations to the signature above are not available.

Sign a PDF

A PDF is signed to indicate your approval. The signature isn't resized and moved when you sign the document. A PDF can be signed more than once by more than one person. When you sign a document, your digital signature appears in the signature filed. The appearance of the signature depends on options you select.

- 1. Sign a PDF after placing, please choose one of the followings to sign the document:
 - Choose **PROTECT** > **Protect** > **Sign Document**.
 - Select Hand Tool and right-click the signature, choose **Sign Document**.
 - Select Hand Tool, and click the signature.
 - Set your signature preferences in Preferences dialog box. Choose FILE > Preferences > Signature, check the option of "Sign the document immediately after the signature is placed" to sign the document immediately when the signature is placed.
- 2. Type file name and specify location in pop-up Save As dialog box.

Note: By default, the document is signed after you place the signature. To change the setting, please uncheck the **Sign the document immediately after signature is placed** option in **FILE** > **Preferences** > **Signature**.

Validate Signatures

Check the validity of a signature

If you want to automatically validate all signatures in a PDF when you open the document, please check **Verify signatures when the document is opened** option in **FILE** > **Preferences** > **Signature**. An icon appears on the left top of Signature Validation Status message box to indicate the signature status. The signature state appears in the Signature Panel.

- The question mark icon [?] indicates the signature is not validated.
- The check mark icon \checkmark indicates that the signature is valid.
- The icon $\stackrel{\checkmark}{\sim}$ indicates that the signature is invalid. The document has been altered or

corrupted since the signature was applied.

- The caution triangle icon ¹/₄ indicates the document was modified after signature was added; however, the signature is valid.
- The icon indicates the signature validity is unknown because the signer's certificate isn't in your list of trusted identities.

Validate a signature

1. Open the PDF containing the signature, do one of the followings:

- Choose **PROTECT** > **Protect** > **Validate**.
- Right-click the signature with Hand tool, choose Validate Signature from context menu.
- Select Hand tool on toolbar and click the signature.

2. Pop-up a Signature Validation Status message box which describes the validity of signature.

Tip:

- 1. You can validate signatures by setting your signature preferences. Choose FILE > Preferences > Preferences > Signature.
- 2. Check the **Verify signatures when the document is opened** option to automatically validate signatures in a PDF when you open the document.

Modify a signed signature

To modify a signature after signing the document:

- Validate the signature first. And right-click the signature with hand tool and choose **Clear Signature**. The signature will be cleared and only a blank signature field will be left.
- Click the blank signature field with the hand tool, and create a new signature. See also "Creating signature appearance".

To delete a signed signature:

- Validate the signature first. And right-click the signature with hand tool and choose **Clear Signature**. The signature will be cleared and only a blank signature field will be left.
- Choose the Annotation Selection Tool is or the corresponding tool, right-click the signature field and choose **Delete**.

View Signature Properties

Signature Properties dialog box provides basic information about the signature, including the signer, reason, date, location validity summary and details of certificate, etc.

- **1.** Select the hand tool.
- 2. Right-click the signature, and choose Show Signature Properties from context menu.

3. In Signature Properties dialog box, you can get the information as follows:

- Signed by shows the signers that sign the document.
- **Reason** displays the reason that you create the signature.
- **Date** shows the date time when you signed the document.
- Location shows which page the signature is located on.
- Validity Summary checks whether the document was modified after it was signed, and other information.
- **Show Certificate** click it to show the details of certificate, such as the validity of certificate, certificate path, etc.

-	ure is VALID, signed	oy Shirley <shirley0818@sin.com>.</shirley0818@sin.com>	
etails			
Signed by:	Shirley <shirley081< th=""><th>3@sin.com></th><th>Show Certificate</th></shirley081<>	3@sin.com>	Show Certificate
Reason:	I am the author of	this document	
Date:	2014/09/07 18:37	17 +08'00' Location:	
Validity Su	immary		
💅 Th	e document has no	been modified since this signature was ap	plied.
🖌 Sia	ned by the current	iser.	
🚀 Sig	ned by the current	iser.	
√⁄ Sig	ned by the current	jser.	
	ned by the current	iser. Not available	
	-		
	-		
	-		
	-		

Signature Properties Dialog Box

Note: If the status is unknown, click **Show Certificate...** to view the details of the certificate. Check whether the certificate has been included in your list of trusted identities. If your certificate is not trusted, click **Install Certificate** to install it to the trusted Windows Certificate Store. If you use a self-signed digital ID, confirm that the certificate details are valid. If the certificate isn't valid, a valid certificate from signer is requested.

Uses Windows Certificate Store to Manage Trust List


Windows Certificate Store in Foxit PhantomPDF helps you manage certificates which are trusted when you validate the digital signature. To use this feature, do the following:

- Open a signed PDF document, click the digital signature or right click the signature to select Validate Signature.
- 2. A warning message pops up to show the signature validation status.
- 3. If the signature validity is unknown, click **Signature Properties** > **Show Certificate** > Install the Certificate if you trust it.
- 4. The certificate will be successfully imported.
- 5. Click the digital signature again and a message will show you the Signature is Valid.
- 6. If you don't trust the certificate any more, you can delete it from Windows Certification

Store by choosing **PROTECT** > **Protect** > **Digital IDs**

Signature Panels

The signature panel shows information about each signature in the document as well as the change history of the document since the first signature.



Signature Panel

Open the signature panel

Click Signature button on the left of Navigation Pane.

Quick PDF Signature

Quick PDF Sign enables you to create your self-signed signatures and add the signature to the page directly. You don't need to create different signatures for different roles or other complicated settings.

To create your own handwriting signature and sign a PDF, follow these steps.

- 1. Choose **PROTECT** > **Protect** > **PDF Sign** > **Create Signature**.
- 2. In the **Create Signature** dialog box, you can choose to draw a signature, import a file or from clipboard to create a signature.
- 3. (Optional) If you choose **Draw Signature**, click **Draw** to draw your signature in **Draw Signature** box, and click **OK**.
- 4. If you choose **Import File**, then click **Browse**. And choose the image and click **Open**. You can preview the image in the **Preview** tab.

TIP: You can sign your signature on a clean white sheet of paper using a black pen and scan it to an image file. To create the best signature you had better scan your signature in monochrome at 600 DPI.

- 5. You can set your name as your signature.
- 6. To add a password to your signature, check the item **Require password to use the signature**. Specify a password that users will be required when they sign the document with the signature. Enter the password again to confirm it.
- 7. Click **Save**. The cursor will be changed into a rectangle.
- 8. Put the cursor to the place you want to sign. You can resize it by clicking and dragging the handle. You can also move the signature by dragging it to other places. To remove it, select the signature and press **Delete**.
- 9. To apply the signature to the document, double-click the signature or right-click the signature and select **Apply signature**. Select **Place on Multiple Pages**, and then you can specify the page(s) you want to place.

Note: Once applied, the signature can no longer be edited or deleted.

To manage signatures, do the following:

Choose **PROTECT** > **Protect** > **PDF Sign** > **Manage Signature**. In the **Manage Signature** dialog box, click **Create** to create a signature. Select a signature you created, click **Edit** and you can change your signature. You can preview the signature after you edit it. To delete a signature, select the signature and click **Delete**.

Manage Signature	Preview	
名. 名か対抗 S. Smith		
Atir <i>ley</i> shirley	\$.	Smith
Create Edit Delete		
		ОК

Chapter 12 – Print

Printing is a process for reproducing text and images. When you have finished reading a helpful article or designing a PDF form, you may need to send it to an inkjet or laser printer and print it out with custom page sizes. With this section, you can get the help to set options in the **Print** dialog box to ensure that the finished document appears as intended.

Print a PDF document

- 1. Make sure you have installed the printer successfully.
- 2. Choose **Print** from the **FILE** page.
- 3. Specify the printer or plotter, page range, number of copies, and other options.
- 4. Click Print.

Print a portion of a page

To print a portion of a page, you need to refer to the Snapshot tool SnapShot.

- Select the Snapshot tool by choosing **HOME** >**Tools** > **Snapshot**.
- Drag around the area you want to print.
- Right-click in the selected area > choose **Print**..., and then refer to the <u>"Print Dialog"</u>.

Name:	Foxit PhantomPDF Printer		
Copies:	1 Collate		
🔲 Print as	Grayscale	Prin <u>t</u> as image	
Print Range		Print What	
Selecter	Selected Graphic Document and Mark		•
Current page		Summarize Comments	
<u>A</u> l page	s		
Pages:	1-1	Preview Zoom: 457,25%	
Su <u>b</u> set:	All pages in range 👻	Document: 2.2 x 1.8 inch	
Reverse		Paper: 8.3 x 11.7 inch	
Print Handl			
Reduce Custom	Ine Large Pages Per Sheet Booglet rinter Margins to Printer Margins Scale paper source by PDF page size	Reversed	
☑ Auto- <u>R</u> o ☑ Auto-Ce		Page 1 of 1	

Print a portion of a page

Print multiple pages with page thumbnails

To perform a quick print, you can select multiple pages from a document from the thumbnail list.

- Open the document that you want to print, and then click Pages button on the left navigation pane.
- Shift-click / Ctrl-click/ drag the mouse to select a range of page thumbnails from the document.
- Select **Print Pages** from the right-click menu, and then click **OK**.

Print tabs

You can print one tab you are opening from the tab bar or print out all documents opened in the tab bar at a time.

- 1. Move the pointer to the tab bar.
- 2. Right-click it > Choose **Print Current Tab/Print All Tabs**.

Print Dialog Box

The print dialog is the final step before printing. You can modify the printer in this dialog as well. Be aware that changing the printer may affect the page setup if the new selected printer has a different paper size, for instance.

To open the Print dialog box, choose **FILE** > **Print**. Choose a printer from the menu at the top of the Print dialog box and specify the copies to print. Click **Properties** for more settings. (Refer to "<u>Set Foxit PhantomPDF Printer Properties</u>")

Collate – Assembles the printouts in a proper numerical or logical order when printing several copies. This option will be disabled when printing just one copy. **Print as Grayscale** –Converts color images in the file to shades of gray.

Print as image –Prints pages as bitmap images. If normal printing doesn't work or doesn't produce well, check this option and specify a resolution next to it.

× Print Properties Name Foxit PhantomPDF Printer • Copies: 1 Collate Print as Grayscale Prin<u>t</u> as image Print Range Print <u>W</u>hat Current view Document and Markups Current page Summarize Comments All pages Preview Pages: 0 96.82% Zoom: Subset: All pages in range -Document: Paper: 8.5 x 11.0 inch 8.3 x 11.7 inch Reverse page Print Handling Tile <u>L</u>arge Pages Multiple Page Per Sheet Scale Booklet None <u>Fit to Printer Margins</u> Reduce to Printer Margins Custom Scale Choose paper source by PDF page size Auto-<u>R</u>otate 0 Auto-Center Page 1 of 1 Cancel Advanced ОК

The Print Dialog Box

• Print Range

Specify the page range you want to print.

♦ Subset – Provides options for setting noncontiguous page range.

All Pages in Range – Prints all the pages within the specified range.

Odd pages only – Prints only pages with odd numbers within the specified range.

Even pages only – Prints only pages with even numbers within the specified range.

Note: This option is especially helpful for two-side printing.

Reverse pages – Prints pages in reverse order. If page ranges are entered, the pages print opposite of the order in which they were entered. For example, if you select to print the document from page 5 to page 30, selecting Reverse pages option will print page 30 to page 5.

Print Handling

- Scale None, Fit to Printer Margins, Reduce to Printer Margins and Custom Scale.
 Choose Paper Source by PDF Page Size Automatically selects the paper type according to the page size of the PDFs when printing.
- Tile Large Pages means to tile the pages that are larger than the selected paper size at a specified scale.
- ♦ Multiple Pages Per Sheet multiple pages will be printed on the same sheet of paper. You

can specify the settings like Pages Per Sheet, Page Order, Margins, etc.

- Booklet Booklet printing enables to print multiple pages on the same sheet of paper in correct order if the pages are folded. This requires the printer support to print on both sides.
- Auto-Rotate Adjusts the PDF document's orientation to match the orientation specified in the printer properties.
- Auto-Center Places the PDF pages in the center.
- Advanced Provides an option to auto-detect printers that support PCL for PCL optimization to improve the printing speed.

Print Optimization allows you to optimize print jobs from a PCL driver, for features such as font substitution or scanning for vertical and horizontal rules. Foxit PhantomPDF provides an option to auto-detect printers that support PCL for PCL optimization to improve the printing speed. To enable print optimization, please follow the steps below:

- Choose **FILE** > **Print** to open Print dialog.
- Click Advanced on the left lower corner of the Print dialog.
- In the **Advanced** dialog, do the following:
 - Check PCL Optimization option;
 - Select a printer from Printers list, and click Add to add the selected printer to PCL Optimization Drivers list.
 - Click OK.

Then you can execute printings with the optimized driver. And you can also remove the printer from the PCL Optimization Drivers list if you are not satisfied with the printing results it delivers. Just select the driver to be removed from the PCL Optimization Drivers list, click **Remove** and then choose **OK** to confirmation the operation.

Advanced	
	will be executed with PCL Optimization Driver. You can remove ers" if you are not satisfied with the printing results it delivers.
Printers \\10.103.2.225\Brother_MFC-7860DN { \\10.103.2.225\KONICA MINOLTA 423 Adobe PDF Foxit Reader PDF Printer Foxit Reader PDF Printer Microsoft XPS Document Writer Print to Evernote Send To OneNote 2010 Snagit 11	PCL Optimization Drivers \\10.103.2.225\HP LaserJet P1007 Fax Add Fax - HP Deskjet 4640 series (Network HP Deskjet 4640 series (Network) Remove
< <u> </u>	۲۰۰۲ ۲۰۰۲ ۲۰۰۲ ۲۰۰۲ ۲۰۰۲ ۲۰۰۲ ۲۰۰۲ ۲۰۰

• **Print What** – Specifies to print documents only, annotations only or both.

Document – Prints the document contents without annotations.

Document and Annotations – Prints document contents and annotations.

Annotations – Prints annotations only.

- Summarize Comments Prints the summarized comments to a separate and printable PDF file named "CommentsSummaryPrint.pdf". See also "<u>Summarize Comments</u>".
- **Preview** Foxit PhantomPDF provides an instant preview in the Print dialog box. Drag the slider to preview each page.

Set Foxit PhantomPDF Printer Properties

Before you create a PDF file, you may wish to access PDF Printing Preferences to set up options for your PDF files, there are two ways to access PDF Printing Preferences.

1. Accessing the PDF printing Preferences from Control Panel:

- Go to Start > Settings > Control Panel > Devices and Printers > Printers and Faxes.
- Right-click on the Foxit PhantomPDF Printer and then select Printing Preferences.

2. Accessing the PDF Printing Preferences from the Print dialog box.

• When you print a file and open the Print dialog box, simply click on the **Properties** button, you can bring up the PDF Printing Preferences.

General tab

- Target Folder specifies a destination folder to place the PDF files after generations.
- **Overwrite existing PDF file without confirmation** By default, this option is checked. If you don't hope your file is overwritten without any prompt, you should uncheck this option.
- Use default filename and save to default folder If you don't want to change the original filename, just check this option and the generated PDF file will be automatically saved to the default folder you have assigned.
- **View PDF results** By default, this option is checked; the generated PDF file will automatically open after conversion.
- Support PDF/A 1b Standard allows you to archive PDF files.
- **PDF Specification Version** With Foxit PhantomPDF, you can choose PDF reference version from 1.3 to 1.7 when creating PDFs. Choosing the right PDF reference version can help the PDFs you created better compatible with different PDF viewers.

Conversion Quality

♦ Compressibility- allows you to specify the compressibility.

☆ Color – Prints content in a color PDF file to shades of gray, in colors or only in black and white colors.

Image Resolution - allows you to input a DPI (dot per inch) level for image resolution.
 The valid level value is between 72 -2400.

• Save As Default - If you hope all your settings can be applied to all documents, you must keep the option checked. If you uncheck it, your settings will be effective for the current document only.

Advanced settings... - In the pop-up **Advanced settings** dialog box, there are three tabs: Watermarks, Headers/Footers and Security.

Watermarks tab

Add watermarks to the document – If you want to add watermarks to your document, you can select this option and choose to add Image Watermarks or Text Watermarks.

Image watermarks–You can browse your computer for an image and change the **Opacity**, **Rotation** and **Offsets** of the image which will be added into your document as a watermark.

Text Watermarks

• Font

This option is activated only when Text Watermarks is selected and you can choose the font name, font size and font color from the drop-down menus.

• Text

You can enter text in the **Content** box and change the **Opacity** and **Rotation** of the text which will be added into your document as a watermark.

• Offsets

This option allows you to change the unit of measurement and specify the width, height of the image/text, etc.

• Scale

A. To resize the watermark in relation to the original image size, check **Absolute Scale** and enter a number in the percentage box.

B. To resize the watermark in relation to the PDF page dimensions, check **Relative Scale** and enter a number in the percentage box.

Preview

You can see how the watermark will look like with the selected options.

Headers/Footers tab

Add Headers/Footers to the Document

This option allows you to add headers/footers to your PDF document. By checking this option, the following options will be activated.

Font

You can choose the font name, font size and font color from the boxes.

Edit

This option allows you to edit headers/footers and you can specify their styles.

Click Insert Date to insert date to the PDF document.

Click Insert Page Num to insert page number to the PDF document.

You can enter text in the columns (Left Column, Center Column and Right Column) if needed.

Offsets

This option allows you to change the unit of measurement and specify the margins for all 4 sides.

Preview

You can see how the headers/footers will look with the selected options.

Security tab

The security feature of PDF gives you exceptional control over PDF files. Choose a protection type.

1. Password Protection

Password

• **Require a password to open the document** – selects to require users to type the password you specify to open the document.

• **Document Open Password** – specifies a password that users must type to open the document.

Permission

 Require to add document restriction – restricts actions to PDF files, such as printing, editing, etc.

Permission Specification

- Printing Allowed specifies the level of printing that users are allowed for the PDF document.
 - A. Print with low resolution allows users to print at no higher than 150-dpi resolution.
 - B. Print with high resolution allows users to print at any resolution.
- Changes Allowed defines which editing actions are allowed in the document.
 - A. Fill in a form lets users fill in forms. The option doesn't mean that users can create form fields.
 - B. Comments in the document lets users add comment to the PDF document.
 - C. Manage pages and bookmarks lets users insert, rotate, delete pages, as well as add bookmarks.
 - D. Any except extracting pages let users do all editing actions listed above except extracting pages.

Enable copying of text, image and other context - defines the contents that are allowed to be extracted in the PDF document.

Enable text access for screen reader device for visually impaired - Facilitates the visually impaired users to use voice recognition software in screen reader devices to read the generated PDF files.

Protection Setting

- **Protection Algorithm** defines data transformations that cannot be easily reversed by unauthorized users. Foxit Creator supports 128-bit AES and 128-bit ARC-FOUR.
- **Don't encrypt metadata** encrypts the contents of a PDF file but allow search engines access to the document metadata when it is checked.
- 2. Certificate Protection

Recipient List

• Click **Import** to import certificate from Windows Certificate store.

- Click Browse to import certificate from disk.
- Click **Remove** to delete a recipient from recipient list.
- Click **Details** to view the detail of the certificate.

Permission Specification

- Printing Allowed specifies the level of printing that users are allowed for the PDF document.
 - A. Print with low resolution allows users to print at no higher than 150-dpi resolution.
 - B. Print with high resolution allows users to print at any resolution.
- Changes Allowed defines which editing actions are allowed in the document.
 - A. Fill in a form lets users fill in forms. The option doesn't mean that users can create form fields.
 - B. Comments in the document lets users add comment to the PDF document.
 - C. Manage pages and bookmarks lets users insert, rotate, delete pages, as well as add bookmarks.
 - D. Any except extracting pages let users do all editing actions listed above except extracting pages.

Enable copying of text, image and other context - defines the contents that are allowed to be extracted in the PDF document.

Enable text access for screen reader device for visually impaired - Facilitates the visually impaired users to use voice recognition software in screen reader devices to read the generated PDF files.

Protection Setting

- Encryption Protection defines data transformations that cannot be easily reversed by unauthorized users. Foxit Creator supports 128-bit AES and 128-bit ARC-FOUR.
- **Don't encrypt metadata** encrypts the contents of a PDF file but allow search engines access to the document metadata when it is checked.

Layout tab

- **Orientation** Allows you to change the page orientation.
- Page Size This option is for you to choose one of paper types from the list, or click Custom
 Page Size and then add a new page size where you can specify the paper size dimensions in the Add/Edit Custom Page Sizes box.
- Unit of Metrics Allows you to change the unit of measurement, including inches,

centimeter and millimeters.

You can see how your document layout will look with the selected options.

Fonts tab

Embed Fonts

- Embed all fonts All fonts in the Font Source list will be embedded into your PDF document when you choose this option. To ensure that the PDF file you create is fully portable and readable on computers that may not have the same fonts installed, you should embed all fonts to guarantee that none are missed.
- Embed nonstandard fonts This option allows you to embed nonstandard fonts installed in your computer to your PDF document.

Note: This will increase the size of your document considerably, particularly if you are using Unicode languages like Asian languages. The font embedding list will be disabled when this option is selected.

- Use the font embedding list below Font embedding list will be available when you select this option. You can check and uncheck the fonts in the list to choose the fonts you want to embed into PDF files.
- Don't embed any fonts All fonts in the embedding list will be unchecked when this option is selected. And when you read the created PDF files, fonts installed on your computer will be used.
- Show warning message when the document contains fonts that are not allowed to be embedded – If you check this, when you open a document which contains fonts that are not allowed to be embedded, a warning message will prompt.

Document Info tab

Add information to the document – This option allows you to set PDF document properties, such as Title, Subject, Author, etc. You can add information when it is checked.

PDF Information – You can enter the title, subject, author, keywords and creator of the document. Producer is the Foxit PhantomPDF.

About tab

This tab shows the information of Foxit PhantomPDF and the related copyrights and information.

Chapter 13 – Appendices

This section is a collection of supplementary materials for this user manual as well as Keyboard Shortcuts, and Command Lines.

- Quick Installation Guide
- GPO Manual
- SharePoint Configuration
- Quick Start for Azure Active Directory Rights Management
- Shortcut Keys
- Command Lines

Quick Installation Guide

This section gives you an overview of Foxit PhantomPDF, including installation, activation, uninstallation and update.

Installation, Activation and Uninstallation

Installing Foxit PhantomPDF

The Foxit PhantomPDF installer is an EXE file. Please download the installer to your computer, and then do the following: (Take *Business* edition for example.)

1. Double click the installation package file, and you will see the setup wizard pop up. Click **Next** button to continue.



2. This program is protected by copyright law and you have to accept the License Agreement to proceed. Check the I accept the terms in the License Agreement item to continue.

B Foxit PhantomPDF Setup			
End-User License Agreemen Please read the following licen			
FOXIT SOFTWARE INC. L SOFTW	ICENSE AGREEMENT FO	DR DESKTOP	
IMPORTANT-READ CAREFULLY: This Foxit Software Inc. ("Foxit") License Agreement ("License" or "Agreement") is a legal agreement between You (either an individual or an entity, who will be referred to in this License as "You" or "Your") and Foxit for the use of desktop software applications, and which may include associated media, printed materials, and other components and			
<u>Print</u>	Back	<u>V</u> ext Cancel	


3. There are two setup types for you in this step. You can also change the installation directory or keep the default settings.

Typical — installs all features by default but requires more disk space.

Custom — Allow users to choose which program features will be installed

😸 Foxit PhantomPl	DF Setup	
Choose Setup Choose the s	etup type that best suits your needs	
Typical	All program features will be installed. Requires the most disk space. Recommended for most users.	
Custom	Allows users to choose which program features will be installed.	
Install Foxit PhantomPDF to: C:\Program Files (x86)\Foxit PhantomPDF\ Change		
c. drogram ri		
	Back Install Cancel	

- 4. After selecting the appropriate setting, click **Install** to start the installation.
- 5. When the process is complete, a message tells you that Foxit PhantomPDF is installed. You can choose to check the Launch Foxit PhantomPDF item to run the application right now. Click Finish to complete the installation.



Upgrading to Foxit PhantomPDF Business

After successful installation, you can start working with Foxit PhantomPDF *Express*. There are more advanced features in Foxit PhantomPDF *Standard/Business*. For the differences between *Express* edition and *Standard/Business* edition, please refer to "Foxit PhantomPDF Overview".

Foxit PhantomPDF offers a 30-day free trial period of *Business* edition. To start the trial of Foxit PhantomPDF *Business*, please go to **HELP** > **Upgrade to Business** in the Foxit PhantomPDF *Express* application window, and click **Free Evaluation** button.



When the trial period expires, you can choose to purchase the *Standard/Business* edition or downgrade to the free *Express* edition.

You can purchase *Standard/Business* edition at any time. Depending on the edition you are using, you can click **Purchase** button from Ribbon to purchase the license in the Foxit store online.


After purchasing Foxit PhantomPDF *Standard/Business* you will receive the license key. Please click **Activate** button to activate Foxit PhantomPDF *Standard/Business* using your license key.

You can activate Foxit PhantomPDF *Standard/Business* at any time using the license key you have. Depending on the edition you are using, you can click **Activate** button from Ribbon.

For the activation, see <u>Activating Foxit PhantomPDF Standard/Business</u>.

Activating Foxit PhantomPDF Standard/Business


1. After clicking **Activate**, the activation wizard will prompt you to install the key. Or input the code of registration key. Then click **Next** to continue.



2. Type the Licensee name in the licensee text field. Then click Activate Now to activate.

it PhantomPDF A	Activation				_
Welco	me to activ	vate			
Help->About	he Licensee Field be like the example. to connect to the I		iish your activat	ion. It will be disp	layed in
Licensee:					
Example:					
Edition: Sta	andard/Business				
Version: 7.0	D				
Copyright (© 2004-2014 Foxit \$	Software	Inc. All Rights	Reserved.	
Licensed to	: Licensee Name				
S/N: xxxx					
			< Back	Activate Now	Cancel

3. If you activate successfully, a message box pops up. Click **OK**.



4. You should restart the application for the changes to take effect. To restart it now, please click **OK**; or click **Cancel** to restart it later.

Restart Needed	X
Your session needs to be restarted to complete the activation. Click "OK" to restart it now.	
Or you can click "Cancel" and restart it later.	
OK Can	cel

Uninstalling Foxit PhantomPDF

How to Uninstall

Please do one of the following:

- Click Start > Control Panel > Programs and Features > Select Foxit PhantomPDF and click
 Uninstall.
- Double click the file uninstall.exe under Foxit PhantomPDF installation directory Drive

name:\...\Foxit Software\Foxit PhantomPDF\.

Command-line Parameters Installation and Uninstallation

Install commands are as shown below:

- 1) /help: shows the help information.
- 2) /extract <path>: extracts the content in the package to the specified path. If no path is specified, the content will be extracted to the current existing directory.
- 3) /quiet: executes silent installation.
- /lang <en|de|es|fr|zh-hk|it|jp|ko|n||pt|ru|zh-tw|zh>: chooses a language for the application.
- 5) /force: forces overwriting of existing installation.
- 6) /shortcut: creates a desktop shortcut (not a default).

- 7) /log <path>: creates a log file.
- 8) /repair: repairs the installation.

Add uninstall commands as shown below:

- 1) /uninstall: uninstalls the application.
- 2) /log <path>: creates a log file. The default path is %temp% and the name of the log file is foxit_setup.log.
- 3) /quiet: executes silent uninstallation.
- 4) /clean: executes with the command /uninstall, removing all of the registry and data.

Foxit PhantomPDF Add-ons

Foxit PhantomPDF provides separate add-ons to increase product capability. Most of the add-ons, including JPEG2000/JBIG Decoder, Spell Checker and Firefox Plugins, have been integrated into Foxit PhantomPDF package. There is no need to install them separately.

If there are any upgrades of those add-ons, you can go to **HELP** > **Check for Update** to download and install the latest version. See <u>Updating Foxit PhantomPDF</u>. You can also get new available add-ons from **HELP** > **Check for Update** using the same procedure.

Updating Foxit PhantomPDF

Foxit PhantomPDF main program along with add-ons can be updated from the **HELP** menu. Foxit PhantomPDF also has an auto-update feature. Whenever there is a new version detected, Foxit PhantomPDF will prompt you to update.

Updating from the Help Menu

- 1. Choose **HELP** > **Check for Update**.
- 2. In the pop-up dialog box, select updates from the column on the left, and click **Add** to move them to the right column. Only the updates and components appropriate for your product will be listed. Click **Next** to download and install the update.

GPO Manual

What is Group Policy?

Group Policy (GPO), a feature of the Microsoft Windows NT family of operating systems, is a set of rules that control the working environment of user accounts and computer accounts. It offers

the centralized management and configuration of operating systems, applications, and users' settings in an Active Directory environment.

Group Policy can configure most system settings, save power by utilizing smart power settings, give individual users more control over their machines with administrator privileges and increase system security.

This guide will introduce steps to help you master how to quickly add and modify the new GPO template for configuring your installation of Foxit PhantomPDF.


Personal Computer Setting

There are two file types of group policy template of Foxit PhantomPDF: .adm and .admx. Different types are compatible with different operation systems, but have the same settings. The template of .adm file type is compatible with Windows XP and later, while .admx is compatible with Server 2008, Server 2012, Windows Vista and later.

Set Template Preference

For .adm file, follow the steps as below:

- Please click Start >Run or use the shortcut key Ctrl + R and type gpedit.msc to open Group Policy Editor.
- Right-click the management template and choose **Add/Remove Template** in the context menu. In the opened dialogue box, add the group policy template of Foxit PhantomPDF. The Foxit PhantomPDF template will appear in the left navigation pane and you can set its template preferences.



For .admx file, put the .admx file in C:\Windows\PolicyDefinitions and do the setting. The .admx file should be used in combination with an .adml file. And the .adml file should be put in C:\Windows\PolicyDefinitions\language. For example, if in the English OS, the .adml file should be put in C:\Windows\PolicyDefinitions\en_us.

Example: Not Show Community Language

- Choose Foxit PhantomPDF > Preferences > Application Language.
- Double-click Application Language to open the dialog box and check the option Enabled and check Not Show Community Language. Then only the official languages will show in the FILE > Preferences > Language.
- If the option **Not Configured** or **Disabled** is checked, the languages translated by community will be displayed.

Local Group Policy Editor				_ 0 %	J		
File Action View Help)		Application Langu	12/10	11		
🗢 🔿 🙋 📊 🗟 🛛							5
📑 Local Computer Polic 🔺	Preferences		Application Lang	guage		Previous Setting Next Setting	
4 👰 Computer Config	Application Language	Setting					
Software Settine Windows Settine		^ IE 'About Foxit	Not <u>C</u> onfigured	Comment:		A	
Administrative	Edit policy setting	📄 🗄 Default PDF	Enabled				
Control Pa	Requirements:	E Forbid Chec	Disabled				
▷ Metwork Printers ■	Microsoft Windows XP SP2 or later	Home Page		Supported on:	Microsoft Wind	dows XP SP2 or later	i l
Printers = b ≦ System	Description:	E Start Page				-	
Windows (Enable this option to change the application language settings.	🗉 🔝 Enable Safe I	F				1
a 🧮 Classic Ad	Charle IDarah Charles Community	E Toolbar Mor				Help:	
⊿ 🧰 Foxit P ▷ 🧰 Toc	Check 'Don't Show Community Languages' to hide community	Application Default Tool		unity Language		Enable this option to change the application language settings.	
> 🧾 Me	languages. Otherwise community- translated languages will be listed	E Derault 100					
📔 Plu	under official languages.	Insert Printe	Default Application	Language	_	Check 'Don't Show Community Languages' to hide community languages. Otherwise community-translated languages will be	
Pre ⊳ 🛄 Rib	Default Application Language:					listed under official languages.	
⊳ 📑 RM	Input a language file name, such					Default Application Language: Input a language file name, such	
All Catting	as 'lang en us.xml', to set this Extended (Standard /	▼ (as 'lang_en_us.xml', to set this language as default application language. This will remove the setting item in 'Preferences >	
12 setting(s)						Languages'.	

- Other settings can be configured in the same way.
- To add tools to the default toolbar menu, please go to Foxit PhantomPDF > Toolbars > Custom Toolbars > double-click the target menu, check Enabled and check the desired tools to be shown on the default toolbar.


Note: *Group Policy setting includes computer configuration and user configuration.*

Computer configuration takes precedence over user configuration. The application will use the computer configuration if both the computer and user configure a specific function at the same time. Please note that if the option **Disabled** is a valid configuration, the setting will be shown in the help information. Otherwise, the corresponding registry entry will be removed as selecting Unconfigured. (The value of the option Disabled in the Group Policy Template of Foxit PhantomPDF is invalid.)

GPO Deployment (for Server)

Create GPO Management

- If you already have an Active Directory domain and organizational unit configured, please skip to "Apply the Foxit Template" section.
- Choose Start > Administration Tools > open "Active Directory Users and Computers" > right-click the field "wx.com" > choose New > Organization Unit.




• In the opened New Object - Organization Unit dialogue box, type the unit name (For this example, we have named the unit "qa") and click **OK**.

😑 Active Directory Users and Con	nputers			<u>_ 0 ×</u>
File Action View Help				
🗢 🔿 🛅 🛅 🗎 🗔 🧔	🗟 🔽 🖬 🧏 📚 🛅 🝸 💆 🍇			
Active Directory Users and Comput	Name	Туре		Description
🕀 🧮 Saved Queries	Builtin	builtinDomain		
🛨 🏥 wx.com	Computers	Container		Default container for upgr
New O	bject - Organizational Unit	· · · 10.5	×	Default container for dom
				Default container for secu Default container for man
_	9			Default container for man
	Create in: wx.com/			
Nar	ne:			Default container for upgr
qa				
1				
	Protect container from accidental deletion			
	ОК	Cancel Help		

• Right click the created organization unit "qa" and choose **New** > **User**. For this example, we have named the user "King".

Active Directory Users and Con	puters	
File Action View Help		
🗢 🔿 🖄 📅 🖌 📋 🛠] @ 🖦 🛛 📰 🧏 🗽 🛅 🍸 🗾 🎘	
Active Directory Users and Comput	Name Type	Description
🕀 🚞 Saved Queries	New Object - User	X
🖃 🏥 wx.com	new Object - Oser	
🕀 🧮 Builtin		
Computers	Create in: wx.com/ga	
Domain Controllers		
	First name: king Initials:	
+ 🖸 qa1		
1 🗐 qa2	Last name:	
🕀 📔 Users		
	Full name: king	
	User logon name:	
	king @wx.com	
	U	
	User logon name (pre-Windows 2000):	
	WX\ king	
	< Back. Next > Canc	e



• Click Start > Programs > Administration Tools > open the Group Policy Management console

and right-click the created organization unit "qa" and choose **Create a GPO in this domain,** and Link it here....

🛃 Group Policy Management	
🔜 File Action View Window Help	
💠 🔿 🗾 📋 💥 🖻 🧕 📔 🖬	
Group Policy Management Group Policy Management Common Controllers Create a GPO in this domain, and Create a GPO in this domain, and Crea	qa Linked Group Policy Objects Imk it here
Create a GPO in this domain and link it to this container	

If you cannot find the Group Policy Management in Administration Tools, please install the application package GPMC.MSI. You can download the package by clicking the link http://www.microsoft.com/en-us/download/details.aspx?id=21895.


Apply the Foxit Template

Foxit Reader Setup.msi	A DNS	
Group Policy Management	222	Event Viewer
		🧟 Group Policy Management
Active Directory Users and	¥≡	k iSCSI Initiator
Computers		Local Security Policy
Foxit Reader 5.1	admin	N Performance Monitor
		a Security Configuration Wizard
Internet Explorer	Documents	Server Manager
		Services
Command Prompt	Computer	😿 Share and Storage Management
	Network	🔄 Storage Explorer
Notepad		System Configuration
	Control Panel	Task Scheduler
Active Directory Domains and Trusts		Windows Firewall with Advanced Security
in tusts	Devices and Printers	Windows Memory Diagnostic
iSCSI Initiator		🔯 Windows PowerShell Modules
	Administrative Tools	🐌 Windows Server Backup
Microsoft Outlook 2010	Help and Support	
i lo lo lo lo		
Local Security Policy	Run	
All Programs		
Search programs and files	Shut down 🕨	

• Type the GPO name in the "New GPO" dialogue box and click **OK**.

Name:	
PhantomPDF	
Source Starter GPO:	
(none)	

• Right-click the new GPO and choose **Edit...** in the right-click menu to open Group Policy Editor.



 Right-click the Template Management and choose Add/Remove Template to add Foxit PhantomPDF template. Please refer to <u>Set Template Preference</u>.

J Local Group Policy Editor	r 🐘 👕						
File Action View Help							
🗢 🔿 🖄 📰 🗟 🖬	7						
Local Computer Policy A Result Computer Configuration	ion	Administrative Templates					
Image: Software Settings		Select an item to view its	Setting				
Windows Settings		description.	Control Panel				
Administrative Ten	mplates		🖴 Desktop				
A 😢 User Configuration			Network				
 Software Settings Windows Settings 			Shared Folders				
Administrative Tee			Start Menu and Taskbar				
	Add/Remove Templates		System				
Desktop	Filter On		Windows Components				
Network	Filter Options		Classic Administrative Templates (ADM)				
Shared Fc	Re-Apply Filter		Call Settings				
Start Men ▷ System	All Tasks	•					
▷ I Windows \	View	•					
Classic Ac All Setting	Export List						
	Help						
		Extended Standard /	•				
Manage administrative tem	plates						

• For configuring options, please refer to **Example: Not Show Community language**.

GPO Items

The following table introduces some simple manipulations in GPO to speed up your working process.

Items	in	GPO	Temp	olate

Folder Path	ltem	Options	Description
Foxit PhantomPDF >	Basic		Select the tools to be
Toolbars > Custom	View		displayed in the default
Toolbars (Classic Mode	Edit		toolbar.
Only)	Format		
	Property		
	Forms		
	Comments		
	Drawing		
	Measurements		
	Measurement Format		
	Protect		
	Convert		
	Organize		
	Find		
	DocuSign		
	Image Editor		
	Shape		
	Shape Format		
	Read		
Foxit PhantomPDF >	Basic		Delete buttons from the
Toolbars > Delete	View		default toolbar. To
Button (Classic Mode	Edit		remove all the buttons,
Only)	Format		remove the toolbar.
	Property		
	Forms		
	Comments		
	Drawing		
	Measurements		
	Measurement Format		
	Protect		
	Convert		
	Organize		
	Find		
	DocuSign		
	Image Editor		
	Shape		
	Shape Format		

User Manual

	Read		
			Demonstration and an and
Foxit PhantomPDF >	The items layout is the		Remove selected menus
Menus > menu name	same with Foxit		from the menu list. The
(Classic Mode Only)	PhantomPDF User		selected menu will be
	Interface under Classic		removed once all
	Toolbar Mode.		sub-menus have been
			removed.
Foxit PhantomPDF >	Domovo Coosifio Diugino		Input the plugin name
Plugin	Remove Specific Plugins		which needs to be
Flugili			removed.
			Only applications
			with .fpi extensions can
			be removed from Foxit
			PhantomPDF.
	Remove Plugins	Updater	Remove the selected
		Speech	plugins.
		RMSV1	
		RMSV2	-
		SharePoint	-
		DocuSign	-
		CommentsSummary	-
		ComparePDF	_
		PageEditor	_
		ShareReview	_
Foxit PhantomPDF >	'About Foxit	Copyright	Set the new contents in
Preferences	PhantomPDF' Dialog	Copyright Content	'About Foxit
		BackGroundPath	PhantomPDF' dialog.
Foxit PhantomPDF >	Default PDF Viewer	Web Browser PDF	Set Foxit PhantomPDF
Preferences		Viewer	as the default PDF
		System PDF Viewer	viewer for 'System PDF
			Viewer' and 'Web
			Browser PDF Viewer'.
			This setting requires
			Administrator
			permission. In a domain

		L	Iser Manual
Foxit PhantomPDF > Preferences	Forbid Checking of Default PDF Viewer		environment, if the client doesn't have the Administrator permission, there will be a UAC prompt after the boot. Hide the 'Set to Default PDF PhantomPDF' dialog when Foxit PhantomPDF isn't the default PDF viewer.
Foxit PhantomPDF >	Home Page Settings	Menu Name	Set the new menu
Preferences		URL	contents of 'Help > Foxit Corporation Home Page' menu item.
Foxit PhantomPDF > Preferences	Main Program Name	Main Program Name	Change the program's name. The default is 'Foxit PhantomPDF'.
Foxit PhantomPDF > Preferences	Start Page	Hide Start Page	Change the settings of Start Page.
Foxit PhantomPDF > Preferences	Enable Safe Reading Mode		Change the settings of Safe Reading Mode.
Foxit PhantomPDF > Preferences	Toolbar Mode	Settings (Ribbon Mode or Classic Toolbar Mode)	Change the settings of Toolbar Mode.
Foxit PhantomPDF > Preferences	Application Language	Not Show Community Language Default Application Language	Change the application language settings.
Foxit PhantomPDF > Preferences	Default Toolbar	Settings (Forbid Modification or Forbid Modification And Hide Toolbar)	Change settings of the toolbars: 'Forbid Modification' or 'Hide Toolbar'.
Foxit PhantomPDF > Preferences	Status Bar	Settings (Auto-hide Status Bar, Hide Status Bar or Show Status Bar)	Change the settings of Status Bar.
Foxit PhantomPDF > Preferences	Insert Printed PDF into Previously Generated PDF		Set to append PDF files generated with Foxit PhantomPDF Printer to previously generated files.

		User Manual
Foxit PhantomPDF > Ribbon	TabElements (the button items in Quick Access Toolbar and menu bar) RibbonCategory (the button items in each tab)	Hide the selected button items in Ribbon Mode.
Foxit PhantomPDF > RMS > Preferences	Use Deprecated Encryption Algorithms	Use deprecated encryption algorithms (RSA 1024 encryption algorithm) to be compatible with the previous version and disable the setting in 'Preferences > RMS Setting'.
	Encrypt metadata Forbid Web Viewing of Protected Content	Encrypt document metadata. This disables the setting in 'Preferences > RMS Setting'. Forbid viewing of protected content in browsers using the Foxit plugin.
	Use AD RMS Plug-in V1	Use the AD RMS plugin version 1, which supports Windows XP. The protected PDF files will be saved in Foxit protected PDF format and can only be opened by Foxit products. RMS plugin version 1 only supports SHA-1/RSA 1024 algorithm for encryption and decryption.
	Add 'protected' to the name of encrypted files	Append "(protected)" to the end of the file name of encrypted files.
	Save As	Turn on the Save As

User Manual

	0	ser manual
		feature for RMS
		protected files.
Extended Rights		Turn on the extended
		rights feature in the
		client. Extended rights
		allow the document
		owner to control the
		following items:
		Access times: Limit
		times that users can
		access a document.
		Print times: Limit times
		that users can print a
		document.
Dynamic Revocation		Turn on the dynamic
		revocation feature in
		the client. Revocation is
		a mechanism that
		revokes a PDF
		document that has
		already been issued.
		The primary purpose of
		revocation is to prevent
		entities that are no
		longer trusted from
		participating in an RMS
		system.

SharePoint Configuration

Before using the check in/check out features in Foxit PhantomPDF, please configure the SharePoint Server.

- Download PDF icon from http://www.foxitsoftware.com/images/icons/pdficon.gif.
- SharePoint 2007: Copy the downloaded.GIF file to "Drive: \Program Files\Common Files\Microsoft Shared\Web Server Extensions\12\Template\Images".

SharePoint 2010: Copy the downloaded.GIF file to "Drive:\Program Files\Common Files\Microsoft Shared\Web Server Extensions\14\Template\Images"

User Manual

• SharePoint 2007: Edit the file "Drive:\Program Files\Common Files\Microsoft Shared\Web server extensions\12\Template\Xml\DOCICON.XML".

SharePoint 2010: Edit the file "Drive:\Program Files\Common Files\Microsoft Shared\Web server extensions\14\Template\Xml\DOCICON.XML".

SharePoint 2013: Edit the file "Drive:\Program Files\Common Files\Microsoft

Shared\Web server extensions\15\Template\Xml\DOCICON.XML".

To edit the file, please refer to the following steps:


- a. Right-click DOCICON.XML file > click Open With > select Notepad.
- b. Add an entry for the file with .pdf extension and take it as the file's name. For example, type the ICPDF as the name of the .gif file:

<Mapping Key="pdf" Value="pdficon.gif"

OpenControl="FoxitPhantomPDF.OpenDocuments"/>

e Edit Format Viev	
	v Help
xml version="1	1.0" encoding="utf-8"?>
ocIcons>	
<byprogid></byprogid>	
<mapping< td=""><td>g Key="Excel.Sheet" Value="ichtmxls.gif" EditText="Microsoft Excel" OpenControl="SharePoint.OpenDocuments'</td></mapping<>	g Key="Excel.Sheet" Value="ichtmxls.gif" EditText="Microsoft Excel" OpenControl="SharePoint.OpenDocuments'
<mapping< td=""><td>g Key="FrontPage.Editor.Document" Value="ichtmfp.gif" EditText="Microsoft SharePoint Designer" OpenControl</td></mapping<>	g Key="FrontPage.Editor.Document" Value="ichtmfp.gif" EditText="Microsoft SharePoint Designer" OpenControl
<mapping< td=""><td>g Key="InfoPath.Document" Value="icxddoc.gif" EditText="Microsoft InfoPath" OpenControl="SharePoint.OpenX4</td></mapping<>	g Key="InfoPath.Document" Value="icxddoc.gif" EditText="Microsoft InfoPath" OpenControl="SharePoint.OpenX4
Manning	n Kev-"InfoRath Document 2" Value-"icyddor gif" EditText-"Microsoft InfoRath" OpenControl-"SharePoint Oper
Manning	Kay-"Inforath Document 3" Value-"icyddoc gif" EditText-"Microsoft Inforath" OpenControl-"SharePoint Ope
Manning	Réy="InfoPath.Document.3" Value="icXddoc.gif" EditText="Microsoft InfoPath" openControl="SharePoint.open g Key="InfoPath.Document.4" Value="icXddoc.gif" EditText="Microsoft InfoPath" openControl="SharePoint.open g Key="InfoPath.Document.4" Value="icXddoc.gif" EditText="Microsoft InfoPath" openControl="SharePoint.open
Manning	Key="ODC.Cube" Value="icodcc.qif" EditText="Microsoft Excel" OpenControl="SharePoint.openDocuments"/>
Manning	g Key="ODC.Database" Value="icodcd.gif" EditText="Microsoft Excel" OpenControl="SharePoint.OpenDocuments",
Manning	g Key="ODC.Table" Value="icodct.gif" EditText="microsoft Excel" openControl="SharePoint.OpenDocuments"/>
Mapping	Kay-"Openete Network" Value-"Coluct gr Edit and Frita Strengt Construction Star Profile Star Pro
Mapping	g Key="Onenote.Notebook" Value="icnotebk.png" EditText="Microsoft OneNote" OpenControl="SharePoint.OpenDoo g Key="PowerPoint.Slide" Value="ichtmppt.gif" EditText="Microsoft PowerPoint" OpenControl="SharePoint.Open
Mapping	g Key="Publisher" opercontrol="sharepoint.oper g Key="Publisher" opercontrol="sharepoint.oper
<mapping< td=""><td>g Key="SharePoint.DocumentSet" Value="icdocset.gif"/> g Key="SharePoint.WebPartPage.Document" Value="icsmrtpg.gif" EditText="Microsoft SharePoint Designer" Ope</td></mapping<>	g Key="SharePoint.DocumentSet" Value="icdocset.gif"/> g Key="SharePoint.WebPartPage.Document" Value="icsmrtpg.gif" EditText="Microsoft SharePoint Designer" Ope
<mapp inc<="" td=""><td>Key= sharepoint. webpartrage. bocument value= icsmrtpg.gii Editrext= Microsoft sharepoint besigner oper</td></mapp>	Key= sharepoint. webpartrage. bocument value= icsmrtpg.gii Editrext= Microsoft sharepoint besigner oper
<mapping< td=""><td>g Key="Visio.webDrawing" Value="icvdw.gif" EditText="Microsoft Visio" OpenControl="SharePoint.OpenDocument g Key="Word.Document" Value="ichtmdoc.gif" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocument:</td></mapping<>	g Key="Visio.webDrawing" Value="icvdw.gif" EditText="Microsoft Visio" OpenControl="SharePoint.OpenDocument g Key="Word.Document" Value="ichtmdoc.gif" EditText="Microsoft Word" OpenControl="SharePoint.OpenDocument:
<mapping< td=""><td>Key= word. Document value= 1chtmdoc.git Editlext= Microsoft word opencontrol= sharepoint. OpenDocument</td></mapping<>	Key= word. Document value= 1chtmdoc.git Editlext= Microsoft word opencontrol= sharepoint. OpenDocument
	g Key="xDocs.Document"_value="icxddoc.gif"_EditText="Microsoft InfoPath" OpenControl="SharePoint.OpenXMLD
<mapping< td=""><td>g Key="SharePoint.Link" value="DOCLINK.GIF"/></td></mapping<>	g Key="SharePoint.Link" value="DOCLINK.GIF"/>
	ǵ Keý="SharePoint.SearchAdminReport" Value="icsadrep.gif" EditText="Microsoft SharePoint Designer" OpenCor
<byextension< th=""><th></th></byextension<>	
diamain	g Key="pdf" Value="pdficon.gif" OpenControl="FoxitPhantomPDF.OpenDocuments"/>
<mapping< td=""><td>g Key="accdb" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/></td></mapping<>	g Key="accdb" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/>
<mapping< td=""><td></td></mapping<>	
	n Kev="accdt" Value="icaccdb.gif"/>
<mapping< td=""><td>g Key="accdt" Value="icaccdb.gif"/> g Key="accdc" Value="icaccdb.gif"/></td></mapping<>	g Key="accdt" Value="icaccdb.gif"/> g Key="accdc" Value="icaccdb.gif"/>
<mapping< td=""><td>9 Key="accdt" Value="icaccdb.gif"/> 9 Key="accdc" Value="icaccdb.gif"/> 9 Key="accde" Value="icaccdb.gif"/> 9 Key="accde" Value="icaccdb.gif" _5ditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/></td></mapping<>	9 Key="accdt" Value="icaccdb.gif"/> 9 Key="accdc" Value="icaccdb.gif"/> 9 Key="accde" Value="icaccdb.gif"/> 9 Key="accde" Value="icaccdb.gif" _5ditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/>
<mapping Mapping</mapping 	j Key="accdt" Value="icaccdb.gif"/> J Key="accdc" Value="icaccdb.gif" /> J Key="accde" Value="icaccdb.gif" EditText="Microsoft Access" OperControl="SharePoint.OpenDocuments"/> J Key="accde" Value="icaccdb.gif" EditText="Microsoft Access" OperControl="SharePoint.OpenDocuments"/>
<mappin <mappin <mappin <mappin< td=""><td>g Key="accdt" Value="icaccdb.gif"/> g Key="accdc" Value="icaccdb.gif"/> g Key="accdc" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key="accdr" Value="icaccde.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key="accdr" Value="icaccde.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key="accdr" Value="icaccde.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/></td></mappin<></mappin </mappin </mappin 	g Key="accdt" Value="icaccdb.gif"/> g Key="accdc" Value="icaccdb.gif"/> g Key="accdc" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key="accdr" Value="icaccde.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key="accdr" Value="icaccde.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key="accdr" Value="icaccde.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/>
<mappin ⊲Mappin ⊲Mappin ⊲Mappin ⊲Mappin</mappin 	j Key-"accdt" Value="icaccdb.gif"/> J Key-"accdc" Value="icaccdb.gif"/> J Key-"accde" Value="icaccdb.gif" /> J Key-"accde" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> J Key-"acact" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> J Key-"asax" Value="icasx.gif" OpenControl=""/> Rey-"asax" Value="icasx.gif" EditText="Microsoft SharePoint Designer" OpenControl="SharePoint.OpenDocuments"/>
<pre><mapping <="" <mapping="" pre=""></mapping></pre>	g Key="accdt" Value="icaccdb.gif"/> g Key="accdc" Value="icaccdb.gif"/> g Key="accdc" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key="accdr" Value="icaccde.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key="asax" Value="icaccde.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key="asax" Value="icasx.gif" OpenControl="/> g Key="asax" Value="icasx.gif" DepenControl="/> g Key="asax" Value="icasx.gif" DepenControl="/>
⊲Mapping ⊲Mapping ⊲Mapping ⊲Mapping ⊲Mapping ⊲Mapping ⊲Mapping ⊲Mapping	j Key-"accdt" Value="icaccdb.gif"/> J Key-"accdc" Value="icaccdb.gif"/> J Key-"accde" Value="icaccdb.gif" /> J Key-"accde" Value="icaccdb.gif" EditText="Microsoft Access" openControl="SharePoint.OpenDocuments"/> J Key-"acacdr" Value="icaccdb.gif" EditText="Microsoft Access" openControl="SharePoint.OpenDocuments"/> J Key-"asax" Value="icasx.gif" OpenControl=""/> J Key-"asax" Value="icasx.gif" OpenControl=""/> J Key-"asax" Value="icasx.gif" OpenControl=""/>
Mapping	j Key-"accdt" value="icaccdb.gif"/> g Key-"accdt" value="icaccdb.gif" /> g Key-"accdt" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key-"accdt" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key-"ascx" value="icaccdb.gif" OpenControl="/> g Key-"ascx" value="icasx.gif" OpenControl="/> g Key-"ascx" value="icasx.gif" OpenControl="/> g Key-"ascx" value="icasx.gif" OpenControl="/> g Key-"ascx" value="ichtm.gif" OpenControl="/> g Key-"ascy" value="ichtm.gif" Op
≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin	j Key="accdt" Value="icaccdb.gif"/> y Key="accdt" Value="icaccdb.gif" /> y Key="accde" Value="icaccdb.gif" /> y Key="accde" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> y Key="acsa" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> y Key="assa" Value="icacxb.gif" OpenControl=""/> y Key="assa" Value="icasxb.gif" OpenControl=""/> y Key="assa" Value="icasxb.gif" OpenControl=""/> y Key="assa" Value="icasxb.gif" OpenControl=""/> y Key="assa" Value="ichtm.gif" OpenControl=""/> y Key="assa" Value="ichtm.gif" EditText="Microsoft SharePoint Designer" OpenControl="SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint
≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin	j Key="accdt" Value="icaccdb.gif"/> y Key="accdt" Value="icaccdb.gif" /> y Key="accde" Value="icaccdb.gif" /> y Key="accde" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> y Key="acsa" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> y Key="assa" Value="icacxb.gif" OpenControl=""/> y Key="assa" Value="icasxb.gif" OpenControl=""/> y Key="assa" Value="icasxb.gif" OpenControl=""/> y Key="assa" Value="icasxb.gif" OpenControl=""/> y Key="assa" Value="ichtm.gif" OpenControl=""/> y Key="assa" Value="ichtm.gif" EditText="Microsoft SharePoint Designer" OpenControl="SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint
≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin ≪Mappin	j Key="accdt" Value="icaccdb.gif"/> y Key="accdt" Value="icaccdb.gif" /> y Key="accde" Value="icaccdb.gif" /> y Key="accde" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> y Key="acsa" Value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> y Key="assa" Value="icacxb.gif" OpenControl=""/> y Key="assa" Value="icasxb.gif" OpenControl=""/> y Key="assa" Value="icasxb.gif" OpenControl=""/> y Key="assa" Value="icasxb.gif" OpenControl=""/> y Key="assa" Value="ichtm.gif" OpenControl=""/> y Key="assa" Value="ichtm.gif" EditText="Microsoft SharePoint Designer" OpenControl="SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint.OpenDocum y Key="assa" Value="ichtm.gif" EditText="Key="Nicrosoft SharePoint
	j Key="accdt" Value="icaccd.jff"/> y Key="accdt" Value="icaccd.jff" /> y Key="accde" Value="icaccd.jff" /> y Key="accde" Value="icaccd.jff" EditText="Microsoft Access" openControl="SharePoint.OpenDocuments"/> y Key="accdt" Value="icaccd.jff" EditText="Microsoft Access" openControl="SharePoint.OpenDocuments"/> y Key="ascx" Value="icaccd.jff" EditText="Microsoft Access" openControl="SharePoint.OpenDocuments"/> y Key="ascx" Value="icaccd.jff" EditText="Microsoft SharePoint Designer" OpenControl="SharePoint.OpenDocum y Key="asp" Value="icasm.jff" OpenControl=""/> y Key="asp" Value="ichtm.jff" OpenControl=""/> y Key="asp" Value="ichtm.jff" EditText="Microsoft SharePoint Designer" openControl="SharePoint.OpenDocum y Key="asp" Value="ichtm.jff" DenControl=""/> y Key="asp" Value="ichtm.jff" OpenControl=""/> y Key="asp" Value="ichtm.jff" OpenControl=""/> y Key="asp" Value="ichtm.jff" OpenControl=""/> y Key="asp" Value="ichtm.jff" OpenControl=""/> y Key="asp" Value="ichtm.jff" OpenControl=""/>
<pre>Mappin Mappin /pre>	j Key-"accdt" Value="icacdb.gif"/> g Key-"accdt" Value="icacdb.gif"/> g Key-"accde" Value="icacdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key-"accde" Value="icacdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key-"asca" Value="icacdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key-"asca" Value="icacdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g Key-"asca" Value="icacdb.gif" OpenControl="/> g Key-"asca" Value="icasm.gif" OpenControl="/> g Key-"asca" Value="icasm.gif" OpenControl="/> g Key-"asca" Value="icasm.gif" OpenControl="/> g Key-"asca" Value="icat.gif" OpenControl="/> g Key-"chm" Value="iccdm.gif" OpenControl="/>
Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin	<pre>j key="accdt" value="icacdb.gif"/> key="accdt" value="icacdb.gif"/> key="accde" value="icacdb.gif" /> key="accde" value="icacdb.gif" /> key="accde" value="icacdb.gif" /> key="accde" value="icacdb.gif" EditText="Microsoft Access" openControl="SharePoint.OpenDocuments"/> key="accde" value="icacdb.gif" EditText="Microsoft Access" openControl="SharePoint.OpenDocuments"/> key="accd" value="icacdb.gif" EditText="Microsoft Access" openControl="SharePoint.OpenDocuments"/> key="accd" value="icacdb.gif" EditText="Microsoft Access" openControl="SharePoint.OpenDocuments"/> key="ascw" value="icacdb.gif" OpenControl="/> key="asp" value="icasw.gif" OpenControl="/> key="asp" value="icasw.gif" OpenControl="/> key="asp" value="icabm.gif" OpenControl="/> key="asp" value="ic</pre>
Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin	j Key-"accdt" value="icaccdb.gif"/> Key-"accdt" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> Key-"accdt" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> Key-"ascdt" value="icaccdb.gif" OpenControl="/> Key-"assw" value="icacxb.gif" OpenControl="/> Key-"assw" value="icacxb.gif" OpenControl="/> Key-"assw" value="ichtm.gif" OpenControl="/> Key-"cht" value="icconfig" OpenControl="/> Key-"cht" value="icconfig" OpenControl="/> Key-"cst" value="icconfig" OpenControl="/> Key-"cst" value="icconfig" openControl="/> Key-"cst" value="icconfig" OpenControl="/> Key-"cst" value="icconfig" OpenControl="/>
Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin	j Key-"accdt" value="icaccdb.gif"/> Key-"accdt" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> Key-"accdt" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> Key-"ascdt" value="icaccdb.gif" OpenControl="/> Key-"assw" value="icacxb.gif" OpenControl="/> Key-"assw" value="icacxb.gif" OpenControl="/> Key-"assw" value="ichtm.gif" OpenControl="/> Key-"cht" value="icconfig" OpenControl="/> Key-"cht" value="icconfig" OpenControl="/> Key-"cst" value="icconfig" OpenControl="/> Key-"cst" value="icconfig" openControl="/> Key-"cst" value="icconfig" OpenControl="/> Key-"cst" value="icconfig" OpenControl="/>
Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin	<pre>j key="accdt" value="icaccdb.gif"/> key="accdt" value="icaccdb.gif"/> key="accdt" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> key="accdt" value="icaccdb.gif" OpenControl="/> key="accbt" value="icacdb.gif" OpenControl="/> key="accbt" value="ichtm.gif" EditText="Microsoft SharePoint Designer" OpenControl="SharePoint.OpenDocuments"/> key="accbt" value="ichtm.gif" OpenControl="/> key="accbt" value="ichtm.gif" OpenControl="/> key="accbt" value="iccdt.gif" OpenControl="/> key="accbt" value</pre>
Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin Mappin	<pre>j key="accdt" value="icaccdb.gif"/> key="accdt" value="icaccdb.gif"/> key="accdt" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> key="accdt" value="icaccdb.gif" OpenControl="/> key="accbt" value="icacdb.gif" OpenControl="/> key="accbt" value="ichtm.gif" EditText="Microsoft SharePoint Designer" OpenControl="SharePoint.OpenDocuments"/> key="accbt" value="ichtm.gif" OpenControl="/> key="accbt" value="ichtm.gif" OpenControl="/> key="accbt" value="iccdt.gif" OpenControl="/> key="accbt" value</pre>
<pre>Mappin Mappin Mapp</pre>	<pre>g key="acct" value="icaccdb.gif"/> g key="acct" value="icaccdb.gif"/> g key="accd" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g key="accd" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g key="accd" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g key="asca" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g key="asca" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g key="asca" value="icaccdb.gif" OpenControl=""/> g key="asga" value="icacmb.gif" OpenControl="/> g key="asga" value="icacmb.gif" OpenControl="'/> g key="asga" value="icacdb.gif" OpenControl="'/> g key="asga" value="icacbb.gif" OpenControl="'/> g key="asga" value="icabb.gif" OpenControl="'/> g</pre>
<pre>whappin whap whap wha whap wha whap wha whap wha wha wha wha wha wha wha wha wha wha</pre>	<pre>j key="accdt" value="icaccdb.gif"/> Key="accdt" value="icaccdb.gif"/> Key="accdt" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> Key="accdt" value="icaccdb.gif" OpenControl="/> Key="accdt" value="icacdb.gif" OpenControl="/> Key="acc</pre>
<pre>wtappin wtap wtap wtap wtap wtap wtap wtap wtap</pre>	<pre>g key="accdt" value="icaccdb.gif"/> g key="accdt" value="icaccdb.gif"/> g key="accdt" value="icaccdb.gif" /> if" /> g key="accdt" value="icaccdb.gif" /> g key="accdt" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g key="accdt" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g key="ascdt" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> g key="ascdt" value="icaccdb.gif" EditText="Nicrosoft Access" OpenControl="SharePoint.OpenDocuments"/> g key="asgt" value="icacdb.gif" OpenControl="/> g key="asgt" value="icastb.gif" OpenControl="/> g key="asgt" value="icatcdb.gif" OpenControl="/> g key="a</pre>
<pre>diappin diappin d</pre>	<pre>j key="accdt" value="icaccdb.gif"/> Key="accdt" value="icaccdb.gif"/> Key="accde" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> Key="accdt" value="icacdb.gif" OpenControl="/> Key="accdt" value="iccdb.gif" OpenControl="/> Key="accdt" value="iccdsc.gif" OpenControl="/> Key="accdt" value="icdite.gift" OpenControl="/> Key="</pre>
<pre>diappin diappin d</pre>	<pre>g key="accdt" value="icacdb.gif"/> key="accdt" value="icacdb.gif"/> key="accdt" value="icacdb.gif" /> key="accdt" value="icacdb.gif" /> key="accdt" value="icacdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> key="aspt" value="icacdb.gif" OpenControl="/> key="aspt" value="icacb.gif" OpenControl="/> key="aspt" value="icacdb.gif" OpenControl="/> key="aspt" value="icacdb.gif" OpenControl="/> key="aspt" value="icab.gif" /pre>
<pre>diappin diappin d</pre>	<pre>j key="acctt" value="icaccdb.gif"/> Key="acctd" value="icaccdb.gif" /> Key="acctd" value="icaccdb.gif" /> Key="acctd" value="icaccdb.gif" /> Key="acctd" value="icaccdb.gif" EditText="Microsoft Access" OpenControl="SharePoint.OpenDocuments"/> Key="acctd" value="icaccdb.gif" OpenControl="/> Key="acctd" value="icacdb.gif" OpenControl="/> Key="acctd" value="icacdb.gif" OpenControl="/> Key="acctd" value="icacbb.gif" OpenControl="/> Key="acctd" value="icacbb.gif" OpenControl="/> Key="acctd" value="icacbb.gif" OpenControl="/> Key="acctd" value="iccbb.gif" OpenControl="/> Key="acctd" value</pre>

- c. Click Save on the File menu, and then quit Notepad.
- Perform an iisreset:
 - Click Start > Run > type "cmd" in the Open dialog box>click OK > type "iisreset" in the command prompt window>click Enter.



b. Close the windows.

Quick Start for Azure Active Directory Rights Management

- 1. Enable Windows Azure AD Rights Management for your organization:
 - Download the Windows Azure AD Rights Management administration module (WindowsAzureADRightsManagementAdministration.exe) for Windows PowerShell from <u>here</u>.
 - In the local folder where you downloaded and saved the Rights Management installer file, double-click the file
 WindowsAzureADRightsManagementAdministration.exe to launch installation of the Rights Management administration module.
 - Open Windows PowerShell.
 - Type the following commands:
 - ✓ Import-Module AADRM
 - ✓ Connect-AadrmService -Verbose
 - Enter your Office 365 credentials when prompted, for example "user@company.onmicrosoft.com".
 - Type the following commands:
 - ✓ Enable-Aadrm
 - ✓ Disconnect-AadrmService
- 2. Install Active Directory Rights Management Service Client 2.1:

X86 Download

X64 Download

Shortcut Keys

There are number of keyboard shortcuts that you can use to speed up your navigation within the Foxit PhantomPDF. You can both use the default keyboard shortcuts and customize your own shortcuts.

To customize the keyboard shortcuts, please right-click any area on the ribbon and choose **Customize Quick Access Toolbar** In the pop-up Customize Tools dialog box, choose **Keyboard** tab.

Some particularly important ones are listed here.

File Keys

Result	Shortcut
Open File	Ctrl + O
Close File	Ctrl + W, or Ctrl + F4
Save As	Ctrl + Shift + S
Close All	Ctrl + Shift + W
Print a Document	Ctrl + P
Exit Foxit PhantomPDF	Ctrl + Q, or Alt+F4
Save	Ctrl + S
Create PDF from file	Ctrl + N
Document Properties	Ctrl + D

View Keys

Result	Shortcut
Full Screen	F11
Exit Full Screen Mode	ESC, or F11
Switch to Text Viewer	Ctrl + 6
Zoom In	Ctrl + +
Zoom Out	Ctrl + -
Zoom To	Ctrl + M
Actual Size	Ctrl + 1

User Manual

Fit to Page	Ctrl + 0
Fit Width	Ctrl + 2
Fit Visible	Ctrl + 3
Rotate Clockwise	Ctrl + Shift + Plus
Rotate Counterclockwise	Ctrl + Shift + Minus
AutoScroll	Ctrl + Shift + H
Stop AutoScroll	ESC
Switch between tabs	Ctrl + Tab
View file in read mode	Ctrl + H
Preview page by page in Print Preview	Page Up/Down
Go to Page	Ctrl + G
First Page	Ctrl + Home
Previous Page	Ctrl + Page Up
Next Page	Ctrl + Page Down
Last Page	Ctrl + End
Previous View	Alt + Left
Next View	Alt + Right
Marquee Zoom	Alt + 5
Read Current Page	Ctrl + Shift + V
Read from Current Page	Ctrl + Shift + B
Stop	Ctrl + Shift + E
Rulers	Ctrl + R
Show or hide Navigation pane	F4

Edit Keys

Result	Shortcut
Сору	Ctrl + C, or Ctrl + Insert
Cut	Ctrl + X
Paste	Ctrl + V
Undo (Undo an action)	Ctrl + Z
Redo (Redo or repeat an action)	Ctrl + Shift + Z
Select All (Select all items in a document or window)	Ctrl + A

236

User Manual

Add Bookmark	Ctrl + B
Preferences	Ctrl + K
Go to fillable field by tab order	Tab
Go to fillable field by tab in reversed order	Shift + Tab

Tool Keys

Tool	Shortcut
Hand Tool	Alt + 3
Select Text	Alt + 6
Snapshot	Alt + 7
Find Text (Open the Navigation task pane to search document.)	Ctrl + F
Find Next	F3
Find Previous	Shift + F3
Search	Ctrl + Shift + F

Document Keys

Result	Shortcut
Page Down	Space
Page Up	Shift + Space
Expand the selected area to the next character on the right	Shift + Right
Expand the selected area to the next character on the left	Shift + Left
Expand the selected area to the end of a word	Ctrl + Shift + Right
Expand the selected area to the beginning of a word	Ctrl + Shift + Left
Expand the selected area to the end of a row	Shift + End
Expand the selected area to the beginning of a row	Shift + Home
Expand the selected area next Row	Shift + Down
Expand the selected area previous Row	Shift + Up
Expand the selected area to the beginning of a document	Ctrl + Shift + Home

Expand the selected area to the end of a document	Ctrl + Shift + End
Move left by a character	Left
Move right by a character	Right
Move left by a word	Ctrl + Left
Move right by a word	Ctrl + Right
Move up by a row	Up
Move down by a row	Down
Move to the end	End
Move to the beginning	Home
Move to the top of next page	Ctrl + Page Down
Move to the top of previous page	Ctrl + Page Up
Move to the end of the document	Ctrl + End
Move to the beginning of the document	Ctrl + Home

Help Keys

Result	Shortcut
Help	F1

Command Lines

Here are some command lines that can be used to Foxit PhantomPDF:

<Reader Path> [/register] | [PDF Path] [/pwd] [/A [...] [...] ...] | [/pwd] [/p | /t <PDFPath> [Printer]]

Command	Result
-Register	Set Foxit PhantomPDF as default reader.
-pwd <password></password>	Input the password of the protected PDF documents.
/p <pdf path=""></pdf>	Print the document with default printer
/t <pdf path=""> [Printer]</pdf>	Print the document with designated printer
<pdf path=""> /A [][]</pdf>	Open a PDF document with a command to exactly specify what to display and how to display

Get Help

Ticket Support

By creating a support ticket you can send bug reports, usage problems, suggestions, and comments directly to Foxit's customer support center. To create a support ticket, choose **HELP** tab > **Help** group > **Report Error**.

Technical Support

Foxit's customer support center is staffed with product experts round the clock to provide you with fast and efficient answers to all of your technical questions. Feel free to contact us should you need any information or have any problems with our products.

- Email Foxit4Acer@foxitsoftware.com
- Telephone +1-866-MYFOXIT or +1-866-693-6948 (24/7)