

MiVue 6 Series User Manual

* 658 WIFI model







Connect with us **@MagellanGPS**









Magellan Take-Back Program

Magellan's Take-Back Program provides a way for consumers to recycle certain Magellan equipment. As part of this program, all Magellan GPS models will be accepted.

Visit magellanGPS.com for more information.

Please check with your state or local law enforcement for applicable regulations regarding mounting to the windshield.

The driver should enter data or program the Magellan receiver only when the vehicle is stopped. Only a vehicle passenger should enter data or program the receiver while the vehicle is moving. It is your responsibility to comply with all traffic

Every attempt is made to ensure that the database is accurate. However, roadways, points of interest (POIs), and business and service locations may change over time.

Keep the receiver safe from extreme temperature conditions. For example, do not leave it exposed to direct sunlight for an extended period of time. The maximum operating temperature is 140°F [60°C].

Take care when mounting the receiver in your vehicle, whether using the windshield mount or other mount or accessories, that it does not obstruct the driver's view of the road, interfere with the operation of the vehicle's safety devices such as airbags, or present a hazard to occupants of the vehicle should the receiver be dislodged while driving.

You assume the risks associated with damage to your vehicle or vehicle occupants as the result of your choices in mounting the receiver.

The battery is rechargeable and should not be removed. In the event it should need to be replaced, please contact Magellan Technical Support.

FCC RF Radiation Exposure Statement

1. This Transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

2. This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body.

Wi-Fi 5G Band 1 is for indoor use only.

Canada, Industry Canada (IC) Notices

This device complies with Industry Canada licenceexempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Canada, avis d'Industry Canada (IC)


Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

[1] l'appareil ne doit pas produire de brouillage, et [2] l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.



Getting to know the recorder

Note: The screenshots and other presentations shown in this manual may differ from the screens and presentations generated by the actual product.



- Power button
- 2 Device mount
- System indicator (LED 1)
- Event/Share* button
- Touch screen
- 6 Microphone
- Car charger

- Camera lens
- Speaker
- Parking indicator (LED 2)
- Memory card slot(s)

^{*} The "Share" function of this button is only for MiVue 658 WiFi model.

Power key

Once the vehicle engine is started, the recorder automatically turns on, By default, the recording will start right after the recorder turns on.


You can do the following using the Power key:

- To manually turn the recorder on and off, press and hold the Power key for 2 seconds.
- When the recorder is turned on, press the Power key to switch the LCD screen on/off

Event/Share hutton

- Press to manually start an event recording.
- On MiVue 658 WIFI model, the recorded event videos will be transferred to the connected smartphone automatically*.
 - * This function requires a smartphone that has the Mi-Vue app installed, and is paired with your device. Search for, download and install the app onto your smartphone.

online instructions



I FD indicators

System indicator

Glows in green when the recorder is charging. During charging, the LED flashes in green and amber alternately while the recording is in progress.

Parking indicator

Flashes in **red** when Parking recording is in progress.

Using the touch screen

To operate your recorder, touch the screen with your fingertip. The device provides the control buttons and system icons on the screen. Depending on your settings and usage, the displayed buttons and icons may be different to provide various function and information of your device.

Example	Button	Description
	88	Tap to enter the Settings Menu.
	P	Tap to manually enable Parking mode.
		Tap to take a photo.
		Tap to start recording.
	Icon	Description
	● REC	The REC icon blinks while recording is in progress.
	20: 09: 50	Displays the current time.
	! / ! *	Recording with sound is enabled/disabled.
	150.1	The GPS signal icon indicates the GPS status.
		The Battery icon indicates the remaining battery power.

Inserting a memory card

You must insert a memory card before you can start recording. Depending on the model, your recorder may have two memory card slots. In this case always insert the primary memory card into Slot 1 and then the second card (if available) into Slot 2. The recorded files are stored to the card in Slot 1; the card in Slot 2 is for you to back up files manually.

- 1. Hold the card by the edges and gently insert it into the slot with the label facing the rear side of the recorder.
- 2. To remove the card, gently push the top edge of the card inwards to release it, and pull it out of the slot.



CAUTION:

- DO NOT apply pressure to the center of the memory card.
- Use a Class 10 memory card with at least 8GB capacity. The recorder supports memory cards with up to 128GB capacity.
- Magellan does not guarantee the product's compatibility with memory cards from all manufacturers.
- Before you start recording, please format the memory card to avoid malfunction caused by files not created by the recorder. (Format by selecting Settings Menu > Format).
- Please turn the device off before removing the memory card.


Using your recorder in a vehicle

1. Follow the instructions below to mount your recorder in a vehicle securely.





 Connect the car charger to the vehicle power plug. Route the cables through the top ceiling and the A-pillar so that it does not interfere with driving. Ensure the cable installation does not interfere with the vehicle's airbags or other safety features.



3. When adjusting the angle of mounting, make sure that the camera's view is parallel with the level ground, and you see the entire road on the screen.



NOTE:

- To ensure the highest quality recordings, you are advised to place the recorder near the rear view mirror.
- Select an appropriate location for mounting the device in a vehicle. Never place the device where the driver's field of vision is blocked.
- If the car's windscreen is tinted with a reflective coating, it may be athermic
 and impact the GPS reception. In this instance, please mount your device
 where there is a "clear area."
- The system will automatically calibrate the impact sensor of the device during boot up. To avoid impact sensor malfunction, ALWAYS turn the device on after you mount it in the vehicle properly.

Connecting to external devices

Connecting to your computer

You can connect the recorder to your computer to access data on the memory card.

The Mini-USB connector is located on the back of the device. Follow the instructions below to connect the recorder to the computer via the USB cable (not supplied).



Restarting the recorder

Occasionally you may need to perform a hardware reset when the recorder stops responding or if it appears to be "frozen" or unresponsive. To restart the recorder press and hold the Power button until the system is shut down; press the Power button again to turn the recorder on.

Operating basics

Turning the recorder on

Complete the installation according to the instructions in the "Using your recorder in a vehicle" section. Once the vehicle engine is started the recorder automatically turns on.

Setting the date and time

To make sure of the correct date and time for your recordings, please check the date and time settings before you begin recording.

- 1. Tap 🔡 > 🌣 > 📞 .
- 2. Select (Automatic) or (Manual):
- When you select Automatic, the system will set date and time according to the GPS location.
- When you select Manual, the system will display the date and time setting screen.
 Tap + / to adjust the value of the selected field; tap and repeat the step until all fields have been changed. When completed, tap .

Setting up a WIFI connection

MiVue 658 WIFI features the WIFI function that allows you to connect the recorder to your smartphone.

- The WIFI function is enabled by default. You can manually enable or disable WIFI by tapping
 ⇒ and then select or
 ∴.
- The WIFI setting screen displays the SSID and password of the device.
- To use the recorder's Event/Share button to transfer files you will need to install

the Magellan MiVue app onto your smartphone. Search for, download and install the app onto your smartphone.

Follow the steps below to build the wireless connection between the recorder and your smartphone:

 When you use the smartphone* to connect for the first time, turn WLAN on from the phone's Settings menu. The phone will automatically scan for available wireless devices.

Tap the WLAN option to display the detected devices. From the list select the recorder's name [MiVue-xxxxxx] and enter the password [xxxxxxxxxxx]. When done, tap **Connect**.

The next time you use your smartphone to connect to the recorder you will not be prompted to enter the password again (unless you reset your phone to the factory default settings).

- * The instructions about operating the smartphone are for reference only. The actual setting options and methods may vary depending upon your phone type/model.
- 2. Check the WIFI connection status by reading the WIFI icon on the recorder:
 - The recorder is connected to the smartphone and paired with MiVue app.
 - **:** WIFI is turned on but the recorder is not connected to the smartphone.
 - : WIFI is turned on and the recorder is connected to the smartphone but not paired with MiVue app yet.
- 3. By starting the MiVue app on your smartphone the recorder will be ready to transfer video files by simply pressing the Event/Share button.

Recording in driving mode

Continuous recording

By default the system will automatically begin with continuous recording in a few seconds after start up. The recording may be divided into several video clips; recording will not stop between video clips.

- To stop continuous recording, tap 🔐
- To start recording manually, tap
- The continuous recordings can be found in the "Video" category for file playback.

Event recording

By default if an event happens such as a sudden impact, high speed driving, an aggressive turn or an accidental crash the G sensor* will prompt the recorder to start recording the event.

- * You can change the sensitivity level (6 levels, from **Low** to **High**) of the G sensor by tapping * > * > * . * .
- If you want to manually start an event recording while continuous recording is in progress, press the Event/Share button on the device.
- The event recordings can be found in the "Event" category for file playback.

Recording in Parking mode

Your recorder supports the parking recording function. Depending upon how long the car is parked, you may need an additional power source (e.g. an uninterruptible power cable like Mio Smart Box which is sold separately) to record the video during Parking mode.

■ The Parking mode function is disabled by default. You have to enable the function by tapping

> ♥ > P > ♥ > .

- Before enabling Park mode please check your device memory storage allocation. Go to □□ > □ > □ > □ to set a proper allocation for parking recording. Changing the allocation will erase the memory card so save any videos or photos to your computer first.
- When the Parking mode detection is enabled the system will enter Parking mode when you:
 - disconnect the device's power (e.g. the vehicle engine is stopped or the power cable is disconnected) or when the car stops moving for about 5 minutes*; or
 - tap P to manually start Parking mode while continuous recording is in progress.
 - * The feature is triggered by the G sensor of the device. You can change the configuration by tapping $\blacksquare > \bigcirc > \bigcirc > \bigcirc > \bigcirc$.
- To stop Parking mode and resume continuous recording, tap
- If movements were detected and recorded during Parking mode you will be asked to playback the video when you stop Parking mode.
- The parking recordings can be found in the "Parking" category for file playback.

Camera mode

You can take a photo by:

- tapping o while the recording is in progress; or
- tapping # > O > O .
- The photos can be found in the "Photo" category for file playback.

Playback mode

To select a video or photo for playback:

1. Tap 🔛 > 🕟 and select the desired type.

The types include: [Video], [Event], [P (Parking) and [Photo].

- 2. Tap \wedge / \vee to browse the list.
- 3. Tap the desired file to start playback.
- 4. During playback, you can:
 - While playing videos, tap
 If to start or pause the playback.
 - While viewing photos, tap ← / → to display the previous/next photo.
 - Tap 😉 to return to the list.
 - Tap in to delete the file.
 - Tap to move the file to the "Event" category.
 - Tap 22 to copy the file to the second memory card (for MiVue 638/658 Touch) or tap 10 to copy the file to your smartphone (for MiVue 658 WIFI).

System settings

The Menu screen

Tap ## to access the Menu screen.

Button		Description	
	File Playback	Plays the recorded videos and photos. For more information on playback see the "Playback mode" section.	
0	Camera	Tap to enter Camera mode.	
<u>•</u>	Sound Recording	Sets if you want to include sounds in the recordings. The default setting is On .	
? w⊓		Enables or disables WIFI. The default setting is On .	
	WIFI	Refer to the "Setting up a WIFI connection" section to learn how to connect the recorder to your smartphone.	
Setti	Settings	Allows you to change the system settings of the device.	
	Settings	For more information see the "Advanced settings" section.	

Note: While browsing the setting menus you can tap to return to the previous screen or tap to return to the recording screen.

Parking Mode

- Detection: When enabled the recorder will automatically start recording when it detects movements or if an event happens in Parking mode.
- Detection Method: The options are G-Sensor, Motion and Both.
- Auto Entry: Sets the mode (Low, Medium, High or Manual) for the system to enter Parking mode automatically.
- Motion Detection: The options are Low, Medium and High.
- G-Sensor Sensitivity: Sets the sensitivity level (Low, Medium or High) of the G sensor that allows automatic triggering of the parking recording when the recorder is in Parking mode.
- LED Indicator: The options are On and Off.

Video Recording

- Video Clip Length: Sets the length of each video clip for a continuous recording (1 min, 3 min or 5 min).
- Video Resolution: Sets the resolution of the video.
- EV: Sets the proper exposure level (-1 ~ +1) to adjust the brightness of the image.
 The default setting is 0.
- G-Sensor Sensitivity: Sets the sensitivity level (6 levels, from Low to High) of the G sensor that allows automatic triggering of the event recording while continuous recording is in progress.
- Stamps: Sets the information (Coordinates or G-Sensor) that will be displayed on the recorded video.
- Text Stamp: This option allows you to display the customised information on the recorded video.

System

- GPS Status: Displays the status of GPS/GLONASS signal reception.
- Date/Time: Sets the system date and time. For more information see the "Setting the date and time" section.
- Beep Alert: Enables or disables system notification sounds.
- Volume: Adjusts the volume level.
- Standby: Selects Always On to keep the LCD on; or sets the timer for the LCD to turn off automatically (10 sec, 1 min or 3 min) after recording starts. Selecting Standby will turn off the LCD (in specified time) but still display the time and speed information.
- Language: Sets the language.
- Distance Unit: Sets the preferred distance unit.
- Storage Allocation: The system provides 3 default memory configurations to store the videos (including continuous recordings, event recordings and parking recordings) and photos. Select the proper configuration based on your usage.
- Restore to Defaults: Restores system settings to factory defaults.
- Version: Displays the software information.
- Format: Formats a memory card. (All data will be erased.)

MiVue Manager

MiVue Manager is a tool for you to view the videos recorded on a MiVue recorder. Not all features are available for every model.


IMPORTANT! Your computer needs MOV and AVI codecs to play the recording files. Please visit www.MagellanGPS.com to install the required codecs. Not all features are available for every model.

Installing MiVue Manager

Download the Setup file from www.MagellanGPS.com and follow the on-screen prompts to install it. Double-click Setup.exe and follow the on-screen prompts to install MiVue Manager.

Playing the recording files

- Remove the memory card from the recorder and access the card on the computer via a card reader. You are advised to copy the recording files to your computer for backup and playback. You may also leave the memory card inserted in the MiVue device and connect the device to your computer via a USB cable.
- 2. Start MiVue Manager on the computer.



NOTE:

- The Map screen may not appear when the computer is not connected to the Internet or when your MiVue model records without the GPS function.
- G sensor chart displays data in 3-axis waveform about the car's shift forward/backward (X), to the right/left (Y) and upward/downward (Z).
- 3. By default, MiVue Manager shows the calendar and the file list on the right.
 - When a recording file exists, you will see the date marked with "A". Click that date to display the files that were recorded on that date.



You can choose the file type to display:
 Event (emergency event recordings); or/and
 Normal (continuous recordings); or/and
 Parking (parking recordings).



 To display all files in the current folder, click All. To return to the calendar view, click Calendar.
 You can also click on the upper-left corner to select the folder that stores the recording files





- 4. Double-click the desired file on the file list to start playback.
- 5. The playback controls are described as follows:



- 5-1. Skips to the previous / next file on the list.
- 5-2. Starts or pauses the playback.
- 5-3. Changes the playback speed to 1/4x, 1/2x, 1x (default), 1.5x, or 2x.
- 5-4. Mutes or unmutes the volume.
- 5-5. Adjusts the volume level.
- 5-6. Plays the video in full screen.
- 5-7. Displays the playback progress. You can click on a point along the track bar to move directly to a different location for the playback.

- 6. During playback, you can check more driving information from the dashboard panel and the G sensor chart that are displayed below the video playback screen.
 - On the dashboard panel, click to display the map screen*.
 - G sensor chart displays data in 3-axis waveform about the car's shift forward/backward (X), to the right/left (Y) and upward/downward (Z).
 - * The map screen may not display when the computer is not connected to the Internet or when your MiVue model does not support the GPS function.
- 7. The tool bar allows you to do the following:



- 7-1. Selects the folder that stores the recording files.
- 7-2. Previews and prints the current video image.
- 7-3. Saves the selected files to the specified location on your computer.
- 7-4. Captures and saves the current video image to the specified location on your computer.
- 7-5. Opens the Settings Menu. The Settings items are described as follows:
 - Change Language: Sets the display language of MiVue Manager.
 - Change Skin: Sets the color scheme of MiVue Manager.
 - **Check for Update**: Checks if there is any new version of MiVue Manager. Internet access is required for this feature.
 - About: Displays the version and copyright information of MiVue Manager.
- 7-6. Exports the GPS information of the selected file in the KML format to the specified location on your computer.
- 7-7. Uploads the selected file to Facebook / YouTube™.

For more information

Caring for your device

Taking good care of your device will ensure trouble-free operation and reduce the risk of damage.

- Keep your device away from excessive moisture and extreme temperatures.
- Avoid exposing your device to direct sunlight or strong ultraviolet light for extended periods of time.
- Do not place anything on top of your device or drop objects on your device.
- Do not drop your device or subject it to severe shock.
- Do not subject your device to sudden and severe temperature changes. This could cause moisture condensation inside the unit, which could damage your device. In the event of moisture condensation, allow the device to dry out completely before use.
- The screen surface can easily be scratched. Avoid touching it with sharp objects.
 Non-adhesive generic screen protectors designed specifically for use on portable devices with LCD panels may be used to help protect the screen from minor scratches.
- Never clean your device with it powered on. Use a soft, lint-free cloth to wipe the screen and the exterior of your device.
- Do not use paper towels to clean the screen.
- Never attempt to disassemble, repair or make any modifications to your device.
 Disassembly, modification or any attempt at repair could cause damage to your device and even bodily injury or property damage and will void any warranty.
- Do not store or carry flammable liquids, gases or explosive materials in the same compartment as your device, its parts or accessories.
- To discourage theft, do not leave the device and accessories in plain view in an

unattended vehicle.

• Overheating may damage the device.

Precautions and notices

- For your own safety, do not operate the controls of the product while driving.
- A window mount is needed when using the recorder in a car. Make sure that you
 place the recorder in an appropriate place, so as not to obstruct the driver's view
 or deployment of airbags.
- Make sure that no object is blocking the camera lens and no reflective material appears near the lens. Please keep the lens clean.
- If the car's windscreen is tinted with a coating, it may impact the recording quality.

Safety precautions

About charging

- Use only the charger supplied with your device. Use of another type of charger may result in malfunction and/or danger.
- This product is intended to be supplied by a LISTED Power Unit marked with "LPS", "Limited Power Source" and output rated + 5 V dc / 1.0 A.
- Use a specified battery in the equipment.

About the charger

- Do not use the charger in a high moisture environment. Never touch the charger when your hands or feet are wet.
- Allow adequate ventilation around the charger when using it to operate the device or charge the battery. Do not cover the charger with paper or other objects that will reduce cooling. Do not use the charger while it is inside a carrying case.
- Connect the charger to a proper power source. The voltage requirements are found on the product case and/or packaging.

- Do not use the charger if the cord becomes damaged.
- Do not attempt to service the unit. There are no serviceable parts inside. Replace the unit if it is damaged or exposed to excess moisture.

About the battery

CAUTION! This unit contains a non-replaceable internal Lithium Ion battery. The battery can burst or explode, releasing hazardous chemicals. To reduce the risk of fire or burns, do not disassemble, crush, puncture, or dispose of in fire or water.

- Use a specified battery in the equipment.
- Important instructions (for service personnel only)
 - Caution! Risk of explosion if battery is replaced by an incorrect type. Dispose
 of used batteries according to the instructions.
 - Replace only with the same or equivalent type recommended by the manufacturer.
 - The battery must be recycled or disposed of properly.
 - Use the battery only in the specified equipment.

Magellan Limited Warranty

All Magellan global positioning system (GPS) receivers are navigation aids, and are not intended to replace other methods of navigation. The purchaser is advised to perform careful position charting and use good judgment. READ THE USER GUIDE CAREFULLY BEFORE USING THE PRODUCT.

1. MAGELLAN WARRANTY

(a) MiTAC Digital Corp. ("Magellan") warrants its GPS receivers and hardware accessories to be free from defects in material and workmanship and will conform to its published specifications for the product for a period of one year from the date of original purchase. THIS WARRANTY APPLIES ONLY TO THE ORIGINAL CONSUMER PURCHASER OF THIS PRODUCT. (b) In the event of a defect, Magellan will, at its discretion, repair or replace the hardware product with a product of like kind or quality, which may be new or reconditioned, with no charge to the purchaser for parts or labor. Magellan's limit of liability under the limited warranty shall be the actual cash value of the product at the time the purchaser returns the product to Magellan for repair less a reasonable amount for usage, as determined by Magellan in its sole discretion. The repaired or replaced product will be warranted for 90 days from the date of return shipment, or for the balance of the original warranty, whichever is longer. (c) Magellan warrants that software products or software included in hardware products will be free from defects in the media for a period of 30 days from the date of shipment and will substantially conform to the then current user documentation provided with the software (including updates thereto). Magellan's sole obligation shall be the correction or replacement of the media or the software so that it will substantially conform to the then-current user documentation. Magellan does not warrant the software will meet purchaser's requirements or that its operation will be uninterrupted, error-free or virus-free. The purchaser

assumes the entire risk of using the software.

2. PURCHASER'S REMEDY

PURCHASER'S EXCLUSIVE REMEDY UNDER THIS WRITTEN WARRANTY OR ANY IMPLIED WARRANTY SHALL BE LIMITED TO THE REPAIR OR REPLACEMENT, AT MAGELLAN'S OPTION, OF ANY DEFECTIVE PART OF THE RECEIVER OR ACCESSORIES WHICH ARE COVERED BY THIS WARRANTY, REPAIRS UNDER THIS WARRANTY SHALL ONLY BE MADE AT AN AUTHORIZED MAGELLAN SERVICE CENTER. ANY REPAIRS BY A SERVICE CENTER NOT AUTHORIZED BY MAGELLAN WILL VOID THIS WARRANTY.

3. PURCHASER'S DUTIES

For repair or replacement on a Magellan product the purchaser must obtain a Return Materials Authorization (RMA) number from Magellan Technical Support or by submitting a repair request through our website at www.magellanGPS.com, prior to shipping. The purchaser must return the product postpaid with a copy of the original sales receipt, purchaser's return address and the RMA number clearly printed on the outside of the package to the Authorized Magellan Service Center address provided by Magellan with the RMA number. Magellan reserves the right to refuse to provide service free-of-charge if the sales receipt is not provided or if the information contained in it is incomplete or illegible or if the serial number has been altered or removed. Magellan will not be responsible for any losses or damage to the product incurred while the product is in transit or is being shipped for repair. Insurance is recommended. Magellan recommends the use of a trackable shipping method such as UPS or FedEx when returning a product for service.

4. LIMITATION OF IMPLIED WARRANTIES

Except as set forth in item 1 above, all other expressed or implied warranties, including those of fitness for any particular purpose or merchantability, are hereby disclaimed AND IF APPLICABLE, IMPLIED WARRANTIES UNDER ARTICLE 35 OF THE UNITED NATIONS CONVENTION ON CONTRACTS FOR THE INTERNATIONAL SALE OF GOODS. Some national, state, or local laws do not allow limitations on implied

warranty on how long an implied warranty lasts, so the above limitation may not apply to you.

5. EXCLUSIONS

The following are excluded from the warranty coverage: [a] periodic maintenance and repair or replacement of parts due to normal wear and tear; [b] batteries; [c] finishes; [d] installations or defects resulting from installation; [e] any damage caused by [i] shipping, misuse, abuse, negligence, tampering, moisture, liquids, proximity or exposure to heat, or improper use; [ii] disasters such as fire, flood, wind, and lightning; [iii] unauthorized attachments or modification; [f] service performed or attempted by anyone other than an authorized Magellan Service Center; [g] any product, components or parts not manufactured by Magellan.

(h) that the receiver will be free from any claim for infringement of any patent, trademark, copyright or other proprietary right, including trade secrets (i) any damage due to accident, resulting from inaccurate satellite transmissions. Inaccurate transmissions can occur due to changes in the position. health or geometry of a satellite or modifications to the receiver that may be required due to any change in the GPS. (Note: Magellan GPS receivers use GPS or GPS+GLONASS to obtain position, velocity and time information, GPS is operated by the U.S. Government and GLONASS is the Global Navigation Satellite System of the Russian Federation, which are solely responsible for the accuracy and maintenance of their systems. Certain conditions can cause inaccuracies which could require modifications to the receiver. Examples of such conditions include but are not limited to changes in the GPS or GLONASS transmission 1

The opening, dismantling or repairing of this product by anyone other than an authorized Magellan Service Center will void this warranty.

6. EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES

(a) MAGELLAN SHALL NOT BE LIABLE TO PURCHASER
(b) OR ANY OTHER PERSON FOR ANY INDIRECT,
INCIDENTAL OR CONSEQUENTIAL DAMAGES

WHATSOEVER, INCLUDING BUT NOT LIMITED TO LOST PROFITS, DAMAGES ARISING FROM A DELAY OR LOSS OF USE, OR OUT OF THE BREACH OF THIS WARRANTY OR ANY IMPLIED WARRANTY EVEN IF CAUSED BY THE NEGLIGENCE OR ANOTHER FAULT OF MAGELLAN OR OUT OF THE NEGLIGENT USAGE OF THE PRODUCT. IN NO EVENT WILL MAGELLAN BE HELD RESPONSIBLE FOR SUCH DAMAGES, EVEN IF MAGELLAN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. (c) Some national, state, or local laws do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

7. COMPLETE AGREEMENT

(a) This written warranty is the complete, final and exclusive agreement between Magellan and the purchaser with respect to the quality of performance of the goods and any and all warranties and representations. THIS WARRANTY SETS FORTH ALL OF MAGELLAN'S RESPONSIBILITIES REGARDING THIS PRODUCT. THIS WARRANTY GIVES YOU SPECIFIC RIGHTS. YOU MAY HAVE OTHER RIGHTS WHICH VARY FROM LOCALITY TO LOCALITY AND CERTAIN LIMITATIONS CONTAINED IN THIS WARRANTY MAY NOT APPLY TO YOU.

[b] If any part of this limited warranty is held to be invalid or unenforceable, the remainder of the limited warranty shall nonetheless remain in full force and effect.

8. CHOICE OF LAW

This limited warranty is governed by the laws of the State of California, without reference to its conflict of law provisions or the U.N. Convention on Contracts for the International Sale of Goods, and shall benefit Magellan, its successors and assigns. This warranty does not affect the consumer's statutory rights under applicable laws in force in their locality, nor the customer's rights against the dealer arising from their sales/purchase contract.

Need Technical Support?

If you need technical support for your Magellan receiver you should first go to www.magellangps.com/support for answers to most questions.

If you can't find a solution there, you can contact Magellan Technical Support directly by e-mail at support.us@cs.magellangps.com or call 800-707-9971.

MiTAC Digital Corporation

471 El Camino Real, Santa Clara, CA 95050 USA

www.magellanGPS.com

