



Vishay Electro-Films, Incorporated
SAP Parts Numbering Manual

THIN FILM PART (USA) NUMBERING RULES.

Contents EFI/MIC

Model CC1-	10
Model CC2-	11
Model CC3-	12
Model CC4-	13
Model CC5-	14
Model CC6-	15
Model CC8-	16
Model CP1	17
Model CB1-	18
Model CB3-	19
Model SFC	20
Model SFM	21
Model SFP	22
Model SFN	23

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	2 of 119

Model SFX	24
Model SC3-	25
Model QFM	26
Model QFN	27
Model QFX	28
Model NFX	29
Model CFX	30
Model BCR	31
Model PWA	32
Model PWB	33
Model CTT	34
Model CTA	35
Model CTB	36
Model CCM	37
Model CCC	38

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	3 of 119

Model CTR	39
Model CTN	40
Model CTM	41
Model CTQ	42
Model CC7	43
Model CCB	44
Model SC7.....	45
Model SCB.....	46
Model STR.....	47
Model NTR	48
Model DTR	49
Model MIB.....	50
Model MIC	51
Model MIF	52
Model MID	53

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	4 of 119

Model SID	54
Model MIG	55
Model TMR	56
Model NMGR	57
Model NCAA	58
Model NCBB.....	59
Model NCCC	60
Model NCDD	61
Model NCEE.....	62
Model CBA/CBB/CBC	63
Model CMN-.....	64
Model RCN-.....	65
Model CLA/CLB/CLC	66
Model MTR	67
Model MTT.....	68

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	5 of 119

Model CC4- Custom	69
Model CC1-, CC2-, CC3-, CC5-, CC6-, CC8-, SC3-, CB1-, CB3- Custom	70
SFM Custom.....	72
Model CP1, SFC, SFP, SFN, SFX Custom	73
Model QFM, QFN, QFX, NFX, BCR, PWA, PWB Custom	74
Model CTT, CTA, CTB, CCM, CCC, CC7,CCB Custom	75
Model CTR Custom.....	76
Model CTN, CTM, CTQ, RNA, SC7, SCB, STR, NTR, DTR, RTN Custom	77
Model MIB, MIC, MIF, MID, SID, MIG Custom	79
Model NCAA, NCBB, NCCC, NCDD, NCEE Custom	80
Model CBA, CBB, CBC, CMC, CBD Custom	81
Model CLA/CLB/CLC Custom	82
Model MTR, MTT, TMR.....	83

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	6 of 119

Model PSC	84
Model RFLW.....	85
Model NET	86
Model SSUB.....	87
Model SLR.....	88
Model LSUB	89
Model INT.....	90
Model MTLP	91
Model PSS.....	92
Model SPF2.....	93
Model EWR	94
Model EWR	95
Model TF.....	96
Model RFD	97
Model PIZ.....	98

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	7 of 119

Model RFCS	99
Model EHPC.....	100
Model MSFM	101
Model TSFM.....	102
Model TCTR.....	103
Model NCAT/NCBT/NCCT/NCDT/NCET	104
Model NCAT, NCBT, NCCT, NCDT, NCET Custom	105
Model HVRD – Product is Obsolete.....	106
Model SDWP	107
Model BRCP.....	108
Model BRCP.....	109
Model IGBR	110
Model EFISFM.....	111
Model SPF1.....	112
Model UMIB.....	113

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	8 of 119

Model HFWP.....	114
Model IGBA	115
Model BCTR.....	115
MSFM Custom	117
VEFI Kits	118
Lot Charges	115

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	9 of 119

Vishay

Model CC1-

SAP Part Number

CC1-12500KKSSNHWS

CC1-5000AFCETGKWS

SAP Description

CC1 1.25K 10% 100ppm Std SnPb None H WS

CC1 500 1% 50ppm Edg e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									17
CC1- 20 x 40 size NiCr on Alumina	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +-25 C = +-50 K = +-100	E = Edg S = Std U = Usr	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	10 of 119

Vishay

Model CC2-

SAP Part Number

CC2-12500KKSSNHWS

CC2-5000AFCETGKWS

SAP Description

CC2 1.25K 10% 100ppm Std SnPb None H WS

CC2 500 1% 50ppm Edg e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									17
CC2- 30 x 30 size NiCr on Alumina	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	A = 0.05% B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +-25 C = +-50 K = +-100	E = Edg S = Std U = Usr	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	11 of 119

Vishay

Model CC3-

SAP Part Number

CC3-12500KKSSNHWS

CC3-5000AFCETGKWS

SAP Description

CC3 1.25K 10% 100ppm Std SnPb None H WS

CC3 500 1% 50ppm Edg e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									17
CC3- 50 x 50 size NiCr on Alumina	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100	A = 0.05% B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +-25 C = +-50 K = +-100	E = Edg S = Std U = Usr	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	12 of 119

Vishay

Model CC4-

SAP Part Number

CC4-12500KKSSNHWS

CC4-5000AFCETGKWS

SAP Description

CC4 1.25K 10% 100ppm Std SnPb None H WS

CC4 500 1% 50ppm Edg e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									17
CC4- 50 x 100 size NiCr on Alumina	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100	A = 0.05% B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100	E = Edg S = Std U = Usr	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	13 of 119

Vishay

Model CC5-

SAP Part Number

CC5-12500KKSSNHWS

CC5-5000AFCETGKWS

SAP Description

CC5 1.25K 10% 100ppm Std SnPb None H WS

CC5 500 1% 50ppm Edg e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									17
CC5- 100 x 100 size NiCr on Alumina	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	A = 0.05% B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100	E = Edg S = Std U = Usr	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	14 of 119

Vishay

Model CC6-

SAP Part Number

CC6-12500KKSSNHWS

CC6-5000AFCETGKWS

SAP Description

CC6 1.25K 10% 100ppm Std SnPb None H WS

CC6 500 1% 50ppm Edg e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									17
CC6- 30 x 40 size NiCr on Alumina	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	A = 0.05% B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100	E = Edg S = Std U = Usr	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	15 of 119

Vishay

Model CC8-

SAP Part Number

CC8-12500KKSSNHWS

CC8-5000AFCETGKWS

SAP Description

CC8 1.25K 10% 100ppm Std SnPb None H WS

CC8 500 1% 50ppm Edg e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	17
									2 DIGITS
									17
CC8- 20 x 20 size NiCr on Alumina	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100	E = Edg S = Std U = Usr N = Nitride	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	16 of 119

Vishay

Model CP1

SAP Part Number

CP150000KCKKNHWS

CP112500FBCJGKWS

SAP Description

CP1 5K 10% RT.25% 100ppm 10ppm None H WS

CP1 1.25K 1% RT.1% 50ppm 5ppm Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT		1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS 16
CP1 CC1 Chip pair	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0%	E = +25 C = +50 K = +- 100	G = +/-2 J = +/-5 K = +/-10	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	17 of 119

Vishay

Model CB1-

SAP Part Number

CB1-12500KKSSNHWS

CB1-5000AFCETGKWS

SAP Description

CB1- 1.25K 10% 100ppm Std SnPb None H WS

CB1- 500 1% 50ppm Edg e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									16
CB1- 20 x 40 size NiCr on BeO	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +-25 C = +-50 K = +-100	E = Edg S = Std U = Usr	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	18 of 119

Vishay

Model CB3-

SAP Part Number

CB3-12500KKSSNHWS

CB3-5000AFCETGKWS

SAP Description

CB3 1.25K 10% 100ppm Std SnPb None H WS

CB3 500 1% 50ppm Edg e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									17
CB3- 50 x 50 size NiCr on BeO	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +-25 C = +-50 K = +-100	E = Edg S = Std U = U _{sr}	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	19 of 119

Vishay

Model SFC

SAP Part Number

SFC12500KKSSNHWS

SFC5000AFCETGKWS

SAP Description

SFC 1.25K 10% 100ppm Std SnPb None H WS

SFC 500 1% 50ppm Edg e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									16
SFC 20 x 20 size Ta2N on Alumina	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	F = 1.0% G = 2.0% J = 5.0% K = 10%	C = +/-50 K = +/-100 M = +/-250	E = Edg S = Std U = Usr	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	20 of 119

Model SFM

SAP Part Number

SFM50000FKANHWS

SFM12500KCGGKWS

SAP Description

SFM 5K 1% 100ppm Al None H WS

SFM 1.25K 10% 100 ppm Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
SFM 20 x 20 size Ta2N on Silicon	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% H = 2.5% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100 M = +/-250 R = 0/-250 Y = +25/-100 V = +/-150 A = +100/-250 L = +/-200 N = +50/-100 P = 0/-350	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot S = Schlumberger (Special)	WS = Waffle pack 100 min, 1 mult WT = Waffle pack 10 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on Tape CS = Danshui Customer DW = Danshui EFI

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	21 of 119

Vishay

Model SFP

SAP Part Number

SFP50000FKANHWS

SFP12500KCGGKWS

SAP Description

SFP 5K 1% 100ppm Al None H WS

SFP 1.25K 10% 100 ppm Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								15
SFP 22 x 22 size Ta2N on Silicon w/ part mark	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on Tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	22 of 119

Vishay

Model SFN

SAP Part Number

SFN50000FKANHWS

SFN12500KCGGKWS

SAP Description

SFN 5K 1% 100ppm Al None H WS

SFN 1.25K 10% 100 ppm Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								15
SFN 20 x 20 size NiCr on Silicon	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = +/-10 E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on Tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	23 of 119

Model SFX

SAP Part Number

SFX10004FK5ANHWS

SFX25003KR4GGKWS

SAP Description

SFX 10M 1% 100ppm 55 Al None H WS

SFX 2.5M 10% 0/-250ppm 40 Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Size	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
SFX	First 4 digits are significant figures of resistance	2 = 100 3 = 1000 4 = 10000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100 M = +/-250 W = +/-350 R = 0/-250 P = 0/-350 I = 0/-200	3 = 30 x 30 4 = 40 x 40 5 = 55 x 55	G = Au A = Al P = Al term + Silicon Nitride passivation	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot S = Special (Schlumberger) P = Part marked	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on Tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	24 of 119

Vishay

Model SC3-

SAP Part Number

SC3-12500KKSGNHWS

SC3-5000AFCEANKWS

SAP Description

SC3 1.25K 10% 100ppm Std Au None H WS

SC3 500 1% 50ppm Edg Al None K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									17
SC3- 50 x 50 size NiCr on Silicon	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = ±-25 C = ±-50 K = ±-100	E = Edg S = Std U = U _{sr}	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	25 of 119

Vishay

Model QFM

SAP Part Number

QFM50000FKANHWS

QFM12500KCGGKWS

SAP Description

QFM 5K 1% 100ppm Al None H WS

QFM 1.25K 10% 100 ppm Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								15
QFM 20 x 20 size Ta2N on Quartz	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = Gold A = Aluminum	G = Gold N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	26 of 119

Vishay

Model QFN

SAP Part Number

QFN50000FKANHWS

QFN12500KCGGKWS

SAP Description

QFN 5K 1% 100ppm Al None H WS

QFN 1.25K 10% 100 ppm Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								15
QFN 20 x 20 size NiCr on Quartz	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = Gold A = Aluminum	G = Gold N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	27 of 119

Vishay

Model QFX

SAP Part Number
QFX10003FK4ANHWS

SAP Description
QFX 1M 1% 100ppm/C 40SQ AL PAD CLASS H WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Size	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									16
QFX High value TaN on Quartz	First 4 digits are significant figures of resistance	2 = 100 3 = 1000 4 = 10000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +/- 25 C = +/-50 K = +/-100 M = +/-250 W = +/-350 I = 0/-200 R = 0/-250 P = 0/-350	3 = 30 x 30 4 = 40 x 40 5 = 55 x 55	G = Gold A = Aluminum	G = Gold N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	28 of 119

Vishay

Model NFX

SAP Part Number

NFX10004FK5ANHWS

NFX25003KR4GGKWS

SAP Description

NFX 10M 1% 100ppm 55 Al None H WS

NFX 2.5M 10% 0/-250ppm 40 Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Size	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									16
NFX High value NiCr on Silicon	First 4 digits are significant figures of resistance	2 = 100 3 = 1000 4 = 10000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	C = +/-50 K = +/-100 M = +/-250 W = +/-350	3 = 30 x 30 4 = 40 x 40 5 = 55 x 55	G = Gold A = Aluminum	G = Gold N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	29 of 119

Vishay

Model CFX

SAP Part Number

CFX10004FK5ANHWS

CFX25003KR4GGKWS

SAP Description

CFX 10M 1% 100ppm 55 Al None H WS

CFX 2.5M 10% 0/-250ppm 40 Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Size	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									16
CFX High value CrSi on Silicon	First 4 digits are significant figures of resistance	2 = 100 3 = 1000 4 = 10000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	C = +/-50 K = +/-100 M = +/-250 W = +/-350	3 = 30 x 30 4 = 40 x 40 5 = 55 x 55	G = Gold A = Aluminum	G = Gold N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	30 of 119

Vishay

Model BCR

SAP Part Number

BCR50000FKAHWS

BCR12500KCGKWS

SAP Description

BCR 5K 1% 100ppm Al H WS

BCR 1.25K 10% 100 ppm Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
BCR 20 x 20 size Back Contact Resistor	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20%	E = +/-25 C = +/-50 K = +/-100 M = +/-250 R = 0/-250 Q = +50/-250	G = Gold A = Aluminum	H = Class H K = Class K G = Class H, one lot L = Class K, one lot S = Schlumberger (Special) C = Commercial	WS = Waffle pack 100 min, 1 mult WT = Waffle pack 10 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on Tape CS = Danshui DW = Danshui EFI

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	31 of 119

Vishay

Model PWA

SAP Part Number

PWA50000FKANHWS

PWA12500KCGGKWS

SAP Description

PWA 5K 1% 100ppm Al None H WS

PWA 1.25K 10% 100 ppm Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								15
PWA 30 x 45 size Power Resistor	First 4 digits are significant figures of resistance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% H = 2.5% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100 V = +/- 150 L = +/-200 M = +/-250 Z = +600/-100	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult ST = Diced on tape FW = Full Wafer (3") HW = Half Wafer T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	32 of 119

Vishay

Model PWB

SAP Part Number

PWB50000FKANHWS

PWB12500KCGGKWS

SAP Description

PWB 5K 1% 100ppm Al None H WS

PWB 1.25K 10% 100 ppm Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
PWB 70 x 70 size Power Resistor	First 4 digits are significant figures of resistance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10	D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	C = +/-50 K = +/-100 M = +/-250 Z = +600/-100	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	15 WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on Tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	33 of 119

Vishay

Model CTT

SAP Part Number

CTT50000KCKKGNHWS

CTT12500FBCJAGKWS

SAP Description

CTT 5K 10% RT.25% 100 10 Au None H WS

CTT 1.25K 1% RT.1% 50 5 Al Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
CTT	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% U = User N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on Tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	34 of 119

Vishay

Model CTA

SAP Part Number

CTA50000KCKKGNHWS

CTA12500FBCJGGKWS

SAP Description

CTA 5K 10% RT.25% 100 10 Au None H WS

CTA 1.25K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
CTA	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% U = User N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on Tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	35 of 119

Vishay

Model CTB

SAP Part Number

CTB50000KCKKGNHWS

CTB12500FBCJGGKWS

SAP Description

CTB 5K 10% RT.25% 100 10 Au None H WS

CTB 1.25K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
CTB	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% U = User N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on Tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	36 of 119

Vishay

Model CCM

SAP Part Number

CCM50000KCKKGNHWS

CCM12500FBCJGGKWS

SAP Description

CCM 5K 10% RT.25% 100 10 Au None H WS

CCM 1.25K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
CCM	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% U = User N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on Tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	37 of 119

Vishay

Model CCC

SAP Part Number

CCC50000KCKKGNHWS

CCC12500FBCJGGKWS

SAP Description

CCC 5K 10% RT.25% 100 10 Au None H WS

CCC 1.25K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
CCC	First 4 digits are significant figures of resistance	A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% U = User N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on Tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	38 of 119

Vishay

Model CTR

SAP Part Number

CTR50000KCKKGNHWS

CTR12500FBCJGGKWS

SAP Description

CTR 5K 10% RT.25% 100 10 Au None H WS

CTR 1.25K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
CTR	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	A = 0.05% B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% H = 2.5% J = 5.0% K = 10% M = 20%	W = 0.01% V = 0.02% A = 0.05% B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% N = No	E = +/-25 C = +/-50 K = +/-100 L = +/-200 M = +/-250 R = 0/-250 S = 0/-100 Z = +600/-100 U = +100/-150 T = +300/-100 D = +250/-100	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot S = Schlumberger (Special)	WS = Waffle pack 100 min, 1 mult WT = Waffle pack 10 min, 1 mult FW = Full Wafer HW = Half Wafer CS = Danshui Customer DW = Danshui EFI

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	39 of 119

Vishay

Model CTN

SAP Part Number

CTN50000KCKKGNHWS

CTN12500FBCJGGKWS

SAP Description

CTN 5K 10% RT.25% 100 10 Au None H WS

CTN 1.25K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
CTN	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% N = No	B = +/-10 E = +/-25 C = +/-50 K = +/-100 M = +/-250 Z = +600/-100	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	40 of 119

Vishay

Model CTM

SAP Part Number

CTM50002KCKKGNHWS

CTM12502FBCJGGKWS

SAP Description

CTM 500K 10% RT.25% 100 10 Au None H WS

CTM 125K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
CTM	First 4 digits are significant figures of resistance	2 = 100 3 = 1000 4 = 10000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	C = 0.25% D = 0.5% F = 1.0% G = 2.0% N = No	C = +/-50 K = +/-100 R = 0/-250 P = 0/-350	J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult
40 x 40 size										
Center Tapped , High Value Resistor TaN on Silicon										

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	41 of 119

Vishay

Model CTQ

SAP Part Number

CTQ50000KCKKGNHWS

CTQ12500FBCJGGKWS

SAP Description

CTQ 5K 10% RT.25% 100 10 Au None H WS

CTQ 1.25K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
CTQ	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250 Z = +600/-100	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult
30 x 30 size										17
Center Tapped Resistor TaN on Quartz										

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	42 of 119

Vishay

Model CC7

SAP Part Number

CC750000KCKKGNHWS

CC712500FBCJGGKWS

SAP Description

CC7 5K 10% RT.25% 100 10 Au None H WS

CC7 1.25K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
CC7	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% U = User N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult
30 x 30 size										17
Center Tapped Resistor NiCr on Alumina										

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	43 of 119

Vishay

Model CCB

SAP Part Number

CCB50000KCKKGNHWS

CCB12500FBCJGGKWS

SAP Description

CCB 5K 10% RT.25% 100 10 Au None H WS

CCB 1.25K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
CCB	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% U = User N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	44 of 119

Vishay

Model SC7

SAP Part Number

SC750000KCKKGNHWS

SC712500FBCJGGKWS

SAP Description

SC7 5K 10% RT.25% 100 10 Au None H WS

SC7 1.25K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
										17
SC7 30 x 30 size Center Tapped Resistor NiCr on Silicon	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% U = User N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	45 of 119

Vishay

Model SCB

SAP Part Number

SCB50000KCKKGNHWS

SCB12500FBCJGGKWS

SAP Description

SCB 5K 10% RT.25% 100 10 Au None H WS

SCB 1.25K 1% RT.1% 50 5 Au Au K WS

Model	Resistance (R Total)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
SCB	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% U = User N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	17 WS = Waffle pack 100 min, 1 mult
50 x 50 size										
Center Tapped Resistor NiCr on Silicon										

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	46 of 119

Model STR

SAP Part Number

STR10031003KCKKSWs

STR10032003FFCJSWS

SAP Description

STR 100K/100K 10% RT.25% 100 10 Std WS

STR 100K/200K 1% RT1% 50 5 Std WS

Model	Resistor 1 Value	Resistor 1 Multiplier Code	Resistor 1 Value	Resistor 1 Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Special	Pack code
3 DIGITS	3 DIGITS	1 DIGIT	3 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS 18
STR 30 x 30 size Center Tapped Resistor TaN on Silicon R1 < R2	First 3 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	First 3 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250 S = 0/-100 Z = +600/-100 V = +/-150	G = +/-2 J = +/-5 K = +/-10 N = No	S = Std	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	47 of 119

Vishay

Model NTR

SAP Part Number

NTR10031003KCKKSWs

NTR10032003FFCJSWS

SAP Description

NTR 100K/100K 10% RT.25% 100 10 Std WS

NTR 100K/200K 1% RT1% 50 5 Std WS

Model	Resistor 1 Value	Resistor 1 Multiplier Code	Resistor 1 Value	Resistor 1 Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Special	Pack code
3 DIGITS	3 DIGITS	1 DIGIT	3 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
NTR 30 x 30 size Center Tapped Resistor Isolated Bottom pad TaN on Silicon R1 < R2	First 3 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	First 3 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250 S = 0/-100 Z = +600/-100	G = +/-2 J = +/-5 K = +/-10 N = No	S = Std	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	48 of 119

Model DTR

SAP Part Number

DTR10031003KCKKSWs

DTR10032003FFCJSWS

SAP Description

DTR 100K/100K 10% RT.25% 100 10 Std WS

DTR 100K/200K 1% RT1% 50 5 Std WS

Model	Resistor 1 Value	Resistor 1 Multiplier Code	Resistor 1 Value	Resistor 1 Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Special	Pack code
3 DIGITS	3 DIGITS	1 DIGIT	3 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS 18
DTR 30 x 30 size Center Tapped Resistor Isolated Top pad TaN on Silicon R1 < R2	First 3 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	First 3 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% N = No	E = +/-25 C = +/-50 K = +/-100 M = +/-250 S = 0/-100 Z = +600/-100	G = +/-2 J = +/-5 K = +/-10 N = No	S = Std	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	49 of 119

Vishay

Model MIB

SAP Part Number
MIB5000AFKSGNHWS

SAP Description
MIB 500 1% 100ppm Std Au None H WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									16
MIB 10 x 20 size Microwave Resistor TaN on Alumina	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20%	K = +/-100 L = +/-200	M = Mic S = Std	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult CS = Danshui T0 = Tape & Reel 100min, 100mult T1 = Tape & Reel 1000min, 1000mult T3 = Tape & Reel 300min, 300mult T5 = Tape & Reel 500min, 500mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100min, 1mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	50 of 119

Vishay

Model MIC

SAP Part Number

MIC5000BKKMSNHWS

MIC5000AFCSTGKWS

SAP Description

MIC 50 10% 100ppm Mic SnPb None H WS

MIC 500 1% 50ppm Std e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
MIC	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10	F = 1.0% G = 2.0% H = 2.5% J = 5.0% K = 10% M = 20%	E = +/-25 C = +/-50 K = +/-100 L = +/-200 R = 0/-250	M = Mic S = Std	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult CS = Danshui T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	51 of 119

Vishay

Model MIF

SAP Part Number

MIF5000BKKMSNHWs

MIF5000AFCSTGKWS

SAP Description

MIF 50 10% 100ppm Mic SnPb None H WS

MIF 500 1% 50ppm Std e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									16
MIF 16 x 20 size Microwave Resistor TaN on Alumina	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20%	K = +/-100 L = +/-200 R = 0/-250	M = Mic S = Std	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	52 of 119

Vishay

Model MID

SAP Part Number

MID5000BKKMSNHWS

MID5000AFCSTGKWS

SAP Description

MID 50 10% 100ppm Mic SnPb None H WS

MID 500 1% 50ppm Std e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									16
MID 50 x 50 size Microwave Resistor TaN on Alumina	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20%	E = +/-25 C = +/-50 K = +/-100 L = +/-200	M = Mic S = Std	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult CS = Danshui

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	53 of 119

Vishay

Model SID

SAP Part Number

SID5000BKMGNHWS

SID5000AFCSAGKWS

SAP Description

SID 50 10% 100ppm Mic Au None H WS

SID 500 1% 50ppm Std Al Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									16
SID 50 x 50 size Microwave Resistor TaN on Silicon	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20%	E = +/-25 C = +/-50 K = +/-100 L = +/-200	M = Mic S = Std	G = Gold A = Al	G = Gold N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	54 of 119

Vishay

Model MIG

SAP Part Number

MIG5000BKKMSNHWS

MIG5000AFCSTGKWS

SAP Description

MIG 50 10% 100ppm Mic SnPb None H WS

MIG 500 1% 50ppm Std e1 Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									16
MIG 100x100 size Microwave Resistor TaN on Alumina	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20%	E = +/-25 C = +/-50 K = +/-100 L = +/-200	M = Mic S = Std	G = Au S = SnPb A = Al T = Pb-Free (e1)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	55 of 119

Model TMR

SAP Part Number

TMR2400AKKNHWS

TMR2400AFCGKWS

SAP Description

TMR 240 10% 100ppm None H WS

TMR 240 1% 50ppm Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
							14
TMR 20 x 60 size Tapped Microwave Resistor TaN on Alumina	First 4 digits are significant figures of resistance	A = 0.1	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20%	E = +/-25 C = +/-50 K = +/-100 L = +/-200	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	56 of 119

Model NMGR

SAP Part Number

NMGR45000BFCGHWS
NMGR61000AKKTHTS

SAP Description

NMGR 0402 50 1% 50ppm Au H WS
NMGR 0603 100 10% 100ppm e1 H TS

Model	Case Size	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Visual Class	Pack code
4 DIGITS	1 DIGIT	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								16
NMGR Non-magnetic resistor chip	4 = 0402 6 = 0603 8 = 0805 1 = 1206	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20%	E = +/-25 C = +/-50 K = +/-100	G = Au S = SnPb T = Pb-Free (e1)	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult TS = Tape & Reel 100 min 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	57 of 119

Model NCAA

SAP Part Number

NCAA4700CKMAHWS

NCAA1000BKNGKWS

SAP Description

NCA 4.7 pF 10% MOS Al H WS

NCA 10 pF 10% MNOS Au K WS

Model	Capacitance (pF)	Capacitance Multiplier Code	Tolerance Code	Dielectric	Termination	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
							15
NCAA 20 x 20 size Capacitor	First 4 digits are significant figures of capacitance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1	D = +/-0.5 pF H = 2.5% J = 5.0% K = 10% M = 20%	M = MOS N = MNOS	G = Au A = Al	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	58 of 119

Vishay

Model NCBB

SAP Part Number

NCBB2200BKMAHWS

NCBB3300BKNGKWS

SAP Description

NCB 22 pF 10% MOS Al H WS

NCB 33 pF 10% MNOS Au K WS

Model	Capacitance (pF)	Capacitance Multiplier Code	Tolerance Code	Dielectric	Termination	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
							15
NCBB 30 x 30 size Capacitor	First 4 digits are significant figures of capacitance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1	H = 2.5% J = 5.0% K = 10% M = 20% D = ± 0.5 pF	M = MOS N = MNOS	G = Au A = Al	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Dice on Tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	59 of 119

Model NCCC

SAP Part Number

NCCC5600BKMAHWS

NCCC1100AKNGKWS

SAP Description

NCC 56 pF 10% MOS Al H WS

NCC 110 pF 10% MNOS Au K WS

Model	Capacitance (pF)	Capacitance Multiplier Code	Tolerance Code	Dielectric	Termination	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
							15
NCCC 40 x 40 size Capacitor	First 4 digits are significant figures of capacitance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1	H = 2.5% J = 5.0% K = 10% M = 20% D = ± 0.5 pF	M = MOS N = MNOS	G = Au A = Al	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	60 of 119

Model NCDD

SAP Part Number

NCDD2200AKMAHWS

NCDD3300AKNGKWS

SAP Description

NCD 220 pF 10% MOS Al H WS

NCD 330 pF 10% MNOS Au K WS

Model	Capacitance (pF)	Capacitance Multiplier Code	Tolerance Code	Dielectric	Termination	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
							15
NCDD 55 x 55 size Capacitor	First 4 digits are significant figures of capacitance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1	H = 2.5% J = 5.0% K = 10% M = 20% D = ± 0.5 pF	M = MOS N = MNOS	G = Au A = Al	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	61 of 119

Vishay

Model NCEE

SAP Part Number

NCEE4700AKMAHWS

NCEE10000KNGKWS

SAP Description

NCE 470 pF 10% MOS Al H WS

NCE 1K pF 10% MNOS Au K WS

Model	Capacitance (pF)	Capacitance Multiplier Code	Tolerance Code	Dielectric	Termination	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
							15
NCEE 60 x 60 size Capacitor	First 4 digits are significant figures of capacitance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1	H = 2.5% J = 5.0% K = 10% M = 20% D = ± 0.5 pF	M = MOS N = MNOS	G = Au A = Al	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	62 of 119

Vishay

Model CBA/CBB/CBC

SAP Part Number

CBA3750CMAHWS

CBB1500BLGKWS

SAP Description

CBA 3.75 pF 20% Al H WS

CBB 31 pF 25% Au K WS

Model	Type	Capacitance (pF)	Capacitance Multiplier Code	Tolerance Code	Termination	Visual Class	Pack code
2 DIGITS	1 DIGIT	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
							13
CB Binary Capacitor	A = 19 x 30 B = 19 x 48 C = 44 x 44	First 4 digits are significant figures of capacitance	C = 0.001 B = 0.01	K = 10% M = 20% L = 25%	G = Au A = Al	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	63 of 119

Vishay

Model CMN-

SAP Part Number

CMN-011-0012WS

SAP Description

Custom Cap CMN-011-0012 WS

Model	Variation	Dash	Style	Pack code
4 DIGITS	3 DIGITS	1 DIGIT	4 DIGIT	2 DIGITS 14
CMN- Custom Capacitor	XXX	-	XXXX	WS = Waffle pack 100 min, 1 mult ST = diced on tape 1min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	64 of 119

Vishay

Model RCN-

SAP Part Number

RCN-011-0012WS

SAP Description

Custom Res/Cap RCN-011-0012 WS

Model	Variation	Dash	Style	Pack code
4 DIGITS	3 DIGITS	1 DIGIT	4 DIGIT	2 DIGITS 14
RCN- Custom Capacitor Resistor Network	XXX	-	XXXX	WS = Waffle pack 100 min, 1 mult ST = Diced on tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	65 of 119

Vishay

Model CLA/CLB/CLC

SAP Part Number

CLA0830000FFKANHWS
CLB0620002KNCGGKWS

SAP Description

CLA 8 Res 3K 1% 100ppm Al None H WS
CLB 6 Res 200K 10% 50ppm Au Au K WS

Model	Type	# Resistors	Resistance	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
CL Resistor Ta2N on Silicon	A = Isolated B = Bussed C = Chained	03 04 05 06 07 08 09 10 11 12	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% F = 1% N = None	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot S = Sculumber (Special)	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	66 of 119

Vishay

Model MTR

SAP Part Number

MTR24001KAMANHWS

MTR24000JBKGNHWS

SAP Description

MTR 24K 10% Form A 250 ppm Al None H WS

MTR 2.4K 5% Form B 100 ppm Au None H WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	Format	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									16
MTR 30 x 30 size Multi Tapped Resistor Array Ta2N on Silicon	First 4 digits are significant figures of resistance	A = 0.1 0 = 1 1 = 10 2 = 100	J = 5.0% K = 10% M = 20% L = 25%	A = Form A B = Form B	K = +/-100 M = +/-250 R = 0/-250	G = Au A = Al	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot M = Class H + element eval	WS = Waffle pack 100 min, 1 mult CS = Danshui Customer DW = Danshui EFI

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	67 of 119

Vishay

Model MTT

SAP Part Number
MTT11002KMANHWS

SAP Description
MTT 110K 10% 250ppm Al None K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								15
MTT 38 x 38 size Multi Tapped Resistor Array Ta2N on Silicon	First 4 digits are significant figures of resistance	A = 0.1 0 = 1 1 = 10 2 = 100	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	C = +/-50 K = +/-100 M = +/-250 R = 0/-250	G = Gold A = Aluminum	G = Gold N = None	H = Class H K = Class K G = Class H, one lot L = Class K, one lot	WS = Waffle pack 100 min, 1 mult FW = Full Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	68 of 119

Model CC4- Custom

SAP Part Number

CC4-00010001FWS

SAP Description

CC4- Custom 000 10K, 1% WS

Model	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
4 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
					15
CC1- CC2- CC3- CC4- CC5- CC6- CC8- SC3- CB1- CB3-	XXX	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100	A = 0.05% B = 0.1% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	69 of 119

Model CC1-, CC2-, CC3-, CC5-, CC6-, CC8-, SC3-, CB1-, CB3- Custom

SAP Part Number

CC1-00010001FWS
 CC2-00010001FWS
 CC3-00010001FWS
 CC5-00010001FWS
 CC6-00010001FWS
 CC8-00010001FWS
 SC3-00010001FWS
 CB1-00010001FWS
 CB3-00010001FWS

SAP Description

CC1- Custom 000 10K, 1% WS
 CC2- Custom 000 10K, 1% WS
 CC3- Custom 000 10K, 1% WS
 CC5- Custom 000 10K, 1% WS
 CC6- Custom 000 10K, 1% WS
 CC8- Custom 000 10K, 1% WS
 SC3- Custom 000 10K, 1% WS
 CB1- Custom 000 10K, 1% WS
 CB3- Custom 000 10K, 1% WS

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	70 of 119

Vishay

Model	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
4 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
					15
CC1- CC2- CC3- CC5- CC6- CC8- SC3- CB1- CB3-	XXX	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100	A = 0.05% B = 0.1% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	71 of 119

Vishay

SFM Custom

SAP Part Number

SFM00010001FWS

SAP Description

SFM Custom 000 10K, 1% WS

Model	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
3 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
					15
SFM	XXX	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000 4 = 10000	B = 0.1% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult FW = Full Wafer ST = Diced on Tape DW = Wafer for Danshui CS = Tray from Danshui

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	72 of 119

Model CP1, SFC, SFP, SFN, SFX Custom

SAP Part Number

CP100010001FWS
 SFC00010001FWS
 SFP00010001FWS
 SFN00010001FWS
 SFX000X10002FWS

SAP Description

CP1 Custom 000 10K, 1% WS
 SFC Custom 000 10K, 1% WS
 SFP Custom 000 10K, 1% WS
 SFN Custom 000 10K, 1% WS
 SFX Custom 000 100K, 1% WS

Model	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
3 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
					15
CP1 SFC SFP SFN SFX	XXX	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000 4 = 10000	B = 0.1% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult FW = Full Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	73 of 119

Model QFM, QFN, QFX, NFX, BCR, PWA, PWB Custom

SAP Part Number

QFM00010001FWS

QFN00010001FWS

QFX00010001FWS

NFX00010001FWS

BCR00010001FWS

PWA00010001FWS

PWB00010001FWS

SAP Description

QFM Custom 000 10K, 1% WS

QFN Custom 000 10K, 1% WS

QFX Custom 000 10K, 1% WS

NFX Custom 000 10K, 1% WS

BCR Custom 000 10K, 1% WS

PWA Custom 000 10K, 1% WS

PWB Custom 000 10K, 1% WS

Model	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
3 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
					15
QFM QFN QFX NFX BCR PWA PWB	XXX	First 4 digits are significant figures of resistance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000 4 = 10000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult ST- Diced on tape CS = Tray from Danshui

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	74 of 119

Model CTT, CTA, CTB, CCM, CCC, CC7,CCB Custom

SAP Part Number

CTT00010001FWS
 CTA00010001FWS
 CTB00010001FWS
 CCM00010001FWS
 CCC00010001FWS
 CC700010001FWS
 CCB00010001FWS

SAP Description

CTT Custom 000 10K, 1% WS
 CTA Custom 000 10K, 1% WS
 CTB Custom 000 10K, 1% WS
 CCM Custom 000 10K, 1% WS
 CCC Custom 000 10K, 1% WS
 CC7 Custom 000 10K, 1% WS
 CCB Custom 000 10K, 1% WS

Model	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
3 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
CTT CTA CTB CCM CC7 CCB	XXX	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	75 of 119

Vishay

Model CTR Custom

SAP Part Number

CTR00010001FWS

SAP Description

CTR Custom 000 10K, 1% WS

Model	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
3 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS 15
CTR	XXX	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer CS = Tray from Danshui

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	76 of 119

Model CTN, CTM, CTQ, RNA, SC7, SCB, STR, NTR, DTR, RTN Custom

SAP Part Number

CTN00010001FWS
 CTM00010001FWS
 CTQ00010001FWS
 RNA00010001FWS
 SC700010001FWS
 SCB00010001FWS
 STR00010001FWS
 NTR00010001FWS
 DTR00010001FWS
 RTN00010001FWS

SAP Description

CTN Custom 000 10K, 1% WS
 CTM Custom 000 10K, 1% WS
 CTQ Custom 000 10K, 1% WS
 RNA Custom 000 10K, 1% WS
 SC7 Custom 000 10K, 1% WS
 SCB Custom 000 10K, 1% WS
 STR Custom 000 10K, 1% WS
 NTR Custom 000 10K, 1% WS
 DTR Custom 000 10K, 1% WS
 RTN Custom 000 10K, 1% WS

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	77 of 119

Vishay

Model	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
3 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
					15
CTN CTM CTQ RNA SC7 SCB STR NTR DTR RTN	XXX	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	WS = Waffle pack 100 min, 1 mult FW = Full Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	78 of 119

Model MIB, MIC, MIF, MID, SID, MIG Custom

SAP Part Number

MIB00010001FWS
 MIC00010001FWS
 MIF00010001FWS
 MID00010001FWS
 SID00010001FWS
 MIG00010001FWS

SAP Description

MIB Custom 000 10K, 1% WS
 MIC Custom 000 10K, 1% WS
 MIF Custom 000 10K, 1% WS
 MID Custom 000 10K, 1% WS
 SID Custom 000 10K, 1% WS
 MIG Custom 000 10K, 1% WS

Model	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
3 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
					15
MIB MIC MIF MID SID MIG	XXX	First 4 digits are significant figures of resistance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	79 of 119

Model NCAA, NCBB, NCCC, NCDD, NCEE Custom

SAP Part Number

NCAA0001000BJWS
 NCBB0005000BKWS
 NCCC0001000AKWS
 NCDD0003300AKWS
 NCEE00010000KWS

SAP Description

NCA Custom 000 10 pF, 5% WS
 NCB Custom 000 50 pF, 10% WS
 NCC Custom 000 100 pF, 10% WS
 NCD Custom 000 330 pF, 10% WS
 NCE Custom 000 1K pF, 10% WS

Model	Process Code	Capacitance	Capacitance Multiplier Code	Tolerance Code	Pack code
4 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
					15
NCAA NCBB NCCC NCDD NCEE	XXX	First 4 digits are significant figures of capacitance	A = 0.1 0 = 1 1 = 10 2 = 100	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	80 of 119

Model CBA, CBB, CBC, CMC, CBD Custom

SAP Part Number

CBA1101500BKWS

CBB1105000BKWS

SAP Description

CBA Custom 110 15 pF, 10% WS

CBB Custom 110 50 pF, 10% WS

Model	Process Code	Capacitance	Capacitance Multiplier Code	Tolerance Code	Pack code
3 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
					15
CBA CBB CBC CMC CBD	XXX	First 4 digits are significant figures of capacitance	C = 0.001 B = 0.01	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult FW = Full Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	81 of 119

Model CLA/CLB/CLC Custom

SAP Part Number

CLA0065000BKWS

CLB0065000BKWS

CLC0065000BKWS

SAP Description

CL Custom A 006 50 ohm, 10% WS

CL Custom B 006 50 ohm, 10% WS

CL Custom C 006 50 ohm, 10% WS

Model	Type	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
2 DIGITS	1 DIGIT	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
						15
CL	A = Isolated B = Bussed C = Chained	XXX	First 4 digits are significant figures of capacitance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	82 of 119

Vishay

Model MTR, MTT, TMR

SAP Part Number

MTR05180000KWS
MTT00020001JWS
TMR0002400AKWS

SAP Description

MTR Custom 051 8K, 10% WS
MTT Custom 000 20K, 5% WS
TMR Custom 000 240, 10% WS

Model	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
3 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
					15
MTR MTT TMR	XXX	First 4 digits are significant figures of capacitance	C=0.001 B=0.01 A = 0.1 0 = 1 1 = 10 2 = 100	F = 1% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult CS = Tray from Danshui

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	83 of 119

Model PSC

SAP Part Number
PSC4000CL4A5GNHWS

SAP Description
PSC 4Nh 25% 45x45x5 Au None H WS

Model	Inductance (nH)	Inductance Multiplier Code	Tolerance Code	Size	Substrate	Thickness (mil)	Termination	Special	Test Class	Pack code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
PSC	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10% L = 25% M = 20%	4 = 45x45	A = Alumina S = Silicon Q = Quartz F = Ferrite	5 = 5 1 = 10 2 = 20	G = Au A = Al	G = Au N = None	H = Class H K = Class K Q tested No Test 100% test Sample test	W1 = Waffle Pack 1 min, 1 mult T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	84 of 119

Model RFLW

SAP Part Number
RFLW3N2000BMNT0

SAP Description
RFLW 30X30 NO PASS 20 Nh 20% T0

Model	Size	Passivation	Inductance (nH)	Inductance Multiplier Code	Tolerance Code	Special	Pack code
4 DIGITS	1 DIGIT	1 DIGIT	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
RFLW	3 = 30 x 30 5 = 50 x 50	S = Silicon Nitride N = None	First 4 digits are significant figures of inductance	C = 0.001 B = 0.01 A = 0.1	K = 10% M = 20% L = 25%	N = None	WS = WAFFLE 100 Min 1 Mult CS = Danshui T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	85 of 119

Vishay

Model NET

SAP Part Number

NET0111342WS

SAP Description

Custom Res NET0111342 WS

Model	Variation	Style	Pack code
3 DIGITS	3 DIGITS	4 DIGIT	2 DIGITS 12
NET Custom Resistor Network	XXX	XXXX	WS = Waffle pack 100 min, 1 mult FW = Full Wafer ST = Diced on Tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	86 of 119

Vishay

Model SSUB

SAP Part Number

SSUB0036011W1

SAP Description

Custom SSUB0036011 W1

Model	Variation	Style	Pack code
4 DIGITS	3 DIGITS	4 DIGIT	2 DIGITS 13
SSUB Custom Patterned Silicon Substrate	XXX	XXXX	W1 = Waffle Pack 1 min, 1 mult FW = Full Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	87 of 119

Vishay

Model SLR

SAP Part Number
SLRC410001FFCGGW1

SAP Description
SLRC 4 RES 10K 1% RT1% 50ppm 2ppm Au W1

Model	Width (mil)	Number Resistors	Resistance	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	TC Track (ppm/C)	Termination	Pack code
3 DIGITS	1 DIGIT	1 DIGIT	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
										17
SLR Resistor Carrier NiCr on Alumina	C = 100 N = 150 M = 210	2 = 2 3 = 3 4 = 4 7 = 7 8 = 8	First 4 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	W = 0.01% V = 0.02% A = 0.05% B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0%	B = +/-10 E = +/-25 C = +/-50 K = +/-100 M = +/-250	F = +/-1 G = +/-2 H = +/-3 J = +/-5 K = +/-10	G = Au S = SnPb A = Al T = Pb-Free (e1)	W1 = Waffle Pack 1 min, 1 mult WS = Waffle pack 100 min, 1 mult T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	88 of 119

Vishay

Model LSUB

SAP Part Number

LSUBNSWS

SAP Description

LSUB AlN Std WS

Model	Substrate	Surface	Pack code
4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS 17
LSUB Ceramic Submount for High Power LED	N = AlN A = Alumina (99.6%) T = Alumina (96%)	S = Standard O = Offset A = AuSn	PL = Plate SC = Scribed plate ST = Diced on tape WS = Waffle pack, 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	89 of 119

Vishay

Model INT

SAP Part Number
INT201234-01Q

SAP Description
Interconnect Custom 201234-01Q

Model	Internal P/N	Internal Rev	Variant
3 DIGITS	7 DIGITS	2 DIGITS	1 DIGIT
INT INTERCONNECT SUBSTRATE	XXXXXX-	XX	Q = Thru Hole V = Filled Via C = Conductor A = AlN B = BeO K = Zirconia N = Resistor Z = SLR

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	90 of 119

Vishay

Model MTLP

SAP Part Number

MTLP

SAP Description

0.030” mil wide transmission line with tuning pads

Model	Length	Surface finish	Packaging code
MTLP Microstrip transmission line with tuning pads	XXX 010 015 020 055 090 300	F = As-fired P = polished	WS = 100 mult, one min waffle pack T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	91 of 119

Vishay

Model PSS

SAP Part Number

PSS205402-02N

SAP Description

Patterned Substrate Custom 205402-02N

Model	Internal P/N	Internal Rev	Variant
3 DIGITS	7 DIGITS	2 DIGITS	1 DIGIT
PSS PATTERNED SUBSTRATE	XXXXXX-	XX	A = AlN B = BeO C = Conductor F = Special N = Res Net Y = Solder Bump P = Chip

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	92 of 119

Vishay

Model SPF2

SAP Part Number

SPF208053-00C

SAP Description

Specialty Films Custom 105687-000

Model	Customr P/N	Internal Rev	Variant
4 DIGITS	5 DIGITs	2 DIGITS	1 DIGIT
SPF2 SPECIALTY FILM	XXXXX-	XX	A = AlN B = BeO C = Conductor F = Ferrite/Garnet K = Zirconia

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	93 of 119

Vishay

Model EWR

SAP Part Number

EWR1524
EWR3520A

SAP Description

Custom Interconnect EWR1524
Custom Interconnect EWR3520A

Model	Customer P/N
3 DIGITS	4 or 5 DIGITS
EWR CUSTOM INTERCONNET SUBSTRATE	XXXXX

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	94 of 119

Vishay

Model EWR

SAP Part Number

EWR1524-00N

EWR4256-00Q

SAP Description

Custom Interconnect EWR1524-00N

Custom Interconnect EWR4256-00Q

Model	Customer P/N	Internal Rev	Variant
3 DIGITS	5 DIGITS	2 DIGITS	1 DIGIT
EWR CUSTOM INTERCONNET SUBSTRATE	XXXX-	XX	A = AlN B = BeO C = Conductor 0 = Coating F = Ferrite/Garnet N = Resistor Q = Thru Hole

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	95 of 119

Vishay

Model TF

SAP Part Number

TF1235

SAP Description

Custom TF metalized substrate TF1235

Model	CUSTOM P/N
2 DIGITS	4 DIGIT
TF METALIZED SUBSTRATE	XXXX

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	96 of 119

Vishay

Model RFD

SAP Part Number

RFD207892-00Q

SAP Description

RFD Custom RFD207892-00Q

Model	Customr P/N	Internal Rev	Variant
3 DIGITS	7 DIGITS	2 DIGITS	1 DIGIT
RFD RF DESIGN CUSTOM	XXXXXX-	XX	A = AlN B = BeO C = Conductor F = Ferrite/Garnet N = Res Net Q = Thru Hole V = Filled Via Y = Solder Bump

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	97 of 119

Vishay

Model PIZ

SAP Part Number

PIZ2255

SAP Description

Prototypes Custom PIZ2255

Model	Custom P/N
3 DIGITS	4 or 5 DIGITS
PIZ PROTOTYPE SUBSTRATE	XXXXX

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	98 of 119

Model RFCS – **Part is Obsolete**

SAP Part Number
RFCS04021000BJGTS

SAP Description
RFCS 10 pF, 5%, 0402, Gold, TS

Model	Size	Capacitance	Capacitance Multiplier Code	Tolerance Code	Termination	Pack code
4 DIGITS	4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
						17
RFCS High frequency capacitor – surface mount	0402	First 4 digits are significant figures of resistance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100	G = 2.0% J = 5.0% K = 10% B = +/- 0.1 pF M = 20% L = 25%	G = Gold	W1 = Waffle Pack 1 min, 1 mult WS = Waffle pack 100 min, 1 mult T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult FW = Full Wafer

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	99 of 119

Model EHPC - **Product is Obsolete**

SAP Part Number
EHPC0402A100FWXT5
EHPC0402A4R7FWXT5
EHPC0402A101FWXT5
SAP Description
EHPC 0402 10pF 1% NoPb 25V T5
EHPC 0402 4.7pF 1% NoPb 25V T5
EHPC 0402 100pF 1% NoPb 25V T5

Model	Size	Type	Capacitance	Tolerance Code	Termination	Voltage	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	3 DIGITS	1 DIGIT	1 DIGIT	1 Digit	2 DIGITS
EHPC High frequency capacitor – surface mount	0402	A	First 2 digits are significant figures of capacitance	F = 1% G = 2.0% J = 5.0% K = 10%	X = Tin/Lead W = Lead free terminations	1 = 6V Z = 10V Y = 16V X = 25V M = 50V L = 100 V	T0 = 10,000 pcs tape & reel T5 = 5,000 pcs tape & reel T1 = 1,000 pcs tape & reel T5 = 5000 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	100 of 119

Vishay

Model MSFM

SAP Part Number

MSFM50000FKANHWS

MSFM12500KCGGKWS

SAP Description

MSFM 5K 1% 100ppm Al None H WS

MSFM 1.25K 10% 100 ppm Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								15
MSFM 15 x 15 size Ta2N on Silicon	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% H = 2.5% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = Au A = Al	G = Au N = None	H = Class H K = Class K C = Commerical	WS = Waffle pack 100 min, 1 mult ST = Diced on tape DW = Wafer for Danshui CS = Tray from Danshui

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	101 of 119

Vishay

Model TSFM

SAP Part Number

TSFM50000FKGNHWS

TSFM12500KCGGKWS

SAP Description

TSFM 5K 1% 100ppm Au None H WS

TSFM 1.25K 10% 100 ppm Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								15
TSFM 20 x 20 size Ta2N on Silicon	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% H = 2.5% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = Au	G = Au N = None	H = Class H K = Class K	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	102 of 119

Vishay

Model TCTR

SAP Part Number

TCTR50000FKGNHWS

TCTR12500KCGGKWS

SAP Description

TCTR 5K 1% 100ppm Au None H WS

TCTR 1.25K 10% 100 ppm Au Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Termination	Back Metal	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								15
TCTR 15 x 15 size Ta2N on Silicon	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% H = 2.5% J = 5.0% K = 10%	E = +/-25 C = +/-50 K = +/-100 M = +/-250	G = Au	G = Au N = None	H = Class H K = Class K	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	103 of 119

Vishay

Model NCAT/NCBT/NCCT/NCDT/NCET

SAP Part Number

NCAT4700CKMAHWS

NCDT3300AKNGKWS

Vishay EFI Miscellaneous /Charges

SAP Description

NCAT 4.7 pF 10% MOS Al H WS

NCDT 330 pF 10% MNOS Au K WS

Model	Capacitance (pF)	Capacitance Multiplier Code	Tolerance Code	Dielectric	Termination	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
							15
NCAT NCBT NCCT NCDT NCET	First 4 digits are significant figures of capacitance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1	D = +/-0.5 pF H = 2.5% J = 5.0% K = 10% M = 20%	M = MOS N = MNOS	G = Au A = Al	H = Class H K = Class K	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	104 of 119

Model NCAT, NCBT, NCCT, NCDT, NCET Custom

SAP Part Number

NCAT0001000BJWS
 NCBT0005000BKWS
 NCCT0001000AKWS
 NCDT0003300AKWS
 NCET00010000KWS

SAP Description

NCAT Custom 000 10 pF, 5% WS
 NCBT Custom 000 50 pF, 10% WS
 NCCT Custom 000 100 pF, 10% WS
 NCDT Custom 000 330 pF, 10% WS
 NCET Custom 000 1K pF, 10% WS

Model	Process Code	Capacitance	Capacitance Multiplier Code	Tolerance Code	Pack code
4 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS
					15
NCAT NCBT NCCT NCDT NCET	XXX	First 4 digits are significant figures of capacitance	D = 0.0001 C = 0.001 B = 0.01 A = 0.1 0 = 1	D = +/-0.5 pF H = 2.5% J = 5.0% K = 10% M = 20%	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	105 of 119

Model HVRD – **Product is Obsolete**

SAP Part Number

HVRD10048201BBCFT1

HVRD10048201BBCWT1

SAP Description

HVRD 1M 8.2K 0.1%, 0.1% ratio, 50 ppm, Flip chip, T1

HVRD 1M 8.2K 0.1%, 0.1% ratio, 50 ppm, Wrap, T1

Model	Resistor 1 Value	Resistor 1 Multiplier Code	Resistor 1 Value	Resistor 1 Multiplier Code	Tolerance Code	Ratio Tolerance	TCR (ppm/C)	Terminal	Pack code
4 DIGITS	3 DIGITS	1 DIGIT	3 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
HVRD High Voltage resistor divider R1 < R2	First 3 digits are significant figures of resistance	3 = 1000 4 = 10000	First 3 digits are significant figures of resistance	B = 0.01 A = 0.1 0 = 1 1 = 10	B = 0.1% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	B = 0.1% D = 0.5% F = 1.0% G = 2.0% N = No	C = +/-50 K = +/-100	F = Flip chip W = Wrap	T5 = 5,000 pcs tape & reel T1 = 1,000 pcs tape & reel WS = waffle pack

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	106 of 119

Vishay

Model SDWP

SAP Part Number

SDWP207892-00Q

SAP Description

SDWP Custom SDWP207892-00Q

Model	Customr P/N	Internal Rev	Variant
4 DIGITS	7 DIGITS	2 DIGITS	1 DIGIT
SDWP SIDE WALL PATTERN	XXXXXX-	XX	A = AlN B = BeO C = Conductor F = Ferrite/Garnet Q = Thru Hole

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	107 of 119

Vishay

Model BRCP

SAP Part Number

BRCPA1000BKGCST

BRCPB2500BJGCWS

SAP Description

BRCP 3mm 10pf 10% Au C ST

BRCP 6mm 25pf 5% Au C WS

Model	Size	Capacitance (pF)	Capacitance Multiplier Code	Tolerance Code	Termination	Visual Class	Pack code
4 DIGITS	1 DIGIT	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
							15
BRCP Bar Capacitor	A = 3mm x 1 mm B = 6mm x 1 mm	First 4 digits are significant figures of capacitance	C = 0.001 B = 0.01 A = 0.1	J = 5% K = 10% M = 20% L = 25%	G = Au A = Al	C = Commercial E = Electrical test only H = Class H K = Class K	WS = Waffle pack 100 min, 1 mult FW = Full Wafer HW = Half Wafer ST = Diced on tape

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	108 of 119

Vishay

Model BRCP

SAP Part Number

BRCPAKIT01

BRCPBKIT02

SAP Description

BRCPA Design kit 01

BRCPB Design kit 02

SAP Part Number

SAP Description

Model	Size	Kit	Type
4 DIGITS	1 DIGIT	3 DIGIT	2 DIGIT
BRCP Bar Capacitor	A = 3mm x 1 mm B = 6mm x 1 mm	KIT	XX

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	109 of 119

Model IGBR

SAP Part Number
IGBRB3000CJOPCST

SAP Description
IGBR 1MM 3 OHM, 5%, 300 PPM, PD, COM, TAPE

Model	Size	Resistance (ohms)	Resistance Multiplier Code	Tolerance Code	TCR	Backside Termination	Visual Class	Pack code
4 DIGITS	1 DIGIT	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								15
IGBR Gate Resistor	A = 20 x 20 B = 40 x 40 C = 60 x 60 D = 80 x 80	First 4 digits are significant figures of capacitance	C = 0.001 B = 0.01 A = 0.1	F = 1% J = 5% K = 10% M = 20% L = 25%	A = +/-1000 J = +/-500 W = +/-350 O = +/-300 M = +/-250	P = TiW/Pd/Au N = TiW/Ni/Au T = TiW/Au/Ni/Au	C = Commercial E = Electrical test only H = Class H K = Class K	WS = Waffle pack 100 min, 1 mult CS = Danshui FW = Full Wafer (3") ST = Diced on tape T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	110 of 119

Vishay

Model EFISFM

SAP Part Number

EFISFM26610003F

SAP Description

SFM Danshui, 3", 1M, 1%

Model	MPS	Resistance (ohms)	Resistance Multiplier Code	Tolerance
6 DIGITS	3 DIGITS	4 DIGITS		1 DIGIT
EFISFM SFM from Danshui	266 = 3" 267 = 5"	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	F = 1%

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	111 of 119

Vishay

Model SPF1

SAP Part Number

SPF1AA02021A11BX

SAP Description

SPF1 Al₂O₃ As-Fired 20 mils x 20 mils 10 mils Thick NiCr 25 Ω /sq Front: TiW / Au (50 μ " min.) Back: TiW / Au (50 μ " min.) BX

Model	Material	Finish	Plate Size X (mils)	Plate Size Y (mils)	Thickness (mils)	Resistor	Metal Front	Metal Back	Pack code
4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS	2 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
SPF1 Specialty Films 1	A = Al ₂ O ₃ B = BeO N = AlN	A = As-Fired L = Lapped P = Polished	02 = 20 05 = 50 10 = 100 20 = 200 50 = 500 11 = 1000 21 = 2000 45 = 4500	02 = 20 05 = 50 10 = 100 20 = 200 50 = 500 11 = 1000 21 = 2000 45 = 4500	1 = 10 2 = 15 3 = 20 4 = 25 5 = 50	A = NiCr 25 B = NiCr 50 C = NiCr 100 D = NiCr 200 1 = TaN 25 2 = TaN 50 3 = TaN 75	1 = TiW/Au 50 2 = TiW/Au 100 3 = TiW/Au/Ni/Au 50 4 = TiW/Au/Ni/Au 100 5 = TiW/Pd/Au 50 6 = TiW/Pd/Au 100 7 = Cr/Cu/Au 8 = Cr/Cu/Ni/Au	1 = TiW/Au 50 2 = TiW/Au 100 3 = TiW/Au/Ni/Au 50 4 = TiW/Au/Ni/Au 100 5 = TiW/Pd/Au 50 6 = TiW/Pd/Au 100 7 = Cr/Cu/Au 8 = Cr/Cu/Ni/Au	WS = Waffle pack 1 min, 1 mult BX = Box 1 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	112 of 119

Vishay

Model UMIB -- OBSOLETE

SAP Part Number

UMIB5000BKK,SNHWS

UMIB5000AFCSTGKWS

SAP Description

UMIB 50 10% 100ppm Mic SnPb None H WS

UMIB 500 1% 50ppm Std el Au K WS

Model	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Back Metal	Visual Class	Pack Code
3 DIGITS	4 DIGITS	1 DIGIT	1 DIGITS	1 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
MIB 14 x 10 size Microwave Resistor TaN on Alumina	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1	F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20%	K = +/- 100 L = +/- 200	M = Mic S = Std	G = Au S = SnPb A = Al T = Pb-Free (el)	G = Au N = None	H = Class H K = Class K G = Class H, one lot L = Class L, one lot	WS = Waffle pack 1 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	113 of 119

Vishay

Model HFWP

SAP Part Number

HFWPAB5000AFKMNHWS

HFWPNC5000AJCSPKWS

SAP Description

HFWP 0402 Alumina 500 1% 100ppm Microwave Trim Ni/Au H WS

HFWP 0603 AlN 500 5% 50ppm Standard Trim Pd/Au K WS

Model	Substrate	Case Size	Resistance	Resistance Multiplier Code	Tolerance Code	TCR (ppm/C)	Trim Style	Termination	Visual Class	Pack code
4 DIGITS	1 DIGIT	1 DIGIT	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
										18
HFWP Half Wrap Resistor TaN	A = Alumina N = AlN B = BeO	A = 0201 B = 0402 C = 0603 D = 0805 E = 1005 F = 1206	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10%	E = +/- 25 C = +/- 50 K = +/- 100 V = +/- 150 M = +/- 250	M = Microwave S = Standard	N = Ni/Au P = Pd/Au	H = Class H K = Class K	WS = Waffle pack 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	114 of 119

Model IGBA

SAP Part Number
IGBAC3000CJOPCST

SAP Description
IGBA 60 x 60 3 OHM, 5%, 300 PPM, PD, COM, TAPE

Model	Size	Resistance (ohms)	Resistance Multiplier Code	Tolerance Code	TCR	Backside Termination	Visual Class	Pack code
4 DIGITS	1 DIGIT	4 DIGITS	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
								15
IGBA Gate Resistor (Automotive)	A = 20 x 20 B = 40 x 40 C = 60 x 60 D = 80 x 80	First 4 digits are significant figures of capacitance	C = 0.001 B = 0.01 A = 0.1	F = 1% J = 5% K = 10% M = 20% L = 25%	A = +/- 1000 J = +/- 500 W = +/- 350 O = +/- 300 M = +/- 250	P = TiW/Pd/Au N = TiW/Ni/Au T = TiW/Au/Ni/Au	C = Commercial E = Electrical test only H = Class H K = Class K	WS = Waffle pack 100 min, 1 mult FW = Full Wafer (3") ST = Diced on tape T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	115 of 119

Model BCTR

SAP Part Number
BCTR1000AFFKNAHWS

SAP Description
BCTR 100OHM, 1%, 1%, 100PPM, NO TRACK, AL, CLASS H, WAFFLE

Model	Resistance (ohms)	Resistance Multiplier Code	Tolerance Code	Ratio Tolerance Code	TCR	TC Track	Termination	Visual Class	Pack code
4 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	1 Digit	1 DIGIT	1 DIGIT	1 DIGIT	1 DIGIT	2 DIGITS
									17
BCTR Back Contact Voltage divider Resistor	First 4 digits are significant figures of capacitance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000	A = 0.05% B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% H = 2.5% J = 5.0% K = 10% M = 20%	W = 0.01% V = 0.02% A = 0.05% B = 0.1% C = 0.25% D = 0.5% F = 1.0% G = 2.0% J = 5.0% N = No	E = +/-25 C = +/-50 K = +/-100 V = +/- 150 L = +/-200 M = +/-250 R = 0/-250 S = 0/-100 Z = +600/-100 U = +100/-150 T = +300/-100 D = +250/-100	G = +/-2 J = +/-5 K = +/-10 N = No	G = Au A = Al	H = Class H K = Class K	WS = Waffle pack 100 min, 1 mult FW = Full Wafer (3") ST = Diced on tape T0 = Tape & Reel 100 min, 100 mult T1 = Tape & Reel 1000 min, 1000 mult T3 = Tape & Reel 300 min, 300 mult T5 = Tape & Reel 500 min, 500 mult TF = Tape & Reel Full Reel 3000 TS = Tape & Reel 100 min, 1 mult

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	116 of 119

Vishay

MSFM Custom

SAP Part Number

MSFM30010001FWS

SAP Description

MSFM Custom 300 10K, 1% WS

Model	Process Code	Resistance	Resistance Multiplier Code	Tolerance Code	Pack code
4 DIGITS	3 DIGITS	4 DIGITS	1 DIGIT	1 DIGIT	2 DIGITS 15
MSFM	XXX	First 4 digits are significant figures of resistance	C = 0.001 B = 0.01 A = 0.1 0 = 1 1 = 10 2 = 100 3 = 1000 4 = 10000	B = 0.1% D = 0.5% F = 1.0% G = 2.0% J = 5.0% K = 10% M = 20% L = 25%	WS = Waffle pack 100 min, 1 mult FW = Full Wafer ST = Diced on Tape DW = Wafer for Danshui CS = Tray from Danshui

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	117 of 119

Model VEFI Sample Kits

SAP Part Number

VEFIHIPWKIT

VEFIRFHFKIT

VEFIIGBRKIT

VEFISMSZKIT

VEFISTRKIT

SAP Description

High Power Sample Kit

RF/High Frequency Sample Kit

IGBR Sample Kit

Small Size Sample Kit

Starter Sample Kit

SAP Part Number

SAP Description

Model	Size	Kit
4 DIGITS	4 DIGITs	3 DIGIT
VEFI	HIPW – High Power RFHF – RF-High Frequency IGBR – IGBR SMSZ – Small Size STRT - Starter	KIT

Print Date	REV.	Title	SHEET
9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	118 of 119

LOT CHARGE	DESCRIPTION			
Vishay				
7 DIGITS	8 to 10 DIGITS			
LOTCHG -	VEFINREH	=	CHARGE FOR VEFI NRE HYBRID (NS01S)	
	VEFINRES	=	CHARGE FOR VEFI NRE SUBSTRATE (NS01C)	
	VEFITESTH	=	CHARGE FOR VEFI TEST HYBRID (NS02S)	
	VEFITESTS	=	CHARGE FOR VEFI TEST SUBSTRATE (NS02C)	
	VEFISAMPH	=	CHARGE FOR VEFI TEST SAMPLES (NS03S)	
	VEFISAMPS	=	CHARGE FOR VEFI TEST SAMPLES (NS03C)	
	VEFIDATAH	=	CHARGE FOR VEFI DATA (NS04S)	
	VEFIDATAS	=	CHARGE FOR VEFI DATA (NS04C)	
	VEFICANH	=	CHARGE FOR VEFI CANCELLATION (NS06S)	
	VEFICANS	=	CHARGE FOR VEFI CANCELLATION (NS06C)	
	VEFISORH	=	CHARGE FOR VEFI SOURCE INSPECTION (NS08S)	
	VEFISORS	=	CHARGE FOR VEFI SOURCE INSPECTION (NS08C)	
	VEFIINCH	=	CHARGE FOR VEFI INTERCOMPANY (NS09S)	
	VEFIINCS	=	CHARGE FOR VEFI INTERCOMPANY (NS09C)	
	VEFIMISCH	=	CHARGE FOR VEFI INTERCOMPANY (NS05S)	
	VEFIMISCs	=	CHARGE FOR VEFI INTERCOMPANY (NS05C)	
	VEFIFAIRH	=	CHARGE FOR VEFI NRE HYBRID (NS10S)	
	VEFIFAIRS	=	CHARGE FOR VEFI NRE SUBSTRATE (NS10C)	
	VEFITH150	=	\$150.00 CHARGE FOR VEFI TEST HYBRID	
	VEFITH400	=	\$400.00 CHARGE FOR VEFI TEST HYBRID	
	VEFITH125	=	VEFI TEST HYBRID 125	
	VEFITH250	=	VEFI TEST HYBRID 250	
	VEFITS125	=	VEFI TEST SUBST 125	
	VEFITS150	=	VEFI TEST SUBST 150	
	VEFITS250	=	VEFI TEST SUBST 250	
	VEFITNRES	=	VEFI NRE SUBST TESTING	
	VEFIFAH500	=	VEFI FIRST ARTICLE HYBRID 500	
	VEFIFAH1000	=	VEFI FIRST ARTICLE HYBRID 1000	
	VEFIFAH2000	=	VEFI FIRST ARTICLE HYBRID 2000	
	VEFIFAS500	=	VEFI FIRST ARTICLE SUBSTRATE 500	
	VEFIFAS1000	=	VEFI FIRST ARTICLE SUBSTRATE 1000	
	VEFIFAS2000	=	VEFI FIRST ARTICLE SUBSTRATE 2000	
	VEFIMH	=	VEFI MISC CHIP SALES	
	VEFIRETST	=	VEFI RETURNED FOR TEST	
	VEFIRTESTH	=	VEFI RETURNED FOR TEST – CLASS H	
VEFIRTESTK	=	VEFI RETURNED FOR TEST – CLASS K		
	Print Date	REV.	Title	SHEET
	9/17/2020	N	MKT102 SAP VEFI Part Number Nomenclature / EFI Parts Manual	119 of 119