GOLDAIR

Operating Instructions

46CM Pedestal Fan



Item: GCPF120

General care and safety guide

Thank you for choosing this Goldair Fan. This Goldair appliance has been designed and manufactured to high standards of engineering and with proper use and care, as described in this leaflet, will give you years of useful service. Please read these instructions carefully and keep them for future reference.

ALWAYS

 \checkmark Use only the voltage specified on the rating plate of the appliance.

✓ Keep all objects at least 1 Metre from the front, sides and rear of the appliance

✓ This appliance is intended for household use only and not for commercial or industrial use.

✓ Use this appliance only as described in this manual. Any other use is not recommended by the manufacturer and may cause fire, electric shock or injury.

✓ The common cause of overheating is deposits of dust or fluff in the appliance. Ensure these deposits are removed regularly by unplugging the appliance and vacuum cleaning the air vents and grills.

✓ Always unplug appliance when not in use.

 ✓ When the appliance has been unpacked, check if for transport damage and ensure all parts have been delivered. If parts are missing of the appliance has been damaged, contact the Goldair Customer Services Team.
✓ If your appliance does not work, or is not working properly, contact the place of purchase. Repair work on the appliance by unqualified persons can cause serious risk to the user.

✓ Ensure hands are dry before handling the plug or the Fan.

✓ Carry out regular checks of the supply cord to ensure no damage is evident.

ALWAYS

 \checkmark Children should be supervised to ensure that they do not play with the appliance.

✓ Ensure that the cord is fully extended (not coiled) while in use.

✓ Avoid contact with the moving parts. Keep hands, hair, clothing, away from blade of the Fan during operation to reduce the risk of injury to person and/or damage to the Fan.

✓ Switch off and use handles provided when moving.

NEVER

* Never Place appliance close to radiant heat source.

* Never Operate in areas where petrol, paint or other flammable liquids are used or stored.

* Never Use the appliance to dry clothes.

* Never Insert or allow foreign objects to enter any lation or exhaust opening, as this may cause an electric shock, fire or damage to the appliance.

* Never use abrasive cleaning products on this appliance. Clean with a damp cloth (not wet) rinsed in hot soapy water only. Always remove plug from the mains supply before cleaning.

* Never connect the appliance to mains supply until completely assembled and adjusted.

* Never Remove plug from power socket until the appliance has been switched off.

* Never Remove plug from power socket by pulling cord – always grip plug.

* Never Twist, kink or wrap the cord around the appliance, as this may cause the insulation to weaken and split. Always ensure that all cord has been removed from any cord storage area and is unrolled before use.

Continued Over Leaf

General care and safety guide

NEVER

Never use this appliance in the immediate surrounds of a bath, a shower, or a swimmina pool or other liquids The appliance must not be immersed in any liquids.

Due to the risk of injury, never use this appliance for any purpose other than its intended use. This appliance is intended for use in household and similar applications such as staff kitchen areas in shops, offices and other working environments: farm houses, by clients in hotels, motels and other residential type environments, bed and breakfast type environments

× Never use this appliance outdoors.

× The use of an extension cord, power board or external timer is not recommended with this unit

Never operate the appliance with a damaged cord or plug, after it malfunctions. or if it has been damaged in any manner. Have the appliance checked and repaired by a qualified electrician if repair is necessary. If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities or lack of experience and knowledge, unless they are supervised or have been given instruction concerning the use of the Fan by a person responsible for their safety.

Never touch blades while the machine is pluaged in.

Cleaning

To avoid risk of electric shock, before cleaning, you MUST ALWAYS switch off and unplug the Fan before cleaning.

Use only a soft, damp cloth to gently wipe the Fan and drv well.

To access the fan blade, remove the front quard and securing screw.


never allow water to enter the motor housina.

DO NOT immerse the Ean in water and

DO NOT use harsh chemicals to clean the Fan.

TECHNICAL SPECIFICATION


Model No: GCPF120 Power Supply: 220V-240V / 50Hz Power: 60W



Monday – Friday 8am-5pm Phone: 0800 232 633 Website: www.goldair.co.nz

Components

- 1.Front Guard 2.Blade Cap 3.Blade 4.Guard Mounting Nut 5.Rear Grill 6.Motor Shaft 7.Oscillating Pin 8.Motor Housing 9.Neck Screw 10.Switch Box 11.Set Screw 12.Inner Tube 13.Height Adjustment Collar 14.Outer Tube 15.Base Decorative Cap 16.Screw 17.Cross bar A 18.Cross bar B
- 19.Screw



Operating your Fan

Assembly

Firstly, loosen and remove the four screws from the bars. Then interlock cross bars A and B. Be sure to align the four holes in the bars with those on the flange of the Outer Tube. Secure the flange to the bars with the four screws.

Loosen and remove the Height Adjustment Collar from the top of the Inner Tube. Slide the Base Decorative Cap down over the assembly. Replace the Height Adjustment Collar on top of the Inner Tube. Pull the Inner Tube out from the Outer Tube to adjust the tube to the desired height and tighten the collar.

If necessary, slightly loosen the Set Screw by turning it anticlockwise. Slide the Switch Box down over the Inner Tube and tighten the Set Screw. Make sure the Set Screw is tightly secured.

Blade and grill


Unscrew the plastic mounting nut from the front of the motor housing by rotating it anticlockwise. Position the rear grill against the front of the motor housing with the handle at the top, ensure that the locating pegs on the motor housing are engaged correctly in the holes of the rear grill.






Tighten the Rear Grill Mounting Nut clockwise; do not to over tighten.

Push the fan blade onto the motor shaft, locating the slot at the back of the blade on the drive pin that passes through the motor shaft. Tighten the blade cap by turning it anticlockwise.



Push the grill retaining clips into position ensuring that they engage correctly on the rim of the grill.

Fully tighten the small nut and bolt that passes through the rim of the grill.



Fan control switch

The control switch positions are:

- 0 = OFF 2 = Medium Speed
- 1 = Low Speed 3 = High Speed

Check that the Fan control switch is set to the off position before plugging into the mains supply.

Place the Fan on a dry, level and sturdy surface.

Plug the power cord into the socket, making sure the speed control is at OFF position.

To operate the fan push down speed control desired.

Adjust tilt by turning neck screw and tilting body to the desired wind direction (i.e. either upward or downward).

To activate the oscillation function, push down the oscillation pin on the top of the motor. The fan will then oscillate until the pin is pulled back up.



GOLDAIR

One year Warranty

Your Goldair product has been inspected and tested and is guaranteed subject to the following for a period to One year from the date of purchase against defects in workmanship and materials. During this period, such defects will be rectified by repair or replacement of the product purchased. Your product contains no user serviceable components and this Warranty becomes invalid if in our opinion the product has been misused. abused. incorrectly installed. tampered with, connected to an electrical supply not corresponding with the name plate specification, or subjected to power surges. The Warranty does not include any labour or other associated expense that may be involved in removal or installation of the product. Normal wear and tear is expressly excluded.

If your Goldair product fails to operate satisfactorily, please return it to the retailer from whom it was purchased. To obtain a repair or replacement product under this Warranty. vou will need to produce satisfactory evidence of date of purchase. The completed Warranty and purchase receipt must be presented with the product. The Warranty should be filled out at the time of purchase. It is in your interest to make sure this is done.

If the product is to be replaced (cannot be repaired) then that replacement will be of the same or similar product or accessory excluding packaging, instruction card etc. Where a replacement product is supplied, this shall be guaranteed for the balance of the original Warranty period.

Any model that is no longer available will be replaced by a model of a value and with such features as we consider appropriate in the circumstances. Goldair Ltd is not responsible for freight forwarding charges, losses or damage in transit.

If service is required after the Warranty period has expired, the product should be returned to a qualified electrical technician. Service outside of the Warranty period will be at your cost.

Consumers Guarantee Act (1993).

In accordance with the above act consumers are advised that: The manufacturer does not undertake that repair facilities and parts are necessarily available for this product.

If any of the provisions of the foregoing are contrary to any relevant legislation, then that provision shall be deemed to be excluded from the Warranty and the rest of the provisions will continue to apply.

IMPORTANT: Please retain this Warranty card

Name	Purchased from
Address	Date of purchase
	. Name of product
Suburb	Model no