

BETRIEBSANLEITUNG
OPERATING INSTRUCTIONS
INSTRUZIONI D'USO
HANDLEIDING
INSTRUCCIONES PARA EL MANEJO
MANUAL DE INSTRUÇÕES
NAUDOJIMOSI INSTRUKCIJA
KASUTUSJUHEND
LIETOŠANAS INSTRUKCIJA
DRIFTSINSTRUKS
DRIFTSINSTRUKTIONER
DRIFTSVEJLEDNING
INSTRUKCJA OBSŁUGI

KEZELÉSI ÚTMUTATÓ
NÁVOD K OBSLUZE
NAVODILO ZA UPORABO
NÁVOD NA OBSLUHU
UPUTE ZA RAD
MANUAL DE OPERATII
TREORACHA OIBRIÚCHÁIN
ΟΔΗΓΙΕΣ ΧΡΗΣΗΣ
EL KITABI
ИНСТРУКЦИИ ЗА ЕКСПЛОАТАЦИЯ
ИНСТРУКЦИЯ ПО ЭКСПЛУАТАЦИИ
取扱説明書
사용설명서
使用说明书

SV 130

MAKE IT BECKER.



 **BECKER**

The diagram illustrates the correct and incorrect wiring for a 3-phase motor. The top left shows a warning symbol and a crossed-out incorrect wiring diagram. The bottom left shows a correct wiring diagram for a 3-phase motor. The right side shows a 3-phase motor with a PTC or Bi-metal protection device.


Incorrect Wiring (Crossed Out): A 3-phase motor (M 3~) is shown with three input lines (L1, L2, L3) and three output lines (U1, V1, W1). The wiring is incorrect, as indicated by the red 'X' and the warning symbol.

Correct Wiring: A 3-phase motor (M 3~) is shown with three input lines (L1, L2, L3) and three output lines (U1, V1, W1). The wiring is correct, as indicated by the green checkmark.

Motor Protection: The motor is shown with a PTC (Positive Temperature Coefficient) or Bi-metal protection device. The PTC device is labeled "optional" and the Bi-metal device is labeled "standard".

Waveform: A square wave diagram shows the ON (I) and OFF (O) states. The ON state is labeled "1" and the OFF state is labeled "2". The maximum frequency is labeled "MAX 10x/h". The pulse width is labeled ">60s".

Maintenance




$n=0 \text{ min}^{-1}$


2-3 Min

12


13



14



15



F1: PRESSURE

No.: 74000501000


**F2: VACUUM
+ PRESSURE**

No.: 90951070000




EN149 - FFP3
42 CFR 84 - N100

16



17



WWW.BECKER-INTERNATIONAL-SHOP.COM

Gebr. Becker GmbH
Hoelker Feld 29-31
42279 WUPPERTAL
GERMANY
info@becker-international.com
www.becker-international.com





MAKE IT BECKER.

28100060100 | 2020-01-14 | Alle Rechte vorbehalten