



PLASMA CUTTERS





CUTTER 45CT



- 1-phase 110V – 230V
- Output current : 45A
- CT stands for Cutting Table
- 50% duty cycle
- 3 modes : plain sheet, grid, lock
- Easy adjustment of the air pressure on the front panel
- Rubber feet for a robust product
- Lightweight (14kg) & IP23 : ideal to carry it around & for on site jobs
- **Outstanding cutting quality with MT70 cutting torch**
 - Recommended cut : 25 mm
 - Severance cut : 28 mm
 - Piercing : 12 mm

For more details, click on the following links :

[Datasheet](#)

[User manual](#)



CUTTER 70CT

- 3-phase 400V
- Output current : 70A
- CT stands for Cutting Table
- 60% duty cycle
- 3 modes : plain sheet, grid, lock
- Easy adjustment of the air pressure on the front panel
- Rubber feet for a robust product
- IP23 : ideal for on site jobs
- **Outstanding cutting quality**
 - Recommended cut : 25 mm
 - Severance cut : 35 mm
 - Piercing : 15 mm



For more details, click on the following links :

[Datasheet](#) [User manual](#) [Video](#)



CUTTER 125A



- 3-phase 400V
- Output current : 125A
- 100% duty cycle
- 4 modes : plain sheet, grid, gouging, lock
- Automatic air pressure adjustment according to the current set on the cutting source
- Rubber feet for a robust product
- Lightweight (14kg) & IP23 : ideal to carry it around & for on site jobs
- **Outstanding cutting quality**
 - Recommended cut : 40 mm
 - Severance cut : 57 mm
 - Piercing : 25 mm

For more details, click on the following links :

[Datasheet](#)

[User manual](#)

[Video](#)

OPTIONS & ACCESSORIES


Guiding kit
For MT 70, MT 125
038653





max 24 cm
max 40 cm

Compas
For MT 70,
MT 125
037984



360°
R max = 410 mm

Filter kit
for CUTTER
70/85/125A TR
NEOCUT 105
046580





MANUAL NO HF

consumables
not included



AUTOMATIC NO HF
Automatic detection


consumables
not included

	I (60%)	I (100%)	L (m)	Consumables	ref
TPT 40	40 A	40 A	4	Included	060753
MT-70	70 A (50%)	50 A	6	—	037502
			12	—	037519
MT-125	125 A	105 A	6	—	039506
			12	—	039513

	I (60%)	I (100%)	L (m)	Consumables	ref
AT-70	70 A (50%)	50 A	6	—	037526
			12	—	037533
AT-125	125 A	105 A	6	—	038479
			12	—	039520

Filtre déshumificateur
- Compressed air cleaning filter
039728

Cartouche pour filtre
- Filter cartridge
039735



CNC Computer Numerical Control

CNC kit 1 Analogic (for Plasma 45, 70, 85, 105, 125)
039988

CNC kit 2 Digital (for Plasma 105)
064737





BENEFITS

- ✓ High-tech cutting sources with premium cutting torch
- ✓ A range of products suitable for hand-held & mechanized cutting
- ✓ Automatic air pressure control (PLASMA 125A)
- ✓ Anti-dust ventilation corridor to avoid the pollution of the sources
- ✓ Very competitive prices on the cutting sources
- ✓ Consumables long life-span & competitive prices
- ✓ High duty cycle
- ✓ 100% Made in France





CUTTER 125A


with hand-held torch to cut excavator bucket teeth





CUTTER 125A

with mechanized torch for a customized home gate





CUTTER 125A

with mechanized torch on a Microstep cutting table





CUTTER 70A

with mechanized torch on a small SWIFTCUT cutting table





www.gys-welding.com

