



**SECURITECH**  
Innovations Today, Industry Standards Tomorrow™



Multi-Point Deadbolt Exit Lock

PROTECTING FOR OVER  
TWO DECADES!

MIAMI-DADE NOA RATED

MODEL	DESCRIPTION		
<b>1 SINGLE DOOR APPLICATIONS</b>			
TEL-100	Manual-Relocking, no alarm		
TEL-110	Manual-Relocking packed with battery alarm		
TEL-120	Manual-Relocking packed with Direct Power alarm		
TEL-200	Self-Relocking, no alarm		
TEL-210	Self-Relocking packed with battery alarm		
TEL-220	Self-Relocking packed with Direct Power alarm		
TEL-200F	Self-Relocking, FIRE RATED, no alarm		
TEL-210F	Self-Relocking, FIRE RATED with battery alarm		
TEL-220F	Self-Relocking, FIRE RATED with Direct Power alarm		
<b>2 DELAYED EGRESS SYSTEM</b>			
TEL-DES	Trident Self-Locking + Delayed Egress System (TEL-200 Included)		
TEL-DES-KLST (-HAND)	Trident Self-Locking + Delayed Egress System (TEL-200 Included) with keyed lever trim & delayed egress shunt switch		
TEL-DES-KDST (-HAND)	Trident Self-Locking + Delayed Egress System (TEL-200 Included) with 24vDC keyed lever trim & delayed egress shunt switch		
Delayed Egress System			
TEL-DEK	Delayed Egress Kit (Does not include Trident lock)		
<b>3A PAIR OF DOORS APPLICATION: KIT, ONE ACTIVE DOOR &amp; ONE INACTIVE DOOR</b>			
TEL-IAL	Inactive door package used with above single door locks. Includes double door aluminum angle bracket & 3-point keyed lock for inactive door only. Includes removable-core rim cylinder for 3-point keyed lock. Not for use where both doors need to be active.		
TEL-IAT	Same as above but with a Thumbturn on the interior mechanism		
Pair doors application with Mullion			
Use 2 TEL-100s or TEL-200s (one for each door)			
<b>3B PAIR OF DOOR APPLICATIONS - BOTH DOORS ACTIVE</b>			
TEL-300	Manual-Relocking, both doors active, no alarm		
TEL-310	Manual-Relocking, both doors active, packed with battery alarm		
TEL-320	Manual-Relocking, both doors active, packed with Direct Power alarm		
TEL-400	Self-Relocking, both doors active, no alarm		
TEL-410	Self-Relocking, both doors active, packed with battery alarm		
TEL-420	Self-Relocking, both doors active, packed with Direct Power alarm		
TEL-400F	Self-Relocking, FIRE RATED, both doors active, No Alarm		
TEL-410F	Self-Relocking, FIRE RATED, both doors active W/ Battery Alarm		
TEL-420F	Self-Relocking, FIRE RATED, both doors active W/ Direct Power Alarm		
<b>4 ALARM KITS (with security snap connector)</b>			
TEL-A10	Battery alarm kit for use with all Tridents		
TEL-A20	Direct power alarm kit for use with all Tridents		
TEL-A10-LDO- RK-TCH4W	Trident battery alarm with last door out feature & exterior shunt. Used with the TEL-KDST lever trim. Power transfer included.		



**PROTECTING FOR OVER  
TWO DECADES!  
MIAMI-DADE NOA RATED**

**MODEL DESCRIPTION**

<b>5 EXTERIOR ENTRY OPTIONS (can be added in field)</b>			
Trim for manual locking Tridents on full anti-pry plate for exterior trim models, 676 Finish (NON-HANDED)			
TEL-MTT-AP	Keyed thumbturn trim for TEL-100 series (cyl. by others)		
TEL-MTH-AP	Keyed thumbturn trim & Pull handle for TEL-100 series (cyl. by others)		
Trim for manual locking Tridents, on individual trim plate, black finish (NON-HANDED)			
TEL-MTT	Keyed Thumbturn trim for TEL-100 series (cyl. by others)		
TEL-MTH	Keyed Thumbturn trim & Pull handle for TEL-100 series (cyl. by others)		
Trim for self-locking Tridents, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)			
TEL-KLT-AP	Keyed Lever trim for TEL-200 series (order handed)		
TEL-KDT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)		
TEL-KRT-AP	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)		
Trim for self-locking Tridents, on individual trim plate, 630 finish (LHR / RHR)			
TEL-KLT	Keyed Lever trim for TEL-200 series (order handed)		
TEL-KDT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Secure)		
TEL-KRT	Keyed Lever trim with 24 Volt DC release for TEL-200 (Fail-Safe)		
Trim for delayed egress models, on full anti-pry plate for exterior trim models, 630 finish (LHR / RHR)			
TEL-KLST	Keyed lever trim w/delayed egress shunt switch.		
TEL-KDST	Keyed Lever trim, 24 Volt DC release w/delayed egress shunt switch.		
<b>All Trident Self-locking and Delayed Egress Trim Models Are Handed: Designate -LHR or -RHR</b>			
<b>Cylinders for Trims or Alarms</b>			
TEL-MC1	Mortise cylinder standard keyway w/ operating keys, no special keying		
TEL-RC1	Removable core mortise cylinder with change and operating keys		
TEL-RC2	Removable core rim cylinder with change and operating keys		
<b>CYLINDER and CAM Information</b>			
IAL:	Removable Core rim cylinder provided with IAL lockset (contact factory for others)		
Alarms:	Mortise cylinders (required w/ alarm - works with any cam); Order separately or by others		
Trim:	Mortise cylinders (required w/ trim - cloverleaf cam recommended); Order separately or by others		
<b>Custom Functions and Solutions Available: Please Contact the Factory for Consultation</b>			
<b>Replacement (Service) Lever Trim Units</b>			
TEL-KLT-RB	Keyed lever trim only (630 finish); w/o anti-pry plate		
TEL-KLT-RS	Keyed lever trim only (630 finish); w/o anti-pry plate		
TEL-KDT-RB	Key / DC lever trim only (630 finish); w/o anti-pry plate		
TEL-KDT-RS	Key / DC lever trim only (630 finish); w/o anti-pry plate		

**NEW!**  
LARGER, THICKER,  
INTEGRATED KEY CONTROLLED  
TRIM AND FULL  
SIZE ANTI-PRY PLATE  
Models Ending in "-AP"



**Important Cylinder & Cam Information:** Mortise cylinder for alarms & keyed entry options are not provided, unless ordered as a separate item.



**TRIM CYLINDER & CAM INFO**  
Cloverleaf cam is recommended for one-hand operation on all outside entry options. Cylinders 1" or longer can be used.

**ALARM CYLINDER & CAM INFO:** A10 & A20 alarms will work with all mortise cylinder lengths and cams.

CYLINDER USAGE CHART		
Model	Type	Cam
<b>ALARMED MODELS</b>		
TEL-*00	None	n/a
TEL-*10	Mortise	Any
TEL-*20	Mortise	Any
<b>KEYED ENTRY MODELS</b>		
All	Mortise	Cloverleaf



**SECURITECH**  
Innovations Today, Industry Standards Tomorrow™



Multi-Point Deadbolt Exit Lock

PROTECTING FOR OVER  
TWO DECADES!

MIAMI-DADE NOA RATED

**MODEL DESCRIPTION**

**6 POPULAR FIELD INSTALLED OPTIONS**

TEL-HSB1	Additional Hinge Side Bolt provides fifth point of locking		
TEL-HSB3	HSB mounted on an extender plate to bypass f/s continuous hinge		
TEL-E12	Armored alarm cable extension for oversize doors		
TEL-EK12	12" Upper extension for TEL-300 for over height doors		
TEL-EP2	24" Extended Paddle with Guarded Rubber Return		
TEL-EP4	18" Extended Paddle, 6" Filler Plate and Guarded Rubber Return		

**Option for shipping lock to lock installer and power supply to another (typically electrician)**

TEL-220-XPS	Self relocking Trident with direct power alarm less power supply		
TEL-501	Separate power supply for above (shipped in own box)		

**Option for providing signal from lock for use with alarm by others:**

TEL-SSO	Alarm Cable for 3rd Party Alarms for doors up to 36"		
TEL-SS5	Alarm Cable for 3rd Party Alarms for doors up to 48"		
TEL-ASO	Alarm Cable for Securitech Alarms for doors up to 36"		
TEL-AS5	Alarm Cable for Securitech Alarms for doors up to 48"		
TEL-PSK	PS2 Power Supply & board to upgrade A10 to direct power		
TEL-SS53	Bolt Monitor Switch, Armored cable & J Box. Doors up to 48"		

**Option for running electrified exterior trim wire across the door within armored cable**

TEL-TCH	Armored Cable for Electrified Trim that Includes Alarm Signal		
TEL-TTH	Armored Cable for Electrified Trim without Alarm Connector		

**For double door applications where inactive leaf lock provided by others**

TEL-DDA	Double Door Aluminum Angle Bracket (no lock included)		
---------	---	--	--

**Additional Options**

TEL-EP1	24" Extended paddle for doors 48" wide		
TEL-EP3	18" Extended paddle with 6" Filler Plate for doors 42" wide		
TEL-SSK1	Security screw set for alarm box with opening tool		

**Special factory installed options which cannot be field applied**

(ADD )-CT	Digital L.C.D. counter		
(ADD )-CW	Lock prepped for concealed wire (8' lead)		
(ADD )-RO	Remote alarm output on A10 or A20 (for secondary signal)		
(ADD )-RS	Remote siren on A20 (for mounting away from door)		
TEL-AM1	Integrated door monitor switch for battery alarm		
TEL-AM2	Integrated door monitor switch for direct power alarm		

**PRICING NOTES:** 20% Surcharge for orders rushed under 72 hours - Subject to change & restrictions may apply  
25% Surcharge for orders rushed under 24 hours - Subject to change & restrictions may apply  
Drop ship fee applies to large orders with multiple ship to addresses

**SECURITECH** **Trident**<sup>™</sup> Multi-Point  
Deadbolt  
Exit Lock


**Single Door Applications**




TEL-100,  
TEL-200



TEL - 110,  
TEL-210



TEL-120,  
TEL-220



TEL-DES

**Double Door Applications**



TEL-IAL



TEL-300,  
TEL-400



TEL-320,  
TEL-420



TEL-310,  
TEL-410

**Alarms**



TEL-SSO



TEL-A10



TEL-A20

**Outside Entry Options**



Standard Anti-Pry Plate

**NEW!**

- TEL-KLT-AP
- TEL-KDT-AP
- TEL-KRT-AP
- TEL-KLST
- TEL-KDST



**NEW!**  
TEL-MTT -AP



TEL-MTT



TEL-KLT



TEL-MTH



**NEW!**  
TEL-MTH-AP