

OFICINA CENTRAL
C/ Joaquín Turina, 2, 1ª planta, Oficina 6
28224 Pozuelo de Alarcón(MADRID)
Tel: +34 917 342 058
Fax: +34 917 903 734
lomisa@lomisa.com







DOMICILIO FISCAL: C/ Punta Umbría, 26 - 28939 Arroyomolinos (MADRID)



C/ Joaquín Turina, 2, 1ª planta, Oficina 6 28224 Pozuelo de Alarcón(MADRID) Fax: +34 917 903 734





Tel: +34 917 342 058

Contents

BIOTO02EHElectro-hydraulic operating table

BIOTOO1EElectric operating table

BIOT003MManual operating table

BIOT004MManual operating table

26 Specialist surgery Opthalmological purpose







Sliding Longitudinal shift function

The longitudinal shift could up to 350mm, best effect for compatiable with C-arm without the need to repositioning or reverse positioning the table. Easy control on the hand controller or built-in central controller.



Electro-hydraulic system ensure the highly performace Fast and stable, keep patinet safe and offer benefits to surgery environment, whether seated or standing.

Surgery can be performed in an ergonomic and relaxed



User satisfaction Highest product safety and quality

New standard of fexible adjustment Quick and stable movements Durable and reliable materials, best choice for general surgery



Quick adjust for leg plate swing out



Quick adjust for head plate up and down



Quick adjust for leg plate up and down, optional gas spring control



Radiolucent

X-ray compatiable plate

Thanks to X-ray compatiable plate table platform, Our table could well allow for X-rays to be taken while the patient is still in the table.


Optional Double layers platform could be chosen for holding x-ray film.



C-arm available



Memory foam mattress to ensure the comfortable of patient



Equip with battery to handle with emergency cases



Flexible castors, for any cases need to transfer the table. When no neet to transfer, the foot stand is extremly stable





Controls Perfect touching feeling

The hand controller has clear image for guiding the operation Built-in central controller, both has one button recovery Both has manual control panel lock, optional for the auto-lock Perfect touching feeling and backlit function for dark environment

Positions

Versatile positions for various surgery

High quality eletro-hydrulic system ensures adjust the table into versatile positions fast and easy, patient could have various surgery on this table.



Hand controller




Convenient positioning techniques

For multi-purpose adjustment



Movements specifications



Highest: 1100mm Lowest: 690mm



Longitudinal shift: 350mm



90° Reflex



40° Flex



Head plate up: 40°



Head plate down: 90°



Back plate up: 90°



Back plate down: 40°




Lef plate up: 15°



Leg plate down: 90°



Leg plate swing out: 90°



Leg plate swing out: 90°



Trendelenburg: 30°



Reversed trendelenburg: 30°



Left & right lateral: 18°





Orthopedics traction more accessories, more applications

Easily installed and adjust, well explore the applications for sergury





Applications in surgery

Various positions & accessories









Sliding Longitudinal shift function

The longitudinal shift could up to 300mm, best effect for compatiable with C-arm without the need to repositioning or reverse positioning the table.



Electric system ensures the high performance and stable movements

Offer the most value in surgery and always keep the patient safe by its extremly stability



Electric operating table



Design

Most efficiency and safe

- Intelligent electronic control system enables smooth movements
- Electric system with battery inside for any emergency cases
- 300mm horizontal sliding offers most versatile imaging capabilities
- The new carbon fiber table top ensures the high quality of imaging
- High quality table top ensure the capability for multi operations
- High class latex foam mattress to make sure the comfortable
- Side rails enable assembly various additional equipmentDiversity accessories offer more convenience on operations
- High quality castors offer the transfer ability with central brake

Radiolucent

X-ray compatiable plate

Thanks to X-ray compatiable plate table platform, Our table could well allow for X-rays to be taken while the patient is still in the table. Optional Double layers platform could be chosen for holding x-ray film.



C-arm available



Superior materials for the frame and table top, first class working craft



Leg part swing out, up and down in any degree




Kidney bridge elevation



High precision clamp with best workmanship



Movements Specifications



Highest: 1000mm Lowest: 700mm



Longitudinal shift: 300mm



90° Reflex





Head plate up: 40°



Head plate down: 90°



Back plate up: 90°



Back plate down: 20°



Lef plate up: 15°



Leg plate down: 90°



Leg plate swing out: 90°



Leg plate swing out: 90°



Trendelenburg: 25°



Reversed trendelenburg: 25°



Left & right lateral: 15°

Applications in surgery

Various positions & accessories





Hand controller



central controller







Controls Highest standards

Highest standard for materials and accessories, big wheels for easy transfer Most ergonomic design and durable structure, for long life using.



High quality mechanical system ensure the high performance. Quick and stable movements

First class materials, durable and reliable Most convinient control switch and easy transfer



Manual operating table



Top standards

Highest product safety and quality

Highest product safety and quality as the basis for quick and safe treatment of patients while providing good value for money in everyday use in hospitals.





Rear castor brake padel, each castor has one, central brake



Front central brake padel

Design

Highest product safety and quality

Outstanding quality for reasonable price, versatility and functionality ensure operational comfort for everyday surgical work. Together with wide range of additional accessories make it suitable for general and specialist surgical procedures. Adjustment possibilities and ranges meets the requirements demanded by a modern universal operating room.



Height adjust ment control padel, hydraulic



Gas spring control handle for back plate,



Manual operating table

Radiolucent

X-ray compatiable plate

Thanks to X-ray compatiable plate table platform, Our table could well allow for X-rays to be taken while the patient is still in the table. Optional Double layers platform could be chosen for holding x-ray film.



C-arm available



Reverse trendelenburg



Chair posture




Trendelenburg



Reflex posture

Movements Specifications



Highest: 970mm Lowest: 670mm



Left & right laterial: 20°



Head plate: up: 60°



Head plate down: 75°



Back plate up: 70°



Back plate down: 30°




Lef plate up: 15°



Leg plate down: 90°



Leg plate swing out: 90°



Leg plate swing out: 90°



Trendelenburg: 30°



Reverse trendelenburg: 25°



90° Reflex



40° Flex









Highest standard for materials and accessories, economic choice for general surgery

Most ergonomic design and durable structure, for long lige using.



High quality mechanical system ensure the high performance. Quick and stable movements

First class materials, durable and reliable Most convinient control switch and easy transfer



Product	specifica	tion
	Operating	table

Features	ВІОТОО2ЕН	BIOT001E	віотоозм	BIOT004M
Electro-hydraulic system	•	_	_	_
Electric system	_	•	_	-
Manual system	-	-	•	•
One button recovery	•	_	_	_
Longitudinal shift	•	•	_	-
Built-in battery	•	•	_	_
Single layer radiolucent table platform	•	•	•	•
Dual layers radiolucent table platform	0	0	0	0
Hand controller	•	•	-	_
Built-in central controller	•	0	_	_
Electric-hydraulic brake	•	_	-	_
Mechanical brake	_	•	_	_
Gas spring leg control	0	0	•	-
mechanical leg control	•	•	_	•
Kidney bridge	•	•	•	•
Main materials: 304 stainless steel	•	•	•	•

Accessories	BIOT002EH	BIOT001E	віотоозм	BIOT004M
Anaesthesia screen frame	•	•	•	•
Shoulder support	•	•	•	•
Arm support	•	•	•	•
Hand support	0	0	0	0
Body support	•	•	•	•
Leg support	•	•	•	•
Foot support	•	•	•	•
Fluid basin	0	0	0	0
Orthopaedics traction frame	0	0	0	0
Spondyle operating support	0	0	0	0
Kidney bridge control handle	•	•	•	•
Memory mattress	•	0	0	0
Foam mattress	_	•	•	•
Power cord	•	•	_	_

Specifications	BIOT002EH	BIOTO01E	віотоозм	ВІОТОО4М
Table length & width	1960x500mm	2070x550mm	2000x500mm	2080x480mm
Min. Height	690mm	700mm	670mm	790mm
Max. Height	1100mm	1000mm	970mm	1040mm
Horizontal Sliding	350mm	300mm	_	_
Trendelenburg	30°	25°	30°	25°
Reversed trendelenburg	30°	25°	25°	25°
Left lateral	18°	15°	20°	20°
Right lateral	18°	15°	20°	20°
Head plate up/down	40° /90°	45° /90°	60° /75°	30° /90°
Back plate up/down	90° /40°	75° /20°	70° /30°	90° /10°
Leg plate up/down	15° /90°	15° /90°	15° /90°	-/90°
Leg plate swing out	90°	90°	90°	90°
Kidney bridge elevation	110mm	110mm	120mm	120mm
Load capacity	250kg	250kg	250kg	250kg

● Standard features ○ Optional features ─ Cannot offer

Specialist surgeryOpthalmological purpose

BIOTOO5EH

Electro-hydraulic operating table



This table is specially designed for opthalmological surgery, enhance the performance of doctor in surgery, offer patient more safety and stability.

Electro-hydraulic control for the height adjustment, reliable and stable, foot pedal for convinient operation.

Super lower height at 300mm offers more comfortable positon for doctors, easy equip with various accessories to enhance the surgery

Equip with high quality castors for easy transfer.

Table top: L2000mm x W530mm Height adjustment: 300mm - 530mm

BIOT005M

Manual operating table



This table is specially designed for opthalmological surgery, enhance the performance of doctor in surgery, offer patient more safety and stability.

Mechanical control for the height adjustment, reliable and stable, foot pedal for hydraulic pump to lift.

Super lower height at 240mm offers more comfortable positon for doctors, easy equip with various accessories to enhance the surgery

Equip with high quality castors for easy transfer.

Table top: L2000mm x W530mm Height adjustment: 240mm - 530mm



Accessories

Various accessories options, fulfill any requirements for special surgery treatments



Accessories

Various accessories options, fulfill any requirements for special surgery treatments



