



郑州高德机械设备有限公司
Gaode Equipment Co., Ltd.

地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号

邮编 P.C.:450053

No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China

网站 (Web) :www.gaodetec.com


E-Mail: info@gaodetec.com

电话 TEL.:+86-371-55951660

Manual jack filter press

Introduction:

This manual jack filter press uses the screw jack as the pressing device with the feature of **simple structure, easy operation, no need power supply**, and cheap price. It is suitable for the filtration area at 1- 40m².



Email: info@gaodetec.com



GAODETEC

郑州高德机械设备有限公司

Gaode Equipment Co., Ltd.

地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号 邮编 P.C.:450053

No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China


网站 (Web) :www.gaodetec.com

E-Mail: info@gaodetec.com


电话 TEL.:+86-371-55951660

Application:

It is suitable for the industry of coal washing, inorganic salts, alcohol, chemical, metallurgy, pharmacy, coal carbon, food, textile, environmental protection, energy etc.



Details:





GAODETEC

郑州高德机械设备有限公司

Gaode Equipment Co., Ltd.

地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号

邮编 P.C.:450053

No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China

网站 (Web) :www.gaodetec.com

E-Mail: info@gaodetec.com

电话 TEL.:+86-371-55951660

Filter plate:



Filter cloth:



Email: info@gaodetec.com



GAODETEC

郑州高德机械设备有限公司

Gaode Equipment Co., Ltd.

地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号 邮编 P.C.:450053

No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China

网站 (Web) :www.gaodetec.com

E-Mail: info@gaodetec.com

电话 TEL.:+86-371-55951660

Our factory:



Email: info@gaodetec.com



郑州高德机械设备有限公司

Gaode Equipment Co., Ltd.

地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号 邮编 P.C.:450053
 No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China
 网站 (Web) :www.gaodetec.com E-Mail: info@gaodetec.com
 电话 TEL: +86-371-55951660

Technical parameters:

规格型号 Model	过滤面积(m ²)	滤板尺寸(mm)	滤饼厚度(mm)	滤室容积(L)	滤板数量(pcs)	过滤压力(Mpa)	整机质量(Kg)	外形尺寸长×宽×高(mm)	地基尺寸(mm)			
	Filter area	Plate size	Cake thickness	Filter chamber volume	Plate NO.	Filtration pressure	Weight	Dimensions L×W×H(mm)	Foundation Size(mm)			
									L	B	D	H
X _m ^A Q1/320-30U _k ^B	1	380×380	30	15	4	≤0.6	490	1230×570×660	920	280	570	470
X _m ^A Q2/320-30U _k ^B	2			31	9		528	1455×570×660	1145			
X _m ^A Q3/320-30U _k ^B	3			46	14		550	1680×570×660	1370			
X _m ^A Q4/450-30U _k ^B	4	500×500		60	9	≤0.6	780	1630×800×900	1280	390	800	560
X _m ^A Q6/450-30U _k ^B	6			91	14		830	1880×800×900	1530			
X _m ^A Q8/450-30U _k ^B	8			121	19		880	2130×800×900	1780			
X _m ^A Q10/450-30U _k ^B	10			151	24		930	2380×800×900	2030			
X _m ^A Q12/450-30U _k ^B	12			182	29		980	2630×800×900	2280			
X _m ^A Q15/450-30U _k ^B	15			225	36		1030	2980×800×900	2630			
X _m ^A Q16/450-30U _k ^B	16			243	39		1050	3130×800×900	2780			
X _m ^A Q15/630-30U _k ^B	15	700×700		226	18	≤0.6	1257	2250×1080×1060	1870	560	910	700
X _m ^A Q20/630-30U _k ^B	20			297	24		1347	2550×1080×1060	2170			
X _m ^A Q30/630-30U _k ^B	30			452	37		1693	3200×1080×1060	2820			
X _m ^A Q40/630-30U _k ^B	40			595	49		2193	3900×1080×1060	3520			

The filter press can be customized.

Email: info@gaodetec.com