




HAMMOND 1591VF2SBK Enclosure Installation Guide

[Home](#) » [HAMMOND](#) » HAMMOND 1591VF2SBK Enclosure Installation Guide 

HAMMOND 1591VF2SBK Enclosure
Installation Guide



www.hammondmfg.com



Enclosures can be Factory Modified (Milling, Drilling, Printing etc.)

Contact Factory (modshop@hammfg.com) for quotes

Solid models of this enclosure available in .stp or .x_t







(Part number and text placement/orientation on our products are subject to change, we do not recommend using them as a locating reference for modification purposes)

NOTE

Purchased assembly includes box, lid and 4 cover screws
Enclosure made from GPABS.

Recommended Torque: 42-57 ozf.in (30-40 cN.m)

PART NUMBERS	
1591V Enclosure	
General Purpose ABS Black	1591VF2SBK
General Purpose ABS Grey	1591VF2SGY
Accessories	
Plated Cover screw #4 X 1/2" (100Pkg) Self-Tapping	1591TS100 (Silver)
	1591TS100BK (Black)
PC Board Card Adapters	1591Z6 (6Pkg)
	1591Z50 (50 Pkg)
	1591Z100 (100Pkg)
Nylon Belt / Pocket clip	1599CLIP (Black)
	1599CLIPGY (Grey)
Clear Lids - Flame Retardant Polycarbonate - Lid ONLY	1591VC




Dimensions:
mm
[inches]

Contents

- [1 Documents / Resources](#)
- [1.1 References](#)

Documents / Resources



[HAMMOND 1591VF2SBK Enclosure](#) [pdf] Installation Guide
1591VF2SBK Enclosure, 1591VF2SBK, Enclosure

References

-  [ozf.in](https://www.ozf.in)

Manuals+.