


☐

I'm not robot


reCAPTCHA

I am not robot!

Sony bdv e970w manual

Bdv-e970w. Bdv-e970w sony.

The elements included may vary depending on the country or the purchase area: SS-WSB102, SS-SSSB104, SS-CTB101, RM-ADP054 Sony Corporation Service. Receiver 9-889-834-03 2011a05-1 © 2011.01 AUP Model Australia Model China Saudi Arabia Singapore Model Taiwan HBD-E970W HBD-E670W VER. 1.2 2011.01 € HBD-E670W is an amplifier, video, BD/DVD/Super Audio-CD/CD, USB, LAN and Tuner in the BDV-E670W system. Â HBD-E970W is an amplifier, BD/DVD/Super-Audio-CD/CD system, USB section, LAN and tuner in BDV-E970W. Photo: Name of the HBD-E970W model with a similar BDP-S370 mechanism. Type of the BPX-5 mechanism Name of the optical sensor KEM-460AAA € This product contains technology for the protection of copyright protected by American patents and other intellectual property rights. The use of this technology of copyright protection must be authorized by Macrovision and is intended only for domestic use and other limited considerations, unless Macrovision. Reverse engineering or disassembly is prohibited. This system includes the adaptive Dolby*Digital and Dolby Pro Logic Decoder (II) and DTS digital spatial system **. * Made on the basis of a Dolby Laboratories license.



This system includes the adaptive Dolby*Digital and Dolby Pro Logic Decoder (II) and DTS digital spatial system **. * Made on the basis of a Dolby Laboratories license. Dolby, Pro Logic and Double Dolby Laboratories are trademarks. ** made on the basis of a license under American patents N °: 5 451 942; 5 956 674; 5 974 380; 5 978 762; 6 226 616; 6 487 535; 7 212 872; 7 333 929; 7 392 195; 7 272 567 and other world patents in the United States and around the world. DTS is a registered trademark, and DTS, SIM-BOL, DTS-HD and DTS-HD Master Audio Logos are commercial brands DTS, Inc. © 1996-2008 DTS, Inc. All rights reserved. This system contains HDMITM technology (multimedia interface). HDMI, HDMI and high resolution multimedia interface logo are trademarks or HDMI licensee trademarks.B'im delivery may vary depending on country or region of purchase: SS-WSB102, SS-SSB103, SSB104, SS-CTB101, RM-DP054 Sony Corporation Published by Sony Techno Corporation HBD-E670W/E970W Blu-Ray. Specifications/DVD Receiver 9-889-834-03 2011a05-1 \ XC2 \ XA9 2011.01 Model AEP Australian Model Model Saudi Singi Singapore Model Model HBD-E970W UK Model HBD-E670W Ver. 1.2. \ Xe2 \ x80 \ xa2 HBD-E970W is an amplifier, video, BD/DVD/Super Audio CD/CD system, USB, LAN and receiver BDV-E970W. Photo: HBD-E970W model name with similar mechanism BDP-S370 type BPX-5 type optical sensor KEM-460AA \ X80 \ XA2 This product contains copyright protection technology protected by US patents and other intellectual property rights The scope of use of this copyright protection technology is subject to approval by Macrovision and is intended for private and other limited use only unless otherwise approved by Macrovision. Feedback or disassembly is prohibited. \ Xe2 \ x80 \ xa2 This system includes Dolby* Digital and Dolby Pro Logic (II) Area Surround Decoder and DTS ** Digital System Adaptive Matrix. * Manufactured under license from Dolby Laboratories. Dolby, Pro Logic and Double D Symbol are trademarks of Dolby Laboratories. ** Manufactured under license from US Patent #xe2\x80\x99s: 5451,942; 5,956,674; 5,974,380; 5,978,762; 6,226,616; 6,487,535; 7,212,872; 7,333,929; 7,392.195; 7,272,567 and other US and international patents are secured and registered. DTS is a registered trademark and Mogos DTS, Symbol, DTS-HD and DTS-HD Master Audio are Brands of DTS, Inc. \ Xe2 \ xa9 1996-2008 DTS, Inc. All rights reserved. \ Xe2 \ x80 \ xa2 This system uses High Definition Multimedia Interface (HDMITM) technology. HDMI, HDMI logo and multimin with high clearSony Corporation. The commandment. Ounce € Pplayation are sony objects. Computer Entertainment Inc. • DIVX®, DIVX CERTI ED® and related logos are recorded in DIVX, Inc.



Receiver 9-889-834-03 2011a05-1 © 2011.01 AUP Model Australia Model China Saudi Arabia Singapore Model Taiwan HBD-E970W HBD-E670W VER. 1.2 2011.01 € HBD-E670W is an amplifier, video, BD/DVD/Super Audio-CD/CD, USB, LAN and Tuner in the BDV-E670W system. Â HBD-E970W is an amplifier, BD/DVD/Super-Audio-CD/CD system, USB section, LAN and tuner in BDV-E970W. Photo: Name of the HBD-E970W model with a similar BDP-S370 mechanism. Type of the BPX-5 mechanism Name of the optical sensor KEM-460AAA € This product contains technology for the protection of copyright protected by American patents and other intellectual property rights. The use of this technology of copyright protection must be authorized by Macrovision and is intended only for domestic use and other limited considerations, unless Macrovision. Reverse engineering or disassembly is prohibited. This system includes the adaptive Dolby*Digital and Dolby Pro Logic Decoder (II) and DTS digital spatial system **. * Made on the basis of a Dolby Laboratories license. Dolby, Pro Logic and Double Dolby Laboratories are trademarks. ** made on the basis of a license under American patents N °: 5 451 942; 5 956 674; 5 974 380; 5 978 762; 6 226 616; 6 487 535; 7 212 872; 7 333 929; 7 392 195; 7 272 567 and other world patents in the United States and around the world. DTS is a registered trademark, and DTS, SIM-BOL, DTS-HD and DTS-HD Master Audio Logos are commercial brands DTS, Inc. © 1996-2008 DTS, Inc. All rights reserved. This system contains HDMITM technology (multimedia interface). HDMI, HDMI and high resolution multimedia interface logo are trademarks or HDMI licensee trademarks.B'im delivery may vary depending on country or region of purchase: SS-WSB102, SS-SSB103, SSB104, SS-CTB101, RM-DP054 Sony Corporation Published by Sony Techno Corporation HBD-E670W/E970W Blu-Ray. Specifications/DVD Receiver 9-889-834-03 2011a05-1 \ XC2 \ XA9 2011.01 Model AEP Australian Model Model Saudi Singi Singapore Model Model HBD-E970W UK Model HBD-E670W Ver. 1.2. \ Xe2 \ x80 \ xa2 HBD-E970W is an amplifier, video, BD/DVD/Super Audio CD/CD system, USB, LAN and receiver BDV-E970W. Photo: HBD-E970W model name with similar mechanism BDP-S370 type BPX-5 type optical sensor KEM-460AA \ X80 \ XA2 This product contains copyright protection technology protected by US patents and other intellectual property rights The scope of use of this copyright protection technology is subject to approval by Macrovision and is intended for private and other limited use only unless otherwise approved by Macrovision. Feedback or disassembly is prohibited. \ Xe2 \ x80 \ xa2 This system includes Dolby* Digital and Dolby Pro Logic (II) Area Surround Decoder and DTS ** Digital System Adaptive Matrix. * Manufactured under license from Dolby Laboratories. Dolby, Pro Logic and Double D Symbol are trademarks of Dolby Laboratories. ** Manufactured under license from US Patent #xe2\x80\x99s: 5451,942; 5,956,674; 5,974,380; 5,978,762; 6,226,616; 6,487,535; 7,212,872; 7,333,929; 7,392.195; 7,272,567 and other US and international patents are secured and registered. DTS is a registered trademark and Mogos DTS, Symbol, DTS-HD and DTS-HD Master Audio are Brands of DTS, Inc. \ Xe2 \ xa9 1996-2008 DTS, Inc. All rights reserved. \ Xe2 \ x80 \ xa2 This system uses High Definition Multimedia Interface (HDMITM) technology. HDMI, HDMI logo and multimin with high clearSony Corporation. The commandment. Ounce € Pplayation are sony objects. Computer Entertainment Inc. • DIVX®, DIVX CERTI ED® and related logos are recorded in DIVX, Inc. Brands and commercial licenses used.



1.2 2011.01 € HBD-E670W is an amplifier, video, BD/DVD/Super Audio-CD/CD, USB, LAN and Tuner in the BDV-E670W system. Â HBD-E970W is an amplifier, BD/DVD/Super-Audio-CD/CD system, USB section, LAN and tuner in BDV-E970W. Photo: Name of the HBD-E970W model with a similar BDP-S370 mechanism. Type of the BPX-5 mechanism Name of the optical sensor KEM-460AAA € This product contains technology for the protection of copyright protected by American patents and other intellectual property rights. The use of this technology of copyright protection must be authorized by Macrovision and is intended only for domestic use and other limited considerations, unless Macrovision. Reverse engineering or disassembly is prohibited. This system includes the adaptive Dolby*Digital and Dolby Pro Logic Decoder (II) and DTS digital spatial system **. * Made on the basis of a Dolby Laboratories license. Dolby, Pro Logic and Double Dolby Laboratories are trademarks. ** made on the basis of a license under American patents N °: 5 451 942; 5 956 674; 5 974 380; 5 978 762; 6 226 616; 6 487 535; 7 212 872; 7 333 929; 7 392 195; 7 272 567 and other world patents in the United States and around the world. DTS is a registered trademark, and DTS, SIM-BOL, DTS-HD and DTS-HD Master Audio Logos are commercial brands DTS, Inc. © 1996-2008 DTS, Inc. All rights reserved. This system contains HDMITM technology (multimedia interface).



Â HBD-E970W is an amplifier, BD/DVD/Super-Audio-CD/CD system, USB section, LAN and tuner in BDV-E970W. Photo: Name of the HBD-E970W model with a similar BDP-S370 mechanism. Type of the BPX-5 mechanism Name of the optical sensor KEM-460AAA € This product contains technology for the protection of copyright protected by American patents and other intellectual property rights. The use of this technology of copyright protection must be authorized by Macrovision and is intended only for domestic use and other limited considerations, unless Macrovision. Reverse engineering or disassembly is prohibited. This system includes the adaptive Dolby*Digital and Dolby Pro Logic



Reverse engineering or disassembly is prohibited. This system includes the adaptive Dolby®Digital and Dolby Pro Logic Decoder (II) and DTS digital spatial system **. * Made on the basis of a Dolby Laboratories license. Dolby, Pro Logic and Double Dolby Laboratories are trademarks. ** made on the basis of a license under American patents N °: 5 451 942; 5 956 674; 5 974 380; 5 978 762; 6 226 616; 6 487 535; 7 212 872; 7 333 929; 7 392 195; 7 272 567 and other world patents in the United States and around the world. DTS is a registered trademark, and DTS, SIM-BOL, DTS-HD and DTS-HD Master Audio Logos are commercial brands DTS, Inc. © 1996-2008 DTS, Inc. All rights reserved. This system contains HDMITM technology (multimedia interface). HDMI, HDMI and high resolution multimedia interface logo are trademarks or HDMI licensee trademarks.B'im delivery may vary depending on country or region of purchase: SS-WSB102, SS-SSB103, SSB104, SS-CTB101, RM-DP054 Sony Corporation Published by Sony Techno Corporation HBD-E670W/E970W Blu -Ray. Specifications/DVD Receiver 9-889-834-03 2011a05-1 \ XC2 \ XA9 2011.01 Model AEP Australian Model Model Saudi Singi Singapore Model Model HBD-E970W UK Model HBD-E670W Ver. 1.2. \ Xe2 \ x80 \ xa2 HBD-E970W is an amplifier, video, BD/DVD/Super Audio CD/CD system, USB, LAN and receiver BDV-E970W. Photo: HBD-E970W model name with similar mechanism BDP-S370 type BPX-5 type optical sensor KEM-460AA \ X80 \ XA2 This product contains copyright protection technology protected by US patents and other intellectual property rights The scope of use of this copyright protection technology is subject to approval by Macrovision and is intended for private and other limited use only unless otherwise approved by Macrovision. Feedback or disassembly is prohibited. \ Xe2 \ x80 \ xa2 This system includes Dolby® Digital and Dolby Pro Logic (II) Area Surround Decoder and DTS ** Digital System Adaptive Matrix. * Manufactured under license from Dolby Laboratories. Dolby, Pro Logic and Double D Symbol are trademarks of Dolby Laboratories. ** Manufactured under license from US Patent #\xe2\x80\x99s99s: 5451,942; 5,956,674; 5,974,380; 5,978,762; 6,226,616; 6,487,535; 7,212,872; 7,333,929; 7,392,195; 7,272,567 and other US and international patents are secured and registered. DTS is a registered trademark and Mogos DTS, Symbol, DTS-HD and DTS-HD Master Audio are Brands of DTS, Inc. \ Xe2 \ xa9 1996-2008 DTS, Inc. All rights reserved. \ Xe2 \ x80 \ xa2 This system uses High Definition Multimedia Interface (HDMITM) technology. HDMI, HDMI logo and multimin with high clearSony Corporation. The commandment. Ounce ¢ Iplayation are sony objects. Computer Entertainment Inc.

• DIVX®, DIVX CERTI ED® and related logos are recorded in DIVX, Inc. Brands and commercial licenses used. • Music and video recognition technology and related data provide Gracenote®. Gracenote is the standard of presentation of musical recognition and the technology of the related content industry. For more information, see www.gricanote.com. CD, DVD, Blu -Ray and data and videos related to Gracenote music, Inc., Copyright © 2000.

- Gracenote. Software Gracenote, Copyright © Gracenote, 2000 for this product and service hold one or more gracenote patents. Gracenote will find an incomplete list of gracenote patents on the site. Gracenote, CDDB, Musicide, Medieravocs, Logo and Gracenote Logo and Gracenote Logo are recorded with Gracenote brands or other countries.

Section of the amplifier (except the Chinese model) output output (Romen) Front L + Front R: 108 W + 108 W (3 oh, 1 kHz, 1% THD) Power Power (Deduction) Left / before R / Center: 167 W: 167 W: 167 W (3 ohms channel, 1 kHz) Subwoofer: 165 W (3 ohs, 80 Hz) Entrance (analog) sound (Son in) Sensitivity: 450/250 (Digital) Sat (Coaxial), Coaxial, TV (Optics) Supported format: LPCM 2CH (up to 48 kHz), Dolby Digital, DTS Video leaves video: 1 VP-P 75 OHM Component- Y: 1 VP- P 75 OM P B B / C R R: 0, 0, 0, 0, 0, 0, 7 VP-P 75 OMI HDMI OUT: Type A (19 Tuner contact SCEM PLL Quartz Blocked FM reception for section section 87, 5 MHz - 108.0 MHz (50 kHz step) Antenna (antenna) FM antenna cable (antenna) Terminal 75 ohms, 75 ohms, 75 ohms, 75 ohms, 75 ohms, 75 ohms, 75, 75 ohms, 75 ohms, 75 Ohms, 75 ohms, 75 ohms, 75 ohms, 75 ohmsSubwoofer: 100 W (with 3 ohms, 80 Hz) Input (analog) Audio (audio input) Sensitivity: 450/250 MV (digital) SAT/Cable (concentric), TV (optical) -plated Formats: LPCM 2Ch (UP (up UP (UP (UP (up to a maximum of 48 kHz), Dolby Digital, DTS USB port Section (USB): Recording A (For connecting USB memory, memory card reader, digital devices stylish and a digital camera) Maximum current: 500 ma ma ma