

CRYSTORAMA ODE-700-MT-GA-CEILING Four Light Ceiling Mount Instruction Manual

<u>Home</u> » <u>CRYSTORAMA</u> » CRYSTORAMA ODE-700-MT-GA-CEILING Four Light Ceiling Mount Instruction Manual




ASSEMBLY INSTRUCTION MODEL #ODE-700-MI-GA_ CEILING

Contents


- 1 ODE-700-MT-GA-CEILING Four Light Ceiling Mount
- **2 PART NUMBER**
- 3 Documents / Resources

ODE-700-MT-GA-CEILING Four Light Ceiling Mount





All electrical components must be installed by a licensed electrician in accordance with the National Electric Code and the appropriate local electrical codes.




You will need 4 Candelabra Base Bulb 40 Watts Recommended 60 Watts Max. USE LED BULBS FOR EXTENDED USE

- 1. Do a complete inventory of all parts and components before you start installing.
- 2. Decide the preferred hang stem length .Pass the fixture wire through the stems and swivel and canopy and screw them together.
- 3. Fasten mounting plate to outlet box with the machine screws. Place the fixture against mounting surface allowing the machine screws to pass through the canopy, and secure it with ball nuts.

warning: This product can expose you to Lead, which is known to the State of California to cause cancer and/or birth defects or reproductive harm. For more information go to www.P65Warnings.ca.gov

PART NUMBER

MODEL #ODE-700-MI-GA_ CEILING



Part Number

Part Numbers

- A. (3)-Stems D0.63X12" (XBN700MTGASTEM12IN)
- B. (1)-Stems D0.63X6" (XBN700MTGASTEMG6IN)
- C. (1)-Stems D0.63X3" (XBN700MTGASTEM3IN)
- D. (1)-Mounting Hardware
- E. (1)-Canopy D5 1/2*H1" (XBN700MTGACANS.SIN)
- F. (2)-Ball nut D2/5*2/5" (XBN700MTGABANUT)
- G.(1)-Swivel D 1/2* 1/5"
- H. (4)-Candle Sleeve;L2" (XBN700MTGACDL2IN)
- I. (1)-Finial D 3/4" (XBN7O00MTGAFIN)

Documents / Resources



CRYSTORAMA ODE-700-MT-GA-CEILING Four Light Ceiling Mount [pdf] Instruction

ODE-700-MT-GA-CEILING Four Light Ceiling Mount, ODE-700-MT-GA-CEILING, Four Light Ceiling Mount, Light Ceiling Mount, Mount

Manuals+,