

Application Delivery Foundation for z/OS



Common Components Customization Guide and User Guide

Version 1 Release 8

Note

Before you read this document, look at the general information under “Notices” on page 111.

Edition notice

This edition, which is published in September 2019, applies to Version 1 Release 8 of IBM Application Delivery Foundation for z/OS Common Components (program number 5655-IPV), and to Version 14 Release 1 Modification Level 8 of IBM File Manager for z/OS (program number 5655-Q42), IBM Fault Analyzer for z/OS (program number 5655-Q41), z/OS Debugger (program number 5655-Q50), IBM Application Performance Analyzer for z/OS (program number 5697-Q49), and to all subsequent releases and modifications until otherwise indicated in new editions.

You can download the latest version or an earlier version of this publication in Acrobat Reader format (PDF):

1. Go to IBM Publications Center.
2. If necessary, select your country/region/language.
3. Use the Search for Publications page to search on keywords in the publication title, for example:

Common Components Customization Guide

© **Copyright IBM Corporation 2012, 2016.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

© HCL Technologies, Ltd. 2017, 2019. All rights reserved.

Contents

Preface	v
--------------------------	----------

Summary of changes	vii
-------------------------------------	------------

Chapter 1. Introduction to IBM ADFz

Common Components	1
------------------------------------	----------

ADFzCC server	1
IPVLANGX, IPVLANGP, and IPVLANGO	1
Interactive Panel Viewer	2

Chapter 2. ADFzCC server overview. 3

Sample server procedure	3
Startup, shutdown, and activity tracing	4
Configuration file keyword descriptions	4

Chapter 3. Customizing the ADFzCC server 9

Required authorizations	9
Example commands for RACF	10
Using PassTickets	10
Setting SSL encrypted communications	11
Using AT-TLS for encrypted communications	12
Update sample IPVCONFIG	13
Create matching WORKDIR by running job IPVMKDIR	15
Check address space timeout	15
Add ports to TCPIP reservation list	15
Configuration considerations for IBM Explorer for z/OS (z/OS Explorer)	15

Chapter 4. Options 17

Option descriptions.	17
EventProcessingExit	17
Locale	18
Using an IPVOPTLM configuration-options module	18

Chapter 5. Quick start guide for compiling and assembling programs for use with the ADFz family of products 19

Updating your build process	20
Updating your promotion process	20
Preparing your programs.	21
Enterprise COBOL for z/OS Version 6 or later programs	21
Enterprise COBOL for z/OS Version 5 programs	22
Enterprise COBOL for z/OS Version 4 programs	22
Enterprise COBOL for z/OS Version 3 and COBOL for OS/390 and VM programs	26
COBOL for MVS and VM programs	30
VS COBOL II programs	33
OS/VS COBOL programs.	36
Enterprise PL/I Version 3.7 and later programs	39

Enterprise PL/I Version 3.5 and Version 3.6 programs	43
Enterprise PL/I Version 3.4 and earlier programs	48
PL/I for MVS and VM and OS PL/I programs	52
z/OS XL C and C++ programs	56
Assembler programs	65

Chapter 6. IPVLANGX compiler listing to side file conversion utility 69

Creating side files using IPVLANGX	69
IPVLANGX parameters	71
Including an IPVLANGX step in your SCLM translator	72
High Level Assembler SCLM example	72
COBOL SCLM example	72

Chapter 7. IPVLANGP side file formatting utility 75

Deferred Breakpoints Feature	76
--	----

Chapter 8. IPVLANGO Automatic Binary Optimizer LANGX file update utility 83

Chapter 9. Maintaining ADFz Common Components 85

Chapter 10. ADFzCC event processing 87

Sender load module IPVEPSND	87
Usage	87
Example	88
Receiver load module IPVEPRCV	88
IPVCNF00 option EVENTPROCESSINGEXIT	88
The Event Processing user exit	89
Example customer event processing user exit	89

Appendix A. Messages 91

ADFzCC server messages	91
IPVLANGX messages	95
IPVLANGX return codes	100
Examples of IPVLANGX return codes	101

Appendix B. Troubleshooting 103

Error scenarios and tracing	103
---------------------------------------	-----

Support resources and problem-solving information 105

Searching IBM support Web sites for a solution	105
Searching the information center	105
Searching product support documents	105
IBM Support Assistant	106
Obtaining fixes	106

My Notifications	107
Receiving support updates through RSS feeds	107
Contacting IBM Support.	108
Define the problem and determine severity of the problem	108
Gather diagnostic information.	109
Submit the problem to IBM Support.	110
Notices	111
Trademarks	113
Terms and conditions for product documentation	113
IBM Online Privacy Statement.	114

Bibliography	115
File Manager publications	115
Related publications for Application Delivery Foundation for z/OS	115
Related publications for COBOL	115
Related publications for PL/I	115
Related publications for z/OS	115
Index	117

Preface

This document provides information about IBM® Application Delivery Foundation for z/OS® Common Components.

It is intended for people who are responsible for installing, configuring, and using ADFz Common Components. You should have a working knowledge of:

- z/OS operating system
- system programming
- configuration of servers

In these topics, ADFz Common Components is also referred to as ADFzCC.

Summary of changes

This edition of the document provides information applicable to IBM Application Delivery Foundation for z/OS Common Components Version 1 Release 8.

SC27-9050-07: September 2019

New PASSTK keyword provides support to facilitate Multifactor Authentication (MFA) clients. See “Configuration file keyword descriptions” on page 4 and “Using PassTickets” on page 10 for more details.

These changes, and smaller corrections and additions, are indicated by a “|” change bar in the left margin of the page.

SC27-9050-06: June 2019

This edition of the document contains minor updates from the previous edition.

SC27-9050-05: March 2019

This edition of the document contains minor updates from the previous edition.

SC27-9050-04: December 2018

This edition of the document contains minor updates from the previous edition.

SC27-9050-03: September 2018

This edition of the document contains minor updates from the previous edition.

SC27-9050-02: March 2018

Product names have been updated to reflect current offerings and there are other minor updates from the previous edition.

SC27-9050-01: December 2017

This document covers support for Enterprise COBOL for z/OS Version 6. For more information, see “Enterprise COBOL for z/OS Version 6 or later programs” on page 21.

SC27-9050-00: September 2017

Product names have been updated to reflect current offerings and there are other minor updates from the previous edition.

Chapter 1. Introduction to IBM ADFz Common Components

IBM ADFz Common Components consists of these major features:

- ADFzCC server
- IPVLANGX, IPVLANGP, and IPVLANGO
- Interactive Panel Viewer

These features can be used by the IBM Application Delivery Foundation for z/OS family of products.

ADFzCC server

The ADFzCC server is an extensible server program that runs on a z/OS system to serve clients. Multiple clients can connect to a single instance of the server program and request a service by invoking a specific extension of the server. The server needs to be customized to install various extensions. Without installing the extensions, the ADFzCC server program alone does not serve any purpose.

The following products use the ADFzCC server:

DTSP plug-in for Eclipse

See *IBM z/OS Debugger Customization Guide V14.0 (SC27-8935)* for details on customization.

Fault Analyzer plug-in for Eclipse

See *Fault Analyzer for z/OS User's Guide and Reference V14.1 (SC27-9040)* for details on customization.

File Manager plug-in for Eclipse

See *File Manager for z/OS Customization Guide V14.1 (SC27-9041)* for details on customization.

File Manager for CICS®

See *File Manager for z/OS Customization Guide V14.1 (SC27-9041)* and *File Manager for z/OS User's Guide and Reference for CICS V14.1 (SC27-9045)* for details on customization.

File Manager Remote Services

See *File Manager for z/OS Customization Guide V14.1 (SC27-9041)* "Preparing for File Manager Remote Services" for details on customization.

Application Performance Analyzer plug-in for Eclipse

See *Application Performance Analyzer for z/OS Customization Guide V14.1 (SC27-8401)* for details on customization.

For more information about configuring the product-specific extensions to the ADFzCC server, see the product-specific customization guide.

IPVLANGX, IPVLANGP, and IPVLANGO

IPVLANGX, IPVLANGP, and IPVLANGO provide utility programs that undertake various functions.

Currently, the following products use one or more of these utilities:

- Fault Analyzer for z/OS

- z/OS Debugger
- Application Performance Analyzer for z/OS (APA)

Here is more information about each utility:

IPVLANGX

A utility program that converts a compiler listing, or SYSADATA file, to a special format ADFz side file, in the remainder of this document referred to as a “LANGX side file”, or simply a “LANGX file”. A LANGX side file is typically a lot smaller in size than a compiler listing. (See Chapter 6, “IPVLANGX compiler listing to side file conversion utility,” on page 69 for details.)

IPVLANGP

A utility program that creates a readable listing from a LANGX side file, a SYSDEBUG side file generated by using the COBOL or PL/I TEST(SEPARATE) option, or a COBOL program object containing DWARF debugging information generated by the TEST(SOURCE) option (see Chapter 7, “IPVLANGP side file formatting utility,” on page 75 for details).

This listing might be useful if side files, rather than compiler listings, are kept in order to conserve DASD space. The utility program is able to format the side file in a way that resembles the original compiler listing.

IPVLANGP also supports the setting of z/OS Debugger Deferred Breakpoints.

IPVLANGO

A utility program used to create new LANGX side files to support the Automatic Binary Optimizer (see Chapter 8, “IPVLANGO Automatic Binary Optimizer LANGX file update utility,” on page 83 for details).

Interactive Panel Viewer

The Interactive Panel Viewer feature enables ISPF-based applications to display panels under CICS.

The following products use the Interactive Panel Viewer feature:

Fault Analyzer for z/OS

See *Fault Analyzer for z/OS User's Guide and Reference V14.1 (SC27-9040)* for details on customization.

File Manager for CICS

See *File Manager for z/OS Customization Guide V14.1 (SC27-9041)* for details on customization.

Chapter 2. ADFzCC server overview

ADFzCC server runs a process that identifies a connection request on a specific port. ADFzCC server can be started manually, or during an IPL, by running a customized procedure. A sample procedure, IPVSRV1, is supplied in the sample library hlq.SIPVSAM1.

Multiple servers might be simultaneously run, provided different port numbers are used for each server.

For participating products that use the ADFzCC server, the server negotiates SSL encrypted communications if configured to do so, then verifies the client user ID, password, or passphrase. If valid, the server creates a new process for that user.

The ADFzCC server consists of a main program module, IPVSRV, and supporting message and API-related modules.

IPVSRV requires a parameter string '**port family trace**' where:

port Describes the port number that is used to bind and accept incoming connections.

family The addressing family to bind to. For example, AF_INET, or AF_INET6.

trace N, T, D, U, or omitted. This parameter specifies the level of tracing to be performed by the server, and is intended only for diagnostic purposes. N is for no tracing, while T or D produce IPVTRACE, or STDOUT, outputs of undocumented messages that show flow and processing details for diagnostic purposes. U produces trace entries showing user connections to participating ADFz products.

Sample server procedure

The ADFzCC server is recommended to run as a started task, although it might be run as a job.

A sample procedure, IPVSRV1, is supplied in the hlq.IPVSAM1 data set. Copy the procedure to your procedure library.

```
//IPVSRV1  PROC PORT=2800,FAMILY='AF_INET',TRACE=N
//*****
/* Copyright = Licensed Materials - Property of IBM          *
/*                                                     *
/*           5655-IPV                                       *
/*                                                     *
/*           Copyright IBM Corp. 2006, 2017.                *
/*           All Rights Reserved.                            *
/*           Copyright HCL Technologies Ltd. 2017.          *
/*           All Rights Reserved.                            *
/*                                                     *
/*           US Government Users Restricted Rights -        *
/*           Use, duplication or disclosure restricted by    *
/*           GSA ADP Schedule Contract with IBM Corp.       *
/*                                                     *
/* Status = IBM Application Delivery Foundation for          *
/*           z Systems Common Components, release 8.        *
/*                                                     *
//*****
```

Sample server procedure

```
/** FAMILY=AF_INET|AF_INET6   for TCP/IP V4 or V6 socket and bind
/** TRACE=N|D|U   No server trace, detailed trace or
/** user connection trace
/**
/** This is not a complete JCL procedure. It requires customisation
/** steps before running. To customise,
/** 1. Customise the IPVCONFIG member
/** 2. Customise and run the IPVMKDIR sample job to match
/** 3. replace IPV with your high level qualifier for the ADFzCC product
/** 4. Uncomment and replace CEE for your hlq for the LE C runtime
/**    if SCEERUN is not in the site linklist
/**
//RUN          EXEC PGM=IPVSRV,REGION=40M,
//              PARM=('&PORT &FAMILY &TRACE')
// SET IPV=IPV                                >== Update HLQ
/** Common component authorised library
//STEPLIB DD DISP=SHR,DSN=&IPV.SIPVMODA        >== ADFzCC APF LIBRARY
/** DD DISP=SHR,DSN=CEE.SCEERUN              >== LE C RUNTIME
//SYSPRINT DD SYSOUT=*
//IPVTRACE DD SYSOUT=*                        >== OUTPUT if Tracing
//STDOUT DD SYSOUT=*
/** Server wide, then participating product configurations
//CONFIG DD DISP=SHR,DSN=&IPV.SIPVSAM1(IPVCONFIG)
***** Bottom of Data *****
```

Startup, shutdown, and activity tracing

The server is controlled using the START (S), STOP (P) and MODIFY (F) z/OS system commands. These commands are typically issued on a z/OS system console.

Use START *procname* to start the server.

Use STOP *procname* to stop the server.

To enable activity tracing, usually as an IBM support request, the following modify command can be used:

```
F procname,APPL=TRACEON
```

To disable activity tracing, the following modify command can be used:

```
F procname,APPL=TRACEOFF
```

To display the release and PTF level of the running server, the following modify command can be used:

```
F procname,APPL=VER
```

Configuration file keyword descriptions

The configuration data might contain line comments. Line comments begin with an * or a #, and continue to the end of the line.

CONFIG=*name*

name is the name of the configuration as specified by the client. At least one configuration is expected with a name of DEFAULT. Other configuration keywords apply to the current CONFIG name, in top-down order.

PASSTK=*nnn* (Optional)

The server can be configured to use PassTickets to start sessions for authenticated clients. After successfully connecting to the server with a

valid user ID and password or passphrase, a client can start new sessions for the period in minutes specified by *nnn* without having to re-authenticate. Allowable values are 1 to 720 (12 hours). The default is 480 (8 hours). This feature is primarily to facilitate multifactor authentication (MFA) clients. See “Using PassTickets” on page 10 for more details.

WORKDIR=/path

The CONFIG=DEFAULT set of parameters needs the WORKDIR=path keyword. This keyword specifies where the server can write semi-permanent (existing at least while the server task is running) files. A sample job, IPVMKDIR is supplied in the sample library to create this path.

ATTLS=YES|NO (Optional)

The Application Transparent Transport Layer Security (AT-TLS) feature of z/OS Communication Server can be used to secure communications between the ADFzCC server and connecting clients. See “Using AT-TLS for encrypted communications” on page 12 for more details.

SSL_REQUIRED=YES|TLSV1|TLSV1.1|TLSV1.2|NO (Optional, default is NO)

Determines whether SSL encrypted communications are mandatory for the server and the desired protocol level. SSL communications are achieved by using the System SSL APIs. The default protocol level is TLS V1.1 when YES is specified. Older clients (earlier than Common Component client 13.1.0.16) require TLS V1.

To use TLS V1.2, clients must be at level 13.1.0.17 or later.

If SSL encryption is used, then the server uses a certificate stored in either a RACF® keystore, when specified via the SSL_KEYRING keyword, or a GSKKMAN managed key database and certificate for this server as specified in the SSL_CERT keyword or, if that keyword is omitted, at the WORKDIR specified location.

SSL_CERT=/path/keyringfile (optional, for use of user created certificate)

The path and name of a key database that contains a stored certificate that is used by the server. This parameter is passed to the gsk toolkit as the GSK_KEYRING_FILE setting. If this parameter is omitted, the server attempts to create a key database and self-signed certificate as it starts up.

SSL_CERTPW=keyringpw (optional, for use of user created certificate)

The password to be used to access the certificate repository. If omitted, the server uses a default password.

SSL_KEYRING=userid/keyring

If SSL is being used for the server, this configuration option provides the userid and keyring name for a certificate being held in a SAF keyring. The userid should match the ID used when creating the keyring.

SSL_LABEL=labelstring (optional, for use of user created certificate)

The label of the certificate from the key database to be used.

SPAWN_ACCT=accountdata

Allows specification of the account data used for the spawned address space. This is as per the _BPX_ACCT_DATA environment variable discussed in the z/OS UNIX System Services Planning manual.

SPAWN_TIME=nn

Allows specification of the CPU time limit, in seconds, used for the spawned address space.

Configuration file keyword descriptions

SPAWN_PROGRAM=PROGRAM

Specification of the program that is launched for the client connection. The server checks the existence of the named program. If you want to specify the name of a z/OS UNIX executable file, rather than a load module in a STEPLIB data set, include the path. Otherwise, the server creates a sticky bit file in the WORKDIR specified location. Sticky bit is the mechanism in the z/OS UNIX file system of indicating that this file is a load library member. The program is launched as a USS process, but can be a traditional z/OS program.

SPAWN_STEPLIB=steplib1:steplib2 (optional)

Allows specification of the run libraries that are used for the spawned address space. Support for continuing library specifications is provided by ending a line with the colon character.

If the run libraries are not all APF authorized, you must ensure that the _BPX_SHAREAS environment variable is set to NO to avoid a potential abend S306. The server will then spawn the participating products in their own address space. You can add a STDENV DD statement to set the environment variable in the server procedure. For example:

```
//STDENV *  
_BPX_SHAREAS=NO  
/*
```

SPAWN_PARMS_SECTION

This entry marks the beginning of extra parameters that are passed to the spawned process. The contents of this area are determined by the products that use the server.

Launching a TSO environment is provided for by the ADFzCC server when the SPAWN_PROGRAM is set to IPVSRVTE. In such a configuration, the launched process deals with these extra keywords that follow the SPAWN_PARMS_SECTION:

SPAWN_DD=ddname=datasetname1:datasetname2

Specification of a data set or data sets that are allocated with DISP=SHR to the supplied DD name.

SPAWN_DD=ddname=SYSOUT=c

Specification of a sysout allocation that is allocated with the specified class c, to the supplied DD name.

Use of SYSOUT=* is not permitted as the spawned address space is not running as a batch job with a JCL MSGCLASS. Use of SYSOUT=* will result in the server terminating until the configuration is corrected.

SOCKETFIONBIO

Specification that the socket communications run in nonblocking mode.

Specify this keyword only when the application for the particular CONFIG allows or expects it.

TSO_CMD=command;

Specification of a command that is run in the TSO environment. This command typically instigates the launch of the participating products main serving function. This parameter can be repeated as needed for multiple TSO commands.

MIXEDCASEPASS=YES|NO (optional, default is NO)

Determines whether uppercase translation is performed for incoming

Configuration file keyword descriptions

passwords for this system. If this system supports mixed case passwords, set this to YES and specify this keyword in the CONFIG=DEFAULT section.

SPAWN_REGIONSZ=nnn (optional, default is to inherit the region size of the server)

Determines the region size (in MB) for the launched process. Participating products being launched have their own recommendations for this sizing.

Configuration file keyword descriptions

Chapter 3. Customizing the ADFzCC server

This chapter provides you with instructions on how to customize the ADFzCC server. In brief, this consists of the following general checklist:

- APF authorize the SIPVMODA library
- Add programs in SIPVMODA to program control
- Add user for server started task
- Add task to STARTED class
- Add sample IPVSRV1 to system procedure library
- Permit server user/group to BPX.SERVER facility
- Permit server user/group to CSF* profiles (if used)
- Permit server user/group to OMVSAPPL resource
- Update sample IPVCONFIG
- Create matching WORKDIR by running job IPVMKDIR
- Review address space timeout settings

Required authorizations

The STEPLIB hlq.SIPVMODA must be APF-authorized.

Associate the started task that is used to run the ADFzCC server with a user ID that has an OMVS segment. If the BPX.SERVER facility is active give the user ID READ access to it, otherwise the user ID requires superuser access. Make sure write access to the z/OS UNIX directory is available, as specified by the WORKDIR= configuration parameter. Edit and run the job IPVMKDIR in the sample library (IPV.SIPVSAM1) to create this directory. Furthermore, any users logging in to the ADFzCC server require read access to this location. Similarly, if you configure the ADFzCC server to a key database of your own creation, the ADFzCC server and any users who log into it require read access to the specified key database.

Products that make use of the SPAWN_JOBNAME configuration keyword require the following authorizations. The user ID of the ADFzCC server must be permitted to the BPX.SUPERUSER resource of the FACILITY class and must have READ access to the BPX.JOBNAME resource, if it is defined.

If enhanced program security is enabled, at a minimum the following programs must be defined to program control, unless BPX.DAEMON.HFSCCTL was set up:

- IPVSRV
- IPVMSGT
- IPVCMENU
- IPVCMJPN
- IPVCMKOR
- UIPVMSGT
- IPV0LVL

To eliminate incorrect notifications about program control apply the fix for z/OS APAR OA39888 (or equivalent for your z/OS level).

Alternatively, define all ADFzCC server programs in the library IPV.SIPVMODA to program control, rather than specifying individual programs.

If enhanced program security is enabled, IPVSRV must be defined with the MAIN attribute, using the APPLDATA operand on the PROGRAM profile.

Example commands for RACF

To activate program control if not already active, use the following command:

```
SETROPTS WHEN(PROGRAM)
```

To add all ADFzCC server programs in a library to program control, use the following command:

```
RDEFINE PROGRAM IPV* ADDMEM('IPV.SIPVMODA'//NOPADCHK) UACC(READ)
```

In addition, the following command is required for alias member UIPVMSGT:

```
RDEFINE PROGRAM UIPVMSGT ADDMEM('IPV.SIPVMODA'//NOPADCHK) UACC(READ)
```

To add individual programs, use the following command:

```
RDEFINE PROGRAM IPVSRV ADDMEM('IPV.SIPVMODA'//NOPADCHK) UACC(READ)
```

To refresh, use the following command:

```
SETROPTS WHEN(PROGRAM) REFRESH
```

Note:

1. If you are using Japanese, then include the module IPVCMJPN in program control.
2. If you are using Korean, then include the module IPVCMKOR in program control.

If RACF, or an equivalent security product is implemented, the ADFzCC server (IPVSRV1) started task must also be defined to the STARTED class. For example, to add IPVSRV1 as an STC, the RACF commands in the example that is shown here could be used, where IPVSRV1 is the name of your ADFzCC server procedure and *userid* is the userid that the started task runs under:

```
RDEFINE STARTED IPVSRV1.* STDATA(USER(userid))
```

```
SETROPTS RACLIST(STARTED) REFRESH
```

For more information about started tasks and security, see the z/OS Security Server RACF Security Administrator's Guide, or equivalent documentation for your security product.

Using PassTickets

The ADFzCC server can be configured to use PassTickets for authenticated clients.

To exploit this feature, a client must first authenticate with a valid user ID and password or passphrase. Following a successful authentication, the server will generate and use PassTickets for requesting clients. Such requests are valid for the period (in minutes) specified by the PASSTK configuration parameter.

The server must be APF-authorized to perform PassTicket generation. PassTickets are generated in association with an APPLID. For ADFzCC, the default APPLID is IPVAPPL.

To create PassTickets, the server started task user ID must have the following authorizations:

```

| SETROPTS CLASSACT(PTKTDATA)
| SETROPTS RACLIST(PTKTDATA)
| RDEF PTKTDATA IPVAPPL SSIGNON(KEYMASKED(yourmaskvalue))
| RDEF PTKTDATA IRRPTAUTH.IPVAPPL.* UACC(NONE)
| PERMIT IRRPTAUTH.IPVAPPL.* ID(your.userid) ACCESS(UPDATE) CLASS(PTKTDATA)
| SETR RACLIST(PTKTDATA) REFRESH

```

If the server has the necessary authority for the default APPLID, message IPV0052I is generated, otherwise message IPV0050S is generated.

Note: This feature primarily exists to facilitate multifactor authentication (MFA) clients. Your MFA environment may require additional authorizations to use PassTickets. Refer to the instructions on using MFA with PassTickets in the documentation for IBM Z Multi-Factor Authentication or equivalent MFA product.

Setting SSL encrypted communications

The sample IPVCONFIG configuration file member has SSL encrypted communications active with the following line under the CONFIG=DEFAULT section:

```
SSL_REQUIRED=YES
```

If SSL encryption is not required in your environment, comment out this line and uncomment the next line (or alter your existing line to SSL_REQUIRED=NO).

If using a SAF keyring, uncomment and modify the SSL_KEYRING line. The SSL_LABEL line should also be uncommented and modified if the certificate you generate does not have a label of 'ADFzCC Server Certificate'.

For use of a certificate in a keyring, the userid of the server task or job, as well as the userids connecting to the server need to be permitted UPDATE access to the IRR.DIGTCERT.LISTING facility and CONTROL access to the IRR.DIGCERT.GENCERT facility in order to share the certificate amongst users of the common server.

For RACF users, a keyring and certificate could be created by the following example commands:

```

RACDCERT ID(IPVSRV) ADDRING(RINGA)
RACDCERT GENCERT SITE SIZE(1024)           -
      SUBJECTSDN(                           -
        CN('Common Server')                 -
        OU('ADL')                           -
        O('ADL')                           -
        C('AU'))                           -
      WITHLABEL('ADFzCC Server Certificate')
RACDCERT ID(IPVSRV)                         -
      CONNECT(SITE LABEL('ADFzCC Server Certificate') -
      RING(RINGA) USAGE(PERSONAL)           -
      DEFAULT)
SETR RACL REFR(DIGTCERT)

```

In this example, IPVSRV is used for the user ID of the ADFzCC server task.

Note that the generated certificate must be a SITE certificate. This is because multiple users will need access to the certificate. An alternative to SITE certificates is to use AT-TLS. See “Using AT-TLS for encrypted communications” on page 12 for more information.

Updating the server config to include `SSL_KEYRING=IPVSRV/RINGA` would use the above generated certificate. These commands serve as a working example only and should be updated as desired to match your needs. RACDCERT commands are documented in the z/OS Security Server RACF Command Language Reference.

If you are using ICSF and have protected resources through the CSFSERV facility class, the server user or group id needs to be permitted to the resource, for example:

```
PERMIT CSF* CLASS(CSFSERV)
          ID(groupid) ACCESS(READ)
```

For more details see the *Cryptographic Services ICSF Administrator's Guide*.

The ADFzCC server uses C runtime services to switch user context based on a valid user ID and password being provided. These services are associated with the OMVSAPPL resource of the APPL class by default, if the APPL class is active. If this is the case, the server user ID must have READ access to the OMVSAPPL resource of the APPL class.

If you wish to specify a cipher string for the System SSL component to use, you can do this by modifying the server JCL to specify an `ENVAR(GSK_V3_CIPHER_SPECS=xx)` or `ENVAR(GSK_V3_CIPHER_SPECS_EXPANDED=xx)` as required. The sample server JCL member IPVSRV1 includes an example format of the above.

Using AT-TLS for encrypted communications

The Application Transparent Transport Layer Security (AT-TLS) feature of z/OS Communication Server can be used to secure communications between the ADFzCC server and connecting clients by setting the ATTLS configuration parameter to the value 'Y'. For example:

```
ATTLS=Y
```

Using AT-TLS requires the configuration of z/OS Communications Server and policy agent rules to enable TLS protection of inbound connections to the ADFzCC server and subsequent data flows between the client and server. Your security administrator or system programmer can create this configuration in accordance with your installation standards and ensure that the z/OS Communication server policy agent is running to provide AT-TLS services.

To establish an AT-TLS environment, take the following steps:

Note: Particulars might vary by installation.

1. Change the z/OS Communication Server profile TCPCONFIG statement to activate the AT-TLS function. For example:

```
TCPCONFIG TTLS ; Required for AT-TLS
```

Optionally, installations might also change the z/OS Communication Server profile AUTOLOG statement to automate starting the policy agent (PAGENT), which is needed to effect AT-TLS rules. For example:

```
AUTOLOG
      PAGENT ; POLICY AGENT, required for AT-TLS
ENDAUTOLOG
```

2. Create the z/OS Communication Server policy agent (PAGENT) configuration to establish AT-TLS rules for inbound connections to the ADFzCC server. For example:

```
TTLRule rule_ADFzCC
{
  LocalPortRange 2800
  Direction Inbound
  TLSGroupActionRef grp_ADFzCC
  TLSEnvironmentActionRef env_ADFzCC
}
TLSGroupAction grp_ADFzCC
{
  TLSEnabled On
}
TLSEnvironmentAction env_ADFzCC
{
  HandshakeRole Server
  TLSKeyRingParms
  {
    Keyring ADFzCC.KEYRING
  }
  TLSEnvironmentAdvancedParms
  {
    TLSv1.2 On
    HandshakeTimeout 30
    ApplicationControlled On
  }
}
```

Note: The **ApplicationControlled** parameter must be on for the ADFzCC server. In addition, the **SSL_REQUIRED** configuration parameter must be set to a valid protocol value. The protocol that is chosen must match a protocol that is supported by the AT-TLS rules that are specified in the AT-TLS configuration **TLSEnvironmentAdvancedParms** statement. For example:

SSL_REQUIRED=TLSv1.2

A *HandshakeTimeout* value of 30 seconds is recommended.

In addition, the IPVSRV STC user will require access to the keystore that is identified on the **Keyring** parameter of the **TLSKeyRingParms** statement.

3. Start the z/OS Communications Server policy agent.

Note: If your policy agent configuration, or the key ring or keystore that is identified in the policy agent configuration is changed, restart the policy agent.

Clients such as z/OS Explorer will be prompted to trust the server certificate identified in the AT-TLS configuration if the certificate is not registered as trusted.

Clients such as File Manager Remote Services might require that the remote server CA certificate is imported as a SITE certificate on the client z/OS system for establishing trust of the remote system.

Update sample IPVCONFIG

The CONFIG ddname in the ADFzCC server JCL procedure provides parameters that can be used to configure the ADFzCC server on startup. A sample configuration member is provided in **IPV.SIPVSAM1(IPVCONFIG)**, and the member can be customized as required.

The File Manager configuration in the sample configuration member specifies parameter SPAWN_PROGRAM=FMNCSEP. This program allows File Manager to run authorized and ensures that the File Manager plug-in can:

- Perform auditing
- Access tapes
- Use remote services

Previous versions of the IPV sample IPVCONFIG used parameter SPAWN_PROGRAM=IPVSRVTE for the File Manager configuration. IPVSRVTE can still be used, but File Manager will run unauthorized, and the functions that are listed above will not be available.

For more information on setting up IPV server to allow the use of File Manager, see chapter "IBM File Manager plug-in for Eclipse" in *File Manager for z/OS Customization Guide*.

Update the sample configuration member to suit your site, according to the comments in that member. In general terms, review the following items in the config file:

- Alter ddname=SYSOUT=H to suitable classes for your site. For example, for tracing activity, the CONFIG=DEFAULT section contains a SPAWN_DD=IPVTRACE=SYSOUT=H card that other configurations inherit and write trace output (if activated) to. Adjust this class to a class suitable for your site.
- Alter SPAWN_STEPLIB data set names to the installation high-level qualifiers for the relevant libraries. The SPAWN_STEPLIB statement is not required if all of the libraries are already in the linklist for your site.
- If a configuration makes use of the SPAWN_JOBNAME statement, then all address spaces that are launched for that connection type run with that specified jobname (the owner of each job reflects the user that is logged in).
- Do not alter CONFIG=name and SPAWN_PROGRAM=name values unless otherwise detailed in the participating product's documentation.

The configuration file supports the setting and reference of substitution variables in the following form:

`$VAR=value`

For setting these variables, specify the above form before the first CONFIG statement, or between the CONFIG and SPAWN_PARMS_SECTION statements. If using concatenations for the CONFIG DD, the first CONFIG refers to the statements in the first of the concatenations.

In following statements in the configuration, occurrences of '\$VAR' are replaced by the 'value' specified. This could be used to represent high level qualifiers that are repeated in the configuration file. For example, set the value:

`$IPVHLQ=SYS1.IPV`

Then allow a reference in a following statement, such as:

`SPAWN_STEPLIB=$IPVHLQ.SIPVMODA`

The sample IPVCONFIG makes use of this for high level qualifiers but it could also be used for other substitutions as desired.

Create matching WORKDIR by running job IPVMKDIR

The IPVMKDIR job creates a directory to be used with the server.

The sample job, which is supplied in the sample library, creates a directory hierarchy in the following form:

```
/etc/ipv/v18/ipvsvr1
```

You can alter this to suit your site, and the WORKDIR statement in the server configuration needs updating to the created directory. Do not use /tmp as a directory location.

As the files in the workdir need to be owned by the servers userid, and the IPVMKDIR job issues the chown command, the file system they are mounted at needs to allow the changing of userid via the SETUID attribute.

Check address space timeout

When an address space is launched for a client, and it has completed its current function, the address space is waiting for TCP/IP communications from the peer. In line with this, the client address space might be subject to an s522 abend if waiting longer than the active site settings for job wait time. The job wait time is controlled by the JWT parameter of the SMFPRMxx member, but might also be set to never time out by the site settings for MAXCPUPTIME in the site's BPXPRMxx member. Set these parameters as needed by the site.

Add ports to TCPIP reservation list

Add the ports for the server, or servers, you want to run to the reserved port list in your TCPIP configuration data.

Configuration considerations for IBM Explorer for z/OS (z/OS Explorer)

The port number that is used by the ADFzCC server must be specified in the rse.env directive PD_SERVER_PORT statement as follows:

```
PD_SERVER_PORT=nnnn
```

where *nnnn* is the port number.

rse.env is located in /etc/zexpl/. For more details, see /etc/zexpl/rse.env.

Chapter 4. Options

For the IPVLANG utilities, you can specify installation-wide default options in the IPVCNF00 parmlib configuration member.

You can create a member IPVCNF00 in SYS1.PARMLIB, or any other data set that is part of the logical parmlib concatenation.

Note: If not providing general READ access to data sets in the logical parmlib concatenation, then an IPVOPTLM configuration-options module can be used to specify an alternative data set, as explained in “Using an IPVOPTLM configuration-options module” on page 18.

If you do not specify an option, then it takes either the product default (as indicated on the syntax diagram for each option), or has no value at all.

Options that are specified in the IPVCNF00 parmlib configuration member are subject to these syntax rules:

- Only columns 1 - 71 are processed.
- Options can be specified anywhere in a line. They do not have to start in column 1.
- You can use a blank or a comma as a delimiter.
- Options can be continued across any number of lines
- Options specifications are not case-sensitive—all options are converted to uppercase.
- Comments are permitted anywhere and can be nested. The characters “/” identify the beginning of a comment, and “*/” identify the end.

Option descriptions

The following explains each option in detail.

EventProcessingExit

Use the EventProcessingExit option to define an exit that is to be invoked to perform asynchronous event processing. For more information, see Chapter 10, “ADFzCC event processing,” on page 87.

Syntax

►►—EventProcessingExit(*exit-name*)—————►►


exit-name

The name of an Event Processing user exit that contains an LE fetchable function of the same name. The maximum length of the name is 8 characters.

If this option is changed, ADFz products that use the Event Processing user exit are affected.

Locale

Syntax



The Locale option specifies the locale to be used for cultural environment-dependent presentation.

The locale name that is specified can be one of those supplied with z/OS C/C++ for the `setlocale()` runtime function. For a list of locale names, see *z/OS C/C++ Programming Guide*, "Appendix D. Locales Supplied with z/OS C/C++".

Specifying the NoLocale option is the equivalent to specifying Locale(C).

The following are affected by the Locale option:

IPVLANGP source code comments

Characters in source code comments which are considered non-printable given the current locale are shown as periods.

Fault Analyzer for z/OS

Affected are things like date and time formatting, collating sequences of sorted information, and determination of non-printable characters which are shown as periods.

Note: If used, the equivalent Fault Analyzer for z/OS Locale option overrides the IPVCNF00 Locale option specification.

Using an IPVOPTLM configuration-options module

An optional IPVOPTLM configuration-options module can be used to provide settings which are required before reading the IPVCNF00 parmlib member.

The name of the configuration-options load module must be IPVOPTLM, and it must be placed in an APF-authorized library. Place the library in LNKLIST so that the IPVOPTLM load module can be found. The recommended library is IPV.SIPVMODA.

A sample job to create an IPVOPTLM configuration-options load module is provided as member IPVOPTLM in data set IPV.SIPVSAM1.

Individual settings in the IPVOPTLM configuration-options module are specified using the IPVOPT macro, as explained in the sample job. The only available setting is:

IPVCNFDS

To accommodate installations that do not provide general READ access to SYS1.PARMLIB (or any one of the data sets in the logical parmlib concatenation), an alternative data set *dsname* can be specified as follows:

```
IPVOPT IPVCNFDS,dsname
```

For example, to specify TOOLS.PARMLIB as an alternative data set name:

```
IPVOPT IPVCNFDS,TOOLS.PARMLIB
```

Chapter 5. Quick start guide for compiling and assembling programs for use with the ADFz family of products

These topics describe the minimal steps that are required to prepare your programs for use with the Application Delivery Foundation for z/OS family of products. They provide instructions for a single compilation method for organizations that are using some combination of z/OS Debugger, Fault Analyzer, and Application Performance Analyzer (APA).

For more detailed information on working with particular products, refer to the following topics:

- Part 2. “Preparing your program for debugging” of the *IBM z/OS Debugger User’s Guide*
- Part 2. “Fault Analyzer Installation and Administration” of the *Fault Analyzer for z/OS User’s Guide*
- Appendix B. of the *Application Performance Analyzer for z/OS User’s Guide*

z/OS Debugger, Fault Analyzer, and APA are designed to use load modules and other files that are produced by IBM compilers. You must compile your programs with certain compiler options so that they produce load modules and files that these products can use.

In these topics the term 'source information files' refers to the types of files that are used by z/OS Debugger, Fault Analyzer, and APA. The different kinds of source information files that are discussed include:

- SYSDEBUG files
- LANGX files
- Compiler listings
- DWARF files
- Expanded source files

Different compilers generate different kinds of source information files. If you use more than one compiler, you might have more than one type of source information library.

When you compile your programs with the compiler options described in these topics, you can use the load modules and source information files that are created by the compilers as follows:

- Prepare the module for debugging using z/OS Debugger. z/OS Debugger lets you work with program statements and variables.

When a program is compiled with the right options, the module that is produced by the compiler can be debugged and a source information file, which contains program statements, can be produced. When you use z/OS Debugger to debug a program, the source information file is used to display the program source statements in the source window.

Depending on the source language and compiler that are used, the load module, the source information file, or the DWARF file contains information about statements and variables, such as offsets and lengths, and contains information that allows the debugger to locate statements and variables in storage. If you do

not compile with the correct compiler options, debugging is limited to something called 'disassembly' mode, where machine code is displayed, but no source statements or variables.

- Use Fault Analyzer to automatically pinpoint the source statement that caused an abend, and show the values of variables in your programs at the time of an abend.
- Use APA to show precisely which program statements are using the most CPU time and wait time. Use this information to tune your applications.

Updating your build process

If one or more ADFz products were recently installed on your system, the program build processes might not have been updated yet. Updating build processes is an important and necessary part of implementing the ADFz family of products.

In many organizations there is clear ownership of these build processes. In other organizations, it might not be obvious who makes the changes. Many sites use standard compilation processes or PROCs that your system administrators maintain and have updated to prepare programs for the ADFz family of products. In this case, find out what processes have been made available and how to use them. In other organizations, developers maintain their own compilation JCL or PROCs to compile programs. In this case, update your own compilation JCL to prepare your programs for use with ADFz products as described below.

Start by researching what is required for each compiler individually. For example, the changes that are required for Enterprise COBOL for z/OS, Enterprise PL/I for z/OS, C/C++ and Assembler are all slightly different.

In general, there are three changes that might be needed to enable compiler JCL to produce programs that can be used by ADFz products:

1. Specify compiler options that are required by the ADFz family of products.
2. Code the JCL to produce and save the source information files that ADFz products need. Newer compilers can generate the required source information files directly. Some older compilers require an extra step in the compilation job to run a special utility program that produces the needed file.
3. In certain environments, it is advantageous to include a special z/OS Debugger module into the application load module during the link-edit step. In most cases this special module is optional, but it can simplify starting z/OS Debugger for certain types of programs. For certain older compilers running in certain environments, you must include a special module to enable z/OS Debugger.

Updating your promotion process

Typically, when a program is tested, program load modules are promoted through different stages before reaching production.

For example, when a new program is compiled for the first time, it might be placed into a test load library. After unit testing is completed, perhaps the compiled program is promoted to a QA environment. Finally, it is promoted into production. On your system, you might know these stages by different names, such as Unit test, System test, and Model office.

Consider whether you want the ability to use z/OS Debugger, Fault Analyzer, and Application Performance Analyzer for z/OS throughout your program's lifecycle.

Even if you do not plan to use z/OS Debugger with production programs, Fault Analyzer and APA are useful in those stages. To enable the ADFz products at each stage, update your promotion processes to retain the source information files. Promotions can be accomplished by performing a recompile, a copy, or a move. Perform the same steps with your source information files that you perform with your load modules or object modules. For each load library or object library, have a corresponding set of source information libraries. Whenever you promote a load module or object module, promote the source information file as well. This ensures that the source information file is available for Fault Analyzer and APA, and you can continue to take advantage of the ADFz products at all stages of your program's lifecycle.

Preparing your programs

Each compiler produces different kinds of source information files, and each of the ADFz products reads different kinds of files.

It can be time-consuming to research all the different combinations, but for each compiler, there is a suggested method that is described below. If you use the suggested method, your programs are ready to take full advantage of the ADFz family of products.

Enterprise COBOL for z/OS Version 6 or later programs

The following table shows various compiler options that can be used to prepare Enterprise COBOL for z/OS Version 6 programs for use with the ADFz family of products (z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the program object produced is suitable for a production environment. Program objects suitable for a production environment have no significant runtime overhead.

The table shows what is required for **full** function.

Table 1. Examples of compiler options and source information files that are supported by ADFz family of products for Enterprise COBOL for z/OS Version 6

Compiler options	Source information file type produced	Is the program object production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
TEST(SOURCE, NOSEP)	NOLOAD class in the object	Yes	Supported	Supported	Supported
TEST(SOURCE, SEPARATE)	SYSDEBUG	Yes	Supported	Supported	Supported
NOTEST(DWARF, SOURCE, SEPARATE)	SYSDEBUG	Yes	Not Supported	Supported	Not Supported
NOTEST, LIST, MAP, SOURCE, NONUMBER, XREF(SHORT)	Listing	Yes	Not Supported	Supported	Supported

Enterprise COBOL for z/OS Version 5 programs

The following table shows various compiler options that can be used to prepare Enterprise COBOL for z/OS Version 5 programs for use with the ADFz family of products (z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the program object produced is suitable for a production environment. Program objects suitable for a production environment have no significant runtime overhead.

The table shows what is required for **full** function.

Table 2. Examples of compiler options and source information files that are supported by ADFz products for Enterprise COBOL for z/OS Version 5

Compiler options	Source information file type produced	Is the program object production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
TEST(SOURCE)	NOLOAD class in the object	Yes	Supported	Supported	Supported
NOTEST, LIST, MAP, SOURCE, NONUMBER, XREF(SHORT)	Listing	Yes	Not Supported	Supported	Supported

Enterprise COBOL for z/OS Version 4 programs

The following table shows various compiler options that can be used to prepare Enterprise COBOL for z/OS Version 4 programs for use with the ADFz family of products (z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the load module produced is suitable for a production environment. Load modules suitable for a production environment have no significant runtime overhead.

Table 3. Examples of compiler options and source information files that are supported by ADFz products for Enterprise COBOL for z/OS Version 4.

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
TEST (NOHOOK, SEPARATE, EJPD), LIST, MAP, SOURCE, NONUMBER, XREF(SHORT)	SYSDEBUG	Yes	Suggested for production and test		

Table 3. Examples of compiler options and source information files that are supported by ADFz products for Enterprise COBOL for z/OS Version 4 (continued).

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
NOTEST, LIST, MAP, SOURCE, NONNUMBER, XREF(SHORT)	Compiler listing	Yes	N/A	Supported	Supported
NOTEST, LIST, MAP, SOURCE, NUMBER, XREF(SHORT)		Yes	N/A	Supported	N/A
LIST, MAP, SOURCE, NONNUMBER, XREF(SHORT)	LANGX file	Yes	Not supported	Supported	Supported
LIST, MAP, SOURCE, NONNUMBER, NOTEST, NOOPT, XREF	LANGX file	Yes	Supported	Supported	Supported

Preparing Enterprise COBOL for z/OS Version 4 programs

Perform the following steps for compiling your Enterprise COBOL for z/OS Version 4 programs using the compiler options suggested in Table 3 on page 22:

1. Create libraries (PDSE is suggested unless PDS is required in your organization) for SYSDEBUG files. Create one or more SYSDEBUG libraries for each environment, such as test, and production.
2. Create a corresponding SYSDEBUG library for each load library. Specify LRECL=(80 to 1024),RECFM=FB,BLKSIZE=(multiple of 1recl < 32K).
3. For all programs in both test and production environments, specify the following compiler options:
TEST(NOHOOK,SEPARATE,EJPD),LIST,MAP,SOURCE,NONNUMBER,XREF(SHORT).
The TEST compiler option is required if you plan to use z/OS Debugger to debug a program. The TEST option is optional if you plan to use Fault Analyzer for z/OS or Application Performance Analyzer for z/OS.
The SEPARATE suboption produces a SYSDEBUG file.
NOHOOK and SEPARATE produce a production-ready module that can still be debugged.
If the OPT option is also used, EJPD might reduce optimization but enables the debugger's JUMPTO and GOTO commands. These commands are disabled when OPT and NOEJPD are both used.
4. When the TEST option is not used, save the compiler listing in a file, or use the IPVLANGX utility program to create a LANGX file. To minimize JCL changes, IPVLANGX has aliases to match names. These are:

z/OS Debugger
EQALANGX

Fault Analyzer for z/OS

IDILANGX

Application Performance Analyzer for z/OS

CAZLANGX

Fault Analyzer for z/OS and Application Performance Analyzer for z/OS can use compiler listings and LANGX files to provide source-level support.

5. The LIST, MAP, SOURCE, and XREF options are needed only if a compiler listing or a LANGX file is used to provide source information to Fault Analyzer for z/OS or Application Performance Analyzer for z/OS. If a SYSDEBUG file is used with these products or if you are not using Fault Analyzer for z/OS or Application Performance Analyzer for z/OS, the LIST, MAP, SOURCE, and XREF options are optional.
6. The NONUMBER compiler option is needed only if a compiler listing file is used to provide source information to Application Performance Analyzer for z/OS. If a SYSDEBUG file is used with Application Performance Analyzer for z/OS, or if you are not using Application Performance Analyzer for z/OS, the NONUMBER option is optional.
7. Code a SYSDEBUG DD in the JCL of the compiler step:

```
//SYSDEBUG DD DSN= SYSDEBUG.pds (pgmname) ,DISP=SHR
```

Save the SYSDEBUG file that is produced by the compiler in the SYSDEBUG library and specify a member name that is equal to the program name of your application program. This file is the source information file for z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS.

8. Modify the promotion process to promote SYSDEBUG files. When a load module is promoted, for example from test to production, promote the corresponding SYSDEBUG file or files. A promotion can be a recompile, copy, or move. Perform the same steps with the SYSDEBUG file that you perform with the module during promotion.
9. Optionally, include a z/OS Debugger Language Environment® (LE) exit module into the load module during the linkage editor step. This inclusion is one way to enable z/OS Debugger panel 6 in ISPF, a simple panel-driven method to start the debugger automatically when a program runs, without JCL changes, based on the program name and user ID. Use module EQADBCXT for batch programs (including IMS™ batch), EQADICXT for IMS/TM programs and EQADDCXT for DB2® stored procedures. Do not include the exit module for CICS programs.

You can also use module EQAD3CXT for batch programs, IMS/TM, IMS BTS programs, and DB2 type MAIN stored procedures.

Sample JCL for compiling Enterprise COBOL for z/OS Version 4 programs

Here is a JCL example for compiling an Enterprise COBOL for z/OS Version 4 program for use with the IBM Application Delivery Foundation for z Systems family of products. This sample is a generic sample, and might not meet all your requirements to generate your modules.

Notice that the TEST compiler option is specified. Code the correct suboptions of the TEST compiler option for the version of the compiler that you are using. You can also code any other compatible compiler options that are required by your programs.

Also, notice that a SYSDEBUG DD statement was coded. This statement indicates the source information file that the compiler produces. It refers to a SYSDEBUG library that is a PDS or PDSE. The member name must be the same as the program name.

For Enterprise COBOL for z/OS, these are the only required changes.

However, there is an optional change in the linkage editor step. The example shows that a special Language Environment exit module is included in the application load module. Although this is exit module not required, it enables the use of z/OS Debugger panel 6, which makes the debugger easier to start in some environments. If you prefer to use panel 6 to start z/OS Debugger, this method is one way to enable it. If you do not plan to use z/OS Debugger panel 6, then do not include an exit module.

```

/*      - - - ADD A JOB CARD ABOVE THIS LINE - - -
/*
/* SAMPLE JCL TO PREPARE AN ENTERPRISE COBOL PROGRAM
/* FOR THE IBM ZSERIES ADFz PRODUCTS:
/*     FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
/*
/* NOTES:
/*
/* COMPILER:
/* 1. A TEST COMPILER PARM IS REQUIRED FOR DEBUG TOOL
/* 2. COMPILER PARM TEST(NOHOOK,SEPARATE,EJPD) HAS ADVANTAGES:
/*     - THE MODULE IS READY FOR DEBUG TOOL
/*     - THE MODULE IS PRODUCTION-READY (NO RUN-TIME OVERHEAD)
/*     - A SYSDEBUG FILE IS CREATED THAT CAN BE USED BY DT,FA,APA
/* 3. COMPILER PARMS LIST,MAP,SOURCE,XREF ARE REQUIRED IF YOU PLAN
/*     TO USE THE COMPILER LISTING WITH FA OR APA, OR IPVLANGX
/*
/* BINDER (LINKAGE EDITOR):
/* 4. THE INCLUDE FOR MODULE EQAD?CXT IS *OPTIONAL*. IT IS AN
/*     LE EXIT MODULE THAT CAN BE USED TO START DEBUG TOOL.
/*     UNDERSTAND THE METHODS AVAILABLE FOR STARTING DEBUG TOOL,
/*     AND CHOOSE WHETHER YOU WANT TO USE THE LE EXITS.
/*     IF YOU USE THIS METHOD, LOAD THE CORRECT EXIT MODULE:
/*         EQADBCXT: FOR BATCH PROGRAMS
/*         EQADICXT: FOR ONLINE IMS PROGRAMS
/*         EQADDCXT: FOR DB2 STORED PROCEDURES (OF TYPE MAIN AND SUB)
/*         (for SUB this is supported only for invocations through call_sub)
/*         (DO NOT INCLUDE AN EXIT FOR CICS PROGRAMS)
/*         YOU CAN ALSO USE MODULE EQAD3CXT FOR BATCH PROGRAMS, ONLINE IMS
/*         PROGRAMS, AND DB2 TYPE MAIN STORED PROCEDURES.
/*
/* SET PARMS FOR THIS COMPILE:
/* -----
/* SET MEM=SA11                                PROGRAM NAME
/* SET COBOLLIB='IGY.V4R1.SIGYCOMP'            COBOL COMPILER LOADLIB
/* SET DTLIB='EQAW.SEQAMOD'                    DEBUG TOOL LOADLIB
/* SET LELIB='CEE.SCEELKED'                    LE LINKEDIT LIBRARY
/* SET UNITDEV=SYSALLDA                        UNIT FOR TEMP FILES
/*
/* *****
/*      COMPILE STEP
/* *****
//COMPILE EXEC PGM=IGYCRCTL,REGION=0M,
//  PARM=('TEST(NOHOOK,SEPARATE,EJPD),LIST,MAP,XREF(SHORT),NONUMBER,SOURCE')
//STEPLIB DD DISP=SHR,DSN=&COBOLLIB
//SYSIN   DD DISP=SHR,DSN=&SYSUID..ADLAB.SOURCE(&MEM)
//SYSLIB  DD DISP=SHR,DSN=&SYSUID..ADLAB.COPYLIB
//SYSPRINT DD DISP=SHR,DSN=&SYSUID..ADLAB.LISTING(&MEM)
//SYSDEBUG DD DISP=SHR,DSN=&SYSUID..ADLAB.SYSDEBUG(&MEM)
//SYSLIN  DD DISP=(MOD,PASS),DSN=&&LOADSET,UNIT=&UNITDEV,

```

```

//          SPACE=(80,(10,10))
//SYSUT1 DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT2 DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT3 DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT4 DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT5 DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT6 DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT7 DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//*
//CBLPRINT EXEC PGM=IEBGENER,REGION=0M
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD DSN=&SYSUID..ADLAB.LISTING(&MEM),DISP=SHR
//SYSUT2 DD SYSOUT=*
//SYSIN DD DUMMY
//* *****
//* LINK-EDIT (BINDER) STEP
//* *****
//LKED EXEC PGM=IEWL,REGION=0M,COND=(5,LT,COMPILE),PARM='LIST,XREF'
//SYSLIB DD DISP=SHR,DSN=&LELIB
//DTLIB DD DISP=SHR,DSN=&DTLIB
//SYSLMOD DD DSN=&SYSUID..ADLAB.LOAD(&MEM),DISP=SHR
//SYSLIN DD DISP=(OLD,DELETE),DSN=&&LOADSET
//* INCLUDING A DEBUG TOOL LE EXIT (EQADBCXT, EQADDCXT, EQADICXT, OR EQAD3CXT)
//* IS OPTIONAL.
//* AN EXIT ENABLES STARTING DEBUG TOOL USING THE USER EXIT DATA SET UTILITY
//* (ONE OF THE DEBUG TOOL ISPF UTILITIES)
//* // DD *
//* INCLUDE DTLIB(EQADBCXT)
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD UNIT=&UNITDEV,DCB=BLKSIZE=1024,SPACE=(1024,(200,20))

```

Enterprise COBOL for z/OS Version 3 and COBOL for OS/390 and VM programs

The following table shows various compiler options that can be used to prepare Enterprise COBOL for z/OS Version 3 and COBOL for OS/390® and VM programs for use with the IBM Application Delivery Foundation for z Systems family of products (z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the load module produced is suitable for a production environment. Load modules suitable for a production environment have no significant runtime overhead.

Table 4. Examples of compiler options and source information files that are supported by ADFz products for Enterprise COBOL for z/OS Version 3 and COBOL for OS/390 and VM.

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
TEST(NONE, SYM, SEPARATE), LIST, MAP, SOURCE, NONUMBER, XREF(SHORT)	SYSDEBUG	Yes	Suggested for production and test		

Table 4. Examples of compiler options and source information files that are supported by ADFz products for Enterprise COBOL for z/OS Version 3 and COBOL for OS/390 and VM (continued).

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
NOTEST, LIST, MAP, SOURCE, NONNUMBER, NOOPT, XREF(SHORT)	Compiler listing	Yes	N/A	Supported	Supported
NOTEST, LIST, MAP, SOURCE, XREF(SHORT), NUMBER		Yes	N/A	Supported	N/A
LIST, MAP, SOURCE, NONNUMBER, XREF(SHORT)	LANGX file	Yes	Not supported	Supported	Supported
LIST, MAP, SOURCE, NONNUMBER, NOTEST, NOOPT, XREF	LANGX file	Yes	Supported	Supported	Supported

Preparing Enterprise COBOL for z/OS Version 3 and COBOL for OS/390 and VM programs

Perform the following steps for compiling your Enterprise COBOL for z/OS Version 3 and COBOL for OS/390 and VM programs using the compiler options suggested in Table 4 on page 26:

1. Create libraries (PDSE is suggested unless PDS is required in your organization) for SYSDEBUG files. Allocate one or more SYSDEBUG libraries for each environment, such as test, and production.
2. Create a corresponding SYSDEBUG library for each load library. Specify LRECL=(80 to 1024), RECFM=FB, BLKSIZE=(multiple of 1recl < 32K).
3. For all programs in both test and production environments, use TEST(NONE,SYM,SEPARATE), LIST, MAP, SOURCE, NONNUMBER, XREF(SHORT).
TEST is required by z/OS Debugger.
The SEPARATE suboption produces a SYSDEBUG file. Specifying NONE with SEPARATE produces a production-ready module that can still be debugged.
If OPTIMIZE is specified, the debugger JUMPT0 and GOTO commands are disabled. These commands are enabled when NOOPTIMIZE is specified.
4. The LIST, MAP, SOURCE, and XREF options are needed only if a compiler listing or a LANGX file is used to provide source information to Fault Analyzer for z/OS or Application Performance Analyzer for z/OS. If a SYSDEBUG file is used with these products, or if you are not using Fault Analyzer for z/OS or Application Performance Analyzer for z/OS, the LIST, MAP, SOURCE, and XREF options are optional.
5. The NONNUMBER compiler option is needed only if a compiler listing file is used to provide source information to Application Performance Analyzer for z/OS. If a

SYSDEBUG file is used with Application Performance Analyzer for z/OS, or if you are not using Application Performance Analyzer for z/OS, the NONUMBER option is optional.

6. Code a SYSDEBUG DD in the JCL of the compiler step.

```
//SYSDEBUG DD DSN= SYSDEBUG.pds(pgmname),DISP=SHR
```

Save the SYSDEBUG file that is produced by the compiler in the SYSDEBUG library and specify a member name that is equal to the program name of your application program. This file is the source information file for z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS.

7. Modify the promotion process to promote SYSDEBUG files. When a load module is promoted, for example from test to production, promote the corresponding SYSDEBUG file or files. A promotion can be a recompile, copy, or move. Perform the same steps with the SYSDEBUG file that you perform with the module during promotion.
8. Optionally, include a z/OS Debugger Language Environment exit module into the load module during the linkage editor step. This inclusion is one way to enable z/OS Debugger panel 6 in ISPF, a simple panel-driven method to start the debugger automatically when a program runs, without JCL changes, based on the program name and user ID. Use module EQADBCXT for batch programs (including IMS batch), EQADICXT for IMS/TM programs and EQADDCXT for DB2 stored procedures. Do not include the exit module for CICS programs.

You can also use module EQAD3CXT for batch programs, IMS/TM, IMS BTS programs, and DB2 type MAIN stored procedures.

Sample JCL for compiling Enterprise COBOL for z/OS Version 3 programs

Here is a JCL example for compiling an Enterprise COBOL for z/OS Version 3 program for use with the ADFz family of products. This example is a generic sample, and might not meet all your requirements.

Notice that a TEST option is specified. Code the correct suboption of the TEST compiler option for the version of the compiler that you are using. You can also code any other compatible compiler options that are required by your programs.

Also, notice that a SYSDEBUG DD statement was coded. This statement indicates the source information file that the compiler produces. It refers to a SYSDEBUG library that is a PDS or PDSE. The member name must be the same as the program name.

For Enterprise COBOL for z/OS, these are the only required changes.

However, there is an optional change in the linkage editor step. The example shows that a special Language Environment exit module is included in the application load module. Although this exit module is not required, it enables the use of z/OS Debugger panel 6, which makes the debugger easier to start in some environments. If you prefer to use panel 6 to start z/OS Debugger, this method is one way to enable it. If you do not plan to use z/OS Debugger panel 6, then do not include an exit module.

```
//*      - - - ADD A JOB CARD ABOVE THIS LINE - - -
//*
//* SAMPLE JCL TO PREPARE AN ENTERPRISE COBOL PROGRAM
//* FOR THE IBM ZSERIES ADFz PRODUCTS:
//*      FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
//*
```

```

/** NOTES:
/**
/** COMPILER:
/** 1. A TEST COMPILER PARM IS REQUIRED FOR DEBUG TOOL
/** 2. COMPILER PARM TEST(NONE,SYM,SEP) HAS THREE ADVANTAGES:
/**    - THE MODULE IS READY FOR DEBUG TOOL
/**    - THE MODULE IS PRODUCTION-READY (NO RUN-TIME OVERHEAD)
/**    - A SYSDEBUG FILE IS CREATED THAT CAN BE USED BY DT,FA,APA
/** 3. COMPILER PARMS LIST,MAP,SOURCE,XREF ARE REQUIRED IF YOU PLAN
/**    TO USE THE COMPILER LISTING WITH FA OR APA, OR IPVLANGX
/** 4. COMPILER PARM NOOPT IS OPTIONAL. HOWEVER, THE DEBUG TOOL
/**    COMMANDS JUMPTO AND GOTO WILL NOT BE AVAILABLE IF
/**    THE OPT PARM IS USED
/**
/** BINDER (LINKAGE EDITOR):
/** 5. THE INCLUDE FOR MODULE EQAD?CXT IS *OPTIONAL*. IT IS AN
/**    LE EXIT MODULE THAT CAN BE USED TO START DEBUG TOOL.
/**    UNDERSTAND THE METHODS AVAILABLE FOR STARTING DEBUG TOOL,
/**    AND CHOOSE WHETHER YOU WANT TO USE THE LE EXITS.
/**    IF YOU USE THIS METHOD, LOAD THE CORRECT EXIT MODULE:
/**      EQADBCXT: FOR BATCH PROGRAMS
/**      EQADICXT: FOR ONLINE IMS PROGRAMS
/**      EQADDCXT: FOR DB2 STORED PROCEDURES (OF TYPE MAIN AND SUB)
/**      (for SUB this is supported only for invocations through call_sub)
/**      (DO NOT INCLUDE AN EXIT FOR CICS PROGRAMS)
/**      YOU CAN ALSO USE MODULE EQAD3CXT FOR BATCH PROGRAMS, ONLINE IMS
/**      PROGRAMS, DB2 TYPE MAIN STORED PROCEDURES.
/**
/** SET PARMS FOR THIS COMPILE:
/** -----
/** SET MEM=SAM1                                PROGRAM NAME
/** SET COBOLLIB='IGY.V3R4.SIGYCOMP'           COBOL COMPILER LOADLIB
/** SET DTLIB='EQAW.SEQAMOD'                   DEBUG TOOL LOADLIB
/** SET LELIB='CEE.SCEELKED'                   LE LINKEDIT LIBRARY
/** SET UNITDEV=SYSALLDA                       UNIT FOR TEMP FILES
/**
/** *****
/**      COMPILE STEP
/** *****
/**COMPILE EXEC PGM=IGYCRCTL,REGION=0M,
/**  PARM=('TEST(NONE,SYM,SEPARATE),LIST,MAP,SOURCE,NONUMBER,XREF(SHORT)')
/**STEPLIB DD DISP=SHR,DSN=&COBOLLIB
/**SYSIN   DD DISP=SHR,DSN=&SYSUID..ADLAB.SOURCE(&MEM)
/**SYSLIB  DD DISP=SHR,DSN=&SYSUID..ADLAB.COPYLIB
/**SYSPRINT DD DISP=SHR,DSN=&SYSUID..ADLAB.LISTING(&MEM)
/**SYSDEBUG DD DISP=SHR,DSN=&SYSUID..ADLAB.SYSDEBUG(&MEM)
/**SYSLIN  DD DISP=(MOD,PASS),DSN=&&LOADSET,UNIT=&UNITDEV,
/**        SPACE=(80,(10,10))
/**SYSUT1  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
/**SYSUT2  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
/**SYSUT3  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
/**SYSUT4  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
/**SYSUT5  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
/**SYSUT6  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
/**SYSUT7  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
/**
/**CBLPRINT EXEC PGM=IEBGENER,REGION=0M
/**SYSPRINT DD SYSOUT=*
/**SYSUT1   DD DSN=&SYSUID..ADLAB.LISTING(&MEM),DISP=SHR
/**SYSUT2   DD SYSOUT=*
/**SYSIN    DD DUMMY
/** *****
/**      LINK-EDIT (BINDER) STEP
/** *****
/**LKED EXEC PGM=IEWL,REGION=0M,COND=(5,LT,COMPILE),PARM='LIST,XREF'
/**SYSLIB   DD DISP=SHR,DSN=&LELIB
/**DTLIB    DD DISP=SHR,DSN=&DTLIB

```

```
//SYSIMOD DD DSN=&SYSUID..ADLAB.LOAD(&MEM),DISP=SHR
//SYSLIN DD DISP=(OLD,DELETE),DSN=&&LOADSET
//* INCLUDING A DEBUG TOOL LE EXIT (EQADBCXT, EQADDCXT, EQADICXT OR EQAD3CXT)
//* IS OPTIONAL.
//* AN EXIT ENABLES STARTING DEBUG TOOL USING THE USER EXIT DATA SET UTILITY
//* (ONE OF THE DEBUG TOOL ISPF UTILITIES)
//* // DD *
//* INCLUDE DTLIB(EQADBCXT)
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD UNIT=&UNITDEV,DCB=BLKSIZE=1024,SPACE=(1024,(200,20))
```

COBOL for MVS and VM programs

The following table shows various compiler options that can be used to prepare COBOL for MVS™ and VM programs for use with the ADFz family of products (z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the load module produced is suitable for a production environment. Load modules suitable for a production environment have no significant runtime overhead.

Table 5. Examples of compiler options and source information files that are supported by ADFz products for COBOL for MVS and VM.

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
TEST(ALL, SYM), LIST, MAP, SOURCE, NOOPT, NONUMBER, XREF(SHORT)	Compiler listing	No	Suggested for test. (Using z/OS Debugger in production for this compiler is not suggested.)		
NOTEST, LIST, MAP, SOURCE, NONUMBER, XREF(SHORT)		Yes	N/A	Suggested for production	
NOTEST, LIST, MAP, SOURCE, NONUMBER, XREF(SHORT)	LANGX file	Yes	N/A	Supported	Supported

Preparing COBOL for MVS and VM programs

Perform the following steps for compiling your COBOL for MVS and VM programs:

1. Create libraries (PDSE is suggested unless PDS is required in your organization) for compiler listing files. Allocate one or more compiler listing libraries for each environment, such as test and production.
2. Create a corresponding listing library for each load library. Specify LRECL=133, RECFM=FBA, BLKSIZE=(multiple of 1recl < 32K).
3. For all programs, such as batch, CICS, and IMS:
 - In test environments, specify compiler options TEST(ALL, SYM), NOOPT, LIST, MAP, SOURCE, NONUMBER, XREF(SHORT) to create a module that can be used with z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS.

TEST is required for z/OS Debugger.

The ALL suboption adds debug hooks, which add some runtime overhead.

SYM stores symbolics data that is required by z/OS Debugger into the module, which can make it significantly larger.

The other options format the compiler listing as required by z/OS Debugger, Fault Analyzer for z/OS, and Application Performance Analyzer for z/OS.

- In production environments, specify compiler options NOTEST, LIST, MAP, SOURCE, NONUMBER, XREF(SHORT) to create a production-ready module that can be used with Fault Analyzer for z/OS and Application Performance Analyzer for z/OS (but not z/OS Debugger). Specify OPTIMIZE if preferred.

NOTEST disables source level debugging with z/OS Debugger, but can provide better performance and smaller module size.

The other options (except OPTIMIZE) format the compiler listing as required by Fault Analyzer for z/OS and Application Performance Analyzer for z/OS.

4. Modify the SYSPRINT DD in the JCL of the compiler step to refer to a file.

```
//SYSPRINT DD DSN= compiler.listing.pds(pgmname),DISP=SHR
```

Save the compiler listing in a file in the compiler listing library and specify a member name that is equal to the program name of your application program. This file is the source information file for z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS.

5. Modify the promotion process to promote compiler listing files. When a load module is promoted, for example, from test to production, promote the corresponding compiler listing file or files. A promotion can be a recompile, a copy, or a move. Perform the same steps with the compiler listing file that you perform with the module during promotion.
6. Optionally, include a z/OS Debugger Language Environment exit module into the load module during the linkage editor step. This inclusion is one way to enable z/OS Debugger panel 6 in ISPF, a simple panel-driven method to start the debugger automatically when a program runs, without JCL changes, that is based on the program name and user ID. Use module EQADBCXT for batch programs (including IMS batch), EQADICXT for IMS/TM programs and EQADDCXT for DB2 stored procedures. Do not include the exit module for CICS programs.

You can also use module EQAD3CXT for batch programs, IMS/TM, IMS BTS programs, and DB2 type MAIN stored procedures.

Sample JCL for compiling COBOL for MVS and VM programs

Here is a JCL example for compiling a COBOL for MVS and VM program for use with the ADFz family of products. This sample is a generic sample, and might not meet all your requirements.

Notice that a TEST option is specified. Code the correct suboptions of the TEST compiler option for the version of the compiler that you are using. You can also code any other compatible compiler options that are required by your programs.

Also, notice that the SYSPRINT DD refers to a permanent file. This file is the source information file that the compiler produces. It refers to a listing library that is a PDS or PDSE. The member name must be the same as the program name. For COBOL for MVS and VM, these are the only required changes.

However, there is an optional change in the linkage editor step. The example shows that a special Language Environment exit module is included in the application load module. Although this exit module is not required, it enables the use of z/OS Debugger panel 6, which makes the debugger easier to start in some environments. If you prefer to use panel 6 to start z/OS Debugger, this method is one way to enable it. If you do not plan to use z/OS Debugger panel 6, then do not include an exit module.

```

/*      - - - ADD A JOB CARD ABOVE THIS LINE - - -
/*
/* SAMPLE JCL TO PREPARE A COBOL FOR MVS AND VM PROGRAM
/* FOR THE IBM ZSERIES ADFz PRODUCTS:
/*   FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
/*
/* NOTES:
/*
/* COMPILER:
/*   1. A TEST COMPILER PARM IS REQUIRED FOR DEBUG TOOL
/*   2. COMPILER PARMS LIST,MAP,SOURCE,XREF ARE REQUIRED IF YOU PLAN
/*     TO USE THE COMPILER LISTING WITH FA OR APA, OR IPVLANGX
/*   3. COMPILER PARM NOOPT IS OPTIONAL. HOWEVER, THE DEBUG TOOL
/*     COMMANDS JUMPTO AND GOTO WILL NOT BE AVAILABLE IF
/*     THE OPT PARM IS USED
/*
/* BINDER (LINKAGE EDITOR):
/*   4. THE INCLUDE FOR MODULE EQAD?CXT IS *OPTIONAL*. IT IS AN
/*     LE EXIT MODULE THAT CAN BE USED TO START DEBUG TOOL.
/*     UNDERSTAND THE METHODS AVAILABLE FOR STARTING DEBUG TOOL,
/*     AND CHOOSE WHETHER YOU WANT TO USE THE LE EXITS.
/*     IF YOU USE THIS METHOD, LOAD THE CORRECT EXIT MODULE:
/*       EQADBCXT: FOR BATCH PROGRAMS
/*       EQADICXT: FOR ONLINE IMS PROGRAMS
/*       EQADDCXT: FOR DB2 STORED PROCEDURES (OF TYPE MAIN AND SUB)
/*                 (for SUB this is supported only for invocations through call_sub)
/*                 (DO NOT INCLUDE AN EXIT FOR CICS PROGRAMS)
/*       YOU CAN ALSO USE MODULE EQAD3CXT FOR BATCH PROGRAMS, ONLINE IMS
/*       PROGRAMS, DB2 TYPE MAIN STORED PROCEDURES.
/*
/* SET PARMS FOR THIS COMPILE:
/* -----
/*   SET MEM=SAM1                                PROGRAM NAME
/*   SET COBOLLIB='IGY.SIGYCOMP'                 COBOL COMPILER LOADLIB
/*   SET DTLIB='EQAW.SEQAMOD'                     DEBUG TOOL LOADLIB
/*   SET LELIB='CEE.SCEELKED'                     LE LINKEDIT LIBRARY
/*   SET UNITDEV=SYSALLDA                         UNIT FOR TEMP FILES
/*
/* *****
/*           COMPILE STEP
/* *****
////COMPILE EXEC PGM=IGYCRCTL,REGION=0M,
//  PARM=(NOTEST,LIST,MAP,SOURCE,NUMBER,XREF(SHORT)')
//STEPLIB DD DISP=SHR,DSN=&COBOLLIB
//SYSIN   DD DISP=SHR,DSN=&SYSUID..ADLAB.SOURCE(&MEM)
//SYSLIB  DD DISP=SHR,DSN=&SYSUID..ADLAB.COPYLIB
//SYSPRINT DD DISP=SHR,DSN=&SYSUID..ADLAB.LISTING(&MEM)
//SYSDEBUG DD DISP=SHR,DSN=&SYSUID..ADLAB.SYSDEBUG(&MEM)
//SYSLIN  DD DISP=(MOD,PASS),DSN=&&LOADSET,UNIT=&UNITDEV,
//         SPACE=(80,(10,10))
//SYSUT1  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT2  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT3  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT4  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT5  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT6  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT7  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
/*

```



```

//CBLPRINT EXEC PGM=IEBGENER,REGION=0M
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD DSN=&SYSUID..ADLAB.LISTING(&MEM),DISP=SHR
//SYSUT2 DD SYSOUT=*
//SYSIN DD DUMMY
//* *****
//* LINK-EDIT (BINDER) STEP
//* *****
//LKED EXEC PGM=IEWL,REGION=0M,COND=(5,LT,COMPILE),PARM='LIST,XREF'
//SYSLIB DD DISP=SHR,DSN=&LELIB
//** DTLIB DD DISP=SHR,DSN=&DTLIB
//SYSLMOD DD DSN=&SYSUID..ADLAB.LOAD(&MEM),DISP=SHR
//SYSLIN DD DISP=(OLD,DELETE),DSN=&&LOADSET
//* INCLUDING A DEBUG TOOL LE EXIT (EQADBCXT, EQADDCXT, EQADICXT OR EQAD3CXT)
//* IS OPTIONAL.
//* AN EXIT ENABLES STARTING DEBUG TOOL USING THE USER EXIT DATA SET UTILITY
//* (ONE OF THE DEBUG TOOL ISPF UTILITIES)
//* // DD *
//* INCLUDE DTLIB(EQADBCXT)
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD UNIT=&UNITDEV,DCB=BLKSIZE=1024,SPACE=(1024,(200,20))

```

VS COBOL II programs

If you are currently using the TEST option to compile your programs, consider using NOTEST. Using NOTEST allows you to take advantage of z/OS Debugger functionality that is not available when compiling with the TEST option. Examples of z/OS Debugger functions that are available when compiling with the NOTEST option include the automonitor feature and using AT ENTRY *program name* breakpoints. Compiling with NOTEST also allows you to generate a module that can be debugged but does not incur extra overhead when running without the debugger.

The following table shows various compiler options that can be used to prepare VS COBOL II programs for use with the ADFz family of products (z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the load module produced is suitable for a production environment. Load modules suitable for a production environment have no significant runtime overhead.

Table 6. Examples of compiler options and source information files that are supported by ADFz products for VS COBOL II.

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
NOTEST, LIST, MAP, SOURCE, XREF, NONUMBER, NOOFFSET	Compiler listing	Yes	N/A	Supported	Supported
NOTEST, LIST, MAP, SOURCE, XREF, NUMBER		Yes	N/A	Supported	N/A
NOTEST, LIST, MAP, NOOPT, SOURCE, XREF, NONUMBER	LANGX file	Yes	Suggested for production and test		

Preparing VS COBOL II programs

Perform the following steps for compiling your VS COBOL II programs using the compiler options suggested in Table 6 on page 33:

1. Allocate libraries (PDSE is suggested unless PDS is required for your organization) for LANGX files. Allocate one or more LANGX libraries for each environment, such as test and production.
2. Create a corresponding LANGX library for each load library. Specify `LRECL=1562` or greater, `RECFM=VB`, `BLKSIZE= 1recl+4` to 32k.
3. For all programs, such as batch, CICS, and IMS, in both test and production environments, compile with `NOTEST`, `LIST`, `MAP`, `NOOPT`, `SOURCE`, `XREF`, `NONUMBER` compiler options.
4. Modify the SYSPRINT DD in the compiler step to refer to a file. It can be either a permanent or temporary file. This file is the input to the IPVLANGX utility.
5. Add a step after the compiler step to run the ADFz IPVLANGX utility. This utility program reads the compiler listing and generates a LANGX file. This file is the source information file for z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS. Save the LANGX file in the LANGX file library and specify a member name that is equal to the program name of your application program.
6. If the module is linked with Language Environment services, optionally include a z/OS Debugger Language Environment exit module into the load module during the linkage editor step. This approach is one way to enable the z/OS Debugger panel 6 in ISPF, a simple panel-driven method to start the debugger automatically when a program runs, without JCL changes, based on the program name and user ID. Use module EQADBCXT for batch programs (including IMS batch), EQADICXT for IMS/TM programs and EQADDCXT for DB2 stored procedures. Do not include the exit module for CICS programs or if the module is not linked with Language Environment services (it is linked with COBOL II runtime services).

You can also use module EQAD3CXT for batch programs, IMS/TM, IMS BTS programs, and DB2 type MAIN stored procedures.
7. Modify the promotion process to promote LANGX files. When a load module is promoted, for example, from test to production, promote the corresponding LANGX file or files. A promotion can be a recompile, copy, or move. Perform the same steps with the LANGX file that you perform with the module during promotion.

Sample JCL for compiling VS COBOL II programs

Here is an example of JCL for compiling a VS COBOL II program for use with the ADFz family of products. This sample is a generic sample, and might not meet all your requirements.

Notice the compiler options that are used and notice that the compiler listing is passed to an added step that generates a LANGX file. The compiler listing can be stored in a permanent file or can be passed in a temporary file. For VS COBOL II, these are the only required changes.

However, there is an optional change in the linkage editor step. The example includes a special Language Environment exit module in the application load module. Although this exit module is not required, it enables the use of z/OS Debugger panel 6, which makes the debugger easier to start in some environments. If you prefer to use panel 6 to start z/OS Debugger, this inclusion is one way to

enable it. If you do not plan to use z/OS Debugger panel 6, then do not include an exit module. Do not include the exit module for CICS programs or if the module is not linked with Language Environment services (it is linked with COBOL II runtime services).

```

/**      - - - ADD A JOB CARD ABOVE THIS LINE - - -
/**
/** SAMPLE JCL TO PREPARE A VS COBOL II PROGRAM
/** FOR THE IBM ZSERIES ADFz PRODUCTS:
/**     FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
/**
/** NOTES:
/**
/** COMPILER:
/**  1. COMPILER OPTIONS LIST,MAP,SOURCE,XREF ARE REQUIRED IF YOU
/**     PLAN TO USE THE LISTING WITH AN ADFz PRODUCT, OR TO
/**     PROCESS THE LISTING WITH THE IPVLANGX UTILITY
/**  2. COMPILER OPTION NOTEST IS SUGGESTED FOR ALL COBOL II
/**     PROGRAMS, EVEN IF IBM DEBUG TOOL FOR Z/OS WILL BE USED
/**
/** BINDER (LINKAGE EDITOR):
/**  3. IN THIS EXAMPLE, THE MODULE IS LINKED WITH LANGUAGE
/**     ENVIRONMENT RUNTIME SERVICES. THIS IS CONTROLLED BY THE
/**     LIBRARY OR LIBRARIES SPECIFIED IN THE SYSLIB DD IN THE
/**     BINDER STEP.
/**  4. THE INCLUDE FOR MODULE EQAD?CXT IS *OPTIONAL*. IT IS AN
/**     LE EXIT MODULE THAT CAN BE USED TO START DEBUG TOOL.
/**     UNDERSTAND THE METHODS AVAILABLE FOR STARTING DEBUG TOOL,
/**     AND CHOOSE WHETHER YOU WANT TO USE THE LE EXITS.
/**     IF YOU USE THIS METHOD, LOAD THE CORRECT EXIT MODULE:
/**         EQADBCXT: FOR BATCH PROGRAMS
/**         EQADICXT: FOR ONLINE IMS PROGRAMS
/**         EQADDCXT: FOR DB2 STORED PROCEDURES (OF TYPE MAIN AND SUB)
/**         (for SUB this is supported only for invocations through call_sub)
/**     (DO NOT INCLUDE AN EXIT FOR CICS PROGRAMS, OR FOR
/**     PROGRAMS LINKED WITH THE COBOL II RUNTIME SERVICES
/**     INSTEAD OF LANGUAGE ENVIRONMENT RUNTIME SERVICES)
/**     YOU CAN ALSO USE MODULE EQAD3CXT FOR BATCH PROGRAMS, ONLINE IMS
/**     PROGRAMS, DB2 TYPE MAIN STORED PROCEDURES.
/**
/** SET OPTIONS FOR THIS COMPILE:
/** -----
/** SET MEM=SAMII1                      PROGRAM NAME
/** SET COB2COMP='IGY.V1R4M0.COB2COMP'  COBOL II COMPILER LIB
/** SET DTLIB='EQAW.SEQAMOD'             DEBUG TOOL LOADLIB
/** SET LELKED='CEE.SCEELKED'           LE LINK LIBRARY
/** SET LELIB='CEE.SCEERUN'             LE RUNTIME LIBRARY
/** SET UNITDEV=SYSALLDA                TEMP data set UNIT
/** SET LANGX='IPVLANGX'               IPVLANGX UTILITY PROGRAM
/** SET LANGXLIB='IPV.SIPVMODA'         LIB FOR IPVLANGX UTILITY
/** NOTE: USE THE IPVLANGX FACILITY SHIPPED WITH THE COMMON COMPONENT.
/**
/** *****
/**          COMPILE STEP
/** *****
/** COMPILE EXEC PGM=IGYCRCTL,REGION=4M,
/** PARM=('NOTEST,LIST,MAP,NOOPT,SOURCE,XREF,NUMBER',
/**      'RES,APOST,LIB,DYNAM,NORENT,NOSSRANGE')
/** STEPLIB DD DISP=SHR,DSN=&COB2COMP
/** SYSIN  DD DISP=SHR,DSN=&SYSUID..ADLAB.SOURCE(&MEM)
/** SYSLIB DD DISP=SHR,DSN=&SYSUID..ADLAB.COPYLIB
/** SYSPRINT DD DISP=SHR,DSN=&SYSUID..ADLAB.LISTING(&MEM)
/** SYSLIN  DD DISP=(MOD,PASS),DSN=&&LOADSET,UNIT=&UNITDEV,
/**          SPACE=(80,(10,10))
/** SYSUT1  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
/** SYSUT2  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
/** SYSUT3  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV

```

```

//SYSUT4 DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT5 DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT6 DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT7 DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//*
//CBLPRINT EXEC PGM=IEBGENER,REGION=0M
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD DSN=&SYSUID..ADLAB.LISTING(&MEM),DISP=SHR
//SYSUT2 DD SYSOUT=*
//SYSIN DD DUMMY
//*
/* *****
/* STEP TO GENERATE A LANGX FILE
/* *****
//LANGX EXEC PGM=&LANGX,REGION=32M,
// PARM='(COBOL ERROR 64K CREF'
//STEPLIB DD DISP=SHR,DSN=&LANGXLIB
// DD DISP=SHR,DSN=&LELIB
//LISTING DD DSN=&SYSUID..ADLAB.LISTING(&MEM),DISP=SHR
//IDILANGX DD DISP=SHR,DSN=&SYSUID..ADLAB.EQALANGX(&MEM)
//*
/* *****
/* LINK-EDIT (BINDER) STEP
/* *****
//LKED EXEC PGM=IEWL,REGION=0M,COND=(5,LT,COMPILE),PARM='LIST,XREF'
//SYSLIB DD DISP=SHR,DSN=&LELKED
//DTLIB DD DISP=SHR,DSN=&DTLIB
//SYSLOAD DD DSN=&SYSUID..ADLAB.LOAD(&MEM),DISP=SHR
//SYSLIN DD DISP=(OLD,DELETE),DSN=&&LOADSET
/* INCLUDING A DEBUG TOOL LE EXIT (EQADBCXT, EQADDCXT, EQADICXT OR EQAD3CXT)
/* IS OPTIONAL
/* AN EXIT ENABLES STARTING DEBUG TOOL USING THE USER EXIT DATA SET UTILITY
/* (ONE OF THE DEBUG TOOL ISPF UTILITIES)
/* // DD *
/* INCLUDE DTLIB(EQADBCXT)
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD UNIT=&UNITDEV,DCB=BLKSIZE=1024,SPACE=(1024,(200,20))

```

OS/VS COBOL programs

The following table shows various compiler options that can be used to prepare OS/VS COBOL programs for use with the ADFz family of products (z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the load module produced is suitable for a production environment. Load modules suitable for a production environment have no significant runtime overhead.

Table 7. Examples of compiler options and source information files that are supported by ADFz products for OS/VS COBOL.

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
DMAP, NOCLIST, NOLST, PMAP, SOURCE, VERB, XREF(SHORT)	Compiler listing	Yes	N/A	Supported	Supported
(LIST, NOPMAP) or (CLIST, NOPMAP) or (CLIST, PMAP)		Yes	N/A	Supported	N/A
NOBATCH, NOCLIST, NOCOUNT, DMAP, NOLST, PMAP, SOURCE, NOSYMDMP, NOTEST, NOOPT, VERB, XREF(SHORT)	LANGX file	Yes	Suggested for production and test		

Preparing OS/VS COBOL programs

Perform the following steps for compiling your OS/VS COBOL programs:

1. Allocate libraries (PDSE is suggested unless PDS is required for your organization) for LANGX files. Allocate one or more LANGX libraries for each environment, such as test and production.
2. Create a corresponding LANGX library for each load library. Specify LRECL=1562 or greater, RECFM=VB, BLKSIZE= 1recl+4 to 32k.
3. For all programs, such as batch, CICS, and IMS, in both test and production environments, compile with the NOBATCH, NOCLIST, NOCOUNT, DMAP, NOLST, PMAP, SOURCE, NOSYMDMP, NOTEST, NOOPT, VERB, XREF(SHORT) compiler options. The module is production-ready and can be debugged using z/OS Debugger.
4. Modify the SYSPRINT DD in the compiler step to refer to a file. It can be either a permanent or temporary file. This is the input to the IPVLANGX utility.
5. Add a step after the compiler step to run the ADFz IPVLANGX utility. This utility program reads the compiler listing and generates a LANGX file, which is the source information file for z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS. Save the LANGX file in the LANGX file library, and specify a member name that is equal to the program name of your application program.
6. Modify the promotion process to promote LANGX files. When a load module is promoted, for example, from test to production, promote the corresponding LANGX file or files. A promotion can be a recompile, copy, or move. Perform the same steps with the LANGX file that you perform with the module during promotion.

Sample JCL for compiling OS/VS COBOL programs

Here is a JCL example for compiling an OS/VS program for use with the ADFz family of products:

```

/**      - - - ADD A JOB CARD ABOVE THIS LINE - - -
/**
/** SAMPLE JCL TO PREPARE AN OS VS COBOL PROGRAM
/** FOR THE IBM ZSERIES ADFz PRODUCTS:
/**     FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
/**
/** NOTES:
/**
/** COMPILER:
/**     - COMPILER PARMS DMAP,NOLIST,NOLST,PMAP,SOURCE,VERB,XREF
/**       ARE REQUIRED IF YOU PLAN TO USE THE COMPILER LISTING WITH
/**       ADFz AND/OR PROCESS IT WITH IPVLANGX
/**
/** A STEP THAT PROCESSES THE SYSADATA FILE,
/** AND CREATES A LANGX FILE IS NEEDED.
/**
/** SET PARMS FOR THIS COMPILE:
/** -----
/** SET MEM=SAMOS1                PROGRAM NAME
/** SET OSVSCOMP='IGY.VSCOLIB'    OS VS COBOL COMPILER LIBRARY
/** SET LELIB='CEE.SCEELKED'      LE LINKEDIT LIBRARY
/** SET UNITDEV=SYSALLDA          UNIT FOR TEMP FILES
/** SET SCEERUN='CEE.SCEERUN'     LANGUAGE ENVIRON SCEERUN LIB
/** SET LANGX='IPVLANGX'          IPVLANGX UTILITY PROGRAM
/** SET LANGXLIB='IPV.SIPVMDA'    LIBRARY FOR IPVLANGX UTILITY
/** NOTE: USE THE IPVLANGX FACILITY SHIPPED WITH THE COMMON COMPONENT.
/**
/** *****
/** COMPILE STEP
/** *****
//COMPILE EXEC PGM=IKFCBL00,REGION=4M,
//  PARM=('DMAP,NOLIST,NOLST,NOOPT,SOURCE,VERB,XREF(SHORT)')
/** FOR DT (CHECK DEFAULTS): NOBATCH,NOCOUNT,PMAP,NOSYMDMP,NOTEST
//STEPLIB DD DISP=SHR,DSN=&OSVSCOMP
//SYSIN   DD DISP=SHR,DSN=&SYSUID..ADLAB.SOURCE(&MEM)
//SYSLIB  DD DISP=SHR,DSN=&SYSUID..ADLAB.COPYLIB
//SYSPRINT DD DISP=SHR,DSN=&SYSUID..ADLAB.OSVSCOB.LISTING(&MEM)
//SYSLIN  DD DISP=(MOD,PASS),DSN=&&LOADSET,UNIT=&UNITDEV,
//          SPACE=(80,(10,10))
//SYSUT1  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT2  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT3  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT4  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT5  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT6  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
//SYSUT7  DD SPACE=(80,(10,10),,,ROUND),UNIT=&UNITDEV
/**
//CBLPRINT EXEC PGM=IEBGENER,REGION=0M
//SYSPRINT DD SYSOUT=*
//SYSUT1   DD DSN=&SYSUID..ADLAB.OSVSCOB.LISTING(&MEM),DISP=SHR
//SYSUT2   DD SYSOUT=*
//SYSIN    DD DUMMY
/**
/** *****
/** STEP TO GENERATE LANGX FILE
/** *****
//LANGX EXEC PGM=&LANGX,REGION=32M,
//  PARM=('COBOL ERROR 64K CREF')
//STEPLIB DD DISP=SHR,DSN=&LANGXLIB
//          DD DISP=SHR,DSN=&SCEERUN
//LISTING DD DSN=&SYSUID..ADLAB.OSVSCOB.LISTING(&MEM),DISP=SHR
//IDILANGX DD DISP=SHR,DSN=&SYSUID..ADLAB.EQALANGX(&MEM)
/**
/** *****
/** LINK-EDIT (BINDER) STEP
/** *****
//LKED EXEC PGM=IEWL,REGION=0M,COND=(5,LT,COMPILE),PARM='LIST,XREF'

```

```
//SYSLIB DD DISP=SHR,DSN=&LELIB
//SYSLOAD DD DSN=&SYSUID..ADLAB.LOAD(&MEM),DISP=SHR
//SYSLIN DD DISP=(OLD,DELETE),DSN=&&LOADSET
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD UNIT=&UNITDEV,DCB=BLKSIZE=1024,SPACE=(1024,(200,20))
```

Enterprise PL/I Version 3.7 and later programs

The following table shows various compiler options that can be used to prepare Enterprise PL/I Version 3.7 and later programs for use with the ADFz family of products (z/OS Debugger, IBM Fault Analyzer for z/OS and IBM Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the load module produced has no significant runtime overhead and therefore is suitable for a production environment.

Table 8. Examples of compiler options and source information files that are supported by ADFz products for Enterprise PL/I Version 3.7 and later.

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
For Enterprise PL/I Version 3.7: TEST(ALL, SYM, NOHOOK, SEPARATE, SEPNAME, AALL), NOPT, AGGREGATE, ATTRIBUTES (FULL), NOBLKOFF, LIST, MAP, NEST, NONUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL)	SYSDEBUG file used by z/OS Debugger and Fault Analyzer for z/OS. LANGX file used by Application Performance Analyzer for z/OS	Although the module is larger than a module compiled with the NOTEST option, you can use the module in production if needed.	Suggested for test. You can also use these options in a production environment if the increased load module size is not an issue.		
For Enterprise PL/I Version 3.8 and later: TEST(ALL, SYM, NOHOOK, SEPARATE, SEPNAME), LISTVIEW (AALL), NOPT, AGGREGATE, ATTRIBUTES (FULL), NOBLKOFF, LIST, MAP, NEST, NONUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL)					

Table 8. Examples of compiler options and source information files that are supported by ADFz products for Enterprise PL/I Version 3.7 and later (continued).

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
AGGREGATE, ATTRIBUTES (FULL), NOBLKOFF, LIST, MAP, NEST, NOTEST, NONNUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL)	Compiler listing	Yes	N/A	Supported	N/A
	LANGX file	Yes	N/A	Suggested for production and test	

Preparing Enterprise PL/I Version 3.7 and later programs

Perform the following steps for compiling your Enterprise PL/I Version 3.7 and later programs:

1. Create a library (PDSE is suggested unless PDS is required for your organization) for SYSDEBUG files. This library is only needed in test environments where debugging is performed using LRECL=(80 to 1024),RECFM=FB,BLKSIZE=(multiple of 1recl < 32K).
2. Allocate one or more LANGX libraries for each environment, such as test and production.
3. Create a corresponding LANGX library for each load library. Specify LRECL=1562 or greater,RECFM=VB,BLKSIZE= 1recl+4 to 32k.
4. For all programs, such as batch, CICS, and IMS:

- In test environments:

- When using the Enterprise PL/I Version 3.7 compiler:

For all programs, specify the following compiler options:

TEST(ALL,SYM,NOHOOK,SEPARATE,SEPNAME,AALL), NOPT, AGGREGATE, ATTRIBUTES(FULL), NOBLKOFF, LIST, MAP, NEST, NONNUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL).

- When using the Enterprise PL/I Version 3.8 and later compilers:

For all programs, specify the following compiler options:

TEST(ALL,SYM,NOHOOK,SEPARATE,SEPNAME), LISTVIEW(AALL), NOPT, AGGREGATE, ATTRIBUTES(FULL), NOBLKOFF, LIST, MAP, NEST, NONNUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL).

TEST(...) and NOPT are required by z/OS Debugger.

The SEPARATE suboption produces a SYSDEBUG file. Save the SYSDEBUG file that is created by the compiler for z/OS Debugger and optionally, IBM Fault Analyzer for z/OS.

The AALL (AFTERALL) suboption of TEST or LISTVIEW stores program source information in the SYSDEBUG file that contains information after the last preprocessor, such as macros and INCLUDEs. This expanded source information is available in the source window of z/OS Debugger while debugging.

The other options format the compiler listing as required for the IPVLANGX utility.

Consider using the TEST(ALL,NOHOOK,SEPARATE) options for best performance and to produce a module that can be debugged. Depending on the policies in your organization, the module can be considered for production.

- In production environments:
 - When using the Enterprise PL/I Version 3.7 or later compiler:
For all programs, specify NOTEST, AGGREGATE, ATTRIBUTES(FULL), NOBLKOFF, LIST, MAP, NEST, NONUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL).

NOTEST disables z/OS Debugger, but produces a smaller load module.

The other options format the compiler listing as required for the IPVLANGX utility to produce a production-ready module that can be used with IBM Fault Analyzer for z/OS and IBM Application Performance Analyzer for z/OS (but not z/OS Debugger).

5. When a TEST(...SEPARATE) option is used, code a SYSDEBUG DD in the second compiler step as follows:

```
//SYSDEBUG DD DSN= sysdebug.pds(pgmname),DISP=SHR
```

This is the source information file for z/OS Debugger, and optionally, IBM Fault Analyzer for z/OS. Save it in the SYSDEBUG library, and specify a member name that is equal to the primary entry point name or CSECT name of your application program.

6. Modify the SYSPRINT DD in the compiler step. This file is the compiler listing. Write the listing to either a permanent or temporary file. This file is the input to the IPVLANGX utility.

Note: This compiler typically renames CSECTs according to an internal compiler algorithm. Therefore, it is not recommended to store PL/I compiler listings or side files using CSECT names as they might not be found by IBM Application Performance Analyzer for z/OS or IBM Fault Analyzer for z/OS. Instead, use the primary entry point name.

7. Add a step after the compile step to run the IPVLANGX utility. This utility reads the compiler listing and generates a LANGX file. This file is the source information file for IBM Fault Analyzer for z/OS and IBM Application Performance Analyzer for z/OS. Save the LANGX file in the LANGX file library, and specify a member name that is equal to the primary entry point name of your application program.
8. Modify the promotion process to promote LANGX files. When a load module is promoted, for example, from test to production, promote the corresponding LANGX file or files. A promotion can be a recompile, copy, or move. Perform the same steps with the LANGX file that you perform with the module during promotion.
9. If you compile with the TEST option and promote these modules into production, promote the SYSDEBUG file for your production environment.
10. Optionally, include a z/OS Debugger Language Environment exit module into the load module during the linkage editor step. This approach is one way to enable z/OS Debugger panel 6 in ISPF, a simple panel-driven method to start the debugger automatically when a program runs, without JCL changes, based on the program name and user ID. Use module EQADBCXT for batch

programs (including IMS batch), EQADICXT for IMS/TM programs and EQADDCXT for DB2 stored procedures. Do not include the exit module for CICS programs.

You can also use module EQAD3CXT for batch programs, IMS/TM, IMS BTS programs, and DB2 type MAIN stored procedures

Sample JCL for compiling Enterprise PL/I for z/OS Version 3.7 or later programs

Here is a JCL example for compiling an Enterprise PL/I for z/OS Version 3.7 or later program for use with the ADFz family of products.

```

/* - - - ADD A JOB CARD ABOVE THIS LINE - - -
/*
/* SAMPLE JCL TO PREPARE AN ENTERPRISE PL/I V3.7 OR LATER
/* PROGRAM FOR THE IBM ZSERIES ADFz PRODUCTS:
/* FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
/*
/* NOTES:
/*
/* COMPILER:
/* 1. COMPILER PARMS TEST IS REQUIRED FOR DEBUG TOOL
/* 2. COMPILER PARM NOPT IS RECOMMENDED FOR DEBUG TOOL
/* 3. COMPILER PARM:
/*     TEST(ALL,SYM,NOHOOK,SEPARATE,SEPNAME,AALL) (V3.7)
/*     TEST(ALL,SYM,NOHOOK,SEPARATE,SEPNAME),LISTVIEW(AALL), (V3.8+)
/*     IS USED BECAUSE:
/*     - THE MODULE IS READY FOR DEBUG TOOL
/*     - NOHOOK DOES NOT HAVE RUN-TIME CPU OVERHEAD. HOWEVER, THE
/*       MODULE IS LARGER BECAUSE OF STATEMENT TABLE
/*     - A SYSDEBUG FILE IS CREATED THAT CAN BE USED BY DT,FA,APA
/* 4. COMPILER PARMS AGGREGATE,ATTRIBUTES(FULL),NOBLKOFF,LIST,
/*     MAP,NEST,NONUMBER,OPTIONS,SOURCE,STMT,XREF(FULL) ARE NEEDED
/*     TO PROCESS THE COMPILER LISTING WITH IPVLANGX
/*
/* BINDER (LINKAGE EDITOR):
/* 5. THE INCLUDE FOR MODULE EQAD?CXT IS OPTIONAL. IT IS AN
/*     LE EXIT MODULE THAT CAN BE USED TO START DEBUG TOOL.
/*     UNDERSTAND THE METHODS AVAILABLE FOR STARTING DEBUG TOOL,
/*     AND CHOOSE WHETHER YOU WANT TO USE THE LE EXITS.
/*     IF YOU USE THIS METHOD, LOAD THE CORRECT EXIT MODULE:
/*     EQADBCXT: FOR BATCH PROGRAMS
/*     EQADICXT: FOR ONLINE IMS PROGRAMS
/*     EQADDCXT: FOR DB2 STORED PROCEDURES (OF TYPE MAIN AND SUB)
/*             (for SUB this is supported only for invocations through call_sub)
/*     (DO NOT INCLUDE AN EXIT FOR CICS PROGRAMS)
/*     YOU CAN ALSO USE MODULE EQAD3CXT FOR BATCH PROGRAMS, ONLINE IMS
/*     PROGRAMS, DB2 TYPE MAIN STORED PROCEDURES.
/*
/* SET PARMS FOR THIS COMPILE:
/* -----
/* SET MEM=PADSTAT           PROGRAM NAME
/* SET PLICOMP='IBMZ.V3R7.SIBMZCMP'  PLI COMPILER LOADLIB
/* SET DTLIB='EQAW.SEQAMOD'        DEBUG TOOL LOADLIB
/* SET LEHLQ='CEE'             LE HIGH LVL QUALIFIER
/* SET UNITDEV=SYSALLDA        UNIT FOR TEMP FILES
/* SET LANGX='IPVLANGX'        IPVLANGX UTILITY PROGRAM
/* SET LANGXLIB='IPV.SIPVMDA'     LIBRARY FOR IPVLANGX UTILITY
/* NOTE: USE THE IPVLANGX FACILITY SHIPPED WITH THE COMMON COMPONENT.
/*
/*ALLOCOBJ EXEC PGM=IEFBRI4 ALLOC OBJ LIB IF NEEDED
/*OBJ DD DSN=&SYSUID..ADLAB.OBJ,SPACE=(CYL,(3,1,15)),
/* DSORG=PO,RECFM=FB,LRECL=80,BLKSIZE=8000,DISP=(MOD,CATLG)
/*
/* *****
/* COMPILE STEP
/* *****

```

```

//COMPILE EXEC PGM=IBMZPLI,REGION=0M,
// PARM=('+DD:OPTIONS')
//* THE +DD:OPTIONS PARAMETER IS USED TO DIRECT THE COMPILER TO
//* GET THE COMPILATION OPTIONS FROM THE OPTIONS DD STATEMENT
//OPTIONS DD *
TEST(ALL,SYM,NOHOOK,SEPARATE,SEPNAME,AALL),LIST,MAP,SOURCE,
XREF(FULL),NOBLKOFF,AGGREGATE,ATTRIBUTES(FULL),NEST,OPTIONS,NOPT,
STMT,NONUMBER,OFFSET
/*
/* Note: The above options are for Enterprise PL/I Version 3.7
/* For Enterprise PL/I Version 3.8+, change the TEST option
/* to TEST(ALL,SYM,NOHOOK,SEPARATE,SEPNAME), and add the
/* LISTVIEW(AALL) option
//STEPLIB DD DSN=&PLICOMP,DISP=SHR
// DD DSN=&LEHLQ..SCEERUN,DISP=SHR
//SYSIN DD DISP=SHR,DSN=&SYSUID..ADLAB.SOURCE(&MEM)
//SYSLIB DD DISP=SHR,DSN=&SYSUID..ADLAB.COPYLIB
//SYSPRINT DD DISP=SHR,DSN=&SYSUID..ADLAB.ENTPLI.LISTING(&MEM)
//SYSDEBUG DD DISP=SHR,DSN=&SYSUID..ADLAB.SYSDEBUG(&MEM)
//SYSUT1 DD SPACE=(CYL,(5,2),,CONTIG),DCB=BLKSIZE=1024,UNIT=&UNITDEV
//SYSLIN DD DSN=&SYSUID..ADLAB.OBJ(&MEM),DISP=SHR
/*
//PLIPRINT EXEC PGM=IEBGENER,REGION=0M
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD DSN=&SYSUID..ADLAB.ENTPLI.LISTING(&MEM),DISP=SHR
//SYSUT2 DD SYSOUT=*
//SYSIN DD DUMMY
/*
/* *****
/* STEP TO GENERATE LANGX FILE
/* *****
//LANGX EXEC PGM=&LANGX,REGION=32M,
// PARM='(PLI ERROR 64K CREF'
//STEPLIB DD DISP=SHR,DSN=&LANGXLIB
// DD DISP=SHR,DSN=&LEHLQ..SCEERUN
//LISTING DD DSN=&SYSUID..ADLAB.ENTPLI.LISTING(&MEM),DISP=SHR
//IDILANGX DD DISP=SHR,DSN=&SYSUID..ADLAB.EQALANGX(&MEM)
/*
/* *****
/* LINK-EDIT (BINDER) STEP
/* *****
//LINK EXEC PGM=IEWL,PARM=(LET,MAP,LIST),REGION=0M
//SYSLIB DD DSN=&LEHLQ..SCEELKED,DISP=SHR
//DTLIB DD DSN=&DTLIB,DISP=SHR
//SYSPRINT DD SYSOUT=*
//SYSLOAD DD DISP=SHR,DSN=&SYSUID..ADLAB.LOAD(&MEM)
//SYSUT1 DD UNIT=SYSDA,SPACE=(TRK,(10,10))
//SYSLIN DD DSN=&SYSUID..ADLAB.OBJ(&MEM),DISP=(OLD,PASS)
/* INCLUDING A DEBUG TOOL LE EXIT (EQADBCXT, EQADDCT, EQADICXT OR EQAD3CXT)
/* IS OPTIONAL. THE EXIT ENABLES STARTING DEBUG TOOL WITH THE
/* USER EXIT DATA SET UTILITY (ONE OF THE DEBUG TOOL ISPF UTILITIES)
/*
/* // DD *
/* INCLUDE DTLIB(EQADBCXT)

```

Enterprise PL/I Version 3.5 and Version 3.6 programs

The following table shows various compiler options that can be used to prepare Enterprise PL/I Version 3.5 and Version 3.6 programs for use with the ADFz family of products (z/OS Debugger, IBM Fault Analyzer for z/OS and IBM Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the load module produced has no significant runtime overhead and therefore is suitable for a production environment.

Table 9. Examples of compiler options and source information files that are supported by ADFz products for Enterprise PL/I Version 3.5 and Version 3.6.

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
<p>Preprocess (1st stage) to expand source, In compile (2nd stage):</p> <p>For Enterprise PL/I Version 3.5: TEST(ALL, SYM, NOHOOK, SEPARATE), NOPT, AGGREGATE, ATTRIBUTES (FULL), NOBLKOFF, LIST, MAP, NEST, NONNUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL)</p> <p>For Enterprise PL/I Version 3.6: TEST(ALL, SYM, NOHOOK, SEPARATE, SEPNAME), NOPT, AGGREGATE, ATTRIBUTES (FULL), NOBLKOFF, LIST, MAP, NEST, NONNUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL)</p>	<p>SYSDEBUG file used by z/OS Debugger and Fault Analyzer for z/OS.</p> <p>LANGX file used by Application Performance Analyzer for z/OS</p>	<p>Although the module is larger than a module compiled with the NOTEST option, you can use the module in production if needed.</p>	<p>Suggested for test. You can also use these options in a production environment if the increased load module size is not an issue.</p>		
<p>AGGREGATE, ATTRIBUTES (FULL), NOBLKOFF, LIST, MAP, NEST, NOTEST, NONNUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL)</p>	<p>Compiler listing</p>	<p>Yes</p>	<p>N/A</p>	<p>Supported</p>	<p>N/A</p>
	<p>LANGX file</p>	<p>Yes</p>	<p>N/A</p>	<p>Suggested for production and test</p>	

Preparing Enterprise PL/I Version 3.5 and Version 3.6 programs

Perform the following steps for compiling your Enterprise PL/I Version 3.5 and Version 3.6 programs:

1. Create a library (PDSE is suggested unless PDS is required for your organization) for SYSDEBUG files. This library is only needed in test environments where debugging is performed using LRECL=(80 to 1024),RECFM=FB,BLKSIZE=(multiple of 1recl < 32K).
2. Allocate one or more LANGX libraries for each environment, such as test and production.
3. Create a corresponding LANGX library for each load library. Specify LRECL=1562 or greater,RECFM=VB,BLKSIZE= 1recl+4 to 32k.
4. Run a two-stage compile. The first stage preprocesses the program, so the IBM Application Delivery Foundation for z Systems family of products have access to fully expanded source code with INCLUDEs and macros. The second stage compiles the program. For all programs, such as batch, CICS, and IMS:
 - In the first compile stage, in both test and production environments, specify compiler options MACRO,MDECK,NOCOMPIL,NOSYNTAX,INSOURCE to expand INCLUDEs and macros. The output SYSPUNCH DD is the input SYSIN DD to the second compile stage.
 - In the second compile stage, in test environments,
 - When using the Enterprise PL/I Version 3.5 compiler:
For all programs, specify the following compiler options:
TEST(ALL,SYM,NOHOOK,SEPARATE), NOPT, AGGREGATE, ATTRIBUTES(FULL), NOBLKOFF, LIST, MAP, NEST, NONUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL).
 - When using the Enterprise PL/I Version 3.6 compiler:
For all programs, specify the following compiler options:
TEST(ALL,SYM,NOHOOK,SEPARATE,SEPNAME), NOPT, AGGREGATE, ATTRIBUTES(FULL), NOBLKOFF, LIST, MAP, NEST, NONUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL).

TEST(...) and NOPT are required by z/OS Debugger.

The SEPARATE suboption produces a SYSDEBUG file. Save the SYSDEBUG file that is created by the compiler for z/OS Debugger (and optionally, Fault Analyzer).

The other options format the compiler listing as required for the IPVLANGX utility.

Consider using TEST(ALL,SYM,NOHOOK,SEPARATE) for best performance and to produce a module that can be debugged. Depending on the policies in your organization, the module can be considered for production.

Note: The above options can be used with both the Enterprise PL/I Version 3.5 and Version 3.6 compilers.

NOTEST disables z/OS Debugger, but produces a smaller load module.

The other options format the compiler listing as required for the IPVLANGX utility to produce a production-ready module that can be used with Fault Analyzer for z/OS and Application Performance Analyzer for z/OS (but not z/OS Debugger).

5.

When a TEST(...SEPARATE) parm is used, code a SYSDEBUG DD in the second compiler step as follows:

```
//SYSDEBUG DD DSN= sysdebug.pds(pgmname),DISP=SHR
```

This is the source information file for z/OS Debugger, IBM Application Performance Analyzer for z/OS and optionally, IBM Fault Analyzer for z/OS. Save it in the SYSDEBUG library, and specify a member name that is equal to the primary entry point name or CSECT name of your application program.

6. Modify the SYSPRINT DD in the second compiler stage. This file is the compiler listing. Write the listing to either a permanent or temporary file. This file is the input to the IPVLANGX utility.

Note: This compiler typically renames CSECTs according to an internal compiler algorithm. Therefore, it is not recommended to store PL/I compiler listings or side files using CSECT names as they might not be found by IBM Application Performance Analyzer for z/OS or IBM Fault Analyzer for z/OS. Instead, use the primary entry point name.

7. Add a step after the compile step to run the IPVLANGX utility. This utility reads the compiler listing and generates a LANGX file. This file is the source information file for IBM Fault Analyzer for z/OS and IBM Application Performance Analyzer for z/OS. Save the LANGX file in the LANGX file library, and specify a member name that is equal to the primary entry point name of your application program.
8. Modify the promotion process to promote LANGX files. When a load module is promoted, for example, from test to production, promote the corresponding LANGX file or files. A promotion can be a recompile, copy, or move. Perform the same steps with the LANGX file that you perform with the module during promotion.
9. If you compile with the TEST option and promote these modules into production, promote the SYSDEBUG file for your production environment.
10. Optionally, include a z/OS Debugger Language Environment exit module into the load module during the linkage editor step. This approach is one way to enable z/OS Debugger panel 6 in ISPF, a simple panel-driven method to start the debugger automatically when a program runs, without JCL changes, based on the program name and user ID. Use module EQADBCXT for batch programs (including IMS batch), EQADICXT for IMS/TM programs and EQADDCXT for DB2 stored procedures. Do not include the exit module for CICS programs.

You can also use module EQAD3CXT for batch programs, IMS/TM, IMS BTS programs, and DB2 type MAIN stored procedures

Sample JCL for compiling Enterprise PL/I Version 3.5 or Version 3.6 programs

Here is a JCL example for compiling an Enterprise PL/I for z/OS Version 3.5 or Version 3.6 program for use with the ADFz family of products.

```
//*      - - - ADD A JOB CARD ABOVE THIS LINE - - -
//*
//* SAMPLE JCL TO PREPARE AN ENTERPRISE PL/I V3.5 OR
//* ENTERPRISE PL/I V3.6 PROGRAM FOR THE IBM ZSERIES
//* FOR THE IBM ZSERIES ADFz PRODUCTS:
//* FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
//*
//* NOTES:
//*
//* COMPILER:
//* 1. A 2-STAGE COMPILE IS PERFORMED. STAGE 1 (PREPROCESS) IS
```

```

/** DONE TO EXPAND INCLUDES AND MACROS IN THE PROGRAM, SO THAT
/** THE SYSDEBUG FILE CREATED IN STAGE 2 (COMPILE) HAS ALL STMTS.
/** 2. COMPILER PARMS TEST AND NOPT ARE REQUIRED FOR DEBUG TOOL
/** 3. COMPILER PARM TEST(ALL,SYM,NOHOOK,SEP) (V3.5) OR
/** TEST(ALL,SYM,NOHOOK,SEP,SEPNAME) (V3.6) IS USED BECAUSE:
/** - THE MODULE IS READY FOR DEBUG TOOL
/**   - NOHOOK DOES NOT HAVE RUN-TIME CPU OVERHEAD. HOWEVER, THE
/**     MODULE IS LARGER BECAUSE OF STATEMENT TABLE
/**   - A SYSDEBUG FILE IS CREATED THAT CAN BE USED BY DT,FA,APA
/** 4. COMPILER PARMS AGGREGATE,ATTRIBUTES(FULL),NOBLKOFF,LIST,
/** MAP,NEST,NONUMBER,OPTIONS,SOURCE,STMT,XREF(FULL) ARE NEEDED
/** TO PROCESS THE COMPILER LISTING WITH IPVLANGX
/**
/** BINDER (LINKAGE EDITOR):
/** 5. THE INCLUDE FOR MODULE EQAD?CXT IS OPTIONAL. IT IS AN
/** LE EXIT MODULE THAT CAN BE USED TO START DEBUG TOOL.
/** UNDERSTAND THE METHODS AVAILABLE FOR STARTING DEBUG TOOL,
/** AND CHOOSE WHETHER YOU WANT TO USE THE LE EXITS.
/** IF YOU USE THIS METHOD, LOAD THE CORRECT EXIT MODULE:
/**   EQADBCXT: FOR BATCH PROGRAMS
/**   EQADICXT: FOR ONLINE IMS PROGRAMS
/**   EQADDCXT: FOR DB2 STORED PROCEDURES (OF TYPE MAIN AND SUB)
/**   (for SUB this is supported only for invocations through call_sub)
/**   (DO NOT INCLUDE AN EXIT FOR CICS PROGRAMS)
/** YOU CAN ALSO USE MODULE EQAD3CXT FOR BATCH PROGRAMS, ONLINE IMS
/** PROGRAMS, DB2 TYPE MAIN STORED PROCEDURES.
/** SET PARMS FOR THIS COMPILE:
/** -----
/** SET MEM=PADSTAT                                PROGRAM NAME
/** SET PLICOMP='IBMZ.V3R5.SIBMZCMP'                PLI COMPILER LOADLIB
/** SET DTLIB='EQAW.SEQAMOD'                        DEBUG TOOL LOADLIB
/** SET LEHLQ='CEE'                                LE HIGH LVL QUALIFIER
/** SET UNITDEV=SYSALLDA                            UNIT FOR TEMP FILES
/** SET LANGX='IPVLANGX'                            IPVLANGX UTILITY PROGRAM
/** SET LANGXLIB='IPV.SIPVMODA'                      LIBRARY FOR IPVLANGX UTILITY
/** NOTE: USE THE IPVLANGX FACILITY SHIPPED WITH THE COMMON COMPONENT.
/**
/**ALLOCOBJ EXEC PGM=IEFBR14                        ALLOC OBJ LIB IF NEEDED
/**OBJ DD DSN=&SYSUID..ADLAB.OBJ,SPACE=(CYL,(3,1,15)),
/** DSORG=PO,RECFM=FB,LRECL=80,BLKSIZE=8000,DISP=(MOD,CATLG)
/** *****
/** PREPROCESS STEP (COMPILE STAGE 1)
/** *****
/**PRECOMP EXEC PGM=IBMZPLI,REGION=0M,
/** PARM=('MACRO,MDECK,NOCOMPILE,NOSYNTAX,INSOURCE')
/**STEPLIB DD DSN=&PLICOMP,DISP=SHR
/** DD DSN=&LEHLQ..SCEERUN,DISP=SHR
/**SYSDIN DD DISP=SHR,DSN=&SYSUID..ADLAB.SOURCE(&MEM)
/**SYSLIB DD DISP=SHR,DSN=&SYSUID..ADLAB.COPYLIB
/**SYSPRINT DD SYSOUT=*
/**SYSUT1 DD SPACE=(1024,(200,50),,CONTIG,ROUND),DCB=BLKSIZE=1024,
/** UNIT=&UNITDEV
/**SYSPUNCH DD DISP=(MOD,PASS),DSN=&&SRC1,UNIT=&UNITDEV,
/** SPACE=(80,(10,10))
/**
/** *****
/** COMPILE STEP (COMPILE STAGE 2)
/** *****
/**COMPILE EXEC PGM=IBMZPLI,REGION=0M,
/** PARM=('&DD:OPTIONS')
/** THE &DD:OPTIONS PARAMETER IS USED TO DIRECT THE COMPILER TO
/** GET THE COMPILATION OPTIONS FROM THE OPTIONS DD STATEMENT
/**OPTIONS DD *
TEST(ALL,SYM,NOHOOK,SEPARATE),LIST,MAP,SOURCE,XREF(FULL),
NOBLKOFF,AGGREGATE,ATTRIBUTES(FULL),NEST,OPTIONS,NOPT,
STMT,NONUMBER,OFFSET
/**

```

```

/* Note: The above options are for Enterprise PL/I Version 3.5
/*       For Enterprise PL/I Version 3.6, change the TEST option
/*       to: TEST(ALL,SYM,NOHOOK,SEPARATE,SEPNAME)
//STEPLIB DD DSN=&PLICOMP,DISP=SHR
//
//       DD DSN=&LEHLQ..SCEERUN,DISP=SHR
//SYSIN   DD DSN=&&SRC1,DISP=(OLD,PASS)
//SYSLIB  DD DISP=SHR,DSN=&SYSUID..ADLAB.COPYLIB
//SYSPRINT DD DISP=SHR,DSN=&SYSUID..ADLAB.ENTPLI.LISTING(&MEM)
//SYSDEBUG DD DISP=SHR,DSN=&SYSUID..ADLAB.SYSDEBUG(&MEM)
//SYSUT1  DD SPACE=(CYL,(5,2),,CONTIG),DCB=BLKSIZE=1024,UNIT=&UNITDEV
//SYSLIN  DD DSN=&SYSUID..ADLAB.OBJ(&MEM),DISP=SHR
/*
//PLIPRINT EXEC PGM=IEBGENER,REGION=0M
//SYSPRINT DD SYSOUT=*
//SYSUT1   DD DSN=&SYSUID..ADLAB.ENTPLI.LISTING(&MEM),DISP=SHR
//SYSUT2   DD SYSOUT=*
//SYSIN    DD DUMMY
/*
/* *****
/*       STEP TO GENERATE LANGX FILE
/* *****
//LANGX   EXEC PGM=&LANGX,REGION=32M,
// PARM='(PLI ERROR 64K CREF'
//STEPLIB DD DISP=SHR,DSN=&LANGXLIB
//
//       DD DISP=SHR,DSN=&LEHLQ..SCEERUN
//LISTING DD DSN=&SYSUID..ADLAB.ENTPLI.LISTING(&MEM),DISP=SHR
//IDILANGX DD DISP=SHR,DSN=&SYSUID..ADLAB.EQALANGX(&MEM)
/*
/* *****
/*       LINK-EDIT (BINDER) STEP
/* *****
//LINK EXEC PGM=IEWL,PARM=(LET,MAP,LIST),REGION=0M
//SYSLIB DD DSN=&LEHLQ..SCEELKED,DISP=SHR
//DTLIB DD DSN=&DTLIB,DISP=SHR
//SYSPRINT DD SYSOUT=*
//SYSLMOD DD DISP=SHR,DSN=&SYSUID..ADLAB.LOAD(&MEM)
//SYSUT1 DD UNIT=SYSDA,SPACE=(TRK,(10,10))
//SYSLIN DD DSN=&SYSUID..ADLAB.OBJ(&MEM),DISP=(OLD,PASS)
/* INCLUDING A DEBUG TOOL LE EXIT (EQADBCXT, EQADDCXT, EQADICXT OR EQAD3CXT)
/* IS OPTIONAL. THE EXIT ENABLES STARTING DEBUG TOOL WITH THE
/* USER EXIT DATA SET UTILITY (ONE OF THE DEBUG TOOL ISPF UTILITIES)
/* // DD *
/* INCLUDE DTLIB(EQADBCXT)

```

Enterprise PL/I Version 3.4 and earlier programs

The following table shows various compiler options that can be used to prepare Enterprise PL/I Version 3.4 and earlier programs for use with the ADFz family of products (z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the load module produced has no significant runtime overhead and therefore is suitable for a production environment.

Table 10. Examples of compiler options and source information files that are supported by ADFz products for Enterprise PL/I Version 3.4 and earlier.

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
Preprocess (1st stage) to expand source, In compile (2nd stage): TEST(ALL), NOPT, AGGREGATE, ATTRIBUTES (FULL), NOBLKOFF, LIST, MAP, NEST, NONUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL))	Expanded source file used by z/OS Debugger, LANGX file used by Fault Analyzer for z/OS and Application Performance Analyzer for z/OS	No	Suggested for test. (Using z/OS Debugger in production for this compiler is not recommended.)		
AGGREGATE, ATTRIBUTES (FULL), NOBLKOFF, LIST, MAP, NEST, NOTEST, NONUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL))	Compiler listing	Yes	N/A	Supported	N/A
	LANGX file	Yes	N/A	Suggested for production and test	

Preparing Enterprise PL/I Version 3.4 and earlier programs

Perform the following steps for compiling your Enterprise PL/I Version 3.4 and earlier programs:

1. Create a library (PDSE is suggested unless PDS is required for your organization) for expanded source files. This library is only needed in test environments where debugging is performed. The library can be any RECFM / LRECL / BLKSIZE supported as input by the compiler.
2. Allocate libraries (PDSE is suggested unless PDS is required for your organization) for LANGX files. Allocate one or more LANGX libraries for each environment, such as test or production.
3. Create a corresponding LANGX library for each load library. Specify LRECL=1562 or greater, RECFM=VB, BLKSIZE= 1recl+4 to 32k.
4. Run a 2-stage compilation. The first stage preprocesses the program, so that ADFz products have access to fully expanded source code with INCLUDEs and macros. The second stage compiles the program.
 - In the first compilation stage, in both test and production environments:
 - Specify compiler options MACRO, MDECK, NOCOMPILE, NOSYNTAX, INSOURCE to expand INCLUDEs and macros.

- Save the output, the expanded source file, in a permanent file in the expanded source file library and specify *member name = program name*. This file is the source information file for z/OS Debugger. The output SYSPUNCH DD is the input SYSIN DD to the second compiler stage.
 - In the second compilation stage, for all programs, such as batch, CICS, and IMS:
 - In test environments, specify compiler options TEST(ALL), NOPT, AGGREGATE, ATTRIBUTES(FULL), NOBLKOFF, LIST, MAP, NEST, NONUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL).
TEST(ALL) and NOPT are required by z/OS Debugger. Debug hooks are inserted, which add some runtime overhead. Symbolic data that is required by z/OS Debugger is also stored in the module, which can make it larger.
The other options format the compiler listing as required for the IPVLANGX utility.
 - In production environments, specify compiler options NOTEST, AGGREGATE, ATTRIBUTES(FULL), NOBLKOFF, LIST, MAP, NEST, NONUMBER, OFFSET, OPTIONS, SOURCE, STMT, XREF(FULL)).
NOTEST disables z/OS Debugger, but provides the best performance. This produces a production-ready module that can be used with Fault Analyzer for z/OS and Application Performance Analyzer for z/OS (but not z/OS Debugger).
The other options format the compiler listing as required for the IPVLANGX utility.
5. Modify the SYSPRINT DD in the second compilation stage. This file is the compiler listing. Save the compiler listing to either a permanent or temporary file. This file is the input to the IPVLANGX utility.

Note: This compiler typically renames CSECTs according to an internal compiler algorithm. Therefore, it is not recommended to store PL/I compiler listings or side files using CSECT names as they might not be found by Application Performance Analyzer for z/OS or Fault Analyzer for z/OS. Instead, use the primary entry point name.
 6. Add a step after the compilation step to run the IPVLANGX utility. The IPVLANGX utility reads the compiler listing and generates a LANGX file, which is the source information file for Fault Analyzer for z/OS and Application Performance Analyzer for z/OS. Save the LANGX file in the LANGX file library, and specify a member name that is equal to the primary entry point name or CSECT name of your application program.
 7. Modify the promotion process to promote LANGX files. When a load module is promoted, for example, from test to production, promote the corresponding LANGX file or files. A promotion can be a recompile, copy, or move. Perform the same steps with the LANGX file that you perform with the module during promotion.
 8. Optionally, include a z/OS Debugger Language Environment exit module into the load module during the linkage editor step. This approach is one way to enable z/OS Debugger panel 6 in ISPF, a simple panel-driven method to start the debugger automatically when a program runs, without JCL changes, based on the program name and user ID. Use module EQADBCXT for batch programs (including IMS batch), EQADICXT for IMS/TM programs and EQADDCXT for DB2 stored procedures. Do not include the exit module for CICS programs.

You can also use module EQAD3CXT for batch programs, IMS/TM, IMS BTS programs, and DB2 type MAIN stored procedures

9. For CICS applications only, if the z/OS Debugger DTCN transaction is used to start z/OS Debugger, link edit the z/OS Debugger CICS startup exit module EQADCCXT into the application load module to enable z/OS Debugger in CICS. This link edit is not needed if using the CADP transaction instead of DTCN.

Sample JCL for compiling Enterprise PL/I for z/OS Version 3.4 or earlier programs

Here is a JCL example for compiling an Enterprise PL/I for z/OS Version 3.4 or earlier program for use with the ADFz family of products.

```

/*      - - - ADD A JOB CARD ABOVE THIS LINE - - -
/*
/* SAMPLE JCL TO COMPILE WITH ENTERPRISE PLI V3.4 AND PREVIOUS
/* FOR THE IBM ZSERIES ADFz PRODUCTS:
/*     FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
/*
/* NOTES:
/*
/* COMPILER:
/*     1. A 2-STAGE COMPILE IS PERFORMED. STAGE 1 (PREPROCESS) IS
/*        DONE TO EXPAND INCLUDES AND MACROS IN THE PROGRAM, SO THAT
/*        A SOURCE FILE IS CREATED FOR DEBUG TOOL THAT HAS ALL STMTS.
/*     2. COMPILER PARM TEST AND NOPT ARE REQUIRED FOR DEBUG TOOL
/*     3. COMPILER PARMS AGGREGATE,ATTRIBUTES(FULL),NOBLKOFF,LIST,
/*        MAP,NEST,NONUMBER,OPTIONS,SOURCE,STMT,XREF(FULL) ARE NEEDED
/*        TO PROCESS THE COMPILER LISTING WITH IPVLANGX
/*
/* BINDER (LINKAGE EDITOR):
/*     4. THE INCLUDE FOR MODULE EQAD3CXT IS OPTIONAL. IT IS AN
/*        LE EXIT MODULE THAT CAN BE USED TO START DEBUG TOOL.
/*        UNDERSTAND THE METHODS AVAILABLE FOR STARTING DEBUG TOOL,
/*        AND CHOOSE WHETHER YOU WANT TO USE THE LE EXITS.
/*        IF YOU USE THIS METHOD, LOAD THE CORRECT EXIT MODULE:
/*            EQADBCXT: FOR BATCH PROGRAMS
/*            EQADICXT: FOR ONLINE IMS PROGRAMS
/*            EQADDCXT: FOR DB2 STORED PROCEDURES (OF TYPE MAIN AND SUB)
/*                    (for SUB this is supported only for invocations through call_sub)
/*                    (DO NOT INCLUDE AN EXIT FOR CICS PROGRAMS)
/*        YOU CAN ALSO USE MODULE EQAD3CXT FOR BATCH PROGRAMS, ONLINE IMS
/*        PROGRAMS, DB2 TYPE MAIN STORED PROCEDURES.
/*
/* SET PARMS FOR THIS COMPILE:
/* -----
/* SET MEM=PTEST                                PROGRAM NAME
/* SET PLICOMP='IBMZ.V3R4.SIBMZCMP'             PLI COMPILER LOADLIB
/* SET DTLIB='EQAW.SEQAMOD'                     DEBUG TOOL LOADLIB
/* SET LEHLQ='CEE'                              LE HIGH LVL QUALIFIER
/* SET UNITDEV=SYSALLDA                         UNIT FOR TEMP FILES
/* SET LANGX='IPVLANGX'                        IPVLANGX UTILITY PROGRAM
/* SET LANGXLIB='IPV.SIPVMODA'                  LIBRARY FOR IPVLANGX UTILITY
/* NOTE: USE THE IPVLANGX FACILITY SHIPPED WITH THE COMMON COMPONENT.
/*
/*ALLOCOBJ EXEC PGM=IEFBRI4                      ALLOC OBJ LIB IF NEEDED
/*XSOURCE DD DSN=&SYSUID..ADLAB.EXPANDED.SOURCE,SPACE=(CYL,(3,1,15)),
/*  DSORG=PO,RECFM=FB,LRECL=80,BLKSIZE=8000,DISP=(MOD,CATLG)
/*OBJ DD DSN=&SYSUID..ADLAB.OBJ,SPACE=(CYL,(3,1,15)),
/*  DSORG=PO,RECFM=FB,LRECL=80,BLKSIZE=8000,DISP=(MOD,CATLG)
/* *****
/*     PREPROCESS STEP (COMPILE STAGE 1)
/* *****
/*PRECOMP EXEC PGM=IBMZPLI,REGION=0M,
/*  PARM=('MACRO,MDECK,NOCOMPILE,NOSYNTAX,INSOURCE')

```

```

//STEPLIB DD DSN=&PLICOMP,DISP=SHR
// DD DSN=&LEHLQ..SCEERUN,DISP=SHR
//SYSIN DD DISP=SHR,DSN=&SYSUID..ADLAB.SOURCE(&MEM)
//SYSLIB DD DISP=SHR,DSN=&SYSUID..ADLAB.COPYLIB
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD SPACE=(1024,(200,50),,CONTIG,ROUND),DCB=BLKSIZE=1024,
// UNIT=&UNITDEV
//SYSPUNCH DD DISP=SHR,DSN=&SYSUID..ADLAB.EXPANDED.SOURCE(&MEM)
//*
/* *****
/* COMPILE STEP (COMPILE STAGE 2)
/* *****
//COMPILE EXEC PGM=IBMZPLI,REGION=0M,
// PARM=('+DD:OPTIONS')
/* THE +DD:OPTIONS PARAMETER IS USED TO DIRECT THE COMPILER TO
/* GET THE COMPILATION OPTIONS FROM THE OPTIONS DD STATEMENT
//OPTIONS DD *
TEST(ALL),LIST,MAP,SOURCE,XREF(FULL),
NOBLKOFF,AGGREGATE,ATTRIBUTES(FULL),NEST,OPTIONS,NOPT,
STMT,NUMBER,OFFSET
/*
//STEPLIB DD DSN=&PLICOMP,DISP=SHR
// DD DSN=&LEHLQ..SCEERUN,DISP=SHR
//SYSIN DD DISP=SHR,DSN=&SYSUID..ADLAB.EXPANDED.SOURCE(&MEM)
//SYSLIB DD DISP=SHR,DSN=&SYSUID..ADLAB.COPYLIB
//SYSPRINT DD DISP=SHR,DSN=&SYSUID..ADLAB.ENTPLI.LISTING(&MEM)
//SYSUT1 DD SPACE=(CYL,(5,2),,CONTIG),DCB=BLKSIZE=1024,UNIT=&UNITDEV
//SYSLIN DD DSN=&SYSUID..ADLAB.OBJ(&MEM),DISP=SHR
//*
//PLIPRINT EXEC PGM=IEBGENER,REGION=0M
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD DSN=&SYSUID..ADLAB.ENTPLI.LISTING(&MEM),DISP=SHR
//SYSUT2 DD SYSOUT=*
//SYSIN DD DUMMY
//*
/* *****
/* STEP TO GENERATE LANGX FILE
/* *****
//LANGX EXEC PGM=&LANGX,REGION=32M,
// PARM=('PLI ERROR 64K CREF')
//STEPLIB DD DISP=SHR,DSN=&LANGXLIB
// DD DISP=SHR,DSN=&LEHLQ..SCEERUN
//LISTING DD DSN=&SYSUID..ADLAB.ENTPLI.LISTING(&MEM),DISP=SHR
//IDILANGX DD DISP=SHR,DSN=&SYSUID..ADLAB.EQALANGX(&MEM)
//*
/* *****
/* LINK-EDIT (BINDER) STEP
/* *****
//LINK EXEC PGM=IEWL,PARM=(LET,MAP,LIST),REGION=0M
//SYSLIB DD DSN=&LEHLQ..SCEELKED,DISP=SHR
//DTLIB DD DSN=&DTLIB,DISP=SHR
//SYSPRINT DD SYSOUT=*
//SYSLMOD DD DISP=SHR,DSN=&SYSUID..ADLAB.LOAD(&MEM)
//SYSUT1 DD UNIT=SYSDA,SPACE=(TRK,(10,10))
//SYSLIN DD DSN=&SYSUID..ADLAB.OBJ(&MEM),DISP=(OLD,PASS)
/* INCLUDING A DEBUG TOOL LE EXIT (EQADBCXT, EQADDCXT, EQADICXT OR EQAD3CXT)
/* IS OPTIONAL. THE EXIT ENABLES STARTING DEBUG TOOL WITH THE
/* USER EXIT DATA SET UTILITY (ONE OF THE DEBUG TOOL ISPF UTILITIES)
/* // DD *
/* INCLUDE DTLIB(EQADBCXT)

```

PL/I for MVS and VM and OS PL/I programs

The following table shows various compiler options that can be used to prepare PL/I for MVS and VM programs and OS PL/I programs for use with the ADFz family of products (z/OS Debugger, Fault Analyzer for z/OS and Application

Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the load module produced has no significant runtime overhead and therefore is suitable for a production environment.

For the test environment, you need both the listing and the LANGX file (for Fault Analyzer for z/OS and Application Performance Analyzer for z/OS). In production, only the LANGX file is suggested.

Table 11. Examples of compiler options and source information files that are supported by ADFz products for PL/I for MVS and VM and OS PLI.

Compiler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
TEST(ALL), AGGREGATE, ATTRIBUTES (FULL), ESD, LIST, MAP, NEST, NOPT, OPTIONS, SOURCE, STMT, XREF(FULL)	Compiler listing	No	Suggested for test. Using z/OS Debugger in production for this compiler is not recommended.	Supported	Supported
	LANGX file	No	N/A	Supported	N/A
NOTEST, AGGREGATE, ATTRIBUTES (FULL), ESD, LIST, MAP, NEST, OPTIONS, SOURCE, STMT, XREF(FULL)	Compiler listing	Yes	N/A	Supported	Suggested for production and test
	LANGX file	Yes	N/A	Suggested for production and test	N/A

Preparing PL/I for MVS and VM programs and OS PL/I programs

Perform the following steps to compile your PL/I for MVS and VM programs and OS PL/I programs:

1. Create a library (PDSE is suggested unless PDS is required for your organization) for compiler listing files. This library is only needed in test environments where debugging is performed. Specify LRECL=125 minimum, RECFM=VBA, BLKSIZE= 1recl+4 to 32k.
2. Allocate libraries (PDSE is suggested unless PDS is required for your organization) for LANGX files. Allocate one or more LANGX libraries for each environment, such as test and production.
3. Create a corresponding LANGX library for each load library. Specify LRECL=1562 or greater, RECFM=VB, BLKSIZE= 1recl+4 to 32k.
4. For all programs, such as batch, CICS, and IMS:
 - In test environments, specify compiler options TEST(ALL), NOPT, AGGREGATE, ATTRIBUTES(FULL), ESD, LIST, MAP, NEST, OPTIONS, SOURCE, STMT, XREF(FULL).
TEST(ALL) and NOOPT are required by z/OS Debugger. TEST adds debug hooks, which add some runtime overhead. Symbolic data that is required by z/OS Debugger is stored in the module, which can make it larger.

The other options format the compiler listing as required by z/OS Debugger and by the IPVLANGX utility.

- In production environments, specify compiler options NOTEST, AGGREGATE, ATTRIBUTES(FULL), ESD, LIST, MAP, NEST, OPTIONS, SOURCE, STMT, XREF(FULL).

NOTEST disables z/OS Debugger, but provides the best performance.

The other options format the compiler listing as required for the IPVLANGX utility.

This produces a production-ready module that can be used with Fault Analyzer for z/OS and Application Performance Analyzer for z/OS but not z/OS Debugger.

5. Modify the SYSPRINT DD in the compiler step. This parameter is the compiler listing. Save this to a permanent file. The compiler listing is the input to the IPVLANGX utility and is the source information file for z/OS Debugger.

Note: This compiler typically renames CSECTs according to an internal compiler algorithm. Therefore, it is not recommended to store PL/I compiler listings or side files using CSECT names as they might not be found by Application Performance Analyzer for z/OS or Fault Analyzer for z/OS. Instead, use the primary entry point name.

6. Add a step after the compiler step to run the IPVLANGX utility. This utility reads the compiler listing and saves a LANGX file. This file is the source information file for Fault Analyzer for z/OS and Application Performance Analyzer for z/OS. Save it in the LANGX file library and specify a member name that is equal to the primary entry point name of your application program.
7. Modify the promotion process to promote LANGX files. When a load module is promoted, for example, from test to production, promote the corresponding LANGX file or files. A promotion can be a recompile, copy, or move. Perform the same steps with the LANGX file that you perform with the module during promotion.
8. Optionally, include a z/OS Debugger Language Environment exit module into the load module during the linkage editor step. This approach is one way to enable z/OS Debugger panel 6 in ISPF, a simple panel-driven method to start the debugger automatically when a program runs, without JCL changes, based on the program name and user ID. Use module EQADBCXT for batch programs (including IMS batch), EQADICXT for IMS/TM programs and EQADDCXT for DB2 stored procedures. Do not include the exit module for CICS programs.

You can also use module EQAD3CXT for batch programs, IMS/TM, IMS BTS programs, and DB2 type MAIN stored procedures
9. For CICS applications only, if the z/OS Debugger DTCN transaction is used to start z/OS Debugger, link edit the z/OS Debugger CICS startup exit module EQADCCXT into the application load module to enable z/OS Debugger in CICS. This link edit is not needed if using the CADP transaction instead of DTCN.

Sample JCL for compiling PL/I for MVS and VM programs

Here is a JCL example for compiling a PL/I for MVS and VM program for use with the ADFz family of products.

```
//*      - - - ADD A JOB CARD ABOVE THIS LINE  - - -
//*
//* SAMPLE JCL TO PREPARE A PLI FOR MVS AND VM PROGRAM
//* FOR THE IBM ZSERIES ADFz PRODUCTS:
```

```

/**      FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
/**
/** NOTES:
/**
/** COMPILER:
/** 1. COMPILER PARM TEST IS REQUIRED FOR DEBUG TOOL
/** 2. COMPILER PARMS AGGREGATE,ATTRIBUTES(FULL),ESD,LIST,
/**    MAP,NEST,OPTIONS,SOURCE,STMT,XREF(FULL) ARE NEEDED
/**    FOR ADFz TO PROCESS THE COMPILER LISTING
/**
/** BINDER (LINKAGE EDITOR):
/** 3. THE INCLUDE FOR MODULE EQAD?CXT IS OPTIONAL. IT IS AN
/**    LE EXIT MODULE THAT CAN BE USED TO START DEBUG TOOL.
/**    UNDERSTAND THE METHODS AVAILABLE FOR STARTING DEBUG TOOL,
/**    AND CHOOSE WHETHER YOU WANT TO USE THE LE EXITS.
/**    IF YOU USE THIS METHOD, LOAD THE CORRECT EXIT MODULE:
/**      EQADBCXT: FOR BATCH PROGRAMS
/**      EQADICXT: FOR ONLINE IMS PROGRAMS
/**      EQADDCXT: FOR DB2 STORED PROCEDURES (OF TYPE MAIN AND SUB)
/**                (for SUB this is supported only for invocations through call_sub)
/**                (DO NOT INCLUDE AN EXIT FOR CICS PROGRAMS)
/**    YOU CAN ALSO USE MODULE EQAD3CXT FOR BATCH PROGRAMS, ONLINE IMS
/**    PROGRAMS, DB2 TYPE MAIN STORED PROCEDURES.
/** SET PARMS FOR THIS COMPILE:
/** -----
/** SET MEM=PADSTAT                PROGRAM NAME
/** SET PLICOMP='IEL.V1R1M1.SIELCOMP'  PLI COMPILER LOADLIB
/** SET DTLIB='EQAW.SEQAMOD'          DEBUG TOOL LOADLIB
/** SET LEHLQ='CEE'                  LE HIGH LVL QUALIFIER
/** SET UNITDEV=SYSALLDA             UNIT FOR TEMP FILES
/** SET LANGX='IPVLANGX'             IPVLANGX UTILITY PROGRAM
/** SET LANGXLIB='IPV.SIPVMODA'       LIBRARY FOR IPVLANGX UTILITY
/** NOTE: USE THE IPVLANGX FACILITY SHIPPED WITH THE COMMON COMPONENT.
/**
/**ALLOC OBJ EXEC PGM=IEFBRI4          ALLOC OBJ LIB IF NEEDED
/**OBJ DD DSN=&SYSUID..ADLAB.OBJ,SPACE=(CYL,(3,1,15)),
/** DSORG=PO,RECFM=FB,LRECL=80,BLKSIZE=8000,DISP=(MOD,CATLG)
/**
/** *****
/** COMPILE STEP
/** *****
/**
/**COMPILE EXEC PGM=IEL1AA,REGION=6M,
/** PARM=('TEST(ALL),NOPT,AGGREGATE,ATTRIBUTES(FULL),ESD,LIST,MAP,',
/**      'NEST,OPTIONS,SOURCE,STMT,XREF(FULL)')
/**STEPLIB DD DSN=&PLICOMP,DISP=SHR
/**SYSIN DD DISP=SHR,DSN=&SYSUID..ADLAB.SOURCE(&MEM)
/**SYSLIB DD DISP=SHR,DSN=&SYSUID..ADLAB.COPYLIB
/**SYSPRINT DD DISP=SHR,DSN=&SYSUID..ADLAB.PLMVS.LISTING(&MEM)
/**SYSUT1 DD SPACE=(CYL,(1,1)),UNIT=SYSDA
/**SYSLIN DD DSN=&SYSUID..ADLAB.OBJ(&MEM),DISP=SHR
/**
/**PLIPRINT EXEC PGM=IEBGENER,REGION=0M
/**SYSPRINT DD SYSOUT=*
/**SYSUT1 DD DSN=&SYSUID..ADLAB.PLMVS.LISTING(&MEM),DISP=SHR
/**SYSUT2 DD SYSOUT=*
/**SYSIN DD DUMMY
/**
/** *****
/** STEP TO GENERATE LANGX FILE
/** *****
/**LANGX EXEC PGM=&LANGX,REGION=32M,
/** PARM=('PLI ERROR 64K CREF'
/**STEPLIB DD DISP=SHR,DSN=&LANGXLIB
/** DD DISP=SHR,DSN=&LEHLQ..SCEERUN
/**LISTING DD DSN=&SYSUID..ADLAB.PLMVS.LISTING(&MEM),DISP=SHR
/**IDILANGX DD DISP=SHR,DSN=&SYSUID..ADLAB.EQALANGX(&MEM)

```

```

/**
/** *****
/** LINK-EDIT (BINDER) STEP
/** *****
//LINK EXEC PGM=IEWL,PARM=(LET,MAP,LIST),REGION=0M
//SYSLIB DD DSN=&LEHLQ..SCEELKED,DISP=SHR
//DTLIB DD DSN=&DTLIB,DISP=SHR
//SYSPRINT DD SYSOUT=*
//SYSLMOD DD DISP=SHR,DSN=&SYSUID..ADLAB.LOAD(&MEM)
//SYSUT1 DD UNIT=SYSDA,SPACE=(TRK,(10,10))
//SYSLIN DD DSN=&SYSUID..ADLAB.OBJ(&MEM),DISP=(OLD,PASS)
/** INCLUDING A DEBUG TOOL LE EXIT (EQADBCXT, EQADDCXT, EQAD3CXT)
/** IS OPTIONAL. THE EXIT ENABLES STARTING DEBUG TOOL WITH THE
/** USER EXIT DATA SET UTILITY (ONE OF THE DEBUG TOOL ISPF UTILITIES)
/** // DD *
/** INCLUDE DTLIB(EQADBCXT)

```

z/OS XL C and C++ programs

The following table shows various compiler options that can be used to prepare z/OS XL C and C++ programs for use with the ADFz family of products (z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the load module produced has no significant runtime overhead and therefore is suitable for a production environment.

Table 12. Examples of compiler options and source information files that are supported by ADFz products for C and C++.

Compiler options	Output produced	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
Preprocess (1st stage) to expand source: PP(COMMENTS, NOLINES) Compile (2nd stage): DEBUG (FORMAT (DWARF), NOHOOK, SYMBOL, FILE (location)), LIST, LONGNAME, NOOFFSET, GONUMBER ¹	<ul style="list-style-type: none"> Expanded source file DWARF file (used by z/OS Debugger, Fault Analyzer, and Application Performance Analyzer) Compiler listing (can be used by Application Performance Analyzer and Fault Analyzer when DWARF is not available) 	Supported. You can use it for production if the OPT compile option is not used. Full functionality available.	Supported. Use of the OPT compile option might result in incorrect source line being reported. Full functionality available.	Supported.
	<ul style="list-style-type: none"> .mdbg file² 	Recommended. You can use it for production if the OPT compile option is not used. Full functionality available.	Supported. Use of the OPT compile option might result in incorrect source line being reported. Full functionality available.	Not supported.

Table 12. Examples of compiler options and source information files that are supported by ADFz products for C and C++ (continued).

Compiler options	Output produced	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
Preprocess (1st stage) to expand source: PP(COMMENTS, NOLINES) Compile (2nd stage): DEBUG (FORMAT (DWARF), HOOK (LINE, NOBLOCK, PATH), SYMBOL, FILE (location)), LIST, LONGNAME, NOOPT, NOOFFSET, GONUMBER ¹	<ul style="list-style-type: none"> Expanded source file DWARF file (used by z/OS Debugger and Fault Analyzer) Compiler listing (used by Application Performance Analyzer) 	Supported. Full functionality available. Use in production not recommended.	Supported. Full functionality available.	Supported.
	<ul style="list-style-type: none"> .mdbg file² 	Supported. Full functionality available. Use in production not recommended.	Supported. Full functionality available.	Not supported.
Preprocess (1st stage) to expand source: PP(COMMENTS, NOLINES) Compile (2nd stage): TEST, AGGREGATE ³ , NOIPA, LIST, NESTINC (255), NOOFFSET, NOOPT, SOURCE, XREF, LONGNAME, GONUMBER	<ul style="list-style-type: none"> Expanded source file (used by z/OS Debugger) Compiler listing (used by Fault Analyzer and Application Performance Analyzer) 	Supported. Use in production not recommended.	Supported. Use in production not recommended. Variables not reported.	Supported. Use in production not recommended.
	<ul style="list-style-type: none"> Expanded source file (used by z/OS Debugger) LANGX file (used by Fault Analyzer and Application Performance Analyzer) 	Supported. Use in production not recommended.	Supported. Use in production not recommended. Variables not reported.	Supported. Use in production not recommended.
NOTEST, AGGREGATE ³ , NOIPA, LIST, NESTINC (255), NOOFFSET, NOOPT, SOURCE, XREF, LONGNAME	<ul style="list-style-type: none"> Compiler listing (used by Fault Analyzer and Application Performance Analyzer) 	Not supported.	Supported. Suggested for production and test. Variables not reported.	Supported. Suggested for production and test.
	<ul style="list-style-type: none"> LANGX file (used by Fault Analyzer and Application Performance Analyzer) 	Not supported.	Supported. Suggested for production and test. Variables not reported.	Supported. Suggested for production and test.
UNIX System Services compile -g	<ul style="list-style-type: none"> DWARF file (used by z/OS Debugger, Fault Analyzer, and Application Performance Analyzer) 	Supported.	Supported.	Supported.
	<ul style="list-style-type: none"> .mdbg file² 	Supported.	Supported.	Not supported.

Table 12. Examples of compiler options and source information files that are supported by ADFz products for C and C++ (continued).

Compiler options	Output produced	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
Note: 1. The FORMAT(DWARF) option is supported for z/OS Version 1.6 and higher. 2. For C and C++ programs that are compiled with z/OS XL C/C++, Version 1.10 or later, if you specify the FORMAT(DWARF) suboption of the DEBUG compiler option, the load modules are smaller and you can create .mdbg files with captured source using the CDADBGLD utility. z/OS Debugger needs only the .mdbg file to debug your program. 3. For C++, do not use the AGGREGATE keyword. Use ATTRIBUTES instead.				

Preparing z/OS XL C and C++ programs

Perform the following steps for compiling your z/OS XL C and C++ programs:

1. Create a library (PDSE is suggested unless PDS is required for your organization) for expanded source files. This library is only needed in test environments where debugging is performed. This can be any RECFM / LRECL / BLKSIZE supported as input by the compiler.
2. Allocate libraries (PDSE is suggested unless PDS is required for your organization) for compiler listing files. Allocate one or more compiler listing libraries for each environment, such as test and production.
3. Create a corresponding listing library for each load library. Specify LRECL=133,RECFM=FBA,BLKSIZE=(multiple of lrecl up to 32k) or LRECL=137 or greater, RECFM=VBA,BLKSIZE= lrecl+4 to 32k.
4. Run a 2-stage compilation. The first stage preprocesses the program, so that ADFz products have access to fully expanded source code. The second stage compiles the program.
 - In the first compilation stage, in both test and production environments:
 - Specify compiler options PP(COMMENTS,NOLINES) to expand INCLUDEs and macros. The output is SYSUT10 DD, which is the expanded source file and is the input for the second compiler stage. Note that DB2 programs containing SQL statements cannot use the PP option directly. If used, the behavior is undefined. Follow z/OS Debugger instructions to Processing SQL Statements first. See *z/OS Debugger V14.1 User's Guide*, Chapter 8. "Preparing a DB2 program", section "Processing SQL statements".

Modify the SYSUT10 DD to enable z/OS Debugger, by saving it in an expanded source library and specify a member name that is equal to the primary entry point name or CSECT name of your application program.

- You can prepare your program with a one-stage compilation, skipping the expanding source preprocessing step recommended above. If you do this, you need to be aware of the following:
 - Case 1: If there are no executable statements in the header file, the header file is not included in the captured source that is saved in the mdbg file and is not available for browsing during a z/OS Debugger session. All other z/OS Debugger functionality is still available.
 - Case 2: If there are executable statements in the header file, the header file is included in the captured source that is saved in the mdbg file and is available for browsing during a z/OS Debugger session.
- For all programs, such as batch, CICS, and IMS, for the second compilation stage, refer to Table 12 on page 56 for the appropriate options.

5. Modify the SYSPRT DD in the second compiler stage to refer to a file. This file is the compiler listing and is the source information file for Application Performance Analyzer for z/OS. Save it in the compiler listing library and specify a member that is equal to the CSECT name of your application program.

```
//SYSPRT DD DSN=compiler.listing.pds(csect-name),DISP=SHR
```

Note: To facilitate source support in Fault Analyzer, CSECTs in C programs should be named using the following statement:

```
#pragma csect(code, "csect_name")
```

where, if using a PDS(E), *csect_name* matches the compiler listing or LANGX file member name. This enables the side file search to automatically locate compiler listings. Without named CSECTs, C compiler listings can only be located by using the compiler listing read user exit or the compiler listing prompt. For details see the “Compiler Listing Read user exit” and “Prompting for compiler listing or side file” topics in the *IBM Fault Analyzer for z/OS User’s Guide*.

6. Modify the promotion process to promote compiler listing files. When a load module is promoted, for example, from test to production, promote the corresponding compiler listing file or files. A promotion can be a recompile, copy, or move. Perform the same steps with the compiler listing file that you perform with the module during promotion. You also need to promote any file that is related to the compilation, not just the listing. So you need to promote, for example, dbg and mdbg files.
7. Optionally, include a z/OS Debugger Language Environment exit module into the load module during the linkage editor step. This approach is one way to enable z/OS Debugger panel 6 in ISPF, a simple panel-driven method to start the debugger automatically when a program runs, without JCL changes, based on the program name and user ID.
Use module EQAD3CXT for batch programs, IMS/TM, IMS BTS programs, and DB2 type MAIN stored procedures.
8. For CICS applications only: if the z/OS Debugger DTCN transaction is used to start z/OS Debugger, link edit the z/OS Debugger CICS startup exit module EQADCCXT into the application load module to enable z/OS Debugger in CICS. This link edit is not needed if using the CADP transaction instead of DTCN.

Sample JCL for compiling z/OS C programs with TEST

Here is a JCL example for compiling a z/OS C program for use with the ADFz family of products.

```
/* ADD A JOB CARD HERE
/*
/*
/* SAMPLE JCL TO PREPARE A Z/OS C PROGRAM USING TEST WITH HOOKS
/* FOR THE IBM ZSERIES ADFz PRODUCTS:
/*   FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
/*
/* NOTES:
/*
/* COMPILER:
/* 1. A 2-STAGE COMPILE IS PERFORMED. STAGE 1 (PREPROCESS) IS
/*   DONE TO EXPAND INCLUDES AND MACROS IN THE PROGRAM AND TO
/*   PRODUCE AN EXPANDED SOURCE FILE.
/* 2. THE EXPANDED SOURCE FILE IS RETAINED. IT IS USED BY
/*   DEBUG TOOL.
/* 2. COMPILER PARMS TEST AND NOOPT ARE REQUIRED FOR DEBUG TOOL.
```

```

/** 3. COMPILER PARMS AGGREGATE, NOIPA, LIST, NOOFFSET, SOURCE,
/** AND XREF(FULL) ARE NEEDED TO FORMAT THE COMPILER LISTING
/** SO THAT IT CAN BE PROCESSED WITH IPVLANGX
/**
/** A STEP RUNS TO PRODUCE A LANGX FILE FOR FAULT ANALYZER AND APA.
/** NOTE: USE THE IPVLANGX FACILITY SHIPPED WITH THE COMMON COMPONENT.
/**
/** BINDER (LINKAGE EDITOR):
/** 1. AN INCLUDE FOR MODULE EQAD?CXT IS OPTIONAL. IT IS AN
/** LE EXIT MODULE THAT CAN BE USED TO START DEBUG TOOL.
/** UNDERSTAND THE METHODS AVAILABLE FOR STARTING DEBUG TOOL,
/** AND CHOOSE WHETHER YOU WANT TO USE THE LE EXITS.
/** IF YOU USE THIS METHOD, INCLUDE THE CORRECT EXIT MODULE:
/** EQADBCXT: FOR BATCH PROGRAMS
/** EQADICXT: FOR ONLINE IMS PROGRAMS
/** EQADDCXT: FOR DB2 STORED PROCEDURES (OF TYPE MAIN AND SUB)
/** (for SUB this is supported only for invocations through call_sub)
/** (DO NOT INCLUDE AN EXIT FOR CICS PROGRAMS)
/** YOU CAN ALSO USE MODULE EQAD3CXT FOR BATCH PROGRAMS, ONLINE IMS
/** PROGRAMS, DB2 TYPE MAIN STORED PROCEDURES.
/**
/** SET PARMS FOR THIS COMPILE:
/** -----
/** CPRFX: THE PREFIX THE C COMPILE IS INSTALLED UNDER
/** LEPRFX: THE PREFIX FOR THE LE RUNTIME AND LINK LIBS
/** DTPRFX: THE PREFIX OF THE DEBUG TOOL SEQAMOD LIBRARY
/** LANGXLIB: THE PROGRAM OBJECT LIBRARY FOR THE COMMON COMPONENT
/**
/** SET CPRFX=CBC
/** SET LEPRFX=CEE
/** SET DTPRFX=EQAW
/** SET LANGXLIB=IPV.SIPVMODA
/**
/** *****/
/** CREATE C COMPILER LISTING SYSPRINT, EXPANDED SOURCE DEBUG, */
/** AND EQALANGX FILES */
/** *****/
//ALLOC EXEC PGM=IEFBR14
//LISTING DD DSN=&SYSUID..ADLAB.CLST,
// DISP=(MOD,CATLG),
// DCB=(DSORG=PO,RECFM=VBA,LRECL=137,BLKSIZE=0),
// SPACE=(TRK,(20,20,50)),UNIT=SYSDA
//DBGSRC DD DSN=&SYSUID..ADLAB.CDBG,
// DISP=(MOD,CATLG),
// DCB=(DSORG=PO,RECFM=FB,LRECL=80,BLKSIZE=0),
// SPACE=(TRK,(20,20,50)),UNIT=SYSDA
//LANGX DD DSN=&SYSUID..ADLAB.EQALANGX,
// DISP=(MOD,CATLG),
// DCB=(DSORG=PO,RECFM=VB,LRECL=1562,BLKSIZE=0),
// SPACE=(TRK,(40,40,50)),UNIT=SYSDA
/**
/** ***** *
/** *****/
/**-----
/** COMPILE STEP1: GENERATE EXPANDED C SOURCE FILE IN THE DD
/** SYSUT10
/**-----
//COMPI EXEC PGM=CCNDVR,REGION=0M,
// PARM=('PP(COMMENTS,NOLINES)')
//STEPLIB DD DSNAME=&LEPRFX..SCEERUN2,DISP=SHR
// DD DSNAME=&CPRFX..SCCNCMP,DISP=SHR
//SYSMSG DD DUMMY,DSN=&CPRFX..SCBC3MSG(EDCMSGE),DISP=SHR
//SYSLIB DD DSNAME=&LEPRFX..SCEEH.H,DISP=SHR
// DD DSNAME=&LEPRFX..SCEEH.SYS.H,DISP=SHR
// DD DSNAME=&SYSUID..ADLAB.COPYLIB,DISP=SHR
//SYSPRINT DD SYSOUT=*
//SYSOUT DD SYSOUT=*
//SYSCPRT DD SYSOUT=*

```

```

//SYSUT1 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=80,BLKSIZE=3200)
//SYSUT5 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT6 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT7 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT8 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT9 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=VB,LRECL=137,BLKSIZE=882)
//SYSUT10 DD DISP=SHR,DSN=&SYSUID..ADLAB.CDBG(TMC01A)
//SYSUT14 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT16 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT17 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSLIN DD DUMMY
//SYSIN DD DSN=&SYSUID..ADLAB.SOURCE(TMC01A),DISP=SHR
//*
/*-----
/* COMPILE STEP2: COMPILE THE EXPANDED SOURCE FILE WITH THE DEBUG
/* COMPILER OPTION TEST
/*-----
//COMP2 EXEC PGM=CCNDRVR,REGION=0M,
// PARM=('TEST, AGGREGATE, NOIPA, LIST, NESTINC(255)',
// ' NOOFFSET, NOOPT, SOURCE, XREF, LONGNAME')
//STEPLIB DD DSN=&LEPRFX..SCEERUN2,DISP=SHR
// DD DSN=&CPRFX..SCCNCMP,DISP=SHR
// DD DSN=&LEPRFX..SCEERUN,DISP=SHR
//SYSMSGSD DUMMY,DSN=&CPRFX..SCBC3MSG(EDCMSGE),DISP=SHR
//SYSLIB DD DSN=&LEPRFX..SCEEH.H,DISP=SHR
// DD DSN=&LEPRFX..SCEEH.SYS.H,DISP=SHR
//SYSCPRT DD DISP=SHR,DSN=&SYSUID..ADLAB.CLST(TMC01A)
//SYSOUT DD SYSOUT=*
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=80,BLKSIZE=3200)
//SYSUT5 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT6 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT7 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT8 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT9 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=VB,LRECL=137,BLKSIZE=882)
//SYSUT10 DD SYSOUT=*
//SYSUT14 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT16 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT17 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSLIN DD DSN=&&TEMOBJ1(TMC01A),DISP=(,PASS),UNIT=SYSDA,
// SPACE=(TRK,(20,20,20)),DCB=(RECFM=FB,BLKSIZE=3120,LRECL=80,DSORG=PO)
//SYSIN DD DSN=&SYSUID..ADLAB.CDBG(TMC01A),DISP=SHR
//*
/*-----
/* LINK STEP: LINK THE COMPILED OBJECT DECK
/*-----
//LKED EXEC PGM=IEWL,PARM=(LET,MAP,LIST)
//SYSLIB DD DSN=&LEPRFX..SCEELKED,DISP=SHR
//SYSPRINT DD SYSOUT=*

```

```

//SYSLMOD DD DISP=SHR,DSN=&SYSUID..ADLAB.LOAD
//SYSUT1 DD SPACE=(TRK,(10,10)),UNIT=SYSDA
//OBJECT DD DISP=(OLD,PASS),DSN=&&TEMOBJ1
//* DTLIB DD DSN=&DTPRF..SEQAMOD,DISP=SHR
//SYSLIN DD *
    INCLUDE OBJECT(TMC01A)
    ENTRY CEESTART
    NAME TMC01(R)
/*
/** INCLUDING A DEBUG TOOL LE EXIT (EQADBCXT, EQADDCXT, EQADICXT OR EQAD3CXT)
/** IS OPTIONAL. THE EXIT ENABLES STARTING DEBUG TOOL WITH THE
/** USER EXIT DATA SET UTILITY (ONE OF THE DEBUG TOOL ISPF UTILITIES).
/** AN INCLUDE CAN BE ADDED TO SYSLIN IN THE APPROPRIATE SEQUENCE:
/** INCLUDE DTLIB(EQADBCXT)
/******
/** GENERATE THE TMC01A EQALANGX FILE
/******
//LANGX1 EXEC PGM=IPVLANGX,REGION=32M,
// PARM='(C ERROR'
//STEPLIB DD DISP=SHR,DSN=&LANGXLIB
//          DD DISP=SHR,DSN=&LEPRFX..SCEERUN
//LISTING DD DSN=&SYSUID..ADLAB.CLST(TMC01A),DISP=SHR
//IDILANGX DD DSN=&SYSUID..ADLAB.EQALANGX(TMC01A),DISP=(OLD)

```

Sample JCL for compiling z/OS C++ programs

Here is a JCL example for compiling a z/OS C++ program for use with the ADFz family of products.

```

/* ADD A JOB CARD HERE
/*
/*
/* SAMPLE JCL TO PREPARE A Z/OS C++ PROGRAM USING DWARF WITHOUT HOOKS
/* FOR THE IBM ZSERIES ADFz PRODUCTS:
/* FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
/*
/* NOTES:
/*
/* COMPILER:
/* 1. A 2-STAGE COMPILE IS PERFORMED. STAGE 1 (PREPROCESS) IS
/* DONE TO EXPAND INCLUDES AND MACROS IN THE PROGRAM AND TO
/* PRODUCE AN EXPANDED SOURCE FILE.
/* 2. THE EXPANDED SOURCE FILE IS RETAINED. IT IS USED BY
/* THE MDBG CREATE ROUTINE TO CAPTURE THE SOURCE.
/* 2. COMPILER PARMS ARE SPECIFIED TO GENERATE A DWARF FILE WITH
/* NOHOOKS. OTHER OPTIONS ARE SPECIFIED TO FULFILL FA, DT AND
/* APA REQUIREMENTS.
/*
/* BIND:
/* 1. AN INCLUDE FOR MODULE EQAD?CXT IS OPTIONAL. IT IS AN
/* LE EXIT MODULE THAT CAN BE USED TO START DEBUG TOOL.
/* UNDERSTAND THE METHODS AVAILABLE FOR STARTING DEBUG TOOL,
/* AND CHOOSE WHETHER YOU WANT TO USE THE LE EXITS.
/* IF YOU USE THIS METHOD, INCLUDE THE CORRECT EXIT MODULE:
/* EQADBCXT: FOR BATCH PROGRAMS
/* EQADICXT: FOR ONLINE IMS PROGRAMS
/* EQADDCXT: FOR DB2 STORED PROCEDURES (OF TYPE MAIN AND SUB)
/* (FOR SUB THIS IS SUPPORTED ONLY FOR INVOCATIONS THROUGH CALL_SUB)
/* (DO NOT INCLUDE AN EXIT FOR CICS PROGRAMS)
/* YOU CAN ALSO USE MODULE EQAD3CXT FOR BATCH PROGRAMS, ONLINE IMS
/* PROGRAMS, DB2 TYPE MAIN STORED PROCEDURES.
/*
/* MDBG:
/* AN MDBG FILE IS CREATED FOR DEBUG TOOL. IT WILL CONTAIN ALL THE
/* ROUTINES IN THE PROGRAM OBJECT WITH DBG FILES AND THE CAPTURED
/* SOURCE. IN ORDER TO USE THIS FILE IN DEBUG TOOL, THE DEBUG TOOL
/* SESSION NEEDS TO HAVE THE EQAOPTS MDBG COMMAND SET TO YES.
/*

```

```

/** SET PARMS FOR THIS COMPILE:
/** -----
/**      CPRFX: THE PREFIX THE C++ COMPILE IS INSTALLED UNDER
/**      LEPRFX: THE PREFIX FOR THE LE RUNTIME AND LINK LIBS
/**      DTPRFX: THE PREFIX OF THE DEBUG TOOL SEQAMOD LIBRARY
/**
/**      SET CPRFX=CBC
/**      SET LEPRFX=CEE
/**      SET DTPRFX=EQAW
/**
/** *****
/** * CREATE C++ COMPILER LISTING SYSPRINT, EXPANDED SOURCE DEBUG, */
/** * DBG AND MDBG files. */
/** *****
/**ALLOC EXEC PGM=IEFBR14
/**LISTING DD DSN=&SYSUID..ADLAB.CLST,
/**      DISP=(MOD,CATLG),
/**      DCB=(DSORG=PO,RECFM=VBA,LRECL=137,BLKSIZE=0),
/**      SPACE=(TRK,(20,20,50)),UNIT=SYSDA
/**DBGSRC DD DSN=&SYSUID..ADLAB.CDBG,
/**      DISP=(MOD,CATLG),
/**      DCB=(DSORG=PO,RECFM=FB,LRECL=80,BLKSIZE=0),
/**      SPACE=(TRK,(20,20,50)),UNIT=SYSDA
/**DBG DD DSN=&SYSUID..ADLAB.DBG,
/**      DISP=(MOD,CATLG),
/**      DCB=(DSORG=PO,RECFM=FB,LRECL=80,BLKSIZE=0),
/**      SPACE=(TRK,(40,40,50)),UNIT=SYSDA
/**MDBG DD DSN=&SYSUID..ADLAB.MDBG,
/**      DISP=(MOD,CATLG),
/**      DCB=(DSORG=PO,RECFM=FB,LRECL=80,BLKSIZE=0),
/**      SPACE=(TRK,(40,40,50)),UNIT=SYSDA
/**
/**
/** *****
/** *-----
/** * COMPILE STEP1: GENERATE EXPANDED C++ SOURCE FILE IN THE DD
/** * SYSUT10
/** *-----
/**COMP1 EXEC PGM=CCNDVR,REGION=0M,
/** PARM=('PP(COMMENTS,NOLINES)')
/**STEPLIB DD DSNAME=&LEPRFX..SCEERUN2,DISP=SHR
/**      DD DSNAME=&CPRFX..SCCNCP,DISP=SHR
/**SYMSGS DD DUMMY,DSN=&CPRFX..SCBC3MSG(EDCMSGE),DISP=SHR
/**SYSLIB DD DSNAME=&LEPRFX..SCEEH.H,DISP=SHR
/**      DD DSNAME=&LEPRFX..SCEEH.SYS.H,DISP=SHR
/**      DD DSNAME=&SYSUID..ADLAB.COPYLIB,DISP=SHR
/**SYSPRINT DD SYSOUT=*
/**SYSOUT DD SYSOUT=*
/**SYSCPRT DD SYSOUT=*
/**SYSUT1 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
/**      DCB=(RECFM=FB,LRECL=80,BLKSIZE=3200)
/**SYSUT5 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
/**      DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
/**SYSUT6 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
/**      DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
/**SYSUT7 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
/**      DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
/**SYSUT8 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
/**      DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
/**SYSUT9 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
/**      DCB=(RECFM=VB,LRECL=137,BLKSIZE=882)
/**SYSUT10 DD DISP=SHR,DSN=&SYSUID..ADLAB.CDBG(TMC01A)
/**SYSUT14 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
/**      DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
/**SYSUT16 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
/**      DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
/**SYSUT17 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
/**      DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)

```

```

//SYSLIN DD DUMMY
//SYSIN DD DSNAME=&SYSUID..ADLAB.SOURCE(TMC01A),DISP=SHR
//*
/*-----
/* COMPILE STEP2: COMPILE THE EXPANDED SOURCE FILE WITH THE DEBUG
/* COMPILER DEBUG(FORMAT(DWARF, NOHOOK))
/*-----
//COMP2 EXEC PGM=CCNDVR,REGION=0M,
// PARM=(' /CXX DEBUG(FORMAT(DWARF), NOHOOK, SYMBOL),',
// ' LIST, LONGNAME, NOOFFSET')
//STEPLIB DD DSNAME=&LEPRFX..SCEERUN2,DISP=SHR
// DD DSNAME=&CPRFX..SCNCMP,DISP=SHR
// DD DSNAME=&LEPRFX..SCEERUN,DISP=SHR
//SYMSGS DD DUMMY,DSN=&CPRFX..SCBC3MSG(EDCMSGE),DISP=SHR
//SYSLIB DD DSNAME=&LEPRFX..SCEEH.H,DISP=SHR
// DD DSNAME=&LEPRFX..SCEEH.SYS.H,DISP=SHR
//SYSCPRT DD DISP=SHR,DSN=&SYSUID..ADLAB.CLST(TMC01A)
//SYSOUT DD SYSOUT=*
//SYSPRINT DD SYSOUT=*
//SYSUT1 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=80,BLKSIZE=3200)
//SYSUT5 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT6 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT7 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT8 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT9 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=VB,LRECL=137,BLKSIZE=882)
//SYSUT10 DD SYSOUT=*
//SYSUT14 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT16 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSUT17 DD UNIT=SYSDA,SPACE=(32000,(30,30)),
// DCB=(RECFM=FB,LRECL=3200,BLKSIZE=12800)
//SYSLIN DD DSN=&&TEMOBJ1(TMC01A),DISP=(,PASS),UNIT=SYSDA,
// SPACE=(TRK,(20,20,20)),DCB=(RECFM=FB,BLKSIZE=3120,LRECL=80,DSORG=PO)
//SYSIN DD DSNAME=&SYSUID..ADLAB.CDBG(TMC01A),DISP=SHR
//*
/*-----
/* BIND STEP: BIND THE COMPILED OBJECT DECK INTO A PDSE
/*-----
//BIND EXEC PGM=IEWL,PARM=(LET,MAP,LIST)
//SYSLIB DD DSN=&LEPRFX..SCEELKED,DISP=SHR
// DD DSN=&LEPRFX..SCEECPP,DISP=SHR
//SYSPRINT DD SYSOUT=*
//SYSLMOD DD DISP=SHR,DSN=&SYSUID..ADLAB.LOADPDSE
//SYSUT1 DD SPACE=(TRK,(10,10)),UNIT=SYSDA
//OBJECT DD DISP=(OLD,PASS),DSN=&&TEMOBJ1
/* DTLIB DD DSN=&DTPRFX..SEQAMOD,DISP=SHR
//SYSLIN DD *
INCLUDE OBJECT(TMC01A)
ENTRY CEESTART
NAME TMC01(R)
/*
/*
/*-----
/* BUILD MDBG STEP
/*-----
//DBGD EXEC PGM=CDADBGD,REGION=1500K,
// PARM=('ENVAR("LIBPATH=/usr/lib")/VERSION CAPSRC')
//STEPLIB DD DISP=SHR,DSN=&LEPRFX..SCEERUN2
// DD DISP=SHR,DSN=&LEPRFX..SCEERUN
//SYSIN DD DISP=SHR,DSN=&SYSUID..ADLAB.LOADPDSE(TMC01)

```



```
//SYSDBG DD DISP=SHR,DSN=&SYSUID..ADLAB.MDBG(TMC01)
//SYSRINT DD SYSOUT=*
//SYSOUT DD SYSOUT=*
/*
```

Assembler programs

The following table shows various assembler options that can be used to prepare programs for use with the ADFz family of products (z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS). The methods suggested in the following table indicate whether the load module produced is suitable for a production environment. Load modules suitable for a production environment have no significant runtime overhead.

Table 13. Examples of assembler options and source information files that are supported by ADFz products for Assembler

Assembler options	Source information file type produced	Is the load module production ready?	Options supported and suggested for z/OS Debugger	Options supported and suggested for Fault Analyzer	Options supported and suggested for APA
ADATA	SYSADATA file	Yes	N/A	Supported	Supported
ADATA	LANGX file	Yes	Suggested for production and test		

Preparing Assembler programs

Perform the following steps for assembling your programs:

1. Allocate libraries (PDSE is suggested unless PDS is required for your organization) for LANGX files. Allocate one or more LANGX libraries for each environment, such as test and production.
2. Create a corresponding LANGX library for each load library. Specify LRECL=1562 or greater, RECFM=VB, BLKSIZE= lrecl+4 to 32k.
3. For all programs, such as batch, CICS, and IMS, in both test and production environments, specify ADATA.
ADATA instructs the assembler to produce a SYSADATA file, which contains source and symbolic data about the program. This produces a production-ready module that can be debugged using z/OS Debugger. ADATA does not affect the contents of the assembled module.
4. Add a SYSADATA DD in the assembler step. This file is created by the assembler and it can be a permanent or temporary file. Specify LRECL=8188 or greater, RECFM=VB, BLKSIZE= lrecl+4 to 32k. This file is the input to the IPVLANGX utility.
5. Add a step after the assembler step to run the IPVLANGX utility. The IPVLANGX utility reads the SYSADATA file and creates a LANGX file. The LANGX file is the source information file for z/OS Debugger, Fault Analyzer for z/OS and Application Performance Analyzer for z/OS.
6. Save the LANGX file in the LANGX file library, and specify a member name that is equal to the CSECT name.
7. Modify the promotion process to promote LANGX files. When a load module is promoted, for example, from test to production, promote the corresponding LANGX file or files. A promotion can be a recompile, copy, or move. Perform the same steps with the LANGX file that you perform with the module during promotion.

8. If the assembler program is Language Environment-enabled, optionally include a z/OS Debugger Language Environment exit module into the load module during the linkage editor step. This approach is one way to enable z/OS Debugger panel 6 in ISPF, a simple panel-driven method to start the debugger automatically when a program runs, without JCL changes, based on the program name and user ID. Use module EQADBCXT for batch programs (including IMS batch), EQADICXT for IMS/TM programs and EQADDCXT for DB2 stored procedures. Do not include the exit module for CICS programs.

You can also use module EQAD3CXT for batch programs, IMS/TM, IMS BTS programs, and DB2 type MAIN stored procedures

9. For CICS programs only: If the program is a CICS main program, is enabled for Language Environment, and the z/OS Debugger DTCN transaction is used to start z/OS Debugger, then supplied module EQADCCXT must be included in the load module during the linkage editor step.

Sample JCL for assembling a program

Here is a JCL example for assembling a program for use with the ADFz family of products.

```
//*      - - - ADD A JOB CARD ABOVE THIS LINE - - -
//*
//* SAMPLE JCL TO PREPARE AN ASSEMBLER PROGRAM
//* FOR THE IBM ZSERIES ADFz PRODUCTS:
//*     FAULT ANALYZER, DEBUG TOOL, AND APPLICATION PERF. ANALYZER
//*
//* NOTES:
//*
//* ASSEMBLER:
//*     1. AN ADATA PARM IS REQUIRED TO PRODUCE A SYSADATA FILE
//*
//* A STEP THAT PROCESSES THE SYSADATA FILE,
//* AND CREATES A LANGX FILE IS NEEDED.
//*
//* BINDER (LINKAGE EDITOR):
//*     1. AMODE / RMODE CAN BE CODED AS NEEDED BY THE PROGRAM.  THEY ARE
//*        NOT REQUIRED FOR ADFz.
//*
//* SET PARMS FOR THIS COMPILE:
//* -----
// SET MEM=ASAM1                                PROGRAM NAME
// SET Language EnvironmentHLQ='CEE'           Language Environment HIGH LVL QUALIFIER
// SET UNITDEV=SYSALLDA                         UNIT FOR TEMP FILES
// SET LANGX='IPVLANGX'                       IPVLANGX UTILITY PROGRAM
// SET LANGXLIB='IPV.SIPVMODA'                 LIBRARY FOR IPVLANGX UTILITY
// NOTE: USE THE IPVLANGX FACILITY SHIPPED WITH THE COMMON COMPONENT.
//
// *****
// ASSEMBLER STEP
// *****
//ASM1 EXEC  PGM=ASMA90,COND=(4,LT),REGION=32M,
//          PARM='ADATA,OBJECT'
//SYSIN DD DISP=SHR,DSN=&SYSUID..ADLAB.SOURCE(&MEM)
//SYSPRINT DD SYSOUT=*
//SYSLIN DD DISP=SHR,DSN=&SYSUID..ADLAB.OBJ(&MEM)
//SYSADATA DD DISP=SHR,DSN=&SYSUID..ADLAB.SYSADATA(&MEM)
//SYSLIB DD DSN=SYS1.MODGEN,DISP=SHR
//        DD DSN=SYS1.MACLIB,DISP=SHR
//        DD DSN=&LEHLQ..SCEEMAC,DISP=SHR
//SYSUT1 DD DISP=(NEW,DELETE),DSN=&&SYSUT1,SPACE=(1700,(900,450)),
//        UNIT=&UNITDEV
//SYSUT2 DD DISP=(NEW,DELETE),DSN=&&SYSUT2,SPACE=(1700,(600,300)),
//        UNIT=&UNITDEV
//SYSUT3 DD DISP=(NEW,DELETE),DSN=&&SYSUT3,SPACE=(1700,(600,300)),
//        UNIT=&UNITDEV
```

```

//*
//* *****
//*      STEP TO GENERATE LANGX FILE
//* *****
//LANGX   EXEC PGM=&LANGX,REGION=32M,
//  PARM='(ASM ERROR'
//STEPLIB DD DISP=SHR,DSN=&LANGXLIB
//        DD DISP=SHR,DSN=&LEHLQ..SCEERUN
//SYSADATA DD DSN=&SYSUID..ADLAB.SYSADATA(&MEM),DISP=SHR
//IDILANGX DD DSN=&SYSUID..ADLAB.EQALANGX(&MEM),DISP=SHR
//*
//* *****
//*      LINK-EDIT (BINDER) STEP
//* *****
//LINK    EXEC PGM=IEWL,PARM='MAP',REGION=0M
//SYSLIB  DD DSN=&LEHLQ..SCEELKED,DISP=SHR
//SYSPRINT DD SYSOUT=*
//SYSLMOD DD DISP=SHR,DSN=&SYSUID..ADLAB.LOAD(&MEM)
//SYSUT1  DD UNIT=SYSDA,SPACE=(TRK,(10,10))
//SYSLIN  DD DSN=&SYSUID..ADLAB.OBJ(&MEM),DISP=SHR
//        DD *
//        MODE AMODE(31),RMODE(24)
//        ENTRY ASAM1
//*

```

Chapter 6. IPVLANGX compiler listing to side file conversion utility

IPVLANGX is a utility program that converts a compiler listing, or SYSADATA file, to a LANGX side file.

Creating side files using IPVLANGX

Use the IPVLANGX program to create a side file from a compiler listing.

The sample JCL in Figure 1 on page 70 is provided as member IPVSCMPS in the IPV.SIPVSAM1 data set. It performs the following steps:

- Compiles a COBOL program.

Note: You can only compile one program per compile step in order to name the compiler listing PDS(E) member (if using a partitioned data set), and to ensure that only one compiler listing is written to the output file. Nested COBOL programs are not supported.

- Executes IPVLANGX to process the listing and store it as a side file where the ADFz products can access it. (For return codes issued by IPVLANGX, see “IPVLANGX return codes” on page 100.)
- Writes the listing as part of the job output.

Creating side files using IPVLANGX

```
//IPVSCMPS JOB (GSF), 'GENERATE.SIDE.FILE', NOTIFY=&SYSUID.,
//          MSGCLASS=X, CLASS=A, MSGLEVEL=(1,1)
//          JCLLIB ORDER=(IGY.V2R1M0.SIGYPROC) <== INSTALLATION
//*                                     IGYWCLG PROC
//*
//*****
//* THIS JOB RUNS A COBOL COMPILE PLUS PRODUCES A SIDE FILE */
//* FROM A PROGRAM LISTING THAT THE ADFz PRODUCTS CAN      */
//* USE FOR OBTAINING SOURCE INFORMATION.                   */
//* THE COMPILE OUTPUT IS THEN WRITTEN TO SYSUT2 IN THE     */
//* IEBGENER STEP.                                          */
//*****
//CBLRUN  EXEC IGYWC, PARM=COBOL='LIST,MAP,Source,XREF'
//COBOL.SYSIN DD DATA,DLM='##'
:
:
: (Program source not shown)
:
:
##
//COBOL.SYSPRINT DD DSN=&&COBLIST(IPVSCBL1),
//              DISP=(,PASS), SPACE=(TRK,(10,5,5),RLSE),
//              DCB=(RECFM=FBA, LRECL=133, BLKSIZE=0)
//*
//IPVLANGX EXEC PGM=IPVLANGX, REGION=4096K,
// PARM='IDISCBL1 (COBOL ERROR)'
//LISTING DD DISP=(OLD,PASS), DSN=&&COBLIST 1
//IDILANGX DD DISP=SHR, DSN=IPV.IPVLANGX 2
//SYSUDUMP DD SYSOUT=*
//*
//IEBGENER EXEC PGM=IEBGENER, REGION=4096K
//SYSUT1 DD DISP=OLD, DSN=&&COBLIST(IPVSCBL1)
//SYSUT2 DD SYSOUT=*
//SYSPRINT DD SYSOUT=*
//SYSIN DD *
/*
```

Figure 1. Sample JCL to compile a COBOL program and store the side file

After you have created and stored a side file, there is no benefit to ADFz products in retaining the listing.

If you already have listings, you can turn them into side files. Here is sample JCL to do this conversion (it is provided as member IPVSFIL in the IPV.SIPVSAM1 data set):

```
//IPVLANGX JOB (C97),'IPVLANGX',MSGCLASS=X,
//          CLASS=A,NOTIFY=&SYSUID
//*****
//* This job produces a side file from a program listing that
//* the ADFz products can use for obtaining source information.
//* This particular example is set up for a COBOL extraction
//* from IPV.LISTING.COBOL(COBOLA) to IPV.IPVLANGX
//*****
//IPVLANGX EXEC PGM=IPVLANGX,REGION=4096K,
// PARM='COBOLA (COBOL ERROR'
//LISTING DD DISP=SHR,DSN=IDI.LISTING.COBOL
//IDILANGX DD DISP=SHR,DSN=IDI.IPVLANGX
//SYSUDUMP DD SYSOUT=*
```

Figure 2. Sample JCL to create a side file from a COBOL listing

Notes:

- 1** DDname must be LISTING for all types of compiler listings, or SYSADATA for an assembler ADATA file.
- 2** DDname must be IDILANGX for the output LANGX side file. The data set must be sequential or PDS(E), RECFM=VB, LRECL≥1562.


Refer to the documentation for the individual ADFz products for information about how to provide the LANGX side file for processing.

A compiler listing is the only data format that IPVLANGX accepts as input, with the exception of SYSADATA for assembler.

IPVLANGX parameters

The PARM string passed to IPVLANGX should contain:

Syntax



Notes:

- 1 Either comma or blank character is permitted as delimiter.

where:

mbr_name

The compiler listing or ADATA file member name in the input data set identified by the LISTING DD name (for a compiler listing) or the SYSADATA DD name (if an ADATA file). This parameter is optional. If omitted, the JCL must specify for the compiler listing or ADATA file, either a sequential data set, or a PDS(E) data set with member name. Also, the output IPVLANGX member is named according to the input program name. In the case of COBOL, for example, this name is the name found on the PROGRAM-ID source line.

Creating side files using IPVLANGX

language

The language of the compiler listing or ADATA file, as:

- COBOL
- PLI
- C
- ASM

ERROR

An optional parameter that provides more diagnostics on variables for which information is incomplete.

PermitLangx(msgid, ...)

An optional parameter that specifies message IDs for compiler error messages which should be ignored. For details, see *IBM Fault Analyzer for z/OS User's Guide and Reference*. Chapter 33 "Options", section "PermitLangx".

Including an IPVLANGX step in your SCLM translator

If you use Software Configuration and Library Manager (SCLM) to manage your application software, consider including an IPVLANGX step in your SCLM translator. LANGX side files generally take up less disk space than compiler listings. The following examples show an IPVLANGX step inserted into a High Level Assembler and a COBOL SCLM translator.

High Level Assembler SCLM example

This example is included in data set IPV.SIPVSAM1 as member IPVSCLMA.

```
*          SYSADATA DDNAME used in HLASM step.
*          (* SYSADATA *)
          FLMALLOC  IOTYPE=W,DDNAME=SYSADATA,RECFM=VB,RECNUM=9000,    C
                  LRECL=8188,BLKSIZE=8192,PRINT=Y
*
*
* IPVLANGX BUILD TRANSLATOR
*
          FLMTRNSL  CALLNAM='IPVLANGX',                                C
                  FUNCTN=BUILD,                                       C
                  COMPILE=IPVLANGX,                                  C
                  DSNAME=IPV.SIPVMODA,                               C
                  VERSION=3.5.2,                                     C
                  GOODRC=0,                                          C
                  PORDER=1,                                         C
                  OPTIONS='@@FLMMBR(ASM ERROR'
*
*          (* SYSADATA *)
          FLMALLOC  IOTYPE=U,DDNAME=SYSADATA
*
*          (* IDILANGX *)
          FLMALLOC  IOTYPE=P,DDNAME=IDILANGX,DFTTYP=IDILANGX,        C
                  KEYREF=OUT2,BLKSIZE=27998,LRECL=1562,RECFM=VB,    C
                  RECNUM=10000,DIRBLKS=50,DFTLMEM=*
```

COBOL SCLM example

This example is included in data set IPV.SIPVSAM1 as member IPVSCLMC.

```
*****
*          --COPY SYSPRINT FILE TO LISTING
* The COPYFILE EXEC, in dataset PDFTDEV.PROJDEFS.EXEC contains the
* following:
*
* /* REXX */
```


Including an IPVLANGX step in your SCLM translator

```

* /*****
* /* Copy file I to file O.  Both are assumed to be pre-allocated.  */
* /*****
* PARSE UPPER ARG I", "O .
* "EXECIO * DISKR "I" (STEM R. FINIS "
* "EXECIO * DISKW "O" (STEM R. FINIS "
* RETURN
*
*****
*
      FLMTRNSL  CALLNAM='COPY FILES          ',          C
                FUNCTN=BUILD,                          C
                COMPILE=COPYFILE,                       C
                DSNAME=PDFTDEV.PROJDEFS.EXEC,            C
                CALLMETH=TSOLNK,                         C
                VERSION=1.0,                             C
                PORDER=1,                                C
                OPTIONS=(SYSPRINT,LISTING),              C
                GOODRC=0
      FLMALLOC  IOTYPE=W,RECFM=VBA,LRECL=133,             C
                RECNUM=90000,DDNAME=LISTING
*
      FLMTRNSL  CALLNAM='IPVLANGX',                      C
                FUNCTN=BUILD,                            C
                COMPILE=IPVLANGX,                        C
                DSNAME=IPV.SIPVMODA,                    C
                VERSION=3.5.2,                          C
                GOODRC=0,                                C
                PORDER=1,                                C
                OPTIONS='@@FLMMBR(COBOL ERROR'
*
*      (* LISTING *)
*      FLMALLOC  IOTYPE=U,DDNAME=LISTING
*
*      (* IDILANGX *)
*      FLMALLOC  IOTYPE=P,DDNAME=IDILANGX,DFTTYP=IDILANGX,  C
                KEYREF=OUT2,BLKSIZE=27998,LRECL=1562,RECFM=VB,  C
                RECNUM=10000,DIRBLKS=50,DFTLMEM=*

```

Including an IPVLANGX step in your SCLM translator

Chapter 7. IPVLANGP side file formatting utility

A utility program, IPVLANGP, is provided, which can be used to create a readable listing from one of the following:

- A LANGX side file.
- For Enterprise PL/I, a SYSDEBUG side file that is generated by using the PL/I TEST(SEPARATE) compiler option.
- For Enterprise COBOL prior to Version 5, a SYSDEBUG side file that is generated by using the COBOL TEST(SEPARATE) option.
- For Enterprise COBOL Version 5 or later, a program object containing DWARF debugging information generated by using the TEST(SOURCE) or NOTEST(SOURCE) option.
- For Enterprise COBOL Version 6, a SYSDEBUG side file that is generated by using the COBOL TEST(SEPARATE SOURCE) or NOTEST(SEPARATE SOURCE) option.

This approach might be useful if side files, rather than compiler listings, are kept in order to conserve DASD space. The utility program is able to format the side file or program object DWARF debugging information in a way that resembles the original compiler listing.

IPVLANGP can be executed in a number of different ways:

- As an ISPF option 3.4 (Data Set List Utility) line command against a sequential LANGX side file or COBOL or PL/I SYSDEBUG side file data set, or if the data set is partitioned, as a line command against a member of the data set. For Enterprise COBOL Version 5, IPVLANGP can also be issued against a program object member of a PDSE load library.

If a sequential COBOL or PL/I SYSDEBUG side file data set is used, or if the member of a partitioned COBOL or PL/I SYSDEBUG side file data set does not match any PROGRAM-ID named program contained within it, then a prompt is displayed which permits a program name to be specified.

When a COBOL Version 5 program object contains more than one compile unit, a prompt is displayed to select the desired program.

All LANGX side files that are contained in a sequential data set, or a partitioned data set member, are displayed, regardless of whether these match the member name or not.

The output is written to a temporary data set and displayed using ISPF EDIT.

- From a Fault Analyzer ISPF interface display, using the Services action-bar pull-down menu, and selecting the “IPVLANGP Side File Formatting Utility” option. A prompt is displayed, from which you specify the data set to be formatted.

The output is presented in an ISPF display, but may be copied to a data set using the COPY command.

- As a batch job, like the following:

```
//PRTLXNGX JOB ...
//STEP1 EXEC PGM=IPVLANGP,PARM='parms'
//SYSPRINT DD SYSOUT=*
```

The PARM string passed to IPVLANGP should contain:

IPVLANGP side file formatting utility

Syntax

```
➡—PARM='data_set_name'—┐—————➡
                        └─PROG:program_name─┘
```

where:

data_set_name

The name of a sequential LANGX side file or COBOL or PL/I SYSDEBUG side file data set, or if the data set is partitioned (as is the case for COBOL Version 5 program objects), the data set name with member name included in parentheses.

Examples:

```
MY.SYSDEBUG.SEQ.DS
MY.IPVLANGX.PDS.DS(MYPROG)
```

program_name

The name of a PROGRAM-ID named program contained within a COBOL or PL/I SYSDEBUG side file or COBOL Version 5 program object. This name must be specified if the COBOL or PL/I SYSDEBUG side file data set is sequential, or if the member name of a partitioned data set does not match the name of any program contained within it.

The formatted listing is written to the SYSPRINT DD. Normal listing file attributes, such as variable-blocked record format and logical record length of 137, are generally appropriate.

Deferred Breakpoints Feature

Start IPVLANGP with the “bkp” parameter for a COBOL or PL/I SYSDEBUG file, a COBOL LANGX file, or a COBOL Version 5 program object containing DWARF debugging information. You can also start it from z/OS Debugger Utilities or Fault Analyzer Services menus. Here it is started from an ISPF member list:

Menu	Functions	Confirm	Utilities	Help			
DSLST		JERRYBL.IPVLANGX			Row 0000001 of 0000023		
Command ==>					Scroll ==>		CSR
	Name	Prompt	Size	Created	Changed	ID	
	AFPBIM						
	AFPBIM						
	AFPLDOVL						
	ASMHOLE						
ipvlangp	COBEX1	bkp	1				
	COBOV1						
	COBTINY						
	CPPTST1						
	DACBB030						
	DACVD002						
	DAGOTST						
	HRHP702C						
	NAMUCSM						
	OSVSC01						
	PLIPARM						
	PLIPARME						
	PLIPARM1						
F1=Help	F3=Exit	F5=Rfind	F7=Up	F8=Down	F9=Swap	F10=Left	
F11=Right	F12=Cancel						

1 The “bkp” parameter enables setting of deferred breakpoints.

IPVLANGP then prompts for the z/OS Debugger Repository and the program's load module name (default is program name):

```

Menu  Functions  Confirm  Utilities  Help
-----
D      Deferred Breakpoints
C      IPVLANGP requires the name of the z/OS Debugger Repository and a load
      module name for program COBEX1
-
      Repository (PDS/E) . . PRINT.PDS  2
      Load Module . . . . . COBEX1
I      F1=Help    F3=Exit    F12=Cancel
-
      <<
      COBTINY
      CPPTST1
      DACBB030
      DAGOTST
      HRHP702C
      NAMUCSM
      OSVSC01
      PLIPARM
      PLIPARME
      PLIPARM1
      F1=Help    F3=Exit    F5=Rfind    F7=Up      F8=Down    F9=Swap    F10=Left
      F11=Right  F12=Cancel

```

- 2** The Repository data set name is saved in an ISPF variable and is automatically initialized to the last used data set name on subsequent invocations.

The main IPVLANGP panel now appears:

```

File  Services
-----
IPVLANGP                                     Line 1 Col 1 80
Command ==>                               Scroll ==> CSR
                                         IPVLANGX Print Utility V1R7M0 (AI41974 2015/08/
                                         -----
Program Name . . . . . : COBEX1
Data Set Name. . . . . : JERRYBL.IPVLANGX(COBEX1)
Options in Effect. . . . : NoLocale
Compiler name. . . . . : IBM Enterprise COBOL for z/OS  4.2.0
Date of Compile. . . . . : 2015-04-30
Time of Compile. . . . . : 12.52.1130
Date of IPVLANGX extraction. : 2015-07-06
Time of IPVLANGX extraction. : 11.43.2206

Source listing
-----
Place cursor on an executable source line number or label to add a
breakpoint
-----
F10=Left    F11=Right

```

Any existing breakpoints for the program are retrieved from the repository. Line (Stmt) numbers where breakpoints are set will be highlighted, for example lines 173 and 175 in the following example:

Deferred Breakpoints Feature

```

File Services
IPVLANGP                                     Line 176 Col 1 80
Command ==>                               Scroll ==> CSR

00091C 000171                                PERFORM CALC-TAX.
00093E 000173                                CALC-TAX.
000954 000174                                IF ELECTRIC
00097E 000175                                COMPUTE BASE-AMOUNT = PRICE / CC
00099E 000176                                COMPUTE TAX-AMOUNT = PRICE / BASE-AMOUNT
0009B6 000177                                ELSE
0009D6 000178                                COMPUTE BASE-AMOUNT = CC / CYLINDERS
0009F4 000179                                IF KW < 150
000A14 000180                                MOVE 10 TO BASE-AMOUNT
000A34 000181                                ELSE
000A54 000182                                MOVE 20 TO BASE-AMOUNT
000A74 000183                                IF ZERO-100 < 5
000A94 000184                                ADD 5 TO BASE-AMOUNT
000AB4 000185                                ELSE
000AD4 000186                                IF RED
000AF4 000187                                ADD 2 TO BASE-AMOUNT
000B14 000188                                ELSE
F1=Help   F3=Exit   F5=RptFind  F6=AddBkp  F7=Up    F8=Down
F10=Left  F11=Right

```

Breakpoints can be added or viewed by pressing PF6, which is sensitive to the cursor position:

- With the cursor on a Line (Stmt) number, a popup appears allowing a new line or label breakpoint to be added, or an existing breakpoint to be modified (or cleared).
- If the cursor is outside of the source area (for example, on the command line), a list of existing breakpoints is shown allowing one or more to be worked with.

In the following example, PF6 is pressed with the cursor on the command line:

```

File  Services

Breakpoints                                     Line 1 Col 1 76

S to select breakpoints to work with:
s 000173 AT EVERY 10 FROM 1 TO 9 LABEL CALC-TAX;
_ 000175 AT EVERY 10 FROM 9 TO 1 LINE 175 WHEN cc=0;

*** Bottom of data.

Command ==>                                     Scroll ==> CSR
F1=Help      F3=Exit      F5=RptFind  F7=Up      F8=Down      F12=Cancel

<<
0008F4 000167          MOVE ZERO TO TAX-AMOUNT.
0008FA 000168          PERFORM REDO-TAX.
000910 000170          REDO-TAX.
00091C 000171          PERFORM CALC-TAX.
00091E 000173          CALC-TAX.
00093E 000174          IF ELECTRIC
000954 000175              COMPUTE BASE-AMOUNT = PRICE / CC
00097E 000176              COMPUTE TAX-AMOUNT = PRICE / BASE-AMOUNT
00097E 000177              ELSE
0009AC 000178                  COMPUTE BASE-AMOUNT = CC / CYLINDERS
0009D6 000179                  IF KW < 150
0009EA 000180                      MOVE 10 TO BASE-AMOUNT
0009EA 000181                      ELSE
0009FA 000182                          MOVE 20 TO BASE-AMOUNT
0009FA 000183                          IF ZERO-100 < 5
000A0E 000184                              ADD 5 TO BASE-AMOUNT
000A0E 000185                              ELSE
000A2C 000186                                  IF RED
000A3E 000187                                      ADD 2 TO BASE-AMOUNT
000A3E 000188                                      ELSE
F1=Help      F3=Exit      F5=RptFind  F6=AddBkp  F7=Up      F8=Down
F10=Left     F11=Right

```

As shown, breakpoints are listed in z/OS Debugger command format.

Enter the 'S' line command to work with one or more existing line or label breakpoints. Here, the line 173 breakpoint is selected:

Deferred Breakpoints Feature

File
Services

Breakpoints
Line 1 Col 1 76

S Add Label Breakpoint
Line 1 Col 1 76

S

Label:
000173 CALC-TAX.

*

EVERY 10 FROM 1 TO 9 3

Action playback enable

Clear breakpoint? N (Y/N)

C Press ENTER to change/clear breakpoint.

<-- Command ==>

000 F1=Help F3=Exit F5=RptFind F7=Up F8=Down F12=Cancel CSR

000 <--

000170 REDO-TAX.

00091C 000171 PERFORM CALC-TAX.

000173 CALC-TAX.

00093E 000174 IF ELECTRIC

000954 000175 COMPUTE BASE-AMOUNT = PRICE / CC

00097E 000176 COMPUTE TAX-AMOUNT = PRICE / BASE-AMOUNT

00097E 000177 ELSE

0009AC 000178 COMPUTE BASE-AMOUNT = CC / CYLINDERS

0009D6 000179 IF KW < 150

0009EA 000180 MOVE 10 TO BASE-AMOUNT

0009EA 000181 ELSE

0009F4 000182 MOVE 20 TO BASE-AMOUNT

0009FA 000183 IF ZERO-100 < 5

000A0E 000184 ADD 5 TO BASE-AMOUNT

000A0E 000185 ELSE

000A2C 000186 IF RED

000A3E 000187 ADD 2 TO BASE-AMOUNT

000A3E 000188 ELSE

F1=Help F3=Exit F5=RptFind F6=AddBkp F7=Up F8=Down

F10=Left F11=Right

The Add Label Breakpoint popup is used to add, change or clear a label breakpoint.

3 Line and label breakpoints may specify an EVERY clause and an Action.

File Services

Breakpoints

Line 1 Col 1 76

S

Add Label Breakpoint

Line 1 Col 1 76

S

Label:

000173 CALC-TAX.

*

EVERY

10

FROM

1

TO

9

WHEN

cc = 0

4

Action

playback disable

C

Clear breakpoint? N (Y/N)

<<|

000 Press ENTER to change/clear breakpoint.

000 *** Bottom of data.

000

000 Command ==>

000 F1=Help F3=Exit F5=RptFind F7=Up F8=Down Scroll ==> CSR

000 F12=Cancel

000 <<

00097E 000176 COMPUTE TAX-AMOUNT = PRICE / BASE-AMOUNT

00097E 000177 ELSE

0009AC 000178 COMPUTE BASE-AMOUNT = CC / CYLINDERS

0009D6 000179 IF KW < 150

0009EA 000180 MOVE 10 TO BASE-AMOUNT

0009EA 000181 ELSE

0009F4 000182 MOVE 20 TO BASE-AMOUNT

0009FA 000183 IF ZERO-100 < 5

000A0E 000184 ADD 5 TO BASE-AMOUNT

000A0E 000185 ELSE

000A2C 000186 IF RED

000A3E 000187 ADD 2 TO BASE-AMOUNT

000A3E 000188 ELSE

F1=Help F3=Exit F5=RptFind F6=AddBkp F7=Up F8=Down

F10=Left F11=Right

Similarly, the Add Line Breakpoint popup is used to add, change or clear (delete) a line breakpoint.

4 Line breakpoints may also specify a WHEN condition.

On exiting IPVLANGP, the following popup appears:

Deferred Breakpoints Feature

```
File Services

Save Breakpoints for Program COBEX1                               Line 1 Col 1 76

Select one of the following:
  1. Save breakpoints
  2. Exit without saving new or changed breakpoints
  3. Clear all breakpoints for this program

Breakpoints:
000173 AT EVERY 10 FROM 1 TO 9 LABEL CALC-TAX playback enable;
000175 AT EVERY 10 FROM 9 TO 1 LINE 175 WHEN cc=0 playback disable;

*** Bottom of data.

Command ==>
F1=Help      F3=Exit      F5=RptFind   F7=Up        F8=Down      Scroll ==> CSR
F12=Cancel

<<
0008F4 000167          MOVE ZERO TO TAX-AMOUNT.
0008FA 000168          PERFORM REDO-TAX.
000170          REDO-TAX.
00091C 000171          PERFORM CALC-TAX.
000173          CALC-TAX.
00093E 000174          IF ELECTRIC
000954 000175          COMPUTE BASE-AMOUNT = PRICE / CC
00097E 000176          COMPUTE TAX-AMOUNT = PRICE / BASE-AMOUNT
00097E 000177          ELSE
0009AC 000178          COMPUTE BASE-AMOUNT = CC / CYLINDERS
0009D6 000179          IF KW < 150
0009EA 000180          MOVE 10 TO BASE-AMOUNT
0009EA 000181          ELSE
0009F4 000182          MOVE 20 TO BASE-AMOUNT
0009FA 000183          IF ZERO-100 < 5
000A0E 000184          ADD 5 TO BASE-AMOUNT
000A0E 000185          ELSE
000A2C 000186          IF RED
000A3E 000187          ADD 2 TO BASE-AMOUNT
000A3E 000188          ELSE
F1=Help      F3=Exit      F5=RptFind   F6=AddBkp    F7=Up        F8=Down
F10=Left     F11=Right
```

Breakpoints are saved back to the Repository in XML format. Use DTU to convert the breakpoint XML definitions to a z/OS Debugger commands file ready for use with the next debug session.

Deferred Breakpoints also feature in Fault Analyzer's COBOL Explorer.

Chapter 8. IPVLANGO Automatic Binary Optimizer LANGX file update utility

The Automatic Binary Optimizer for z/OS (ABO) product optimizes COBOL object code produced by the following compilers:

- Enterprise COBOL for z/OS Version 4
- Enterprise COBOL for z/OS Version 3
- COBOL for OS/390 & VM V2R2
- COBOL for OS/390 & VM V2R1
- COBOL for MVS & VM V1R2
- COBOL/370 1.1
- VS COBOL II V1.4.0 (LE enabled modules only)
- VS COBOL II V1.3.x (LE enabled modules only)

ABO optimization results in code changes that render any existing compiler listing or side file unusable with the optimized program. The IPVLANGO utility creates LANGX file members that can be used to provide source-level debugging of the optimized program with ADFz products such as Fault Analyzer, z/OS Debugger, and APA. New LANGX file members can be created from compiler listings, SYSDEBUG side files, or existing LANGX files.

The sample job step in Figure 3 on page 84 takes the listing transforms file from a previous ABO step and merges it with one or more LANGX file members to create 'optimized' LANGX members. (Refer to ABO documentation for the complete optimization JCL, which this sample job step can be appended to.) If the listing transforms file is a PDS(E), it must specify a member name. In Figure 3, the input is a LANGX data set (DD:IPVLANGX); alternatively, it could be a compiler listing (DD:IPVLCOB) or a SYSDEBUG data set (DD:IPVSYSDB).

As ABO can process multiple programs in a single invocation, the listing transforms file has a PROC section for each optimized program. To accommodate this, compiler listing, SYSDEBUG, and LANGX data set DDs should specify a PDS(E) data set without a member name. The input PDS(E) should contain a member for each PROC in the listing transforms file. Likewise, the output LANGX PDS(E) contains a member for each PROC in the listing transforms file.

The IPVLANGO utility uses the following DDs:

LISTING

The (input) ABO listing transforms file that was written in the ABO step to SYSPRINT. This can be a sequential data set, a PDS(E) member, or a concatenation.

IPVLANGX | IPVLCOB | IPVSYSDB

The original (input) side file that represents one or more unoptimized programs. This must be a PDS(E) that contains a member for each program. Multiple data sets can be provided by specifying a concatenation. Do not specify a member name. Use one of these DDs depending on the input side file format.

IPVLANGO

The new (output) LANGX side file that represents one or more optimized

IPVLANGO Automatic Binary Optimizer LANGX file update utility

programs. This must be a VB PDS(E) with LRECL>=1562 and must not be the same data set as the one specified for IPVLANGX. A member is written for each PROC in the listing transforms file. Do not specify a member name. Note that this data set cannot subsequently be used as input to the IPVLANGO utility.

SYSPRINT

A log of procedures processed and any problems encountered. IPVLANGO returns 0 if there are no problems.

```
//LANGO EXEC PGM=IPVLANGO
//LISTING DD DISP=SHR,DSN=*.OPT.SYSPRINT  <--- Input ABO transforms file
//IPVLANGX DD DISP=SHR,DSN=JERRYBL.BINOPT.LANGX
//IPVLANGO DD DISP=SHR,DSN=JERRYBL.BINOPT.LANGX.ABO
```

Figure 3. Sample job step to create an 'optimized' LANGX side file

Chapter 9. Maintaining ADFz Common Components

Take the following steps to apply maintenance to ADFz Common Components:

1. If ADFzCC SMP/E target libraries are in LINKLIST, remove them from LLA and VLF control before you perform the SMP/E APPLY. The removal is to avoid errors when modules are loaded from LINKLIST because SMP/E compressed or added extents to the libraries.
2. Perform SMP/E APPLY.
3. If the updated ADFzCC modules are in LPA, do one of the following actions:
 - IPL with CLPA
 - Perform dynamic updates as follows:
 - If the IPVLANGX module is placed in LPA by using the command **SETPROG**, which is opposed to placing IPV.SIPVLPA1 in LPA, take the following actions:
 - a. Issue the following command:
`SETPROG LPA,DELETE,MOD=IPVLANGX),FORCE=YES`
For complete information about the command **SETPROG**, see MVS System Commands.
 - b. Issue the following command:
`F LLA,REFRESH`
 - c. Optional: To add the IPVLANGX module to LPA and regain the region size space advantage, issue the following command:
`SETPROG LPA,ADD,MOD=(IPVLANGX),DSN=LNKLST`
 - If IPV.SIPVLPA1 is included in your LPALIST, issue the following command:
`SETPROG LPA,ADD,MOD=(IPVLANGX),DSN=LNKLST`

Chapter 10. ADFzCC event processing

ADFzCC event processing is a feature that allows any products or systems including the ADFz family of products to send data to an asynchronous installation-written back-end for processing. Do not send sensitive information by using this feature. The validity of all data is the responsibility of the users.

The ADFzCC event processing feature includes the following items:

- Sender load module IPVEPSND
- Receiver load module IPVEPRCV
- IPVCNF00 option EVENTPROCESSINGEXIT
- The Event Processing user exit

Sender load module IPVEPSND

The IPVEPSND load module contains the fetchable LE function IPVEPSND(). It spawns an extra BPX batch address space in which the module IPVEPRCV runs asynchronously.

This module transfers data to IPVEPRCV via stdin, and any debug information is passed back to it via stdout if the debug mode is active.

If this feature is enabled via the EventProcessingExit option, ADFz products> transparently call IPVEPSND to perform event processing.

Note: If the debug mode is activated, IPVEPRCV does not run asynchronously to IPVEPSND.

Usage

IPVEPSND, the fetchable LE function IPVEPSND(), is defined as:

```
int IPVEPSND(char *ProdID, char *UsrPgm, char *BufPtr, char *DbgDDn);
```

The parameters are defined as follows:

ProdID

The product ID. For example: the Fault Analyzer product ID is "IDI"; the File Manager product ID is "FMN".

UsrPgm

The user program name. For the ADFz family of products, the user program name is obtained via the EVENTPROCESSINGEXIT option.

BufPtr The buffer pointer. The 31-bit address of a storage buffer to be passed to the Event Processing exit in the following format:

Byte 0-3

Total data length

Byte 4 Segment data

Byte 0-1

Segment length

Byte 2 Segment data

Repeat segment length and segment data for all segments

DbgDDn

The debug DDname.

The returned int value includes the following descriptive bytes:

Byte 0 IPVEPSND return code (0 = successful).

Byte 1 IPVEPRCV return code (0 = successful). This byte is valid only if the debug DDname is specified.

Byte 2-3

User exit return code. This byte is valid only if the debug DDname is specified.

Example

```
void *fetch_ptr;
typedef void exit_U(char *ProdID, char *UsrPgm, void *BufPtr, char *DbgDDn);
#pragma linkage(exit_U, OS)
exit_U *exit_ep;
char *exit_name;
char event_data[1024];
char *data_item1 = "Fred=Yes";
char *data_item2 = "Barney=No";
int i;

i = 4;
*(short *)&event_data[i] = strlen(data_item1);
memcpy(data_buffer + i + 2, data_item1, strlen(data_item1));
i += (2 + strlen(data_item1));

*(short *)&event_data[i] = strlen(data_item2);
memcpy(data_buffer + i + 2, data_item2, strlen(data_item2));
i += (2 + strlen(data_item2));

*(int *)&event_data[0] = i;

// Set exit_name to the current EVENTPROCESSINGEXIT option value...

fetch_ptr = (void *)fetch("IPVEPSND");
if (fetch_ptr) {
    exit_ep = (exit_U *)fetch_ptr;
    exit_ep("XYZ", exit_name, event_data, 0);
}
```

Receiver load module IPVEPRCV

The IPVEPRCV load module is internal. It is the load module that is executed in the BPX batch address space that is spawned by IPVEPSND().

IPVEPRCV provides an interface to the user exit that is specified via the EVENTPROCESSINGEXIT option.

IPVCNF00 option EVENTPROCESSINGEXIT

Use the EventProcessingExit option to specify the name of the exit to be invoked to process an event. For more information, see “EventProcessingExit” on page 17.

The Event Processing user exit

The exit name that is specified in the IPVEPSND *UsrPgm* parameter must be a fetchable LE function with the following format:

```
int exit_name(char *ProdID, char *BufPtr);
```

The *ProdID* and *BufPtr* are the same as specified for IPVEPSND.

The user exit load module must be available via the normal search path, that is, JOBLIB, STEPLIB, LINKLIST, and so on.

The user exit is invoked in problem state, that is, key 8.

For ADFz products, the exit name is specified via the EventProcessingExit option.

Example customer event processing user exit

The following code is a stub example of an exit written in C that can be specified via the EVENTPROCESSINGEXIT option, named as IPVEPXIT.

```
#pragma linkage(IPVEPXIT, fetchable)

#include <string.h>

int IPVEPXIT(char *ProdID, char *BufPtr) {

    if (!BufPtr) {
        printf("BufPtr is null! Exiting...\n");
        return;
    }

    if (strcmp(ProdID, "IDI")) {

        //Event from Fault Analyzer has been detected.
        //processFAEvent(BufPtr); ...

    } else if (strcmp(ProdID, "FMN")) {

        //Event from File Manager has been detected.
        //processFMEvent(BufPtr); ...

    } else if (strcmp(ProdID, "ABC")) {

        //Event from application ABC has been detected.
        //processABCEvent(BufPtr); ...

    }
}
```

Appendix A. Messages

ADFzCC server messages

The following information is provided for each ADFzCC server message:

- The message identifier.
- The text of the message.
- An explanation of the message.
- The required user response.

Messages have a unique alphanumeric identifier with the following format:

IPVnnnns

where:

nnnn Is a 4-digit number.

s Is a severity level indicator with the following meanings:

- I - Informational
- W - Warning
- S - Severe

IPV0001I Server on port %i exiting

Explanation: The server is finished processing. Either errors occurred during startup, running, or the server is responding to a shutdown command.

System action: The server finishes processing.

User response: If the shutdown was unexpected, examine previous messages for the cause.

IPV0002I Error establishing SSL environment: %i

Explanation: An error occurred while establishing the SSL environment.

System action: The ADFzCC server attempts to continue.

User response: Examine previous messages for reasons for environment failure. If previous messages do not help, contact IBM support.

IPV0003S Console modify/stop interface failed rc=%i, errno=%i error= %s

Explanation: An error occurred while establishing the console interface.

System action: The ADFzCC server exits.

User response: Examine the provided error for reasons for failure. If previous messages do not help, contact IBM support.

IPV0004I Number of configurations %i

Explanation: During start or configuration refresh, the

CONFIG data was read and the specified number of configurations were recognized.

System action: None.

User response: If the number of configurations is unexpected, check the CONFIG concatenations and contents.

IPV0005I Config number %i startup %s

Explanation: During start or configuration refresh, the configuration specified an initial program to run.

System action: None.

User response: None.

IPV0006W System call rc=%i error=%s

Explanation: A call to run a program according to a configuration failed.

System action: None.

User response: None.

IPV0007W Expected a portnumber integer. Received %s

Explanation: The server expects an integer portnumber as the first parameter.

System action: The server attempts to continue starting, using port 2800.

User response: Check the invocation parameter for the server.

IPV0008W Expected AF_INET or AF_INET6.
Received %s

Explanation: The server expects the address family type as the second parameter.

System action: The server attempts to continue starting, using the AF_INET family.

User response: Check the invocation parameter for the server.

IPV0009I Using address family %s.

Explanation: The server is using the specified address family.

System action: None.

User response: None.

IPV0010I Using port %i.

Explanation: The server is using the specified port number.

System action: None.

User response: None.

IPV0011S listen() error: %s

Explanation: The listen call failed with the specified error.

System action: The server is shut down.

User response: Correct the listed error if possible and restart the server.

IPV0012W Spawn failure for %s. Error: %s __errno2 = %08x

Explanation: The attempt to spawn the specified program failed with the listed error and error code.

System action: The server continues to run.

User response: Examine the error and possibly examine the CONFIG file ensuring that customization occurred correctly.

IPV0013W Missing value for keyword '%s'

Explanation: While reading the CONFIG file, an expected value for a keyword was missing.

System action: The server continues to run.

User response: Check the CONFIG file for the specified keyword and specify an appropriate value.

IPV0014W Failure to acquire storage for configuration instance %i

Explanation: While preparing configurations, a failure to acquire storage occurred.

System action: The server attempts to continue to run.

User response: Check the REGION specification for the server. Increase and restart the server.

IPV0015I ADFzCC server Running on port %i.

Explanation: Console message to indicate that the server is now accepting connections.

System action: None.

User response: None.

IPV0016I Established SSL environment.

Explanation: The call to System SSL to initialize an environment was successful.

System action: None.

User response: None.

IPV0017W Unable to create temporary file %s. %s

Explanation: The call to create a temporary file for a configuration failed.

System action: The server attempts to continue, however the configuration might be unusable.

User response: Examine the file path and error condition as shown. Correct the configuration file or update the directory permissions and restart or refresh the server.

IPV0018W Unable to verify dsn %s

Explanation: The existence of data set %s in a STEPLIB= value could not be verified.

System action: The server attempts to continue, however the configuration might be unusable.

User response: Examine the named data set and ensure that it is the correct name. If necessary, update the configuration file and restart or refresh the server.

IPV0019W Unable to open CONFIG %s

Explanation: During startup, or a refresh command, the DD CONFIG was unable to be opened.

System action: If this occurs during initial start of the server, the server terminates. During a refresh, no new configurations are loaded.

User response: Examine the error and the CONFIG data sets to ensure that they exist. If necessary, update the configuration file and restart or refresh the server.

IPV0020I REFRESH completed, %i configs processed.

Explanation: A REFRESH console command has now completed. The server has re-read the configurations as specified in the CONFIG DD.

System action: None.

User response: None.

IPV0021W REFRESH found errors in new configs, not activated.

Explanation: A REFRESH console command was issued, but during reading of the CONFIG DD, some errors occurred.

System action: The server continues with its prior configuration.

User response: Check the server output for possible further information on the problems that are found in the CONFIG file(s)

IPV0022S Creation of key database at %s failed, error %s

Explanation: The configuration specifies that the server create a certificate to be used, however an error as described occurred when attempting to create the key database.

System action: The server terminates.

User response: If the error is an IO error, check the specified location for enough space (65KB). Otherwise, check that the location is writeable. To specify an alternate location, set the configuration keyword WORKDIR to the directory to be used.

IPV0023S Creation of self-signed certificate failed, error %s

Explanation: The configuration specifies that the server create a certificate to be used, however an error as described occurred when attempting to create the self-signed certificate in the key database.

System action: The server terminates.

User response: Check the listed error and check documentation for the gsk_create_self_signed_certificate API.

IPV0024I Traceon received, trace already active.

Explanation: The Server received a modify command to turn on tracing, but it is already on.

System action: None.

User response: None.

IPV0025I Traceon received, trace turned on.

Explanation: The Server received a modify command to turn on tracing and has done so. Trace output goes to the IPVTRACE file(DD) if present, or to the STDOUT file if not.

System action: None.

User response: None.

IPV0026I Traceoff received, trace already off.

Explanation: The Server received a modify command to turn off tracing but it is already off.

System action: None.

User response: None.

IPV0027I Traceoff received, trace turned off.

Explanation: The Server received a modify command to turn off tracing and has done so.

System action: None.

User response: None.

IPV0028I Unrecognized modify command.

Explanation: The Server received a modify command, but did not recognize it.

System action: None.

User response: Check that modify contained one of the valid requests; TRACEON, TRACEOFF, VER or REFRESH.

IPV0029W Client config name %s not found in CONFIG DD content.

Explanation: The Server received a client connection request for the named config, but no matching CONFIG=name statement was found in the data that was contained in the CONFIG DD concatenation.

System action: The client connection request is refused.

User response: Check that the configurations referenced by the CONFIG DD for the server, contain a CONFIG=name section.

IPV0030I API start PID=processid

Explanation: A process (processid) launched by the common server has invoked the common server subordinate API to start the environment setup and handshake with client.

System action: None.

User response: None.

IPV0031I API closure PID=processid

Explanation: A process has invoked the common server subordinate API to close the environment setup and client connection.

System action: None.

User response: None.

IPV0032I ADFzCC server Release=%s PTF=%s

Explanation: In response to the VER modify command, the server lists its release and PTF level information.

System action: None.

User response: None.

IPV0033W Unknown token %s with value %s for CONFIG=%s

Explanation: While processing the configuration file, an unrecognized token/value pair was found.

System action: The invalid token is ignored and processing attempts to continue.

User response: Review the configuration file for the named token. Look for a misspelling or incorrect token or value.

IPV0041W Maximum user variables (500) reached when processing token %s, value %s in configuration %s

Explanation: The limit of substitution values has been reached.

System action: The server attempts to continue, however the configurations might be unusable.

User response: Examine the number of \$token=value pairs present in the configuration file and reduce to less than 500.

IPV0042W Unable to stat file %s.

Explanation: The server is unable to check the configuration launch file entry.

System action: The server attempts to continue, however this launch configuration is unusable.

User response: Examine the file path and ensure that the setup was completed correctly. Most likely the file or directory path is not owned or correctly permitted in order for this server instance to access the named file. The WORKDIR configuration step of installation needs to be checked and rerun.

IPV0043W Not owner of launch file %s.

Explanation: The server is not the owner of a configuration launch file entry.

System action: The server attempts to continue, however this launch configuration is unusable.

User response: Examine the file path and ensure that the setup was completed correctly. Correct the condition by ensuring that the file owner is updated to the userid of the server. The file system that the file is mounted on needs to allow SETUID for the owner to be changed with the chmod command.

IPV0044W Launch file %s is not marked as sticky.

Explanation: A configuration launch file has not been created correctly.

System action: The server attempts to continue, however this launch configuration is unusable.

User response: Examine the file path and WORKDIR location. If the WORKDIR is correct, the installation configuration step for the WORKDIR might need to be rerun.

IPV0045S Configuration specifies AT-TLS, but AT-TLS rule is missing or invalid.

Explanation: The configuration specifies ATTLS=Y, but an AT-TLS rule for the inbound connection was not found or was not 'ApplicationControlled'.

System action: The ADFzCC server is shut down.

User response: Contact your security administrator or system programmer to verify the AT-TLS configuration of your installation.

IPV0046S AT-TLS specified, but no protocol provided by SSL_REQUIRED parameter.

Explanation: The configuration specifies ATTLS=Y, but the SSL_REQUIRED parameter does not specify a protocol value.

System action: The ADFzCC server is shut down.

User response: Contact your security administrator or system programmer to verify that the ADFzCC server configuration of your installation specifies a valid protocol that is supported by your AT-TLS configuration.

IPV0047S Insufficient storage available.

Explanation: An attempt to acquire storage failed because insufficient storage was available.

System action: The ADFzCC server is shut down.

User response: Check your system for any task using

excessive storage. Restart the server when sufficient storage is available.

IPV0048S SYSOUT=* not permitted in configuration.

Explanation: The configuration file specified by the CONFIG DD statement uses SYSOUT=*, which cannot be resolved by a started session.

System action: The ADFzCC server is shut down.

User response: Change the configuration member to specify a valid SYSOUT class.

IPV0049S PASSTK parameter expresses an invalid timeout value

Explanation: The PASSTK parameter in CONFIG DD expresses an invalid value. The PASSTK value should express a positive integer that specifies a timeout period in minutes for a client to use PassTickets following a successful log on. The default is 480 (8 hours).

System action: The ADFzCC server is shut down.

User response: Change configuration to use a valid PASSTK value.

IPV0050S Attempt to verify PASSTICKET environment failed, rc=*nn*

Explanation: The attempt to verify PASSTICKET

authority failed. The server does not have sufficient authority to generate PASSTICKETs. *nn* is the return code from the PassTicket generation routine. A return code of 16 means the server is not APF authorized.

System action: The ADFzCC server is shut down.

User response: Ensure that the execution environment meets the prerequisites for PASSTICKET generation and then restart the server.

IPV0051I Verifying server PASSTICKET authority

Explanation: The server configuration indicates that PASSTK services are required. The server must verify that it has sufficient authority to satisfy client PASSTK requests.

System action: The ADFzCC server verifies that it has PASSTICKET authority.

User response: None.

IPV0052I Server PASSTICKET authority verification successful

Explanation: The ADFzCC server has verified that it has sufficient authority to satisfy client PASSTK requests.

System action: The ADFzCC server continues to run.

User response: None.

IPVLANGX messages

These messages are issued by the IPVLANGX program, which is used internally by Fault Analyzer or invoked by the user when creating side files.

IDISF8001I IPVLANGX Version *version* (Release *release*)

Explanation: This message shows the IPVLANGX program identification, version, and release date.

System action: Processing continues.

User response: None

IDISF8002I Output file: *member_name* DD*name*

Explanation: This message identifies the file to which the extract data information is written by IPVLANGX.

The *member_name* field is not included in the message if using a sequential file.

System action: Processing continues.

User response: None

IDISF8003I ... scanning *txt1*

Explanation: This message indicates that the

information that was specified in *txt1* is being read from the associated file and processed.

System action: Processing continues.

User response: None

IDISF8004I ... checking *txt1*

Explanation: This message indicates that the information that was specified in *txt1* is checked for consistency.

System action: Processing continues.

User response: None

IDISF8005I *txt1* Pass *dec2* processing begins

Explanation: This message indicates pass *dec2* of the multi-pass processing task that is specified in *txt1* is now being performed.

System action: Processing continues.

User response: None

IDISF8006I Post-processing begins

Explanation: This message indicates that all necessary information was read from the associated files, and post-processing of this information is being performed.

System action: Processing continues.

User response: None

IDISF8007I ... matching *txt1*

Explanation: This message indicates that the information that was specified in *txt1* is now being correlated.

System action: Processing continues.

User response: None

IDISF8008I ... performing *txt1*

Explanation: This message indicates that the processing step specified in *txt1* is now being performed.

System action: Processing continues.

User response: None

IDISF8010I *txt1* records scanned: *dec2*

Explanation: This message indicates that *dec2* records were read from the *txt1* file when the current compile unit was processed by IPVLANGX.

System action: Processing continues.

User response: None

IDISF8011I ...Symbols *txt1*.. *dec2*

Explanation: This message indicates that the current compile unit contained *dec2* symbols with characteristics of type *txt1*.

System action: Processing continues.

User response: None

IDISF8012I ...Long Name Resolution IDs: *dec1*

Explanation: This message indicates that the current compile unit contained *dec1* Long Name Resolution Identifiers.

System action: Processing continues.

User response: None

IDISF8013I ...Total symbols: *dec1*

Explanation: This message indicates that the current compile unit contained *dec1* symbols.

System action: Processing continues.

User response: None

IDISF8014I Records written to output file: *dec1*

Explanation: This message shows the number of records of extract data information which were written to the output file.

System action: Processing continues.

User response: None

IDISF8015I Operation completed for this compile unit

Explanation: Processing was completed for the current compile unit.

System action: Processing continues if extra compile units are present.

User response: None

IDISF8016I *txt1* member_name DDname

Explanation: This message identifies the input file(s) which were processed by IPVLANGX.

The *txt1* field is normally "Input file:" or "Input files:".

The *member_name* field is not included in the message if using a sequential file.

System action: Processing continues.

User response: None

IDISF8017I Operation completed for this extract file

Explanation: This message is the last message to be displayed by IPVLANGX, and indicates that processing is completed for this IPVLANGX extract data file.

System action: Processing has completed.

User response: None

IDISF8018I *txt1* bytes scanned: *dec2*

Explanation: This message indicates that *dec2* bytes of data were read from the *txt1* file when the current compile unit was processed by IPVLANGX.

System action: Processing continues.

User response: None

IDISF8020I ...Blocks of dead code eliminated.....
dec1

Explanation: This message indicates that *dec1* blocks of code which had been removed by optimization by the compiler have been identified. The source code and variables that are associated with these blocks have been eliminated from the extract data.

System action: Processing continues.

User response: None

IDISF8050W Argument missing for *txt1* option. *txt2*

Explanation: The argument for IPVLANGX option *txt1* was not found during processing of the IPVLANGX invocation parameters.

System action: The default argument for the *txt1* option is assumed.

User response: If you are using IPVLANGX directly to create a side file, specify the invocation options as explained in Chapter 6, "IPVLANGX compiler listing to side file conversion utility," on page 69. If the message is issued during fault analysis, contact your IBM service representative.

IDISF8051S Argument/Option too long, "*txt1*"

Explanation: The invocation parameter *txt1* is not recognized as a valid IPVLANGX argument (or option). It exceeds the maximum length of a valid argument (or option), and might be spelled incorrectly.

System action: Processing is terminated.

User response: If you are using IPVLANGX directly to create a side file, specify the invocation options as explained in Chapter 6, "IPVLANGX compiler listing to side file conversion utility," on page 69. If the message is issued during fault analysis, contact your IBM service representative.

IDISF8052S Argument/Option not recognized, "*txt1*"

Explanation: The invocation parameter *txt1* is not recognized as a valid IPVLANGX argument (or option).

System action: Processing is terminated.

User response: If you are using IPVLANGX directly to create a side file, specify the invocation options as explained in Chapter 6, "IPVLANGX compiler listing to side file conversion utility," on page 69. If the message is issued during fault analysis, contact your IBM service representative.

IDISF8055S A left parenthesis was found inside options

Explanation: An extra left parenthesis (after the initial left parenthesis which signals the start of the IPVLANGX options) was encountered during processing of the IPVLANGX invocation parameters.

System action: Processing is terminated.

User response: If you are using IPVLANGX directly to create a side file, specify the invocation options as explained in Chapter 6, "IPVLANGX compiler listing to side file conversion utility," on page 69. If the message is issued during fault analysis, contact your IBM service representative.

IDISF8056S No file name was specified

Explanation: The PDS or PDSE data set member name of the primary program information file from which source and variable data is to be extracted was not found during processing of the IPVLANGX invocation parameters.

System action: Processing is terminated.

User response: If you are using IPVLANGX directly to create a side file, specify the invocation options as explained in Chapter 6, "IPVLANGX compiler listing to side file conversion utility," on page 69. If the message is issued during fault analysis, contact your IBM service representative.

IDISF8057S Argument/Option already specified, "*txt1*"

Explanation: The argument (or option) *txt1* was encountered more than once during processing of the IPVLANGX invocation parameters.

System action: Processing is terminated.

User response: If you are using IPVLANGX directly to create a side file, specify the invocation options as explained in Chapter 6, "IPVLANGX compiler listing to side file conversion utility," on page 69. If the message is issued during fault analysis, contact your IBM service representative.

IDISF8058S Argument/Option "*txt1*" conflicts with previous Argument/Option

Explanation: A conflict between the argument (or option) *txt1* and another previously specified argument (or option) was detected during processing of the IPVLANGX invocation parameters.

System action: Processing is terminated.

User response: If you are using IPVLANGX directly to create a side file, specify the invocation options as explained in Chapter 6, "IPVLANGX compiler listing to side file conversion utility," on page 69. If the message

is issued during fault analysis, contact your IBM service representative.

IDISF8059I Application language not specified, option "txt1" assumed

Explanation: In the absence of an IPVLANGX option which explicitly specifies the application programming language, the IPVLANGX option *txt1* was assumed.

System action: Processing continues.

User response: If you are using IPVLANGX directly to create a side file, specify the invocation options as explained in Chapter 6, "IPVLANGX compiler listing to side file conversion utility," on page 69. If the message is issued during fault analysis, contact your IBM service representative.

IDISF8100S txt1 contains NO recognized records

Explanation: The input file that was identified in *txt1* did not contain the expected records. This could happen if, for example, the IDIADATA DDname was accidentally directed at a compiler listing data set.

System action: Processing is terminated.

User response: Ensure that the input file that was used is correct.

IDISF8103S txt1 has unrecognized records following last valid section

Explanation: The input file for IPVLANGX (the compiler listing) contains more output than just from the compile step. That is, there might be precompiler or postcompiler output, such as from a DB2 precompiler step or a link-edit step. Once this information is removed, the message is no longer be produced and the side file should be created as expected.

System action: Processing is terminated.

User response: Ensure that the input file that was used is correct.

IDISF8110W Compiler option(s) incorrectly specified

Explanation: The format of the input file is insufficient for IPVLANGX processing because one or more of the required compiler options have not been specified.

System action: Processing is terminated.

User response: Recompile the module with the required compiler options as specified in "Preparing your programs" on page 21.

IDISF8114S txt1 required for source support - fatal

Explanation: *txt1* specifies the compiler options that are required for a successful IPVLANGX execution. Source code information cannot be complete without these options. This message might be preceded by message IDISF8110W.

System action: Processing is terminated.

User response: Recompile the module with the required compiler options as specified in "Preparing your programs" on page 21.

IDISF8115W txt1 required for symbol support

Explanation: *txt1* specifies the compiler options that are required for a successful IPVLANGX execution. Source code information cannot be complete without these options. This message is preceded by message IDISF8110W.

System action: Processing continues, however, the analysis report might be missing information.

User response: Recompile the module with the required compiler options as specified in "Preparing your programs" on page 21.

IDISF8116W txt1 required for structure/union support

Explanation: *txt1* specifies the compiler options that are required for a successful IPVLANGX execution. Source code information cannot be complete without these options. This message is preceded by message IDISF8110W.

System action: Processing continues, however, the analysis report might be missing information.

User response: Recompile the module with the required compiler options as specified in "Preparing your programs" on page 21.

IDISF8120W txt1 detected. txt2 option assumed

Explanation: The format of the input file indicates that the specified option is no longer in effect.

System action: Processing continues, assuming an appropriate option to match the format of the input file.

User response: Use the correct compiler option, or make the compiler directive which adjusted the compiler option visible to IPVLANGX, as appropriate. If the problem persists, contact your IBM service representative.

IDISF8130S File not found "txt1"

Explanation: The IPVLANGX input compiler listing or SYSADATA file *txt1* could not be found to allow IPVLANGX processing to begin.

System action: Processing is terminated.

User response: Correct the file specification, or make the file available to IPVLANGX, as appropriate. If the problem persists, contact your IBM service representative.

IDISF8131S Files not found "txt1", and "txt2"

Explanation: The IPVLANGX extract data file could not be found using either the primary file identifier *txt1*, or the alternative file identifier *txt2* to allow IPVLANGX processing to begin.

System action: Processing is terminated.

User response: Correct the file specification, or make the file available to IPVLANGX, as appropriate. If the problem persists, contact your IBM service representative.

IDISF8132S Input or Output file format invalid

Explanation: The attributes or contents of a file have been found to be inappropriate, during IPVLANGX processing.

One or more preceding messages identify the file which was being processed when the error occurred or the reason for the failure. Reasons for this message might be error messages in the input compiler listing or missing required compiler options. For details on required compiler options, refer to "Preparing your programs" on page 21.

System action: Processing is terminated.

User response: Correct the problem that was identified in the preceding message. If the problem persists, contact your IBM service representative.

IDISF8133S File DD not allocated "txt1"

Explanation: The Data Definition (DD) for the *txt1* file was found to be unallocated.

System action: Processing is terminated.

User response: Allocate the file, using a JCL DD statement, or TSO ALLOCATE statement, as appropriate. If the problem persists, contact your IBM service representative.

IDISF8134S File DDs not allocated "txt1", and "txt2"

Explanation: The Data Definitions (DDs) for both the primary *txt1* file and the alternative *txt2* file were found to be unallocated.

System action: Processing is terminated.

User response: Allocate the file, using a JCL DD statement, or TSO ALLOCATE statement, as appropriate. If the problem persists, contact your IBM service representative.

IDISF8135S txt1 file incorrectly defined

Explanation: The attributes of the *txt1* file have been examined, and found to be inappropriate.

System action: Processing is terminated.

User response: Ensure that the correct data set was specified in the *txt1* file allocation. If the correct data set was specified, the data set was allocated with incorrect attributes, in which case it must be reallocated. If the problem persists, contact your IBM service representative.

IDISF8136S Premature txt1 End-of-File encountered

Explanation: IPVLANGX had begun scanning the *txt1* file data, but the file ended before all expected data records had been scanned.

System action: Processing is terminated.

User response: Ensure that the correct data set was specified in the *txt1* file allocation. If the correct data set was specified, the file might have been truncated and must be replaced with the complete data. If the problem persists, contact your IBM service representative.

IDISF8137S txt1 disk/directory is full

Explanation: There is insufficient space to write further records to the *txt1* file.

This might be caused by :

- PDS directory has no free entries
- data set has maximum number of extents
- insufficient free space on the DASD volume for another extent

System action: Processing is terminated.

User response: Determine the resource which is exhausted, and correct as appropriate. If the problem persists, contact your IBM service representative.

IDISF8138T Insufficient virtual memory available

Explanation: There is insufficient free storage for IPVLANGX to continue processing.

System action: Processing is terminated.

User response: Free up virtual storage which is in use, or make more virtual storage available, as appropriate. If the problem persists, contact your IBM service representative.

Note: IPVLANGX uses storage above the 16MB line, if it is available.

IDISF8139S File is TERSEd or PACKed "txt1"

Explanation: The specified file was found to have a Fixed record format, and 1024-byte record length. It was likely compressed using TERSE or COPYFILE.

System action: Processing is terminated.

User response: Restore the file to its original format, using the appropriate utility program. If the problem persists, contact your IBM service representative.

IDISF8150T Maximum number of symbols exceeded

Explanation: The maximum number of symbols that a single compile unit can contain is 65534. This limit is exceeded by the current compile unit.

System action: Processing is terminated.

User response: Reduce the number of symbols below the limit. If the problem persists, contact your IBM service representative.

IDISF8152W Incomplete info for symbol "txt1" (ident: dec2)

Explanation: During the extraction process, complete information was not available for the symbol shown. The extract data for unrelated symbols and program source is not affected.

System action: Processing continues.

User response: Use IPVLANGX to format the extract data, and determine the missing information. Given this, examine the IPVLANGX input file(s) and determine the cause of the problem. If the problem persists, contact your IBM service representative.

IDISF8158T Invalid COBOL source column indicators - fatal

Explanation: Expected source column indicators were not found in the COBOL listing.

System action: Processing is terminated.

User response: Check if the attributes of file read have changed from those of the original compiler listing file.

IDISF8231S Missing txt1 ESD information

Explanation: The name of a CSECT could not be determined.

System action: Processing continues but analysis might be incomplete.

User response: Ensure that CSECTs are named in accordance with the requirements in "Preparing your programs" on page 21.

IDISF8233S Unable to determine identity of unnamed PC Section

Explanation: The name of a CSECT could not be determined.

System action: Processing continues but analysis might be incomplete.

User response: Ensure that CSECTs are named in accordance with the requirements in "Preparing your programs" on page 21.

IDISF8250A SYSADATA input record *record-number*, invalid ESDID ignored

Explanation: An invalid ESDID was encountered on a SYSADATA record read. The ESDID was ignored.

System action: Processing continues.

User response: None.

IPVLANGX return codes

The following return codes are issued by IPVLANGX:

RC	Meaning
----	---------

0	Operation successful, output file was written.
---	--

0xxx	Error was discovered while parsing arguments/options. xxx can have these values:
------	--

1	Token too long
---	----------------

2	Left parenthesis found inside options
---	---------------------------------------

3	Unknown option
---	----------------

1xyy or 2xyy	
--------------	--

	Error occurred during scan of compiler listing or SYSADATA file.
--	--

3xyy Error occurred while writing output file.

For return codes 1xyy, 2xyy, and 3xyy, the values for *xyy* are:

0yy yy is the return code from the file WRITE routine
1yy yy is the return code from the file OPEN routine
2yy yy is the return code from the file READ routine
3yy yy is the return code from the file WRITE routine
4yy yy is the return code from the file POINT routine
5yy yy is the return code from the memory ALLOCATE routine
6yy yy is the return code from the memory FREE routine
7yy yy is the return code from the file CLOSE routine
8yy yy is the return code from the file NOTE routine

Examples of IPVLANGX return codes

- 0310** Compiler listing file is not in the expected format. A possible reason is that the required compiler options have not been used.
- 1128** Input compiler listing file could not be found. A possible reason is that a member name of a PDS(E) data set has not been specified, either in the parameters for IPVLANGX, or added to the data set name of the PDS(E).
- 3128** Output IPVLANGX file could not be found, or the attributes of an existing file do not match those required by IPVLANGX (RECFM=VB and LRECL≥1562).
- 3315** One or more records that were written to IPVLANGX were truncated due to insufficient logical record length. The minimum required logical record length for the IPVLANGX data set is 1562 bytes. Unpredictable results might occur if attempting to use the truncated side file as input.

IPVLANGX return codes

Appendix B. Troubleshooting

Error scenarios and tracing

If the installed library has not been added to program control, this message appears in the JESMSG LG for the server task:

```
ICH420I PROGRAM IPVSRV FROM LIBRARY IPV.V1R8.SIPVMODA CAUSED
THE ENVIRONMENT TO BECOME UNCONTROLLED. BPXP014I ENVIRONMENT MUST
BE CONTROLLED FOR SERVER (BPX.SERVER) PROCESSING.
```

Messages similar to the following might be generated if the user connecting to the server does not have read access to the SIPVMODA library:

```
ICH408I USER(BILLMAN ) GROUP(USERCOD ) NAME(MANDELLA, BILL ) 218
IPV.V1R8.SIPVMODA CL(DATASET ) VOL(COD035)
INSUFFICIENT ACCESS AUTHORITY
FROM IPV.V1R8.* (G)
ACCESS INTENT(READ ) ACCESS ALLOWED(NONE )
IEC150I 913-38,IFG0194E,BILLMAN,OS390,ISP19502,8E10,COD035,IPV.V1R8.SIPVMODA
```

Messages on SYSLOG at the time of attempted connection, like the ones that are shown here, are generated when the relevant CONFIG contains an invalid library, or is missing a library from the SPAWN_STEPLIB statement:

```
IEA995I SYMPTOM DUMP OUTPUT
SYSTEM COMPLETION CODE=EC6 REASON CODE=0B26C032
TIME=11.37.04 SEQ=38113 CPU=0000 ASID=00ED
PSW AT TIME OF ERROR 070C3000 82C44CE8 ILC 2 INTC 0D
NO ACTIVE MODULE FOUND
NAME=UNKNOWN
DATA AT PSW 02C44CE2 - C06C18F2 0A0D41B0 D4D0180B
AR/GR 0: 00000000/00000026_00000648 1: 00000000/00000000_04EC6000
2: 01FF000C/00000000_0B26C032 3: 00000000/00000000_8286F5B8
4: 00000000/00000000_00000000 5: 00000000/00000000_00000000
6: 01FF000C/00000000_00000700 7: 01FF000C/00000000_09BFC3F8
8: 00000000/00000000_11F4B610 9: 00000000/00000000_163031FF
A: 00000000/00000000_11F4B610 B: 01FF000C/00000000_7FFC3A00
C: 00000000/00000000_02C47AC0 D: 00000000/00000000_16302200
E: 00000000/00000000_82C44CB0 F: 00000000/00000000_0B26C032
END OF SYMPTOM DUMP
```

If the above are not occurring, but connections are still not successful, shutdown the server and start it again with tracing active. If using the supplied sample, this can be done on the start command. For example, S IPVSRV,TRACE=D. This produces trace entries in the server task on the IPVTRACE DD.

A typical trace, with SSL active, before connections are made, looks similar to the one shown here. The main entries of interest confirming startup was successful are highlighted:

```
2018-11-29-10:54:39.442 [IPVSRV:266] Server built at: Nov 29 2018 10:54:03
2018-11-29-10:54:39.601 [IPVSRV:952] Record in length:1903
2018-11-29-10:54:39.601 [IPVSRV:969] Token: CONFIG Value: DEFAULT
2018-11-29-10:54:39.601 [IPVSRV:989] Config DEFAULT allocated.
2018-11-29-10:54:39.601 [IPVSRV:969] Token: SSL_REQUIRED Value: YES
2018-11-29-10:54:39.601 [IPVSRV:969] Token: WORKDIR Value: /etc/ipv/v18/ipvsvr1
2018-11-29-10:54:39.602 [IPVSRV:1070] Confirmed temporary write access ok dir=/etc/ipv/v18/ipvsvr1.
2018-11-29-10:54:39.602 [IPVSRV:969] Token: SPAWN_STEPLIB Value: IPV18SVC.BUILD.LOAD ...
2018-11-29-10:54:39.602 [IPVSRV:969] Token: CONFIG Value: FM
2018-11-29-10:54:39.602 [IPVSRV:989] Config FM allocated.
2018-11-29-10:54:39.602 [IPVSRV:969] Token: SPAWN_PROGRAM Value: FMNCSEP
2018-11-29-10:54:39.602 [IPVSRV:1089] Creating temp filename.
2018-11-29-10:54:39.602 [IPVSRV:1106] Created temporary spawn image file ok.
```

```

2018-11-29-10:54:39.602 [IPVSRV:1116] spawn_program /etc/ipv/v18/ipvsvr1/FMNCSEP
2018-11-29-10:54:39.602 [IPVSRV:1117] spawn_fn FMNCSEP
2018-11-29-10:54:39.602 [IPVSRV:969] Token: SPAWN_JOBNAME Value: FMCLIENT
2018-11-29-10:54:39.602 [IPVSRV:969] Token: SPAWN_STEPLIB Value: FMN.V14R1M0.OPTIONS...
2018-11-29-10:54:39.602 [IPVSRV:969] Token: SPAWN_PARMS_SECTION Value:
2018-11-29-10:54:40.495 [IPVSRV:1956] Environment open rc=0 Handle=16AB09A8 Ha=16AA6490
2018-11-29-10:54:40.495 [IPVSRV:1965] Set SSLV2 off rc=0
2018-11-29-10:54:40.495 [IPVSRV:1973] Set SSLV3 off rc=0
2018-11-29-10:54:40.495 [IPVSRV:1982] Set TLSV1 on rc=0
2018-11-29-10:54:40.495 [IPVSRV:1997] Certfile=/etc/ipv/v18/ipvsvr1/IPVSRVC3-IPVCERT.kdb
2018-11-29-10:54:40.495 [IPVSRV:1998] Set keyring rc=0
2018-11-29-10:54:40.495 [IPVSRV:2006] Set pw rc=0
2018-11-29-10:54:40.511 [IPVSRV:2014] Environment init rc=0 Handle=16AB09A8
2018-11-29-10:54:40.511 [IPVSRV:281] Mixed case password support is off
2018-11-29-10:54:40.512 [IPVSRV:1902] Set socket linger rc=0
2018-11-29-10:54:40.512 [IPVSRV:1906] Set socket reuseaddr rc=0
2018-11-29-10:54:40.512 [IPVSRV:1910] Set socket keepalive rc=0
2018-11-29-10:54:40.512 [IPVSRV:301] Launching accept thread socket 0, listen code 0
2018-11-29-10:54:40.512 [IPVSRV:513] Acceptor thread running.
2018-11-29-10:54:40.512 [IPVSRV:527] About to accept.

```

If the highlighted statements are similar to the example that is shown here, all rc=0, then try to connect.

Several trace entries that are created by the server are similar to the ones that are shown here. Again, those that are of interest are highlighted.

```

2018-11-29-10:55:02.943 [IPVSRV:543] Connect received.
2018-11-29-10:55:02.943 [IPVSRV:549] Set client socket linger rc=0
2018-11-29-10:55:02.944 [IPVSRV:570] Thread launch
2018-11-29-10:55:02.944 [IPVSRV:527] About to accept.
2018-11-29-10:55:02.944 [IPVSRV:428] Conversation thread started.
2018-11-29-10:55:02.944 [IPVSRV:451] Server and peer on different hosts.
2018-11-29-10:55:02.944 [IPVSRV:1461] Outgoing message length=111, message=SSL=Y,
SERVERVERSION=01.01,SERVERNAME=IPVSRVC3,SYSNAME=z/OS,NODENAME=FMD2,
RELEASE=11.00,VERSION=01,MACHINE=2094
2018-11-29-10:55:02.944 [IPVSRV:1524] Sent 115 bytes
2018-11-29-10:55:02.945 [IPVSRV:2028] gsk_secure_socket_open rc=0
2018-11-29-10:55:02.945 [IPVSRV:2040] Set native socket rc=0
2018-11-29-10:55:02.945 [IPVSRV:2049] Set keyring label ADFzCC Server Certificate rc=0
2018-11-29-10:55:02.945 [IPVSRV:2058] Set session type rc=0
2018-11-29-10:55:03.980 [IPVSRV:2081] Secure socket init rc=0
2018-11-29-10:55:03.980 [IPVSRV:1328] RecvSSL
2018-11-29-10:55:04.191 [IPVSRV:1360] Header indicates length 50
2018-11-29-10:55:04.722 [IPVSRV:1423] Incoming message: >>user=PROWSE3 pass=AXXXXXXX
config=UTCAP1 DEBUG=YES<<
2018-11-29-10:55:04.723 [IPVSRV:1640] Uppercasing password 8 chars
2018-11-29-10:55:04.723 [IPVSRV:588] process_launch trying to match config UTCAP1.
2018-11-29-10:55:04.723 [IPVSRV:657] Parms: SOCKET=00000001 ...
2018-11-29-10:55:04.723 [IPVSRV:658] Steplib: STEPLIB=IPV16SVC ...
2018-11-29-10:55:04.723 [IPVSRV:1828] Authenticated ok for user PROWSE3.
2018-11-29-10:55:04.724 [IPVSRV:1461] Outgoing message length=7, message=AUTH=Y
2018-11-29-10:55:04.724 [IPVSRV:1524] Sent 11 bytes
2018-11-29-10:55:05.282 [IPVSRV:702] gsk_secure_socket_close okay
2018-11-29-10:55:05.285 [IPVSRV:739] Spawned /etc/ipv/v18/ipvsvr1/IDIGMAIN Process 83886421
2018-11-29-10:55:05.285 [IPVSRV:745] Close client sock rc=0

```

If the Spawned trace line is present, check the SYSLOG at the time of the spawn for any messages that are issued by a started task. If there are no log messages, then look for output that is produced by the spawned user. For instance, in the example that is shown here, the user PROWSE3 has generated some output. Once you have this information, and the server's IPV TRACE output, contact IBM support.

Support resources and problem-solving information

This section shows you how to quickly locate information to help answer your questions and solve your problems. If you have to call IBM support, this section provides information that you need to provide to the IBM service representative to help diagnose and resolve the problem.

For a comprehensive multimedia overview of IBM software support resources, see the IBM Education Assistant presentation “IBM Software Support Resources for System z Enterprise Development Tools and Compilers products” at <http://publib.boulder.ibm.com/infocenter/ieduasst/stgv1r0/index.jsp?topic=/com.ibm.iea.debugt/debugt/6.1z/TrainingEducation/SupportInfoADTools/player.html>.

- “Searching IBM support Web sites for a solution”
- “Obtaining fixes” on page 106
- “My Notifications” on page 107
- “Receiving support updates through RSS feeds” on page 107
- “Contacting IBM Support” on page 108

Searching IBM support Web sites for a solution

You can often find solutions to problems by searching IBM knowledge bases. You can optimize your results by using available resources, support tools, and search methods.

Searching the information center

Using this information center, you can search product documentation in a variety of ways. You can search across the documentation for multiple products, search across a subset of the product documentation that you specify, or search a specific set of topics that you specify within a document. Search terms can include exact words or phrases, wild cards, and Boolean operators.

To learn more about how to use the search facility that is provided in the IBM System z Enterprise Development Tools & Compilers information center, you can view the multimedia presentation at <http://publib.boulder.ibm.com/infocenter/pdthelp/v1r1/index.jsp?topic=/com.ibm.help.doc/InfoCenterTour800600.htm>.

Searching product support documents

Use the System z Enterprise Development Tools & Compilers information center or the IBM support site at www.ibm.com/software/support to search for the latest, most complete information that might help you resolve your problem.

When you access the IBM support site, you can specify any of the following products for which you want information to be displayed:

- Application Performance Analyzer for z/OS
- z/OS Debugger
- Enterprise COBOL for z/OS
- Enterprise PL/I for z/OS
- Fault Analyzer for z/OS

- File Manager for z/OS
- Optim Move for DB2
- WebSphere Developer Debugger for System z
- Workload Simulator for z/OS and OS/390 Support

When you access the IBM support site, you can also use the IBM Support Portal to customize the support information to be displayed and save product names that you specify. There is also a search facility provided with the IBM Support Portal that allows you to narrow the search scope and search only product support documents for the products that you specify. The IBM Support Portal can be accessed through the IBM support site at www.ibm.com/software/support or directly at www.ibm.com/support/entry/portal. For information about customizing your IBM support site experience using the IBM Support Portal, refer to https://www.ibm.com/blogs/SPNA/entry/the_ibm_support_portal_videos?lang=en_us.

IBM Support Assistant

The IBM Support Assistant (also referred to as ISA) is a free local software serviceability workbench that helps you resolve questions and problems with IBM software products. It provides quick access to support-related information. You can use the IBM Support Assistant to help you in the following ways:

- Search through IBM and non-IBM knowledge and information sources across multiple IBM products to answer a question or solve a problem.
- Find more information through product and support pages, customer news groups and forums, skills and training resources and information about troubleshooting and commonly asked questions.

In addition, you can use the built-in Updater facility in IBM Support Assistant to obtain IBM Support Assistant upgrades and new features to add support for software products and capabilities as they become available.

For more information, and to download and start using the IBM Support Assistant for IBM System z Enterprise Development Tools & Compilers products, visit http://www.ibm.com/support/docview.wss?rs=2300&context=SSFMHB&dc=D600&uid=swg21242707&loc=en_US&cs=UTF-8&lang=en.

General information about the IBM Support Assistant can be found on the IBM Support Assistant home page at <http://www.ibm.com/software/support/isa>.

Obtaining fixes

A product fix might be available to resolve your problem. To determine what fixes and other updates are available, the following information is available from the IBM support site. You can also view the following information from the IBM Support Portal when you specify the applicable products.

- Latest PTFs for Application Performance Analyzer for z/OS
- Latest PTFs for z/OS Debugger
- Latest PTFs for Fault Analyzer for z/OS
- Latest PTFs for File Export for z/OS
- Latest PTFs for File Manager for z/OS
- Latest fixes for Optim Move for DB2
- Latest PTFs for WebSphere Studio Asset Analyzer for Multiplatforms

- Latest PTFs for Workload Simulator for z/OS and OS/390

When you find a fix that you are interested in, click the name of the fix to read its description and to optionally download the fix.

The IBM Support Portal is a way for you to specify specific products for which you want to display support information. The Support Portal can be accessed through the IBM support site at www.ibm.com/software/support or directly at www.ibm.com/support/entry/portal. For information about how to customize your IBM support site experience using the IBM Support Portal, refer to https://www.ibm.com/blogs/SPNA/entry/the_ibm_support_portal_videos?lang=en_us.

For more information about the types of fixes that are available, see the *IBM Software Support Handbook* at <http://techsupport.services.ibm.com/guides/handbook.html>.

My Notifications

With My Notifications, you can subscribe to Support updates for any IBM product. You can specify that you want to receive daily or weekly email announcements. You can specify what type of information you want to receive (such as publications, hints and tips, product flashes (also known as alerts), downloads, and drivers). My Notifications enables you to customize and categorize the products about which you want to be informed and the delivery methods that best suit your needs.

To subscribe to Support updates, follow the steps below.

1. Click My notifications to get started. Click **Subscribe now!** on the page.
2. Sign in My notifications with your IBM ID. If you do not have an IBM ID, create one ID by following the instructions.
3. After you sign in My notifications, enter the name of the product that you want to subscribe in the **Product lookup** field. The look-ahead feature lists products matching what you typed. If the product does not appear, use the **Browse for a product** link.
4. Next to the product, click the **Subscribe** link. A green check mark is shown to indicate the subscription is created. The subscription is listed under Product subscriptions.
5. To indicate the type of notices for which you want to receive notifications, click the **Edit** link. To save your changes, click the **Submit** at the bottom of the page.
6. To indicate the frequency and format of the email message you receive, click **Delivery preferences**. Then, click **Submit**.
7. Optionally, you can click the RSS/Atom feed by clicking **Links**. Then, copy and paste the link into your feeder.
8. To see any notifications that were sent to you, click **View**.

Receiving support updates through RSS feeds

To receive RSS feeds about fixes and other software support news, go to the following web site and select the products in which you are interested:

- <http://www.ibm.com/software/support/rss/other/index.html>.

Contacting IBM Support

IBM Support provides assistance with product defects and answering FAQs.

After trying to find your answer or solution by using other self-help options such as technotes, you can contact IBM Support. Before contacting IBM Support, your company must have an active IBM maintenance contract, and you must be authorized to submit problems to IBM.

- For IBM distributed software products (including, but not limited to, Tivoli®, Lotus®, and Rational® products, as well as DB2 and WebSphere® products that run on Windows, or UNIX operating systems), enroll in Passport Advantage® in one of the following ways:

Online

Go to the Passport Advantage Web site at http://www.lotus.com/services/passport.nsf/WebDocs/Passport_Advantage_Home and click **How to Enroll**.

By phone

For the phone number to call in your country, go to the IBM Software Support Web site at <http://techsupport.services.ibm.com/guides/contacts.html> and click the name of your geographic region.

- For customers with Subscription and Support (S & S) contracts, go to the Software Service Request Web site at <https://techsupport.services.ibm.com/ssr/login>.
- For customers with IBMLink, CATIA, Linux, S/390®, iSeries, pSeries, zSeries, and other support agreements, go to the IBM Support Line Web site at <http://www.ibm.com/services/us/index.wss/so/its/a1000030/dt006>.
- For IBM eServer™ software products (including, but not limited to, DB2 and WebSphere products that run in zSeries, pSeries, and iSeries environments), you can purchase a software maintenance agreement by working directly with an IBM sales representative or an IBM Business Partner. For more information about support for eServer software products, go to the IBM Technical Support Advantage Web site at <http://www.ibm.com/servers/eserver/techsupport.html>.

If you are not sure what type of software maintenance contract you need, call 1-800-IBMSERV (1-800-426-7378) in the United States. From other countries, go to the contacts page of the *IBM Software Support Handbook on the Web* at <http://techsupport.services.ibm.com/guides/contacts.html> and click the name of your geographic region for phone numbers of people who provide support for your location.

Complete the following steps to contact IBM Support with a problem:

1. "Define the problem and determine severity of the problem"
2. "Gather diagnostic information" on page 109
3. "Submit the problem to IBM Support" on page 110

Define the problem and determine severity of the problem

When describing a problem to IBM, be as specific as possible. Include all relevant background information so that IBM Support can help you solve the problem efficiently.

IBM Support needs you to supply a severity level. Therefore, you need to understand and assess the business impact of the problem that you are reporting. Use the following criteria:

Severity 1

The problem has a *critical* business impact. You are unable to use the program, resulting in a critical impact on operations. This condition requires an immediate solution.

Severity 2

The problem has a *significant* business impact. The program is usable, but it is severely limited.

Severity 3

The problem has *some* business impact. The program is usable, but less significant features (not critical to operations) are unavailable.

Severity 4

The problem has *minimal* business impact. The problem causes little impact on operations, or a reasonable circumvention to the problem was implemented.

For more information, see the Getting IBM support topic in the *Software Support Handbook*.

Gather diagnostic information

To save time, if there is a Mustgather document available for the product, refer to the Mustgather document and gather the information specified. Mustgather documents contain specific instructions for submitting your problem to IBM and gathering information needed by the IBM support team to resolve your problem. To determine if there is a Mustgather document for this product, go to the product support page and search on the term Mustgather. At the time of this publication, the following Mustgather documents are available:

- Mustgather: Read first for problems that are encountered with Application Performance Analyzer for z/OS: http://www.ibm.com/support/docview.wss?rs=2300&context=SSFMHB&q1=mustgather&uid=swg21265542&loc=en_US&cs=utf-8&lang=en
- Mustgather: Read first for problems that are encountered with Debug Tool for z/OS: http://www.ibm.com/support/docview.wss?rs=615&context=SSGTSD&q1=mustgather&uid=swg21254711&loc=en_US&cs=utf-8&lang=en
- Mustgather: Read first for problems that are encountered with Fault Analyzer for z/OS: http://www.ibm.com/support/docview.wss?rs=273&context=SSXJAJ&q1=mustgather&uid=swg21255056&loc=en_US&cs=utf-8&lang=en
- Mustgather: Read first for problems that are encountered with File Manager for z/OS: http://www.ibm.com/support/docview.wss?rs=274&context=SSXJAV&q1=mustgather&uid=swg21255514&loc=en_US&cs=utf-8&lang=en
- Mustgather: Read first for problems that are encountered with Enterprise COBOL for z/OS: http://www.ibm.com/support/docview.wss?rs=2231&context=SS6SG3&q1=mustgather&uid=swg21249990&loc=en_US&cs=utf-8&lang=en
- Mustgather: Read first for problems that are encountered with Enterprise PL/I for z/OS: http://www.ibm.com/support/docview.wss?rs=619&context=SSY2V3&q1=mustgather&uid=swg21260496&loc=en_US&cs=utf-8&lang=en

If the product does not have a Mustgather document, provide answers to the following questions:

- What software versions were you running when the problem occurred?
- Do you have logs, traces, and messages that are related to the problem symptoms? IBM Support is likely to ask for this information.

- Can you re-create the problem? If so, what steps were performed to re-create the problem?
- Did you make any changes to the system? For example, did you change the hardware, operating system, or networking software?
- Are you currently using a workaround for the problem? If so, be prepared to explain the workaround when you report the problem.

Submit the problem to IBM Support

You can submit your problem to IBM Support in one of three ways:

- **Online using the IBM Support Portal:** Click **Service request** on the IBM Software Support site at <http://www.ibm.com/software/support>. On the right side of the **Service request** page, expand the **Product related links** section. Click **Software support (general)** and select **ServiceLink/IBMLink** to open an Electronic Technical Response (ETR). Enter your information into the appropriate problem submission form.
- **Online using the Service Request tool** at Service Request tool.
- **By phone:** For the phone number to call in your country, go to the Contacts page of the IBM Software Support Handbook on the Web at www14.software.ibm.com/webapp/set2/sas/f/handbook/contacts.html and click the name of your geographic region.

If the problem you submit is for a software defect or for missing or inaccurate documentation, IBM Support creates an Authorized Program Analysis Report (APAR). The APAR describes the problem in detail. Whenever possible, IBM Support provides a workaround that you can implement until the APAR is resolved and a fix is delivered. IBM publishes resolved APARs on the IBM Support Web site daily, so that other users who experience the same problem can benefit from the same resolution.

After a Problem Management Record (PMR) is open, you can submit diagnostic MustGather data to IBM by using one of the following methods:

- FTP diagnostic data to IBM. For more information, refer to <http://www.ibm.com/support/docview.wss?rs=615&uid=swg21154524>.
- If FTP is not possible, email diagnostic data to techsupport@mainz.ibm.com. You must add PMR xxxxx bbb ccc in the subject line of your email. xxxxx is your PMR number, bbb is your branch office, and ccc is your IBM country code. Click this link: <http://itcenter.mainz.de.ibm.com/ecurep/mail/subject.html> for more details.

Always update your PMR to indicate that data has been sent. You can update your PMR online or by phone as described above.

Notices

This information was developed for products and services offered in the US.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
US*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan*

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

Notices

IBM may use or distribute any of the information you provide in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

*IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
US*

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

The performance data discussed herein is presented as derived under specific operating conditions. Actual results may vary.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to actual people or business enterprises is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

Each copy or any portion of these sample programs or any derivative work must include a copyright notice as follows:

© (your company name) (year).
Portions of this code are derived from IBM Corp. sample programs.
© Copyright IBM Corp. 2000, 2017.

Trademarks

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the web at "Copyright and trademark information" at www.ibm.com/legal/copytrade.shtml.

Terms and conditions for product documentation

Permissions for the use of these publications are granted subject to the following terms and conditions.

Applicability

These terms and conditions are in addition to any terms of use for the IBM website.

Personal use

You may reproduce these publications for your personal, noncommercial use provided that all proprietary notices are preserved. You may not distribute, display or make derivative work of these publications, or any portion thereof, without the express consent of IBM.

Commercial use

You may reproduce, distribute and display these publications solely within your enterprise provided that all proprietary notices are preserved. You may not make derivative works of these publications, or reproduce, distribute or display these publications or any portion thereof outside your enterprise, without the express consent of IBM.

Rights

Except as expressly granted in this permission, no other permissions, licenses or rights are granted, either express or implied, to the publications or any information, data, software or other intellectual property contained therein.

IBM reserves the right to withdraw the permissions granted herein whenever, in its discretion, the use of the publications is detrimental to its interest or, as determined by IBM, the above instructions are not being properly followed.

You may not download, export or re-export this information except in full compliance with all applicable laws and regulations, including all United States export laws and regulations.

IBM MAKES NO GUARANTEE ABOUT THE CONTENT OF THESE PUBLICATIONS. THE PUBLICATIONS ARE PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT, AND FITNESS FOR A PARTICULAR PURPOSE.

IBM Online Privacy Statement

IBM Software products, including software as a service solutions, (“Software Offerings”) may use cookies or other technologies to collect product usage information, to help improve the end user experience, to tailor interactions with the end user, or for other purposes. In many cases no personally identifiable information is collected by the Software Offerings. Some of our Software Offerings can help enable you to collect personally identifiable information. If this Software Offering uses cookies to collect personally identifiable information, specific information about this offering’s use of cookies is set forth below.

This Software Offering does not use cookies or other technologies to collect personally identifiable information.

If the configurations deployed for this Software Offering provide you as customer the ability to collect personally identifiable information from end users via cookies and other technologies, you should seek your own legal advice about any laws applicable to such data collection, including any requirements for notice and consent.

For more information about the use of various technologies, including cookies, for these purposes, see IBM’s Privacy Policy at <http://www.ibm.com/privacy> and IBM’s Online Privacy Statement at <http://www.ibm.com/privacy/details> in the section entitled “Cookies, Web Beacons and Other Technologies,” and the “IBM Software Products and Software-as-a-Service Privacy Statement” at <http://www.ibm.com/software/info/product-privacy>.

Bibliography

File Manager publications

File Manager Customization Guide, SC27-9041
File Manager User's Guide and Reference, SC27-9042
File Manager User's Guide and Reference for Db2 Data, SC27-9043
File Manager User's Guide and Reference for IMS Data, SC27-9044
File Manager User's Guide and Reference for CICS, SC27-9045
File Manager License Information, LC27-8513
File Manager Program Directory, GI10-8968

Related publications for Application Delivery Foundation for z/OS

IBM Application Delivery Foundation for z/OS Common Components Customization Guide and User Guide, SC27-9050

Related publications for COBOL

IBM COBOL Language Reference, SC26-9046
IBM COBOL Programming Guide for OS/390 & VM, SC26-9049

Related publications for PL/I

IBM VisualAge PL/I Language Reference, SC26-9476
IBM VisualAge PL/I for OS/390 Programming Guide, SC26-9473

Related publications for z/OS

z/OS DFSMS Access Method Services for Catalogs, SC26-7394
z/OS DFSMS Object Access Method Application Programmer's Reference, SC35-0425
z/OS DFSMS: Using Data Sets, SC26-7410
z/OS DFSMS: Using Magnetic Tapes, SC26-7412
z/OS ISPF User's Guide Vol 1, SC34-4822
z/OS ISPF User's Guide Vol II, SC34-4823
z/OS MVS JCL Reference, SA22-7597
z/OS MVS System Messages, Vol 5, SA22-7635
z/OS Support for Unicode Using Conversion Services, SA22-7649
z/OS TSO/E Command Reference, SA22-7782
z/OS TSO/E Programming Services, SA22-7789
z/OS TSO/E REXX Reference, SA22-7790
z/OS TSO/E REXX User's Guide, SA22-7791

Index

A

ABO
 See Automatic Binary Optimizer
 LANGX file update utility
activity tracing commands 4
add ports to TCPIP reservation list 15
address space timeout
 check 15
ADFzCC server 1
 customizing 9
 IPVSRV1 sample procedure 3
 messages 91
 overview 3
 startup, shutdown, and trace
 commands 4
assembler programs
 preparing 65
assembling programs for ADFz 65
ATTLS configuration parameter 4
authorizations
 required 9

B

breakpoints
 Deferred Breakpoints Feature 76
build process
 updating 20

C

C program
 preparing 58
 sample JCL to compile with TEST 59
C++ program
 preparing 58
 sample JCL to compile 62
changes
 summary vii
COBOL for MVS and VM
 compiling programs for 30
COBOL II programs
 preparing 34
 sample JCL for compiling 34
COBOL program
 sample JCL to compile 37
COBOL programs
 optimizing with Automatic Binary
 Optimizer LANGX file update
 utility 83
 preparing 27, 30, 37
 sample JCL to compile 31
COBOL SCLM example 72
comments
 in options 17
compiler listing to side file conversion
 utility 69
compiler options for ADFz 19
Compiling for ADFz family of
 products 19

compiling programs
 COBOL for MVS and VM 30
 Enterprise COBOL for z/OS Version
 3 26
 Enterprise COBOL for z/OS Version
 4 22
 Enterprise COBOL for z/OS Version
 5 22
 Enterprise COBOL for z/OS Version
 6 21
 Enterprise PL/I for z/OS Version 3.5
 and earlier 48
 Enterprise PL/I for z/OS Version 3.5
 and Version 3.6 43
 Enterprise PL/I for z/OS Version 3.7
 and later 39
 OS/VS COBOL 36
 PL/I for MVS and VM 52
 VS COBOL II 33
 z/OS XL C and C++ 56
Compiling programs for ADFz 19
CONFIG configuration parameter 4
configuration file keyword
 descriptions 4
customer support
 See IBM Support
customizing the ADFzCC server 9

D

Deferred Breakpoints Feature 76

E

encrypted communications
 setting SSL 11
Enterprise COBOL
 preparing (Ver 4) 23
 sample JCL to compile (Ver 3) 28
 sample JCL to compile (Ver 4) 24
Enterprise COBOL for z/OS Version 3
 compiling programs for 26
Enterprise COBOL for z/OS Version 4
 compiling programs for 22
Enterprise COBOL for z/OS Version 5
 compiling programs for 22
Enterprise COBOL for z/OS Version 6
 compiling programs for 21
Enterprise PL/I
 preparing (Ver 3.4 and earlier) 49
 preparing (Ver 3.6 and Ver 3.6) 45
 preparing (Ver 3.7 and later) 40
 sample JCL to compile (Ver 3.4 or
 earlier) 51
 sample JCL to compile (Ver 3.5 and
 Ver 3.6) 46
 sample JCL to compile (Ver 3.7 or
 later) 42

Enterprise PL/I for z/OS Version 3.4 and
 earlier
 compiling programs for 48
Enterprise PL/I for z/OS Version 3.5 and
 Version 3.6
 compiling programs for 43
Enterprise PL/I for z/OS Version 3.7 and
 later
 compiling programs for 39
error scenarios and tracing 103

F

file keyword descriptions
 configuration 4
fixes, obtaining 106

H

High Level Assembler SCLM
 example 72

I

IBM Support
 contacting 108
 describing problems 109
 determining business impact 108
 submitting problems 110
IBM Support Assistant, searching for
 problem resolution 106
ICSF
 permitting protected resources 11
IDISCMPS sample member 69
information centers, searching for
 problem resolution 105
Interactive Panel Viewer 2
Internet
 searching for problem resolution 105
introduction 1
IPVCONFG
 update sample 13
IPVLANGO Automatic Binary Optimizer
 LANGX file update utility
 See Automatic Binary Optimizer
 LANGX file update utility
IPVLANGO feature 1
IPVLANGP 75
 Deferred Breakpoints Feature 76
IPVLANGP feature 1
IPVLANGX 69
 creating side files 69
 invocation parameters 71
 messages 95
 return code examples 101
 return codes 100
IPVLANGX feature 1
IPVOPTLM configuration-options
 module 18
IPVOPTLM sample member 18

IPVSLMA sample member 72
IPVSLMC sample member 72
IPVSRV1 sample member 70
IPVSRV1 sample procedure 3

K

knowledge bases, searching for problem
resolution 105

L

listings
creating side file 70
storing 69
Locale option 18

M

messages
ADFzCC server 91
IPVLANGX 95
MIXEDCASEPASS configuration
parameter 4
MODIFY commands 4
multicultural support 18
multifactor authentication (MFA) 10

O

options 17
general description 17
Locale 18
purpose 17
OS/VS COBOL
compiling programs for 36
overview
server 3

P

PassTickets 10
PASSTK configuration parameter 4, 10
PL/I for MVS and VM
compiling programs for 52
PL/I program
preparing 53
sample JCL to compile 54
ports to TCPIP reservation lists
add 15
Preparing programs for ADFz 19
problem determination
describing problems 109
determining business impact 108
submitting problems 110
production environment 20
program
sample JCL for assembling 66
programs
compiling 69
preparing 21

R

RACF
example commands 10
required authorizations 9
return codes from IPVLANGX 100

S

sample data set members
IDISCLMA 72
IDISCLMC 72
IDISCMPS 69
IPVOPTLM 18
IPVSRV1 70
sample IPVCONFG
update 13
sample JCL
assembling program 66
compile C program with TEST 59
compile C++ program 62
compile COBOL II program 34
compile COBOL program 31, 37
compile Enterprise COBOL programs
(Ver 3) 28
compile Enterprise COBOL programs
(Ver 4) 24
compile Enterprise PL/I 51
compile Enterprise PL/I (Ver 3.5 and
Ver 3.6) 46
compile Enterprise PL/I program (Ver
3.7 or later) 42
compile PL/I program 54
SCLM
including IPVLANGX step in
translator 72
server messages 91
server overview 3
server procedure
sample 3
side file formatting utility 75
side files
creating from listing 70
creating with IPVLANGX 69
storing 69
SOCKETFIONBIO configuration
parameter 4
Software Configuration and Library
Manager
See SCLM
Software Support
receiving updates 107
source information files 19
source support 19
SPAWN_* configuration parameters 4
SSL encrypted communications
setting 11
SSL_* configuration parameters 4
startup and shutdown commands 4
summary of changes vii

T

test environment 20
TRACEON|TRACEOFF commands 4
troubleshooting 103
TSO_CMD configuration parameter 4

V

VER command 4
VS COBOL II
compiling programs for 33

W

WORKDIR
match by running IPVMKDIR 15
WORKDIR configuration parameter 4

Z

z/OS XL C and C++
compiling programs for 56



Printed in USA

SC27-9050-07

