

Netcool/OMNIbus
Version 7 Release 4

Error Messages Guide



Netcool/OMNIbus
Version 7 Release 4

Error Messages Guide



Notes

Before using this information and the product it supports, read the information in "Notices" on page 733.

t

This edition applies to version 7, release 4 of IBM Tivoli Netcool/OMNIbus (product number 5724-S44) and to all subsequent releases and modifications until otherwise indicated in new editions.

© Copyright IBM Corporation 2011, 2012.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

About this publication v

Intended audience	v
What this publication contains	v
Publications	v
Accessibility	vii
Tivoli technical training	vii
Support information	vii
Conventions used in this publication	viii

Chapter 1. Error messages generated by the server-side components 1

ALD	1
APM	10
AUT.	15
BRI	23
CHE.	46
CMD	50
DBI	61
ETC.	67
GOB.	77
GTK	122
HTT	166
IDC	170
IDS.	176
IPC.	187
IVM	194
MEM	208
NHT	212
OAM	231
OBJ.	235
OBX	243
POS	279
PRO	280
PRX	285
RCL	297
RCO	304
REG	321
RSE	329
SEC	346
STB.	360

STK	365
STO	372
STR	386
UNK	388
UNK-000	391

Chapter 2. Error messages generated by the Web GUI component 393

HEMAR	393
HEMAW	398
HEMBT	419
HEMDA	452
HEMDP	492
HEMEA	530
HEMEC	542
HEMEE	547
HEMEH	561
HEMEM	567
HEMEN	572
HEMEO	578
HEMEP	587
HEMER	593
HEMES	595
HEMEU	604
HEMFV	611
HEMHA	640
HEMHB	650
HEMIM	655
HEMIN	668
HEMIN0010W	668
HEMIP	668
HEMJS	675
HEMUP	725

Notices 733

Trademarks	735
----------------------	-----

Index 737

About this publication

Tivoli Netcool/OMNIBus is a service level management (SLM) system that delivers real-time, centralized monitoring of complex networks and IT domains.

The *IBM Tivoli Netcool/OMNIBus Error Messages Guide* is a reference guide that describes system messages in Tivoli Netcool/OMNIBus and how to respond to those messages.

Intended audience

This publication is intended for administrators who are responsible for configuring Tivoli Netcool/OMNIBus.

What this publication contains

This publication contains the following sections:

- Chapter 1, “Error messages generated by the server-side components,” on page 1
Lists and describes the error messages generated by the Tivoli Netcool/OMNIBus server-side components.
- Chapter 2, “Error messages generated by the Web GUI component,” on page 393
Lists and describes the error messages generated by the Web GUI server-side component.

Publications

This section lists publications in the Tivoli Netcool/OMNIBus library and related documents. The section also describes how to access Tivoli publications online and how to order Tivoli publications.

Your Tivoli Netcool/OMNIBus library

The following documents are available in the Tivoli Netcool/OMNIBus library:

- *IBM Tivoli Netcool/OMNIBus Installation and Deployment Guide*, SC14-7526
Includes installation and upgrade procedures for Tivoli Netcool/OMNIBus, and describes how to configure security and component communications. The publication also includes examples of Tivoli Netcool/OMNIBus architectures and describes how to implement them.
- *IBM Tivoli Netcool/OMNIBus Administration Guide*, SC14-7527
Describes how to perform administrative tasks using the Tivoli Netcool/OMNIBus Administrator GUI, command-line tools, and process control. The publication also contains descriptions and examples of ObjectServer SQL syntax and automations.
- *IBM Tivoli Netcool/OMNIBus Web GUI Administration and User's Guide*, SC14-7528
Describes how to perform administrative and event visualization tasks using the Tivoli Netcool/OMNIBus Web GUI.
- *IBM Tivoli Netcool/OMNIBus User's Guide*, SC14-7529
Provides an overview of the desktop tools and describes the operator tasks related to event management using these tools.

- *IBM Tivoli Netcool/OMNIBus Probe and Gateway Guide, SC14-7530*
Contains introductory and reference information about probes and gateways, including probe rules file syntax and gateway commands.
- *IBM Tivoli Monitoring for Tivoli Netcool/OMNIBus Agent User's Guide, SC14-7532*
Describes how to install the health monitoring agent for Tivoli Netcool/OMNIBus and contains reference information about the agent.
- *IBM Tivoli Netcool/OMNIBus Event Integration Facility Reference, SC14-7533*
Describes how to develop event adapters that are tailored to your network environment and the specific needs of your enterprise. This publication also describes how to filter events at the source.
- *IBM Tivoli Netcool/OMNIBus Error Messages Guide, SC14-7534*
Describes system messages in Tivoli Netcool/OMNIBus and how to respond to those messages.
- *IBM Tivoli Netcool/OMNIBus Web GUI Administration API (WAAPI) User's Guide, SC22-7535*
Shows how to administer the Tivoli Netcool/OMNIBus Web GUI using the XML application programming interface named WAAPI
- *IBM Tivoli Netcool/OMNIBus ObjectServer HTTP Interface Reference Guide, SC27-5613* Describes the URIs and common behaviors of the Application Programming Interface (API) that is called the ObjectServer HTTP Interface. Describes how to enable the API and provides examples of JSON payloads, and HTTP requests and responses.
- *IBM Tivoli Netcool/OMNIBus ObjectServer OSLC Interface Reference Guide, SC27-5613* Describes the services, resources, and common behaviors of the Open Services for Lifecycle Collaboration (OSLC) Application Programming Interface (API) that is called the ObjectServer OSLC Interface. Describes how to enable the API and provides examples of service provider definitions, RDF/XML payloads, and HTTP requests and responses.

Accessing terminology online

The IBM Terminology Web site consolidates the terminology from IBM product libraries in one convenient location. You can access the Terminology Web site at the following Web address:

<http://www.ibm.com/software/globalization/terminology>

Accessing publications online

IBM posts publications for this and all other Tivoli products, as they become available and whenever they are updated, to the Tivoli Information Center Web site at:

<http://publib.boulder.ibm.com/infocenter/tivihelp/v3r1/index.jsp>

Note: If you print PDF documents on other than letter-sized paper, set the option in the **File > Print** window that allows Adobe Reader to print letter-sized pages on your local paper.

Ordering publications

You can order many Tivoli publications online at the following Web site:

<http://www.elink.ibm.link.ibm.com/publications/servlet/pbi.wss>

You can also order by telephone by calling one of these numbers:

- In the United States: 800-879-2755
- In Canada: 800-426-4968

In other countries, contact your software account representative to order Tivoli publications. To locate the telephone number of your local representative, perform the following steps:

1. Go to the following Web site:
<http://www.elink.ibm.link.ibm.com/publications/servlet/pbi.wss>
2. Select your country from the list and click **Go**. The Welcome to the IBM Publications Center page is displayed for your country.
3. On the left side of the page, click **About this site** to see an information page that includes the telephone number of your local representative.

Accessibility

Accessibility features help users with a physical disability, such as restricted mobility or limited vision, to use software products successfully.

With this product, you can use assistive technologies to hear and navigate the interface. You can also use the keyboard instead of the mouse to operate some features of the graphical user interface.

Tivoli technical training

For Tivoli technical training information, refer to the following IBM Tivoli Education Web site:

<http://www.ibm.com/software/tivoli/education>

Support information

If you have a problem with your IBM software, you want to resolve it quickly. IBM provides the following ways for you to obtain the support you need:

Online

Go to the IBM Software Support site at <http://www.ibm.com/software/support/probsub.html> and follow the instructions.

IBM Support Assistant

The IBM Support Assistant (ISA) is a free local software serviceability workbench that helps you resolve questions and problems with IBM software products. The ISA provides quick access to support-related information and serviceability tools for problem determination. To install the ISA software, go to <http://www.ibm.com/software/support/isa>.

Documentation

If you have a suggestion for improving the content or organization of this guide, send it to the Tivoli Netcool/OMNIBus Information Development team at:

mailto://L3MMDOCS@uk.ibm.com

Conventions used in this publication

This publication uses several conventions for special terms and actions and operating system-dependent commands and paths.

Typeface conventions

This publication uses the following typeface conventions:

Bold

- Lowercase commands and mixed case commands that are otherwise difficult to distinguish from surrounding text
- Interface controls (check boxes, push buttons, radio buttons, spin buttons, fields, folders, icons, list boxes, items inside list boxes, multicolumn lists, containers, menu choices, menu names, tabs, property sheets), labels (such as **Tip:** and **Operating system considerations:**)
- Keywords and parameters in text

Italic

- Citations (examples: titles of publications, diskettes, and CDs)
- Words defined in text (example: a nonswitched line is called a *point-to-point* line)
- Emphasis of words and letters (words as words example: "Use the word *that* to introduce a restrictive clause."; letters as letters example: "The LUN address must start with the letter *L*.")
- New terms in text (except in a definition list): a *view* is a frame in a workspace that contains data
- Variables and values you must provide: ... where *myname* represents....

Monospace

- Examples and code examples
- File names, programming keywords, and other elements that are difficult to distinguish from surrounding text
- Message text and prompts addressed to the user
- Text that the user must type
- Values for arguments or command options

Operating system-dependent variables and paths

This publication uses the UNIX convention for specifying environment variables and for directory notation.

When using the Windows command line, replace *\$variable* with *%variable%* for environment variables, and replace each forward slash (/) with a backslash (\) in directory paths. For example, on UNIX systems, the \$NCHOME environment variable specifies the path of the Netcool® home directory. On Windows systems, the %NCHOME% environment variable specifies the path of the Netcool home directory. The names of environment variables are not always the same in the

Windows and UNIX environments. For example, %TEMP% in Windows environments is equivalent to \$TMPDIR in UNIX environments.

If you are using the bash shell on a Windows system, you can use the UNIX conventions.



Operating system-specific directory names

Where Tivoli Netcool/OMNIbus files are identified as located within an *arch* directory under NCHOME, *arch* is a variable that represents your operating system directory, as shown in the following table.

Table 1. Directory names for the *arch* variable

Directory name represented by <i>arch</i>	Operating system
aix5	AIX® systems
hpux11hpie	HP-UX Itanium-based systems
linux2x86	Red Hat Linux and SUSE systems
linux2s390	Linux for System z®
solaris2	Solaris systems
win32	Windows systems

Fix pack information

Information that is applicable only to the fix pack versions of Tivoli Netcool/OMNIbus are prefaced with a graphic. For example, if a set of instructions is preceded by the graphic , it means that the instructions can only be performed if you installed fix pack 1 of your installed version of Tivoli Netcool/OMNIbus. In the release notes, descriptions of known problems that are prefaced with  are solved in fix pack 1, and so on.

Note: Fix packs are distributed separately for the server components and the Web GUI component.

Chapter 1. Error messages generated by the server-side components

The following error messages are generated by the server-side components of Tivoli Netcool/OMNIBus.

ALD

Messages related to LDAP authentication.

E-ALD-102-001 The system has been configured for FIPS but the LDAP authentication module is not configured to use SSL

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-002 Failure occurred in configuring LDAP interface for FIPS (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-003 Failed to initialise the SSL environment. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-004 Failed to bind to LDAP server using v2 protocol for user %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-005 Failed to initialise connection to LDAP server. Host %0s. Port %1d. Error - %2d:%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-006 Failed to initialise LDAP SSL connection. Host %0s. Port %1d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-007 Failed to bind to LDAP server for user %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-008 The LDAP Server is not reachable

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-009 Failed to unbind from the LDAP server: %0d:%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-010 Failed to initialise the connection prior to reconnecting

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-011 LDAP Server message received during bind. %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-012 ldap_open failed to LDAP server. Host %0s. Port %1d. Error - %2d:%3s.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-013 Failed to initialise the connection for
SSL prior to reconnecting

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-014 Failed to bind to LDAP server for
user %0s. ldap_result failed. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-015 Timeout while attempting to bind to
LDAP server for user %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-016 Failed to bind to LDAP server for
user %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-017 Failed to fetch value for property
%0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-018 Datatype mismatch for property %0s
in value extraction. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-019 Datatype not supported for property
%0s in value extraction. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-020

E-ALD-102-020 Failed to bind during reconnection attempt. Error %0s.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-021 Error occurred while trying to
establish bind connection. Error %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-022

E-ALD-102-022 *%0s in %1s, line %2d near %3s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-023 *%0s in %1s, line %2d*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-024

E-ALD-102-024 Failed to decode properties file %0s:
%1d:%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-025 Failed to define the encryption
properties. %0d:%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ALD-103-001 Failed to load properties file %0s:
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

APM

Messages related to Pluggable Authentication Modules (PAM) authentication.

E-APM-102-001 PAM message for user %0s: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-003 Failed to initialise the underlining
OS PAM sub-system. Application: %0s.
PAM Error [%1d][%2s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-004 Failed to set the user name on the
PAM handle [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-005 User authentication of user %0s , has
failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-006 User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-007 Unknown error has occurred during
authentication. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-008 Authentication Token Update has
failed. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-009

E-APM-102-009 Unknown error has occurred during authentication token update. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-010 Account Management of user %0s ,
has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-104-002

E-APM-104-002 Unknown PAM conversion type: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-104-011 %0s : PAM module in use is broken.
 Application user data has not been
 passed to conversation function.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

AUT

Messages related to automations and triggers.

E-AUT-001-001 Cannot drop object with attached
 triggers

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-002 Must select all columns

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-004 Operation not valid on a system
 event

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-005 Cannot execute this operation in a
 recursive action

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-006 Evaluate clauses are not available in
 database triggers

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-007 Invalid database event

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-008 Comment too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-009 Evaluate clause too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-010 Condition clause too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-011 Declare block too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-012 Action block too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-013 Failed to recover event

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-014 Failed to recover trigger group

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-015 Failed to recover trigger

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-017 Trigger is already member of trigger group**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-AUT-001-018 Trigger has circular dependencies**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-AUT-002-006 Trigger \%\s\%: action execution failed: %1s**Explanation:** The following examples show how this message is written to the log.

Example 1:

```
E-AUT-002-006: Trigger "deleteitm":
action execution failed:
Attempt to insert duplicate row
```

Example 2:

```
E-AUT-002-006:
Trigger "connection_watch_disconnect":
action execution failed:
Not enough space
```

Example 3:

```
E-AUT-002-006: Trigger "log_all_event":
action execution failed:
There is not enough memory available now.
The external procedure (log_event) was not
executed.
```

The example messages indicate that ObjectServer triggers are not being executed, possibly because there is not enough memory to process the operation.

System action: Not applicable.**User response:** Not applicable.

Administrator response: In example message 1, a deduplication trigger does not exist for the table where the event is being inserted. In this case, you can add a deduplication trigger to handle duplicate rows in the table concerned.

The following example trigger drops the incoming duplicate event data and does not make any updates:

```
create or replace trigger custom_dedup
group default_triggers
debug false
enabled true
priority 1
comment 'Deduplication processing for
custom.status'
before reinsert on custom.status
```

```
for each row
begin
```

```
cancel;
```

```
end;
```

In example messages 2 and 3, there is a problem with the amount of memory available. Monitor the memory usage of the ObjectServer and the host system over an extended time period to determine whether the system requires more physical memory.

For information about triggers and automations, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-AUT-002-009 Trigger \%\s\%: action execution failed: %1s: %2s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-AUT-003-001 Trigger \%\s\%: %1s on line %2d near %3s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-AUT-003-002 Trigger \%\s\%: %1s on line %2d**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-AUT-003-004 Trigger \%\s\%: recursive raise detected. Aborting execution**Explanation:** The following example shows how this message is written to the log:

```
2012-04-13T21:12:28: Error: E-AUT-003-004:
Trigger "test_correlation": recursive raise
detected. Aborting execution
```

This error indicates that the affected trigger is performing an action that might lead to the trigger being executed recursively, thereby degrading ObjectServer performance. When the ObjectServer detects that it is recursively invoking a trigger, it prevents execution of the trigger and returns this error message.

In the example message, a custom database trigger, `test_correlation`, fires on an update to the

E-AUT-003-005 • E-AUT-003-010

alerts.status table. However, the trigger itself performs an update to alerts.status, thus starting a recursive loop.

System action: Not applicable.

User response: Not applicable.

Administrator response: The response to this error will depend on your system configuration. The solution to the problem in the example is to either alter the trigger to prevent recursion, or to use a temporal trigger instead of a database trigger.

E-AUT-003-005 %0s at or near %1s on line %2d of %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-007 Failed to recover %0d of %1d triggers

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-008 Trigger recovery failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-009 Trigger \%0s\ execution failed in evaluate clause : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-010 Trigger \%0s\ execution failed in action clause : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-011 %0s raising signal %1s. Counterpart
ObjectServer is not available for failover
or failback.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-AUT-004-001

W-AUT-004-001 Failed to raise trigger statistics
logging signal: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-AUT-004-002 A callback servicing an alter trigger
group event (*%0d*) for trigger group *%1s*
returned: *%2s* (*%3d*)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-AUT-004-003

W-AUT-004-003 A callback servicing an alter trigger
event (%0*d*) for trigger %1*s* returned:
%2*s* (%3*d*)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-AUT-004-004 Invocation of trigger %0s will not be timed due to stop watch creation problem (%1s;%2d). Time statistics will be incorrect for this trigger.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

BRI

Messages related to the firewall bridge server utility (**nco_bridgeserv**).

E-BRI-102-002 [BridgeServer]: Failed to initialise property manager with the NIPC client properties. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-003 [BridgeServer]: Failed to initialise property manager with the bridge servers properties. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-004 [BridgeServer]: Failed to initialise argument manager with the NIPC client arguments. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-005 [BridgeServer]: Failed to initialise argument manager with the bridge servers arguments. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-006 [BridgeServer]: Failed to update property manager with the bridge servers properties affected by name change. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-007 [BridgeServer]: Failed to initialise the
NIPC client library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-008 [BridgeServer]: Failed to fetch all of
the required server property values.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-009 [BridgeServer]: Failed to create a
client data connection structure.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-010 [BridgeServer]: Failed to challenge
client for login details. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-011 [BridgeServer]: Failed to validate
clients login credentials. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-012 [BridgeServer]: Failed to inform the
process agent %0s that we have started. (
%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-013 [BridgeServer]: %0s: The thread has terminated unexpectedly. Server may be shutdown. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-014 [BridgeServer]: %0s: Failed to spawn the client connection handling thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-015 [BridgeServer]: Failed to join the client connection handling thread and wait for it to shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-016 [BridgeServer]: Client Thread: Failed to create session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-017 [BridgeServer]: Client Thread: Failed to install challenge callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-018 [BridgeServer]: Client Thread: Failed to install session name callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-019 [BridgeServer]: Client Thread: Failed to connect to remote ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-020 [BridgeServer]: Client Thread: Failed to disconnect from remote ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-021 [BridgeServer]: Client Thread: Failed to destroy the session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-022 [BridgeServer]: %0s: The thread has terminated unexpectedly. Server may be shutdown. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-023 [BridgeServer]: %0s: The thread has terminated unexpectedly. Server may be shutdown. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-024 [BridgeServer]: %0s: Failed to spawn the thread pool worker thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-025 [BridgeServer]: %0s: Failed to join the thread pool worker thread and wait for it to shutdown. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-026 [BridgeServer]: Invalid value %0s defined for bridge role property %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-027 [BridgeServer]: Unknown bridge mode in start-up handler. Unable to determine servers operational start-up sequence. (%0u)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-028 [BridgeServer]: Unknown bridge mode in stop handler. Unable to determine servers operational shutdown sequence. (%0u)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-029 [BridgeServer]: %0s: Failed to create the server access point listening socket. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-030 [BridgeServer]: %0s: Failed to create the client access point listening socket. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-031 [BridgeServer]: %0s: Failed to create all of the required elements for operation. Shutting down the server. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-032 [BridgeServer]: %0s: Fatal error detected in operation. Terminating the thread.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-033 [BridgeServer]: %0s: Failed to allocate the threads operational data structure (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-034 [BridgeServer]: %0s: Failed to accept a connection on the server access point listening port %1u . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-035 [BridgeServer]: %0s: Failed to accept a connection on the client access point listening port %1u . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-036 [BridgeServer]: %0s: Failed to read command from client connection on socket %1u [%2s;%3s]. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-037 [BridgeServer]: %0s: Failed to look up the associated connection structure for active socket %1u . Fatal condition detected.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-038 [BridgeServer]: %0s: Failed to look up the associated connection structure for active socket %1u . Unexpected error condition detected. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-039 [BridgeServer]: Failed to accept connection on listening socket %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-040 [BridgeServer]: Failed to create a raw connection data handle accepted connection (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-041 [BridgeServer]: %0s: Failed to spawn the client access point command handling thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-042 [BridgeServer]: Failed to join the client access point command handling thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-043 [BridgeServer]: Failed to make a connection to %0s on port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-044 [BridgeServer]: Failed to create a raw connection data handle for established connection to %0s port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-045 [BridgeServer]: %0s: Fatal error detected in operation. Terminating the thread.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-046 [BridgeServer]: %0s: Unable to establish connection bridge for client connection as no command connection has been established between the server access point. Dropping client connection on socket %1u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-047 [BridgeServer]: %0s: Failed to read command from current connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-048 [BridgeServer]: %0s: Failed to connect to client access point server port. Retrying in %1u seconds. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-049 [BridgeServer]: %0s: Failed to look up the associated peer connection structure for socket %1u . Unable to establish a link-up on requesting socket %2u . Dropping connection. (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-050 [BridgeServer]: Failed to read %0d bytes from raw connection data handle. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-051 [BridgeServer]: %0s: Failed to add linked up data flow raw connections to thread pool manager. Dropping associated sockets %1u and %2u . (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-052 [BridgeServer]: %0s: An unknown server command of type %1u has been received from client connection on socket %2u [%3s;%4s]. Dropping command and attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-053 [BridgeServer]: %0s: Failed to handle the read ready status of data pending received from client connection on socket. Attempting to continue. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-054 [BridgeServer]: %0s: An unrecoverable condition has been detected and the thread is not able to continue. Request a shutdown of the bridge server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-055 [BridgeServer]: SrvCmd: Invalid header detected in server command.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-056 [BridgeServer]: SrvCmd: Versioned server command is not supported by current code base. Server command is 0x%0x , but only support up to version 0x%1x

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-057 [BridgeServer]: SrvCmd: Failed to determine the number of bytes pending on client connection socket %0u [%1s:%2s]. Disconnecting the client from the server. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-058 [BridgeServer]: SrvCmd: Client disconnection detected on client connection socket %0u [%1s:%2s]. Disconnecting the client from the server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-059 [BridgeServer]: SrvCmd: Insufficient bytes available for server command header from client connection socket %0u [%1s:%2s]. Expected %3u , but only got %4u . Dropping the data and attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-060 [BridgeServer]: SrvCmd: Failed to send server command to client connection socket %0u [%1s:%2s]. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-061 [BridgeServer]: %0s: Failed to determine the number of bytes pending on client connection socket %1u [%2s:%3s]. Disconnecting the client data flow from the server. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-062 [BridgeServer]: %0s: Client disconnection detected on client connection socket %1u [%2s:%3s]. Disconnecting the client data flow from the server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-063 [BridgeServer]: %0s: Failed to read the pending data from source client connection socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-064 [BridgeServer]: %0s: Failed to write the pending data to destination client connection socket %1u [%2s:%3s]. Disconnecting the client data flow from the server. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-065 [BridgeServer]: TPMgr: Failed to check all threads in the thread pool for an available free slot. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-066 [BridgeServer]: TPMgr: Failed to start a new worker thread within the thread pool. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-067 [BridgeServer]: %0s: Failed to process an active data flow between [%1u:%2s:%3s]->[%4u:%5s:%6s]. (%7d:%8s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-068 [BridgeServer]: %0s: Failed to allocate the threads operational data structure (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-069 [BridgeServer]: %0s: Disconnecting the client connections that represent the active data flow between [%1u:%2s:%3s]->[%4u:%5s:%6s] and dropping the work item.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-070 [BridgeServer]: %0s: Fatal error condition in the thread and can potentially not continue. Return ing failure condition which may result in server shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-071 [BridgeServer]: Failed to build the connection list for ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-072 [BridgeServer]: Failed to establish a raw client connection to ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-073 [BridgeServer]: %0s: Failed to read acknowledge command from new client connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-074 [BridgeServer]: %0s: Failed to wait for acknowledge command from new client connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-075 [BridgeServer]: %0s: Invalid server command received from new client connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-076 [BridgeServer]: %0s: Failed to establish a raw client connection to the ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-077 [BridgeServer]: %0s: Failed to establish a link-up raw client connection with the client access point bridge server %1s port %2u . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-078 [BridgeServer]: %0s: Failed to add linked up data flow raw connections to thread pool manager. Dropping associated sockets %1u and %2u . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-079 [BridgeServer]: %0s: Failed to lock the thread pool workers mutex lock. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-080 [BridgeServer]: %0s: Failed to start up all of the threads required operational elements. Shutting down the server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-081 [BridgeServer]: %0s: Failed to send failure error code back to client access point for link up request using client id %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-082 [BridgeServer]: %0s: Server access point has failed to established the data flow on its side. Dropping associated client connection sockets %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-083 [BridgeServer]: Failed to open the Sybase interfaces file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-084 [BridgeServer]: %0s: Received unknown server command %1u from current connection on socket %2u [%3s:%4s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-085 [BridgeServer]: SrvCmd: Unable to encode/decode unknown server command %0u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-086 [BridgeServer]: Client Command Parser: Failed to parse client command. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-087 [BridgeServer]: Client Command Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-088 [BridgeServer]: Failed to parse the client language command %0s .
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-097 [BridgeServer]: Failed to issue bridge server shutdown request. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-100 [BridgeServer]: %0s: Failed to determine whether client connection from hostname %1s (%2s) on socket %3u is from a trusted IP address. Dropping connection. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-101 [BridgeServer]: %0s: Client connection from hostname %1s (%2s) on socket %3u is from an untrusted IP address. Dropping connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-103 [BridgeServer]: Trusted Hosts File Parser: Failed to parse trusted host definition. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-104 [BridgeServer]: Trusted Hosts File Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-105 [BridgeServer]: Failed to parse the trusted hosts file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-106 [BridgeServer]: Failed to open the trusted hosts file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-107 [BridgeServer]: IPv4 address %0d.%1d.%2d.%3d is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-108 [BridgeServer]: IPv4 network prefix %0d is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-109 [BridgeServer]: IPv6 address %0s is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-110 [BridgeServer]: IPv6 network prefix %0d is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-111 [BridgeServer]: Failed to execute the client language command %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-114 PAM: Unknown PAM conversion type: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-115 PAM: Failed to initialise the underlining OS PAM sub-system. PAM Error [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-116 PAM: Cannot set thread specific data. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-117 PAM: Failed to set the user name on the PAM handle [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-118 PAM: User authentication of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-119 PAM: User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-120 PAM: Unknown error has occurred during authentication. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-121 PAM: Account Management of user
%0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-122 PAM: PAM message for user %0s:
%1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-123 [BridgeServer]: %0s: Failed to send
heartbeat to client access point
(%1d;%2s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-124 [BridgeServer]: %0s: Failed to send
heartbeat to server access point
(%1d;%2s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-125 [BridgeServer]: %0s: Failed to
determine whether server connection
from hostname %1s (%2s) on socket %3u
is from a trusted IP address. Dropping
connection. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-126 [BridgeServer]: %0s: Server
connection from hostname %1s (%2s) on
socket %3u is from an untrusted IP
address. Dropping connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-127

E-BRI-102-127 [BridgeServer]: %0s: Failed to create link-up request command structure for connection from hostname %1s (%2s) on socket %3u . Dropping connection. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-128 [BridgeServer]: %0s: Failed to send
link-up request to server access point
for connection from hostname %1s (%2s)
on socket %3u . Dropping connection.
(%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-BRI-103-001

W-BRI-103-001 [BridgeServer]: Failed to look up
hostname for IP address %0s . Using
default system hostname %1s .
(%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-BRI-103-002 [BridgeServer]: %0s: Failed to read
command from client connection on
socket %1u [%2s:%3s]. Disconnecting
client from the server. (%4d:%5s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-BRI-103-003

W-BRI-103-003 [BridgeServer]: %0s: Failed to read command from current connection on socket %1u [%2s:%3s]. Disconnecting from the client. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

CHE

Messages related to the memstore checkpoint verification utility (**nco_check_store**).

E-CHE-001-001 **Verification failed for %0s: %1s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-CHE-001-002

F-CHE-001-002 Failed to get property %0s: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-CHE-001-003 Failed to process arguments: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-CHE-001-004 Failed to process properties: %0s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

CMD

Messages related to SQL command processing.

E-CMD-001-001 Invalid expression**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-002 Divide by zero error**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-003 Not a row variable**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-004 Illegal variable**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-005 Object not found**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-006 Table not found**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-007 Database not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-008 Column not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-009 Type mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-010 Invalid condition

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-011 Attempted to compare incompatible types

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-012 Column count mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-013 Named wildcard in view not allowed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-014 Expression requires label

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-015 Expression named twice

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-016 Unknown property

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-017 Cannot modify

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-018 Object exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-019 Invalid column

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-020 Parameter count mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-021 Unsupported

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-022 Primary key not specified

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-023 Illegal mode for table parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-024 Identifier previously declared

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-025 Illegal data type

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-026 Assignment to non scalar value

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-CMD-001-027 Type mismatch for formal
parameter**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-CMD-001-028 Attempt to modify IN formal
parameter**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-029 Attempt to read OUT parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-030 Illegal OUT actual parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-031 Illegal IN/OUT actual parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-032 Illegal row actual parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-CMD-001-033 Incorrect number of fields in actual
row parameter**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-034 Actual parameter type mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-035 Illegal IN actual parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-036 Not an array

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-037 Illegal type for array subscript

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-038 Object's parent database must be named

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-039 Cannot replace old object with object of this type

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-040 WHEN clause not allowed in statement level trigger

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-041 Procedure text exceeds permitted number of characters

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-042 Argument out of range

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-043 Object is not a base table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-044 Cannot redefine system column

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-045 Variable cannot be modified

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-046 Cannot read from OUT parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-047 Type mismatch for column

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-049 Type mismatch for field

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-050 Invalid name

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-051 Array bound violation

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-052 Array index type mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-053 Array too large

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-054 Type mismatch for expression list member

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-055 Illegal argument to OUT parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-056 Illegal argument to IN/OUT parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-057 Illegal INSERT. FOR EACH statement in execution on this table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-058 Illegal UPDATE. FOR EACH statement in execution on this table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-CMD-001-059 Illegal DELETE. FOR EACH
statement in execution on this table**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-CMD-001-060 Illegal FOR EACH. FOR EACH
statement in execution on this table**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-061 Illegal EVALUATE clause

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-062 Not a table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-CMD-001-063 WHERE clause not allowed over
this object**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-064 Name too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-065 Illegal subcommand

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-066 Not a scalar value

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-067 Array variable must be IN parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-068 Filter does not match table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-069 Row not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-070 Object is a system table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-071 GroupBy not allowed in a view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-072 Wildcard not allowed in GroupBy

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-073 Illegal the selection list must not contain both aggregate and column expressions

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-074 Order by clause not allowed in an aggregate select

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-075 TOP not allowed in a view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-076 TOP not allowed in an aggregate select

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-077 Illegal the condition must not contain aggregate expressions

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-078 Illegal string size

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-079 Illegal format parameter supplied

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-080 **Illegal index type**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

DBI

Messages related to the database initialization utility (**nco_dbinit**).

E-DBI-001-001 **Command not allowed using
nco_dbinit**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-001 *%0s in file %1s at or near %2s on line
%3d of statement %4s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-002 *%0s in file %1s on line %2d of
statement %3s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-003 **Security startup failed: %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-004 **Security property startup failed: %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-005 **Failed to copy ObjectServer property
file: %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-008 Failed to process file: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-028 An error has occurred while
processing the .sql files. See log for
more details

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-029 No Further Data will be imported to
the objectserver from this file: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-030 Failed to convert error string to a
wide string

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-031 Custom config file %0s does not exist

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-032 Failed to open property file %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-033 Error occurred appending properties
to props file %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-004 Security property startup failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-006 Failed to start procedure subsystem: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-007 Failed to start automation subsystem: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-008 Failed to process file: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-009 Failed to allocate memory: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-010 Failed to process arguments: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-011 Failed to process properties: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-012 Failed to get property %0s: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-013 Invalid server name: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-018 Data directory exists. Use -force option to force overwrite

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-019 Failed to initialise command library: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-020 Failed to start storage subsystem: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-021 Failed to create ObjectServer system events: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-023 Failed to shutdown the storage subsystem: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-034 Failed to initialize property buffer:
%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-035

F-DBI-002-035 Failed to enable UTF8Enabled property

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-DBI-004-001 Unable to append properties to props file because CopyPropsFile is false

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

ETC

Messages related to the core Netcool/OMNIBus library libnetcool.

E-ETC-003-012 Failed to initialise NTimer for CLOCK tick

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-013 Failed to create NTimer for CLOCK tick_timer

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-014 Failed to create NEvent for CLOCK tick

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-015 Failed to create tick_list_lock

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-016 Failed to create timer_mutex

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-004-001 %0s in %1s, line %2d near %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-004-002 *%0s in %1s, line %2d*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-004-008 **THREAD MGR: thread** *%0s (%1p)*
 ***EXIT*:** *%2s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-002 **No global key set and no key
 provided**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-003 **Could not open file** *%0s* **for reading,**
 Error: *%1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-004 **File length found does not match
 expected file length:** *%0s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-005 **Key file formatted incorrectly, length
 mismatch** *%0s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-006 **Key file formatted incorrectly, no
 separator found** *%0s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-007 Attempt made to read data from
empty file: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-008 Failed to define property %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-009 Failed to define callback for property
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-010 Encryption algorithm not found: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-011 Key file formatted incorrectly, non
numeric characters in length: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-021 Failed to open ICU converter, error
code %0d error message %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-022 Failed to open ICU collator, error
code %0d error message %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-023 libncrypt error: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-024 libncrypt error code out of range:
%0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-025 libncrypt error: %0s %1d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-026 FIPS mode set and non FIPS cipher
mode detected: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-027 Failed to convert UTF-16 string to
code page: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-028 Failed to convert string: %0s to
UTF-16: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-029 Failed to set ICU from Unicode
conversion call back function: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-030 Failed to set ICU to Unicode conversion call back function: %0s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-031 Failed to set ICU substitution character call back function: %0s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-032 Failed to set thread specific data for ICU Converter. (%0d:%1s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-033 Failed to create thread specific ICU Converter. (%0d:%1s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-034 Invalid date/time format: %0s.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-035 Fail to format date with format: %0s. Error code: %1s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-036 Fail to parse date string: %0s using format: %1s. Error code: %2s**Explanation:** The following example shows how this message is written to the log:

Error: E-ETC-102-036: Fail to parse date string:
 Tue DEC 19 18:33:11 JST 2010
 using format: %a %b %e %T %Y.
 Error code: U_PARSE_ERROR

This error messages indicates that a probe failed to parse a date string.

The example error message was written to a probe log file. In this example, the error occurs because the date and time pattern %a %b %e %T %Y does not match the date string, which includes time zone information (JST).

System action: Not applicable.**User response:** Not applicable.

Administrator response: To address the problem indicated by the example error message, add the time zone information to the pattern. For example, use the pattern %a %b %e %T %Z %Y to define the time string Tue DEC 19 18:33:11 JST 2010.

However, because JST is not a standard time zone identifier supported by ICU, the time string Tue DEC 19 18:33:11 JST 2010 still causes a parse error. The solution is to use an unambiguous time zone identifier equal to JST, for example, Tue DEC 19 18:33:11 GMT+9 2010.

This error does not occur in versions of Tivoli Netcool/OMNIBus earlier than V7.3 because those versions ignore time zone information. In Tivoli Netcool/OMNIBus V7.3, POSIX date and time patterns were deprecated in favor of Locale Data Markup Language (LDML) date and time patterns that are provided by International Components for Unicode (ICU) libraries. Whenever possible, replace POSIX patterns in probe rules files with LDML patterns.

For more information about the change from POSIX to LDML date and time formats, see the *IBM Tivoli Netcool/OMNIBus Installation and Deployment Guide*.

For more information about using date and time functions in rules files, see the *IBM Tivoli Netcool/OMNIBus Probe and Gateway Guide*.

W-ETC-004-060 Undefined argument: %0s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

W-ETC-004-066 Failed to load properties file %0s: %1s**Explanation:** The following examples show how this message is written to the log:

W-ETC-004-066: Failed to load properties file
 /opt/netcool/omnibus/etc/NCOMS.props:
 No such file or directory

W-ETC-004-066: Failed to load properties file
 /nco731/tivoli/netcool/omnibus/etc/NCOMS.props:
 A file or directory in the path name
 does not exist.

The example messages indicate that the ObjectServer properties file does not exist, or that part of the path name is incorrect.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example message, ensure that the ObjectServer properties file exists. The default location is \$NCHOME/omnibus/etc.

You can use the ObjectServer -propsfile option to set the properties file:

```
nco_objserv -propsfile $NCHOME/omnibus/etc
/NCOMS.props
```

This error can occur when you attempt to start an ObjectServer without having first run the database initialization utility (**nco_dbinit**) to create the database files and the default properties file.

For information about creating and running ObjectServers, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

W-ETC-102-002 Invalid character %0x found when converting from Unicode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-102-003 Invalid character %0x found when converting to Unicode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-102-006 Invalid character %0x replaced by [space] in SQL command at index %1d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-102-007 Code page:%0s is detected, backslash(0x5c) character is defined as Yen symbol in this code page, string can't be escaped and unescaped properly

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-001 Accessing property %0s via alias
 %1s - this alias may be removed in a
 future version

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-002

W-ETC-103-002 Failed to load IP address network
module %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-003 Failed to lookup access function in
IP address network module %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-004

W-ETC-103-004 Failed to successfully call access
function in IP address network module
%0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-005 Failed to get file statistics on file
%0s, trying to read as ascii.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

GOB

Messages related to ObjectServer gateways.

E-GOB-102-001 [ngobjserv]: Failed to create the
property set for ObjectServer data
mapper %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-002 [ngobjserv]: Failed to add the
property set of the ObjectServer data
mapper %0s to the properties manager.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-003 [ngobjserv]: Failed to add the
argument set of the ObjectServer data
mapper %0s to the arguments manager.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-004 [ngobjserv]: Failed to update the
property set of the ObjectServer data
mapper %0s with the properties
manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-005 [ngobjserv]: Failed to get the
property set values for the ObjectServer
data mapper %0s from the properties
manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-006 [ngobjserv]: Failed to create the property set for ObjectServer reader %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-007 [ngobjserv]: Failed to add the property set of the ObjectServer reader %0s to the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-008 [ngobjserv]: Failed to add the argument set of the ObjectServer reader %0s to the arguments manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-009 [ngobjserv]: Failed to update the property set of the ObjectServer reader %0s with the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-010 [ngobjserv]: Failed to get the property set values for the ObjectServer reader %0s from the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-011 [ngobjserv]: Failed to create the property set for ObjectServer writer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-012 [ngobjserv]: Failed to add the property set of the ObjectServer writer %0s to the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-013 [ngobjserv]: Failed to add the argument set of the ObjectServer writer %0s to the arguments manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-014 [ngobjserv]: Failed to update the property set of the ObjectServer writer %0s with the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-015 [ngobjserv]: Failed to get the property set values for the ObjectServer writer %0s from the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-016 [ngobjserv]: Failed to create the property set for ObjectServer reader/writer %0s. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-017 [ngobjserv]: Failed to add the property set of the ObjectServer reader/writer %0s to the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-018 [ngobjserv]: Failed to add the argument set of the ObjectServer reader/writer %0s to the arguments manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-019 [ngobjserv]: Failed to update the property set of the ObjectServer reader/writer %0s with the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-020 [ngobjserv]: Failed to get the property set values for the ObjectServer reader/writer %0s from the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-021 [ngobjserv]: Table Replication Definition Parser: Failed to parse table replication definition. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-022 [ngobjserv]: Table Replication Definition: Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-023 [ngobjserv]: Failed to open the table replication definition file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-024 [ngobjserv]: Failed to parse the table replication definition file %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-025 [ngobjserv]: Failed to identify the version of the connect ObjectServer due to a fatal error condition. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-035 [ngobjserv]: Failed to create the resynchronisation manager. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-036 [ngobjserv]: Failed to start the resynchronisation manager. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-037 [ngobjserv]: %0s: Failed to connect to the ObjectServer %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-038 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-039 [ngobjserv]: %0s: Failed to check and send the required flush IDUC command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-040 [ngobjserv]: %0s: Failed to parse the table replication definition file %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-041 [ngobjserv]: %0s: Reader has failed to connect to the ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-042 [ngobjserv]: %0s: Reader has suffered a fatal error in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-043 [ngobjserv]: %0s: Reader has failed to check and send the required flush IDUC command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-044 [ngobjserv]: %0s: Writer has failed to connect to the ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-049 [ngobjserv]: Failed to read and fetch all of the iduc data from the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-050 [ngobjserv]: Failed to add the nipc client library properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-051 [ngobjserv]: Failed to add the nipc client library arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-052 [ngobjserv]: Failed to initialise the nipc client library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-053 [ngobjserv]: %0s: Failed to connect to the ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-054 [ngobjserv]: %0s: Writer has suffered a fatal error in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-055 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-057 [ngobjserv]: Failed to send the command to the ObjectServer. (%0d:%1s)

Explanation: The following example shows how this message is written to the log:

Error: E-GOB-102-057: [ngobjserv]:
Failed to send the command to the ObjectServer.
(-19: General failure)

The example error message was written to a bidirectional ObjectServer gateway log file and indicates that the gateway cannot send a command to the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: This error can be caused by many different conditions. Verify that the ObjectServer is running correctly and that it is managing the current load.

To monitor ObjectServer performance, ensure that the ObjectServer **Profile** property is enabled, and review the profile and trigger statistics logs in the \$NCHOME/omnibus/logs/*ObjectServer_name_profiler_report.log*1 and \$NCHOME/omnibus/logs/*ObjectServer_name_trigger_stats.log*1 files.

Ensure that the total time from client requests and automations in both the profile and trigger statistics logs is less than the ObjectServer **Granularity** property setting (the default is 60 seconds).

If the total time is regularly longer than the **Granularity** property setting, ObjectServer performance might degrade. Troubleshoot the clients and triggers that are identified in the log files as consuming the most IDUC cycles. The client time might be longer than the granularity period because of ObjectServer multithreading.

For information about monitoring ObjectServer performance, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-GOB-102-059 [ngobjserv]: Failed to create the nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-060 [ngobjserv]: Failed to destroy the nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-061 [ngobjserv]: Failed to connect to the server %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-063 [ngobjserv]: Failed to create and setup a command structure for SQL %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-064 [ngobjserv]: Failed to determine whether server connection is dead. Assuming that it is dead. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-066 [ngobjserv]: Failed to create the self describing result set structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-067 [ngobjserv]: Failed to disconnect from the server. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-073 [ngobjserv]: Failed to set user data on nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-075 [ngobjserv]: Failed to install challenge callback on nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-076 [ngobjserv]: Failed to install name callback on nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-077 [ngobjserv]: Failed to check fetched server property. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-078 [ngobjserv]: Failed to process the ObjectServer property list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-079 [ngobjserv]: No result rows have been returned for an ObjectServer property list request.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-080 [ngobjserv]: Unexpected column number in ObjectServer property list results set. Exepected %0d , but got %1d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-081 [ngobjserv]: Type mismatch in columns of ObjectServer property list results set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-082 [ngobjserv]: IDUC v2 Connection: Failed to unregister for iduc on table %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-083 [ngobjserv]: IDUC v2 Connection: Failed to register for iduc on table %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-084 [ngobjserv]: Failed to create the iduc processing data set for reader %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-085 [ngobjserv]: Failed to create the iduc processing data set for reader/writer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-086 [ngobjserv]: %0s: Failed to find map %1s for source table %2s in the map manager. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-087 [ngobjserv]: %0s: Failed to describe the source table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-088 [ngobjserv]: %0s: Failed to find column %1s that is specified in map %2s for the source table %3s . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-089 [ngobjserv]: %0s: Failed to build the ObjectServer selection list from map %1s for the source table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-090 [ngobjserv]: %0s : Failed to parse the table replication definition file %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-091 [ngobjserv]: %0s: Failed to read any pending iduc data message from the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-092 [ngobjserv]: %0s: Failed to process the iduc data message that was read from the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-093 [ngobjserv]: %0s: Failed to read any pending iduc data message from the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-094 [ngobjserv]: %0s: Failed to process the iduc data message that was read from the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-095 [ngobjserv]: Failed to send the processed iduc message to the mapper. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-096 [ngobjserv]: Failed to check and re-size all of the iduc processing data buffers. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-097 [ngobjserv]: Failed to get an iduc table data processing structure from the iduc data set pool. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-099 [ngobjserv]: IDUC v%0u Connection: Failed to build the data acquisition sets from iduc data for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-100 [ngobjserv]: Failed to fetch the iduc data from the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-101 [ngobjserv]: %0s: Failed to lookup and find the table %1s in the cache manager. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-102 [ngobjserv]: %0s: Failed to find the column, %1s in the map manager results set resolve callback function. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-103 [ngobjserv]: %0s: Failed to get the value of column, %1s in the map manager results set evaluation callback function. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-104 [ngobjserv]: %0s: Failed to insert a cache entry for the current column of source table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-105 [ngobjserv]: %0s: Failed to create a mapped table row entry for an insert on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-106 [ngobjserv]: %0s: Failed to evaluate all required column values via provided map for insert row entry on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-107 [ngobjserv]: %0s: Failed to create a mapped table row entry for an update on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-108 [ngobjserv]: %0s: Failed to evaluate all required column values via provided map for update row entry on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-109 [ngobjserv]: %0s: Failed to lookup column %1s in the insert/update results set for table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-110 [ngobjserv]: %0s: Failed to get all of the key column values for the current row from the insert/update results set for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-111 [ngobjserv]: %0s: Failed to get the value of column %1s for the current row, from the insert/update results set for table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-112 [ngobjserv]: %0s: Failed to process all of the inserts and updates in the current iduc data batch for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-113 [ngobjserv]: %0s: Failed to process all of the deletes in the current iduc data batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-116 [ngobjserv]: %0s: Failed to create a mapped table row entry for a delete on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-117 [ngobjserv]: %0s: Failed to send mapped update table data to writer queue for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-118 [ngobjserv]: %0s: Failed to send mapped insert table data to writer queue for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-119 [ngobjserv]: %0s: Failed to send mapped delete table data to writer queue for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-120 [ngobjserv]: %0s: Failed to get a handle to the map column data in order to process the inserts and updates of table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-121 [ngobjserv]: %0s: Failed to lookup and delete a row in the cache for table %1s , due to an unexpected error. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-122 [ngobjserv]: %0s: Failed to lookup the table %1s from server %2s in the cache. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-124 [ngobjserv]: %0s: Failed to process all of the row inserts in the current batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-125 [ngobjserv]: %0s: Failed to flush and send the remaining buffered SQL commands to the server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-126 [ngobjserv]: %0s: Failed to process all of the row updates in the current batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-127 [ngobjserv]: %0s: Failed to process all of the row deletes in the current batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-128 [ngobjserv]: %0s: Failed to send the constructed SQL command to the server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-129 [ngobjserv]: %0s: Failed to lookup and delete all row entries from table %1s in the cache manager. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-130 [ngobjserv]: %0s: Failed to add inserted status table row to SNSS hash list table. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-131 [ngobjserv]: %0s: Failed to build the cache details fetching SQL command.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-132 [ngobjserv]: Failed to build the after iduc SQL command. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-133 [ngobjserv]: Failed to send the after iduc SQL command to the ObjectServer.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-134 [ngobjserv]: Failed to send the iduc data fetch SQL command to the ObjectServer. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-135 [ngobjserv]: Resync Manager has failed to start its thread group.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-136 [ngobjserv]: Resync Manager has failed to stop its thread group.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-137 [ngobjserv]: %0s: Failed to send cache details select SQL command to the server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-138 [ngobjserv]: Transfer Manager has suffered an unexpected error on its request message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-140 [ngobjserv]: %0s: No results have been returned in response to the cache details select SQL command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-141 [ngobjserv]: %0s: Failed to add the fetched cache details to the cache. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-142 [ngobjserv]: Failed to add the resynchronisation manager s properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-143 [ngobjserv]: Failed to add the resynchronisation manager s arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-144 [ngobjserv]: %0s: Failed to determine the name of destination ObjectServer. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-145 [ngobjserv]: Failed to find key column %0s in the results set from %1s for source table %2s . (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-146 [ngobjserv]: Key column %0s in the results set from %1s for source table %2s has the wrong type. (%3d;%4d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-147 [ngobjserv]: Failed to successfully fake the hash insert table for an Iduc V1 connection. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-148 [ngobjserv]: Specified resync type %0s could not be identified. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-149 [ngobjserv]: Failed to place a resync request message onto the Resync Manager s request message queue. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-150 [ngobjserv]: Resync Manager: Failed to lock the resynchronisation lock in ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-151 [ngobjserv]: Resync Manager: Failed to unlock the resynchronisation lock in ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-152 [ngobjserv]: Resync Manager: Failed to find the reader/writer object %0s defined in the master option.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-153 [ngobjserv]: Resync Manager: Failed to get the UpTime property from ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-154 [ngobjserv]: Resync Manager: No results returned for the UpTime property from ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-155 [ngobjserv]: Resync Manager: Incorrect number of columns in the results set for the UpTime property from ObjectServer %0s . Expected %1d, got %2d.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-156 [ngobjserv]: Resync Manager:
Incorrect type for the UpTime property s
value from ObjectServer %0s .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-157 [ngobjserv]: Resync Manager: Failed
to get the value for the UpTime property
from ObjectServer %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-158 [ngobjserv]: Resync Manager: Failed
to find the reader/writer object %0s
defined in the preferred option.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-159 [ngobjserv]: Resync Manager: Failed
to rebuild the cache for table %0s in
ObjectServer %1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-160 [ngobjserv]: Resync Manager:
Resyncing of table %0s failed. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-161 [ngobjserv]: Failed to send resync
request to the resync manager in the
post-object startup handler. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-162 [ngobjserv]: Failed to describe the table %0s in ObjectServer %1s for cache entry creation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-163 [ngobjserv]: Failed to build column description list for table %0s in ObjectServer %1s for cache entry creation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-164 [ngobjserv]: Failed to create cache entry for table %0s in ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-165 [ngobjserv]: %0s: Failed to connect to the ObjectServer %1s . Failback check has failed, keeping existing connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-166 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. Failback check has failed, keeping existing connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-167 [ngobjserv]: %0s: Failed to validate table replication definitions maps. Failback check has failed, keeping existing connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-168 [ngobjserv]: %0s: Failed to connect to the ObjectServer %1s . Failback check has failed, keeping existing connection. (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-169 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. Failback check has failed, keeping existing connection. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-170 [ngobjserv]: %0s: Failed to describe the destination table %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-171 [ngobjserv]: %0s: Failed to find column %1s that is specified in map %2s for the destination table %3s . (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-172 [ngobjserv]: %0s: Failed to decompose the description of source table %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-173 [ngobjserv]: %0s: Failed to decompose the description of destination table %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-174 [ngobjserv]: %0s: Reader failed to connect to the ObjectServer %1s . Failback check has failed, keeping existing connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-175 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. Failback check has failed, keeping existing connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-176 [ngobjserv]: %0s: Failed to validate table replication definitions maps. Failback check has failed, keeping existing connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-177 [ngobjserv]: %0s: Writer failed to connect to the ObjectServer %1s . Failback check has failed, keeping existing connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-178 [ngobjserv]: %0s: Failed to describe the source table %1s for transfer. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-179 [ngobjserv]: %0s: Failed to decompose the description source table %1s for transfer. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-180 [ngobjserv]: %0s: Failed to create a temporary dummy map for transfer of data from source table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-181 [ngobjserv]: %0s: Failed to find map %1s in the map manager for transfer operation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-183 [ngobjserv]: Resync Manager: Failed to send data for table %0s to mapper object. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-184 [ngobjserv]: Resync Manager: Failed to wait for table data for %0s to be mapped and send to server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-185 [ngobjserv]: %0s: Failed to remove the SAF file. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-186 [ngobjserv]: %0s: Failed to replay the SAF file. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-187 [ngobjserv]: %0s: Failed to get all of the user defined column values for the current row from the insert/update results set for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-188 [ngobjserv]: %0s: Unable to send SQL command to ObjectServer as no valid connection to server is correctly held.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-189 [ngobjserv]: %0s: Failed to create an ObjectServer SQL command data message for writer queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-190 [ngobjserv]: %0s: Failed to send ObjectServer SQL command data message to writer queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-191 [ngobjserv]: Resync Manager: Failed to find a data replication entry for the status table. Unable to forward data for table %0s as it is either the journal or details table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-192 [ngobjserv]: %0s: Failed to send skip
spid request to the ObjectServer.
(%1d;%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-193 [ngobjserv]: %0s: Failed to get the
spid number from our counter-part
reader connection. (%1d;%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-194 [ngobjserv]: IDUC v%0u Connection:
Failed to find a data replication entry
for the status table. Unable to forward
data for table %1s as it is either the
journal or details table.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-195 [ngobjserv]: %0s: Failed to send data
to mapper via its input message queue.
(%1d;%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-196 [ngobjserv]: %0s: Failed to wait for
writer to process and send transfer data
to the target server. (%1d;%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-197 [ngobjserv]: %0s: Failed to execute
the SQL command. (%1d;%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-198 [ngobjserv]: %0s: Writer has failed to get a handle to its counter-part gateway object. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-199 [ngobjserv]: %0s: Writer has failed to wait for its counter-part gateway object to complete its start routine. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-200 [ngobjserv]: %0s: Writer has failed to get a handle to the source data table replication definition list. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-201 [ngobjserv]: %0s: Writer has failed to validate the source data table replication definition list. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-202 [ngobjserv]: Resync Manager: Destination writer has terminated. Aborting resync operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-203 [ngobjserv]: Failed to build the key column reference string for the after iduc command on table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-204 [ngobjserv]: Failed to send the constructed after iduc SQL command for table %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-205 [ngobjserv]: %0s: Failed to create the a mapper processing data structure for the transfer of data from table %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-206 [ngobjserv]: %0s: Failed to build the fake insert identification table for the transfer of data from table %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-207 [ngobjserv]: %0s: Failed to build the iduc message for the mapper, in order to transfer the data from table %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-208 [ngobjserv]: Failed to find the primary key column %0s in results set for table %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-209 [ngobjserv]: %0s: Target ObjectServer does not support tables with multiple column keys. Unable to populate cache with target row data for table %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-104-211 [ngobjserv]: Resync Manager:
Uni-directional resync aborted due to
detection of gateway shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-104-212 [ngobjserv]: Resync Manager:
Bi-directional resync aborted due to
detection of gateway shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-213 [ngobjserv]: %0s: Failed to read and
dump current iduc data message from
the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-214 [ngobjserv]: %0s: Failback thread
fatal error occurred in the attempt to
determine whether the connected
ObjectServer is a primary or not.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-215 [ngobjserv]: %0s: Failed to start
failback thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-216 [ngobjserv]: Resync Manager: Fatal
error occurred during resynchronisation.
Cannot continue without shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-217 [ngobjserv]: Resync Manager: A non-fatal error occurred during resynchronisation. Can continue without shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-218 [ngobjserv]: Resync Manager: Failed to send discard message to gateway object. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-219 [ngobjserv]: Resync Manager: Failed to send true discard message to gateway objects. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-220 [ngobjserv]: Resync Manager: Failed to send false discard message to gateway objects. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-221 [ngobjserv]: Resync Manager: Failed to wait for discard message to be processed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-222 [ngobjserv]: %0s: Connection loss to server %1s detected in connection poll handler.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-223 [ngobjserv]: Specified resync lock type %0s could not be identified. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-224 [ngobjserv]: Failed to add the iduc client library properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-225 [ngobjserv]: Failed to add the iduc client library arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-226 [ngobjserv]: Failed to create the iduc client library handle. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-227 [ngobjserv]: Failed to establish an iduc connection to the ObjectServer via the iduc client library handle. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-228 [ngobjserv]: Failed to read pending data on iduc connection via the iduc client library handle. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-229 [ngobjserv]: %0s: Failed to process the Event Fast Track message that was read from the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-230 [ngobjserv]: %0s: Failed to process the Event Fast Track message that was read from the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-231 [ngobjserv]: Failed to send the Event Fast Track row data fetch SQL command to the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-232 [ngobjserv]: %0s: Failed to evaluate all required sub-table mappings via provided map for insert row entry on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-233 [ngobjserv]: %0s: Failed to evaluate all required sub-table mappings via provided map for update row entry on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-234 [ngobjserv]: %0s: Failed to process all of the inserts and updates in the current sub-table data mapping from table %1s to table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-235 [ngobjserv]: %0s: Failed to get a handle to the map column data for map %1s . This is required for a sub-table mapping operation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-236 [ngobjserv]: %0s: Failed to evaluate the key columns values for a row within a sub-table mapping, using map %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-237 [ngobjserv]: %0s: Failed to find or create the required mapping data structures for a sub-table mapping operation. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-238 [ngobjserv]: %0s: Failed to get a handle to the map defined key columns set for map %1s . This is required for a sub-table mapping operation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-239 [ngobjserv]: %0s: Failed to lookup the IP Address values. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-240 [ngobjserv]: %0s: Valid connection not held by writer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-241 [ngobjserv]: %0s: Failed to construct event summary text. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-242 [ngobjserv]: %0s: Failed to copy additional information hash table from IDUC data message to insert mapped table for %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-243 [ngobjserv]: %0s: Failed to copy additional information hash table from IDUC data message to update mapped table for %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-244 [ngobjserv]: Resync Manager: Failed to raise the resynchronisation signal via command %0s in ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-245 [ngobjserv]: Failed to set acceptable Common Names for SSL Server Certificates. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-246 [ngobjserv]: Failed to create the key column data for the journal table mapper. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-247 [ngobjserv]: Failed to send Post Iduc data message to writer queue. (%0s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-249 [ngobjserv]: Resync Manager: Failed to get the connection handle from %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-250 [ngobjserv]: Resync Manager: Failed to get the ActingPrimary property from ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-251 [ngobjserv]: Resync Manager: No results returned for the ActingPrimary property from ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-252 [ngobjserv]: Resync Manager: Incorrect number of columns in the results set for the ActingPrimary property from ObjectServer %0s . Expected %1d, got %2d.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-253 [ngobjserv]: Resync Manager: Incorrect type for the ActingPrimary property s value from ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-254 [ngobjserv]: Resync Manager: Failed to get the value for the ActingPrimary property from ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-255 [ngobjserv]: Resync Manager: Unable to set OldRow value in ObjectServer %0s . Deletes will not be passed across. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-256 [ngobjserv]: Resync Manager: Unable to determine LastIduc value for ObjectServer %0s . All events will be checked for updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-257 [ngobjserv]: Resync Manager: Failed to determine the master of the resync based on the ActingPrimary property.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-258 [ngobjserv]: %0s: Writer has failed to get a handle to its counter-part gateway writer object. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-259 [ngobjserv]: %0s: Failed to wait for counter-part gateway writer object to have started. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-015 [ngobjserv]: Resync Manager:
Failed to rebuild cache for resync
disabled table %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-001 [ngobjserv]: %0s: Failed to
disconnect from the backup server.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-002 [ngobjserv]: %0s: Failed to refresh
the cache for server %1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-003 [ngobjserv]: %0s: Failed to
disconnect from the backup server.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-004 [ngobjserv]: %0s: Failed to refresh
the cache for server %1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-005 [ngobjserv]: %0s: Failed to
disconnect from the backup server.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-006 [ngobjserv]: %0s: Failed to refresh the cache for server %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-007 [ngobjserv]: %0s: Connection to server is down and SAF is not enabled. Dropping current SQL command data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-008 [ngobjserv]: %0s: Unable to process mapped update table data batch from %1s table %2s as source table uses a multi-column key and the destination ObjectServer is only capable of single key updates (OS SQL V1). Dropping update data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-009 [ngobjserv]: %0s: Unable to process mapped delete table data batch from %1s table %2s as source table uses a multi-column key and the destination ObjectServer is only capable of single key deletes (OS SQL V1). Dropping delete data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-010 [ngobjserv]: Resync Manager: An after iduc directive has been defined for table %0s . The source ObjectServer does not provide sufficient support for after iduc on this table, it is therefore not supported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-011

W-GOB-103-011 [ngobjserv]: An after iduc directive has been defined for table %0s . The source ObjectServer does not provide sufficient support for after iduc on this table, it is therefore not supported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-012 [ngobjserv]: %0s: Table cache for destination table %1s , does not have the same table keys as the source table %2s . Unable to clear deleted cache row entries in destination table cache.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-013

W-GOB-103-013 [ngobjserv]: %0s: SAF enabled.
Entering SAF mode to store the SQL
command buffer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-014 [ngobjserv]: %0s: Failed to send
failover/failback message to the mapper.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-015 [ngobjserv]: Resync Manager:
Failed to rebuild cache for resync
disabled table %0s . (%1d:%2s)**

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

GTK

Messages related to the gateway NGtk tool kit.

**E-GTK-102-004 [ngtk]: Failed to register gateway
toolkit return code set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-005 [ngtk]: Failed to initialise the
gateway toolkits property set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-006 [ngtk]: Failed to create the cache
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-007 [ngtk]: Failed to create the transfer
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-008 [ngtk]: Failed to create the data
message queue manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-009 [ngtk]: Failed to initialise the
gateway toolkit. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-010 [ngtk]: Installed gateway
initialisation handler has failed.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-011 [ngtk]: Failed to add the gateway
toolkits properties to the property
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-012 [ngtk]: Installed gateway property
definition handler has failed to add its
properties to the property manager.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-013 [ngtk]: Failed to add the gateway
toolkits arguments to the argument
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-014 [ngtk]: Installed gateway argument
definition handler has failed to add its
arguments to the argument manager.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-015 [ngtk]: Failed to update the gateway
toolkits properties with the property
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-016 [ngtk]: Installed gateway property update handler has failed to update its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-017 [ngtk]: Failed to startup the gateway toolkit. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-018 [ngtk]: Installed gateway start handler has failed to startup specific gateway components. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-019 [ngtk]: Failed to create the user object thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-020 [ngtk]: Failed to start the user object thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-021 [ngtk]: Failed to stop the user object thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-029 [ngtk]: Reader object constructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-030 [ngtk]: Writer object constructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-032 [ngtk]: Reader object destructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-033 [ngtk]: Writer object destructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-035 [ngtk]: Reader object property definition handler function has failed to add its properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-036 [ngtk]: Writer object property definition handler function has failed to add its properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-038 [ngtk]: Reader object argument definition handler function has failed to add its arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-039 [ngtk]: Writer object argument definition handler function has failed to add its arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-041 [ngtk]: Reader object property update handler function has failed to update its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-042 [ngtk]: Writer object property update handler function has failed to update its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-044 [ngtk]: Reader object start handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-045 [ngtk]: Writer object start handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-047 [ngtk]: Reader object stop handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-048 [ngtk]: Writer object stop handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-050 [ngtk]: Failed to allocate the object thread group array.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-051 [ngtk]: Failed to lookup the output message queue for reader %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-052 [ngtk]: %0s: Thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-053 [ngtk]: %0s: Thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-054 [ngtk]: Failed to lookup the input message queue for writer %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-055 [ngtk]: %0s: Thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-056 [ngtk]: %0s: Thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-057 [ngtk]: %0s: Reader thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-058 [ngtk]: %0s: Reader thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-059 [ngtk]: Failed to lookup the input message queue for reader/writer %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-060 [ngtk]: Failed to lookup the output message queue for reader/writer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-061 [ngtk]: %0s: Writer thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-062 [ngtk]: %0s: Writer thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-063 [ngtk]: Failed to lookup the output message queue for reader %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-064 [ngtk]: Failed to lookup the input message queue for writer %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-065 [ngtk]: Failed to lookup the input message queue for reader %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-066 [ngtk]: Failed to lookup the output message queue for writer %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-067 [ngtk]: Mapper %0s reader-to-writer thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-068 [ngtk]: Mapper %0s reader-to-writer thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-069 [ngtk]: Mapper %0s writer-to-reader thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-070 [ngtk]: Mapper %0s writer-to-reader thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-071 [ngtk]: Failed to create the output message queue for %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-072 [ngtk]: Failed to create the input message queue for %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-073 [ngtk]: %0s: Reader connection handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-074 [ngtk]: %0s: Reader disconnection handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-075 [ngtk]: %0s: Writer component has failed to connect to the same server as the reader. Closing this connection and forcing the operation to be retried by the reader component.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-078 [ngtk]: %0s: Writer connection handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-079 [ngtk]: %0s: Writer disconnection handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-081 [ngtk]: %0s: Connect handler
function has failed to complete
successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-082 [ngtk]: %0s: Disconnect handler
function has failed to complete
successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-083 [ngtk]: %0s: Connect handler
function has failed to complete
successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-084 [ngtk]: %0s: Disconnect handler
function has failed to complete
successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-085 [ngtk]: %0s: Update data check and
fetch operation has failed to complete
successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-086 [ngtk]: %0s: Update data get handler
function has failed to complete
successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-087 [ngtk]: %0s: Reader failback handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-088 [ngtk]: Thread %0s has failed to lock the reader mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-089 [ngtk]: Thread %0s has failed to unlock the reader mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-090 [ngtk]: Thread %0s has failed to lock the writer mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-091 [ngtk]: Thread %0s has failed to unlock the writer mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-092 [ngtk]: Reader/Writer object constructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-093 [ngtk]: Reader/Writer object destructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-094 [ngtk]: Reader/Writer object property definition handler function has failed to add its properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-095 [ngtk]: Reader/Writer object argument definition handler function has failed to add its arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-096 [ngtk]: Reader/Writer object property update handler function has failed to update its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-097 [ngtk]: Reader/Writer object start handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-098 [ngtk]: Reader/Writer object stop handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-099 [ngtk]: Failed to inform the process agent %0s that we have started. (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-100 [ngtk]: Shutting gateway down due to process agent notification failure. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-102 [ngtk]: %0s: Failback attempt handler function has failed to complete successfully. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-103 [ngtk]: %0s: Reader component, update data check and fetch operation has failed to complete successfully. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-104 [ngtk]: %0s: Writer component, has failed to read an input message and/or process it successfully. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-105 [ngtk]: Thread %0s has failed to lock the reader/writer mutex of Reader/Writer %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-106 [ngtk]: Thread %0s has failed to unlock the reader/writer mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-107 [ngtk]: %0s: Writer fallback handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-108 [ngtk]: %0s: %1s component has aborted its wait for the %2s component to complete its part of the %3s operation, as a retry of the operation has been requested.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-109 [ngtk]: %0s: %1s component has aborted its wait for the %2s component to complete its part of the %3s operation, as the operation failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-110 [ngtk]: %0s: %1s component has aborted its wait for the %2s component to complete its part of the %3s operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-111 [ngtk]: %0s: %1s component has failed to wait for its action status to be cleared.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-113 [ngtk]: %0s: Reader component has failed to connect to the source system. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-114 [ngtk]: %0s: Writer component has failed to connect to the target system. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-115 [ngtk]: %0s: Failed to wait for synchronisation action acknowledgement. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-116 [ngtk]: %0s: Writer component has failed to fail back.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-117 [ngtk]: %0s: Reader component has failed to fail back.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-118 [ngtk]: %0s: Reader component has failed to failback with an unexpected out come. (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-119 [ngtk]: %0s: Writer component has failed to failback with an unexpected out come. (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-120 [ngtk]: Thread %0s has failed to lock the mutex of reader %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-121 [ngtk]: Thread %0s has failed to unlock the mutex of reader %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-122 [ngtk]: Thread %0s has failed to lock the mutex of writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-123 [ngtk]: Thread %0s has failed to unlock the mutex of writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-124 [ngtk]: Gateway Command Parser: Failed to parse language command.
Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-125 [ngtk]: Gateway Cmd: Parser Error:
msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-126 [ngtk]: Gateway Command Parser:
Failed to open startup command file
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-127 [ngtk]: Gateway Command Parser:
Failed to parse startup command file
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-128 [ngtk]: %0s: Reader update data
fetch handler function has failed to
complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-129 [ngtk]: Map File Parser: Failed to
parse map file definitions. Error:
nrc=%0s : msg=%1s : line=%2u :
token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-130 [ngtk]: Map File: Parser Error:
msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-131 [ngtk]: Map File Parser: Failed to open map file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-132 [ngtk]: Map File Parser: Failed to parse map file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-133 [ngtk]: Failed to create the map manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-134 [ngtk]: Failed to startup the map manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-135 [ngtk]: Failed to startup the transfer manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-136 [ngtk]: Failed to issue gateway shutdown request. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-138 [ngtk]: Mapper %0s : Mapping Data Message handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-142 [ngtk]: Failed to create the license manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-143 [ngtk]: Failed to startup the license manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-144 [ngtk]: %0s: Received invalid Mapper data message. Dropping message and generating an internal error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-145 [ngtk]: %0s: Reader failover handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-146 [ngtk]: %0s: Reader fallback handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-147 [ngtk]: %0s: Table data pre-processing batch handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-148 [ngtk]: %0s: Table data post-processing batch handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-149 [ngtk]: %0s: Insert table data batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-150 [ngtk]: %0s: Update table data batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-151 [ngtk]: %0s: Delete table data batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-152 [ngtk]: %0s: Failback attempt handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-153 [ngtk]: %0s: Writer component has received an invalid Mapper data message. Dropping message and generating an internal error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-154 [ngtk]: %0s: Writer table data
post-processing batch handler function
has failed to complete successfully.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-155 [ngtk]: %0s: Writer delete table data
batch processing handler function has
failed to complete successfully.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-156 [ngtk]: %0s: Writer update table data
batch processing handler function has
failed to complete successfully.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-157 [ngtk]: %0s: Writer insert table data
batch processing handler function has
failed to complete successfully.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-158 [ngtk]: %0s: Writer reader failback
handler function has failed to complete
successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-159 [ngtk]: %0s: Writer reader failover
handler function has failed to complete
successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-160 [ngtk]: %0s: Writer table data pre-processing batch handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-161 [ngtk]: Thread %0s : Failed to acquire a read lock on the cache manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-162 [ngtk]: Thread %0s : Failed to acquire a write lock on the cache manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-163 [ngtk]: Thread %0s : Failed to release a lock on the cache manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-164 [ngtk]: %0s: Failed to put the discard message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-165 [ngtk]: %0s: Failed to put the failover message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-166 [ngtk]: %0s: Failed to put the failback message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-167 [ngtk]: %0s: Failed to put a table data message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-168 [ngtk]: %0s: Failed to put a user data message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-169 [ngtk]: Transfer Manager has failed to start its thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-170 [ngtk]: Transfer Manager has failed to stop its thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-171 [ngtk]: Transfer Manager: Transfer request thread has suffered an unexpected error on its request message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-172 [ngtk]: Failed to place a transfer request message onto the Transfer Manager's request message queue. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-173 [ngtk]: Failed to create a transfer request message. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-180 [ngtk]: %0s: Failed to wait for all pending synchronised messages in the output data queue to be processed. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-181 [ngtk]: Transfer Manager: Data source object %0s does not exist. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-182 [ngtk]: Transfer Manager: Data destination object %0s does not exist. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-183 [ngtk]: Transfer Manager: The source and destination of transfer is the same object. Transfer request is invalid, operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-184 [ngtk]: Transfer Manager: Data source object %0s is not of the right object type. It should be a reader or reader/writer. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-185 [ngtk]: Transfer Manager: Data destination object %0s is not of the right object type. It should be a writer or reader/writer. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-188 [ngtk]: Gateway Command Parser: Attempt to call GET LOGIN TOKEN from non-interactive client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-190 [ngtk]: Failed to login client via secure token login. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-191 [ngtk]: Reader/Writer object transfer data get handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-192 [ngtk]: Reader/Writer object transfer data send handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-193 [ngtk]: Reader/Writer object transfer data free handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-194 [ngtk]: Reader object transfer data get handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-195 [ngtk]: Reader object transfer data send handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-196 [ngtk]: Reader object transfer data free handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-197 [ngtk]: Reader/Writer object transfer data delete handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-198 [ngtk]: Writer object transfer data delete handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-199 [ngtk]: Failed to get the size of the SAF file. Assuming file has no header. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-200 [ngtk]: Received interrupted system call in read(), retrying read operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-201 [ngtk]: Read operation via read() failed. Unable to read data from SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-202 [ngtk]: Received interrupted system call in write(), retrying write operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-203 [ngtk]: Write operation via write() failed. Unable to write data to SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-204 [ngtk]: Invalid SAF file header contained in SAF attribute data structure.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-205 [ngtk]: Failed to write the SAF file header to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-206 [ngtk]: Failed to write the architecture sub header to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-207 [ngtk]: File is too small in size to contain the complete SAF header.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-208 [ngtk]: Failed to read the SAF file header from the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-209 [ngtk]: Invalid SAF header detected in the file. SAF file specified, is not an SAF file for this gateway.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-210 [ngtk]: Failed to read the architecture sub header from the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-211 [ngtk]: Invalid architectural sub header detected. Architectures do not match.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-212 [ngtk]: Insufficient bytes left in the file for an item header. File contents error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-213 [ngtk]: Failed to read the stored item header from the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-214 [ngtk]: Insufficient bytes left in the SAF file to contain specified data item of %0u bytes. File contents error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-215 [ngtk]: Failed to read the stored item data from the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-216 [ngtk]: Failed to decode the stored item data read from SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-217 [ngtk]: Failed to send the decoded stored item to the target system.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-218 [ngtk]: No SAF filename has been given. SAF syb-system disabled.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-219 [ngtk]: SAF sub-system error. All of the necessary handlers have not been provided.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-220 [ngtk]: Failed to open the SAF file %0s for write. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-221 [ngtk]: Failed to encode the stored item data that is to be written to the SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-222 [ngtk]: Failed to write the data item header to the SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-223 [ngtk]: Failed to write the data item to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-224 [ngtk]: SAF sub-system error. Replay SAF file indicator unexpectantly set already. !!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-225 [ngtk]: Failed to get the size of the store file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-226 [ngtk]: Failed to open the SAF file %0s for read. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-227 [ngtk]: Failed to close SAF file %0s with file ID %1d . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-228 [ngtk]: Failed to removed SAF file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-229 [ngtk]: Failed to replay the SAF file due to read failure of the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-230 [ngtk]: Failed to startup the cache manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-231 [ngtk]: Installed gateway post-object start handler has failed to startup specific gateway components. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-232 [ngtk]: Failed to create the gateway support var directory. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-233 [ngtk]: Failed to write the updated data item header to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-234 [ngtk]: Failed to get the current file position via lseek(). (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-235 [ngtk]: Failed to set the current file position via lseek(). (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-237 [ngtk]: Output of property %0s to stderr not supported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-240 [ngtk]: Transfer Manager: Transfer FSync thread has suffered an unexpected error on its request message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-241 [ngtk]: Transfer Manager: Attempt to add failover sync item for object %0s , table %1s that already exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-242 [ngtk]: Transfer Manager: Failed to find failover sync item for object %0s , table %1s to remove.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-243 [ngtk]: Transfer Manager: Transfer FSync thread has failed to send transfer request for object %0s , table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-244 [ngtk]: Failed to create a transfer failover sync message. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-245 [ngtk]: Failed to place a failover sync transfer message onto the fsync message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-246 [ngtk]: Failed to add the transfer managers properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-247 [ngtk]: Failed to add the transfer managers arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-248 [ngtk]: Specified failover sync rate is too low. Minimum value is %0u minutes.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-249 [ngtk]: %0s: User data message handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-250 [ngtk]: %0s: Writer component user data message handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-252 [ngtk]: Transfer Manager: Gateway has been signalled to stop. Transfer request of data from %0s to %1s , will be dropped.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-254 [ngtk]: PAM message for user %0s: %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-255 [ngtk]: Unknown PAM conversion type: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-256 [ngtk]: Failed to initialise the underlining OS PAM sub-system. PAM Error [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-257 [ngtk]: Failed to set the user name on the PAM handle [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-258 [ngtk]: User authentication of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-259 [ngtk]: User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-260 [ngtk]: Unknown error has occurred during authentication. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-261 [ngtk]: Account Management of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-262 [ngtk]: Cannot authenticate user %0s via PAM. PAM Error = %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-264 [ngtk]: Cannot authenticate user %0s via UNIX authentication.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-266 [ngtk]: No %0s group entry: connection refused.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-267 [ngtk]: User %0s is not a member of the %1s group: connection refused.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-268 [ngtk]: Failed to acquire user record for user %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-269 [ngtk]: Failed to authenticate client login for user %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-270 [ngtk]: %0s: Connection poll handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-271 [ngtk]: Map Mgr: NvpExpand(): Failed to locate map %0s in map manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-272 [ngtk]: Map Mgr: NvpExpand(): Failed to extract all name-value pairs from input string value. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-273 [ngtk]: Map Mgr: NvpExpand(): Application installed sub-table mapping function failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-274 [ngtk]: Map Mgr: Lookup(): Invalid datatype for lookup table name argument. This argument must be a static string.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-275 [ngtk]: Map Mgr: Lookup(): Failed to find lookup table %0s in the map managers lookup table manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-276 [ngtk]: Map Mgr: Lookup(): Failed to determine the return data type of the default value for lookup table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-277 [ngtk]: Map Mgr: Lookup(): Data type mismatch between the lookup tables return and the its default value.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-278 [ngtk]: Map Mgr: RegMatch(): Failed to compile the regular expression %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-279 [ngtk]: Map Mgr: Extract(): Failed to compile the regular expression %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-280 [ngtk]: Map Mgr: %0s(): Function called with incorrect number of arguments. Expected %1u got %2u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-281 [ngtk]: Map Mgr: Failed to validate the arguments of function %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-282 [ngtk]: Map Mgr: NvpGet(): Failed to extract all name-value pairs from input string value. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-283 [ngtk]: Failed to determine gateways local hostname and IP address. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-284 [ngtk]: %0s: Writer post iduc batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-285 [ngtk]: %0s: Writer post iduc batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-286

E-GTK-102-286 [ngtk]: %0s: Failed to put a post iduc
data message onto the output message
queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-287 [ngtk]: UNIX Authentication being used is not FIPS compliant. Use PAM for external authentication.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-288

E-GTK-102-288 [ngtk]: Failed to authenticate client
login during secure login challenge for
user %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GTK-103-002 [ngtk]: Hash Table Size of %0u is set too low. Ignoring setting and using minimum setting of %1u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GTK-103-003 [ngtk]: Failed to determine gateways local hostname and IP address, loopback address will be used.
(%0d:%1s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

HTT

Messages related to the HTTP/HTTPS interface.

E-HTT-102-001 Colon is missing in header %0s , header is ignored

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

E-HTT-102-003 Failed to create request (%0d:%1s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

E-HTT-102-005 Failed to send request (%0d:%1s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

F-HTT-102-001 Failed to get property %0s (%1d:%2s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

F-HTT-102-002 Failed to process arguments (%0d:%1s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

F-HTT-102-003 Failed to create client props (%0d:%1s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

F-HTT-102-004 Failed to start client (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-HTT-102-005

F-HTT-102-005 Failed to set http username and
password (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-HTTP-102-006 HTTP method %0s is unknown

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-HTT-102-007 A URI is required

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

IDC

Messages related to IDUC clients.

E-IDC-102-001 Iduc Client: Failed to create and
setup the command structure for RPC
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-002 Iduc Client: Failed to call the
ObjectServer RPC %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-003 Iduc Client: Invalid number of
results in results list for RPC %0s .
Expected 1, got %1d result sets.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-004 Iduc Client: Invalid number of
columns in RPC %0s . Expected %1d
columns, but got %2d columns.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-005 Iduc Client: Invalid number of rows
in RPC %0s . Expected 1 row, but got
%1d rows.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-006 **Iduc Client: Invalid datatype for column %0d RPC %1s . Expecting type %2d , but got %3d .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-007 **Iduc Client: Failed to get IDUC host name details. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-008 **Iduc Client: Failed to get IDUC port number details. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-009 **Iduc Client: Failed to get IDUC connection details. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-010 **Iduc Client: Failed to establish physical IDUC connection. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-011 **Iduc Client: Failed to send SPID link message to the server. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-012 **Iduc Client: Failed to wait on the Iduc connection for the acknowledgement message. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-013 **Iduc Client: Failed to get the number of bytes to read on IDUC connection.**
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-014 **Iduc Client: ObjectServer disconnection detected on the IDUC connection.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-015 **Iduc Client: Failed to read %0u bytes from IDUC connection. (%1d;%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-016 **Iduc Client: Unexpected message received on Iduc channel. Message = %0s . Dropping.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-017 **Iduc Client: Failed to read and fetch all of the iduc data from the ObjectServer. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-018 **Iduc Client: Insufficient bytes pending for IDUC v2 header. Expected %0u only have %1u pending**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-019 **Iduc Client: Failed to extract payload size in message. Message = %0s . Dropping.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-020 **Iduc Client: Failed to create language command structure for SQL command %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-021 **Iduc Client: Failed to send the ObjectServer SQL command %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-022 **Iduc Client: Failed to extract the version ID for command %0s from iduc message. [%1s] (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-023 **Iduc Client: Received unsupported command from server on iduc connection. Version ID of message %0u , is greater than max supported ID %1u . Dropping message.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-024 **Iduc Client: Failed to find extent of table name in event fast track iduc command. Dropping message.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-025 **Iduc Client: Failed to extract the primary key values from event fast track iduc command. Dropping message.**
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-026 **Iduc Client: Failed to extract the summary column values from event fast track iduc command. Dropping message.**
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-027 **Iduc Client: Insufficient columns in iduc data results set for table %0s . Expected %1d , but got %2d .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-028 **Iduc Client: Failed to determine whether server connection is dead. Assuming that it is dead. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-029 **Iduc Client: Failed to find extent of channel name in event fast track iduc command. Dropping message.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-030 **Iduc Client: Failed to determine the action type for %0c in event fast track iduc command. Dropping message.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IDC-103-001 **Iduc Client: Failed to get the change data for all tables in the iduc set. Attempting to process %0d set(s) of data that has been received.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IDC-103-002 **Iduc Client: Failed to get the actual change data for table %0s . No results data was returned. Return empty data set.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

IDS

Messages related to IDUC servers.

E-IDS-102-001 **Failed to allocate a results set.**
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-002 **Failed to describe column %0s .**
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-003 **Iduc Mgr: No status table has been registered. Iduc V1 not available.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-004 **Iduc Mgr: Failed to lookup up status table %0s.%1s . Iduc V1 not available.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-005 **Iduc Mgr: No journal table has been registered. Iduc V1 not available.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-006 **Iduc Mgr: Failed to lookup up journal table %0s.%1s . Iduc V1 not available.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-007 **Iduc Mgr: Registered journal table does not have expected string key columnn. Iduc V1 not available.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-008 **Iduc Mgr: Failed to create Iduc V1 results set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-009 **Iduc Mgr: Problems in building associated journal Iduc V1 results set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-010 **Iduc Mgr: Failed to create Iduc V2 results set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-011 **Iduc Mgr: Failed to find or create a row element for change on table object %0s.%1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-012 **Iduc Mgr: Failed to add change element for table object %0s.%1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-013 Iduc Mgr: Failed to lookup up table
%0s.%1s . Iduc on table not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-015 Failed to register RPC %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-016 Iduc Ctrl: Unable to determine the
number of bytes to read from %0s on
socket %1d . Disconnecting the client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-017 Iduc Ctrl: Failed to allocate memory
for receipt of pending data from %0s on
socket %1d . Disconnecting client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-018 Iduc Ctrl: Failed to read %0d bytes of
data from %1s on socket %2d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-019 Iduc Ctrl: Invalid data written by %0s
on socket %1d . Disconnecting client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-020 **Iduc Ctrl: Unable to lookup associated real-time client entry ID %0u as provided by %1s on socket %2d . Disconnecting client.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-021 **Iduc Ctrl: Attempt to connect client %0u , when it is already connected with %1s on socket %2d . Disconnecting client.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-022 **Iduc Ctrl: Failed to associate client connection. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-023 **Iduc Ctrl: Failed to lock mutex. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-024 **Iduc Ctrl: Failed to accept a client connection. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-025 **Iduc Ctrl: Unable to determine if any changes are pending for client %0u at %1s on socket %2d .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-026 **Iduc Ctrl: Failed to build IDUC
update message for client at %0s on
socket %1d . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-027 **Iduc Ctrl: Failed to send IDUC
update message to client at %0s on
socket %1d . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-028 **Iduc Ctrl: Unable to lookup
associated real-time client by socket for
%0s on socket %1d .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-029 **Iduc Ctrl: Unable to lookup real-time
client for id %0u .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-031 **Iduc Ctrl: Client at %0s on socket
%1d will be retried on its next time-slot.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-032 **Iduc Ctrl: Only able to update %0d
out of %1d client(s).**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-033 Iduc Ctrl: Unexpected error received
while waiting for connections.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-034 Client ID %0u already registered !!!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-035 Attempt to unregister a Client ID
%0u that has not been registered.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-036 Attempt to set IDUC level on
unregistered Client ID %0u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-037 Attempt to get IDUC level from
unregistered Client ID %0u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-038 Attempt to send client message to
unregistered Client ID %0u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-039 Iduc Ctrl: Failed to send client
message %0s to client %1u on socket
%2d . (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-040 Attempt to send client message to Client ID %0u which does not currently hold a valid Iduc socket connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-041 Iduc Ctrl: Incorrect format for Iduc V2 link message by %0s on socket %1d . Separator character missing. Disconnecting client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-042 Iduc Ctrl: User installed connection callback had an error for client %0u from %1s on socket %2d . Disconnecting the client connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-043 Iduc Ctrl: User installed disconnection callback had an error for client %0u from %1s on socket %2d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-044 Iduc Ctrl: Failed to get the value for property %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-045 Iduc Ctrl: Failed to create the Iduc listening socket on port %0d . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-046 **Iduc Mgr: Installed interest callback function failed to complete successfully.**
 (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-047 **Iduc Mgr: Install no interest callback function failed to complete successfully.**
 (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-048 **Iduc Mgr: Attempt by client %0u to register for iduc on table %1s.%2s. when it is already registered. Request ignored.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-049 **Iduc Mgr: Attempt by client %0u to unregister for iduc on table %1s.%2s. when it is not registered. Request ignored.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-050 **Iduc Ctrl: Failed to send IDUC connection ack message to client at %0s on socket %1d . (%2d;%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-051 **Attempt to get IDUC socket file descriptor from unregistered Client ID %0u .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-052 Iduc Ctrl: Failed to resolved system listening hostname for client. Using default name %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-053 Iduc Ctrl: Failed to create the iduc client message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-054 Iduc Ctrl: Failed to check and get a message from iduc client message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-055 Iduc Ctrl: Iduc Command Message: Client ID resolver callback has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-056 Iduc Ctrl: Iduc Command Message: Client message formatter callback has failed for client ID %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-057 Iduc Ctrl: Iduc Command Message: Attempt to send message to unregistered client ID %0u . Client dropped.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-058 Attempt to send client command message to Client ID %0u which does not currently hold a valid Iduc socket connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-059 Iduc Ctrl: Failed to send client command message %0s to client %1u on socket %2d . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-060 Iduc Ctrl: Iduc Command Message: Client send message pre-processing callback has failed for client ID %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-061 Iduc Ctrl: Iduc Command Message: Client send message post-processing callback has failed for client ID %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-062 Iduc Ctrl: Iduc Command Message: Client send set pre-processing callback has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-063 Iduc Ctrl: Iduc Command Message: Client send set post-processing callback has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-102-064 Iduc Ctrl: Iduc Command Message:
Failed to build message payload for
client command message. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-102-065 Iduc Ctrl: User installed IducMissed
callback had an error for client %0u
from %1s on socket %2d .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-110-001 Client aborted connection request

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-110-002 Lookup of connected client failed.
Dropping client**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-IDS-103-001 Iduc Ctrl: Iduc Command Message:
Attempt to send message to non-Iduc
V2.1 client. Client ID %0u dropped.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-IDS-103-002 Iduc Ctrl: Iduc Command Message:
Attempt to send message to client with
unknown Iduc level. Client ID %0u
dropped.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IDS-103-003 **Iduc Ctrl: Failed to set accepted client IDUC connection file description %0d to non-blocking. (%1d:%2s)**

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

IPC

Messages related to Inter-Process Communication (IPC).

E-IPC-001-001 **User not found**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-001 **Too many RPC parameters**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-002 **RPC parameter not found**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-003 **RPC parameter is of unsupported type**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-004 **RPC parameter type mismatch**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-005 **Too few RPC parameters**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-006 Client does not support RPCs

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-007 RPC function not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-001 Notification registration failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-002 Notification already exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-003 Notification not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-004 Notification unregistration failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-005 Notification failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-006 Notification parameters invalid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-004-001 Failed to send message to client

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-001 Session busy

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-002 Session pending

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-003 Session connection failure

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-004 Operation canceled

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-005 Command send failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-006 Command parameter add failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-001 Failed to describe result set meta data

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-002

E-IPC-099-002 Failed to bind result set row data

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-003 Failed to send row data to client

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-004

E-IPC-099-004 Failed to send done to client

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-005 Client does not support one or more
column types

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-006 Index out of range**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

IVM

Messages related to Inter-Process Communication (IPC).

E-IVM-001-001 Session capability fetch failed**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-001-002 Session SPID fetch failed**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-001-003 Setting thread user data failed**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-001-004 Fetching thread user data failed**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-001-005 Failed to dispatch OpenServer event**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-002 RPC hash table: %0s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-006 Failed to set module log file**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-007 Failed to set module log file size**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**E-IVM-002-008 Failed to set module log file
truncation****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-009 Failed to set interfaces file**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-010 Failed to set thread stack size**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**E-IVM-002-011 Failed to set IPC multi-threaded
mode****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**E-IVM-002-015 Failed to set number of client
connections: %0d****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-016 Failed to set internal queue size:
%0dk

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-017 Failed to install the internal error
handler function

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-018 Failed to initialise vendor
middleware

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-019 Failed to install start handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-020 Failed to install shutdown handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-021 Failed to create module callback
mutex: *%0s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-022 Failed to create module RPC mutex:
%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-024 Failed to install module language handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-025 Failed to install module connection handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-026 Failed to install module disconnection handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-027 Failed to install module RPC handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-028 Failed to spawn the stop thread

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-029 Failed to create dogsbody thread

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-036 Failed to terminate dogsbody thread

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-037 Failed to initialise secure login module

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-038 Failed to set vendor server library version property %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-042 Failed to get server language value: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-043 Failed to set server language properties: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-044 Failed to disable api checking

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-006 Failed to create module session: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-011 Failed to retrieve module session from disconnection handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-012 Failed to fetch application
description from client: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-013 Failed to attach module session to
connection handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-014 Failed to retrieve module session
from language handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-019 Language handler called for
connection which has no session
information (proc = %0p)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-020 RPC handler called for connection
which has no session information (proc
= %0p)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-021 Unhandled appdesc buffer:
proc=%0p AppSpec[%1d]=%2x

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-003 Failed to create parameter list for
RPC %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-005 Failed to send RPC %0s result set:
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-006 Failed to send result set for RPC %0s
: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-007 Process %0p requesting execution of
an unregistered RPC %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-014 Failed to retrieve module session
from RPC handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-005-001 OpenServer - Error: %0d:%1s

Explanation: The following example shows how this message is written to the log:

E-IVM-005-001: OpenServer - Error: 16133/10/0:
Configuration of 100 connections has been
exceeded, connection rejected

The example message indicates that a connections threshold has been exceeded. The E-IVM-005-001 message can indicate any one of several different errors, and is not limited to connection problems.

System action: Not applicable.

User response: Not applicable.

Administrator response: OpenServer errors can have many causes. Examine the message text and the accompanying messages in the log for more information.

E-IVM-005-002 OpenServer - Error: %0d:%1s

Explanation: The following examples show how this message is written to the log.

Example 1:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine sybnet_listen() failed in
srv_start_net
Network error: status = 22 - Protocol driver call
to determine properties failed
Error -1:SSL: Unable to open keyfile. Either the
file is missing, or the file permissions do not
grant access, or the file format is incorrect.
```

Example 2:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine sybnet_listen() failed in
srv_start_net
Network error: status = 22 - Protocol driver call
to determine properties failed
Error -1:SSL: Password incorrect. Possibly the
stash-file is missing or the password does not
meet security requirements.
```

Example 3:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine failed in
srv_io_check
Network error: status = 32 - Net-Lib protocol
driver call to read data failed
Error -1:SSL: The label for this server cannot
be found in the key file.
```

Example 4:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine sybnet_listen() failed in
srv_start_net
Network error: status = 23 - Net-Lib protocol
driver call to register a listener failed
Error -1:Socket bind failed - errno 13
Permission denied
```

Example 5:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine sybnet_listen() failed in
srv_start_net
Network error: status = 23 - Net-Lib protocol
driver call to register a listener failed
Error -1:Socket bind failed - errno 125
Address already in use
```

Example 6:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine sybnet_listen() failed in
srv_start_net
Network error: status = 23 - Net-Lib protocol
driver call to register a listener failed
Error -1:Socket bind failed - errno 126
Cannot assign requested address
```

Message E-IVM-005-002 indicates that the server encountered a communication problem.

The example messages that are listed here indicate that there are incorrect settings in the Server Editor. On UNIX and Linux operating systems, these settings are also specified in the connections data file, \$NCHOME/etc/omni.dat.

Example messages 1, 2, 4, 5, and 6 are usually accompanied in the log by the following fatal message:

```
F-IVM-005-001: OpenServer - Fatal Error:
16029/20/0: Failed to start any network listeners
```

System action: Not applicable.

User response: Not applicable.

Administrator response: OpenServer errors can have many causes. Examine the message text and the accompanying messages in the log for more information.

The example messages described here can be caused by the following conditions:

- In example message 1, SSL encryption is specified in the Server Editor but either the key file or the stash file is missing.
- In example message 2, SSL encryption is specified in the Server Editor and the key file is present but the password that is stored in the stash file is incorrect or does not meet security requirements. In some cases, the stash file might be missing.
- In example message 3, SSL encryption is specified in the Server Editor and the key file is present but the server certificate is missing. This error is not fatal, the server continues running but it cannot connect to the ObjectServer.
- In example message 4, the port number of the host that is specified in the Server Editor is incorrect or missing.
- In example message 5, the port number of the host that is specified in the Server Editor is already in use.
- In example message 6, the host name that is specified in the Server Editor is incorrect.

For information about configuring server communication details or SSL connections, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

Related information:

“F-IVM-005-001” on page 206

E-IVM-007-001 Vendor log file size too small (min: 16k): %0uk

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-007-002 Unable to set Connections property to %0d. Connections property has been limited to %1d.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-001 Failed to set interfaces file %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-002 Failed to initialise vendor context

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-003 Failed to allocate vendor connection

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-004 Failed to bind username to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-005 Failed to bind password to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-006 Failed to bind application name to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-007 Failed to bind hostname to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-008 Failed to set timeout

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-009 Failed to set vendor session user data

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-010 Failed to install session callbacks

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-011 Failed to extract login token from provided password

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-013 Failed to set vendor client library version property: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-052-001 A command returned a result set with an unexpected number of columns (%0d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-052-002 Error in row %0d of result set

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-052-003 Failed to describe a result set: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-009 Challenge callback (%0p) failed: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-010 Challenge callback (%0p) failed on session %1s : %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-011 Challenge callback not installed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-012 Challenge callback not installed on session %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-013 Notification callback (%0p) failed:
 %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-014 Notification callback (%0p) failed on
 session %1s : %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-015 Notification callback not installed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-016 Notification callback not installed on
 session %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-017 Dropping notification event for
 procedure %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-018 Dropping notification event for
 procedure %0s on session %1s : %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-054-001 Notifier polling thread encountered
 an error using ct_poll using session %0p
 : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-054-002 Notifier polling thread encountered an error using `ct_poll` using session %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-102-002 Secure login housekeeping thread failed to open cursor

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-IVM-005-001 OpenServer - Fatal Error: %0d:%1s

Explanation: The following examples show how this message is written to the log.

Example 1:

F-IVM-005-001: OpenServer - Fatal Error:
16029/20/0: Failed to start any network listeners

Example 2:

F-IVM-005-001: OpenServer - Fatal Error:
16013/20/0: Could not find server name 'NCOMS'
in interfaces file

The example messages indicate that there is a problem with the server settings in the Server Editor. On UNIX and Linux operating systems, these settings are also specified in the connections data file, `$NCHOME/etc/omni.dat`.

System action: Not applicable.

User response: Not applicable.

Administrator response: OpenServer errors, such as example message 1, can have many causes. Examine the message text and the accompanying messages in the log for more information.

In example message 2, there is no entry in the Server Editor for the server named NCOMS.

For information about configuring server communication details, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

W-IVM-002-001 User property has overridden the
mutli-threaded server setting

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-002-045 Deprecated SSL property or
command line option specified. This
property has no effect

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-007-003 Vendor stack size too small: %0db.
Reseting to default: %1ub

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-051-012 Could not set OpenClient debug
property. Ensure to link against
OpenClient devlibs.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-053-001 Session name callback failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-053-002 Session name callback (%0p)
returned NULL session name

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-053-023 Application description response
has been truncated

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-103-002 Secure login housekeeper thread
received error on wake-up

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

MEM

Messages related to the memstore.

E-MEM-001-001 Row size too large

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-001-002 Attempt to modify row that has
been deleted

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-001-003 Did not force

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-001-004 The soft limit is greater than the
hard limit

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-001-005 The hard limit is greater than the
maximum permitted value

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-001 The specified path, %0s , is too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-002 Could not create %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-003 %0s is not a directory

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-004 Directory %0s exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-005 Data directory prefix %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-006 Failed to allocate memory for index
%0s , index marked invalid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-007 Failed to lock required chain lock
for destruction of deleted row.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-MEM-004-001 Failed to remove a row marked as
deleted: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-MEM-004-002

W-MEM-004-002 Failed to re-acquire transaction
lock after action list purge. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-MEM-004-003 Failed to add updated row to post
processing action list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-MEM-004-004 Failed to add inserted row to post processing action list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

NHT

Messages related to the HTTP/HTTPS interface.

E-NHT-102-001 [%0s]: Failed to lock the action mutex. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-002 [%0s]: Failed to accept a connection on listening socket %1u on port %2u . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-003 [%0s]: Failed to create a client structure for accepted socket connection socket %1u on listening socket %2u on port %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-004 [%0s]: Failed to find a client connection structure for active socket %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-005 [%0s]: Failed to send active client connection structure for socket %1u to work pool. Disconnecting connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-006 [%0s]: **Server listening socket thread for port %1u has terminated abnormally. (%2d;%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-007 [%0s]: **Failed to check and execution all actions in connection list. (%1d;%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-008 [%0s]: **Failed to wait on socket list for port %1u . (%2d;%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-009 [%0s]: **Work pool thread (0x%1p) has terminated abnormally. (%2d;%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-012 [%0s]: **Failed to process all HTTP requests on socket %1u . Dropping connection. (%2d;%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-013 [%0s]: **Failed to create a listening socket port %1u . (%2d;%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-001 [%0s]: Failed to lock the action
mutex. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-002 [%0s]: Failed to accept a connection
on listening socket %1u on port %2u .
(%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-003 [%0s]: Failed to create a client
structure for accepted socket connection
socket %1u on listening socket %2u on
port %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-004 [%0s]: Failed to find a client
connection structure for active socket
%1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-005 [%0s]: Failed to send active client
connection structure for socket %1u to
work pool. Disconnecting connection.
(%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-006 [%0s]: Server listening socket thread
for port %1u has terminated abnormally.
(%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-007 [%0s]: Failed to check and execution all actions in connection list. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-008 [%0s]: Failed to wait on socket list for port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-009 [%0s]: Work pool thread (0x%1p) has terminated abnormally. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-012 [%0s]: Failed to process all HTTP requests on socket %1u . Dropping connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-014 [%0s]: Failed to spawn a thread for listening port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-015 [%0s]: Failed to determine successful start condition of thread for listening port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-016 [%0s]: Failed to determine successful stop condition of thread for listening port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-017 [%0s]: Failed to lock the work pool queue mutex. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-018 [%0s]: Failed to create an action event. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-019 [%0s]: Failed to add an action event to listening socket thread for port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-020 [NCRYPT]: Function %0s failed. (rc=%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-021 [%0s]: Failed to read %1d bytes from %2s (%3s) on socket %4u . (%5d:%6s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-022 [%0s]: Failed to determine the number of bytes pending from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-026 [%0s]: Unknown method detected in HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-027 [%0s]: Unknown HTTP version detected in HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-028 [%0s]: Failed to decode URI in the HTTP request from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-029 [%0s]: Failed to decode the authentication credentials string in the HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-030 [%0s]: Failed to extract the user name from decoded authentication credentials string in the HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-031 [%0s]: Failed to extract the password from decoded authentication credentials string in the HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-032 [%0s]: Failed to create request structure for request from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-033 [%0s]: Failed to get full HTTP request from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-034 [%0s]: Failed to parse HTTP request line from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-035 [%0s]: Failed to parse and read message body of HTTP request from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-036 [%0s]: Failed to extract authentication type from authorization header of HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-037 [%0s]: Failed to extract credentials from authorization header of HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-038 [%0s]: Authentication type %1s is unknown from %2s (%3s) on socket %4u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-039 [%0s]: Failed to read required data from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-040 [%0s]: Failed to spawn thread %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-041 [%0s]: Failed to wait for thread %1s to indicate a successful start status. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-042 [%0s]: Failed to wait for thread %1s to indicate a successful stop status. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-043 • E-NHT-102-048

E-NHT-102-043 [%0s]: Failed to resolve local
hostname details for client connection
on socket %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-044 [%0s]: Unexpected error given in
attempt to get the authorization header
in parsed HTTP from %1s (%2s) on
socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-045 [%0s]: Failed to parse the
authorization header in HTTP from %1s
(%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-046 [%0s]: Application installed
authorization callback failed to complete
successfully for %1s (%2s) on socket
%3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-047 [%0s]: Failed to handle request on
URI %1s for %2s (%3s) on socket %4u .
(%5d:%6s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-048 [%0s]: Failed to return Method Not
Allowed HTTP response to URI %1s for
%2s (%3s) on socket %4u . (%5d:%6s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-049 [%0s]: Failed to return Internal Error to URI %1s for %2s (%3s) on socket %4u . (%5d:%6s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-050 [%0s]: Application installed URI callback failed to complete successfully for %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-051 [%0s]: Failed to get an item from the queue when there should have been one available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-052 [%0s]: Failed to try the work queue semaphore for pending work. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-053 [%0s]: Failed to start all threads within the work pool. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-054 [%0s]: Failed to successfully create a work item for the work pool. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-055 [%0s]: Failed to post indication of a work item to the work pools semaphore. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-056 Failed to define property %0s to the property s manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-057 Invalid data type for property %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-058 Failed to get value of property %0s from the property manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-059 Invalid datatype for property %0s . Expected %1s and got %2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-060 Failed to convert datatype for property %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-061 Failed to parse the property file %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-062 Failed to create the work pool manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-063 Failed to start the work pool manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-064 Failed to open the access log %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-065 Failed to create the server listening socket for port %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-066 Failed to start the server listening socket thread for port %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-067 [%0s]: Failed to add header %1s to HTTP response structure. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-068 [%0s]: Failed to create a response structure for response from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-069 [%0s]: Failed to send HTTP response back to client %1s (%2s) on socket %3u . (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-070 [%0s]: Failed to write data to %1s (%2s) on socket %3u . (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-071 [%0s]: Failed to read file %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-072 [%0s]: Failed to add header %1s to HTTP request structure. (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-073 [%0s]: Failed to get full HTTP response from %1s (%2s) on socket %3u . (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-074 [%0s]: Failed to parse HTTP response line from %1s (%2s) on socket %3u . (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-075 [%0s]: Failed to parse, extract and add all headers in the HTTP response to the constructed structure from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-076 [%0s]: Failed to parse and read message body of HTTP response from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-077 [%0s]: Unknown HTTP version detected in HTTP response from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-078 [%0s]: Failed to lookup hostname %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-079 [%0s]: Failed to send request message to HTTP server %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-080 [%0s]: Failed to read response message from HTTP server %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-082 [%0s]: Invalid status code detected in
HTTP response from %1s (%2s) on
socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-083 [%0s]: Server listening socket thread
for port %1u has failed to installed its
SIGPIPE signal handler. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-061 Failed to parse the property file %0s
. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-062 Failed to create the work pool
manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-063 Failed to start the work pool
manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-064 Failed to open the access log %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-065 Failed to create the server listening socket for port %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-066 Failed to start the server listening socket thread for port %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-067 [%0s]: Failed to add header %1s to HTTP response structure. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-068 [%0s]: Failed to create a response structure for response from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-069 [%0s]: Failed to send HTTP response back to client %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-070 [%0s]: Failed to write data to %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-071 [%0s]: Failed to read file %1s .
(%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-072 [%0s]: Failed to add header %1s to
HTTP request structure. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-073 [%0s]: Failed to get full HTTP
response from %1s (%2s) on socket %3u
. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-074 [%0s]: Failed to parse HTTP
response line from %1s (%2s) on socket
%3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-075 [%0s]: Failed to parse, extract and
add all headers in the HTTP response to
the constructed structure from %1s (%2s)
on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-076 [%0s]: Failed to parse and read
message body of HTTP response from
%1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-077 [%0s]: **Unknown HTTP version detected in HTTP response from %1s (%2s) on socket %3u .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-078 [%0s]: **Failed to lookup hostname %1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-079 [%0s]: **Failed to send request message to HTTP server %1s (%2s) on socket %3u . (%4d:%5s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-080 [%0s]: **Failed to read response message from HTTP server %1s (%2s) on socket %3u . (%4d:%5s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-082 [%0s]: **Invalid status code detected in HTTP response from %1s (%2s) on socket %3u . (%4d:%5s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-084 [%0s]: **Failed to lookup hostname and IP address connection information for %1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-085 [%0s]: Failed to connect to %1s on
port %2u . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-086 [%0s]: Failed to return Unsupported
Media Type HTTP response to URI %1s
for %2s (%3s) on socket %4u . (%5d:%6s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-087 [%0s]: Failed to parse all chunked
data blocks due to bad encoding from
%1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-088 [%0s]: Failed to get full chunk
header from %1s (%2s) on socket %3u .
(%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-089 [%0s]: Failed to validate a HTTP
request from %1s (%2s) on socket %3u .
(%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-090 [%0s]: Failed to create a response
structure. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-NHT-103-001 [%0s]: Failed to lookup hostname
for IP address %1s . Using default
system hostname %2s . (%3d:%4s)

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

OAM

Messages related to authentication.

E-OAM-102-001

E-OAM-102-001 Failed to open authentication
module: `\%0s\:` `%1s`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OAM-102-002 Module %0s is not an authentication module

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OAM-102-003

E-OAM-102-003 Authentication module %0s has an incompatible version (%1d vs. %2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OAM-102-004 Failed to call access function

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

OBJ

Messages related to the ObjectServer.

E-OBJ-102-001 Permission check on unregistered
object: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-002 %0s at or near %1s on line %2d of %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-003 Failed to recover %0d of %1d
restriction filters

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-004 Restriction filter recovery failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-005 alter user %0s ... : Denied

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-001 A user with this ID already exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-002 A role with this ID already exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-004 Could not initialise the attribute

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-005 The privilege is invalid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-006 A group with this ID already exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-007 The restriction filter doesn't exist

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-008 Could not identify the database or
table for the restriction filter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-009 Restriction filter is assigned

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-010 Group ID must be in the range
0..2147483647

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-011 Object name must be less than 64
bytes long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-012 Password must be less than 64 bytes
long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-013 Comment field must be less than 255
bytes long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-014 PAM isn't supported on this
objectserver platform

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-015 Role ID must be in the range
0..2147483647

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-016 User ID must be in the range
0..2147483647

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-017

E-OBJ-110-017 The tablename must be fully qualified

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-018 **Id and name mismatch**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-021

E-OBJ-110-021 Filter cannot select from itself

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBJ-103-001 Invalid name value pair: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBJ-103-002

W-OBJ-103-002 Class name %0s and number %1d
must be unique, row discarded

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBJ-103-003 Class %0d and parent %1d would introduce a loop, row discarded

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

OBX

Messages related to the ObjectServer application (`nco_objserv`).

E-OBX-001-001

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-002 Attempt to connect using an unsupported client

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-003 Attempt to use the RESYNC command by a non-gateway client

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-004 Resync is already in progress

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-005 Resync is not in progress

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-006 service.status does not exist

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-007 **service.status has non v3.x schema**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-008 **Attempt by non-realtime client to
use real-time functionality.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-009 **Attempt by non-iduc V2 real-time
client to use Iduc V2 functionality.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-010 **Invalid data store - database missing**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-011 **Invalid data store - table missing**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-012 **Read-only ISQL attempting
execution of restricted SQL**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-013 **SQL profiler timing not started**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-014 SQL profiler timing not suspended**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-001-015 Client not registered with SQL profiler**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-001-016 Client connected as nobody**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-001-017 Cannot send message, the client is not connected**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-001-018 Invalid file server root directory**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-004 Failed to initialise the command library.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-005 Failed to allocate application data structure. (%0d:%1s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-006 Failed to initialise default server properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-008 Failed to define libnsecurity properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-009 Failed to define libnstore properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-010 Failed to define server properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-011 Failed to define libnsecurity arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-012 Failed to define libnstore arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-013 Failed to define server arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-014 Failed to initialise security system:
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-016 Language command from %0s@%1s
failed. %2s on line %3u of statement
%4s at or near %5s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-017 Language command from %0s@%1s
failed. %2s on line %3u of statement
%4s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-018 Failed to resolve parsed language
command. (%0d:%1s)**

Explanation: The following example shows how this message is written to the log:

E-OBX-102-018: Failed to resolve parsed language
command. (-636:Type mismatch for column)

The example message indicates that the ObjectServer failed to resolve an SQL command. In this case, the column type in an INSERT command does not match the column type in the ObjectServer table.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example message, ensure that the source data type matches the data type in the ObjectServer table. When you use INSERT commands, enclose character values in single quotation marks ('). Do not enclose integer values in quotation marks.

Type mismatch errors can also occur when you use the INSERT command in an automation to insert rows into the alerts.journal ObjectServer table. In such cases, use the jinsert standard automation procedure to insert rows into the alerts.journal table.

For information about the INSERT command and the jinsert procedure, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-OBX-102-019 Failed to execute parsed language command. (%0d:%1s)

Explanation: The following example shows how this message is written to the log:

Error: E-OBX-102-019: Failed to execute
parsed language command.
(-402:Region soft limit exceeded)

The example message indicates that the table_store memstore exceeded its soft limit.

The E-OBX-102-019 message can indicate any one of several different errors, and is not limited to memstore problems. The message variable (%0d:%1s) contains the main problem information.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example error message, review the ObjectServer profiler and trigger statics logs and determine if there is a problem with the size of one of the dynamic tables. If the problem is caused by a lack of table_store space, and the ObjectServer dynamic tables are within normal size limits, then increase the table_store soft and hard limits.

For more information about changing table_store hard and soft limits, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-OBX-102-020 Failed to start the storage system. (%0d:%1s)

Explanation: The following example shows how this message is written to the log:

Error: E-OBX-102-020: Failed to start the
storage system. (-490:Extent statistics mismatch)

This error message indicates that the ObjectServer failed to start for any one of several reasons.

In the example error message, Extent statistics mismatch indicates that the ObjectServer database is corrupted. The database can become corrupted when an ObjectServer is shut down abnormally, for example, due to a system crash or if the nco_objserv process is stopped.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example error message, restore the last uncorrupted ObjectServer.

Note: The restore procedures described below results in some data loss. Data is recovered in the state that the Object Server was in when the files were created.

If you have a recent backup of the ObjectServer (made, for example, using the ALTER SYSTEM BACKUP command), use the following steps:

1. Make a backup of the \$NCHOME/omnibus/db/*ObjectServer_name* directory.
2. Remove all files from the current \$NCHOME/omnibus/db/*ObjectServer_name* directory.
3. Copy the master_store.tab and table_store.tab files from the backup directory to the current \$NCHOME/omnibus/db/*ObjectServer_name* directory.
4. Start the ObjectServer.

If you do not have a recent backup of the ObjectServer, you can attempt to recover the ObjectServer by using the current database files:

1. Make a backup of the \$NCHOME/omnibus/db/*ObjectServer_name* directory.
2. In the \$NCHOME/omnibus/db/*ObjectServer_name* directory, identify all files with the suffixes _0 and _1 that are 0 bytes in size and remove the corresponding .chk and .log files.

For example, in the following database directory, files with the _1 suffix are 0 bytes in size, so remove master_store_1.chk, master_store_1.log, table_store_1.chk, and table_store_1.log:

```
root 126340 Dec 7 08:47 master_store_0.chk
root 126340 Dec 7 08:47 master_store_0.log
root 0 Dec 7 08:47 master_store_1.chk
root 0 Dec 7 08:47 master_store_1.log
root 2822144 Dec 7 08:45 master_store.tab
root 7656 Dec 7 08:47 table_store_0.chk
root 7656 Dec 7 08:47 table_store_0.log
root 0 Dec 7 08:47 table_store_1.chk
root 0 Dec 7 08:47 table_store_1.log
root 3543040 Dec 7 08:45 table_store.tab
```

3. Start the ObjectServer.
4. If the ObjectServer fails to start, use the following steps:
 - a. Restore the \$NCHOME/omnibus/db/*ObjectServer_name* directory that you backed up in Step 1.
 - b. In the restored \$NCHOME/omnibus/db/*ObjectServer_name* directory, remove any .chk and .log files that you did not remove in Step 2. For example, in the database directory in Step 2, you must remove master_store_0.chk, master_store_0.log, table_store_0.chk, and table_store_0.log.
 - c. Start the ObjectServer.
5. If the ObjectServer still does not start, use the following steps:
 - a. Remove all .chk and .log files from the \$NCHOME/omnibus/db/*ObjectServer_name* directory. Do not remove the table_store.tab and master_store.tab files.
 - b. Start the ObjectServer.

For more information about checkpoints and ObjectServer backups, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-OBX-102-021 Failed to stop the storage system.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-023 Failed to authenticate user %0s.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-024 NSecContextProcess
failed.(%0d:%1s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-025 Failed to start the automation
subsystem: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-026 Failed to define automation
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-027 Could not time backup operation:
%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-028 Could not raise internal event: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-029 Failed to raise system event: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-030 Failed to stop the automation
system: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-031 Failed to stop the procedure system:
%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-032 Failed to create backdoors: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-033 Failed to define Iduc Manager
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-034 Failed to define Iduc Controller
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-035 Failed to define Iduc Manager arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-036 Failed to define Iduc Controller arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-037 Failed to register client %0u for status table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-038 Failed to register client %0u for journal table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-039 Failed to unregister client %0u for status table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-040 Failed to unregister client %0u for journal table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-041 Failed to return client ID to IDUC Manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-042 Failed to unregister client with the IDUC controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-043 Failed to register client with the IDUC controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-044 Failed to start the profiling subsystem: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-045 Failed to install the %0s callback on table %1s.%2s . Iduc on table not possible. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-046 Failed to remove the %0s callback from table %1s.%2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-047 Failed to create Iduc Change data set for table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-048 Failed to find column %0s in table %1s.%2s . Cannot push Iduc changes for table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-049 Failed to add row update to iduc
change set for table %0s.%1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-050 Failed to get value for column %0s
of table %1s.%2s . Cannot push Iduc
changes for table. (%3d:%4s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-051 Failed to create the Iduc Manager.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-052 Failed to create the Iduc Controller.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-053 Failed to startup the Iduc Manager.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-054 Failed to startup the Iduc Controller.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-055 Failed to retrieve the user name.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-056 Proxy@%0s (ConnectionID=%1u)
attempting to execute restricted SQL

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-057 User %0s@%1s failed to login: %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-058 Did not recover %0s table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-059 Did not recover security database

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-060 Failed to create/populate function
manager: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-061 Failed to define automation
arguments: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-062 User %0s tried to connect with an
unsupported administration client type
(%1s) from host %2s. Please use
nco_config.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-063 Failed to allocate memory for the Iduc table data hash table.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-064 Failed to create a pre-resolved iduc table entry for table %0s.%1s . (%2d:%3s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-065 Failed to find a pre-resolved iduc table entry for table %0s.%1s . (%2d:%3s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-066 Failed to send result set to client with connection ID = %0u: %1s (%2d)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-067 Failed to send done to client with connection ID = %0u: %1s (%2d)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-068 Failed to send wait message to client blocked meta/data wait. (%0d:%1s)**Explanation:** The following example shows how this message is written to the log:

```
E-OBX-102-068: Failed to send wait message
to client blocked meta/data wait.
(-2250:Failed to send message to client)
```

The example message indicates that the ObjectServer is busy and failed to send a wait message to a client that tried to connect to it.

System action: Not applicable.**User response:** Not applicable.**Administrator response:** The example message indicates that there is a performance issue at the ObjectServer. This error is typically seen when there is a problem with memory usage by dynamic tables or a

problem with one or more triggers.

The error can also occur when a gateway resynchronizes with the ObjectServer. The ObjectServer can be locked during the resynchronization and the message is logged until the resynchronization is complete.

For information about monitoring ObjectServer performance, and about triggers and automations, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-OBX-102-069 Failed to set value for property ClientHeartbeatRate , as value specified is lower than minimum value %0u .**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-070 Did not recover transfer database**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-071 Did not recover persist database**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-072 Removing stale security object for trigger %0s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-073 Failed to set value for property RegexpLibrary to %0s . (%1d:%2s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-074 Failed to add client ID %0u to resolution list. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-075 Failed to walk the real-time client list of the Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-076 Failed to obtain a pre-allocated iduc operation processing data set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-077 Failed to build the key column value list for Event Fast Track of row for table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-078 Failed to build the summary column value list for Event Fast Track of row for table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-079 Failed to create the iduc command user data structure for message delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-080 Failed to create the Event Fast Track command structure for delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-081 Failed to send the Event Fast Track command structure to the Iduc Controller for execution. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-082 Failed to create the Action Command command structure for delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-083 Failed to send the Action Command command structure to the Iduc Controller for execution. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-084 Failed to create the Send Message command structure for delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-085 Failed to send the Send Message command structure to the Iduc Controller for execution. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-086 Failed to install the alter table
callback with the storage system.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-087 Failed to remove the alter table
callback from the storage system.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-088 Failed to create iduc data handles for
row during construction of the Event
Fast Track command structure for
delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-089 Failed to find column %0s in table
%1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-090 Column %0s in table %1s.%2s has
unexpected type. Expected %3s , but
column is %4s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-091 Failed to find table %0s.%1s within
the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-092 Failed to build a memory reference cache of the servers known iduc channels. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-093 Failed to walk the table %0s.%1s . Unable to resolve all of the required iduc channel details within the server. (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-094 Failed to lookup and find the iduc channel %0s within the channel table. Iduc command dropped as channel is unknown to the server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-095 No channel handle found in channel connection ID resolution. Cannot resolve recipient list

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-096 Failed to get the required column values for current row in table %0s.%1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-097 Failed to create lookup cache entry for channel %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-098 Failed to create channel summary
column lookup cache entry for column
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-099 Failed to create table summary
lookup cache for table %0s.%1s in
channel %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-100 Failed to create channel interest
lookup cache entry for channel %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-101 Unable to locate summary column
entry for index %0d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-102 Unable to locate channel interest
element for channel %0s . Channel
interest entry [%1s][%2d][%3s][%4s][
%5s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-103 Failed to build the user, group and
group membership table cache for
determining user interest. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-104 Failed to find group %0s within the group table cache. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-105 Failed to process and add all members of group %0s to the name resolution list of iduc channel interest row entry. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-106 Failed to rebuild iduc channel data after resync. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-107 Failed to generate an IDUC connection system event for client id %0u. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-108 Failed to generate an IDUC disconnection system event for client id %0u. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-109 Iduc Channel: Failed to create the channel statistics table %0s.%1s. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-110 Iduc Channel: Failed to find the channel statistics table %0s.%1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-111 Iduc Channel: Failed to destroy the channel statistics table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-112 Iduc Channel: Failed to insert channel %0s into statistics table %1s.%2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-113 Iduc Channel: Failed to update channel %0s in statistics table %1s.%2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-114 Iduc Channel: Failed to delete channel %0s from statistics table %1s.%2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-115 Failed to start IDUC channel execution stop watch timer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-116 Failed to stop IDUC channel
execution stop watch timer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-117 Failed to update statistics of IDUC
channel %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-118 Iduc Channel: Failed to start the
channel statistics period thread.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-119 Attempt to fast track row that is not
yet inserted. Dropping attempted Event
Fast Track for row in table %0s.%1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-120 Failed to recover indexes. (%0d:%1s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-121 Failed to generate an IDUC missed
system event for client id %0u .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-122 Client %0u has missed %1d IDUC cycles for user %2s on host %3s from application %4s:%5s .

Explanation: The following example shows how this message is written to the log:

```
10/22/09 21:46:01: Error: E-OBX-102-122:
Client '1' has missed '2' IDUC cycles
for user 'Gateway' on host 'hostname'
from application 'GATEWAY'.
```

The example message indicates that the client did not request IDUC information from the ObjectServer within the granularity period that is specified by the ObjectServer **Granularity** property. If this problem is not corrected, a client that misses multiple IDUC cycles will cause the memory usage of the ObjectServer to increase and might increase the profiling times for some clients.

System action: Not applicable.

User response: Not applicable.

Administrator response: If this message appears regularly in the log, you can perform one or more of the following actions to address it:

- Ensure that the ObjectServer **Profile** property is enabled, and review the profile and trigger statistics logs in the \$NCHOME/omnibus/logs/*ObjectServer_name_profiler_report.log1* and \$NCHOME/omnibus/logs/*ObjectServer_name_trigger_stats.log1* files.

Ensure that the total time from client requests and automations in both the profile and trigger statistics logs is less than the ObjectServer **Granularity** property setting (the default is 60 seconds).

If the total time is regularly longer than the **Granularity** property setting, ObjectServer performance will degrade. Troubleshoot the clients and triggers that are identified in the log files as consuming the most IDUC cycles. Be aware that the client time might be longer than the granularity period due to ObjectServer multithreading.

- Enable debug logging for the client named in the error message and address any errors. Review the client properties for available performance optimizations. If the client IDUC period is shorter than the ObjectServer granularity, it might need to be increased.
- Enable the `disconnect_iduc_missed` trigger. This trigger disconnects clients that fail to communicate with the ObjectServer for 100 granularity periods, to prevent the ObjectServer from consuming too much memory serving clients that miss IDUC cycles.

If the trigger is unnecessarily disconnecting clients, increase the `%signal.missed_cycles` setting to at least 100.

E-OBX-102-123 WTPasswordCheck property %0s is not valid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-124 PasswordEncryption is not FIPS compliant. Switching to AES.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-125 GET LOGIN TOKEN command is not FIPS compliant.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-126 Failed to generate an IDUC data request system event for client id %0u . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-127 Unable to lookup real-time client for id %0u . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-128 Failed to enable UTF8Enabled property

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-129 Failed to create system events: (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-130 Failed to create system events:
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-131 _NObjSrvDropTransientViews:
Failed to allocate memory: %0s: %1s.%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-132 Failed to drop connection,
connection ID = %0u could not be
found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-133 Number of failed client heartbeats
exceeded %0u. The keep-alive message
will no longer be sent to client with id
= %1u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-134 Failed to find column %0s in table
%1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-135 Column %0s in table %1s.%2s has
unexpected type. Expected %3s , but
column is %4s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-136 [RESTIF]: Failed to install callback of type %0u on table %1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-137 [RESTIF]: Failed to remove callback of type %0u from table %1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-138 [RESTIF]: Failed to allocate a result set structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-139 [RESTIF]: Failed to create client handle. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-140 [RESTIF]: Failed to initialise the server library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-141 [RESTIF]: Failed to initialise the client library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-142 [RESTIF]: Failed to initialise property manager with server properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-143 [RESTIF]: Failed to initialise argument manager with server arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-144 [RESTIF]: Failed to create a REST client handle. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-145 [RESTIF]: Failed to create a REST Engine system instance. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-146 [RESTIF]: Failed to start-up the REST Engine system instance. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-147 [RESTIF]: Failed to set-up the OSLC Service Provider Registrations system components. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-148 [RESTIF]: Failed to parse URI %0s . URI is potentially invalid? (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-149 [RESTIF]: Failed to sent the user credentials on HTTP client context for service provider registration. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-150 [RESTIF]: Failed to register ObjectServer service provider definition with registry %0s (%1s). (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-151 [RESTIF]: Failed to update OSLC Service Provider registration table with registration details for %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-152 [RESTIF]: Failed to deregister ObjectServer service provider definition with registry %0s (%1s). (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-153 [RESTIF]: Failed to resolved all required details within the OSLC service provider registration table. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-154 [RESTIF]: Failed to get all values from row within the OSLC service provider registration table. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-155 [RESTIF]: Failed to create a OSLC service provider registration work item. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-156 [RESTIF]: Failed to send an OSLC service provider registration work item to processing thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-157 [RESTIF]: Failed to convert URI to a string representation. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-158 [RESTIF]: Work item processing thread has is terminating due to unexpected error.(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-159 [RESTIF]: Failed to create a command execution structure.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-160 [RESTIF]: Failed to resolve the current command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-161 [RESTIF]: Failed to execute the current command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-162 [RESTIF]: Failed to build base URI for service provider definition. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-163 Failed to initialise the HTTP/OSLC system interface. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-164 Failed to initialise property manager with HTTP/OSLC system interface server properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-165 Failed to initialise argument manager with HTTP/OSLC system interface server arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-166 Failed to run the HTTP/OSLC system interface. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-167 Failed to convert value for column
%0s of table %1s.%2s from %3d to %4d .
Cannot push Iduc changes for table.
(%5d;%6s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-OBX-101-001 _NObjSrvDropTransientViews:
remove callback error: %0s: %1s.%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-OBX-101-003 _NObjSrvDropTransientViews: drop
error: %0s: %1s.%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-001 Probe language command from
%0s@%1s failed. %2s on line %3u of
statement %4s at or near %5s .
Continuing with the default SQL
processing.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-002 Probe language command from
%0s@%1s failed. %2s on line %3u of
statement %4s . Continuing with the
default SQL processing.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-004 Failed to lookup and find table
%0s.%1s in data store.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-005 Removing %0s from security repositories

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-006 Profiler thread failed to read a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-007 Profiler thread encountered an error whilst processing a message of type %0d on behalf of connection ID %1d: %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-008 Profiler report waker thread failed to read a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-009 Profiler report waker thread failed to create a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-010 Profiler report waker thread failed to post a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-011 Failed to find table %0s.%1s . Locale safe IDUC messages not possible.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-012 Failed to remove pending row iduc from iduc change set for table %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-013 Failed to lookup and find the iduc channel %0s within the channel table. Iduc command to connection ID %1d will be processed with default settings.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-014 Failed to lookup and find a summary list for table %0s.%1s in iduc channel %2s . Using the tables primary key as summary list for Event Fast Track message.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-015 Unable to locate channel %0d for channel interest entry defined in table %1s.%2s . Unassociated entry detected. [%3s][%4d][%5s][%6s][%7s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-016 Unable to locate channel %0d for channel summary entry defined in table %1s.%2s . Unassociated entry detected. [%3s][%4s][%5d]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-017 Unable to locate summary list %0d for channel summary column entry defined in table %1s.%2s . Unassociated entry detected. [%3s][%4d]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-018 Failed to resolve and find all required tables and columns for iduc channel resolution. Iduc channel syb-system will be unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-019 Failed to find user ID %0d within the user table cache. Dropping user ID from processing set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-020 Position order of columns within the summary list for table %0s.%1s in iduc channel %2s is NOT defined in numerical sequence order. Column extraction will be inefficient for Event Fast Track messages on this table. Please correct the order.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-021 Iduc Channel: Failed to successfully update the statistics for all known IDUC channels. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-022 Iduc Channel: Failed to successfully insert the statistics for all known IDUC channels. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-023 Iduc Channel: Failed to successfully delete the statistics for all known IDUC channels. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-024 Failed to lookup and find a summary list for table %0s.%1s with id %2d for iduc channel %3s in table cache.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-025 No per thread cpu-time clock source available. Profile times will be overestimated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-026 The profile_report trigger failed to run

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-027 Dropping channel interest entry for channel %0s due to error %1s . Dropped interest entry is ElementName= %2s ,IsGroup=%3d,Hostname= %4s ,AppName= %5s ,AppDescription= %6s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-028 [RESTIF]: Failed to find OSLC
Service Provider table %0s.%1s .
Registration disabled.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-029

W-OBX-103-029 [RESTIF]: Failed to generated
registrations update work items from
OSLC Service Provider registration
table. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-030 [RESTIF]: Failed to build string representation of SQL command for debug log message. (%0d:%1s)

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

POS

Messages related to the **nco_postmsg** utility.

W-POS-103-001 Cache file level warning! Cache exceeds %0d%% of %1d bytes. Currently %2d bytes

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

PRO

Messages related to Process Agent.

E-PRO-001-001 Parameter must be IN for external procedures

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-002 Attempted to re-enter procedure

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-003 Recursive call

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-004 BREAK outside of loop

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-005 Procedure subsystem disabled

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-006 Cannot update an object of this kind from within a FOR-EACH-ROW clause

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-007 CANCEL not allowed in a post trigger

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-008 Procedure has circular dependencies

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-009 Cannot replace procedure with other type of procedure

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-010 Process not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-011 Not connected to process agent

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-012 Error sending a command to the PA

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-013 PA connection failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-014 Unknown attribute

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-015 Unknown service

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-016 Unknown process

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-017 Process already added

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-018 Missing parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-019 PA fatal error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-020 PA unknown error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-021 No PA message

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-022 No PA response

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-023 Lost connection to PA

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-024 Failed to create PA connection

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRO-002-001 Failed to recover procedure %0s. %1s
on line %2d**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRO-002-002 Failed to recover procedure %0s. %1s
on line %2d near %3s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRO-002-004 Failed to parse procedure %0s. %1s
on line %2d near %3s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRO-002-005 Failed to recompile procedure %0s.
%1s on line %2d**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-002-006 Failed to recompile procedure %0s.
%1s on line %2d near %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-001 Failed to send request to Process
Agent: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-002 Attempted to re-enter procedure

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-003 Could not execute %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-004 Connection to Process Agent failed.
Dropping external action %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-005 Connection to Process Agent failed.
Reconnecting: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-006 Reconnection to Process Agent
failed. Dropping external action %0s :
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-007 Could not remove procedure %0s
from persistent store

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

PRX

Messages related to the proxy server utility (**nco_proxyserv**).

E-PRX-102-002 [ProxyServer]: Failed to initialise
property manager with the NIPC client
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-003 [ProxyServer]: Failed to initialise
property manager with the proxy servers
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-004 [ProxyServer]: Failed to initialise
argument manager with the NIPC client
arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-005 [ProxyServer]: Failed to initialise
argument manager with the proxy
servers arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-006 [ProxyServer]: Failed to update
property manager with the proxy servers
properties affected by name change.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-007 [ProxyServer]: Failed to initialise the NIPC client library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-008 [ProxyServer]: Failed to fetch all of the required server property values. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-009 [ProxyServer]: Failed to start the servers action support thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-010 [ProxyServer]: Failed to stop the servers action support thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-011 [ProxyServer]: Failed to lock the servers main data mutex. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-012 [ProxyServer]: Failed to create a client data connection structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-013 [ProxyServer]: Failed to assign a client to a specific data connection thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-014 [ProxyServer]: Failed to unassign a client from its data connection thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-015 [ProxyServer]: A client that is not assigned to a connection data thread has issued an SQL language command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-016 [ProxyServer]: Failed to create SQL command structure for client language command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-017 [ProxyServer]: Failed to send the created SQL command structure to the clients assigned data connection thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-018 [ProxyServer]: Client language command failed to complete successfully against remote ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-019 [ProxyServer]: Failed to join connection processing thread and wait for it to shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-020 [ProxyServer]: Failed to join the action support processing thread and wait for it to shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-021 [ProxyServer]: Failed to spawn the action support processing thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-022 [ProxyServer]: Failed to create the action support processing input message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-023 [ProxyServer]: Action support processing thread has terminated with a failure condition. Shutting down the server. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-024 [ProxyServer]: Action support processing thread has failed to process an action message of type %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-025 [ProxyServer]: Action support processing thread has failed to fetch a message from its input message queue. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-026 [ProxyServer]: Failed to place action command on the action support processing threads input message queue. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-027 [ProxyServer]: Connection Thread: Failed to connect to remote ObjectServer %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-028 [ProxyServer]: Connection Thread: The thread has terminated unexpectantly. Server may be shutdown. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-029 [ProxyServer]: Connection Thread: Failed to spawn the connection handling thread. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-030 [ProxyServer]: Connection Thread: Failed to wait on synchronisation semaphore and wait for thread start-up. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-031 [ProxyServer]: Connection Thread:
Spawned thread failed to start-up
successfully. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-032 [ProxyServer]: Connection Thread:
Failed to create a stop request to
shutdown connection thread. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-033 [ProxyServer]: Connection Thread:
Failed to send a stop request for
shutdown connection thread to the
action support thread. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-034 [ProxyServer]: Failed to create
connection thread data structure.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-035 [ProxyServer]: Connection Thread:
Failed to fetch a message from its input
message queue. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-036 [ProxyServer]: Connection Thread:
Failed to create an NIPC client
command structure. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-037 [ProxyServer]: Connection Thread:
Failed to send an NIPC client command
structure. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-038 [ProxyServer]: Connection Thread:
Failed to process a message from its
input message queue. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-039 [ProxyServer]: Connection Thread:
Failed to create session structure.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-040 [ProxyServer]: Client Thread: Failed
to send results set back to client.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-041 [ProxyServer]: Client Thread: Failed
to create session structure. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-042 [ProxyServer]: Client Thread: Failed
to connect to remote ObjectServer %0s .
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-043 [ProxyServer]: Failed to challenge client for login details. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-044 [ProxyServer]: Failed to validate clients login credentials. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-045 [ProxyServer]: Connection Thread: Failed to set user data on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-046 [ProxyServer]: Connection Thread: Failed to install challenge callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-047 [ProxyServer]: Connection Thread: Failed to install session name callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-048 [ProxyServer]: Client Thread: Failed to install challenge callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-049 [ProxyServer]: Client Thread: Failed to install session name callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-050 [ProxyServer]: Connection Thread: Failed to determine status of ObjectServer connection. Assuming the connection is dead. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-051 [ProxyServer]: Connection Thread: Connection is dead. Execution of SQL failed due to loss of connectivity. Shutting down server to simulate ObjectServer loss.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-052 [ProxyServer]: Connection Thread: Connection is not dead. Execution of SQL failed for alternate reason. Attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-053 [ProxyServer]: Client Thread: Failed to disconnect from remote ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-054 [ProxyServer]: Client Thread: Failed to destroy the session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-055

E-PRX-102-055 [ProxyServer]: Connection Thread:
Client %0s is not permitted to connect
via proxy server. Enable
AllowAllClients property to permit this
client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-056 [ProxyServer]: Failed to inform the
process agent %0s that we have started. (
%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-PRX-101-001

F-PRX-101-001 [ProxyServer]: Connection Thread:
Failed to post a message to
synchronisation semaphore. Fatal thread
block in server, exiting immediately.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-PRX-103-001 [ProxyServer]: Failed to send a connection heart-beat to an currently active client connection. (%0d:%1s)

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

RCL

Messages related to HTTP and OSLC clients.

E-RCL-102-001 Failed to build OSLC Service Provider payload for registration. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-002 Failed to send OSLC Service Provider registration to registry. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-003 Failed to send OSLC Service Provider deregistration to registry. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-004 Failed to create a POST HTTP request structure for %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-005 Failed to set a payload on HTTP request structure for. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-006 Failed to send a HTTP request to
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-007 Unexpected HTTP response.
Expected 201 , but received a %0u
response.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-008 Failed to get Location HTTP header
from 201 response. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-009 Failed to parse Location HTTP
header URI value %0s in 201 response.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-010 Failed to create a %0s HTTP request
structure for %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-011 Unexpected HTTP response.
Expected 200 , but received a %0u
response.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-012 Failed to add MIME type %0s to
HTTP request structure for %1s .
(%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-014 Return MIME type is %0s , but
requested MIME type of %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-015 No payload returned in GET
response.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-016 Failed to create a DELETE HTTP
request structure for %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-017 Unexpected HTTP response.
Expected 200 , but received a %0u
response.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-018 Failed to create a PATCH HTTP
request structure for %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-019 Failed to parse JSON document.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-020 Failed to get JSON document text.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-021 Failed to get Tivoli Service Provider
Registry definition. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-022 Failed to create xpath search
structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-024 Failed to get resource attribute from
creation factory element of service
provider definition. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-025 Failed to parse URI %0s defined in
resource attribute creation factory
element of service provider definition.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-026 Unexpected HTTP response.
Expected 200 or 204 , but received a %0u
response.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-027

E-RCL-102-027 Failed to locate the creation factory
%0s in service provider definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-028 Failed to locate the creation factory
%0s in service provider definition due
to error. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCL-102-059 [OSLC Resource]: Failed to parse
RDF document. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

RCO

Messages related to HTTP and OSLC interfaces.

**E-RCO-102-001 [XMLDoc]: XML document state
error. Previous document has not been
ended correctly.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-002 [XMLDoc]: XML document state
error. No document has been started.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-003 [XMLDoc]: XML document state
error. No current node element has been
defined.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-004 [XMLDoc]: XML document error.
Failed to create new XML document.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-005 [XMLDoc]: XML document error.
Failed to create namespace %0s:%1s
node.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-006 [XMLDoc]: XML document error.
Failed to create %0s root element.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-007 [XMLDoc]: XML document error.
Failed to create %0s child node element.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-008 [XMLDoc]: XML document error.
Failed to attribute %0s on current node element.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-009 [EvtSysMgr]: Failed to resolve the
table schema for %0s resource.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-010 [EvtSysMgr]: Failed to get schema
for resource type %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-011 [EvtSysMgr]: Failed to get resource
map for resource type %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-012 [JSON]: Failed to parse the JSON message. Failed at %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-013 [JSON]: JSON Object %0s has incorrect type. Expected %1d , but got %2d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-014 [OSLC Resource]: Failed to create an RDF document for processing RDF data. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-015 [ResMgr]: Failed to read all name space definitions for resource type %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-016 [ResMgr]: Failed to read all column map definitions for current resource. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-017 [ResMgr]: Failed to read in resource configuration file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-018 [EvtSysMgr]: Failed to populate resource shape table for resource type %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-019 OSLC Where Parser: Failed to parse where expression. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-020 OSLC Where Parser: Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-021 OSLC ColumnList Parser: Failed to parse column list. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-022 OSLC ColumnList Parser: Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-023 [OSLC Expr]: Failed to find a name space with prefix %0s for property %1s in resource map %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-024 [OSLC Expr]: Failed to find property
%0s in name space %1s in resource map
%2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-025 [OSLC Expr]: Failed to find column
%0s in the table schema for %1s.%2s for
resource map %3s . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-026 [OSLC Column]: Failed to convert
the value for column %0s from type %1u
to type %2u . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-027 [OSLC Expr]: Failed to create the
literal value expression for column %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-028 [OSLC Expr]: Failed to create a
comparison SQL condition for column
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-029 [OSLC Expr]: Failed to create a
sub-query SQL condition for column
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-030 [OSLC Expr]: Failed to create the
inlist SQL condition for column %0s .
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-031 [OSLC Expr]: Failed to create
compound SQL condition. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-032 [OSLC Expr]: Failed to create the
required expression or sub-query
component for column %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-033 [OSLC Expr]: Failed to create the
value inlist for column %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-034 [OSLC Expr]: Failed to create the
column value expression for column
%0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-035 [OSLC Expr]: Failed to create the
SQL order by list. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-036 [OSLC Expr]: Failed to create the SQL column list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-038 Failed to get a table schema for resource type %0s from table schema manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-039 [OSLC Expr]: Failed to add required defaults to the SQL column list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-040 [OSLC Column]: Failed to get the value for column %0s (%1d) in result set. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-041 [OSLC Column]: Failed to create a resource column for %0s:%1s (%2s). (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-042 [OSLC Resource]: Failed to resolve column %0s in the table schema or results set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-043 [OSLC Resource]: Failed to resolve the columns in namespace map %0s (%1s). (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-044 [OSLC Resource]: Failed to resolve the default columns for resource. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-045 [OSLC Resource]: Failed to get the value for column %0s (%1d) in result set. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-046 [OSLC Resource]: Failed to build about URI for resource. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-047 [OSLC Resource]: Failed to add column %0s:%1s to current resource. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-048 [OSLC Resource]: Failed to create a resource entry for current result set row. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-049 [OSLC Resource]: Failed to create and add all properties to resource entry for current result set row. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-050 [OSLC Resource]: Failed to create all resource entries for rows in result set row. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-051 [XMLDoc]: XML document error. Failed to get attribute %0s on current node element %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-052 [XMLDoc]: XML document error. Failed to get element %0s in namespace %1s on current node element.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-053 [RDFDoc]: RDF document error. Failed to find namespace %0s in the resource map for resource type %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-054 [RDFDoc]: RDF document error. Failed to add column %0s:%1s to the document successfully. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-055 [RDFDoc]: RDF document error.
Failed to add all resources to document.
(%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-056 [OSLC Resource]: Failed to get about
URI from current resource entry.
(%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-057 [OSLC Resource]: Failed to read all
properties for current resource.
(%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-059 [OSLC Resource]: Failed to parse
RDF document. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-060 [OSLC Resource]: Failed to
successfully process all resource entries
in RDF document. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-061 [OSLC Resource]: Failed Property
%0s in namespace %1s of resource map
for resource type %2s could not be
extracted. (%3d;%4s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-062 [OSLC Resource]: Failed to create the literal value expression for column %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-063 [OSLC Resource]: Failed to create the assignment structure for column %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-064 [JSON]: Failed to describe column %0s to the NIPC result set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-065 [JSON]: Failed to set value for column %0s in NIPC result set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-066 [JSON]: Invalid type detected for column %0s . Cannot describe column to NIPC result set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-067 Failed to find column %0s in provided result set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-068 Failed to get the value for column
%0s in provided result set. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-069 [RDFDoc]: RDF document error. URI
mismatch between system prefix %0s
(%1s) and resource prefix %2s (%3s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-070 [OSLC Resource]: Failed to obtain
event server serial and server name
values for resource URI via installed
serial evaluation callback function.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-071 [OSLC Resource]: Failed to obtain
event server serial and server name
values for resource URI via installed
identifier evaluation callback function.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-072 [OSLC Expr]: Failed to find property
%0s;%1s in expression tree. (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-073 [OSLC Expr]: Failed to create a
column list with the column name %0s .
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-074 [OSLC Expr]: Failed to build the select SQL command for sub-query evaluation. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-075 [OSLC Resource]: Failed to get identifier from resource.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-076 [OSLC Resource]: Failed to get lookup column %0s in table %1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-077 [OSLC Column]: Failed to create value for resource column for %0s:%1s (%2s). (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-078 [OSLC Expr]: Failed to create the regular value expression for column %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-001 [EvtSysMgr]: Failed to find column %0s in schema for %1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-002 Failed to return table schema for
%0s.%1s to the table schema manager.
(%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-003

W-RCO-103-003 [OSLC Resource]: Failed to find column %0s in the table schema or results set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-004 [OSLC Column]: Failed to parse
URI value %0s for column %1s (%2d).
(%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-005

W-RCO-103-005 [OSLC Resource]: Namespace %0s
is not found in resource map for
resource type %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-006 [OSLC Resource]: Property %0s is not found in namespace %1s of resource map for resource type %2s . (%3d:%4s)

System action: Not applicable.

REG

Messages related to ObjectServer Database Storage.

E-REG-002-001 Logging failed: %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-021 Failed to open tabfile %0s - data has NOT been synced

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-022 Failed to write file header - data has NOT been synced

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-023 Failed to write all data to %0s - data has NOT been synced

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-025 Region %0s , from directory %1s , has been recovered in a corrupt state: %2s

Explanation: The following example shows how this message is written to the log:

Error: E-REG-002-025: Region 'table_store', from directory '/opt/netcool/omnibus/db/NCOMS/', has been recovered in a corrupt state: Extent statistics mismatch

This error message indicates that the ObjectServer database is corrupted.

In the example error message, Extent statistics mismatch indicates that the NCOMS ObjectServer database is corrupted. The database can become corrupted when an ObjectServer is shut down abnormally, for example, due to a system crash or if the nco_objserv process is stopped.

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example error message, you must restore the last uncorrupted ObjectServer.

Note: The restore procedures described below will result in some data loss. Data will be recovered in the state that the Object Server was in when the files were created.

If you have a recent backup of the ObjectServer (made, for example, using the ALTER SYSTEM BACKUP command), use the following steps:

1. Make a backup of the \$NCHOME/omnibus/db/*ObjectServer_name* directory.
2. Remove all files from the \$NCHOME/omnibus/db/*ObjectServer_name* directory.
3. Copy the master_store.tab and table_store.tab files from the backup directory to \$NCHOME/omnibus/db/*ObjectServer_name*.
4. Start the ObjectServer.

If you do not have a recent backup of the ObjectServer, you can attempt to recover it using the current database files:

1. Make a backup of the \$NCHOME/omnibus/db/*ObjectServer_name* directory.
2. In the \$NCHOME/omnibus/db/*ObjectServer_name* directory, identify all files with the suffixes _0 and _1 that are 0 bytes in size and remove the corresponding .chk and .log files.

For example, in the following database directory, files with the _1 suffix are 0 bytes in size so you must remove master_store_1.chk, master_store_1.log, table_store_1.chk, and table_store_1.log:

```
root 126340 Dec 7 08:47 master_store_0.chk
root 126340 Dec 7 08:47 master_store_0.log
root 0 Dec 7 08:47 master_store_1.chk
root 0 Dec 7 08:47 master_store_1.log
root 2822144 Dec 7 08:45 master_store.tab
root 7656 Dec 7 08:47 table_store_0.chk
root 7656 Dec 7 08:47 table_store_0.log
root 0 Dec 7 08:47 table_store_1.chk
root 0 Dec 7 08:47 table_store_1.log
root 3543040 Dec 7 08:45 table_store.tab
```

3. Start the ObjectServer.

4. If the ObjectServer fails to start, use the following steps:
 - a. Restore the \$NCHOME/omnibus/db/*ObjectServer_name* directory that you backed up in Step 1.
 - b. In the restored \$NCHOME/omnibus/db/*ObjectServer_name* directory, remove any .chk and .log files that you did not remove in Step 2.
For example, in the database directory in Step 2, you must remove master_store_0.chk, master_store_0.log, table_store_0.chk, and table_store_0.log.
 - c. Start the ObjectServer.
5. If the ObjectServer still does not start, use the following steps:
 - a. Remove all .chk and .log files from the \$NCHOME/omnibus/db/*ObjectServer_name* directory.
Do not remove the table_store.tab and master_store.tab files.
 - b. Start the ObjectServer.

For more information about checkpoints and ObjectServer backups, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-REG-002-029 Soft limit exceeded for region : %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-003-005 Problem with file %0s: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-REG-003-006 Unable to open or create file %0s:
%1s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-001 *%0s: Failed to free the hash table entry. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-002 *%0s: Failed to allocate volatile space.*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-003 *%0s: Failed to create segment. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-004 *%0s: Failed to allocate space for persistent store. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-005 *%0s: Hash and comparison functions must be specified.*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-006 *%0s: Failed to open segment. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-007 *%0s: Segment Scan Begin failed. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-008

E-REG-102-008 %0s: NSegmentScanNext failed. %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-009 *%0s: NSegmentScanEnd failed. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-010

E-REG-102-010 *%0s: Failed to allocate memory for
cursor. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-011 *%0s: Failed to allocate memory for
region list. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-012

E-REG-102-012 %0s: **Node is out of range.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-013 Hash table *%0d* in region *%1s* has wrong version number (*%2d* != *%3d*)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

RSE

Messages related to HTTP and OSLC servers.

E-RSE-102-001 Failed to get URI parameter *%0s* from the HTTP request. (*%1d*:*%2s*)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-002 Failed to get URI query parameter *%0s* from the HTTP request. (*%1d*:*%2s*)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-003 Failed to send HTTP response *%0u* (*%1s*) to HTTP client. (*%2d*:*%3s*)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-004 Failed to read OSLC event resource shapes configuration file *%0s* . (*%1d*:*%2s*)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-005 Failed to create a HTTPD context (*%0d*:*%1s*)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-006 Failed to start the HTTPD service (*%0d*:*%1s*)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-007 Failed to register URI set with
HTTPD context. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-008 Failed to create the base OSLC EM
Service Provider Catalog . (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-009 Failed to look-up and populate the
required OSLC resource tables.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-010 Failed to authentication user %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-011 Failed to create security context.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-012 Failed to set local parameter %0u on
security context. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-013 Failed to process security context.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-014 Failed to create an RDF document.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-015 Failed to build the service provider
catalog RDF document. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-016 Failed to build the service provider
RDF document. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-017 Failed to get XML text representation
of RDF document. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-018 Failed to build the shape RDF
document. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-019 Failed to find a shape for resource
type %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-020 Failed to find database %0s in the
servers data store. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-021 Failed to find table %0s in database
%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-022 Failed to lock meta lock for read.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-023 Failed to process all of the columns
within the table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-024 Failed to create client user data
structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-025 [OSLC API]: Failed to parse query
parameter %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-026 Failed to create a select SQL
command on table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-027 Failed to create an insert SQL
command for table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-028 Failed to create an update SQL
command on table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-029 Failed to create a delete SQL
command on table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-030 [OSLC API]: Failed to convert OSLC
where definition to SQL where clause.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-031 [OSLC API]: Failed to convert OSLC
select definition to SQL column list.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-032 [OSLC API]: Failed to convert OSLC
orderBy definition to SQL order by list.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-033 [OSLC API]: Failed to execute select
SQL command against data store.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-034 [OSLC API]: Failed to create the SQL
select command for GET request.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-035 [OSLC API]: Failed to create the SQL
insert command for POST request.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-036 [OSLC API]: Failed to create the SQL
update command for PATCH request.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-037 [OSLC API]: Failed to create the SQL
delete command for DELETE request.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-038 [OSLC API]: Failed to convert a
result set into a resource list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-039 Failed to execute SQL command
against data store. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-040 [OSLC API]: Failed to execute insert SQL command against data store.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-041 [OSLC API]: Failed to execute update SQL command against data store.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-042 [OSLC API]: Failed to execute delete SQL command against data store.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-043 Failed to get JSON text representation of JSON document.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-044 Failed to create left-hand column expression for column %0s condition.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-045 Failed to create right-hand literal expression for column %0s condition.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-046 Failed to create comparison
condition for column %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-047 Failed to create all literal expressions
for provided primary keys. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-048 Failed to create all the key list for the
literal expression list of provided
primary keys. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-049 Failed to create named column
expression for all columns defined in
column list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-050 Failed to get the number of columns
in NIPC result set structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-051 Failed to create literal expressions for
all column values defined in NIPC
result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-052 Failed to create literal expressions for all column value assignments defined in NIPC result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-053 Failed to parse SQL command. Failure occurred at %0s , expected %1s at line number %2u. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-054 Failed to parse any SQL commands in provided SQL. Generating a parse error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-055 Failed to find column %0s in NIPC result set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-056 Failed to get value for column %0s in NIPC result set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-057 Failed to extract all keyfields from provided string value. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-058 Failed to extract all keyfields from provided NIPC result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-059 Failed to successfully build a JSON message response for HTTP client. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-060 Failed to move to the first row in NIPC result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-061 Failed to extract the server name and server serial column values from NIPC result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-062 Failed to build a string containment or rows keyfields. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-064 Failed to convert JSON rowset payload message to an NIPC result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-065 [OSLC API]: Failed to extract the server serial and server name components of event keyfield %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-066 Failed to build the about URI for event %0u - %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-067 Failed to build the keyfield for event %0u - %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-068 Failed to find any resource of type %0s in RDF document. Bad request from client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-069 No identifier defined for resource of type %0s in RDF document. Bad request from client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-070 Failed to convert resource of type %0s to insert SQL command data lists. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-071 Failed to convert resource of type
%0s to update SQL command assign list.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-072 Failed to build server serial and
server name SQL command where
clause. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-073 Failed to build user ID SQL
command where clause. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-074 Failed to build group ID SQL
command where clause. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-075 Failed to get identifier for resource of
type %0s . Cannot insert resource with
no primary key.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-076 [OSLC API]: Failed to convert group
ID %0s from string to an unsigned
integer. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-077 [OSLC API]: Failed to convert user ID %0s from string to an unsigned integer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-078 Failed to convert row set result data to JSON document. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-079 Failed to convert row serial %0s from string to an unsigned integer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-080 Failed to find values for all key field columns in JSON row set. Cannot insert row with incomplete key set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-081 Failed to build SQL command column from query paramter %0s (%1s). (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-082 Failed to resolve key field columns for constructing URI of newly inserted row. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-083 Failed to find attribute %0s:%1s in
OSLC resource. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-084 Failed to extract the server serial and
server name from event resource
keyfield identifier %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-085 Failed to create SQL command to
select ServerSerial and ServerName
values for Serial %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-086 Failed to create SQL command to
select ServerSerial and ServerName
values for Identifier %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-087 Failed to build via clause for row
selection. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-088 Failed to get base directory from
directory URI %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-089 Failed to create HTTP response %0u
(%1s) to HTTP client. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-090 Failed to set the payload of type %0s
on HTTP response %1u (%2s) to HTTP
client. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-091 Failed to add HTTP header %0s to
HTTP response %1u (%2s) to HTTP
client. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-092 Invalid value for property %0s .
Format type %1s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-093 Request for relative file %0s that is
not within document root. Real path is
%1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-094 Authorization of client for use of
SQL command factory failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RSE-103-001

W-RSE-103-001 Parsed SQL command generated more than one executable command action. Only first command will be executed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RSE-103-002 Failed to authenticate user %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RSE-103-003 Default authorization callback installed. Running without any authorization checks.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

SEC

Messages related to security.

E-SEC-102-001 Failed to open security repository:
%0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-002 Syntax error in repository specification: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-003 Module %0s is not a security module

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-004 Security module %0s has an incompatible version (%1d vs. %2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-005 Security table file name not defined

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-006 Failed to open security table %0s :
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-007 Failed to read security table %0s :
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-008 Failed to allocate space for security
table %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-024 Retrieve error from repository %0s -
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-025 Failed to delete role grant for user
%0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-026 Failed to delete permissions for user
%0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-027 Failed to delete group assignments
for group %0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-028 Failed to delete group assignments
for user %0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-029 Failed to delete restriction filter assignments for user %0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-030 Failed to delete restriction filter assignments for group %0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-031 Failed to initialise the underlining OS PAM sub-system. PAM Error [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-032 Failed to set the user name on the PAM handle [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-033 User authentication of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-034 User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-035 Unknown error has occurred during authentication. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-036 Authentication Token Update has failed. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-037 Unknown error has occurred during authentication token update. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-038 Account Management of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-040 Password encryption property set to unknown scheme %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-041 Password format property set to invalid value %0s . Format should be in format <int>:<int>:<int>:<int> . </int></int></int></int>

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-042 Cannot change password encryption to DES while in FIPS mode. scheme %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-043 Failed to changed owner id %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-009 %0s : Cannot set thread specific data:
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-010 %0s : Cannot get thread specific data:
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-011 PAM message for user %0s: %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-012 Unknown PAM conversion type: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-017 Failed to create object: can t find
parent object_type (%0d,%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-018 Failed to create object: can t find
object_type (%0d,%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-039 *%0s* : PAM module in use is broken.
 Application user data has not been
 passed to conversation function.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-001 **Denied**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-002 **Wrong type**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-003 **Not authenticated**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-004 **No repository**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-005 **Role is already assigned to user/role**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-006 **Circular role assignment is prohibited**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-007 **User/role has not been written to repository**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-008 **Compulsory field not assigned**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-009 **User/role not in sync with repository**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-010 **Cannot change permission for object owner**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-011 **Two users or roles with same id or name found**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-012 **Permission repository protocol error**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-013 **User not found**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-014 Role not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-015 User not enabled

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-016 Group not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-017 Group is already assigned to a user or role

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-018 Group already has a restriction filter defined for this table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-019 User already has a restriction filter defined for this table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-020 Restriction filter is not assigned to the group

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-021

E-SEC-110-021 **Restriction filter is not assigned to the user**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-022 Could not initialise the attribute

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-023

E-SEC-110-023 Password does not meet the restriction requirements.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-024 Could not modify the attribute

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-025

E-SEC-110-025 Cannot change password encryption
to DES while in FIPS mode

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-999-015 **User %0s disabled**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-SEC-103-003

W-SEC-103-003 Security negotiation changing
principal from %0s to %1s ignored

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

STB

Messages related to security.

E-STB-102-002 Cannot find security table %0s.%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-003

E-STB-102-003 Cannot find security column

%0s.%1s.%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-004 Have read lock when write lock
required

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-005

E-STB-102-005 Illegal use of non-system database
%0s as permission repository

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-006 PasswordEncryption is not FIPS compliant. Use AES.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

STK

Messages related to servers.

E-STK-102-001 [nstk]: Failed to inform daemon interface of run state.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-002 [nstk]: User installed stop handler(s) failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-003 [nstk]: User installed client language handler(s) failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-004 [nstk]: User installed client connection handler(s) failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-005 [nstk]: User installed client disconnection handlers failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-006 [nstk]: Failed to create client user entry. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-007 [nstk]: Failed to initialise IPC library via NlpcServerInitialise(). (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-008 [nstk]: Failed to install the server start handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-009 [nstk]: Failed to install the server stop handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-010 [nstk]: Failed to install the client language handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-011 [nstk]: Failed to install the client connection handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-012 [nstk]: Failed to install the client disconnection handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-013 [nstk]: %0s: Failed to register server's PID. (%1d:%2s)

Explanation: The following example shows how this message is written to the log:

```
Error: E-STK-102-013: [nstk]: NCOMS1:
Failed to register server's PID. (-100:pid file
exists, service already running)
```

This error message indicates that the ObjectServer failed to start because its process is already running.

In the example message, the NCOMS1 ObjectServer failed to start. Some possible causes for this failure are as follows:

- Another ObjectServer instance with the same name is already running on the same computer.
- The process ID (PID) file, \$NCHOME/omnibus/var/NCOMS1.pid, has an entry for an instance of the ObjectServer that is no longer running, but another process on the computer is now using the same PID.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example message, verify that the PID in the NCOMS1.pid file exists and identify what process it belongs to.

If the PID belongs to an ObjectServer process (nco_objserv), an instance of the NCOMS1 ObjectServer is already running, so do not attempt to start a new instance.

If the PID belongs to another process (which is, therefore, using the same PID as a previously run instance of the ObjectServer) delete the PID file and start the ObjectServer again.

E-STK-102-014 [nstk]: %0s: Failed to start server processing loop. (%1d:%2s)

Explanation: The following example shows how this message is written to the log:

```
Error: E-STK-102-014: [nstk]: NCOMS01:
Failed to start server processing loop.
(-19:General failure)
```

This error message indicates that the server process encountered a problem and will shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Review the preceding messages in the error log for more information about the cause of this error.

E-STK-102-026

E-STK-102-026 [nstk]: User installed client post
connection handler(s) failed to complete
successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-027 [nstk]: Invalid message level (%0s).
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-028

E-STK-102-028 [nstk]: Problem in determining FIPS status - Defaulting to NON FIPS.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STK-103-001 [nstk]: Client connection in
non-multiuser mode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STK-103-002 [nstk]: Client disconnection in non-multiuser mode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

STO

Messages related to ObjectServer Database Storage.

E-STO-001-001 **NOMODIFY constraint violation**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-002 **NODEFAULT constraint violation**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-003 **Empty column list**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-004 **Column count mismatch**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-005 **Column entry duplication**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-006 **Duplicate column name**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-007 Exceeds the max number of allowed columns

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-008 Invalid select all columns are hidden

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-009 Column type mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-010 The object has dependants

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-011 The primary key must not be hidden

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-012 The maximum number of tables has been reached

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-013 The object can not be modified

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-014 Can not drop table that is not empty

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-015 Object is currently marked as invalid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-016 Invalid object kind

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-017 Open file error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-018 Close file error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-019 Delete file error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-020 Write file error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-021 The physical file exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-022 Invalid file size

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-023 Invalid file

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-024 The view is invalid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-025 Can not insert into a view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-026 Can not do a sorted selection on a sorted view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-027 Aggregate select on an aggregate view is not allowed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-028 No dependants are allowed on transient views

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-029 Invalid hard_limit

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-030 The default store has not been set

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-031 Invalid store size

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-032 Storage type mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-033 Illegal storage type

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-034 Can not alter master store

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-035 The path is too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-036 Data directory not forced

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-037 This is a system table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-038 Can not add objects to a system database

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-039 System maintained column

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-040 Illegal column length

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-041 This is a view over a system table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-042 The database has dependant objects

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-043 Storage library already started

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-044 Cannot reduce a store's hard limit

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-045 Where clause in a select over an aggregate view is not allowed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-046 Illegal insert prevented by the restriction filter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-047 Can not do an update on this view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-048 The primary keys supplied in the via clause do not match those of the table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-049 Can not do a delete on this view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-050 Attempt to insert duplicate row

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-051 The selection list in a GroupBy must contain both aggregate and column expressions

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-052 Row deleted

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-053 The group by list must not contain any aggregate columns

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-054 Invalid hashtable

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-055 Invalid string

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-056 Name mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-057 Name too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-058 Column expressions are not allowed over a metric view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-059 Sql query too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-060 Check sql failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-061 Cannot apply a restriction filter to a view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-062 Illegal index type

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-063 Hash index already exists as primary key

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-064 An index already exists on this column

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-STO-102-001 Could not recover table %0s.%1s
(NRC: %2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-STO-102-002 Could not find the default store: %0s
(NRC: %1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-STO-102-003 Cannot create persistent table
%0s.%1s. (%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-STO-102-004 Cannot create virtual table %0s.%1s.
(%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-STO-102-005 Cannot create temporary table
%0s.%1s. (%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-STO-102-007 Failed to begin a read transaction on
table %0s.%1s : (%2d;%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-STO-102-008 Failed to begin a write transaction on
table %0s.%1s : (%2d;%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-009 Failed to end transaction on table
%0s.%1s : (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-010 Failed to set thread specific data.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-011 Failed to recompile object %0s, the
object has been dropped. The object sql
is %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-012 SQL text in the current delete
command was null. The delete message
will not be logged even if
DeleteLogging is true.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-013 Suspended writing to file %0s.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-014 File rotation succeeded. Resumed
writing to file %0s.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-016 Unable to rotate files because a delete on file %0s failed (errno %1d).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-001 Truncating column %0s

Explanation: The following example shows how this message is written to the log:

Warning: W-STO-103-001: Truncating column Detail

This warning message indicates that the value being set for an ObjectServer char or varchar column is larger than the specified size of the column. The ObjectServer truncates the value so that it fits into the column.

In the example message, the Detail column in the alerts.details table is being truncated because a probe is sending values that are larger than the maximum size of the column.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example message, either amend the probe rules file to modify the data before it is sent to the ObjectServer, or alter the size of the Detail column.

For more information about modifying rules files, see the *Tivoli Netcool/OMNIbus Probe and Gateway Guide*.

You can change the size of the Detail column using the SQL interactive interface (**nco_sql** or **isql**) or Netcool/OMNIbus Administrator (**nco_config**).

For more information about altering ObjectServer tables, see the *Tivoli Netcool/OMNIbus Administration Guide*.

W-STO-103-003 Used memory thread encountered an error whilst processing a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-004

W-STO-103-004 Used memory thread failed to
receive tick event: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-005 Used memory thread encountered
an error whilst processing a message:
%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-006 Unable to recreate file %0s in previous directory. File moved to %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

STR

Messages related to the **nco_store_resize** utility.

F-STR-001-001 Failed to initialise properties and arguments: %0s (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-002 Failed to initialise libnmemstore properties: %0s (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-003 Failed to initialise libnmemstore arguments: %0s (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-004 Failed to process properties: %0s (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-005 Failed to resize store %0s to %1uMB: %2s (%3d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-007 An ObjectServer called %0s seems to be still running. Please stop ObjectServer before attempting to extend store hard limit.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-008 Failed to detect whether an
ObjectServer called %0s is running.
Aborting store hard limit extention: %1s
(%2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STR-001-009

W-STR-001-009 Maximum hardlimit exceeded.
Restricting hardlimit to %0uMB

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

UNK

Messages related to unclassified problems.

E-UNK-000-000 **write(remote):** %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-UNK-000-000

F-UNK-000-000 _OplBiDirInitialise() failed:
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-UNK-000-000 carriage return/newline found in
literal string at line %0u

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

UNK-000

Messages for the UNK-000 component.

Chapter 2. Error messages generated by the Web GUI component

The following error messages are generated by the Web GUI component of Tivoli Netcool/OMNIBus.

HEMAR

Messages for the HEMAR component.

HEMAR0001E

HEMAR0001E Unable to convert error to JSON
Object

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAR0002E An error occurred during a GET
operation: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAR0003E

HEMAR0003E An error occurred during a POST
operation: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAR0004E An error occurred during a PUT
operation: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAR0005E An error occurred during a DELETE operation: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW

Messages for the HEMAW component.

HEMAW0000E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0001E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0002E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0003E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0004E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0005W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0006W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0007W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0008E View {0} of category {1} doesn't exist.
 Filter collection - unable to setView.
 nova:{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0009W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0010W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0011W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0012W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0021E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0022E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0023E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0024E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0025E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0026E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0027E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0028E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0029E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0030E Attribute name is required

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0031W The view attribute is not specified.
The {0} View is used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0032I INFO {0}.setView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0033E A type attribute with user value is
specified. A user attribute is required in
this respect.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0034E A user attribute is specified. The type
attribute must be set to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0035E The user {0} does not exist. Make sure
that all user(s) ({1}) exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0036E The FilterCollection {0} does not exist.
Make sure that all FilterCollection(s)
(1) exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0037W The type attribute does not exist. Set
type of View to system

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0038E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0039E Found Duplicate View Name

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0040W The type attribute does not exist. A
system View will be created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0041E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0042I Deleting View: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0043W The type attribute does not exist. A system View will be created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0044E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0045W The type attribute does not exist. The type has been set to system .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0046E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0047E Unable to save View: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0048E Error converting nova view data to xml - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0049E
 {0}.getFieldType()NCWDataSourceException:
 {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0050E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0052E View {0} of category {1} doesn't exist.
Filter collection - unable to setView for
filterCollectionName:{2}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0053E Unable to save Filter: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0054E MetricOf is invalid: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0055E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0056W DEPRECATED WAAPI Entity
entity.list method usage. Please use
filter.list method.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0057W DEPRECATED WAAPI Entity
entity.addEntity method usage. Please
use filter.addFilter method.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0058E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0059W DEPRECATED WAAPI Entity
entity.deleteEntity method usage. Please
use filter.deleteFilter method.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0060E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0061W DEPRECATED WAAPI Entity
entity.modifyEntity method usage.
Please use filter.modifyFilter method.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0062E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0063W DEPRECATED WAAPI Entity
entity.deleteEntityForced method usage.
Please use filter.deleteFilter method

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0064W The WAAPI entity.deleteEntityForced
method call will be forwarded to
entity.deleteEntity

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0065W DEPRECATED WAAPI Entity
entity.createOrReplaceEntity method
usage.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0066E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0067W DEPRECATED WAAPI Entity
entity.list method usage. Please use
view.list method**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0068E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0069E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0070E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0071E Map {0} exists - can t duplicate
resources to this name**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0072E Configuration database is down, can t duplicate resources to this map name{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0073E Can t duplicate a resource from {0} to {1} ;{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0074E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0075E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0080E Error during user log out after finishing waapi request - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0081E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0082E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0084E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0085E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0086E Upload failed: NoSuchMapException:
{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0087E Upload failed:
StoreAccessGatewayException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0088E Background image {0} for map {1} not
found in either the map or common
resources.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0091E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0092E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0093E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0094E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0096E Unable to establish SSL protocol.
Retrying with TLS...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0097E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0098E Problem loading server properties{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0099I Secure (http) waapi enabled

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0100I Non-secure (http) waapi enabled

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0101W No XML configuration file was specified!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0102E Server authentication schema error - waapi.host is an IP address

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0103E Server authentication schema error - waapi.host doesn't match server certificate CN

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0104E Server authentication schema error - no trusted IP found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0105E Invalid XML - line {0}, {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0106I {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0107E Method after server.shutdown cannot be executed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0108E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0109E XmlRpc Exception: {0}; {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0110E MyTimer is interrupted{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0112E Unable to forward default map image request because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0113I Unable to decode map text, using non-decoded text: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0114E WAAPI: Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0115E Class {0} could not be registered as a WAAPI handler for the following reason: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0116E WAAPI request execution failed for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0121A WAAPI method {0} invoked by user {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0122A WAAPI method {0} has been executed by user {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0123A WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0124A WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0125A Failed to authenticate user {0} for WAAPI request. Error was: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0126W DEPRECATED WAAPI Entity entity.setDefaultView method usage. Please use filter.setDefaultView method.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0127E Attribute name is required.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0128E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0129A WAAPI: Processing XMLRPC: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0130E WAAPI: Filter {0} of category {1} in
Filter Collection {2} is not allowed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0131E {0}.getFieldType() Exception: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0132E One or more data source(s) specified
as {0} does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0133E A type attribute with group value is
specified. A group attribute is required
in this respect.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0134E A group attribute is specified. The
type attribute must be set to *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0135E

HEMAW0135E The group {0} does not exist. Make sure that all group(s) ({1}) exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0136W The SQL statement {0} is not valid.
The filter mode will be changed to
advanced for filter {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0137E

HEMAW0137E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0138E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT

Messages for the HEMBT component.

HEMBT0000E Unable to run a SQL tool. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0001E Unable to run a journal tool. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0002E Unable to set the locale in a tool
transaction: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0003W The type ({0}) of a parameter in a tool
request is incorrect. Supply a parameter
of the correct type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0004E Unable to get the locale from a
transaction: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0005E Unable to copy the menu definition
{0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0006E Unable to check the menu permissions for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0007E {1} does not contain the property {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0008E Unable to extract the data sources from request {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0009E Unable to get a value for {0} in {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0010E Unable to complete the processing of submenu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0011E Unable to get the label and mnemonic from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0012E Unable to translate the label and mnemonic from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0013E Unable to save the menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0014E Unable to create menu from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0016E Unable to find the configuration for
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0017E Unable to process a request to the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0018E Unable to process a request to the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0019E Unable to process a request to the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0020E Unable to read an object in the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0021E Unable to get data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0022E Unable to check for valid fields on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0023E Unable to create a tool from its definition: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0024E Unable to store the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0025E Unable to get the data sources for a request: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0026E The prompt request {0} does not have a prompt name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0027E Cannot find the prompt {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0028E The definition of prompt {0} does not have a type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0029E Unable to augment prompt {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0031E Unable to obtain the prompt choices from data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0032W There are no available choices for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0033W The choice list has more than two columns: {0} for {1}. Attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0034E The choice list has less than two columns: {0} for {1}. The choice list is unusable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0035E {1} does not contain {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0036W Unable to find the specified locale a prompt. Using the default locale.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0037W The choice prompt {0} contains no data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0040E Unable to obtain the prompt choices from the file: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0041W Unable to get the prompt choices from {0} because the file is empty.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0042E Unable to remove {0} from {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0043E Unable to find the prompt definition for key {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0044E Unable to find the prompt key for prompt {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0045E Unable to find the prompt definition for key {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0047E The tool passed for deletion has no name. No action taken.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0048E Unable to delete the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0050E Unable to process the the last tool request. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0051E Unable to load the data source definition from the tool definition. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0052W There is an inconsistent class definition. The class {0} has the name {1} in data source {2} but already has the name {3} in another data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0053W {0} classes are not available for tools.
Check your configuration using
nco_config.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0054E Unable to extract the access criterion
from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0055E Unable to use the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0056E Unable to extract the access criterion
from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0057E Unable to get the class conversions for
data source {0}. No class conversions
will be available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0058E Unable to get the available fields for
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0059E Unable to get the available fields for
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0060E Unable to get the available fields for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0061E Unable to get the available fields for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0062W {0} is not one of the available tool access criteria. Use one of the supplied criteria ({1} or {2}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0063W {0} is not one of the available tool security criteria. Use one of the supplied criteria ({1} or {2}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0064W {0} is not one of the available tool ObjectServer field access criteria. Use one of the supplied criteria ({1} or {2}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0065E Unable to load the data source property from the tool definition. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0066E Unrecognized request method: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0067W The CGI tool {0} has an empty target window name. The default value of {1} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0068W The CGI tool {0} has an open method {1} that is not recognized. Use one of the supplied methods ({2} or {3}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0069W {0} is not one of the available tool types. Use one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0070W Unrecognized compatibility mode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0071W {0} is not one of the available tool parameter types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0072W {0} is not one of the available tool parameter types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0073E Unable to encode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0074E Unable to save the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0075E Unable to rename the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0076E Unable to validate the tool definition
for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0077E Unable to get the name of the default
data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0078E The tool passed for editing has no
name. No action taken.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0079E Unable to get default data source
name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0080E Unable to get the tool definition for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0081E Unable to get the prompt name for a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0082E Unable to encode the target URL for a tool prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0083E The type of a tool is not one of the available types. Use one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0084E Unable to construct a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0085E Unable to construct a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0086E Unable to construct a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0087E Unable to build tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0088E Unable to add runnable tool from tool definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0089E Unable to add tool command from tool definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0090E Unable to add SQL to tool from definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0091E Unable to add journal to tool from definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0092E Unable to update a tool prompt request.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0093E Unable to get other tool parameters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0094E Unable to set the properties of a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0096E The definition of a tool in the file {0}
is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0097E The definition of a tool in the file {0}
is corrupt: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0098E The definition of a tool in the file {0}
is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0099E The definition of a tool in the file {0}
is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0100E Unable to delete the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0101E Unable to add the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0102E Unable to add the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0103E Unable to set the content of a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0104E Unable to convert a component of a
command-line tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0105I Migrating the tool {0} ...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0106I The type {0} in tool {1} is not one of
the available types. Specify one of the
supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0107I The migration of tool {0} is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0108I Migrating the SQL tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0109I Migrating the CGI tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0110I Migrating the command-line tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0113E Unable to encode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0114W {0} is not one of the available tool components. Choose one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0115E Unable to convert the CGI component: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0116W Unable to convert a CGI tool because its type ({0}) is not one of the available types. Choose one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0117E Unable to validate a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0118E Unable to remove the default value from a time prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0119E Unable to create a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0120E Unable to modify a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0121E Unable to create a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0122W Unable to save a tool through WAAPI.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0123E Unable to delete a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0124W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0125E Unable to save a tool through WAAPI.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0126E Unable to delete a tool through WAAPI.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0127E Unable to load the data source property from a tool definition. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0128W {0} is not one of the available tool components. Choose one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0129E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0130E Unable to generate the menu choices for a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0131E Unable to validate a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0132I There was an error creating a tool via
WAAP: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0133I There was an error creating a tool via
WAAP: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0134I There was an error deleting a tool via
WAAP: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0135I There was an error creating a tool via
WAAP: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0136E Unable to get the description for tool
{0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0137W The details for prompt {0} are
incorrect.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0138W A prompt type {0} is incorrect.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0139E Unable to convert a component of a prompt for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0140E Unable to initialize the description component of a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0141E Unable to get a field name from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0142E Unable to validate a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0143E Unable to generate a menu variable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0144E Unable to generate a menu choice.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0145E Unable to convert a SQL component for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0146E Unable to set the encoded prompts {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0147E Unable to get the encoded prompts.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0148E Unable to validate a prompt for a password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0149E Unable to convert a component of a journal tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0150W Unable to transform a parameter from the new format to the old. The type {0} is not one of the available values.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0151W {0} is not one of the available prompt label values. Choose one of the supplied label values.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0152W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0153W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0154E Unable to save a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0155E Unable to delete a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0156E Unable to generate a menu variable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0157E Unable to generate a menu choice.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0158E Unable to find the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0159E Unable to read the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0160E The required type for {0} is menu, but it has the type {1}. Use the correct type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0161E Unable to get the menu from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0162E Unable to get the name from the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0163E Unable to back up the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0164I There was an error during menu creation via WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0165I There was an error during menu creation via WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0166I There was an error during menu modification via WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0167I There was an error during menu deletion via WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0168E Unable to decode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0169E Unable to add menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0170E Unable to add menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0171E Unable to add menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0172E Unable to get the description of menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0173E Unable to migrate the menu: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0174I Migrating the menu {0} ...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0175I The migration of menu {0} is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0177E Menu {0} was not migrated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0178E Unable to encode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0179E Unable to decode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0180E Unable to update menu contents.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0181E Unable to get the menu label for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0182E Unable to decode the menu label for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0183W Unable to get tool {0}. Check that the tool exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0184E User {0} does not exist in the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0185E Exception occurred while trying to get the user {0} from the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0186A User {0} executed SQL {1} at datasource {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0187A Menu {0} was created by user {1}. This menu contains the following item(s): {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0188A Menu {0} was created. This menu contains the following item(s): {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0189A Menu {0} was modified by user {1}. This menu now contains the following item(s): {2} It previously contained the following item(s): {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0190A Menu {0} was modified. This menu now contains the following item(s): {2}
It previously contained the following item(s): {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0191A Menu {0} was deleted by user {1}.
This menu contained the following item(s): {2} (These items are not deleted).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0192A Menu {0} was deleted. This menu contained the following item(s): {2}
(These items are not deleted).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0193W Unable to get the description of menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0194A Tool {0} was created by user {1}. This tool is now available to the following group(s): {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0195A Tool {0} was created. This tool is now available to the following group(s): {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0196A Tool {0} was modified by user {1}.
Access was added for the following
group(s): {2}. Access was removed for
the following group(s): {3}. This tool is
now available to the following group(s):
{4}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0197A Tool {0} was modified. Access was
added for the following group(s): {1}.
Access was removed for the following
group(s): {2}. This tool is now available
to the following group(s): {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0198A Tool {0} was deleted by user {1}. This
tool is no longer available to the
following group(s): {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0199A Tool {0} was deleted. This tool is no
longer available to the following
group(s): {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0200A Tool {0} was renamed to {1} by user
{2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0201A Tool {0} was renamed to {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0202A Prompt {0} was created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0203A

HEMBT0203A Prompt {0} was modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0204A Prompt {0} was deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0205A

HEMBT0205A The request to execute tool {0} by user {1} passed inspection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0206A Tool execution request by user {0}
failed inspection. Inspection failed for
the following reason: {1}. The original
request was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0207E Error while populating tools from the menu response: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA

Messages for the HEMDA component.

HEMDA0000E There was an error during decryption of the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0001E There was an error when reading the decryption key.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0002E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0003E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0004E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0005E There was an error when reading the decryption key.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0006E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0007E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0008E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0009E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0010E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0011E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0012E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0013E Unable to get the value from the selected row.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0014E Unable to query the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0015E Unable to obtain the user identifier for {0} from the data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0016E Unable to update the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0017E Unable to obtain the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0018E Unable to construct an update request for the journal.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0019E Unable to obtain user identifier for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0020E Unable to obtain user identifier for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0021E Unable to obtain the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0022E Unable to get information on the root user.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0023E Unable to get information on the user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0024I Executing dual server update request. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0025I Users current address assignment: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0026I Unable to proceed with tool update.
There was an address mismatch.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0027I Executing a simple write request for the server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0028I Executing a request to update the silo.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0029I Executing a translated update request on the write server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0030I {0} handling event..({1}) {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0031I The multiple server datasource {0} is now offline.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0032I The multiple server datasource {0} is now online.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0033I The multiple server datasource {0} is failing-back.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0034I The multiple server datasource {0}
failing-over.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0035I Starting datasource {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0036I Cannot set the connection timeout for
{0} because the supplied value is below
the minimum. Using the default value
of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0037E Invoking a connection event failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0038E Unable to get sets of row identifiers.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0039E An SQL update on the master server
failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0040E Unable to start data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0041E Unable to fail over on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0042E Unable to authenticate with datasource {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0043E Unable to get the field descriptor.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0044E Unable to check that a field exists on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0045E Unable to get the version number of data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0046I Resynchronizing colors.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0047I The resynchronization of colors was abandoned. There is no data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0048I Processing colors...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0049I The processing of colors is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0050E Unable to resynchronize color data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0051E Unable to resynchronize color data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0052E Unable to resynchronize color data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0053E Unable to create a color.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0054I Resynchronizing users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMDA0055I The resynchronization of users was
abandoned. There is no data source
assigned.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0056I Processing user results...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0057I The processing of users is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0058I Processing profile results...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0059I The processing of profiles is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0060I Processing restriction filters...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0061I The processing of restriction filters is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0062E The resynchronization of users failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0063E The resynchronization of users failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0064E The resynchronization of profiles failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0065E The resynchronization of profiles failed..

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0066E Unable to create a user object.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0067E Unable to find a profile for the user.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0068E Processing of a user profile failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0070I Resynchronizing conversions.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0071I The resynchronization of conversions was abandoned. There is no data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0072I Processing conversion results...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0073I The processing of conversions is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0074E Unable to get conversion for key {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0075E Unable to resynchronize conversion data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0076E Unable to resynchronize conversion data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0077E Unable to create a conversion.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0078E The creation of a conversion key failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0079I Resynchronizing groups.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0080I The resynchronization of groups was abandoned. There is no data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0081I Processing group results...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0082I The processing of groups is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0083I Processing group member results.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0084I The processing of group members is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0085E The resynchronization of groups failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0086E The resynchronization of groups failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0087E The processing of group membership failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0088E The processing of group membership failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0089E Unable to create a group from the row in the master.groups table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0090E The processing of a group member from a row of the master.members table failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0091E The processing of a group member from a row of the master.members table failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0092E Unable to convert the string {0} to a boolean.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0093E Unable to convert the string {0} to an integer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0094E Unable to create a conversion key for field {0} and value {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0095I The resynchronization of ObjectServer configuration was abandoned. There is no available data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0096I Resynchronizing ObjectServer config for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0097I Resynchronized ObjectServer config for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0099E Unable to resynchronize with the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0101E • HEMDA0107E

HEMDA0101E Unable to resynchronize with the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0102E Unable to resynchronize with the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0103I Resynchronizing column visuals.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0104I The resynchronization of column visuals was abandoned. There is no data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0105I Processing column visual results...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0106I The processing of column visuals is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0107E Unable to resynchronize the column visuals.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0108E Unable to resynchronize the column visuals.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0109E Unable to resynchronize the column visuals.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0110E Unable to create a column visual.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0111E An unknown type was specified for an event to change the configuration. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0113E Unable to resynchronize the configuration of the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0114I Resynchronizing properties.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0115I The resynchronization of properties was abandoned. There is no data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0116I Processing properties results...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0117I The processing of properties is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0118E Unable to resynchronize properties.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0119E Unable to resynchronize properties.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0120E Unable to resynchronize properties.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0121E Unable to create a property from the row data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0122E Unable to get a report.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0123I Part of the connection address is null.
The write server is {0} and the read
server is {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0124I A user session is not currently
assigned to a data source. Getting next
available connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0125I The user's read connection is no
longer available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0126I Requesting a server address.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0127I The next available data source is {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0128I Assigning the user to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0129E Unable to add servers to the server
map.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0131E Unable to read the definition of a data source from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0132E Unable to add the definition of a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0133E Unable to add the definition of a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0134E Unable to get the type string for the definition of a datasource.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0136E Unable to set the cache properties specified in the data source definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0137W The maximum age of {2} passed to {0} was incorrect. The age cannot be less than 0, so using {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0138W The cleaner time of {3} sent to {0} is incorrect. The time cannot be less than {2}. Using the minimum value of {4}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0139I Setting the connection timeout to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0140E Unable to get the default data source list from ncwDataSourceDefinitions.xml.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0141I The entry for the primary server is null in {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0142E The generation of the data source credentials failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0143E The generation of an Objectserver definition failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0144E Unable to convert the backoff multiplier {0} to an integer value.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0145E Unable to convert the value of the base polling time {0} to a long number.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0146E Unable to convert the value of the heartbeat time {0} to a long number.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0147E When generating a definition, {0} caught this exception for a malformed definition of a datasource: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0149E Unable to get the definition of the read cloud.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0150E Unable to convert the base value of the wait time for synchronization {0} to a long number.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0151I The single server datasource {0} is now offline.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0152I Starting datasource {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0153I Cannot set the connection timeout for {0} because the supplied value is below the minimum. Using the default value.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0154E An SQL update in data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0155E An SQL update in data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0156E A request to carry out a simple update on data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0157E A query on data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0158E Failed to start data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0159E Unable to authenticate with data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0160E Unable to get the failover state of data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0161E The processing of a connection event for data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0162E Unable to get a field descriptor on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0163E Unable to check that a field exists on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0164E Invoking a connection event to data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0165E Unable to get the version information from data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0166I Incoming request of {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0167I Applying security to row {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0168I Adding row {0} to the row set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0169I Removing row {0} from the row set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0170I User {0} is in group {1} for serial {2}
and can modify the row.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0171I User {0} is allowed to modify the row
with serial {1} because weak security
flag is set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0172I The user security level is {0}. The
owner security level for serial {2} is {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0173I User {0} is NOT in group {1} for serial
{2} and cannot modify the row.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0174E An update request failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0175E • HEMDA0181E

HEMDA0175E Unable to get the value of the Alert Security Model from the data source configuration.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0176E Unable to get a row set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0177E Unable to apply security settings due to a configuration problem with the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0178E Unable to obtain user privileges.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0179E Unable to create a socket on {0};{1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0180I Starting to fail back MSDDataSource. Estimated time to completion: {0} seconds.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0181E Unable to interrupt the data source s failback thread.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0182I Creating the data source factory.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0184E Failed to add the datasource {0}. {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0185E Failed to add the datasource. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0187I The data source factory ignored an attempt to set an empty list of default data sources. Check the list of default data sources in ncwDataSourceDefinitions.xml.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0188E Unable to start data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0189E The initialization of the data source factory failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0192E Unable to load definitions of the data sources.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0193E Unable to get row identifiers.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0194E {0} is not a valid ObjectServer. {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0195E An error occurred when fetching the
type of field {0} in data source {1}: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0196I Unable to parse the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0197E Unable to validate filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0198I Generating the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0199I Generating the MSD data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0200W Unknown type of data source: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0201I Setting the connection timeout to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0204I {0} with request: {1} in connection: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0205I Connection to ({0}) has failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0206I Connecting to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0208I Trying reconnect to {0} in {1} seconds.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0209E Unable to connect to the heartbeat
connection of a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0210E Unable to initialize {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0211E Unable to get a connection to a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0212E Unable to get a connection to a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0213E Unable to get a connection to a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0216E A query for a monitor box failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0217E A query for a monitor box failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0218E Unable to get the version information from the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0219E Unable to get the version information from the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0220E Unable to read metadata from the alerts.status table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0221E Unable to obtain the descriptor for field {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0222E Unable to get the field descriptors.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0223E Unable to get the field descriptors.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0225E Unable to get the field names for the {0},{1} table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0227E Unable to check that a field exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0228E Unable to check that a field exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0229E Unable to set the type of connection event to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0230E Unable to set field type to {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0231E Unable to get the columns from schema {0} and table {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0232I The initialization of the SSL connection failed. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0233I Incorrect user name or password for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0234I Unable to connect to the ObjectServer.
Check the SSL configuration for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0235I Incorrect user name or password for
 {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0236I Unable to connect to the ObjectServer
 {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0238I Cannot set the connection timeout for
 {0} because the supplied value is below
 the minimum. Using the default value.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0239E Incorrect AES-encrypted password.
 The password cannot contain more than
 16 characters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0240E Caught an SQL exception. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0241E Unable to get the name of the local
 host.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0242E Unable to decrypt the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0243E Unable to decrypt the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0244E Unable to decrypt the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0245E The request does not contain any SQL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0246I {0} is flushing the cache of results for {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0247I {0} cannot obtain a passive cache because the configuration of the cache is missing. Using the default configuration of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0248I {0} cannot obtain a data source config cache because the configuration of the cache is missing. Using the default configuration of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0249E Unable to retrieve the result of a query from the cache.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0250E Unable to clean results cache because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0251E The initialization of the connection pool failed. Unable to load the database driver {0}. A required class could not be found.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0252E The initialization of the connection pool failed. Unable to instantiate the database driver.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0253E The initialization of the connection pool failed. There was an `IllegalArgumentException`.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0254I Connection {0} is established. There are {1} established connections in the connection pool..

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0255I Cannot set maximum connection pool size to a value less than the minimum size. The maximum and minimum connection pool size for {0} has been set to {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0256W Cannot set the minimum connection pool size for {0} to {1}. This is greater than the maximum pool size of {2}. The minimum pool size has been set to the same as the maximum pool size value of {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0257I Cannot set the connection pool timeout for {0} to {1}. The connection timeout has been set to {2}. A value greater than 0 is required.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0258W Attempt to set minimum connection pool size for {0} to {1} was ignored. The pool size must be at least 1. The minimum pool size has been set to 1.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0259I Cannot set the maximum connection pool size for {0} to {1}. The pool size must be at least 1. The maximum pool size has been set to the same as the minimum pool size value of {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0260I Cannot set the maximum connection pool size for {0} to {1}. This value is greater than the maximum number of supported connections of {2}. The maximum pool size has been set to {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0261I Cannot set the maximum number of supportable connections for the {0} connection pool to {1}. This value is greater than the maximum permitted value of {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0262I Cannot set the maximum number of supportable connections for the {0} connection pool to {1}. At least 1 connection must be supported. The default maximum number of supportable connections is {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0263E Unable to determine the maximum supported connections at {0} using query {1}. The default value of {2} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0264E Unable to create a connection at {0}. The server may be down or the maximum number of connections supported by {1} may have been reached. There are currently {2} connection(s) in the connection pool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0265E Failed to initialize connection pool for {0}. The server may be down.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0266E Unable to get connection to the specified ObjectServer: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0267E A fatal SQLException occurred. The connection will not be returned to the connection pool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0268E SQLException occurred while attempting to close a pooled database connection {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0269E Exception occurred while attempting to resynchronize users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0270W Multiple restriction filters were returned for table {0},{1} on {2}. The first restriction filter has been used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0271I The user {0} has been configured with
a restriction filter: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0272E Restriction filters could not be
processed for {0} because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0273E caught TimeoutException while
processing query {0}. ObjectServer may
be offline.,

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0274E caught InterruptedException while
processing query {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0275E caught ExecutionException while
processing query {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0276E caught RejectedExecutionException
while processing query {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0277E caught TimeoutException while
executing update {0}. ObjectServer may
be offline.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0278E caught InterruptedException while
executing update {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0279E caught ExecutionException while
executing update {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0280E caught RejectedExecutionException
while executing update {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0281E No write connection available for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0282E No write connection available for {0}.
The data source is unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0283E Unable to get the table names from
datasource {0} for restriction filters: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0284E The {0} method is not implemented in
the data source metadata.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0285E A number format error occurred while determining the value of the system property {0}. Check the server.init file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0286W The number of matched rows *{0}* exceeds the display capacity of *{1}* rows. The first *{2}* rows were processed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP

Messages for the HEMDP component.

HEMDA0238E A number format error occurred while determining the value of the system property *{0}*. Check the server.init file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0239E Unable to determine the value for the *{0}* column because the column does not exist in the data set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0240E A problem occurred while sorting the nodes for the Event Data REST Service. The exception was *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0241E A problem occurred while sorting the origin nodes for the Event Data REST Service. The exception was *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0001E A data source error occurred whilst attempting to determine the timeout.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0003I No filter collection names where specified in the request. The filtercollections parameter must contain a comma-separated list of filter collection names.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0004E A number format error occurred while determining the value of the system property ael.top-n.value . Check the server.init file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0005E A number format error occurred while determining the value of the system property ael.top-n.mode . Check the server.init file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0006E A number format error occurred while determining the value of the system property ael.top-n.refresh . Check the server.init file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0007I Constructed Row ID SQL query {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0008I Constructed event row ID SQL query {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0009I Constructed topped event row ID SQL query {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0010I Constructed topped event row SQL query {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0011E {0} is not a valid value for request parameter format .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0012E The Aspect Service entered an illegal state whilst attempting to write binary output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0013E There was an output error in the Aspect Service whilst attempting to write binary output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0014E An error occurred in the Aspect Service whilst attempting to write binary output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0015E An attempt was made to use an unsupported encoding UTF-8 in the Aspect Service whilst attempting to write string output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0016E There was an output error in the Aspect Service whilst attempting to write string output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0017E An error occurred in the Aspect Service whilst attempting to write string output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0018E An attempt was made to use an unsupported encoding UTF-8 in the Aspect Service whilst attempting to write XML output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0019E There was an output error in the Aspect Service whilst attempting to write XML output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0020E An error occurred in the Aspect Service whilst attempting to write XML output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0021E An attempt was made to use an unsupported encoding UTF-8 in the Aspect Service whilst attempting to write JSON output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0022E There was an output error in the Aspect Service whilst attempting to write JSON output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0023E An error occurred in the Aspect Service whilst attempting to write JSON output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0024I No data found in configuration store {0} for type {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0025E There was an error loading the data of type {0} in the {1} store: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0026E Unable to find filter {0} of category {1} . Check that the filter exists in the configuration store. For transient filters, use the TransientFilterMonitorService.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0027E Unable to obtain transient data because the session is null. User may not be logged in.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0028E Transient data stores not initialized because the session is null. User may not be logged in.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0029E Connection Sessions cannot be not initialized because the session is null. User may not be logged in.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0030E Unable to find filter {0} of category {1} and owner {2} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0032E An exception was handled whilst processing the Aspect Service. The status code is {0} and the following error message was sent to the client: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0035E A data source exception occurred whilst setting the event data response attributes.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0036E Unable to create worker for processing event data request.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0037E An invalid request parameter was passed to the Event Data Provider. The error was: {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0038I Setting the size of the Event Provider s thread pool to {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0039E An error occurred when setting the size of the Event Provider s thread pool. Using the default pool size of {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0040E An error occurred when setting the size of the Event Provider s thread pool. The size may not be less than zero. Using the default pool size of {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0042E A data source exception occurred whilst setting the event summary response attributes.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0043E An invalid request parameter was passed to the Event Summary Data Provider. The error was: {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0044E Unable to create worker for processing event summary data request.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0046I Using the default data source of {0} to evaluate SQL in the Event Data Service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0047E No results obtained for topped event data distribution query.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0048E An error occurred whilst attempting to determine the default data source name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0049E Unexpected severity distribution results for topped event data query. Only one row was expected but {0} were returned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0050E Unable to create the Filter Collection {0} . The view name is missing from the configuration.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0051E Unable to create the Filter Collection {0} . The view type is missing from the configuration.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0052E Unable to create the Filter Collection {0} . The view {1} of category {2} specified in the configuration does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0053E An error occurred whilst adding a filter to the Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0058E Unable to read configuration for Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0059E An error occurred whilst attempting to store the Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0060E A store access problem occurred whilst attempting to store the Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0061E An error occurred whilst attempting to store the Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0062E A store access problem occurred whilst attempting to delete the Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0063E A runtime error occurred whilst loading the Filter Collections.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0064E An error occurred whilst attempting to read a Filter Collection name from the configuration store.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0066E The filter category {0} specified for filter {1} does not exist. Using the default system category instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0067E An error occurred whilst setting the data source name for a filter description. The default data source will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0068W Failed to read filter {0} from the transient filter store. The transient filter store is not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0069I Unable to read filter names from the filter box {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0070I Unable to read filters from the filter box {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0071W The filter store does not contain filter {0} of category {1} for owner {2} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0072W Cannot set view {0} of category {1} for Filter Collection {2} . This view is not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0073I Created the transient filter store for containerSessionId {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0074I Removing the transient filter and filter collection stores for container session {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0075I Created the transient filter collection store for containerSessionId {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0076I There are no filter dependencies specified for dependent filter {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0077I Unable to read view names from the view box {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0078I Unable to read views from the view box {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0079A Filter Collection {0} has been created. It uses the {1} {2} view. It contains {3} global filters and {4} system filters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0079E An error occurred while trying to determine the data source source names for the filter {0} of category {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0080A Filter Collection {0} has been deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0081A Filter Collection {0} view changed from {1} {2} view to {3} {4} view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0082A Added {0} {1} filter to Filter Collection {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0083A Removed {0} {1} filter from Filter Collection {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0084A Filter Collection {0} has been modified. It uses the {1} {2} view. It now contains {3} global filters and {4} system filters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0090E The value of {0} must be numeric. The value {1} is not a number.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0091E The value of startindex must be equal to or greater than 0. The value {1} is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0092E The value of endindex must be -1 or equal to or greater than the startindex value of {0}. The value {1} is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0093I {0} rows requested from indices {1} to {2} (inclusive). There are {3} total rows in the response from the datasource.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0094I The specified start index value {0} is out of range. There are {1} total rows matching the specified filter. Start index set to {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0095I End index {0} is greater than the total number of rows {1}. Setting to {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0096I Returning {0} rows from indices {1} to {2} (inclusive) out of a total of {3} rows.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0097E Unable to return rows {0} to {1}. There are {2} rows in total. All rows will be returned. Error was: {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0098E Unable to determine the default data source for the data source collection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0099E Unable to determine if the current node is the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0100E Unable to read the navigation property for data source availability.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0101E No collection advertisers were found. So the OMNIBus Web GUI REST services cannot advertise any datasets.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0102E An exception occurred when determining if user {0} is authorized to access the {1} OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0103A User {0} denied access to the {1} OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0104A User {0} granted access to the {1} OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0105W {0} is not a valid dataset for the OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0106E Unable to call the Event Summary REST Service because the originating HTTP request could not be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0107E Failed to obtain the event summary data for the {0} filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0108E An exception occurred when trying to get the filters available to user {0} using the OMNIBus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0109E A DCI exception occurred when trying to determine the filters available to user {0} using the OMNIBus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0110E A Security exception occurred when trying to initialize the filter collection for the OMNIBus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0111E Unable to obtain the Event Summary REST Service filter parameter because the originating user could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0112E Unable to call the Filter Summary REST Service because the originating HTTP request could not be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0113E Unable to obtain the Filter Summary REST Service parameter {0} because the originating user could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0115E Failed to load view column resource bundle for locale {0}. Default column titles will be used for Event Data REST Service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0116E The request to the Event Data REST Service did not contain a filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0117E Event Data REST Service cannot be called at this time as the originating HTTP request cannot be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0118E Event Data REST Service failed to obtain event data for the {0} filter from data source {1} for user {2} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0119E Event Data REST Service failed to obtain event data in the expected format for {0} filter from data source {1} for user {2} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0120E An error occurred in the Event Data REST Service while processing event data for {0} filter from data source {1} for user {2} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0121E There are no data source results to process for the Event Data REST Service. Data was expected from data source {0} for filter {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0122I Results from more than one data source cannot currently be processed by the Event Data REST Service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0123I An error occurred while fetching event data for the Event Data REST Service. Status code is {0} and the error is {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0124E There are no fields to process for the Event Data REST Service. Field data was expected from data source {0} for filter {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0125E Row data alignment error detected by Event Data REST Service. Unable to process row data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0126W No event summary information was returned via the REST service because the filter parameter was not specified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0130E A Security exception occurred when trying to initialize the view collection for the OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0131E A DCI exception occurred when trying to determine the views available to user {0} using the OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0135E Failed to convert field value {0} for the {1} field into a valid Date value. The exception was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0136E Unable to determine the user from the current thread context. Using default values for the calendar, timezone and date format.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0137E Unable to read property {0} . The default value of {1} was applied.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0138E Failed to extract event Nova data from {0} . The error was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0139E Failed to extract event Nova data from {0} . The data was in unexpected format.
The error was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0140E Failed to apply date/time pattern {0} .
The default value {1} was applied.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0141E Failed to get the conversion for field {0} and value {1} . The exception was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0142E Failed to convert field value {0} for the {1} field into a valid Integer value.
The exception was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0143E Failed to set the display value {0} for the {1} field. The exception was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0144E Failed to initialise event row navigation node. the exception was {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0145E Failed to get the property for the {0} field, so cannot create the node style. The exception was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0146E Failed to get data source {0} . The error was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0147E Unable to process Event Data REST Service request. Failed to initialise view columns because an unrecognized category {0} was specified for the filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0148E Unable to process Event Data REST Service request because the input parameters could not be validated. The input parameters were: {0}={1}, {2}={3}, {4}={5}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0149E Unable to process Event Data REST Service request. Failed to initialise view columns because an unrecognized category {0} was specified for the view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0150E Failed to obtain the event summary data for the {0} filter, for the following reason: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0151E Failed to obtain the event summary data for the {0} filter, due to summary values having unexpected formats.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0152E The request to the Event Data REST Service contained a badly formed view parameter {0} . A name and category are required.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0153E Unable to obtain the Event Data REST Service parameter {0} because the originating user could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0154E The request to the Event Data REST Service contained a badly formed view parameter {0} . The name must not be empty.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0155E A problem occurred while filtering the nodes for the Event Data REST Service. The exception was {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0156E Failed to get the property for the {0} field. Unable to set the background-color and foreground-color attributes for the event node. The exception was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0157W The {0} user preference for user {1} could not be obtained, so the default setting of {2} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0159W A problem occurred while sorting nodes for the Event Data REST Service. The exception was {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0160E Detailed event information could not be obtained from the OMNibus Web GUI REST services because the {0} data source is unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0161W Assigned data source connections could not be found for user {0} . No fixed Object Server will be used for {1} data source queries.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0162W A problem occurred trying to prepare the HTTP session for user {0}. No fixed Object Server will be used for {1} data source queries.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0163W The originating HTTP request could not be obtained for user {0}. No fixed Object Server will be used for {1} data source queries.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0164E Unable to retrieve detailed event information via the REST service because the originating HTTP request could not be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0165E Unable to retrieve detailed event information via the REST service because the originating user could not be identified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0166E Unable to retrieve detailed event information via the REST service for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0167W No detailed event information was returned via the REST service for serial {0} and data source {1} due to a non-existent or inaccessible serial ID.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0169E Unable to obtain detailed event information via the REST service due to the data Nova having an unexpected format.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0170W No default data source is available, so data source configuration cannot be obtained. Using the standard configuration instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0171W The {0} data source could not be found, so data source configuration cannot be obtained. Using the standard configuration instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0172W The {0} resource bundle could not be found, so severity name translations cannot be obtained. Using the data source conversions instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0173W No translation for severity {0} could be found. Using the data source conversion instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0174W Conversions could not be obtained for the {0} data source. Using standard severity configuration instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0175W Severity conversions could not be obtained for the {0} data source. Using standard severity configuration instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0176W A conversion for severity {0} could not be obtained for the {1} data source. Using a standard severity name instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0177W • HEMDP0184W

HEMDP0177W Severity colors could not be obtained for the {0} data source. Using standard severity configuration instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0180A No information was returned via the Event Fields REST Service because the Show basic event information preference is not enabled for user {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0181W No detailed event information was returned via the REST service because neither the serial nor the datasources parameter were specified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0182W Unable to retrieve detailed event information via the REST service because the serial parameter was not specified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0183W Unable to retrieve detailed event information via the REST service because the datasources parameter was not specified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0184W Unable to retrieve detailed event information via the REST service because the serial parameter was incorrectly formatted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0185W Unable to retrieve detailed event information via the REST service because an invalid data source was specified in the `datasources` parameter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0186A No information was returned via the Event Details REST Service because the Show event details preference is not enabled for user `{0}`.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0187A No information was returned via the Journal Entries REST Service because the Show journals preference is not enabled for user `{0}`.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0190E Unable to get process event node value. The column descriptor is not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0191W The count parameter must be a positive integer. `{0}` is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0192W The start parameter must be a 0 or a positive integer. `{0}` is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0193W The start index {0} is greater than the number of nodes {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0194W Unable to get {1} event nodes from index {0}. Out of bounds. There are {2} nodes in the dataset.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0195E The specified view {0} of category {1} does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0196W Unable to process Event Data REST request with the datasources parameter value {0} . Multiple data sources are not supported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0200E Unable to retrieve user preferences through the REST service because the originating HTTP request could not be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0201E Unable to retrieve user preferences through the REST service because the originating user could not be identified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0202E Unable to retrieve user preferences through the REST service for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0210E Unable to determine event relationships. The required column descriptor {0} is not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0211E No grouping data was gathered for client Id {0} , so asynchronous update of event grouping data cannot be performed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0212E An event grouping collection for client Id {0} could not be found in the Web GUI collection register, so asynchronous update of event grouping data cannot be performed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0213E Unable to perform event grouping because one or more of the group columns could not be found in the data source query results.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0214E Unable to perform event grouping because the Severity column could not be found in the data source query results.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0215E Unable to perform event grouping because the severity of the underlying events could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0216E Unable to perform event grouping for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0217W Unable to perform event grouping because no group columns were found for the current view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0218W Unable to perform event grouping because no columns were found for the current view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0220E Unable to obtain the Event Grouping REST Service filter parameter because the originating user could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0221E Unable to obtain the Event Grouping REST Service view parameter because the originating user could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0222W The Event Grouping REST service cannot be called without specifying a filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0223E Unable to call the Event Grouping REST Service because the originating HTTP request could not be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0224E The Event Grouping REST Service was called with an invalid filter parameter: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0225E The Event Grouping REST Service was called with an invalid view parameter: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0226E The Event Grouping REST Service failed to determine an appropriate view to use, based on a specified filter of {0} and view of {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0227E Unable to call the Event Grouping REST Service because there is currently no available data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0228E No summary data was gathered for client Id {0} , so asynchronous update of event summary data cannot be performed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0229E An event summary collection for client Id {0} could not be found in the Web GUI collection register, so asynchronous update of event summary data cannot be performed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0230E Unable to perform event summarisation for the following reason:
{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0231W Unable to include the requested filter {0} of type {1} in the filters collection because it is not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0232E Failed to include the requested filter {0} of category {1} in the filters collection. The category is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0233W A problem occurred while sorting nodes for the Event Data Service. The exception was {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0234E Unable to retrieve user preference {0}.
The exception was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0235E

HEMDP0235E Unable to retrieve user preference {0}.
The exception was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0236W Unable to edit node properties. This operation is not supported for event nodes in the Event Data REST Service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0237W

HEMDP0237W The number of matched rows (*{0}*) exceeds the display capacity of *{1}* rows. The first *{2}* rows were processed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0242E Failed to convert value {0} into a valid
Date value. The exception was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0243E Failed to convert field value {0} for the {1} field into a valid Integer value. The exception was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA

Messages for the HEMEA component.

HEMEA0000E Unable to get the list of user groups.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0001E Unable to get the groups for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0002E Unable to check if the group {0} exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0003I Backing up the group file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0004E Unable to save the group file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0005I Backing up the group file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0007I Unable to find the ACL directory {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0008E Unable to find the ACL file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0009E Unable to read the ACL file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0010I Duplicate group name {0} in {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0013I Creating group {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0014I Unable to create the group {0}. There is already a group with this name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0015I Unable to create the group {0}. There is already a group with this name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0016E Unable to save group {0} to disk.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0017E Unable to save group {0} to disk.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0018I Adding users {1} to the group {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0020I Adding user {0} to the group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0021I Unable to add user {0} to the group {1}.
The user already belongs to that group.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0022E Unable to save group {0} to disk.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0023E Unable to save group {0} to disk.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0025I Removing user {0} from group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0026W Unable to remove user {0} from the group {1}. The user is not a member of that group.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0027E Unable to save group {0} to disk.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0029E Unable to remove user {0} from all groups. The user does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0030E Unable to save group {0} to disk. User {1} cannot be removed from the group.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0033E Unable to check if user {0} is in the group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0034W The value of the {2} property in server.init can be 0 or 1, not {0}. It has been set to the default value {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0035W The value of the {0} property in server.init is {1} can be 0 or 1, not {1}. It has been set to the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0036I Deleting the filter and view data for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0043E There were problems modifying users through WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0044E Unable to get a list of user names.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0045E Unable to set preference {0} to the value {1} for user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0046E Unable to get a user filter for user {0} of the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0047E Unable to get a user filter for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0048E Unable to check whether user {0}
exists in data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0049E Unable to check whether user {0} is an
NIS user in data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0050E Unable to check whether user {0} can
modify the journal. Preventing the user
from modifying the journal.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0051E Unable to save the preferences for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0052E Unable to remove configuration data
for user {0} because: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0053E Unable to complete the cleanup of the
user configuration data because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0054E Unable to refresh the user list from
the data sources.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0055E Unable to save the preferences for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0058E Unable to add user session {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0062W The value of the timeoutsecs property in server.init is less than the minimum of 10 seconds. Using the default value of 10 seconds.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0065E Unable to get the active HTTP sessions for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0066E Unable to add the default user because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0067I User directory {0} has been removed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0068I Filter storage {0} has been removed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0069I View storage {0} has been removed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0070W Adding user {0}. The user directory {1} already exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0071E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0072E Unable to get the list of user groups.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0073W The value of the {2} property in server.init can be 0 or 1, not {0}. It has been set to the default value {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0080E Unable to get mapping of users to groups.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0090A Starting to clean up the user configuration data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0091A

HEMEA0091A User {0} has no Omnibus Web GUI roles. Removing the user s configuration data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0092A The cleanup of the user configuration data completed successfully.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0093A

HEMEA0093A Cleanup of user configuration aborted
-the configuration database is
unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0094A Preference {0} for user {1} successfully
changed to {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0095A Deleted the filter and view data for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC

Messages for the HEMEC component.

HEMEC0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0001E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0003E Running without PA support (bad id)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0004I Running without PA support (no PA specified)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0005I Searching for PA server {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0006I Interfaces file is {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0007E Unable to find PA server named {0} in interfaces

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0008E Unable to load Sybase driver

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0009E Unable to make connection to PA server {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0010I Connection made to PA {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0011E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0012I System Information: {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0013E {0}.init() ProductHomeException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0014I Using ServletConfig setting for
NCW_HOME. Value is:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0015E Problem loading server properties: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0016I Shutting down Webtop...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0022E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0023E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0024E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0025E {0}.getRegistrationException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0026E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0027E Could not process file: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0028E Could not process file: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0029E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0030E Bad entry in interfaces file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0031E Problem processing line {0} in file {1} :
{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0032E Unable to start OMNIBus Web GUI properly.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0033E Unable to initialize logging.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0034I Registered the OMNIBus Web GUI s
navigational data model with the Tivoli
Integrated Portal.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0035W The OMNIBus Web GUI s
navigational data model is already
registered with the Tivoli Integrated
Portal.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0036E Cannot obtain the registry for the
Tivoli Integrated Portal s navigational
model. So the Web GUI REST services
are unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0037E Problem registering the OMNibus
Web GUI s navigational data model
with the Tivoli Integrated Portal: {0}

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

HEMEE

Messages for the HEMEE component.

HEMEE0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0001E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0008E {0}.doGet() caught exception
registering transient entity: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0009E {0}.doGet() caught exception
registering transient entity: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0010E {0}.processRequest() caught exception
registering transient entity: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0022I Backing up old entities file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0023I Moving {0} to {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0024E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMEE0025W Name unavailable for entity,
discarding entity.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0026W Name unavailable for entity

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0027W List unavailable for entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0028E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0029E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEE0030E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEE0031E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEE0032E Unable to load base entities file.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMEE0033E Failed to read group {0} . Check the
directory {1} exists and contains a valid
group definition file.****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMEE0034E Entity Loader(type 2): Unable to load
file {0}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMEE0035E Entity Loader(type 2): Unable to load
file {0}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEE0036W Name unavailable for entity,
discarding entity.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0037W Name unavailable for entity

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0038W List unavailable for entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0040E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0041E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0043I No Entity groups found.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0044W Entity: unknown default store type defaulting to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0045W Entity: unknown default store type defaulting to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0046E The entity: {0} is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0047W The entity: {0} contains a circular reference.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0048I Add Entity {0} to group {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0049E Error saving file : {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0050I Add Entity {0} to group {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0051I Add Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0052I Add Entity {0} to group {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0053I Add Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0054I Add Entity {0} to group {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0055E caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0056I Modify Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0057I Modify Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0058W Forced Delete Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0059E Error saving group file for {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0060I Delete Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0061E Error saving group file for {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0062E {0}.getUserEntity(String, HttpSession)
DEPRECATED API. DO NOT USE!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0063E Error trying to save group - {0} no
group exists with this name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0064E Error saving entity file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0065E {0}.getEntityStatus(String, String,
String, String, DataHolder) THIS
METHOD IS DEPRECATED

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0066E The default entity group does not exist!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0067W processDeleteGroup: Group {0} is not empty: contains either subgroups or entities

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0068E processDeleteGroup: IOException while saving group {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0069I processDeleteGroup: group {0} successfully deleted

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0070I processDeleteGroup: group {0} NOT deleted

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0071E doDeleteGroup: SecurityException attempting to delete group {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0072E doDeleteGroup: SecurityException attempting to delete file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0073E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0074E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0075E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0076E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0077E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0078E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0080E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0081E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0082E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0083E

HEMEE0083E Error saving file for entity group: {0} -
 {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0084E Error saving entity: {0} - {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0085W

HEMEE0085W No {0} Directory

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0086E {0} could not be backed up because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH

Messages for the HEMEH component.

HEMEH0001E The configuration for the relationship {0} contains the following errors: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0002E Unable to read relationship {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0003E Relationship {0} is corrupted in storage.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0004E Unable to read relationship {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0005A Relationship {0} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0006A Relationship {0} has been created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0007E

HEMEH0007E Unable to save a relationship. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0008W The following errors occurred while
saving a relationship: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0009E

HEMEH0009E There was an error displaying
relationship definitions: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0010E There was a datasource error in the
relationship definition portlet: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0011E

HEMEH0011E There was a datasource error in the
relationship definition portlet: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0012E Failed to read localized relationship definition for {0}. The error was {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM

Messages for the HEMEM component.

HEMEM0000E Unable to save a metric. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0001W The following errors occurred while saving a metric: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0002E Unable to delete a metric. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0003W The following errors occurred while deleting a metric: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0005E Unable to read metric {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0006E Metric {0} is corrupted in storage.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0007E Unable to read a required attribute {0} from metric {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0008E Unable to read the required {0} attribute from a metric definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0009E The configuration for the metric {0} contains the following errors: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0010E An exception occurred whilst processing the metric {0}. The error was: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0011E An invalid request parameter was passed to the Metric Data Provider. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0012W Processing of the metric {0} timed out at data source {1}. The metric cannot be evaluated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0013W The value of threshold1 for a gauge is outside the range 1 to 100. Using the default value of {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0014W The value of threshold2 for a gauge is outside the range 1 to 100. Using the default value of {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0015W Threshold1 has a greater value than threshold2 for a gauge. Setting both thresholds to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0016E Unable to convert {0} to a double value. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0017E Unable to convert {0} to an integer value. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0018E Unable to convert {0} to a long value. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0019E Unable to convert {0} to a valid gauge type. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0020E Unable to parse and draw the SVG {0} due to this I/O exception: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0021E Invalid gauge layout configuration. Using the default values.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0022E Failed to save the gauge layout. The error was {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0023E Failed to set the gauge refresh time. The default value {0} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0024E An error occurred while setting the request attribute {0} for the resource {1}. The error was: {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0025E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0026E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMEM0027E Port Number incorrectly formatted.
Unable to determine server port from
{0}.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMEM0028E Unable to determine timeout for data
source {0}.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMEM0029E Unable to convert {0} to a valid color.
Using the default value of {1}.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0030A Metric {0} has been created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0031A Metric {0} has been deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0032A Metric {0} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0033E

HEMEM0033E Failed to set the gauge size. The default value {0} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN

Messages for the HEMEN component.

HEMEN0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0001E

HEMEN0001E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0002E Unable to enable BiDi in a portlet
because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0003E

HEMEN0003E Unable to save Bidi parameters in the session because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0005E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO

Messages for the HEMEO component.

HEMEO0000E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0001E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0002E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0003E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0004E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0005E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0008E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0009E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0010E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0011E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0012E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0014E

HEMEO0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0016E

HEMEO0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0018E

HEMEO0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0020E

HEMEO0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP

Messages for the HEMEP component.

HEMEP0000E

HEMEP0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP0001E Unable to parse refresh rate value {0}.
Refresh rate should be a positive
integer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP0002E

HEMEP0002E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP0003E Unable to parse minimum refresh rate value {0}. Minimum refresh rate should be a positive integer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP0004W

HEMEP0004W Minimum refresh rate is lower than the allowed limit. Setting it to the default value of {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP0005W Refresh rate value of {0} is less than minimum refresh rate. Setting it to the minimum refresh rate value of {1}.

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

HEMER

Messages for the HEMER component.

HEMER0001I

HEMER0001I Dispatching RESYNC_ALL command

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMER0002I Dispatching STATE_CHANGED
command

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES

Messages for the HEMES component.

HEMES0000E The following SQL update failed: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0001E {0}: VMM user credentials
synchronisation iteration: FAILED

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0002I {0}: VMM user credentials
synchronisation iteration: SUCCESSFUL

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0003W NCOSyncWoker[{0}] DataSource
unavailable, resync will happen when
DataSource is up again.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0004E NCOSyncWoker[{0}] Thread
Interrupted Exception: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0005E NCOSyncWoker[{0}] Thread
Exception: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0006E `[[0]] failed to get VMM user
credentials{1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0007E `[[0]]: NullPointerException: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0008E `[[0]]: IllegalArgumentException: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0009E `[[0]]: NCOSyncException: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0010E `NCOSyncWorker[[0]]: Get DataSource
groups failed: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0011E `NCOSyncWorker[[0]]: Get DataSource
groups failed: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0012E `NCOSyncWorker[[0]]: Create {1} group
in DataSource failed: {2}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0013E NCOSyncWorker{0}: Create {1} group
in DataSource failed: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0014E [{0}]: IllegalArgumentException{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0015E [{0}]: Cannot retrieve synchronised
users from DataSource{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0016E [{0}]: Couldn't delete users from
DataSource{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0017E [{0}]: Get extended user information
failed: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0018E [{0}]: IllegalArgumentException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0019I [{0}]: NCOSyncException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0020E [{0}]: DataSource query failed.{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0021E [{0}]: DataSource query failed.{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0022E [{0}]: DataSource query failed.{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0023E [{0}]: DataSource update failed.{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0024W [{0}]: The resyncTime is lower than 60.
Synchronisation time will be set to 60!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0025W [{0}]: Couldn't retrieve
resynchronisation time for DataSource
{1} . Set value to 3600: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0048I NCOSSyncResult[{0}]: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0050E Thread Interrupted Exception{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0051E Thread Exception{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0052E cannot find server.init {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0053E server.init IOException{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0054E cannot close {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMES0055E couldn't get DataSource object for {0}
{1}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0056E Thread Interrupted Exception{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0057E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0058E Unable to read the key file {0} because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0059E Unable to close stream because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0060E Unable to read the key file {0} because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0061E Unable to read the key file {0} because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0062E Unable to close stream because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0063E An error occurred looking for the ObjectServer user repository, user synchronization will be disabled as a fail-safe. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0064I The ObjectServer is installed as a user repository. Automatic user synchronization from other repositories will not be performed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0065E

HEMES0065E [{0}] VMM returns 0 OMNIBus Web GUI users. No synchronisation is necessary. Check your role mappings or VMM configuration. Resynchronisation will be re-attempted in 60 seconds.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0070E NCOSSyncWorker[{0}]: Get
DataSource group membership failed:
{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0071E NCOSyncWorker[{0}]: Get
DataSource group membership failed:
{1}

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

HEMEU

Messages for the HEMEU component.

HEMEU0000I {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0001I Can not schedule any task. The is
disabled.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0002W Caught InterruptedException.
Stopping thread...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0006E Caught BringUpException. Stopping thread...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0007E Unable to load default user preferences. Falling back to the hard coded defaults.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0008E Problem loading Browser Property file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0012E Error while closing reader of file {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0017E Problem loading illegal char: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0018E Illegal first character {0} in string {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0019E Illegal character {0} in string {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0020I {0} is not a directory, creating one.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0021I Adding directory {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0022W {0} is not added

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0023E Problem obtaining illegalChar props
file. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0024E Illegal character {0} in string {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0027E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0028E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0029E Bad entity parsed in EntityEngine : {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0030E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0031E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0032E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0033E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0039E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0041I {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0043E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0044E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0045E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0046E The Web GUI server cannot start
because it cannot obtain its host name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0047W Missing Resource: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0048W Unable to load default user
preferences. Falling back to the hard
coded defaults.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0049E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0050W The hostname could not be
determined, using {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0051A

HEMEU0051A CSRF prevention token is missing
from the request to {0}. Possible CSRF
attack in progress via user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0052A CSRF prevention token from the request to {0} does not match session token. Possible CSRF attack in progress via user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV

Messages for the HEMFV component.

HEMFV0000E Unable to add a view from data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0001E Unable to add a view from file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0002E Unable to add a view from file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0003E Unable to add a view from file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0004E Unable to add a sort column for view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0005W Attempted to delete filter {0} from {1} data store. The filter does not exist in this data store - another user may have already deleted it.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0007E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0009E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0012E Unable to create view from file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0013E Unable to save the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0014I Removed view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0015I Backing up the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0016E Unable to get the filtered visual
entries for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0017E Unable to get the filtered fields for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0018I Backing up the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0019E Unable to save the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0020I Backing up the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0021I Removed view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0022E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0023E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0024E Unable to process a view file because:
 {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0025E Unable to process a visual entry
 because it is corrupt. The corrupt visual
 entry is: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0026E Unable to determine the type of a
 field from data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0027W The views directory {0} does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0028E Unable to find the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0029E Unable to read the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0030I Unable to find the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0031W {0}.createView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0032W {0}.createView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0033W {0}.createOrReplaceView{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0034W {0}.createView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0035E Unable to create the view {0} because
another view has that name. Supply a
name that is unique to this view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0036I Adding the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0037E Unable to create the view {0} because
another view has that name. Supply a
name that is unique to this view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0038E Unable to save view {0} because: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0039W {0}.deleteView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0040I Deleting the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0041E Unable to check if field {0} is present
in data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0044E Unable to change the type of the view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0046E Unable to change the type of the view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0047E Cannot load view storage for {0} - {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0050W The format of the view name {0} is incorrect or contains characters that are not allowed in a view name. Specify a name in the correct format.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0051E Unable to convert the view data to XML.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0052E Unable to copy the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0053E Unable to copy the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0054I Unable to find view {0} for {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0055E Unable to save the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0060E Unable to copy view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0062E There are no views available in the user session.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0063I There is no view {0} available for {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0065I Copying view {0} to user {1} {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0071E Cannot load the views for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0075E Unable to load the filters for user or group {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0081E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0083E Unable to initialize the internal data for the filter and view builder.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0084E Unable to get the filtered sort columns for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0085E Unable to get the filtered visual entries for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0086E The advanced SQL statement {0} is invalid for the following reason: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0087E Unable to add the dependency {0} to {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0092E Unable to create view storage for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0095E Unable to create filter storage for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0099E The filter storage {0} does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0100E Unable to save data for the new user {0} to {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0101E Unable to load {0} data from {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0102E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0103E Unable to parse the XML data for the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0104E Unable to determine the type of field {0} in data source {1}. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0105E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0106E Unable to parse the XML data for the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0108E The specified view category for filter {0} is not one of the available types. Use one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0109W The SQL statement {0} is not valid. The filter mode will be changed to advanced for filter {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0111E Unable to delete view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0113W The format of the filter name {0} is incorrect or contains characters that are not allowed in a view name. Specify a name in the correct format.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0114W No data source selected.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0115W The filter {0} could not be retrieved from the {1} data store, it may have been removed by another user. This filter will be recreated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0117E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0119E Unable to save a filter. The SQL statement {0} is incorrect for at least one of the selected data sources.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0120E Unable to copy filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0121E Unable to save filter {0} because its category is not one of the available types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0122E Unable to save filter {0} because the file does not exist in the specified location.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0123E Unable to save filter {0} because there is a recursive dependency.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0124E Unable to save filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0125E Unable to save filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0126E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0127E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0128E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0129E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0130E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0131E Unable to copy the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0134I Copying filter {0} to user {1} {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0136E Unable to edit view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0138E View data is invalid {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0141E Error copying properties to form.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0143E Unable to edit a filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0144E Unable to edit a filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0145E Unable to find data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0149I No user filter or view data storage
found.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0150E Unable to delete filter {0} because another filter is dependent on it.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0151E Unable to delete filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0152E Unable to change filter type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0153E Unable to change filter type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0155E Cannot load filter storage for {0} {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0156E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0157E Unable to write {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0158E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0159E Unable to write {0} data store for {1}
{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0160E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0161E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0162E Unable to find {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0163E IO Error writing {0} data store for {1}
{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0164E Unable to find {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0165E Caught exception {0} whilst loading {1}
data store for {2} {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0166E Unable to find {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0167E Error writing {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0168E Unable to get the default datasource.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0169E Unable to delete the filter {0} of type
{1}. User {2} does not have required
privilege to delete this filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0170E Unable to delete the view {0} of type
{1}. User {2} does not have required
privilege to delete this view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0171A View {0} has been created for user {1}
by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0172A View {0} has been created for user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0173A View {0} of category {1} has been created by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0174A View {0} of category {1} has been created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0175A View {0} for user {1} has been modified by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0176A View {0} of category {1} has been modified by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0177A View {0} for user {1} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0178A View {0} of category {1} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0179A View {0} has been deleted for user {1} by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0180A View {0} has been deleted for user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0181A View {0} of category {1} has been deleted by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0182A View {0} of category {1} has been deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0183A Copying View {0} of category {1} to user(s): [{2}]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0184A Copying View {0} of category {1} to users in group(s): [{2}]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0185A Copying View {0} of category {1} to global views.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0186A Copying View {0} of category {1} to system views.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0187A Filter {0} has been created for user {1} by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0188A Filter {0} has been created for user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0189A Filter {0} of category {1} has been created by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0190A Filter {0} of category {1} has been created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0191A Filter {0} for user {1} has been modified by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0192A Filter {0} of category {1} has been modified by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0193A Filter {0} for user {1} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0194A Filter {0} of category {1} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0195A Filter {0} has been deleted for user {1} by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0196A Filter {0} has been deleted for user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0197A Filter {0} of category {1} has been deleted by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0198A Filter {0} of category {1} has been deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0199A Transient Filter {0} has been created by user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0200A Transient Filter {0} has been created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0201A Transient Filter {0} has been deleted
by user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0202A Transient Filter {0} has been deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0203A Copying Filter {0} of category {1} to
user(s): [{2}]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0204A Copying Filter {0} of category {1} to
group(s): [{2}]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0205A Copying Filter {0} of category {1} to
global filters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0206A Copying Filter {0} of category {1} to
system filters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0207E Failed to determine if resync command required for sessions accessing {0} data for {1}. Exception was: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0208A Filter {0} has been created for group {1} by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0208E Unable to determine user role for user {0}. Exception was: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0209A Filter {0} has been created for group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0210A Filter {0} for group {1} has been modified by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0211A Filter {0} for group {1} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0212A

HEMFV0212A Filter {0} has been deleted for group {1} by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0213A Filter {0} has been deleted for group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0214I

HEMFV0214I No group filter or view data storage found.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0215E Unable to get the filtered group
columns for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0216E

HEMFV0216E Unable to describe field {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0217E Unable to determine the type of field
{0} in data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0218E Unable to save the view {0} because store is read-only.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA

Messages for the HEMHA component.

HEMHA0001E Unable to notify node {0} of a change in the cluster configuration. The response code to the notification request is: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0002I Successfully notified the node {0} of a change in the cluster configuration.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0003E Unable to notify node {0} of a change in the cluster configuration. Check that the node s URI is correct.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0004E Unable to notify node {0} of a change in the cluster configuration. An exception occurred while connecting to the node.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0005E Unable to set store properties. The configuration database may be unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0006E Unable to add the current node to the load balancing cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0007E Unable to add the current node to the load balancing cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0008E Unable to remove the current node from the load balancing cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0009W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0010W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0011W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0012W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0013W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0014E Unable to update the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0015E An incorrect file hashing algorithm was specified: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0016W An attempt was made to remove the following item from the configuration database, but it did not exist in the database. {0} {1} {2} {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0017E The synchronization of configuration items failed because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0018E Unable to add the current node to the HA cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0019E Unable to resynchronize the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0020E Unable to resynchronize the new configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0021E Failed to add the new configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0022E Failed to obtain configuration item references for {0} {1}. Unable to determine if items from this namespace have been deleted on other nodes.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0023E Failed to remove the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0024E

HEMHA0024E Unable to resynchronize the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0025E The synchronization of configuration
items failed because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0026E

HEMHA0026E The notification inhibitor thread was interrupted. The error was: *{0}*.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0027E The delayed notification thread was interrupted. The error was: *{0}*.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0030A

HEMHA0030A Synchronised {0}/{1},{2} with changes made on another node.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0031A Added {0}/{1},{2} to reflect changes made on another node.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0032A Removed {0}/{1},{2} to reflect changes made on another node.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB

Messages for the HEMHB component.

HEMHB0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0001E Chart error: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0001W No IlvChart object found for request: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0008E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0009E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0010E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0011E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0012E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0014E

HEMHB0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0016E

HEMHB0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0017E Chart exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM

Messages for the HEMIM component.

HEMIM0000E Failed to add resource {0} because the image type {1} is unsupported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0001I Adding Resource Summary {0} [{1}] for map {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0002W No resources summary for map {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0003I Adding Resource {0} to map {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0004E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0005E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0006E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0007I Remove resource from {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0008W Resource not found {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0009W No map of name {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0010E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0011E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0012E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0014E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0015E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0016E Error in map {0}: ignored - {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0017E Error in map {0}: ignored - {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0018E Error in map {0}: ignored - {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0019E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0020E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0021E Bad map file: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0022E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0023E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0024I Modify map {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0025E problem with map data - {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0026W {0} does not exist**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0027E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0028E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0029E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0030E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0031I Create map {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0032W {0} already exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0033W Attempt to save a map with no definition was ignored.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0034E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0035I Modify map {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0036E Problem with map data - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0037E {0} does not exist**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0038E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0039I Delete map {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0040W {0} does not exist**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0041E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0042E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0044E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0045E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0046E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0047E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0048E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0049E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0050E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0051E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0052A Map {0} was created by user {1}. This map is now available to all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0053A Map {0} was created by user {1}. This map is now available to all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0054A Map {0} was created. This map is now available to all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0055A Map {0} was created. This map is now available to all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0056A Map {0} was modified by user {1}. Access control was unchanged and the map is available to all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0057A Map {0} was modified by user {1}. Access control was unchanged and the map is available to all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0058A Map {0} was modified by user {1}. Access control was all users. Access control is now all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0059A Map {0} was modified by user {1}.
Access control was all users in group {2}. Access control is now all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0060A Map {0} was modified by user {1}.
Access control was all users in group {2}. Access control is now all users in group {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0061A Map {0} was modified. Access control was unchanged and the map is available to all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0062A Map {0} was modified. Access control was unchanged and the map is available to all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0063A Map {0} was modified. Access control was all users. Access control is now all users in group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0064A Map {0} was modified. Access control was all users in group {1}. Access control is now all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0065A

HEMIM0065A Map {0} was modified. Access control was all users in group {1}. Access control is now all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0066A Map {0} was deleted by user {1}. This map is no longer available to all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0067A

HEMIM0067A Map {0} was deleted by user {1}. This map is no longer available to users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0068A Map {0} was deleted. This map is no longer available to all users .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0069A Map {0} was deleted. This map is no longer available to users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIN

Messages for the HEMIN component.

HEMIN0010W

System Action

During installation, the installer requests the user name and password of the ObjectServer to use for the connection from the Web GUI to the ObjectServer. The installer does not validate the correctness of the password and completes the installation, even if the password is incorrect, but no data is retrieved from the ObjectServer.

User response

Not applicable.

Administrator response

After installation, verify that the password is correct. If the password is incorrect, change it in the following files:

- `ncwDataSourceDefinitions.xml`: You can edit this file manually. For more information about the `ncwDataSourceDefinitions.xml` file and how to edit it, see the *IBM Tivoli Netcool/OMNIBus Web GUI Administration and User's Guide* and search for *Data source configuration file reference*. After you edit this file, restart the Tivoli Integrated Portal server so that the change takes effect.
- `wimconfig.xml`: You can edit this file by running the **confvmm4ncos** script. For more information about how to run this script, see the *IBM Tivoli Netcool/OMNIBus Installation and Deployment Guide* and search for *Defining an ObjectServer as a user repository*.

HEMIP

Messages for the HEMIP component.

HEMIP0000W Invalid dashboard layout configuration. Filter names, categories and owners do not match.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0001E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0002E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0008E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0010E • HEMIP0016E

HEMIP0010E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0011E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0012E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0016E There was an error retrieving the user preference for refresh rate.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0017A There was an error configuring the user's filters for display in a mobile dashboard.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0018E

HEMIP0018E There was an error configuring the user's filters for display in a mobile dashboard.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0019E The configuration for the requested
mobile dashboard could not be found.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0020E

HEMIP0020E There was an error generating QR code
for mobile dashboard URL: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0021E There was an error generating QR code
for mobile gauges URL: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS

Messages for the HEMJS component.

HEMJS0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0001E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0002E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0004E {0}.processResults() unexpected
response type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0005E {0}.processResults() status:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0006E LEL Handler recieved error {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0007E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0008E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0009I no system or user transient filter found
for entityname {0}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0010E Error attempting to set the datasource
name:{0}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0011E getDatasourceName(): Error getting OS
- {0}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0012E {0}.setView() caught
IllegalCategoryException: {1}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0013E {0}.setView() caught
IllegalCategoryException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0019W The value for tableview.pixelmultiply
must be greater than 0.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0022E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0023E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0024E getDatasource(): Error getting OS - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0025E Init(): Error getting OS - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0027E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0028E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0029E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0030E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0031E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0032E getDatasourceName(): Error getting OS
- {0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0033E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0034E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0035E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0036E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0037E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0038E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0039E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0040W Invalid template file :{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0041I Template dir does not exist {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0043E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0044E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0045E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0046E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0047E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0048E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0049E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0050E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0051E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0052E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0053I Removing dir {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0054W {0} does not exist.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0055W {0} not empty.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0056I Recursive remove directory {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0057W {0} does not exist**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0058I {0} in {1} deleted.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0059E Cannot delete file {0} in {1}.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0060E Cannot recursive remove directory {0}.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0061E Cannot remove directory {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0062E Cannot remove directory {0} - I/O error occurs.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0063E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0064I Deleting file {0} from {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0065E {0} in {1} cannot be deleted

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0066E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0067E {0}.processResults() unexpected response type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0068E {0}.processResults() status:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0069E LEL Handler recieved error {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0070E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0071E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0072I Resource {0} not found**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0073E {0} not found**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0074E IOException reading {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0075E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0076E Exception in inserter: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0077W Invalid Map refresh rate in SmartPage tag for {0} Map! Using value from server.init...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0078W The tableview.pixelmultiply value is not of type int: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0079I tableview.pixelmultiply is set to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0080E Exception whilst reformatting date {0} in static table for user:

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0081E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0082E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0083E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0084E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0085E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0086E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0088E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0089E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0090E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0091E Caught exception getting property {0}
for user {1}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0092E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0093E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0094E Unable to process user removed page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0095W Invalid insertion command:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0096E No page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0097E Unable to process page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0098E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0099I User:{0} Logged out

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0100E No log-out page found! {0}, file base {1}, {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0101E Unable to process log-out page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0102E No table-view file.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0103E Unable to read table-view file.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0104E Error while parsing System property printtabletitle.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0106E Error while parsing line of tableview template. Unknown inserter command.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0107W Invalid insertion command:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0108E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0109E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0110I Servlet: The users homepage seems to be
a webtop context relative uri, trying to
forward to {0} .****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0111I Servlet: The users homepage seems not
to be a webtop context relative uri, need
to send a redirect to {0} .****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0112W {0} Not found! needs to start with {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0113E Unable to process {0} page**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0114E Caught UnsupportedEncoding
Exception. {0} Check the value of
System property html.charset in
server.init is correct. Current value is {1}
, reset to {2}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0115E caught exception for user:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0116E caught exception for user:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0117E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0118E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0119E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0122E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0123E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0124E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0125E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0126E Unable to get Colors for data source {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0127E Unable to get Conversions for data source {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0128E caught NoSuchElementException.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0129E Servlet error: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0130E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0131E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0132E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0133E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0134E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0136E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0137E No Such Map {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0138E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0139E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0140E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0141E WAAP! {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0142E Unable to process cgi-file using
defined perlengine, ie first line that
start with !#, on top of command:{0}
Using {1} HEMJS0143W=Unauthorized
user {0} attempted to access CGI {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0144I Setting NT CGI Shell to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0145I Windows CGI Shell
HEMJS0146E=Failed to install Windows
CGI Shell

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0147E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0148E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0149E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0150E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0151E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0152E Colors.processRequest() caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0154E FieldNameHandler.processRequest() caught Exception: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0156E Caught Exception loading user filters for {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0157E File is unreadable {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0158W Unauthorized attempt by {0} to add a journal entry to serials {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0159E Failed to add journal entry for Serials
{0}; Response code *{1}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0160E Failed to add journal entry for Serials
{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0165E Caught exception *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0166E Caught exception *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0167E Caught exception *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0168E Caught exception *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0169E caught Exception: *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0170E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0171E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0173E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0175E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0176E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0177I Command nova constructed for {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0178E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0179E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0180E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0181E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0182E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0183E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0184E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0185E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0186W TimedOut:Invalid insertion
command:{0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0187E No unavailable page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0188E Unable to process unavailable page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0189E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0190E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0191E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0192E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0193I Moved uploaded file from {0} to {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0194E Failed to uploaded file from {0} to {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0195E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0196W File Not Found {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0197E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0198E Unregistration of CGI {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0199E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0200E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0201E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0202E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0203E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0204E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0205E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0206E No map called:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0207E HA database is down, cannot create
map:{0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0208E HA database is down, cannot modify
map:{0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0209E HA database is down, cannot delete
map:{0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0210E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0211E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0212E Problem removing resource {0} for map {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0213E Problem removing resource {0} for map {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0214E Problem Creating resource dir for map {0} - Map already exists!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0216E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0217E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0218E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0219E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0220E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0221E {0} already in {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0222E {0} caused IOException when saving

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0223E {0} user not found when removing

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0224E {0} caused IOException when saving
after removing User**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0225E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0226E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0227E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0228E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0229E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0230E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0231E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0232E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0233E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0234E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0235E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0236E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0237E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0238E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0239E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0240E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0241E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0242E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0243E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0244E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0245W Deletion of reserved Menu{0} was prevented.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0246E Deletion of Menu {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0247I User:{0} Logged in

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0248C Session ID:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0249C Redirect back to:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0250E No DataSources currently available.
Webtop service unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0251E Unexpected exception

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0252E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0253E No log-in page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0254E Unable to process log-in page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0255E No log-in in progress page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0256E Unable to process log-in in progress page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0257E No log-in (access denied) page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0258E Unable to process log-in (access denied) page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0259I {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0260W Unknown User

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0261E Unexpected exception

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0262E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0263E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0264E Error invoking CGI. - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0265E The header contains a corrupt line

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0266E Failed to execute CGI HEMJS0267E={0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0268W NCHOME not defined, using {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0269I header=[{0}]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0270W expiry time in cookie null - time not set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0271E UTF-8 encoding is not supported

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0272E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0274E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0275E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0276E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0277I Session created {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0278I Session destroyed {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0279W AEL launch parameter, view could not be resolved. The specified view does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0280E AEL launch parameter, view could not be resolved. The specified view does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0281E caught exception registering transient entity. filter:{0} view:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0282W AEL launch parameter, filtertype not specified. Using the {0} category for the specified filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0283E AEL launch parameter, filtername could not be resolved. The specified filter does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0284E AEL launch parameter, filtername could not be resolved. The specified filter does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0285E Number of {0} and {1} parameters do not match.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0286W Deprecated AEL launch parameter used. The {0} parameter is deprecated. Use the {1} parameter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0287W AEL launch parameter, viewname could not be resolved. The specified view does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0288E CreateDynamicTransientEntity failed to create transient with filter {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0288W AEL launch parameter, viewtype could not be resolved. The specified type is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0289I INFO creating transient filter {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0289W AEL launch parameter, viewname of viewtype could not be resolved. The specified view does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0290E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0291E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0292E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0294E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0295E caught NoSuchViewException

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0297E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0298E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0300E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0301I Adding OS-validated user: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0302I Adding local user: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0303C Setting Session ID:{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0304I User:{0} Logged in**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0305C Session ID:{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0306C Redirect back to:{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0307I Single-Sign-On fail for user: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0308C Session:{0} URL request:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0309C Session:{0} URI request:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0310C Session:{0} IP Address:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0311C Session:{0} IP Name:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0312C Session:{0} UserAgent:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0313C Session:{0} Browser Type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0314I New Session:{0} URL request:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0315I New Session:{0} IP Address:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0316I New Session:{0} IP Name:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0317C New Session:{0} UserAgent:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0318C New Session:{0} Browser Type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0319I {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0320E Problem adding user: {0} - {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0321E Unexpected exception in Login

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0322E Error while getting the users
homepage.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0323E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0400E Unexpected response type:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0401E Status:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0402W LEL Handler recieved error {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0403E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0404E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0405I Adding OS-validated user: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0406I Adding local user: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0407C Setting Session ID:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0408I User:{0} Logged in**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0409C Session ID:{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0410C Redirect back to:{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0411I Single-Sign-On fail for user: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0412C Session:{0} URL request:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0413C Session:{0} URI request:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0414C Session:{0} IP Address:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0415C Session:{0} IP Name:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0416C Session:{0} UserAgent:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0417C Session:{0} Browser Type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0418I New Session:{0} URL request:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0419I New Session:{0} IP Address:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0420I New Session:{0} IP Name:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0421C New Session:{0} UserAgent:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0422C New Session:{0} Browser Type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0423E No DataSources currently available.
Webtop service unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0424E Problem adding user: {0} - {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0425E Unexpected exception in Login

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0426E Error while getting the users homepage.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0427E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0428E Unable to enable BiDi in the Chart portlet because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0429E Unable to enable BiDi in the LEL portlet because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0430E Unable to enable BiDi in the TableView portlet because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0431E Unable to fill the BiDi bean because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0432E Unable to get BiDi support settings for user {0} because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0433E Unable to get preference {0} from user preferences because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0434E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0435E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0436E Failed to save user preferences. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0437E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0438E Unable to get calendar type from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0439E Unable to get calendar type from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0440E Unable to get {0} from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0441E Unable to get {0} from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0442E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0443E Unable to forward default map image request because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0444E Failed to get resource bundle {0}. Error was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0445E Failed to retrieve data from resource bundle {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0446E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0447E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0448A CGI {0} was registered by user {1}.
This CGI is now available to the
following group(s): {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0448E Unable to get the default datasource.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0449A CGI {0} was unregistered by user {1}.
This CGI is no longer available to the
following group(s): {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0450A CGI {0} was modified by user {1}.
Access was added for the following
group(s): {2}. Access was removed for
the following group(s): {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0451E Failed to unregister CGI {0} due to a Configuration Store exception {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0452E Failed to unregister CGI {0} because it was not registered.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0453A User {0} was granted access to the Event Database Query interface via the ISQL permission.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0454A User {0} was denied access to the Event Database Query interface. The ObjectServer permission ISQL is required.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0455A User {0} attempted to execute SQL {1} via the Event Database Query form against the {2} datasource. Access was denied. The user does not have the required ISQL permission.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0456A User {0} executed SQL statement {1} at {2} datasource via Event Database Query.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0457A User {0} was granted access to {1} via {2} role.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0458A User {0} was denied access to {1}. The {2} role is required.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0459E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0460C Restricted URLs loaded from {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0461W The {0} property in server.init has been set to {1} but the restricted URLs file is empty

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0462A User {0} attempted to access the following restricted URL: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0463W The restricted URLs file {0} was not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0464W The restricted URLs file {0} could not be read for the following reason: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP

Messages for the HEMUP component.

HEMUP0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0006E The backup of relevent files that needs to be upgraded failed. The upgrade process has been stopped due to an IOException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0007I Deprecated file formats detected. Upgrading system...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0008I Upgrade task finished

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0009E Could not delete deprecated file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0011I Successfully migrated the {0} Entity View to {1} System View.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0012W The {0} system View already exists. Skipping migration for {1} Entity View.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0022E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0023E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0024E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0025E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0026E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0027E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0028E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0032E Deletion of {0} file after upgrade failed.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0033E {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0034E Can't read file {0} : {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0035E Can t close file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0036E Can t write file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0037E Can t close file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0038E Can t create file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0039E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0040E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0041E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0043E Can t read file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0044E Can t close file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0045E ParseException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0046E EntityException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0047E OverwriteException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0048E FilterSaveException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0049E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0050E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0051E Cannot add {0} as dependent Filter to
{1}System Filter.
IllegalCategoryException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0052E Cannot add {0} as dependent Filter to
{1}System Filter.
IllegalArgumentException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0053E Cannot add {0} as dependent Filter to
{1}System Filter.
FilterNotFoundException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0054E Cannot add {0} as dependent Filter to
{1}System Filter.
RecursiveDependencyException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0055E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0056E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0059E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0060E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0061E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0062E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0063E Attribute name is required

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0064E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0065E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0066E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0067E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0068E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0069W Can t create {0} deprecated directory

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0070W Can t delete {0} installer backup file

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0071E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

Notices

This information was developed for products and services offered in the U.S.A.

IBM® may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan, Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation
958/NH04
IBM Centre, St Leonards
601 Pacific Hwy
St Leonards, NSW, 2069
Australia

IBM Corporation
896471/H128B
76 Upper Ground
London SE1 9PZ
United Kingdom

IBM Corporation
JBF1/SOM1
294 Route 100
Somers, NY, 10589-0100
United States of America

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the

names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs.

Portions of this product include software developed by Daniel Veillard.

- libxml2-2.7.8

The libxml2-2.7.8 software is distributed according to the following license agreement:

© Copyright 1998-2003 Daniel Veillard.

All Rights Reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE DANIEL VEILLARD BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of Daniel Veillard shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from him.

Trademarks

AIX, DB2, IBM, the IBM logo, ibm.com®, iSeries, Netcool, Passport Advantage, pSeries, Service Request Manager, System p, System z, Tivoli®, Tivoli Enterprise Console, TotalStorage, WebSphere, and zSeries are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both.

Adobe, Acrobat, Portable Document Format (PDF), PostScript, and all Adobe-based trademarks are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, other countries, or both.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.



Java™ and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other company, product, or service names may be trademarks or service marks of others.

Index

A

accessibility vii
arch
 operating system directory viii

C

conventions, typeface viii

E

E-ALD-102-001 1
E-ALD-102-002 1
E-ALD-102-003 1
E-ALD-102-004 1
E-ALD-102-005 1
E-ALD-102-006 2
E-ALD-102-007 2
E-ALD-102-008 2
E-ALD-102-009 2
E-ALD-102-010 2
E-ALD-102-011 2
E-ALD-102-012 2
E-ALD-102-013 3
E-ALD-102-014 3
E-ALD-102-015 3
E-ALD-102-016 3
E-ALD-102-017 3
E-ALD-102-018 3
E-ALD-102-019 3
E-ALD-102-020 4
E-ALD-102-021 5
E-ALD-102-022 6
E-ALD-102-023 7
E-ALD-102-024 8
E-ALD-102-025 9
E-APM-102-001 10
E-APM-102-003 10
E-APM-102-004 10
E-APM-102-005 10
E-APM-102-006 10
E-APM-102-007 10
E-APM-102-008 11
E-APM-102-009 12
E-APM-102-010 13
E-APM-104-002 14
E-APM-104-011 15
E-AUT-001-001 15
E-AUT-001-002 15
E-AUT-001-004 15
E-AUT-001-005 15
E-AUT-001-006 15
E-AUT-001-007 15
E-AUT-001-008 16
E-AUT-001-009 16
E-AUT-001-010 16
E-AUT-001-011 16
E-AUT-001-012 16
E-AUT-001-013 16
E-AUT-001-014 16

E-AUT-001-015 16
E-AUT-001-017 17
E-AUT-001-018 17
E-AUT-002-006 17
E-AUT-002-009 17
E-AUT-003-001 17
E-AUT-003-002 17
E-AUT-003-004 17
E-AUT-003-005 18
E-AUT-003-007 18
E-AUT-003-008 18
E-AUT-003-009 18
E-AUT-003-010 18
E-AUT-003-011 19
E-BRI-102-002 23
E-BRI-102-003 23
E-BRI-102-004 23
E-BRI-102-005 23
E-BRI-102-006 23
E-BRI-102-007 24
E-BRI-102-008 24
E-BRI-102-009 24
E-BRI-102-010 24
E-BRI-102-011 24
E-BRI-102-012 24
E-BRI-102-013 25
E-BRI-102-014 25
E-BRI-102-015 25
E-BRI-102-016 25
E-BRI-102-017 25
E-BRI-102-018 25
E-BRI-102-019 26
E-BRI-102-020 26
E-BRI-102-021 26
E-BRI-102-022 26
E-BRI-102-023 26
E-BRI-102-024 26
E-BRI-102-025 27
E-BRI-102-026 27
E-BRI-102-027 27
E-BRI-102-028 27
E-BRI-102-029 27
E-BRI-102-030 27
E-BRI-102-031 28
E-BRI-102-032 28
E-BRI-102-033 28
E-BRI-102-034 28
E-BRI-102-035 28
E-BRI-102-036 28
E-BRI-102-037 29
E-BRI-102-038 29
E-BRI-102-039 29
E-BRI-102-040 29
E-BRI-102-041 29
E-BRI-102-042 29
E-BRI-102-043 30
E-BRI-102-044 30
E-BRI-102-045 30
E-BRI-102-046 30
E-BRI-102-047 30
E-BRI-102-048 30

E-BRI-102-049 31
E-BRI-102-050 31
E-BRI-102-051 31
E-BRI-102-052 31
E-BRI-102-053 31
E-BRI-102-054 32
E-BRI-102-055 32
E-BRI-102-056 32
E-BRI-102-057 32
E-BRI-102-058 32
E-BRI-102-059 33
E-BRI-102-060 33
E-BRI-102-061 33
E-BRI-102-062 33
E-BRI-102-063 33
E-BRI-102-064 34
E-BRI-102-065 34
E-BRI-102-066 34
E-BRI-102-067 34
E-BRI-102-068 34
E-BRI-102-069 34
E-BRI-102-070 35
E-BRI-102-071 35
E-BRI-102-072 35
E-BRI-102-073 35
E-BRI-102-074 35
E-BRI-102-075 35
E-BRI-102-076 36
E-BRI-102-077 36
E-BRI-102-078 36
E-BRI-102-079 36
E-BRI-102-080 36
E-BRI-102-081 36
E-BRI-102-082 37
E-BRI-102-083 37
E-BRI-102-084 37
E-BRI-102-085 37
E-BRI-102-086 37
E-BRI-102-087 37
E-BRI-102-088 38
E-BRI-102-097 38
E-BRI-102-100 38
E-BRI-102-101 38
E-BRI-102-103 38
E-BRI-102-104 38
E-BRI-102-105 39
E-BRI-102-106 39
E-BRI-102-107 39
E-BRI-102-108 39
E-BRI-102-109 39
E-BRI-102-110 39
E-BRI-102-111 39
E-BRI-102-114 40
E-BRI-102-115 40
E-BRI-102-116 40
E-BRI-102-117 40
E-BRI-102-118 40
E-BRI-102-119 40
E-BRI-102-120 40
E-BRI-102-121 41
E-BRI-102-122 41

E-BRI-102-123	41	E-CMD-001-062	58	E-GOB-102-002	77
E-BRI-102-124	41	E-CMD-001-063	58	E-GOB-102-003	77
E-BRI-102-125	41	E-CMD-001-064	58	E-GOB-102-004	77
E-BRI-102-126	41	E-CMD-001-065	58	E-GOB-102-005	77
E-BRI-102-127	42	E-CMD-001-066	59	E-GOB-102-006	78
E-BRI-102-128	43	E-CMD-001-067	59	E-GOB-102-007	78
E-CHE-001-001	47	E-CMD-001-068	59	E-GOB-102-008	78
E-CMD-001-001	50	E-CMD-001-069	59	E-GOB-102-009	78
E-CMD-001-002	50	E-CMD-001-070	59	E-GOB-102-010	78
E-CMD-001-003	50	E-CMD-001-071	59	E-GOB-102-011	78
E-CMD-001-004	50	E-CMD-001-072	59	E-GOB-102-012	79
E-CMD-001-005	50	E-CMD-001-073	60	E-GOB-102-013	79
E-CMD-001-006	50	E-CMD-001-074	60	E-GOB-102-014	79
E-CMD-001-007	51	E-CMD-001-075	60	E-GOB-102-015	79
E-CMD-001-008	51	E-CMD-001-076	60	E-GOB-102-016	79
E-CMD-001-009	51	E-CMD-001-077	60	E-GOB-102-017	79
E-CMD-001-010	51	E-CMD-001-078	60	E-GOB-102-018	80
E-CMD-001-011	51	E-CMD-001-079	60	E-GOB-102-019	80
E-CMD-001-012	51	E-CMD-001-080	61	E-GOB-102-020	80
E-CMD-001-013	51	E-DBI-001-001	61	E-GOB-102-021	80
E-CMD-001-014	52	E-DBI-002-001	61	E-GOB-102-022	80
E-CMD-001-015	52	E-DBI-002-002	61	E-GOB-102-023	80
E-CMD-001-016	52	E-DBI-002-003	61	E-GOB-102-024	81
E-CMD-001-017	52	E-DBI-002-004	61	E-GOB-102-025	81
E-CMD-001-018	52	E-DBI-002-005	61	E-GOB-102-035	81
E-CMD-001-019	52	E-DBI-002-008	62	E-GOB-102-036	81
E-CMD-001-020	52	E-DBI-002-028	62	E-GOB-102-037	81
E-CMD-001-021	52	E-DBI-002-029	62	E-GOB-102-038	81
E-CMD-001-022	53	E-DBI-002-030	62	E-GOB-102-039	82
E-CMD-001-023	53	E-DBI-002-031	62	E-GOB-102-040	82
E-CMD-001-024	53	E-DBI-002-032	62	E-GOB-102-041	82
E-CMD-001-025	53	E-DBI-002-033	62	E-GOB-102-042	82
E-CMD-001-026	53	E-ETC-003-012	67	E-GOB-102-043	82
E-CMD-001-027	53	E-ETC-003-013	67	E-GOB-102-044	82
E-CMD-001-028	53	E-ETC-003-014	67	E-GOB-102-049	83
E-CMD-001-029	54	E-ETC-003-015	67	E-GOB-102-050	83
E-CMD-001-030	54	E-ETC-003-016	67	E-GOB-102-051	83
E-CMD-001-031	54	E-ETC-004-001	67	E-GOB-102-052	83
E-CMD-001-032	54	E-ETC-004-002	68	E-GOB-102-053	83
E-CMD-001-033	54	E-ETC-004-008	68	E-GOB-102-054	83
E-CMD-001-034	54	E-ETC-102-002	68	E-GOB-102-055	84
E-CMD-001-035	54	E-ETC-102-003	68	E-GOB-102-057	84
E-CMD-001-036	55	E-ETC-102-004	68	E-GOB-102-059	85
E-CMD-001-037	55	E-ETC-102-005	68	E-GOB-102-060	85
E-CMD-001-038	55	E-ETC-102-006	68	E-GOB-102-061	85
E-CMD-001-039	55	E-ETC-102-007	69	E-GOB-102-063	85
E-CMD-001-040	55	E-ETC-102-008	69	E-GOB-102-064	85
E-CMD-001-041	55	E-ETC-102-009	69	E-GOB-102-066	85
E-CMD-001-042	55	E-ETC-102-010	69	E-GOB-102-067	86
E-CMD-001-043	56	E-ETC-102-011	69	E-GOB-102-073	86
E-CMD-001-044	56	E-ETC-102-021	69	E-GOB-102-075	86
E-CMD-001-045	56	E-ETC-102-022	69	E-GOB-102-076	86
E-CMD-001-046	56	E-ETC-102-023	70	E-GOB-102-077	86
E-CMD-001-047	56	E-ETC-102-024	70	E-GOB-102-078	86
E-CMD-001-049	56	E-ETC-102-025	70	E-GOB-102-079	87
E-CMD-001-050	56	E-ETC-102-026	70	E-GOB-102-080	87
E-CMD-001-051	56	E-ETC-102-027	70	E-GOB-102-081	87
E-CMD-001-052	57	E-ETC-102-028	70	E-GOB-102-082	87
E-CMD-001-053	57	E-ETC-102-029	70	E-GOB-102-083	87
E-CMD-001-054	57	E-ETC-102-030	71	E-GOB-102-084	87
E-CMD-001-055	57	E-ETC-102-031	71	E-GOB-102-085	88
E-CMD-001-056	57	E-ETC-102-032	71	E-GOB-102-086	88
E-CMD-001-057	57	E-ETC-102-033	71	E-GOB-102-087	88
E-CMD-001-058	57	E-ETC-102-034	71	E-GOB-102-088	88
E-CMD-001-059	58	E-ETC-102-035	71	E-GOB-102-089	88
E-CMD-001-060	58	E-ETC-102-036	71	E-GOB-102-090	88
E-CMD-001-061	58	E-GOB-102-001	77	E-GOB-102-091	89

E-GOB-102-092	89	E-GOB-102-164	100	E-GOB-102-235	112
E-GOB-102-093	89	E-GOB-102-165	100	E-GOB-102-236	112
E-GOB-102-094	89	E-GOB-102-166	100	E-GOB-102-237	112
E-GOB-102-095	89	E-GOB-102-167	100	E-GOB-102-238	112
E-GOB-102-096	89	E-GOB-102-168	101	E-GOB-102-239	112
E-GOB-102-097	90	E-GOB-102-169	101	E-GOB-102-240	112
E-GOB-102-099	90	E-GOB-102-170	101	E-GOB-102-241	113
E-GOB-102-100	90	E-GOB-102-171	101	E-GOB-102-242	113
E-GOB-102-101	90	E-GOB-102-172	101	E-GOB-102-243	113
E-GOB-102-102	90	E-GOB-102-173	101	E-GOB-102-244	113
E-GOB-102-103	90	E-GOB-102-174	102	E-GOB-102-245	113
E-GOB-102-104	91	E-GOB-102-175	102	E-GOB-102-246	113
E-GOB-102-105	91	E-GOB-102-176	102	E-GOB-102-247	114
E-GOB-102-106	91	E-GOB-102-177	102	E-GOB-102-249	114
E-GOB-102-107	91	E-GOB-102-178	102	E-GOB-102-250	114
E-GOB-102-108	91	E-GOB-102-179	103	E-GOB-102-251	114
E-GOB-102-109	91	E-GOB-102-180	103	E-GOB-102-252	114
E-GOB-102-110	92	E-GOB-102-181	103	E-GOB-102-253	114
E-GOB-102-111	92	E-GOB-102-183	103	E-GOB-102-254	115
E-GOB-102-112	92	E-GOB-102-184	103	E-GOB-102-255	115
E-GOB-102-113	92	E-GOB-102-185	103	E-GOB-102-256	115
E-GOB-102-116	92	E-GOB-102-186	104	E-GOB-102-257	115
E-GOB-102-117	92	E-GOB-102-187	104	E-GOB-102-258	115
E-GOB-102-118	93	E-GOB-102-188	104	E-GOB-102-259	115
E-GOB-102-119	93	E-GOB-102-189	104	E-GOB-104-211	108
E-GOB-102-120	93	E-GOB-102-190	104	E-GOB-104-212	108
E-GOB-102-121	93	E-GOB-102-191	104	E-GTK-102-004	122
E-GOB-102-122	93	E-GOB-102-192	105	E-GTK-102-005	122
E-GOB-102-124	93	E-GOB-102-193	105	E-GTK-102-006	122
E-GOB-102-125	94	E-GOB-102-194	105	E-GTK-102-007	122
E-GOB-102-126	94	E-GOB-102-195	105	E-GTK-102-008	122
E-GOB-102-127	94	E-GOB-102-196	105	E-GTK-102-009	122
E-GOB-102-128	94	E-GOB-102-197	105	E-GTK-102-010	123
E-GOB-102-129	94	E-GOB-102-198	106	E-GTK-102-011	123
E-GOB-102-130	94	E-GOB-102-199	106	E-GTK-102-012	123
E-GOB-102-131	95	E-GOB-102-200	106	E-GTK-102-013	123
E-GOB-102-132	95	E-GOB-102-201	106	E-GTK-102-014	123
E-GOB-102-133	95	E-GOB-102-202	106	E-GTK-102-015	123
E-GOB-102-134	95	E-GOB-102-203	106	E-GTK-102-016	124
E-GOB-102-135	95	E-GOB-102-204	107	E-GTK-102-017	124
E-GOB-102-136	95	E-GOB-102-205	107	E-GTK-102-018	124
E-GOB-102-137	96	E-GOB-102-206	107	E-GTK-102-019	124
E-GOB-102-138	96	E-GOB-102-207	107	E-GTK-102-020	124
E-GOB-102-140	96	E-GOB-102-208	107	E-GTK-102-021	124
E-GOB-102-141	96	E-GOB-102-209	107	E-GTK-102-029	125
E-GOB-102-142	96	E-GOB-102-213	108	E-GTK-102-030	125
E-GOB-102-143	96	E-GOB-102-214	108	E-GTK-102-032	125
E-GOB-102-144	97	E-GOB-102-215	108	E-GTK-102-033	125
E-GOB-102-145	97	E-GOB-102-216	108	E-GTK-102-035	125
E-GOB-102-146	97	E-GOB-102-217	109	E-GTK-102-036	125
E-GOB-102-147	97	E-GOB-102-218	109	E-GTK-102-038	126
E-GOB-102-148	97	E-GOB-102-219	109	E-GTK-102-039	126
E-GOB-102-149	97	E-GOB-102-220	109	E-GTK-102-041	126
E-GOB-102-150	98	E-GOB-102-221	109	E-GTK-102-042	126
E-GOB-102-151	98	E-GOB-102-222	109	E-GTK-102-044	126
E-GOB-102-152	98	E-GOB-102-223	110	E-GTK-102-045	126
E-GOB-102-153	98	E-GOB-102-224	110	E-GTK-102-047	127
E-GOB-102-154	98	E-GOB-102-225	110	E-GTK-102-048	127
E-GOB-102-155	98	E-GOB-102-226	110	E-GTK-102-050	127
E-GOB-102-156	99	E-GOB-102-227	110	E-GTK-102-051	127
E-GOB-102-157	99	E-GOB-102-228	110	E-GTK-102-052	127
E-GOB-102-158	99	E-GOB-102-229	111	E-GTK-102-053	127
E-GOB-102-159	99	E-GOB-102-230	111	E-GTK-102-054	128
E-GOB-102-160	99	E-GOB-102-231	111	E-GTK-102-055	128
E-GOB-102-161	99	E-GOB-102-232	111	E-GTK-102-056	128
E-GOB-102-162	100	E-GOB-102-233	111	E-GTK-102-057	128
E-GOB-102-163	100	E-GOB-102-234	111	E-GTK-102-058	128

E-GTK-102-059	128	E-GTK-102-131	140	E-GTK-102-211	151
E-GTK-102-060	129	E-GTK-102-132	140	E-GTK-102-212	151
E-GTK-102-061	129	E-GTK-102-133	140	E-GTK-102-213	151
E-GTK-102-062	129	E-GTK-102-134	140	E-GTK-102-214	151
E-GTK-102-063	129	E-GTK-102-135	140	E-GTK-102-215	151
E-GTK-102-064	129	E-GTK-102-136	140	E-GTK-102-216	151
E-GTK-102-065	129	E-GTK-102-138	140	E-GTK-102-217	152
E-GTK-102-066	130	E-GTK-102-142	141	E-GTK-102-218	152
E-GTK-102-067	130	E-GTK-102-143	141	E-GTK-102-219	152
E-GTK-102-068	130	E-GTK-102-144	141	E-GTK-102-220	152
E-GTK-102-069	130	E-GTK-102-145	141	E-GTK-102-221	152
E-GTK-102-070	130	E-GTK-102-146	141	E-GTK-102-222	152
E-GTK-102-071	130	E-GTK-102-147	141	E-GTK-102-223	153
E-GTK-102-072	131	E-GTK-102-148	142	E-GTK-102-224	153
E-GTK-102-073	131	E-GTK-102-149	142	E-GTK-102-225	153
E-GTK-102-074	131	E-GTK-102-150	142	E-GTK-102-226	153
E-GTK-102-075	131	E-GTK-102-151	142	E-GTK-102-227	153
E-GTK-102-078	131	E-GTK-102-152	142	E-GTK-102-228	153
E-GTK-102-079	131	E-GTK-102-153	142	E-GTK-102-229	153
E-GTK-102-081	132	E-GTK-102-154	143	E-GTK-102-230	154
E-GTK-102-082	132	E-GTK-102-155	143	E-GTK-102-231	154
E-GTK-102-083	132	E-GTK-102-156	143	E-GTK-102-232	154
E-GTK-102-084	132	E-GTK-102-157	143	E-GTK-102-233	154
E-GTK-102-085	132	E-GTK-102-158	143	E-GTK-102-234	154
E-GTK-102-086	132	E-GTK-102-159	143	E-GTK-102-235	154
E-GTK-102-087	133	E-GTK-102-160	144	E-GTK-102-237	155
E-GTK-102-088	133	E-GTK-102-161	144	E-GTK-102-240	155
E-GTK-102-089	133	E-GTK-102-162	144	E-GTK-102-241	155
E-GTK-102-090	133	E-GTK-102-163	144	E-GTK-102-242	155
E-GTK-102-091	133	E-GTK-102-164	144	E-GTK-102-243	155
E-GTK-102-092	133	E-GTK-102-165	144	E-GTK-102-244	155
E-GTK-102-093	134	E-GTK-102-166	145	E-GTK-102-245	156
E-GTK-102-094	134	E-GTK-102-167	145	E-GTK-102-246	156
E-GTK-102-095	134	E-GTK-102-168	145	E-GTK-102-247	156
E-GTK-102-096	134	E-GTK-102-169	145	E-GTK-102-248	156
E-GTK-102-097	134	E-GTK-102-170	145	E-GTK-102-249	156
E-GTK-102-098	134	E-GTK-102-171	145	E-GTK-102-250	156
E-GTK-102-099	135	E-GTK-102-172	146	E-GTK-102-252	157
E-GTK-102-100	135	E-GTK-102-173	146	E-GTK-102-254	157
E-GTK-102-102	135	E-GTK-102-180	146	E-GTK-102-255	157
E-GTK-102-103	135	E-GTK-102-181	146	E-GTK-102-256	157
E-GTK-102-104	135	E-GTK-102-182	146	E-GTK-102-257	157
E-GTK-102-105	135	E-GTK-102-183	146	E-GTK-102-258	157
E-GTK-102-106	136	E-GTK-102-184	147	E-GTK-102-259	158
E-GTK-102-107	136	E-GTK-102-185	147	E-GTK-102-260	158
E-GTK-102-108	136	E-GTK-102-188	147	E-GTK-102-261	158
E-GTK-102-109	136	E-GTK-102-190	147	E-GTK-102-262	158
E-GTK-102-110	136	E-GTK-102-191	147	E-GTK-102-264	158
E-GTK-102-111	136	E-GTK-102-192	147	E-GTK-102-266	158
E-GTK-102-113	137	E-GTK-102-193	148	E-GTK-102-267	158
E-GTK-102-114	137	E-GTK-102-194	148	E-GTK-102-268	159
E-GTK-102-115	137	E-GTK-102-195	148	E-GTK-102-269	159
E-GTK-102-116	137	E-GTK-102-196	148	E-GTK-102-270	159
E-GTK-102-117	137	E-GTK-102-197	148	E-GTK-102-271	159
E-GTK-102-118	137	E-GTK-102-198	148	E-GTK-102-272	159
E-GTK-102-119	138	E-GTK-102-199	149	E-GTK-102-273	159
E-GTK-102-120	138	E-GTK-102-200	149	E-GTK-102-274	160
E-GTK-102-121	138	E-GTK-102-201	149	E-GTK-102-275	160
E-GTK-102-122	138	E-GTK-102-202	149	E-GTK-102-276	160
E-GTK-102-123	138	E-GTK-102-203	149	E-GTK-102-277	160
E-GTK-102-124	138	E-GTK-102-204	149	E-GTK-102-278	160
E-GTK-102-125	139	E-GTK-102-205	150	E-GTK-102-279	160
E-GTK-102-126	139	E-GTK-102-206	150	E-GTK-102-280	161
E-GTK-102-127	139	E-GTK-102-207	150	E-GTK-102-281	161
E-GTK-102-128	139	E-GTK-102-208	150	E-GTK-102-282	161
E-GTK-102-129	139	E-GTK-102-209	150	E-GTK-102-283	161
E-GTK-102-130	139	E-GTK-102-210	150	E-GTK-102-284	161

E-GTK-102-285	161	E-IDS-102-033	181	E-IVM-002-002	194
E-GTK-102-286	162	E-IDS-102-034	181	E-IVM-002-006	195
E-GTK-102-287	163	E-IDS-102-035	181	E-IVM-002-007	195
E-GTK-102-288	164	E-IDS-102-036	181	E-IVM-002-008	195
E-HTT-102-001	166	E-IDS-102-037	181	E-IVM-002-009	195
E-HTT-102-003	166	E-IDS-102-038	181	E-IVM-002-010	195
E-HTT-102-005	166	E-IDS-102-039	181	E-IVM-002-011	195
E-IDC-102-001	170	E-IDS-102-040	182	E-IVM-002-015	195
E-IDC-102-002	170	E-IDS-102-041	182	E-IVM-002-016	196
E-IDC-102-003	170	E-IDS-102-042	182	E-IVM-002-017	196
E-IDC-102-004	170	E-IDS-102-043	182	E-IVM-002-018	196
E-IDC-102-005	170	E-IDS-102-044	182	E-IVM-002-019	196
E-IDC-102-006	171	E-IDS-102-045	182	E-IVM-002-020	196
E-IDC-102-007	171	E-IDS-102-046	183	E-IVM-002-021	196
E-IDC-102-008	171	E-IDS-102-047	183	E-IVM-002-022	196
E-IDC-102-009	171	E-IDS-102-048	183	E-IVM-002-024	197
E-IDC-102-010	171	E-IDS-102-049	183	E-IVM-002-025	197
E-IDC-102-011	171	E-IDS-102-050	183	E-IVM-002-026	197
E-IDC-102-012	171	E-IDS-102-051	183	E-IVM-002-027	197
E-IDC-102-013	172	E-IDS-102-052	184	E-IVM-002-028	197
E-IDC-102-014	172	E-IDS-102-053	184	E-IVM-002-029	197
E-IDC-102-015	172	E-IDS-102-054	184	E-IVM-002-036	197
E-IDC-102-016	172	E-IDS-102-055	184	E-IVM-002-037	198
E-IDC-102-017	172	E-IDS-102-056	184	E-IVM-002-038	198
E-IDC-102-018	172	E-IDS-102-057	184	E-IVM-002-042	198
E-IDC-102-019	173	E-IDS-102-058	185	E-IVM-002-043	198
E-IDC-102-020	173	E-IDS-102-059	185	E-IVM-002-044	198
E-IDC-102-021	173	E-IDS-102-060	185	E-IVM-003-006	198
E-IDC-102-022	173	E-IDS-102-061	185	E-IVM-003-011	198
E-IDC-102-023	173	E-IDS-102-062	185	E-IVM-003-012	199
E-IDC-102-024	173	E-IDS-102-063	185	E-IVM-003-013	199
E-IDC-102-025	174	E-IDS-102-064	186	E-IVM-003-014	199
E-IDC-102-026	174	E-IDS-102-065	186	E-IVM-003-019	199
E-IDC-102-027	174	E-IDS-110-001	186	E-IVM-003-020	199
E-IDC-102-028	174	E-IDS-110-002	186	E-IVM-003-021	199
E-IDC-102-029	174	E-IPC-001-001	187	E-IVM-004-003	200
E-IDC-102-030	174	E-IPC-002-001	187	E-IVM-004-005	200
E-IDS-102-001	176	E-IPC-002-002	187	E-IVM-004-006	200
E-IDS-102-002	176	E-IPC-002-003	187	E-IVM-004-007	200
E-IDS-102-003	176	E-IPC-002-004	187	E-IVM-004-014	200
E-IDS-102-004	176	E-IPC-002-005	187	E-IVM-005-001	200
E-IDS-102-005	176	E-IPC-002-006	188	E-IVM-005-002	201
E-IDS-102-006	176	E-IPC-002-007	188	E-IVM-007-001	202
E-IDS-102-007	177	E-IPC-003-001	188	E-IVM-007-002	202
E-IDS-102-008	177	E-IPC-003-002	188	E-IVM-051-001	202
E-IDS-102-009	177	E-IPC-003-003	188	E-IVM-051-002	202
E-IDS-102-010	177	E-IPC-003-004	188	E-IVM-051-003	202
E-IDS-102-011	177	E-IPC-003-005	188	E-IVM-051-004	202
E-IDS-102-012	177	E-IPC-003-006	188	E-IVM-051-005	202
E-IDS-102-013	178	E-IPC-004-001	189	E-IVM-051-006	203
E-IDS-102-015	178	E-IPC-005-001	189	E-IVM-051-007	203
E-IDS-102-016	178	E-IPC-005-002	189	E-IVM-051-008	203
E-IDS-102-017	178	E-IPC-005-003	189	E-IVM-051-009	203
E-IDS-102-018	178	E-IPC-005-004	189	E-IVM-051-010	203
E-IDS-102-019	178	E-IPC-005-005	189	E-IVM-051-011	203
E-IDS-102-020	179	E-IPC-005-006	189	E-IVM-051-013	203
E-IDS-102-021	179	E-IPC-099-001	189	E-IVM-052-001	204
E-IDS-102-022	179	E-IPC-099-002	190	E-IVM-052-002	204
E-IDS-102-023	179	E-IPC-099-003	191	E-IVM-052-003	204
E-IDS-102-024	179	E-IPC-099-004	192	E-IVM-053-009	204
E-IDS-102-025	179	E-IPC-099-005	193	E-IVM-053-010	204
E-IDS-102-026	180	E-IPC-099-006	194	E-IVM-053-011	204
E-IDS-102-027	180	E-IVM-001-001	194	E-IVM-053-012	204
E-IDS-102-028	180	E-IVM-001-002	194	E-IVM-053-013	205
E-IDS-102-029	180	E-IVM-001-003	194	E-IVM-053-014	205
E-IDS-102-031	180	E-IVM-001-004	194	E-IVM-053-015	205
E-IDS-102-032	180	E-IVM-001-005	194	E-IVM-053-016	205

E-IVM-053-017	205	E-NHT-102-056	222	E-OBX-001-007	244
E-IVM-053-018	205	E-NHT-102-057	222	E-OBX-001-008	244
E-IVM-054-001	205	E-NHT-102-058	222	E-OBX-001-009	244
E-IVM-054-002	206	E-NHT-102-059	222	E-OBX-001-010	244
E-IVM-102-002	206	E-NHT-102-060	222	E-OBX-001-011	244
E-MEM-001-001	208	E-NHT-102-061	222, 226	E-OBX-001-012	244
E-MEM-001-002	208	E-NHT-102-062	223, 226	E-OBX-001-013	244
E-MEM-001-003	208	E-NHT-102-063	223, 226	E-OBX-001-014	245
E-MEM-001-004	208	E-NHT-102-064	223, 226	E-OBX-001-015	245
E-MEM-001-005	208	E-NHT-102-065	223, 227	E-OBX-001-016	245
E-MEM-002-001	208	E-NHT-102-066	223, 227	E-OBX-001-017	245
E-MEM-002-002	209	E-NHT-102-067	223, 227	E-OBX-001-018	245
E-MEM-002-003	209	E-NHT-102-068	223, 227	E-OBX-102-004	245
E-MEM-002-004	209	E-NHT-102-069	224, 227	E-OBX-102-005	245
E-MEM-002-005	209	E-NHT-102-070	224, 227	E-OBX-102-006	246
E-MEM-002-006	209	E-NHT-102-071	224, 228	E-OBX-102-008	246
E-MEM-002-007	209	E-NHT-102-072	224, 228	E-OBX-102-009	246
E-NHT-102-001	212, 214	E-NHT-102-073	224, 228	E-OBX-102-010	246
E-NHT-102-002	212, 214	E-NHT-102-074	224, 228	E-OBX-102-011	246
E-NHT-102-003	212, 214	E-NHT-102-075	225, 228	E-OBX-102-012	246
E-NHT-102-004	212, 214	E-NHT-102-076	225, 228	E-OBX-102-013	246
E-NHT-102-005	212, 214	E-NHT-102-077	225, 229	E-OBX-102-014	247
E-NHT-102-006	213, 214	E-NHT-102-078	225, 229	E-OBX-102-016	247
E-NHT-102-007	213, 215	E-NHT-102-079	225, 229	E-OBX-102-017	247
E-NHT-102-008	213, 215	E-NHT-102-080	225, 229	E-OBX-102-018	247
E-NHT-102-009	213, 215	E-NHT-102-082	226, 229	E-OBX-102-019	248
E-NHT-102-012	213, 215	E-NHT-102-083	226	E-OBX-102-020	248
E-NHT-102-013	213	E-NHT-102-084	229	E-OBX-102-021	249
E-NHT-102-014	215	E-NHT-102-085	230	E-OBX-102-023	249
E-NHT-102-015	215	E-NHT-102-086	230	E-OBX-102-024	249
E-NHT-102-016	216	E-NHT-102-087	230	E-OBX-102-025	249
E-NHT-102-017	216	E-NHT-102-088	230	E-OBX-102-026	249
E-NHT-102-018	216	E-NHT-102-089	230	E-OBX-102-027	249
E-NHT-102-019	216	E-NHT-102-090	230	E-OBX-102-028	250
E-NHT-102-020	216	E-OAM-102-001	232	E-OBX-102-029	250
E-NHT-102-021	216	E-OAM-102-002	233	E-OBX-102-030	250
E-NHT-102-022	217	E-OAM-102-003	234	E-OBX-102-031	250
E-NHT-102-026	217	E-OAM-102-004	235	E-OBX-102-032	250
E-NHT-102-027	217	E-OBJ-102-001	235	E-OBX-102-033	250
E-NHT-102-028	217	E-OBJ-102-002	235	E-OBX-102-034	250
E-NHT-102-029	217	E-OBJ-102-003	235	E-OBX-102-035	251
E-NHT-102-030	217	E-OBJ-102-004	235	E-OBX-102-036	251
E-NHT-102-031	218	E-OBJ-102-005	235	E-OBX-102-037	251
E-NHT-102-032	218	E-OBJ-110-001	235	E-OBX-102-038	251
E-NHT-102-033	218	E-OBJ-110-002	236	E-OBX-102-039	251
E-NHT-102-034	218	E-OBJ-110-004	236	E-OBX-102-040	251
E-NHT-102-035	218	E-OBJ-110-005	236	E-OBX-102-041	251
E-NHT-102-036	218	E-OBJ-110-006	236	E-OBX-102-042	252
E-NHT-102-037	219	E-OBJ-110-007	236	E-OBX-102-043	252
E-NHT-102-038	219	E-OBJ-110-008	236	E-OBX-102-044	252
E-NHT-102-039	219	E-OBJ-110-009	236	E-OBX-102-045	252
E-NHT-102-040	219	E-OBJ-110-010	237	E-OBX-102-046	252
E-NHT-102-041	219	E-OBJ-110-011	237	E-OBX-102-047	252
E-NHT-102-042	219	E-OBJ-110-012	237	E-OBX-102-048	252
E-NHT-102-043	220	E-OBJ-110-013	237	E-OBX-102-049	253
E-NHT-102-044	220	E-OBJ-110-014	237	E-OBX-102-050	253
E-NHT-102-045	220	E-OBJ-110-015	237	E-OBX-102-051	253
E-NHT-102-046	220	E-OBJ-110-016	237	E-OBX-102-052	253
E-NHT-102-047	220	E-OBJ-110-017	238	E-OBX-102-053	253
E-NHT-102-048	220	E-OBJ-110-018	239	E-OBX-102-054	253
E-NHT-102-049	221	E-OBJ-110-021	240	E-OBX-102-055	253
E-NHT-102-050	221	E-OBX-001-001	243	E-OBX-102-056	254
E-NHT-102-051	221	E-OBX-001-002	243	E-OBX-102-057	254
E-NHT-102-052	221	E-OBX-001-003	243	E-OBX-102-058	254
E-NHT-102-053	221	E-OBX-001-004	243	E-OBX-102-059	254
E-NHT-102-054	221	E-OBX-001-005	243	E-OBX-102-060	254
E-NHT-102-055	222	E-OBX-001-006	243	E-OBX-102-061	254

E-RCL-102-005	297	E-RCO-102-046	311	E-RSE-102-015	331
E-RCL-102-006	298	E-RCO-102-047	311	E-RSE-102-016	331
E-RCL-102-007	298	E-RCO-102-048	311	E-RSE-102-017	331
E-RCL-102-008	298	E-RCO-102-049	312	E-RSE-102-018	331
E-RCL-102-009	298	E-RCO-102-050	312	E-RSE-102-019	331
E-RCL-102-010	298	E-RCO-102-051	312	E-RSE-102-020	331
E-RCL-102-011	298	E-RCO-102-052	312	E-RSE-102-021	332
E-RCL-102-012	299	E-RCO-102-053	312	E-RSE-102-022	332
E-RCL-102-014	299	E-RCO-102-054	312	E-RSE-102-023	332
E-RCL-102-015	299	E-RCO-102-055	313	E-RSE-102-024	332
E-RCL-102-016	299	E-RCO-102-056	313	E-RSE-102-025	332
E-RCL-102-017	299	E-RCO-102-057	313	E-RSE-102-026	332
E-RCL-102-018	299	E-RCO-102-059	313	E-RSE-102-027	332
E-RCL-102-019	300	E-RCO-102-060	313	E-RSE-102-028	333
E-RCL-102-020	300	E-RCO-102-061	313	E-RSE-102-029	333
E-RCL-102-021	300	E-RCO-102-062	314	E-RSE-102-030	333
E-RCL-102-022	300	E-RCO-102-063	314	E-RSE-102-031	333
E-RCL-102-024	300	E-RCO-102-064	314	E-RSE-102-032	333
E-RCL-102-025	300	E-RCO-102-065	314	E-RSE-102-033	333
E-RCL-102-026	301	E-RCO-102-066	314	E-RSE-102-034	334
E-RCL-102-027	302	E-RCO-102-067	314	E-RSE-102-035	334
E-RCL-102-028	303	E-RCO-102-068	315	E-RSE-102-036	334
E-RCL-102-059	304	E-RCO-102-069	315	E-RSE-102-037	334
E-RCO-102-001	304	E-RCO-102-070	315	E-RSE-102-038	334
E-RCO-102-002	304	E-RCO-102-071	315	E-RSE-102-039	334
E-RCO-102-003	304	E-RCO-102-072	315	E-RSE-102-040	335
E-RCO-102-004	304	E-RCO-102-073	315	E-RSE-102-041	335
E-RCO-102-005	304	E-RCO-102-074	316	E-RSE-102-042	335
E-RCO-102-006	305	E-RCO-102-075	316	E-RSE-102-043	335
E-RCO-102-007	305	E-RCO-102-076	316	E-RSE-102-044	335
E-RCO-102-008	305	E-RCO-102-077	316	E-RSE-102-045	335
E-RCO-102-009	305	E-RCO-102-078	316	E-RSE-102-046	336
E-RCO-102-010	305	E-REG-002-001	321	E-RSE-102-047	336
E-RCO-102-011	305	E-REG-002-021	321	E-RSE-102-048	336
E-RCO-102-012	306	E-REG-002-022	321	E-RSE-102-049	336
E-RCO-102-013	306	E-REG-002-023	321	E-RSE-102-050	336
E-RCO-102-014	306	E-REG-002-025	321	E-RSE-102-051	336
E-RCO-102-015	306	E-REG-002-029	322	E-RSE-102-052	337
E-RCO-102-016	306	E-REG-003-005	322	E-RSE-102-053	337
E-RCO-102-017	306	E-REG-003-006	322	E-RSE-102-054	337
E-RCO-102-018	307	E-REG-102-001	323	E-RSE-102-055	337
E-RCO-102-019	307	E-REG-102-002	323	E-RSE-102-056	337
E-RCO-102-020	307	E-REG-102-003	323	E-RSE-102-057	337
E-RCO-102-021	307	E-REG-102-004	323	E-RSE-102-058	338
E-RCO-102-022	307	E-REG-102-005	323	E-RSE-102-059	338
E-RCO-102-023	307	E-REG-102-006	323	E-RSE-102-060	338
E-RCO-102-024	308	E-REG-102-007	323	E-RSE-102-061	338
E-RCO-102-025	308	E-REG-102-008	324	E-RSE-102-062	338
E-RCO-102-026	308	E-REG-102-009	325	E-RSE-102-064	338
E-RCO-102-027	308	E-REG-102-010	326	E-RSE-102-065	339
E-RCO-102-028	308	E-REG-102-011	327	E-RSE-102-066	339
E-RCO-102-029	308	E-REG-102-012	328	E-RSE-102-067	339
E-RCO-102-030	309	E-REG-102-013	329	E-RSE-102-068	339
E-RCO-102-031	309	E-RSE-102-001	329	E-RSE-102-069	339
E-RCO-102-032	309	E-RSE-102-002	329	E-RSE-102-070	339
E-RCO-102-033	309	E-RSE-102-003	329	E-RSE-102-071	340
E-RCO-102-034	309	E-RSE-102-004	329	E-RSE-102-072	340
E-RCO-102-035	309	E-RSE-102-005	329	E-RSE-102-073	340
E-RCO-102-036	310	E-RSE-102-006	329	E-RSE-102-074	340
E-RCO-102-038	310	E-RSE-102-007	330	E-RSE-102-075	340
E-RCO-102-039	310	E-RSE-102-008	330	E-RSE-102-076	340
E-RCO-102-040	310	E-RSE-102-009	330	E-RSE-102-077	341
E-RCO-102-041	310	E-RSE-102-010	330	E-RSE-102-078	341
E-RCO-102-042	310	E-RSE-102-011	330	E-RSE-102-079	341
E-RCO-102-043	311	E-RSE-102-012	330	E-RSE-102-080	341
E-RCO-102-044	311	E-RSE-102-013	330	E-RSE-102-081	341
E-RCO-102-045	311	E-RSE-102-014	331	E-RSE-102-082	341

E-RSE-102-083 342
 E-RSE-102-084 342
 E-RSE-102-085 342
 E-RSE-102-086 342
 E-RSE-102-087 342
 E-RSE-102-088 342
 E-RSE-102-089 343
 E-RSE-102-090 343
 E-RSE-102-091 343
 E-RSE-102-092 343
 E-RSE-102-093 343
 E-RSE-102-094 343
 E-SEC-102-001 346
 E-SEC-102-002 346
 E-SEC-102-003 346
 E-SEC-102-004 346
 E-SEC-102-005 346
 E-SEC-102-006 346
 E-SEC-102-007 347
 E-SEC-102-008 347
 E-SEC-102-024 347
 E-SEC-102-025 347
 E-SEC-102-026 347
 E-SEC-102-027 347
 E-SEC-102-028 347
 E-SEC-102-029 348
 E-SEC-102-030 348
 E-SEC-102-031 348
 E-SEC-102-032 348
 E-SEC-102-033 348
 E-SEC-102-034 348
 E-SEC-102-035 348
 E-SEC-102-036 349
 E-SEC-102-037 349
 E-SEC-102-038 349
 E-SEC-102-040 349
 E-SEC-102-041 349
 E-SEC-102-042 349
 E-SEC-102-043 350
 E-SEC-104-009 350
 E-SEC-104-010 350
 E-SEC-104-011 350
 E-SEC-104-012 350
 E-SEC-104-017 350
 E-SEC-104-018 350
 E-SEC-104-039 351
 E-SEC-110-001 351
 E-SEC-110-002 351
 E-SEC-110-003 351
 E-SEC-110-004 351
 E-SEC-110-005 351
 E-SEC-110-006 351
 E-SEC-110-007 352
 E-SEC-110-008 352
 E-SEC-110-009 352
 E-SEC-110-010 352
 E-SEC-110-011 352
 E-SEC-110-012 352
 E-SEC-110-013 352
 E-SEC-110-014 353
 E-SEC-110-015 353
 E-SEC-110-016 353
 E-SEC-110-017 353
 E-SEC-110-018 353
 E-SEC-110-019 353
 E-SEC-110-020 353
 E-SEC-110-021 354

E-SEC-110-022 355
 E-SEC-110-023 356
 E-SEC-110-024 357
 E-SEC-110-025 358
 E-SEC-999-015 359
 E-STB-102-002 361
 E-STB-102-003 362
 E-STB-102-004 363
 E-STB-102-005 364
 E-STB-102-006 365
 E-STK-102-001 365
 E-STK-102-002 365
 E-STK-102-003 365
 E-STK-102-004 365
 E-STK-102-005 365
 E-STK-102-006 366
 E-STK-102-007 366
 E-STK-102-008 366
 E-STK-102-009 366
 E-STK-102-010 366
 E-STK-102-011 366
 E-STK-102-012 366
 E-STK-102-013 367
 E-STK-102-014 367
 E-STK-102-026 368
 E-STK-102-027 369
 E-STK-102-028 370
 E-STO-001-001 372
 E-STO-001-002 372
 E-STO-001-003 372
 E-STO-001-004 372
 E-STO-001-005 372
 E-STO-001-006 372
 E-STO-001-007 373
 E-STO-001-008 373
 E-STO-001-009 373
 E-STO-001-010 373
 E-STO-001-011 373
 E-STO-001-012 373
 E-STO-001-013 373
 E-STO-001-014 374
 E-STO-001-015 374
 E-STO-001-016 374
 E-STO-001-017 374
 E-STO-001-018 374
 E-STO-001-019 374
 E-STO-001-020 374
 E-STO-001-021 374
 E-STO-001-022 375
 E-STO-001-023 375
 E-STO-001-024 375
 E-STO-001-025 375
 E-STO-001-026 375
 E-STO-001-027 375
 E-STO-001-028 375
 E-STO-001-029 376
 E-STO-001-030 376
 E-STO-001-031 376
 E-STO-001-032 376
 E-STO-001-033 376
 E-STO-001-034 376
 E-STO-001-035 376
 E-STO-001-036 376
 E-STO-001-037 377
 E-STO-001-038 377
 E-STO-001-039 377
 E-STO-001-040 377

E-STO-001-041 377
 E-STO-001-042 377
 E-STO-001-043 377
 E-STO-001-044 378
 E-STO-001-045 378
 E-STO-001-046 378
 E-STO-001-047 378
 E-STO-001-048 378
 E-STO-001-049 378
 E-STO-001-050 378
 E-STO-001-051 379
 E-STO-001-052 379
 E-STO-001-053 379
 E-STO-001-054 379
 E-STO-001-055 379
 E-STO-001-056 379
 E-STO-001-057 379
 E-STO-001-058 380
 E-STO-001-059 380
 E-STO-001-060 380
 E-STO-001-061 380
 E-STO-001-062 380
 E-STO-001-063 380
 E-STO-001-064 380
 E-STO-102-001 381
 E-STO-102-002 381
 E-STO-102-003 381
 E-STO-102-004 381
 E-STO-102-005 381
 E-STO-102-007 381
 E-STO-102-008 381
 E-STO-102-009 382
 E-STO-102-010 382
 E-STO-102-011 382
 E-STO-102-012 382
 E-STO-102-013 382
 E-STO-102-014 382
 E-STO-102-016 383
 E-UNK-000-000 389
 education

see Tivoli technical training vii
 environment variables, notation viii

F

F-CHE-001-002 48
 F-CHE-001-003 49
 F-CHE-001-004 50
 F-DBI-002-004 63
 F-DBI-002-006 63
 F-DBI-002-007 63
 F-DBI-002-008 63
 F-DBI-002-009 63
 F-DBI-002-010 63
 F-DBI-002-011 63
 F-DBI-002-012 64
 F-DBI-002-013 64
 F-DBI-002-018 64
 F-DBI-002-019 64
 F-DBI-002-020 64
 F-DBI-002-021 64
 F-DBI-002-023 64
 F-DBI-002-034 65
 F-DBI-002-035 66
 F-HTT-102-001 166
 F-HTT-102-002 166
 F-HTT-102-003 166

F-HTT-102-004 167
 F-HTT-102-005 168
 F-HTT-102-006 169
 F-HTT-102-007 170
 F-IVM-005-001 206
 F-OBX-101-001 272
 F-OBX-101-003 272
 F-PRX-101-001 296
 F-STR-001-001 386
 F-STR-001-002 386
 F-STR-001-003 386
 F-STR-001-004 386
 F-STR-001-005 386
 F-STR-001-007 386
 F-STR-001-008 387
 F-UNK-000-000 390

H

HEMAR0001E 394
 HEMAR0002E 395
 HEMAR0003E 396
 HEMAR0004E 397
 HEMAR0005E 398
 HEMAW0000E 398
 HEMAW0001E 398
 HEMAW0002E 398
 HEMAW0003E 398
 HEMAW0004E 398
 HEMAW0005W 398
 HEMAW0006W 399
 HEMAW0007W 399
 HEMAW0008E 399
 HEMAW0009W 399
 HEMAW0010W 399
 HEMAW0011W 399
 HEMAW0012W 399
 HEMAW0013E 400
 HEMAW0014E 400
 HEMAW0015E 400
 HEMAW0016E 400
 HEMAW0017E 400
 HEMAW0018E 400
 HEMAW0019E 400
 HEMAW0020E 400
 HEMAW0021E 401
 HEMAW0022E 401
 HEMAW0023E 401
 HEMAW0024E 401
 HEMAW0025E 401
 HEMAW0026E 401
 HEMAW0027E 401
 HEMAW0028E 401
 HEMAW0029E 402
 HEMAW0030E 402
 HEMAW0031W 402
 HEMAW0032I 402
 HEMAW0033E 402
 HEMAW0034E 402
 HEMAW0035E 402
 HEMAW0036E 403
 HEMAW0037W 403
 HEMAW0038E 403
 HEMAW0039E 403
 HEMAW0040W 403
 HEMAW0041E 403
 HEMAW0042I 403

HEMAW0043W 404
 HEMAW0044E 404
 HEMAW0045W 404
 HEMAW0046E 404
 HEMAW0047E 404
 HEMAW0048E 404
 HEMAW0049E 404
 HEMAW0050E 405
 HEMAW0052E 405
 HEMAW0053E 405
 HEMAW0054E 405
 HEMAW0055E 405
 HEMAW0056W 405
 HEMAW0057W 405
 HEMAW0058E 406
 HEMAW0059W 406
 HEMAW0060E 406
 HEMAW0061W 406
 HEMAW0062E 406
 HEMAW0063W 406
 HEMAW0064W 406
 HEMAW0065W 407
 HEMAW0066E 407
 HEMAW0067W 407
 HEMAW0068E 407
 HEMAW0069E 407
 HEMAW0070E 407
 HEMAW0071E 407
 HEMAW0072E 408
 HEMAW0073E 408
 HEMAW0074E 408
 HEMAW0075E 408
 HEMAW0080E 408
 HEMAW0081E 408
 HEMAW0082E 408
 HEMAW0084E 409
 HEMAW0085E 409
 HEMAW0086E 409
 HEMAW0087E 409
 HEMAW0088E 409
 HEMAW0091E 409
 HEMAW0092E 409
 HEMAW0093E 410
 HEMAW0094E 410
 HEMAW0096E 410
 HEMAW0097E 410
 HEMAW0098E 410
 HEMAW0099I 410
 HEMAW0100I 410
 HEMAW0101W 411
 HEMAW0102E 411
 HEMAW0103E 411
 HEMAW0104E 411
 HEMAW0105E 411
 HEMAW0106I 411
 HEMAW0107E 411
 HEMAW0108E 412
 HEMAW0109E 412
 HEMAW0110E 412
 HEMAW0112E 412
 HEMAW0113I 412
 HEMAW0114E 412
 HEMAW0115E 412
 HEMAW0116E 413
 HEMAW0121A 413
 HEMAW0122A 413
 HEMAW0123A 413

HEMAW0124A 413
 HEMAW0125A 413
 HEMAW0126W 413
 HEMAW0127E 414
 HEMAW0128E 414
 HEMAW0129A 414
 HEMAW0130E 414
 HEMAW0131E 414
 HEMAW0132E 414
 HEMAW0133E 414
 HEMAW0134E 415
 HEMAW0135E 416
 HEMAW0136W 417
 HEMAW0137E 418
 HEMAW0138E 419
 HEMBT0000E 419
 HEMBT0001E 419
 HEMBT0002E 419
 HEMBT0003W 419
 HEMBT0004E 419
 HEMBT0005E 419
 HEMBT0006E 420
 HEMBT0007E 420
 HEMBT0008E 420
 HEMBT0009E 420
 HEMBT0010E 420
 HEMBT0011E 420
 HEMBT0012E 420
 HEMBT0013E 421
 HEMBT0014E 421
 HEMBT0016E 421
 HEMBT0017E 421
 HEMBT0018E 421
 HEMBT0019E 421
 HEMBT0020E 421
 HEMBT0021E 422
 HEMBT0022E 422
 HEMBT0023E 422
 HEMBT0024E 422
 HEMBT0025E 422
 HEMBT0026E 422
 HEMBT0027E 422
 HEMBT0028E 423
 HEMBT0029E 423
 HEMBT0031E 423
 HEMBT0032W 423
 HEMBT0033W 423
 HEMBT0034E 423
 HEMBT0035E 423
 HEMBT0036W 424
 HEMBT0037W 424
 HEMBT0040E 424
 HEMBT0041W 424
 HEMBT0042E 424
 HEMBT0043E 424
 HEMBT0044E 424
 HEMBT0045E 425
 HEMBT0047E 425
 HEMBT0048E 425
 HEMBT0050E 425
 HEMBT0051E 425
 HEMBT0052W 425
 HEMBT0053W 426
 HEMBT0054E 426
 HEMBT0055E 426
 HEMBT0056E 426
 HEMBT0057E 426

HEMBT0058E	426	HEMBT0128W	436	HEMBT0196A	446
HEMBT0059E	426	HEMBT0129E	436	HEMBT0197A	446
HEMBT0060E	427	HEMBT0130E	436	HEMBT0198A	446
HEMBT0061E	427	HEMBT0131E	436	HEMBT0199A	446
HEMBT0062W	427	HEMBT0132I	437	HEMBT0200A	446
HEMBT0063W	427	HEMBT0133I	437	HEMBT0201A	446
HEMBT0064W	427	HEMBT0134I	437	HEMBT0202A	447
HEMBT0065E	427	HEMBT0135I	437	HEMBT0203A	448
HEMBT0066E	428	HEMBT0136E	437	HEMBT0204A	449
HEMBT0067W	428	HEMBT0137W	437	HEMBT0205A	450
HEMBT0068W	428	HEMBT0138W	437	HEMBT0206A	451
HEMBT0069W	428	HEMBT0139E	438	HEMBT0207E	452
HEMBT0070W	428	HEMBT0140E	438	HEMDA0000E	452
HEMBT0071W	428	HEMBT0141E	438	HEMDA0001E	452
HEMBT0072W	428	HEMBT0142E	438	HEMDA0002E	452
HEMBT0073E	429	HEMBT0143E	438	HEMDA0003E	452
HEMBT0074E	429	HEMBT0144E	438	HEMDA0004E	452
HEMBT0075E	429	HEMBT0145E	438	HEMDA0005E	452
HEMBT0076E	429	HEMBT0146E	439	HEMDA0006E	453
HEMBT0077E	429	HEMBT0147E	439	HEMDA0007E	453
HEMBT0078E	429	HEMBT0148E	439	HEMDA0008E	453
HEMBT0079E	429	HEMBT0149E	439	HEMDA0009E	453
HEMBT0080E	430	HEMBT0150W	439	HEMDA0010E	453
HEMBT0081E	430	HEMBT0151W	439	HEMDA0011E	453
HEMBT0082E	430	HEMBT0152W	439	HEMDA0012E	453
HEMBT0083E	430	HEMBT0153W	440	HEMDA0013E	454
HEMBT0084E	430	HEMBT0154E	440	HEMDA0014E	454
HEMBT0085E	430	HEMBT0155E	440	HEMDA0015E	454
HEMBT0086E	430	HEMBT0156E	440	HEMDA0016E	454
HEMBT0087E	431	HEMBT0157E	440	HEMDA0017E	454
HEMBT0088E	431	HEMBT0158E	440	HEMDA0018E	454
HEMBT0089E	431	HEMBT0159E	440	HEMDA0019E	454
HEMBT0090E	431	HEMBT0160E	440	HEMDA0020E	455
HEMBT0091E	431	HEMBT0161E	441	HEMDA0021E	455
HEMBT0092E	431	HEMBT0162E	441	HEMDA0022E	455
HEMBT0093E	431	HEMBT0163E	441	HEMDA0023E	455
HEMBT0094E	432	HEMBT0164I	441	HEMDA0024I	455
HEMBT0096E	432	HEMBT0165I	441	HEMDA0025I	455
HEMBT0097E	432	HEMBT0166I	441	HEMDA0026I	455
HEMBT0098E	432	HEMBT0167I	441	HEMDA0027I	456
HEMBT0099E	432	HEMBT0168E	442	HEMDA0028I	456
HEMBT0100E	432	HEMBT0169E	442	HEMDA0029I	456
HEMBT0101E	432	HEMBT0170E	442	HEMDA0030I	456
HEMBT0102E	433	HEMBT0171E	442	HEMDA0031I	456
HEMBT0103E	433	HEMBT0172E	442	HEMDA0032I	456
HEMBT0104E	433	HEMBT0173E	442	HEMDA0033I	456
HEMBT0105I	433	HEMBT0174I	442	HEMDA0034I	457
HEMBT0106I	433	HEMBT0175I	443	HEMDA0035I	457
HEMBT0107I	433	HEMBT0177E	443	HEMDA0036I	457
HEMBT0108I	433	HEMBT0178E	443	HEMDA0037E	457
HEMBT0109I	434	HEMBT0179E	443	HEMDA0038E	457
HEMBT0110I	434	HEMBT0180E	443	HEMDA0039E	457
HEMBT0113E	434	HEMBT0181E	443	HEMDA0040E	457
HEMBT0114W	434	HEMBT0182E	443	HEMDA0041E	458
HEMBT0115E	434	HEMBT0183W	444	HEMDA0042E	458
HEMBT0116W	434	HEMBT0184E	444	HEMDA0043E	458
HEMBT0117E	434	HEMBT0185E	444	HEMDA0044E	458
HEMBT0118E	435	HEMBT0186A	444	HEMDA0045E	458
HEMBT0119E	435	HEMBT0187A	444	HEMDA0046I	458
HEMBT0120E	435	HEMBT0188A	444	HEMDA0047I	458
HEMBT0121E	435	HEMBT0189A	444	HEMDA0048I	459
HEMBT0122W	435	HEMBT0190A	445	HEMDA0049I	459
HEMBT0123E	435	HEMBT0191A	445	HEMDA0050E	459
HEMBT0124W	435	HEMBT0192A	445	HEMDA0051E	459
HEMBT0125E	436	HEMBT0193W	445	HEMDA0052E	459
HEMBT0126E	436	HEMBT0194A	445	HEMDA0053E	459
HEMBT0127E	436	HEMBT0195A	445	HEMDA0054I	459

HEMDA0055I	459	HEMDA0126I	469	HEMDA0200W	479
HEMDA0056I	460	HEMDA0127I	469	HEMDA0201I	479
HEMDA0057I	460	HEMDA0128I	469	HEMDA0204I	479
HEMDA0058I	460	HEMDA0129E	469	HEMDA0205I	479
HEMDA0059I	460	HEMDA0131E	470	HEMDA0206I	479
HEMDA0060I	460	HEMDA0132E	470	HEMDA0208I	479
HEMDA0061I	460	HEMDA0133E	470	HEMDA0209E	479
HEMDA0062E	460	HEMDA0134E	470	HEMDA0210E	480
HEMDA0063E	461	HEMDA0136E	470	HEMDA0211E	480
HEMDA0064E	461	HEMDA0137W	470	HEMDA0212E	480
HEMDA0065E	461	HEMDA0138W	470	HEMDA0213E	480
HEMDA0066E	461	HEMDA0139I	471	HEMDA0216E	480
HEMDA0067E	461	HEMDA0140E	471	HEMDA0217E	480
HEMDA0068E	461	HEMDA0141I	471	HEMDA0218E	480
HEMDA0070I	461	HEMDA0142E	471	HEMDA0219E	481
HEMDA0071I	462	HEMDA0143E	471	HEMDA0220E	481
HEMDA0072I	462	HEMDA0144E	471	HEMDA0221E	481
HEMDA0073I	462	HEMDA0145E	471	HEMDA0222E	481
HEMDA0074E	462	HEMDA0146E	472	HEMDA0223E	481
HEMDA0075E	462	HEMDA0147E	472	HEMDA0225E	481
HEMDA0076E	462	HEMDA0149E	472	HEMDA0227E	481
HEMDA0077E	462	HEMDA0150E	472	HEMDA0228E	482
HEMDA0078E	463	HEMDA0151I	472	HEMDA0229E	482
HEMDA0079I	463	HEMDA0152I	472	HEMDA0230E	482
HEMDA0080I	463	HEMDA0153I	472	HEMDA0231E	482
HEMDA0081I	463	HEMDA0154E	473	HEMDA0232I	482
HEMDA0082I	463	HEMDA0155E	473	HEMDA0233I	482
HEMDA0083I	463	HEMDA0156E	473	HEMDA0234I	482
HEMDA0084I	463	HEMDA0157E	473	HEMDA0235I	483
HEMDA0085E	464	HEMDA0158E	473	HEMDA0236I	483
HEMDA0086E	464	HEMDA0159E	473	HEMDA0238E	492
HEMDA0087E	464	HEMDA0160E	473	HEMDA0238I	483
HEMDA0088E	464	HEMDA0161E	474	HEMDA0239E	483, 492
HEMDA0089E	464	HEMDA0162E	474	HEMDA0240E	483, 492
HEMDA0090E	464	HEMDA0163E	474	HEMDA0241E	483, 492
HEMDA0091E	464	HEMDA0164E	474	HEMDA0242E	483
HEMDA0092E	465	HEMDA0165E	474	HEMDA0243E	484
HEMDA0093E	465	HEMDA0166I	474	HEMDA0244E	484
HEMDA0094E	465	HEMDA0167I	474	HEMDA0245E	484
HEMDA0095I	465	HEMDA0168I	475	HEMDA0246I	484
HEMDA0096I	465	HEMDA0169I	475	HEMDA0247I	484
HEMDA0097I	465	HEMDA0170I	475	HEMDA0248I	484
HEMDA0099E	465	HEMDA0171I	475	HEMDA0249E	485
HEMDA0101E	466	HEMDA0172I	475	HEMDA0250E	485
HEMDA0102E	466	HEMDA0173I	475	HEMDA0251E	485
HEMDA0103I	466	HEMDA0174E	475	HEMDA0252E	485
HEMDA0104I	466	HEMDA0175E	476	HEMDA0253E	485
HEMDA0105I	466	HEMDA0176E	476	HEMDA0254I	485
HEMDA0106I	466	HEMDA0177E	476	HEMDA0255I	486
HEMDA0107E	466	HEMDA0178E	476	HEMDA0256W	486
HEMDA0108E	467	HEMDA0179E	476	HEMDA0257I	486
HEMDA0109E	467	HEMDA0180I	476	HEMDA0258W	486
HEMDA0110E	467	HEMDA0181E	476	HEMDA0259I	486
HEMDA0111E	467	HEMDA0182I	477	HEMDA0260I	487
HEMDA0113E	467	HEMDA0184E	477	HEMDA0261I	487
HEMDA0114I	467	HEMDA0185E	477	HEMDA0262I	487
HEMDA0115I	467	HEMDA0187I	477	HEMDA0263E	487
HEMDA0116I	468	HEMDA0188E	477	HEMDA0264E	487
HEMDA0117I	468	HEMDA0189E	477	HEMDA0265E	488
HEMDA0118E	468	HEMDA0192E	477	HEMDA0266E	488
HEMDA0119E	468	HEMDA0193E	478	HEMDA0267E	488
HEMDA0120E	468	HEMDA0194E	478	HEMDA0268E	488
HEMDA0121E	468	HEMDA0195E	478	HEMDA0269E	488
HEMDA0122E	468	HEMDA0196I	478	HEMDA0270W	488
HEMDA0123I	469	HEMDA0197E	478	HEMDA0271I	489
HEMDA0124I	469	HEMDA0198I	478	HEMDA0272E	489
HEMDA0125I	469	HEMDA0199I	478	HEMDA0273E	489

HEMDA0274E	489	HEMDP0066E	501	HEMDP0144E	512
HEMDA0275E	489	HEMDP0067E	502	HEMDP0145E	513
HEMDA0276E	489	HEMDP0068W	502	HEMDP0146E	513
HEMDA0277E	489	HEMDP0069I	502	HEMDP0147E	513
HEMDA0278E	490	HEMDP0070I	502	HEMDP0148E	513
HEMDA0279E	490	HEMDP0071W	502	HEMDP0149E	513
HEMDA0280E	490	HEMDP0072W	502	HEMDP0150E	513
HEMDA0281E	490	HEMDP0073I	503	HEMDP0151E	514
HEMDA0282E	490	HEMDP0074I	503	HEMDP0152E	514
HEMDA0283E	490	HEMDP0075I	503	HEMDP0153E	514
HEMDA0284E	490	HEMDP0076I	503	HEMDP0154E	514
HEMDA0285E	491	HEMDP0077I	503	HEMDP0155E	514
HEMDA0286W	492	HEMDP0078I	503	HEMDP0156E	514
HEMDP0001E	492	HEMDP0079A	503	HEMDP0157W	515
HEMDP0003I	493	HEMDP0079E	504	HEMDP0159W	515
HEMDP0004E	493	HEMDP0080A	504	HEMDP0160E	515
HEMDP0005E	493	HEMDP0081A	504	HEMDP0161W	515
HEMDP0006E	493	HEMDP0082A	504	HEMDP0162W	515
HEMDP0007I	493	HEMDP0083A	504	HEMDP0163W	515
HEMDP0008I	493	HEMDP0084A	504	HEMDP0164E	516
HEMDP0009I	494	HEMDP0090E	505	HEMDP0165E	516
HEMDP0010I	494	HEMDP0091E	505	HEMDP0166E	516
HEMDP0011E	494	HEMDP0092E	505	HEMDP0167W	516
HEMDP0012E	494	HEMDP0093I	505	HEMDP0169E	516
HEMDP0013E	494	HEMDP0094I	505	HEMDP0170W	516
HEMDP0014E	494	HEMDP0095I	505	HEMDP0171W	517
HEMDP0015E	495	HEMDP0096I	506	HEMDP0172W	517
HEMDP0016E	495	HEMDP0097E	506	HEMDP0173W	517
HEMDP0017E	495	HEMDP0098E	506	HEMDP0174W	517
HEMDP0018E	495	HEMDP0099E	506	HEMDP0175W	517
HEMDP0019E	495	HEMDP0100E	506	HEMDP0176W	517
HEMDP0020E	495	HEMDP0101E	506	HEMDP0177W	518
HEMDP0021E	496	HEMDP0102E	507	HEMDP0180A	518
HEMDP0022E	496	HEMDP0103A	507	HEMDP0181W	518
HEMDP0023E	496	HEMDP0104A	507	HEMDP0182W	518
HEMDP0024I	496	HEMDP0105W	507	HEMDP0183W	518
HEMDP0025E	496	HEMDP0106E	507	HEMDP0184W	518
HEMDP0026E	496	HEMDP0107E	507	HEMDP0185W	519
HEMDP0027E	497	HEMDP0108E	508	HEMDP0186A	519
HEMDP0028E	497	HEMDP0109E	508	HEMDP0187A	519
HEMDP0029E	497	HEMDP0110E	508	HEMDP0190E	519
HEMDP0030E	497	HEMDP0111E	508	HEMDP0191W	519
HEMDP0032E	497	HEMDP0112E	508	HEMDP0192W	519
HEMDP0035E	497	HEMDP0113E	508	HEMDP0193W	520
HEMDP0036E	498	HEMDP0115E	509	HEMDP0194W	520
HEMDP0037E	498	HEMDP0116E	509	HEMDP0195E	520
HEMDP0038I	498	HEMDP0117E	509	HEMDP0196W	520
HEMDP0039E	498	HEMDP0118E	509	HEMDP0200E	520
HEMDP0040E	498	HEMDP0119E	509	HEMDP0201E	520
HEMDP0042E	498	HEMDP0120E	509	HEMDP0202E	521
HEMDP0043E	499	HEMDP0121E	510	HEMDP0210E	521
HEMDP0044E	499	HEMDP0122I	510	HEMDP0211E	521
HEMDP0046I	499	HEMDP0123I	510	HEMDP0212E	521
HEMDP0047E	499	HEMDP0124E	510	HEMDP0213E	521
HEMDP0048E	499	HEMDP0125E	510	HEMDP0214E	521
HEMDP0049E	499	HEMDP0126W	510	HEMDP0215E	522
HEMDP0050E	500	HEMDP0130E	511	HEMDP0216E	522
HEMDP0051E	500	HEMDP0131E	511	HEMDP0217W	522
HEMDP0052E	500	HEMDP0135E	511	HEMDP0218W	522
HEMDP0053E	500	HEMDP0136E	511	HEMDP0220E	522
HEMDP0058E	500	HEMDP0137E	511	HEMDP0221E	522
HEMDP0059E	500	HEMDP0138E	511	HEMDP0222W	523
HEMDP0060E	501	HEMDP0139E	512	HEMDP0223E	523
HEMDP0061E	501	HEMDP0140E	512	HEMDP0224E	523
HEMDP0062E	501	HEMDP0141E	512	HEMDP0225E	523
HEMDP0063E	501	HEMDP0142E	512	HEMDP0226E	523
HEMDP0064E	501	HEMDP0143E	512	HEMDP0227E	523

HEMDP0228E	524	HEMEA0091A	538	HEMEE0036W	551
HEMDP0229E	524	HEMEA0092A	539	HEMEE0037W	551
HEMDP0230E	524	HEMEA0093A	540	HEMEE0038W	551
HEMDP0231W	524	HEMEA0094A	541	HEMEE0040E	551
HEMDP0232E	524	HEMEA0095A	542	HEMEE0041E	551
HEMDP0233W	524	HEMEC0000E	542	HEMEE0042E	551
HEMDP0234E	525	HEMEC0001E	542	HEMEE0043I	551
HEMDP0235E	526	HEMEC0003E	542	HEMEE0044W	552
HEMDP0236W	527	HEMEC0004I	542	HEMEE0045W	552
HEMDP0237W	528	HEMEC0005I	542	HEMEE0046E	552
HEMDP0242E	529	HEMEC0006I	542	HEMEE0047W	552
HEMDP0243E	530	HEMEC0007E	543	HEMEE0048I	552
HEMEA0000E	530	HEMEC0008E	543	HEMEE0049E	552
HEMEA0001E	530	HEMEC0009E	543	HEMEE0050I	552
HEMEA0002E	530	HEMEC0010I	543	HEMEE0051I	553
HEMEA0003I	530	HEMEC0011E	543	HEMEE0052I	553
HEMEA0004E	530	HEMEC0012I	543	HEMEE0053I	553
HEMEA0005I	530	HEMEC0013E	543	HEMEE0054I	553
HEMEA0007I	531	HEMEC0014I	544	HEMEE0055E	553
HEMEA0008E	531	HEMEC0015E	544	HEMEE0056I	553
HEMEA0009E	531	HEMEC0016I	544	HEMEE0057I	553
HEMEA0010I	531	HEMEC0019E	544	HEMEE0058W	553
HEMEA0013I	531	HEMEC0020E	544	HEMEE0059E	554
HEMEA0014I	531	HEMEC0021E	544	HEMEE0060I	554
HEMEA0015I	531	HEMEC0022E	544	HEMEE0061E	554
HEMEA0016E	532	HEMEC0023E	545	HEMEE0062E	554
HEMEA0017E	532	HEMEC0024E	545	HEMEE0063E	554
HEMEA0018I	532	HEMEC0025E	545	HEMEE0064E	554
HEMEA0020I	532	HEMEC0026E	545	HEMEE0065E	554
HEMEA0021I	532	HEMEC0027E	545	HEMEE0066E	555
HEMEA0022E	532	HEMEC0028E	545	HEMEE0067W	555
HEMEA0023E	532	HEMEC0029E	545	HEMEE0068E	555
HEMEA0025I	533	HEMEC0030E	545	HEMEE0069I	555
HEMEA0026W	533	HEMEC0031E	546	HEMEE0070I	555
HEMEA0027E	533	HEMEC0032E	546	HEMEE0071E	555
HEMEA0029E	533	HEMEC0033E	546	HEMEE0072E	555
HEMEA0030E	533	HEMEC0034I	546	HEMEE0073E	556
HEMEA0033E	533	HEMEC0035W	546	HEMEE0074E	556
HEMEA0034W	533	HEMEC0036E	546	HEMEE0075E	556
HEMEA0035W	534	HEMEC0037E	547	HEMEE0076E	556
HEMEA0036I	534	HEMEE0000E	547	HEMEE0077E	556
HEMEA0043E	534	HEMEE0001E	547	HEMEE0078E	556
HEMEA0044E	534	HEMEE0005E	547	HEMEE0080E	556
HEMEA0045E	534	HEMEE0006E	547	HEMEE0081E	556
HEMEA0046E	534	HEMEE0007E	547	HEMEE0082E	557
HEMEA0047E	534	HEMEE0008E	547	HEMEE0083E	558
HEMEA0048E	535	HEMEE0009E	548	HEMEE0084E	559
HEMEA0049E	535	HEMEE0010E	548	HEMEE0085W	560
HEMEA0050E	535	HEMEE0017E	548	HEMEE0086E	561
HEMEA0051E	535	HEMEE0018E	548	HEMEH0001E	561
HEMEA0052E	535	HEMEE0019E	548	HEMEH0002E	561
HEMEA0053E	535	HEMEE0020E	548	HEMEH0003E	561
HEMEA0054E	535	HEMEE0021E	548	HEMEH0004E	561
HEMEA0055E	536	HEMEE0022I	549	HEMEH0005A	561
HEMEA0058E	536	HEMEE0023I	549	HEMEH0006A	561
HEMEA0062W	536	HEMEE0024E	549	HEMEH0007E	562
HEMEA0065E	536	HEMEE0025W	549	HEMEH0008W	563
HEMEA0066E	536	HEMEE0026W	549	HEMEH0009E	564
HEMEA0067I	536	HEMEE0027W	549	HEMEH0010E	565
HEMEA0068I	536	HEMEE0028E	549	HEMEH0011E	566
HEMEA0069I	537	HEMEE0029E	550	HEMEH0012E	567
HEMEA0070W	537	HEMEE0030E	550	HEMEM0000E	567
HEMEA0071E	537	HEMEE0031E	550	HEMEM0001W	567
HEMEA0072E	537	HEMEE0032E	550	HEMEM0002E	567
HEMEA0073W	537	HEMEE0033E	550	HEMEM0003W	567
HEMEA0080E	537	HEMEE0034E	550	HEMEM0005E	567
HEMEA0090A	537	HEMEE0035E	550	HEMEM0006E	567

HEMEM0007E	568	HEMES0004E	595	HEMEU0041I	607
HEMEM0008E	568	HEMES0005E	595	HEMEU0042E	607
HEMEM0009E	568	HEMES0006E	596	HEMEU0043E	608
HEMEM0010E	568	HEMES0007E	596	HEMEU0044E	608
HEMEM0011E	568	HEMES0008E	596	HEMEU0045E	608
HEMEM0012W	568	HEMES0009E	596	HEMEU0046E	608
HEMEM0013W	569	HEMES0010E	596	HEMEU0047W	608
HEMEM0014W	569	HEMES0011E	596	HEMEU0048W	608
HEMEM0015W	569	HEMES0012E	596	HEMEU0049E	608
HEMEM0016E	569	HEMES0013E	597	HEMEU0050W	609
HEMEM0017E	569	HEMES0014E	597	HEMEU0051A	610
HEMEM0018E	569	HEMES0015E	597	HEMEU0052A	611
HEMEM0019E	570	HEMES0016E	597	HEMFV0000E	611
HEMEM0020E	570	HEMES0017E	597	HEMFV0001E	611
HEMEM0021E	570	HEMES0018E	597	HEMFV0002E	611
HEMEM0022E	570	HEMES0019I	597	HEMFV0003E	611
HEMEM0023E	570	HEMES0020E	598	HEMFV0004E	611
HEMEM0024E	570	HEMES0021E	598	HEMFV0005W	611
HEMEM0025E	570	HEMES0022E	598	HEMFV0007E	612
HEMEM0026E	571	HEMES0023E	598	HEMFV0009E	612
HEMEM0027E	571	HEMES0024W	598	HEMFV0012E	612
HEMEM0028E	571	HEMES0025W	598	HEMFV0013E	612
HEMEM0029E	571	HEMES0048I	598	HEMFV0014I	612
HEMEM0030A	571	HEMES0050E	599	HEMFV0015I	612
HEMEM0031A	571	HEMES0051E	599	HEMFV0016E	612
HEMEM0032A	571	HEMES0052E	599	HEMFV0017E	613
HEMEM0033E	572	HEMES0053E	599	HEMFV0018I	613
HEMEN0000E	573	HEMES0054E	599	HEMFV0019E	613
HEMEN0001E	574	HEMES0055E	599	HEMFV0020I	613
HEMEN0002E	575	HEMES0056E	599	HEMFV0021I	613
HEMEN0003E	576	HEMES0057E	600	HEMFV0022E	613
HEMEN0004E	577	HEMES0058E	600	HEMFV0023E	613
HEMEN0005E	578	HEMES0059E	600	HEMFV0024E	614
HEMEO0000E	578	HEMES0060E	600	HEMFV0025E	614
HEMEO0001E	578	HEMES0061E	600	HEMFV0026E	614
HEMEO0002E	578	HEMES0062E	600	HEMFV0027W	614
HEMEO0003E	578	HEMES0063E	600	HEMFV0028E	614
HEMEO0004E	578	HEMES0064I	601	HEMFV0029E	614
HEMEO0005E	578	HEMES0065E	602	HEMFV0030I	614
HEMEO0006E	579	HEMES0070E	603	HEMFV0031W	615
HEMEO0007E	579	HEMES0071E	604	HEMFV0032W	615
HEMEO0008E	579	HEMEU0000I	604	HEMFV0033W	615
HEMEO0009E	579	HEMEU0001I	604	HEMFV0034W	615
HEMEO0010E	579	HEMEU0002W	604	HEMFV0035E	615
HEMEO0011E	579	HEMEU0003E	604	HEMFV0036I	615
HEMEO0012E	579	HEMEU0004E	604	HEMFV0037E	615
HEMEO0013E	579	HEMEU0005E	604	HEMFV0038E	616
HEMEO0014E	580	HEMEU0006E	605	HEMFV0039W	616
HEMEO0015E	581	HEMEU0007E	605	HEMFV0040I	616
HEMEO0016E	582	HEMEU0008E	605	HEMFV0041E	616
HEMEO0017E	583	HEMEU0012E	605	HEMFV0044E	616
HEMEO0018E	584	HEMEU0017E	605	HEMFV0046E	616
HEMEO0019E	585	HEMEU0018E	605	HEMFV0047E	616
HEMEO0020E	586	HEMEU0019E	605	HEMFV0050W	617
HEMEO0021E	587	HEMEU0020I	606	HEMFV0051E	617
HEMEP0000E	588	HEMEU0021I	606	HEMFV0052E	617
HEMEP0001E	589	HEMEU0022W	606	HEMFV0053E	617
HEMEP0002E	590	HEMEU0023E	606	HEMFV0054I	617
HEMEP0003E	591	HEMEU0024E	606	HEMFV0055E	617
HEMEP0004W	592	HEMEU0027E	606	HEMFV0060E	617
HEMEP0005W	593	HEMEU0028E	606	HEMFV0062E	618
HEMER0001I	594	HEMEU0029E	607	HEMFV0063I	618
HEMER0002I	595	HEMEU0030E	607	HEMFV0065I	618
HEMES0000E	595	HEMEU0031E	607	HEMFV0071E	618
HEMES0001E	595	HEMEU0032E	607	HEMFV0075E	618
HEMES0002I	595	HEMEU0033E	607	HEMFV0081E	618
HEMES0003W	595	HEMEU0039E	607	HEMFV0083E	618

HEMFV0084E	619	HEMFV0176A	628	HEMHA0024E	644
HEMFV0085E	619	HEMFV0177A	628	HEMHA0025E	645
HEMFV0086E	619	HEMFV0178A	628	HEMHA0026E	646
HEMFV0087E	619	HEMFV0179A	629	HEMHA0027E	647
HEMFV0092E	619	HEMFV0180A	629	HEMHA0030A	648
HEMFV0095E	619	HEMFV0181A	629	HEMHA0031A	649
HEMFV0099E	619	HEMFV0182A	629	HEMHA0032A	650
HEMFV0100E	620	HEMFV0183A	629	HEMHB0000E	650
HEMFV0101E	620	HEMFV0184A	629	HEMHB0001E	650
HEMFV0102E	620	HEMFV0185A	629	HEMHB0001W	650
HEMFV0103E	620	HEMFV0186A	630	HEMHB0003E	650
HEMFV0104E	620	HEMFV0187A	630	HEMHB0004E	650
HEMFV0105E	620	HEMFV0188A	630	HEMHB0005E	650
HEMFV0106E	620	HEMFV0189A	630	HEMHB0006E	651
HEMFV0108E	621	HEMFV0190A	630	HEMHB0007E	651
HEMFV0109W	621	HEMFV0191A	630	HEMHB0008E	651
HEMFV0111E	621	HEMFV0192A	630	HEMHB0009E	651
HEMFV0113W	621	HEMFV0193A	631	HEMHB0010E	651
HEMFV0114W	621	HEMFV0194A	631	HEMHB0011E	651
HEMFV0115W	621	HEMFV0195A	631	HEMHB0012E	651
HEMFV0117E	622	HEMFV0196A	631	HEMHB0013E	651
HEMFV0119E	622	HEMFV0197A	631	HEMHB0014E	652
HEMFV0120E	622	HEMFV0198A	631	HEMHB0015E	653
HEMFV0121E	622	HEMFV0199A	631	HEMHB0016E	654
HEMFV0122E	622	HEMFV0200A	632	HEMHB0017E	655
HEMFV0123E	622	HEMFV0201A	632	HEMIM0000E	655
HEMFV0124E	622	HEMFV0202A	632	HEMIM0001I	655
HEMFV0125E	623	HEMFV0203A	632	HEMIM0002W	655
HEMFV0126E	623	HEMFV0204A	632	HEMIM0003I	655
HEMFV0127E	623	HEMFV0205A	632	HEMIM0004E	655
HEMFV0128E	623	HEMFV0206A	632	HEMIM0005E	655
HEMFV0129E	623	HEMFV0207E	633	HEMIM0006E	656
HEMFV0130E	623	HEMFV0208A	633	HEMIM0007I	656
HEMFV0131E	623	HEMFV0208E	633	HEMIM0008W	656
HEMFV0134I	623	HEMFV0209A	633	HEMIM0009W	656
HEMFV0136E	624	HEMFV0210A	633	HEMIM0010E	656
HEMFV0138E	624	HEMFV0211A	633	HEMIM0011E	656
HEMFV0141E	624	HEMFV0212A	634	HEMIM0012E	656
HEMFV0143E	624	HEMFV0213A	635	HEMIM0013E	656
HEMFV0144E	624	HEMFV0214I	636	HEMIM0014E	657
HEMFV0145E	624	HEMFV0215E	637	HEMIM0015E	657
HEMFV0149I	624	HEMFV0216E	638	HEMIM0016E	657
HEMFV0150E	625	HEMFV0217E	639	HEMIM0017E	657
HEMFV0151E	625	HEMFV0218E	640	HEMIM0018E	657
HEMFV0152E	625	HEMHA0001E	640	HEMIM0019E	657
HEMFV0153E	625	HEMHA0002I	640	HEMIM0020E	657
HEMFV0155E	625	HEMHA0003E	640	HEMIM0021E	657
HEMFV0156E	625	HEMHA0004E	640	HEMIM0022E	658
HEMFV0157E	625	HEMHA0005E	640	HEMIM0023E	658
HEMFV0158E	626	HEMHA0006E	641	HEMIM0024I	658
HEMFV0159E	626	HEMHA0007E	641	HEMIM0025E	658
HEMFV0160E	626	HEMHA0008E	641	HEMIM0026W	658
HEMFV0161E	626	HEMHA0009W	641	HEMIM0027E	658
HEMFV0162E	626	HEMHA0010W	641	HEMIM0028E	658
HEMFV0163E	626	HEMHA0011W	641	HEMIM0029E	658
HEMFV0164E	626	HEMHA0012W	642	HEMIM0030E	659
HEMFV0165E	627	HEMHA0013W	642	HEMIM0031I	659
HEMFV0166E	627	HEMHA0014E	642	HEMIM0032W	659
HEMFV0167E	627	HEMHA0015E	642	HEMIM0033W	659
HEMFV0168E	627	HEMHA0016W	642	HEMIM0034E	659
HEMFV0169E	627	HEMHA0017E	642	HEMIM0035I	659
HEMFV0170E	627	HEMHA0018E	643	HEMIM0036E	659
HEMFV0171A	627	HEMHA0019E	643	HEMIM0037E	660
HEMFV0172A	628	HEMHA0020E	643	HEMIM0038E	660
HEMFV0173A	628	HEMHA0021E	643	HEMIM0039I	660
HEMFV0174A	628	HEMHA0022E	643	HEMIM0040W	660
HEMFV0175A	628	HEMHA0023E	643	HEMIM0041E	660

HEMIM0042E	660	HEMJS0019W	677	HEMJS0089E	686
HEMIM0044E	660	HEMJS0021E	678	HEMJS0090E	686
HEMIM0045E	660	HEMJS0022E	678	HEMJS0091E	686
HEMIM0046E	661	HEMJS0023E	678	HEMJS0092E	687
HEMIM0047E	661	HEMJS0024E	678	HEMJS0093E	687
HEMIM0048E	661	HEMJS0025E	678	HEMJS0094E	687
HEMIM0049E	661	HEMJS0027E	678	HEMJS0095W	687
HEMIM0050E	661	HEMJS0028E	678	HEMJS0096E	687
HEMIM0051E	661	HEMJS0029E	678	HEMJS0097E	687
HEMIM0052A	661	HEMJS0030E	679	HEMJS0098E	687
HEMIM0053A	662	HEMJS0031E	679	HEMJS0099I	687
HEMIM0054A	662	HEMJS0032E	679	HEMJS0100E	688
HEMIM0055A	662	HEMJS0033E	679	HEMJS0101E	688
HEMIM0056A	662	HEMJS0034E	679	HEMJS0102E	688
HEMIM0057A	662	HEMJS0035E	679	HEMJS0103E	688
HEMIM0058A	662	HEMJS0036E	679	HEMJS0104E	688
HEMIM0059A	663	HEMJS0037E	680	HEMJS0106E	688
HEMIM0060A	663	HEMJS0038E	680	HEMJS0107W	688
HEMIM0061A	663	HEMJS0039E	680	HEMJS0108E	689
HEMIM0062A	663	HEMJS0040W	680	HEMJS0109E	689
HEMIM0063A	663	HEMJS0041I	680	HEMJS0110I	689
HEMIM0064A	663	HEMJS0042E	680	HEMJS0111I	689
HEMIM0065A	664	HEMJS0043E	680	HEMJS0112W	689
HEMIM0066A	665	HEMJS0044E	680	HEMJS0113E	689
HEMIM0067A	666	HEMJS0045E	681	HEMJS0114E	689
HEMIM0068A	667	HEMJS0046E	681	HEMJS0115E	690
HEMIM0069A	668	HEMJS0047E	681	HEMJS0116E	690
HEMIP0000W	668	HEMJS0048E	681	HEMJS0117E	690
HEMIP0001E	669	HEMJS0049E	681	HEMJS0118E	690
HEMIP0002E	669	HEMJS0050E	681	HEMJS0119E	690
HEMIP0003E	669	HEMJS0051E	681	HEMJS0122E	690
HEMIP0004E	669	HEMJS0052E	681	HEMJS0123E	690
HEMIP0005E	669	HEMJS0053I	682	HEMJS0124E	690
HEMIP0006E	669	HEMJS0054W	682	HEMJS0125E	691
HEMIP0007E	669	HEMJS0055W	682	HEMJS0126E	691
HEMIP0008E	669	HEMJS0056I	682	HEMJS0127E	691
HEMIP0010E	670	HEMJS0057W	682	HEMJS0128E	691
HEMIP0011E	670	HEMJS0058I	682	HEMJS0129E	691
HEMIP0012E	670	HEMJS0059E	682	HEMJS0130E	691
HEMIP0013E	670	HEMJS0060E	682	HEMJS0131E	691
HEMIP0014E	670	HEMJS0061E	683	HEMJS0132E	692
HEMIP0015E	670	HEMJS0062E	683	HEMJS0133E	692
HEMIP0016E	670	HEMJS0063E	683	HEMJS0134E	692
HEMIP0017A	671	HEMJS0064I	683	HEMJS0136E	692
HEMIP0018E	672	HEMJS0065E	683	HEMJS0137E	692
HEMIP0019E	673	HEMJS0066E	683	HEMJS0138E	692
HEMIP0020E	674	HEMJS0067E	683	HEMJS0139E	692
HEMIP0021E	675	HEMJS0068E	684	HEMJS0140E	692
HEMJS0000E	675	HEMJS0069E	684	HEMJS0141E	693
HEMJS0001E	675	HEMJS0070E	684	HEMJS0142E	693
HEMJS0002E	675	HEMJS0071E	684	HEMJS0144I	693
HEMJS0003E	675	HEMJS0072I	684	HEMJS0145I	693
HEMJS0004E	675	HEMJS0073E	684	HEMJS0147E	693
HEMJS0005E	675	HEMJS0074E	684	HEMJS0148E	693
HEMJS0006E	676	HEMJS0075E	684	HEMJS0149E	693
HEMJS0007E	676	HEMJS0076E	685	HEMJS0150E	694
HEMJS0008E	676	HEMJS0077W	685	HEMJS0151E	694
HEMJS0009I	676	HEMJS0078W	685	HEMJS0152E	694
HEMJS0010E	676	HEMJS0079I	685	HEMJS0154E	694
HEMJS0011E	676	HEMJS0080E	685	HEMJS0156E	694
HEMJS0012E	676	HEMJS0081E	685	HEMJS0157E	694
HEMJS0013E	677	HEMJS0082E	685	HEMJS0158W	694
HEMJS0014E	677	HEMJS0083E	686	HEMJS0159E	695
HEMJS0015E	677	HEMJS0084E	686	HEMJS0160E	695
HEMJS0016E	677	HEMJS0085E	686	HEMJS0165E	695
HEMJS0017E	677	HEMJS0086E	686	HEMJS0166E	695
HEMJS0018E	677	HEMJS0088E	686	HEMJS0167E	695

HEMJS0168E	695	HEMJS0238E	704	HEMJS0308C	713
HEMJS0169E	695	HEMJS0239E	704	HEMJS0309C	714
HEMJS0170E	696	HEMJS0240E	704	HEMJS0310C	714
HEMJS0171E	696	HEMJS0241E	705	HEMJS0311C	714
HEMJS0173E	696	HEMJS0242E	705	HEMJS0312C	714
HEMJS0175E	696	HEMJS0243E	705	HEMJS0313C	714
HEMJS0176E	696	HEMJS0244E	705	HEMJS0314I	714
HEMJS0177I	696	HEMJS0245W	705	HEMJS0315I	714
HEMJS0178E	696	HEMJS0246E	705	HEMJS0316I	714
HEMJS0179E	696	HEMJS0247I	705	HEMJS0317C	715
HEMJS0180E	697	HEMJS0248C	706	HEMJS0318C	715
HEMJS0181E	697	HEMJS0249C	706	HEMJS0319I	715
HEMJS0182E	697	HEMJS0250E	706	HEMJS0320E	715
HEMJS0183E	697	HEMJS0251E	706	HEMJS0321E	715
HEMJS0184E	697	HEMJS0252E	706	HEMJS0322E	715
HEMJS0185E	697	HEMJS0253E	706	HEMJS0323E	715
HEMJS0186W	697	HEMJS0254E	706	HEMJS0400E	716
HEMJS0187E	698	HEMJS0255E	707	HEMJS0401E	716
HEMJS0188E	698	HEMJS0256E	707	HEMJS0402W	716
HEMJS0189E	698	HEMJS0257E	707	HEMJS0403E	716
HEMJS0190E	698	HEMJS0258E	707	HEMJS0404E	716
HEMJS0191E	698	HEMJS0259I	707	HEMJS0405I	716
HEMJS0192E	698	HEMJS0260W	707	HEMJS0406I	716
HEMJS0193I	698	HEMJS0261E	707	HEMJS0407C	716
HEMJS0194E	698	HEMJS0262E	708	HEMJS0408I	717
HEMJS0195E	699	HEMJS0263E	708	HEMJS0409C	717
HEMJS0196W	699	HEMJS0264E	708	HEMJS0410C	717
HEMJS0197E	699	HEMJS0265E	708	HEMJS0411I	717
HEMJS0198E	699	HEMJS0266E	708	HEMJS0412C	717
HEMJS0199E	699	HEMJS0268W	708	HEMJS0413C	717
HEMJS0200E	699	HEMJS0269I	708	HEMJS0414C	717
HEMJS0201E	699	HEMJS0270W	708	HEMJS0415C	717
HEMJS0202E	699	HEMJS0271E	709	HEMJS0416C	718
HEMJS0203E	700	HEMJS0272E	709	HEMJS0417C	718
HEMJS0204E	700	HEMJS0274E	709	HEMJS0418I	718
HEMJS0205E	700	HEMJS0275E	709	HEMJS0419I	718
HEMJS0206E	700	HEMJS0276E	709	HEMJS0420I	718
HEMJS0207E	700	HEMJS0277I	709	HEMJS0421C	718
HEMJS0208E	700	HEMJS0278I	709	HEMJS0422C	718
HEMJS0209E	700	HEMJS0279W	709	HEMJS0423E	718
HEMJS0210E	701	HEMJS0280E	710	HEMJS0424E	719
HEMJS0211E	701	HEMJS0281E	710	HEMJS0425E	719
HEMJS0212E	701	HEMJS0282W	710	HEMJS0426E	719
HEMJS0213E	701	HEMJS0283E	710	HEMJS0427E	719
HEMJS0214E	701	HEMJS0284E	710	HEMJS0428E	719
HEMJS0216E	701	HEMJS0285E	710	HEMJS0429E	719
HEMJS0217E	701	HEMJS0286W	711	HEMJS0430E	719
HEMJS0218E	702	HEMJS0287W	711	HEMJS0431E	720
HEMJS0219E	702	HEMJS0288E	711	HEMJS0432E	720
HEMJS0220E	702	HEMJS0288W	711	HEMJS0433E	720
HEMJS0221E	702	HEMJS0289I	711	HEMJS0434E	720
HEMJS0222E	702	HEMJS0289W	711	HEMJS0435E	720
HEMJS0223E	702	HEMJS0290E	712	HEMJS0436E	720
HEMJS0224E	702	HEMJS0291E	712	HEMJS0437E	720
HEMJS0225E	703	HEMJS0292E	712	HEMJS0438E	721
HEMJS0226E	703	HEMJS0294E	712	HEMJS0439E	721
HEMJS0227E	703	HEMJS0295E	712	HEMJS0440E	721
HEMJS0228E	703	HEMJS0297E	712	HEMJS0441E	721
HEMJS0229E	703	HEMJS0298E	712	HEMJS0442E	721
HEMJS0230E	703	HEMJS0300E	712	HEMJS0443E	721
HEMJS0231E	703	HEMJS0301I	713	HEMJS0444E	721
HEMJS0232E	703	HEMJS0302I	713	HEMJS0445E	722
HEMJS0233E	704	HEMJS0303C	713	HEMJS0446E	722
HEMJS0234E	704	HEMJS0304I	713	HEMJS0447E	722
HEMJS0235E	704	HEMJS0305C	713	HEMJS0448A	722
HEMJS0236E	704	HEMJS0306C	713	HEMJS0448E	722
HEMJS0237E	704	HEMJS0307I	713	HEMJS0449A	722

HEMJS0450A 722
 HEMJS0451E 723
 HEMJS0452E 723
 HEMJS0453A 723
 HEMJS0454A 723
 HEMJS0455A 723
 HEMJS0456A 723
 HEMJS0457A 724
 HEMJS0458A 724
 HEMJS0459E 724
 HEMJS0460C 724
 HEMJS0461W 724
 HEMJS0462A 724
 HEMJS0463W 724
 HEMJS0464W 725
 HEMUP0003E 725
 HEMUP0004E 725
 HEMUP0005E 725
 HEMUP0006E 725
 HEMUP0007I 725
 HEMUP0008I 725
 HEMUP0009E 726
 HEMUP0011I 726
 HEMUP0012W 726
 HEMUP0021E 726
 HEMUP0022E 726
 HEMUP0023E 726
 HEMUP0024E 726
 HEMUP0025E 727
 HEMUP0026E 727
 HEMUP0027E 727
 HEMUP0028E 727
 HEMUP0032E 727
 HEMUP0033E 727
 HEMUP0034E 727
 HEMUP0035E 728
 HEMUP0036E 728
 HEMUP0037E 728
 HEMUP0038E 728
 HEMUP0039E 728
 HEMUP0040E 728
 HEMUP0041E 728
 HEMUP0042E 728
 HEMUP0043E 729
 HEMUP0044E 729
 HEMUP0045E 729
 HEMUP0046E 729
 HEMUP0047E 729
 HEMUP0048E 729
 HEMUP0049E 729
 HEMUP0050E 729
 HEMUP0051E 730
 HEMUP0052E 730
 HEMUP0053E 730
 HEMUP0054E 730
 HEMUP0055E 730
 HEMUP0056E 730
 HEMUP0059E 731
 HEMUP0060E 731
 HEMUP0061E 731
 HEMUP0062E 731
 HEMUP0063E 731
 HEMUP0064E 731
 HEMUP0065E 731
 HEMUP0066E 731
 HEMUP0067E 732
 HEMUP0068E 732

HEMUP0069W 732
 HEMUP0070W 732
 HEMUP0071E 732

O

operating system directory
 arch viii

S

support information vii

T

Tivoli technical training vii
 training, Tivoli technical vii
 typeface conventions viii

V

variables, notation for viii

W

W-ALD-103-001 10
 W-AUT-004-001 20
 W-AUT-004-002 21
 W-AUT-004-003 22
 W-AUT-004-004 23
 W-BRI-103-001 44
 W-BRI-103-002 45
 W-BRI-103-003 46
 W-DBI-004-001 67
 W-ETC-004-060 71
 W-ETC-004-066 71
 W-ETC-102-002 72
 W-ETC-102-003 72
 W-ETC-102-006 72
 W-ETC-102-007 72
 W-ETC-103-001 73
 W-ETC-103-002 74
 W-ETC-103-003 75
 W-ETC-103-004 76
 W-ETC-103-005 77
 W-GOB-103-001 116
 W-GOB-103-002 116
 W-GOB-103-003 116
 W-GOB-103-004 116
 W-GOB-103-005 116
 W-GOB-103-006 117
 W-GOB-103-007 117
 W-GOB-103-008 117
 W-GOB-103-009 117
 W-GOB-103-010 117
 W-GOB-103-011 118
 W-GOB-103-012 119
 W-GOB-103-013 120
 W-GOB-103-014 121
 W-GOB-103-015 116, 122
 W-GTK-103-002 165
 W-GTK-103-003 166
 W-IDC-103-001 175
 W-IDC-103-002 176
 W-IDS-103-001 186

W-IDS-103-002 186
 W-IDS-103-003 187
 W-IVM-002-001 207
 W-IVM-002-045 207
 W-IVM-007-003 207
 W-IVM-051-012 207
 W-IVM-053-001 207
 W-IVM-053-002 207
 W-IVM-053-023 207
 W-IVM-103-002 208
 W-MEM-004-001 209
 W-MEM-004-002 210
 W-MEM-004-003 211
 W-MEM-004-004 212
 W-NHT-103-001 231
 W-OBJ-103-001 241
 W-OBJ-103-002 242
 W-OBJ-103-003 243
 W-OBX-103-001 272
 W-OBX-103-002 272
 W-OBX-103-004 272
 W-OBX-103-005 273
 W-OBX-103-006 273
 W-OBX-103-007 273
 W-OBX-103-008 273
 W-OBX-103-009 273
 W-OBX-103-010 273
 W-OBX-103-011 273
 W-OBX-103-012 274
 W-OBX-103-013 274
 W-OBX-103-014 274
 W-OBX-103-015 274
 W-OBX-103-016 274
 W-OBX-103-017 275
 W-OBX-103-018 275
 W-OBX-103-019 275
 W-OBX-103-020 275
 W-OBX-103-021 275
 W-OBX-103-022 276
 W-OBX-103-023 276
 W-OBX-103-024 276
 W-OBX-103-025 276
 W-OBX-103-026 276
 W-OBX-103-027 276
 W-OBX-103-028 277
 W-OBX-103-029 278
 W-OBX-103-030 279
 W-POS-103-001 280
 W-PRX-103-001 297
 W-RCO-103-001 316
 W-RCO-103-002 317
 W-RCO-103-003 318
 W-RCO-103-004 319
 W-RCO-103-005 320
 W-RCO-103-006 321
 W-RSE-103-001 344
 W-RSE-103-002 345
 W-RSE-103-003 346
 W-SEC-103-003 360
 W-STK-103-001 371
 W-STK-103-002 372
 W-STO-103-001 383
 W-STO-103-003 383
 W-STO-103-004 384
 W-STO-103-005 385
 W-STO-103-006 386
 W-STR-001-009 388



Printed in the Republic of Ireland

SC14-7534-01

