

Monitoring Agent for Skype for Business  
Server  
6.3.1 Fix Pack 16

*Installation and Configuration Guide*



**Note**

Before using this information and the product it supports, read the information in [“Notices” on page 27.](#)

This edition applies to version 6.3.1 Fix Pack 16 of Monitoring Agent for Skype for Business Server (product number XXXXX) and to all subsequent releases and modifications until otherwise indicated in new editions.

© **Copyright International Business Machines Corporation 2011, 2020.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

---

# Contents

<b>Chapter 1. Overview of the agent.....</b>	<b>1</b>
New in this release.....	8
Components of the IBM Tivoli Monitoring environment.....	8
Agent Management Services.....	9
User interface options.....	9
Data sources.....	10
<b>Chapter 2. Installing and configuring the agent.....</b>	<b>13</b>
Requirements.....	13
Installing language packs.....	13
Installing language packs on Windows systems.....	13
Installing language packs on UNIX or Linux systems.....	14
Installing language packs on Windows, UNIX, or Linux systems silently.....	14
Installing and configuring: agent-specific.....	16
Configuration values.....	16
Remote installation and configuration.....	20
<b>Appendix A. Documentation library.....</b>	<b>23</b>
Prerequisite documentation.....	23
Related documentation.....	23
Tivoli Monitoring Community on Service Management Connect.....	24
Other sources of documentation.....	24
Conventions used in the documentation.....	24
<b>Notices.....</b>	<b>27</b>
Trademarks.....	28
Privacy policy considerations.....	29
<b>Index.....</b>	<b>31</b>



---

# Chapter 1. Overview of the agent

The Monitoring Agent for Skype for Business Server (product code QL) provides you with the capability to monitor Skype for Business Server. You can also use the agent to take basic actions with the Skype for Business Server.

IBM® Tivoli® Monitoring is the base software for the Skype for Business Server.

## IBM Tivoli Monitoring

IBM Tivoli Monitoring provides a way to monitor the availability and performance of all the systems in your enterprise from one or several designated workstations. It also provides useful historical data that you can use to track trends and to troubleshoot system problems.

You can use IBM Tivoli Monitoring to achieve the following tasks:

- Monitor for alerts on the systems that you are managing by using predefined situations or custom situations.
- Establish your own performance thresholds.
- Trace the causes leading to an alert.
- Gather comprehensive data about system conditions.
- Use policies to take actions, schedule work, and automate manual tasks.

The Tivoli Enterprise Portal is the interface for IBM Tivoli Monitoring products. You can use the consolidated view of your environment as seen in the Tivoli Enterprise Portal to monitor and resolve performance issues throughout the enterprise.

See the IBM Tivoli Monitoring publications listed in "Prerequisite publications" in the Documentation library topic for complete information about IBM Tivoli Monitoring and the Tivoli Enterprise Portal.

## Functions of the monitoring agent

### Availability monitoring

Monitors the following OCS 2007 services, indicating when down:

- Office Communications Server Front-End Service
- Office Communications Server IM Conferencing Service
- Office Communications Server Telephony Conferencing Service
- Office Communications Server Web Conferencing Service
- Office Communications Server Audio/Video Conferencing Service
- Office Communications Server Archiving and CDR Service
- Office Communications Server Audio/Video Authentication Service
- Office Communications Server Audio/Video Edge Service
- Office Communications Server Web Conferencing Edge Service

Monitors the following OCS 2007 R2 services, indicating when down:

- Office Communications Server Application Host Service
- Office Communications Server Application Sharing Service
- Office Communications Server Audio/Video Conferencing Service
- Office Communications Server Conferencing Announcement Service
- Office Communications Server Conferencing Attendant Service
- Office Communications Server Front-End Service
- Office Communications Server IM Conferencing Service

- Office Communications Server Monitoring Agent Service
- Office Communications Server Outside Voice Control Service
- Office Communications Server Response Group Service
- Office Communications Server Telephony Conferencing Service
- Office Communications Server Web Conferencing Service
- Office Communications Server Call Detail Recording Service
- Office Communications Server QoE Monitoring Service
- Office Communications Server Archiving Service
- Office Communications Server Audio/Video Authentication Service
- Office Communications Server Audio/Video Edge Service
- Office Communications Server Web Conferencing Edge Service

Monitors the following Lync Server 2010 services, indicating when down:

- Lync Server Application Sharing Service
- Lync Server Audio Test Service
- Lync Server Audio/Video Conferencing Service
- Lync Server Call Park Service
- Lync Server Front-End Service
- Lync Server IM Conferencing Service
- Lync Server Mediation Service
- Lync Server Replica Replicator Agent Service
- Lync Server Response Group Service
- Lync Server Web Conferencing Service
- Lync Server Web Conferencing Compatibility Service
- Lync Server Bandwidth Policy Service (Authentication)
- Lync Server Bandwidth Policy Service (Core)
- Lync Server File Transfer Agent Service
- Lync Server Master Replicator Agent Service
- Lync Server Audio/Video Authentication Service
- Lync Server Audio/Video Edge Service
- Lync Server Web Conferencing Edge Service

Monitors the following Lync Server 2013 services, indicating when down:

- Lync Server Application Sharing Service
- Lync Server Audio Test Service
- Lync Server Audio/Video Conferencing Service
- Lync Server Call Park Service
- Lync Server Front-End Service
- Lync Server IM Conferencing Service
- Lync Server Mediation Service
- Lync Server Replica Replicator Agent Service
- Lync Server Response Group Service
- Lync Server Web Conferencing Service
- Lync Server Web Conferencing Compatibility Service
- Lync Server Bandwidth Policy Service (Authentication)

- Lync Server Bandwidth Policy Service (Core)
- Lync Server File Transfer Agent Service
- Lync Server Master Replicator Agent Service
- Lync Server Audio/Video Authentication Service
- Lync Server Audio/Video Edge Service
- Lync Server Web Conferencing Edge Service
- Lync Server Centralized Logging Service Agent
- Lync Server XMPP Translating Gateway Service

### **Error and Event log Monitoring**

Monitors for the following event sources that affect the Microsoft OCS availability or performance: The following OCS event sources are monitored by the agent:

- OCS A/V Authentication Edge Server
- OCS A/V Edge Server
- OCS ACP MCU
- OCS Address Book and Distribution List Expansion Web Service
- OCS Address Book Server
- OCS AppDomain Host Process
- OCS Application Error
- OCS Application Server
- OCS ApplicationSharing Conferencing Server
- OCS ApplicationSharing Conferencing Server
- OCS Applications Module
- OCS Archiving Agent
- OCS Archiving Server
- OCS Audio-Video Conferencing Server
- OCS Auto Update Server
- OCS Call Detail Recording
- OCS Certificate Manager
- OCS Client Version Filter
- OCS Common Library
- OCS Communicator Mobile Component Session Service
- OCS Communicator Web Access Authentication
- OCS Communicator Web Access MMC Snap-In
- OCS Communicator Web Access Policy
- OCS Communicator Web Access Session Service
- OCS Communicator Web Access User Search
- OCS Conferencing Announcement Service
- OCS Conferencing Attendant
- OCS Data MCU
- OCS DB Access Layer
- OCS Exchange Unified Messaging Routing
- OCS IM MCU
- OCS Inbound Routing
- OCS Intelligent IM Filter

- OCS LDM
- OCS MCU Factory
- OCS MCU Infrastructure
- OCS Mediation Server
- OCS Outbound Routing
- OCS Outside Voice Control
- OCS Password Expiry Check
- OCS Protocol Stack
- OCS QoE Monitoring Agent
- OCS QoE Monitoring Service
- OCS Response Group Service
- OCS Script-Only Applications
- OCS Server
- OCS Setup
- OCS Snap-in
- OCS Software Update Service
- OCS Translation Service
- OCS UserPin Service
- OCS User Replicator
- OCS User Services
- OCS Web Conferencing Edge Server
- OCS WMI Consumer
- OCS WMI Event Provider
- OCS WMI Provider
- OCS Archiving and CDR Server
- OCS Distribution List Expansion Web Service
- OCS QoE Monitoring Server

The following Lync Server 2010 event sources are monitored by the agent:

- LS A/V Authentication Edge Server
- LS A/V Edge Server
- LS ACP MCU
- LS Address Book and Distribution List Expansion Web Service
- LS Address Book Server
- LS AppDomain Host Process
- LS Application Error
- LS Application Server
- LS ApplicationSharing Conferencing Server
- LS Applications Module
- LS Archiving Agent
- LS Archiving Server
- LS Audio-Video Conferencing Server
- LS Auto Update Server
- LS Bandwidth Policy Service (Authentication)

- LS Bandwidth Policy Service (Core)
- LS Call Detail Recording
- LS Call Park Service
- LS Certificate Manager
- LS Client Version Filter
- LS Common Library
- LS Conferencing Announcement Service
- LS Conferencing Attendant
- LS Configuration Provider
- LS Data MCU
- LS DB Access Layer
- LS Dialin Web Service
- LS Exchange Unified Messaging Routing
- LS File Transfer Agent Service
- LS IM MCU
- LS Inbound Routing
- LS Incoming Federation Service
- LS Intelligent IM Filter
- LS InterCluster Routing
- LS Join Launcher Web Service
- LS LDM
- LS Location Information Service
- LS Lync Web App
- LS Master Replicator Agent Service
- LS MCU Factory
- LS MCU Infrastructure
- LS Mediation Server
- LS Meeting MCU
- LS MGC ADMIN TOOL
- LS MGC CLIENT
- LS MGC COMMON
- LS MGC COMPLIANCE
- LS MGC CONFIG
- LS MGC ENDPOINT
- LS MGC LOADER
- LS MGC LOOKUP
- LS MGC SERVER
- LS MGC SERVICE
- LS MGC TRANSPORT
- LS Outbound Routing
- LS Outgoing Federation Service
- LS Password Expiry Check
- LS Protocol Stack

- LS Provisioning Service
- LS QoE Monitoring Agent
- LS QoE Monitoring Service
- LS Remote PowerShell
- LS Replica Replicator Agent Service
- LS Response Group Service
- LS Routing Data Sync Agent
- LS Script-Only Applications
- LS Server
- LS Software Update Service
- LS Translation Service
- LS UserPin Service
- LS User Replicator
- LS User Services
- LS Web Components Server
- LS Web Conferencing Edge Server
- LS Audio/Video Authentication Server

### **Performance Monitoring**

Gathers performance attributes in the following areas, providing situations where appropriate:

- Instant Messaging
- IM Conferencing
- IM MCU State and Performance
- IM CCCP Processing
- Audio Video Operations
- Audio Video MCU State and Performance
- Audio Video CCCP Processing
- Web Conferencing
- Web MCU State and Performance
- Web CCCP Processing
- User Services Endpoint Cache
- User Services HTTPS Transport
- User Services Conference Control
- User Services Conference Control Notification
- User Services MCU Allocation Latency
- User Services Pool Conference Statistics
- User Services DBStore
- SIP Networking
- SIP Peers
- SIP Protocols
- SIPEPS Transactions
- Server
- QMS Agent
- QMS Media Quality Locations

- QMS Media Quality Audio Video MCU
- CDR Service DB Operations
- CDR Service Read
- CDR Service Write
- MSMQ Operations
- Archiving Service DB Operations
- Archiving Service Read
- Archiving Service Write
- CWA Directory Search
- CWA Authentication
- CWA Security
- CWA User Sessions
- Media Planning
- Media Private
- Lync Web Relay
- Address Book File Download
- Address Book Web Query
- Throttling and Authentication
- OCS2k7 Roles
- OCS2k7R2 Roles
- Lync Server Roles

### **Actions**

Provides actions to start and stop the following OCS services:

- IM Conferencing Service
- Web Conferencing Service
- Audio/Video Conferencing Service
- Front-End Service
- Application Sharing Service
- OCS Application Host Service
- OCS Conferencing Announcement Service
- OCS Conferencing Attendant Service
- OCS Monitoring Agent Service
- OCS Outside Voice Control Service
- OCS Response Group Service
- OCS Telephony Conferencing Service
- OCS Archiving Service
- OCS Call Detail Recording Service
- OCS QoE Monitoring Service
- OCS Audio/Video Authentication Service
- OCS Audio/Video Edge Service
- OCS Web Conferencing Edge Service
- Lync Server Audio Test Service
- Lync Server File Transfer Agent Service

- Lync Server Master Replicator Agent Service
- Lync Server Replica Replicator Agent Service
- Lync Server Web Conferencing Compatibility Service
- Lync Server Call Park Service
- Lync Server Response Group Service
- Lync Server Mediation Service
- Lync Server Bandwidth Policy Service (Authentication)
- Lync Server Bandwidth Policy Service (Core)
- Lync Server Audio/Video Authentication Service
- Lync Server Audio/Video Edge Service
- Lync Server Web Conferencing Edge Service

### Reporting

Provides a history enablement file that enables the ability to generate reports for all attributes collected.

## New in this release

---

For version 6.3.1 Fix Pack 16 of the Skype for Business Server, enhancements were made since version 6.2, including the fix packs.

- Changes related to system requirements. See the information about system requirements in [Software product compatibility reports](http://publib.boulder.ibm.com/infocenter/prodguid/v1r0/clarity/index.html) (<http://publib.boulder.ibm.com/infocenter/prodguid/v1r0/clarity/index.html>).
- New attribute group
  - File Transfers

## Components of the IBM Tivoli Monitoring environment

---

After you install and set up the Skype for Business Server, you have an environment that contains the client, server, and monitoring agent implementation for Tivoli Monitoring.

This Tivoli Monitoring environment contains the following components:

### Tivoli Enterprise Portal client

The portal has a user interface based on Java™ for viewing and monitoring your enterprise.

### Tivoli Enterprise Portal Server

The portal server is placed between the client and the Tivoli Enterprise Monitoring Server and enables retrieval, manipulation, and analysis of data from the monitoring agents. The Tivoli Enterprise Portal Server is the central repository for all user data.

### Tivoli Enterprise Monitoring Server

The monitoring server acts as a collection and control point for alerts received from the monitoring agents, and collects their performance and availability data. The Tivoli Enterprise Monitoring Server is also a repository for historical data.

### Tivoli Enterprise Monitoring Agent, Skype for Business Server

This monitoring agent collects data and distributes the data to the Tivoli Enterprise Monitoring Server, Tivoli Enterprise Portal Server, Tivoli Enterprise Portal, Tivoli Data Warehouse, and Tivoli Integrated Portal.

### IBM Tivoli Netcool/OMNIBus

Tivoli Netcool/OMNIBus is an optional component and the recommended event management component. The Netcool/OMNIBus software is a service level management (SLM) system that delivers real-time, centralized monitoring of complex networks and IT domain events. Event information is tracked in a high-performance, in-memory database and presented to specific users through individually configurable filters and views. The software includes automation functions that you can

use to perform intelligent processing on managed events. You can use this software to forward events for Tivoli Monitoring situations to Tivoli Netcool/OMNIBus.

### **IBM Tivoli Enterprise Console**

The Tivoli Enterprise Console® is an optional component that acts as a central collection point for events from various sources, including events from other Tivoli software applications, Tivoli partner applications, custom applications, network management platforms, and relational database systems. You can view these events through the Tivoli Enterprise Portal (by using the event viewer), and you can forward events from Tivoli Monitoring situations to the Tivoli Enterprise Console component. If you do not already use Tivoli Enterprise Console and need an event management component, you can choose to use IBM Tivoli Netcool/OMNIBus.

### **IBM Tivoli Common Reporting**

Tivoli Common Reporting is a separately installable feature available to users of Tivoli software that provides a consistent approach to generating and customizing reports. Some individual products provide reports that are designed for use with Tivoli Common Reporting and have a consistent look and feel.

### **IBM Tivoli Application Dependency Discovery Manager (TADDM)**

TADDM delivers automated discovery and configuration tracking capabilities to build application maps that provide real-time visibility into application complexity.

### **IBM Tivoli Business Service Manager**

The Tivoli Business Service Manager component delivers real-time information to help you respond to alerts effectively based on business requirements. Optionally, you can use this component to meet service-level agreements (SLAs). Use the Tivoli Business Service Manager tools to help build a service model that you can integrate with Tivoli Netcool/OMNIBus alerts or optionally integrate with data from an SQL data source. Optional components provide access to data from other IBM Tivoli applications such as Tivoli Monitoring and TADDM.

### **IBM Dashboard Application Services Hub**

The Dashboard Application Services Hub has a core set of components that provide such administrative essentials as network security and database management. This component replaces the Tivoli Integrated Portal component after version 2.2.

### **Tivoli Integrated Portal**

Tivoli Integrated Portal helps the interaction and secure passing of data between Tivoli products through a common portal. Within the same dashboard view, you can launch from one application to another and research different aspects of your managed enterprise. This component is installed automatically with the first Tivoli product that uses the Tivoli Integrated Portal framework. Subsequent products can install updated versions of Tivoli Integrated Portal. After version 2.2, this component is replaced by the Dashboard Application Services Hub.

## **Agent Management Services**

---

You can use IBM Tivoli Monitoring Agent Management Services to manage the Skype for Business Server.

Agent Management Services is available for the following IBM Tivoli Monitoring OS agents: Windows, Linux®, and UNIX. The services are designed to keep the Skype for Business Server available, and to provide information about the status of the product to the Tivoli Enterprise Portal. IBM Tivoli Monitoring V6.2.2, Fix Pack 2 or later provides support for Agent Management Services. For more information about Agent Management Services, see "Agent Management Services" in the *IBM Tivoli Monitoring Administrator's Guide*.

## **User interface options**

---

Installation of the base IBM Tivoli Monitoring software and other integrated applications provides various interfaces that you can use to work with your resources and data.

The following interfaces are available:

### **Tivoli Enterprise Portal user interface**

You can run the Tivoli Enterprise Portal as a desktop application or a browser application. The client interface is a graphical user interface (GUI) based on Java on a Windows or Linux workstation. The browser application is automatically installed with the Tivoli Enterprise Portal Server. The desktop application is installed by using the Tivoli Monitoring installation media or with a Java Web Start application. To start the Tivoli Enterprise Portal browser client in your Internet browser, enter the URL for a specific Tivoli Enterprise Portal browser client installed on your web server.

### **Command-line interface**

You can use Tivoli Monitoring commands to manage the Tivoli Monitoring components and their configuration. You can also run commands at the Tivoli Enterprise Console event server or the Tivoli Netcool/OMNIBus ObjectServer to configure event synchronization for enterprise situations.

### **Manage Tivoli Enterprise Monitoring Services window**

You can use the window for the Manage Tivoli Enterprise Monitoring Services utility to configure the agent and start Tivoli services not designated to start automatically.

### **IBM Tivoli Netcool/OMNIBus event list**

You can use the Netcool/OMNIBus event list to monitor and manage events. An event is created when the Netcool/OMNIBus ObjectServer receives an event, alert, message, or data item. Each event is made up of columns (or fields) of information that are displayed in a row in the ObjectServer alerts.status table. The Tivoli Netcool/OMNIBus web GUI is also a web-based application that processes network events from one or more data sources and presents the event data in various graphical formats.

### **IBM Tivoli Enterprise Console**

You can use the Tivoli Enterprise Console to help ensure the optimal availability of an IT service for an organization. The Tivoli Enterprise Console is an event management application that integrates system, network, database, and application management. If you do not already use Tivoli Enterprise Console and need an event management component, you can choose to use Tivoli Netcool/OMNIBus.

### **IBM Tivoli Common Reporting**

Use the Tivoli Common Reporting web user interface for specifying report parameters and other report properties, generating formatted reports, scheduling reports, and viewing reports. This user interface is based on the Dashboard Application Services Hub for Tivoli Common Reporting 3.1 and on Tivoli Integrated Portal for earlier versions.

### **IBM Tivoli Application Dependency Discovery Manager**

The Discovery Management Console is the TADDM client user interface for managing discoveries.

### **IBM Tivoli Business Service Manager**

The Tivoli Business Service Manager console provides a graphical user interface that you can use to logically link services and business requirements within the service model. The service model provides an operator with a second-by-second view of how an enterprise is performing at any moment in time or how the enterprise performed over a time period.

### **IBM Dashboard Application Services Hub**

The Dashboard Application Services Hub provides an administrative console for applications that use this framework. It is a web-based console that provides common task navigation for products, aggregation of data from multiple products into a single view, and the passing of messages between views from different products. This interface replaces the Tivoli Integrated Portal component after version 2.2.

### **Tivoli Integrated Portal**

Web-based products that are built on the Tivoli Integrated Portal framework share a common user interface where you can launch applications and share information. After version 2.2, this interface is replaced by the Dashboard Application Services Hub.

## **Data sources**

---

Monitoring agents collect data from specific data sources.

The Skype for Business Server collects data from the following sources:

**Perfmon**

Use the Windows Performance Monitor, or Perfmon, to view various system and application performance metrics for collection and use by management applications. You typically view system metrics on a Windows system through the 'perfmon' application.

**Availability**

Use the agent to monitor availability of the application and related components in the following ways:

- Monitor the Windows services used by the application.

**Scripts**

The agent uses application-specific commands and interfaces to gather metrics.

**Windows Event Log**

The agent collects Windows Event Log entries related to the monitored resource and forwards them to IBM Tivoli Monitoring.



---

## Chapter 2. Installing and configuring the agent

Agent installation and configuration requires the use of the *IBM Tivoli Monitoring Installation and Setup Guide* and agent-specific installation and configuration information.

To install and configure the Skype for Business Server, use the *Installing monitoring agents* procedures in the *IBM Tivoli Monitoring Installation and Setup Guide* along with the agent-specific installation and configuration information.

If you are installing silently by using a response file, see "Performing a silent installation of IBM Tivoli Monitoring" in the *IBM Tivoli Monitoring Installation and Setup Guide*.

With the self-describing agent capability, new or updated IBM Tivoli Monitoring agents using IBM Tivoli Monitoring V6.2.3 or later can become operational after installation without having to perform additional product support installation steps. To take advantage of this capability, see "Enabling self-describing agent capability at the hub monitoring server" in the *IBM Tivoli Monitoring Installation and Setup Guide*. Also, see "Self-describing monitoring agents" in the *IBM Tivoli Monitoring Administrator's Guide*.

---

### Requirements

Before installing and configuring the agent, make sure your environment meets the requirements for the Monitoring Agent for Skype for Business Server.

For information about requirements, see the Prerequisites topic for the agent in the KNOWLEDGE CENTER FOR THE PRODUCT.

For the most up-to-date information about system requirements, see the [Software product compatibility reports](http://publib.boulder.ibm.com/infocenter/prodguid/v1r0/clarity/index.html) (<http://publib.boulder.ibm.com/infocenter/prodguid/v1r0/clarity/index.html>). Search for the PRODUCT\_BUNDLE\_NAME\_SHORT product.

---

### Installing language packs

The steps for installing language packs depend on which operating system and mode of installation you are using.

To install a language pack for the agent support files on the Tivoli Enterprise Monitoring Server, the Tivoli Enterprise Monitoring Agent, and the Tivoli Enterprise Portal Server, make sure that you installed the product in the English language. Then, use the steps for installing on Windows systems, installing on UNIX or Linux systems, or installing silently.

### Installing language packs on Windows systems

You can install the language packs on a Windows system.

#### Before you begin

First, make sure that you installed the product in the English language.

#### Procedure

1. On the language pack CD, double-click the `lpinstaller.bat` file to start the installation program.
2. Select the language of the installer and click **OK**.
3. In the Introduction panel, click **Next**.
4. Click **Add/Update** and click **Next**.
5. Select the folder where the National Language Support package (NLSPackage) files are located. Typically, the NLSPackage files are located in the `n1spackage` folder where the installer executable file is located.
6. Select the language support for the agent of your choice and click **Next**. To make multiple selections, press Ctrl and select the language that you want.

7. Select the languages that you want to install and click **Next**.
8. Examine the installation summary page and click **Next** to begin installation.
9. After installation completes, click **Finish** to exit the installer.
10. Restart the Tivoli Enterprise Portal, Tivoli Enterprise Portal Server, and Eclipse Help Server if any of these components are installed.

## Installing language packs on UNIX or Linux systems

You can install the language packs on a UNIX or Linux system.

### Before you begin

First, make sure that you installed the product in the English language.

### Procedure

1. Enter the `mkdir` command to create a temporary directory on the computer, for example, `mkdir dir_name`. Make sure that the full path of the directory does not contain any spaces.
2. Mount the language pack CD to the temporary directory that you created.
3. Enter the following command to start the installation program:

```
cd dir_name lpinstaller.sh -c install_dir
```

Where: *install\_dir* is where you installed IBM Tivoli Monitoring. Typically, the directory name is `/opt/IBM/ITM` for UNIX and Linux systems.

4. Select the language of the installer and click **OK**.
5. In the Introduction panel, click **Next**.
6. Click **Add/Update** and click **Next**.
7. Select the folder where the National Language Support package (NLSPackage) files are located. Typically, the NLSPackage files are located in the `nlspackage` folder where the installer executable file is located.
8. Select the language support for the agent of your choice and click **Next**. To make multiple selections, press **Ctrl** and select the language that you want.
9. Select the languages that you want to install and click **Next**.
10. Examine the installation summary page and click **Next** to begin installation.
11. After installation completes, click **Finish** to exit the installer.
12. Restart the Tivoli Enterprise Portal, Tivoli Enterprise Portal Server, and Eclipse Help Server if any of these components are installed.

## Installing language packs on Windows, UNIX, or Linux systems silently

You can use the silent-mode installation method to install the language packs. In silent mode, the installation process obtains the installation settings from a predefined response file. It does not prompt you for any information.

### Before you begin

First, make sure that you installed the product in the English language.

### Procedure

1. Copy and paste the `ITM_Agent_LP_silent.rsp` response file template as shown in [“Response file example” on page 15](#).
2. Change the following parameter settings:

**NLS\_PACKAGE\_FOLDER**

Folder where the National Language Support package (NLSPackage) files are located. Typically, the NLSPackage files are located in the nlspackage folder, for example: NLS\_PACKAGE\_FOLDER = //tmp//LP//nlspackage.

**PROD\_SELECTION\_PKG**

Name of the language pack to install. Several product components can be included in one language package. You might want to install only some of the available components in a language pack.

**BASE\_AGENT\_FOUND\_PKG\_LIST**

Agent for which you are installing language support. This value is usually the same as *PROD\_SELECTION\_PKG*.

**LANG\_SELECTION\_LIST**

Language you want to install.

3. Enter the command to install the language pack with a response file (silent installation):

- For Windows systems:

```
lpinstaller.bat -f path_to_response_file
```

- For UNIX or Linux systems:

```
lpinstaller.sh -c candle_home -f path_to_response_file
```

where *candle\_home* is the IBM Tivoli Monitoring base directory.

**Response file example**

```
# IBM Tivoli Monitoring Agent Language Pack Silent Installation Operation
#
#This is a sample response file for silent installation mode for the IBM Tivoli
#Monitoring Common Language Pack Installer.
#.
#This file uses the IBM Tivoli Monitoring Common Agent Language Pack with the
#install package as an example.
#Note:
#This response file is for the INSTALLATION of language packs only.
#This file does not support UNINSTALLATION of language packs in silent mode.
#-----
#-----
#To successfully complete a silent installation of the the example of Common Agent
#localization pack, complete the following steps:
#
#1.Copy ITM_Agent_LP_silent.rsp to the directory where lpinstaller.bat or
#lpinstaller.sh is located (IBM Tivoli Monitoring Agent Language Pack build
#location).
#
#2.Modify the response file so that it is customized correctly and completely for
#your site.
# Complete all of the following steps in the response file.
#
#3.After customizing the response file, invoke the silent installation using the
#following command:
#For Windows:
# lpinstaller.bat -f <path_to_response_file>
#For UNIX and Linux:
# lpinstaller.sh -c <candle_home> -f <path_to_response_file>
#Note:<candle_home> is the IBM Tivoli Monitoring base directory.
#-----
#-----
#Force silent install mode.
#-----
INSTALLER_UI=silent
#-----
#Run add and update actions.
#-----
CHOSEN_INSTALL_SET=ADDUPD_SET
#-----
#NLS Package Folder, where the NLS Packages exist.
#For Windows:
# Use the backslash-backslash(\\) as a file separator (for example,
#C:\\zosgm\\LCD7-3583-01\\nlspackage).
```

```

#For UNIX and Linux:
# Use the slash-slash (//) as a file separator (for example,
#//installtivoli/lpsilenttest/nlspackage).
#-----
#NLS_PACKAGE_FOLDER=C:\\zosgm\\LCD7-3583-01\\nlspackage
NLS_PACKAGE_FOLDER=//tmp//LP//nlspackage
#-----
#List the packages to process; both variables are required.
#Each variable requires that full paths are specified.
#Separate multiple entries with a semicolon (;).
#For Windows:
# Use the backslash-backslash(\\) as a file separator.
#For Unix and Linux:
# Use the slash-slash (//) as a file separator.
#-----
#PROD_SELECTION_PKG=C:\\zosgm\\LCD7-3583-01\\nlspackage\\KIP_NLS.nlspkg
#BASE_AGENT_FOUND_PKG_LIST=C:\\zosgm\\LCD7-3583-01\\nlspackage\\KIP_NLS.nlspkg
PROD_SELECTION_PKG=//tmp//LP//nlspackage//kex_nls.nlspkg;//tmp//LP//nlspackage//
koq_nls.nlspkg
BASE_AGENT_FOUND_PKG_LIST=//tmp//LP//nlspackage//kex_nls.nlspkg;//
tmp//LP//nlspackage//koq_nls.nlspkg
#-----
#List the languages to process.
#Separate multiple entries with semicolons.
#-----
LANG_SELECTION_LIST=pt_BR;fr;de;it;ja;ko;zh_CN;es;zh_TW

```

## Installing and configuring: agent-specific

In addition to the installation and configuration information in the *IBM Tivoli Monitoring Installation and Setup Guide*, use this agent-specific installation and configuration information to install the Skype for Business Server.

### Configuration values

For both local and remote configuration, you provide the configuration values for the agent to operate.

When you are configuring an agent, a panel is displayed so you can enter each value. When a default value exists, this value is pre-entered into the field. If a field represents a password, two entry fields are displayed. You must enter the same value in each field. The values that you type are not displayed to help maintain the security of these values.

The configuration for this agent is organized into the following groups:

#### **SQL Configuration for Skype for Business Topology (LYNC\_DATABASE\_CONFIGURATION)**

SQL Server Configuration for Skype for Business Topology.

The configuration elements defined in this group are always present in the agent's configuration.

This group defines information that applies to the entire agent.

##### **Database Instance Name (KQL\_DATABASE\_INSTANCE)**

Database Instance

The type is string.

This value is optional.

Default value: rtc

##### **Database Name (KQL\_DATABASE\_NAME)**

Database Name

The type is string.

This value is optional.

Default value: xds

##### **Database Server Name(E.g. PS6877) (KQL\_DATABASE\_SERVER)**

Database Server

The type is string.

This value is optional.

Default value: localhost

**Database User ID (KQL\_DATABASE\_UID)**

Database User ID

The type is string.

This value is optional.

Default value: sa

**Database Password (KQL\_DATABASE\_UPWD)**

Database Password

The type is password.

This value is optional.

Default value: Psp!!@#

**Administrator Login Credentials (ADMINISTRATOR\_LOGIN\_CREDENTIALS)**

Local Administrator Login Credentials. These credentials are used to create Schedule for Skype Synthetic Commands. This user should have rights to create Windows Schedule in Task Scheduler and rights to execute Synthetic Transaction Commands.

The configuration elements defined in this group are always present in the agent's configuration.

This group defines information that applies to the entire agent.

**Username (E.g. skype\administrator) (KQL\_DOMAIN\_UID)**

User Name of the administrator who is authorized to create Windows Schedule in Task Scheduler and execute Synthetic Transaction Commands.

The type is string.

This value is optional.

Default value: skype\administrator

**Password (KQL\_DOMAIN\_UPWD)**

Administrator login password

The type is password.

This value is optional.

Default value: Psp!!@#

**Setup Information (SETUP\_INFORMATION)**

Provide Production Setup information and Test user credentials to execute Synthetic Transaction cmdlets.

The configuration elements defined in this group are always present in the agent's configuration.

This group defines information that applies to the entire agent.

**Pool FQDN (KQL\_FQDN)**

FQDN of Skype Pool

The type is string.

This value is optional.

Default value: Skype\_FQDN\_Default\_Value

**Geographic Location (KQL\_LOCATION)**

Monitored Skype for Business server location, which will be used to display Synthetic transaction result

The type is string.

This value is optional.

Default value: USA

#### **Use Agent Configuration Values (KQL\_Synthetic\_GetHealth)**

Disable to use values set by New-CsHealthMonitoringConfiguration. If disabled, the value of Pool-FQDN will be used as Identity for "Get-CsHealthMonitoringConfiguration". Make sure to provide valid test user credentials in order to execute "Test-CsMcxP2PIM" command.

The type is checkbox.

This value is optional.

Default value: true

#### **Test User1 PWD (KQL\_TEST\_USER1\_PWD\_PASSWORD)**

pwd of Test Users1

The type is password.

This value is optional.

Default value: Psp!!@#

#### **Test User2 (E.g. user2@skype.com) (KQL\_TEST\_USER2)**

Second Username which can be used while executing Synthetic Transaction cmdlets. Use SAMAccountName@domain.com

The type is string.

This value is optional.

Default value: user2@skype.com

#### **Test User2 PWD (KQL\_TEST\_USER2\_PWD\_PASSWORD)**

pwd of Test User2

The type is password.

This value is optional.

Default value: Psp!!@#

#### **Test Users1 (E.g. user1@skype.com) (KQL\_TEST\_USERS1)**

First Username which can be used while executing Synthetic Transaction cmdlets. Use SAMAccountName@domain.com

The type is string.

This value is optional.

Default value: user1@skype.com

### **Scheduler Configuration (SCHEDULER\_CONFIGURATION)**

User has to schedule Synthetic Transactions commands using this section

The configuration elements defined in this group are always present in the agent's configuration.

This group defines information that applies to the entire agent.

#### **Collection Hour (KQL\_COLLECTION\_HOUR)**

This is the hour part of timestamp selected by User to schedule the utility

The type is numeric.

This value is optional.

Default value: 10

#### **Collection Minute (KQL\_COLLECTION\_MIN)**

This is the minutes part of timestamp selected by User to schedule the utility

The type is numeric.

This value is optional.

Default value: 00

**End Date (YYYY-MM-DD) (KQL\_END\_BOUNDARY)**

Set the time when scheduler is deactivated

The type is string.

This value is optional.

Default value: 2016-02-01

**Frequency (KQL\_FREQUENCY)**

Will indicate whether user wants to schedule utility daily or not

The type is one of the following values: "DAY\_FREQUENCY", "WEEK\_FREQUENCY", "MONTHLY\_FREQUENCY".

This value is optional.

Default value: Daily

**Start Date (YYYY-MM-DD) (KQL\_START\_BOUNDARY)**

Set the time when scheduler is activated

The type is string.

This value is optional.

Default value: 2016-01-01

**SQL Server Configuration for Skype for Business Monitoring Role (LYNC\_MONITOR\_DB\_CONFIG)**

SQL Server configuration for Skype for Business Monitoring Role.

The configuration elements defined in this group are always present in the agent's configuration.

This group defines information that applies to the entire agent.

**Database Instance Name (KQL\_AppDBInst\_NAME)**

Database Instance

The type is string.

This value is optional.

Default value: None

**Database Server Name(E.g. PS6877) (KQL\_AppDBServer\_NAME)**

Database Server

The type is string.

This value is optional.

Default value: None

**Database Password (KQL\_AppDB\_PWD)**

Database Password

The type is password.

This value is optional.

Default value: None

**Database User ID (KQL\_AppDB\_USR)**

Database User ID

The type is string.

This value is optional.

Default value: sa

## Remote installation and configuration

You can install the monitoring agent remotely from the Tivoli Enterprise Portal or from the command line.

When you install the agent remotely, you must provide the configuration values for the agent to operate. See [“Configuration values” on page 16](#).

To install from the portal, see the *IBM Tivoli Monitoring Installation and Setup Guide*.

To remotely install or configure an agent through the Tivoli Enterprise Portal, application support for that agent must be installed (Tivoli Enterprise Monitoring Server, Tivoli Enterprise Portal Server, and Tivoli Enterprise Portal). Also, the agent bundle must be installed in the Remote Deploy Depot.

For information about displaying the configuration options that are available to use with the **configureSystem** command, see "tacmd describeSystemType" in the *IBM Tivoli Monitoring Command Reference*.

If you are using the command line, the following commands are examples of remote installation and configuration for Windows operating systems:

### Remote installation

```
tacmd addSystem -t QL -n Primary:sample.node.name:NT
-p ADMINISTRATOR_LOGIN_CREDENTIALS.KQL_DOMAIN_UID=value
ADMINISTRATOR_LOGIN_CREDENTIALS.KQL_DOMAIN_UPWD=value
LYNC_DATABASE_CONFIGURATION.KQL_DATABASE_INSTANCE=value
LYNC_DATABASE_CONFIGURATION.KQL_DATABASE_NAME=value
LYNC_DATABASE_CONFIGURATION.KQL_DATABASE_SERVER=value
LYNC_DATABASE_CONFIGURATION.KQL_DATABASE_UID=value
LYNC_DATABASE_CONFIGURATION.KQL_DATABASE_UPWD=value
LYNC_MONITOR_DB_CONFIG.KQL_AppDBInst_NAME=value
LYNC_MONITOR_DB_CONFIG.KQL_AppDBServer_NAME=value
LYNC_MONITOR_DB_CONFIG.KQL_AppDB_PWD=value
LYNC_MONITOR_DB_CONFIG.KQL_AppDB_USR=value
SCHEDULER_CONFIGURATION.KQL_COLLECTION_HOUR=value
SCHEDULER_CONFIGURATION.KQL_COLLECTION_MIN=value
SCHEDULER_CONFIGURATION.KQL_END_BOUNDARY=value
SCHEDULER_CONFIGURATION.KQL_FREQUENCY=value
SCHEDULER_CONFIGURATION.KQL_START_BOUNDARY=value
SETUP_INFORMATION.KQL_FQDN=value
SETUP_INFORMATION.KQL_LOCATION=value
SETUP_INFORMATION.KQL_Synthetic_GetHealth=value
SETUP_INFORMATION.KQL_TEST_USER1_PWD_PASSWORD=value
SETUP_INFORMATION.KQL_TEST_USER2=value
SETUP_INFORMATION.KQL_TEST_USER2_PWD_PASSWORD=value
SETUP_INFORMATION.KQL_TEST_USERS1=value
```

### Remote configuration

The following example illustrates configuration by using all configuration variables. Typically, you specify only the variables and values that you want to change.

```
tacmd configureSystem hostname:QL
-p ADMINISTRATOR_LOGIN_CREDENTIALS.KQL_DOMAIN_UID=value
ADMINISTRATOR_LOGIN_CREDENTIALS.KQL_DOMAIN_UPWD=value
LYNC_DATABASE_CONFIGURATION.KQL_DATABASE_INSTANCE=value
LYNC_DATABASE_CONFIGURATION.KQL_DATABASE_NAME=value
LYNC_DATABASE_CONFIGURATION.KQL_DATABASE_SERVER=value
LYNC_DATABASE_CONFIGURATION.KQL_DATABASE_UID=value
LYNC_DATABASE_CONFIGURATION.KQL_DATABASE_UPWD=value
LYNC_MONITOR_DB_CONFIG.KQL_AppDBInst_NAME=value
LYNC_MONITOR_DB_CONFIG.KQL_AppDBServer_NAME=value
LYNC_MONITOR_DB_CONFIG.KQL_AppDB_PWD=value
LYNC_MONITOR_DB_CONFIG.KQL_AppDB_USR=value
SCHEDULER_CONFIGURATION.KQL_COLLECTION_HOUR=value
SCHEDULER_CONFIGURATION.KQL_COLLECTION_MIN=value
SCHEDULER_CONFIGURATION.KQL_END_BOUNDARY=value
SCHEDULER_CONFIGURATION.KQL_FREQUENCY=value
SCHEDULER_CONFIGURATION.KQL_START_BOUNDARY=value
SETUP_INFORMATION.KQL_FQDN=value
SETUP_INFORMATION.KQL_LOCATION=value
```

```
SETUP_INFORMATION.KQL_Synthetic_GetHealth=value  
SETUP_INFORMATION.KQL_TEST_USER1_PWD_PASSWORD=value  
SETUP_INFORMATION.KQL_TEST_USER2=value  
SETUP_INFORMATION.KQL_TEST_USER2_PWD_PASSWORD=value  
SETUP_INFORMATION.KQL_TEST_USERS1=value
```



---

## Appendix A. Documentation library

A variety of documentation is available for insert the short product name from the list.

IBM Knowledge Center contains topics of information for the product and links to relevant PDFs. In IBM Knowledge Center, you can create a custom PDF that contains only the topics in which you are interested. See the directions for [Creating your own set of topics](http://www.ibm.com/support/knowledgecenter/doc/kc_help.html#create) ([http://www.ibm.com/support/knowledgecenter/doc/kc\\_help.html#create](http://www.ibm.com/support/knowledgecenter/doc/kc_help.html#create)).

### Prerequisite documentation

---

To use the information about the components effectively, you must have some prerequisite knowledge.

The following information for Tivoli Monitoring is available in the [IBM Knowledge Center](http://www.ibm.com/support/knowledgecenter) (<http://www.ibm.com/support/knowledgecenter>) to gain prerequisite knowledge:

- *IBM Tivoli Monitoring Administrator's Guide*
- *IBM Tivoli Monitoring Installation and Setup Guide*
- *IBM Tivoli Monitoring High Availability Guide for Distributed Systems*
- IBM Tivoli Monitoring: Installation and Configuration Guides for the following agents: Operating System agents and Warehouse agents
- IBM Tivoli Monitoring: User's Guides for the following agents: Agentless OS monitors, Log File agent, System p agents, Systems Director base agent
- *IBM Tivoli Monitoring Agent Builder User's Guide*
- *IBM Tivoli Monitoring Command Reference*
- *IBM Tivoli Monitoring: Messages*
- *IBM Tivoli Monitoring Troubleshooting Guide*
- IBM Tivoli Monitoring: References for the following agents: Operating System agents and Warehouse agents
- IBM Tivoli Monitoring: Troubleshooting Guides for the following agents: Operating System agents and Warehouse agents
- *Tivoli Enterprise Portal User's Guide*

### Related documentation

---

The documentation for related products provides useful information.

See the following products in IBM Knowledge Center (<http://www.ibm.com/support/knowledgecenter/>):

- Tivoli Monitoring
- Tivoli Application Dependency Discovery Manager
- Tivoli Business Service Manager
- Tivoli Common Reporting
- Tivoli Enterprise Console
- Tivoli Netcool/OMNIBus

Terminology that is relevant to IBM products is consolidated in one convenient locations at the [IBM Terminology website](http://www.ibm.com/software/globalization/terminology) (<http://www.ibm.com/software/globalization/terminology>).

## Tivoli Monitoring Community on Service Management Connect

---

Service Management Connect (SMC) is a repository of technical information that is organized by communities.

Access Service Management Connect at <https://www.ibm.com/developerworks/servicemanagement>.

For information about Tivoli products, see the [Application Performance Management community](http://www.ibm.com/developerworks/servicemanagement/apm/index.html) (<http://www.ibm.com/developerworks/servicemanagement/apm/index.html>).

Connect, learn, and share with Service Management professionals. Get access to developers and product support technical experts who provide their perspectives and expertise. You can use SMC for these purposes:

- Become involved with transparent development, an ongoing, open engagement between other users and IBM developers of Tivoli products. You can access early designs, sprint demonstrations, product roadmaps, and prerelease code.
- Connect one-on-one with the experts to collaborate and network about Tivoli and the Application Performance Management community.
- Read blogs to benefit from the expertise and experience of others.
- Use wikis and forums to collaborate with the broader user community.

## Other sources of documentation

---

You can obtain additional technical documentation about monitoring products from other sources.

See the following sources of technical documentation about monitoring products:

- [IBM Integrated Service Management Library](http://www.ibm.com/software/brandcatalog/ismlibrary/) (<http://www.ibm.com/software/brandcatalog/ismlibrary/>) is an online catalog that contains integration documentation as well as other downloadable product extensions.
- IBM Redbook publications (<http://www.redbooks.ibm.com/>) include Redbooks® publications, Redpapers, and Redbooks technotes that provide information about products from platform and solution perspectives.
- [Technotes](http://www.ibm.com/support/entry/portal/software) (<http://www.ibm.com/support/entry/portal/software>), which are found through the IBM Software Support website, provide the latest information about known product limitations and workarounds.

## Conventions used in the documentation

---

Several conventions are used in the documentation for special terms, actions, commands, and paths that are dependent on your operating system.

### Typeface conventions

The following typeface conventions are used in the documentation:

#### **Bold**

- Lowercase commands, mixed-case commands, parameters, and environment variables that are otherwise difficult to distinguish from the surrounding text
- Interface controls (check boxes, push buttons, radio buttons, spin buttons, fields, folders, icons, list boxes, items inside list boxes, multicolumn lists, containers, menu choices, menu names, tabs, property sheets), labels (such as **Tip:**)
- Keywords and parameters in text

#### *Italic*

- Citations (examples: titles of publications, CDs, and DVDs)
- Words and phrases defined in text (example: a nonswitched line is called a *point-to-point line*)

- Emphasis of words and letters (example: The LUN address must start with the letter *L*.)
- New terms in text , except in a definition list (example: a *view* is a frame in a workspace that contains data.)
- Variables and values you must provide (example: where *myname* represents...)

### **Monospace**

- Examples and code examples
- File names, directory names, path names, programming keywords, properties, and other elements that are difficult to distinguish from the surrounding text
- Message text and prompts
- Text that you must type
- Values for arguments or command options

### **Bold monospace**

- Command names, and names of macros and utilities that you can type as commands
- Environment variable names in text
- Keywords
- Parameter names in text: API structure parameters, command parameters and arguments, and configuration parameters
- Process names
- Registry variable names in text
- Script names

### **Operating system-dependent variables and paths**

The direction of the slash for directory paths might vary in the documentation. Regardless of what you see in the documentation, follow these guidelines:

- For UNIX or Linux, use a forward slash (/).
- For Windows, use a backslash (\).

The names of environment variables are not always the same in Windows and UNIX. For example, %TEMP% in Windows is equivalent to \$TMPDIR in UNIX or Linux.

For environment variables, follow these guidelines:

- For UNIX or Linux, use **\$variable**.
- For Windows, use **%variable%**.

If you are using the bash shell on a Windows system, you can use the UNIX conventions.



## Notices

---

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing  
IBM Corporation  
North Castle Drive  
Armonk, NY 10504-1785 U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing  
Legal and Intellectual Property Law  
IBM Japan Ltd.  
19-21, Nihonbashi-Hakozakicho, Chuo-ku  
Tokyo 103-8510, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement might not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation  
224A/101  
11400 Burnet Road  
Austin, TX 78758 U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurement may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

All IBM prices shown are IBM's suggested retail prices, are current and are subject to change without notice. Dealer prices may vary.

This information is for planning purposes only. The information herein is subject to change before the products described become available.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

#### COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. You may copy, modify, and distribute these sample programs in any form without payment to IBM for the purposes of developing, using, marketing, or distributing application programs conforming to IBM's application programming interfaces.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

© IBM 2009. Portions of this code are derived from IBM Corp. Sample Programs. © Copyright IBM Corp. 2009. All rights reserved.

If you are viewing this information in softcopy form, the photographs and color illustrations might not be displayed.

## Trademarks

---

IBM, the IBM logo, and [ibm.com](http://ibm.com)® are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the web at [Copyright and trademark information](http://www.ibm.com/legal/copytrade.shtml) ([www.ibm.com/legal/copytrade.shtml](http://www.ibm.com/legal/copytrade.shtml)).

Intel, Intel logo, and Intel Xeon, are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.



Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft and Windows are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other company, product, or service names may be trademarks or service marks of others.

## Privacy policy considerations

---

IBM Software products, including software as a service solutions, ("Software Offerings") may use cookies or other technologies to collect product usage information, to help improve the end user experience, to tailor interactions with the end user or for other purposes. In many cases no personally identifiable information is collected by the Software Offerings. Some of our Software Offerings can help enable you to collect personally identifiable information. If this Software Offering uses cookies to collect personally identifiable information, specific information about this offering's use of cookies is set forth below.

Depending upon the configurations deployed, this Software Offering may use session cookies that collect each user's user name for purposes of session management, authentication, and single sign-on configuration. These cookies cannot be disabled.

If the configurations deployed for this Software Offering provide you as customer the ability to collect personally identifiable information from end users via cookies and other technologies, you should seek your own legal advice about any laws applicable to such data collection, including any requirements for notice and consent.

For more information about the use of various technologies, including cookies, for these purposes, See IBM's Privacy Policy at <http://www.ibm.com/privacy> and IBM's Online Privacy Statement at <http://www.ibm.com/privacy/details> the section entitled "Cookies, Web Beacons and Other Technologies" and the "IBM Software Products and Software-as-a-Service Privacy Statement" at <http://www.ibm.com/software/info/product-privacy>.



---

# Index

## A

agent  
    functions [1](#)  
Agent Management Services [9](#)  
Application Performance Management community on SMC  
[24](#)

## C

commands  
    tacmd addSystem [20](#)  
components  
    IBM Tivoli Monitoring [8](#)  
configuration  
    agent [13](#)  
    fields [16](#)  
    remote [20](#)  
    values [16](#)  
configuring the monitoring agent [13](#)  
conventions in documentation [24](#)  
cookies [29](#)  
create PDF [23](#)

## D

data collection [10](#)  
data sources [10](#)  
documentation  
    IBM Tivoli Monitoring [23](#)  
    Integrated Service Management Library [24](#)  
    prerequisite [23](#)  
    Redbooks [24](#)  
    related [23](#)  
    Technotes [24](#)

## E

enhancements [8](#)

## I

IBM Tivoli Monitoring  
    overview [1](#)  
installation  
    agent [13](#)  
    remote [20](#)  
installing language packs [13](#)  
installing the monitoring agent [13](#)  
Integrated Service Management Library documentation [24](#)  
interface  
    user [9](#)

## L

language packs

language packs (*continued*)  
    installing [13](#)  
    silent installation [13](#)

## N

new in this release [8](#)

## O

operating systems [13](#)  
overview  
    IBM Tivoli Monitoring [1](#)

## P

path conventions [24](#)  
prerequisite documentation [23](#)  
privacy policy [29](#)  
publications  
    Service Management Connect [24](#)  
    SMC, *See* Service Management Connect  
    *See also* documentation

## R

Redbooks [24](#)  
remote  
    installation and configuration [20](#)  
requirements [13](#)  
response file template [13](#)

## S

Service Management Connect [24](#)  
silent installation [13](#)  
silent installation of language packs [13](#)  
SMC, *See* Service Management Connect

## T

tacmd addSystem command [20](#)  
Technotes [24](#)  
terms [23](#)  
typeface conventions [24](#)

## U

user interface options [9](#)

## V

variables conventions [24](#)







SC27-5666-00

