

Netcool/OMNIbus
Version 7 Release 4

Error Messages Guide



Netcool/OMNIbus
Version 7 Release 4

Error Messages Guide



Notes

Before using this information and the product it supports, read the information in "Notices" on page 721.

t

This edition applies to version 7, release 4 of IBM Tivoli Netcool/OMNIbus (product number 5724-S44) and to all subsequent releases and modifications until otherwise indicated in new editions.

© Copyright IBM Corporation 2011, 2013.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

About this publication v

Intended audience	v
What this publication contains	v
Publications	v
Accessibility	vii
Tivoli technical training	vii
Support information	vii
Conventions used in this publication	viii

Chapter 1. Error messages generated by the server-side components 1

ALD	1
APM	6
AUT.	14
BRI	19
CHE.	42
CMD	46
DBI	57
ETC.	63
GOB.	73
GTK	116
HTT	160
IDC	164
IDS.	170
IPC.	181
IVM	188
MEM	202
NHT	206
OAM	225
OBJ.	229
OBX	237
POS	273
PRO	274
PRX	281
RCL	293
RCO	300
REG	317
RSE	321
SEC	338
STB.	352

STK	357
STO	361
STR	375
UNK	377
UNK-000	380

Chapter 2. Error messages generated by the Web GUI component 381

HEMAR	381
HEMAW	386
HEMBT	407
HEMDA	440
HEMDP	480
HEMEA	518
HEMEC	530
HEMEE	535
HEMEH	549
HEMEM	555
HEMEN	560
HEMEO	566
HEMEP	575
HEMER	581
HEMES	583
HEMEU	592
HEMFV	599
HEMHA	628
HEMHB	638
HEMIM	643
HEMIN	656
HEMIN0010W	656
HEMIP	656
HEMJS	663
HEMUP	713

Notices 721

Trademarks	723
----------------------	-----

Index 725

About this publication

Tivoli Netcool/OMNIBus is a service level management (SLM) system that delivers real-time, centralized monitoring of complex networks and IT domains.

The *IBM Tivoli Netcool/OMNIBus Error Messages Guide* is a reference guide that describes system messages in Tivoli Netcool/OMNIBus and how to respond to those messages.

Intended audience

This publication is intended for administrators who are responsible for configuring Tivoli Netcool/OMNIBus.

What this publication contains

This publication contains the following sections:

- Chapter 1, “Error messages generated by the server-side components,” on page 1
Lists and describes the error messages generated by the Tivoli Netcool/OMNIBus server-side components.
- Chapter 2, “Error messages generated by the Web GUI component,” on page 381
Lists and describes the error messages generated by the Web GUI server-side component.

Publications

This section lists publications in the Tivoli Netcool/OMNIBus library and related documents. The section also describes how to access Tivoli publications online and how to order Tivoli publications.

Your Tivoli Netcool/OMNIBus library

The following documents are available in the Tivoli Netcool/OMNIBus library:

- *IBM Tivoli Netcool/OMNIBus Installation and Deployment Guide*, SC14-7526
Includes installation and upgrade procedures for Tivoli Netcool/OMNIBus, and describes how to configure security and component communications. The publication also includes examples of Tivoli Netcool/OMNIBus architectures and describes how to implement them.
- *IBM Tivoli Netcool/OMNIBus Administration Guide*, SC14-7527
Describes how to perform administrative tasks using the Tivoli Netcool/OMNIBus Administrator GUI, command-line tools, and process control. The publication also contains descriptions and examples of ObjectServer SQL syntax and automations.
- *IBM Tivoli Netcool/OMNIBus Web GUI Administration and User's Guide*, SC14-7528
Describes how to perform administrative and event visualization tasks using the Tivoli Netcool/OMNIBus Web GUI.
- *IBM Tivoli Netcool/OMNIBus User's Guide*, SC14-7529
Provides an overview of the desktop tools and describes the operator tasks related to event management using these tools.

- *IBM Tivoli Netcool/OMNIBus Probe and Gateway Guide, SC14-7530*
Contains introductory and reference information about probes and gateways, including probe rules file syntax and gateway commands.
- *IBM Tivoli Monitoring for Tivoli Netcool/OMNIBus Agent User's Guide, SC14-7532*
Describes how to install the health monitoring agent for Tivoli Netcool/OMNIBus and contains reference information about the agent.
- *IBM Tivoli Netcool/OMNIBus Event Integration Facility Reference, SC14-7533*
Describes how to develop event adapters that are tailored to your network environment and the specific needs of your enterprise. This publication also describes how to filter events at the source.
- *IBM Tivoli Netcool/OMNIBus Error Messages Guide, SC14-7534*
Describes system messages in Tivoli Netcool/OMNIBus and how to respond to those messages.
- *IBM Tivoli Netcool/OMNIBus Web GUI Administration API (WAAPI) User's Guide, SC22-7535*
Shows how to administer the Tivoli Netcool/OMNIBus Web GUI using the XML application programming interface named WAAPI
- *IBM Tivoli Netcool/OMNIBus ObjectServer HTTP Interface Reference Guide, SC27-5613* Describes the URIs and common behaviors of the Application Programming Interface (API) that is called the ObjectServer HTTP Interface. Describes how to enable the API and provides examples of JSON payloads, and HTTP requests and responses.
- *IBM Tivoli Netcool/OMNIBus ObjectServer OSLC Interface Reference Guide, SC27-5613* Describes the services, resources, and common behaviors of the Open Services for Lifecycle Collaboration (OSLC) Application Programming Interface (API) that is called the ObjectServer OSLC Interface. Describes how to enable the API and provides examples of service provider definitions, RDF/XML payloads, and HTTP requests and responses.

Accessing terminology online

The IBM Terminology Web site consolidates the terminology from IBM product libraries in one convenient location. You can access the Terminology Web site at the following Web address:

<http://www.ibm.com/software/globalization/terminology>

Accessing publications online

IBM posts publications for this and all other Tivoli products, as they become available and whenever they are updated, to the Tivoli Information Center Web site at:

<http://publib.boulder.ibm.com/infocenter/tivihelp/v3r1/index.jsp>

Note: If you print PDF documents on other than letter-sized paper, set the option in the **File > Print** window that allows Adobe Reader to print letter-sized pages on your local paper.

Ordering publications

You can order many Tivoli publications online at the following Web site:

<http://www.ibm.com/e-business/linkweb/publications/servlet/pbi.wss>

You can also order by telephone by calling one of these numbers:

- In the United States: 800-879-2755
- In Canada: 800-426-4968

In other countries, contact your software account representative to order Tivoli publications. To locate the telephone number of your local representative, perform the following steps:

1. Go to the following Web site:
<http://www.ibm.com/e-business/linkweb/publications/servlet/pbi.wss>
2. Select your country from the list and click **Go**. The Welcome to the IBM Publications Center page is displayed for your country.
3. On the left side of the page, click **About this site** to see an information page that includes the telephone number of your local representative.

Accessibility

Accessibility features help users with a physical disability, such as restricted mobility or limited vision, to use software products successfully.

With this product, you can use assistive technologies to hear and navigate the interface. You can also use the keyboard instead of the mouse to operate some features of the graphical user interface.

Tivoli technical training

For Tivoli technical training information, refer to the following IBM Tivoli Education Web site:

<http://www.ibm.com/software/tivoli/education>

Support information

If you have a problem with your IBM software, you want to resolve it quickly. IBM provides the following ways for you to obtain the support you need:

Online

Go to the IBM Software Support site at <http://www.ibm.com/software/support/probsub.html> and follow the instructions.

IBM Support Assistant

The IBM Support Assistant (ISA) is a free local software serviceability workbench that helps you resolve questions and problems with IBM software products. The ISA provides quick access to support-related information and serviceability tools for problem determination. To install the ISA software, go to <http://www.ibm.com/software/support/isa>.

Documentation

If you have a suggestion for improving the content or organization of this guide, send it to the Tivoli Netcool/OMNIBus Information Development team at:

mailto://L3MMDOCS@uk.ibm.com

Conventions used in this publication

This publication uses several conventions for special terms and actions and operating system-dependent commands and paths.

Typeface conventions

This publication uses the following typeface conventions:

Bold

- Lowercase commands and mixed case commands that are otherwise difficult to distinguish from surrounding text
- Interface controls (check boxes, push buttons, radio buttons, spin buttons, fields, folders, icons, list boxes, items inside list boxes, multicolumn lists, containers, menu choices, menu names, tabs, property sheets), labels (such as **Tip:** and **Operating system considerations:**)
- Keywords and parameters in text

Italic

- Citations (examples: titles of publications, diskettes, and CDs)
- Words defined in text (example: a nonswitched line is called a *point-to-point* line)
- Emphasis of words and letters (words as words example: "Use the word *that* to introduce a restrictive clause."; letters as letters example: "The LUN address must start with the letter *L*.")
- New terms in text (except in a definition list): a *view* is a frame in a workspace that contains data
- Variables and values you must provide: ... where *myname* represents....

Monospace

- Examples and code examples
- File names, programming keywords, and other elements that are difficult to distinguish from surrounding text
- Message text and prompts addressed to the user
- Text that the user must type
- Values for arguments or command options

Operating system-dependent variables and paths

This publication uses the UNIX convention for specifying environment variables and for directory notation.

When using the Windows command line, replace *\$variable* with *%variable%* for environment variables, and replace each forward slash (/) with a backslash (\) in directory paths. For example, on UNIX systems, the \$NCHOME environment variable specifies the path of the Netcool® home directory. On Windows systems, the %NCHOME% environment variable specifies the path of the Netcool home directory. The names of environment variables are not always the same in the

Windows and UNIX environments. For example, %TEMP% in Windows environments is equivalent to \$TMPDIR in UNIX environments.

If you are using the bash shell on a Windows system, you can use the UNIX conventions.



Operating system-specific directory names

Where Tivoli Netcool/OMNIbus files are identified as located within an *arch* directory under NCHOME, *arch* is a variable that represents your operating system directory, as shown in the following table.

Table 1. Directory names for the *arch* variable

Directory name represented by <i>arch</i>	Operating system
aix5	AIX® systems
hpux11hpia	HP-UX Itanium-based systems
linux2x86	Red Hat Linux and SUSE systems
linux2s390	Linux for System z®
solaris2	Solaris systems
win32	Windows systems

Fix pack information

Information that is applicable only to the fix pack versions of Tivoli Netcool/OMNIbus are prefaced with a graphic. For example, if a set of instructions is preceded by the graphic  , it means that the instructions can only be performed if you installed fix pack 1 of your installed version of Tivoli Netcool/OMNIbus. In the release notes, descriptions of known problems that are prefaced with  are solved in fix pack 1, and so on.

Note: Fix packs are distributed separately for the server components and the Web GUI component.

Chapter 1. Error messages generated by the server-side components

The following error messages are generated by the server-side components of Tivoli Netcool/OMNIBus.

ALD

Messages related to LDAP authentication.

E-ALD-102-001 The system has been configured for FIPS but the LDAP authentication module is not configured to use SSL

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-002 Failure occurred in configuring LDAP interface for FIPS (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-003 Failed to initialise the SSL environment. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-004 Failed to bind to LDAP server using v2 protocol for user %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-005 Failed to initialise connection to LDAP server. Host %0s. Port %1d. Error - %2d:%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-006 Failed to initialise LDAP SSL connection. Host %0s. Port %1d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-007 Failed to bind to LDAP server for user %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-008 The LDAP Server is not reachable

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-009 Failed to unbind from the LDAP server: %0d:%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-010 Failed to initialise the connection prior to reconnecting

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-011 LDAP Server message received during bind. %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-012 ldap_open failed to LDAP server. Host %0s. Port %1d. Error - %2d:%3s.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-013 Failed to initialise the connection for
SSL prior to reconnecting

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-014 Failed to bind to LDAP server for
user %0s. ldap_result failed. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-015 Timeout while attempting to bind to
LDAP server for user %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-016 Failed to bind to LDAP server for
user %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-017 Failed to fetch value for property
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-018 Datatype mismatch for property %0s
in value extraction. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-019 Datatype not supported for property
%0s in value extraction. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-020 Failed to bind during reconnection attempt. Error %0s.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-021 Error occurred while trying to establish bind connection. Error %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-022 %0s in %1s, line %2d near %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-023 %0s in %1s, line %2d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-024 Failed to decode properties file %0s: %1d:%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-025 Failed to define the encryption properties. %0d:%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ALD-102-026 Failed to perform search on LDAP server with base dn %0s and filter %1s: %2d:%3s

Explanation: The following examples show how this message is written to the log.

Example 1:

E-ALD-102-026: Failed to perform search on LDAP server with base dn 'ou=bluepages,o=ibm.com' and filter '(cn=Test User)': 81:Can't contact LDAP server

Example 2:

E-ALD-102-026: Failed to perform search on LDAP server with base dn 'ou="Tivoli",ou=SWG,o=ibm' and filter '(&(cn=Test User)(|(ou=Tivoli)(ou=Webtop)))': 87:Bad search filter

Example message 1 indicates that an LDAP search failed because the ObjectServer could not contact the LDAP server. Example message 2 indicates that an LDAP search failed because an invalid search filter was specified.

System action: The user is not authenticated.

User response: Not applicable.

Administrator response: To address example message 1, check for network connectivity problems. This problem can also arise when the ObjectServer is configured for anonymous bind but the LDAP server requires bind security. If the network connection is not the problem, check your LDAP configuration.

To address example message 2, check your LDAP configuration. Contact your LDAP administrator for the search filter requirements for your LDAP setup.

This error can also be caused by several other conditions. The error string at the end of the message (%2d:%3s) gives an indication of the cause of the problem.

For more information about configuring LDAP authentication, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-ALD-102-027 No LDAP user entry found with base dn %0s and filter %1s

Explanation: The following example shows how this message is written to the log:

E-ALD-102-027: No LDAP user found with base dn ou=Tivoli,ou=SWG,o=ibm and filter (cn=User One)

The example message indicates that an LDAP search based on the described parameters did not find the user details in LDAP.

System action: The user is not authenticated.

User response: Not applicable.

Administrator response: To resolve this problem, take the following actions:

- Verify that the user name used to log in to the ObjectServer is correct.
- Verify that the base distinguished name and search filter are correctly specified in the LDAP properties file. The **LDAPSearchBase** property specifies the base distinguished name and the **LDAPSearchFilter** property specifies the search filter.
- Contact your LDAP administrator and verify that the user exists in LDAP.

For more information about configuring and troubleshooting LDAP authentication, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-ALD-102-028 Authentication failed because multiple LDAP users found with base dn %0s and filter %1s

Explanation: The following example shows how this message is written to the log:

E-ALD-102-028: Multiple LDAP users with base DN 'ou=Tivoli,ou=SWG,o=ibm' and filter '(cn=User Two)'

The example message indicates that a user name is not unique and exists in multiple LDAP directories.

System action: The user is not authenticated.

User response: Not applicable.

Administrator response: To resolve this problem, modify the LDAP search so that it returns only one user. If necessary, contact your LDAP administrator for the configuration requirements for your LDAP setup.

For more information about configuring LDAP authentication, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-ALD-102-029 ldap_get_dn() failed with LDAP errno %0d %1s

Explanation: This message is logged when there is an internal problem with converting a search result to a distinguished name. The error code string (%0d %1s) gives more details.

System action: The user is not authenticated.

User response: Not applicable.

Administrator response: If this problem persists, contact IBM Software Support.

For more information about configuring and troubleshooting LDAP authentication, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-ALD-102-030 LDAPSearchFilter string can not contain more than one instance of %s

Explanation: This message is logged when the value of the **LDAPSearchFilter** property contains more than one instance of the %s variable.

When it is authenticating a user, the ObjectServer replaces the %s variable in the search filter with the user name. A search filter must contain only one instance of the %s variable.

System action: The ObjectServer does not start.

User response: Not applicable.

Administrator response: To resolve this problem,

modify the search filter to contain only one instance of the %s variable.

For more information about configuring LDAP authentication, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-ALD-102-031 LDAPSearchFilter string must contain %s (replaced by the user name at runtime)

Explanation: This message is logged when the value of the **LDAPSearchFilter** property does not contain the %s variable.

When it is authenticating a user, the ObjectServer replaces the %s variable in the search filter with the user name. The %s variable is required in the LDAP search string.

System action: The ObjectServer does not start.

User response: Not applicable.

Administrator response: To resolve this problem, modify the search filter to contain the %s variable. Only one instance of the %s variable is permitted.

For more information about configuring LDAP authentication, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-ALD-102-032 Failed to parse LDAPSearchBase (%0s)

Explanation: This message is logged when the ObjectServer cannot parse the value of the **LDAPSearchBase** property.

System action: The ObjectServer does not start.

User response: Not applicable.

Administrator response: Verify that the **LDAPSearchBase** property is correctly specified in the LDAP properties file. The LDAP properties file `ldap.props` is in the `$NCHOME/omnibus/etc/` directory.

For more information about configuring LDAP authentication, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-ALD-102-033 LDAPSearchBase string should not contain %s.

Explanation: This message is logged when the value of the **LDAPSearchBase** property contains the %s variable.

System action: The ObjectServer does not start.

User response: Not applicable.

Administrator response: Modify the **LDAPSearchBase** property to remove any instance of the %s variable. The %s variable must be used only in the **LDAPSearchFilter** property.

E-ALD-102-034 • W-ALD-103-003

For more information about configuring LDAP authentication, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-ALD-102-034 LDAPSearch returned NO_SUCH_OBJECT. Verify that LDAPSearchBase is specified correctly and the search base object %0s exists on the LDAP server.

Explanation: This message is logged when an LDAP search returns a NO_SUCH_OBJECT error code. This error typically occurs when the base distinguished name specified in the search query cannot be found.

System action: If multiple distinguished names are specified by the **LDAPSearchBase** property, the ObjectServer continues to search on the next base distinguished name. If no more search bases exist, the ObjectServer fails to authenticate the user.

User response: Not applicable.

Administrator response: Verify that the distinguished names specified by the **LDAPSearchBase** property correspond to objects that exist in the LDAP server.

For more information about configuring LDAP authentication, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

W-ALD-103-001 Failed to load properties file %0s: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ALD-103-002 LDAPSearchBase and DistinguishedName have been specified. The DistinguishedName parameter will be ignored.

Explanation: The following example shows how this message is written to the log:

W-ALD-103-002: LDAPSearchBase and DistinguishedName have been specified.
The DistinguishedName parameter will be ignored.

The example message indicates that both the **LDAPSearchBase** and **DistinguishedName** properties are

enabled in the LDAP properties file. The ObjectServer ignores the **DistinguishedName** property.

System action: Not applicable.

User response: Not applicable.

Administrator response: Determine whether you require a direct bind to LDAP or if you require an LDAP search to authenticate users. Contact your LDAP administrator to determine the best option.

A direct bind authentication requires setting the **DistinguishedName** property. An LDAP search requires setting the **LDAPSearchBase** and **LDAPSearchFilter** properties. The LDAP properties file `ldap.props` is in the `$NCHOME/omnibus/etc/` directory.

For more information about configuring LDAP authentication, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

W-ALD-103-003 LDAPSearchFilter has been specified without LDAPSearchBase. LDAPSearchFilter will be ignored and direct bind authentication used.

Explanation: The following example shows how this message is written to the log:

W-ALD-103-003: LDAPSearchFilter has been specified without LDAPSearchBase. LDAPSearchFilter will be ignored and direct bind authentication used.

The example message indicates that the **LDAPSearchFilter** is enabled in the LDAP properties file but the **LDAPSearchBase** property is not enabled. The ObjectServer ignores the **LDAPSearchFilter** property and uses a direct bind to LDAP.

System action: Not applicable.

User response: Not applicable.

Administrator response: If you want to use an LDAP search to authenticate a user, specify a value for the **LDAPSearchBase** property. If you require a direct bind to LDAP, leave the **LDAPSearchFilter** property blank. The LDAP properties file `ldap.props` is in the `$NCHOME/omnibus/etc/` directory.

For more information about configuring LDAP authentication, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

APM

Messages related to Pluggable Authentication Modules (PAM) authentication.

E-APM-102-001 PAM message for user %0s: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-003 Failed to initialise the underlining
OS PAM sub-system. Application: %0s.
PAM Error [%1d][%2s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-004 Failed to set the user name on the
PAM handle [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-005 User authentication of user %0s , has
failed. [%1d][%2s]

Explanation: The following example shows how this message is written to the log:

```
E-APM-102-005: User authentication of user
'plp40289', has failed. [7][Authentication
failure]
```

The example message indicates that authentication of a user account to the Pluggable Authentication Module (PAM) failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: This error can be caused by several different conditions. The error strings give the PAM error number and an indication of the cause of the error.

Examine related messages in the log to determine whether the authentication failure affects a single user or all users. Determine also whether the failure is specific to the ObjectServer or to the user repository.

If an ObjectServer, process agent, or gateway process is not running as root, you might encounter authentication problems with external PAM systems. For more information, see the troubleshooting section of the *IBM Tivoli Netcool/OMNIBus Installation and Deployment Guide*.

E-APM-102-006

E-APM-102-006 User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-007 Unknown error has occurred during authentication. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-008

E-APM-102-008 Authentication Token Update has failed. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-009 Unknown error has occurred during authentication token update. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-102-010

E-APM-102-010 Account Management of user %0s ,
has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-104-002 Unknown PAM conversion type: *%0d*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-APM-104-011 %0s : PAM module in use is broken.
Application user data has not been
passed to conversation function.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

AUT

Messages related to automations and triggers.

E-AUT-001-001 Cannot drop object with attached
triggers

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-002 Must select all columns

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-004 Operation not valid on a system
event

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-005 Cannot execute this operation in a
recursive action

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-006 Evaluate clauses are not available in
database triggers

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-007 Invalid database event

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-008 Comment too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-009 Evaluate clause too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-010 Condition clause too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-011 Declare block too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-012 Action block too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-013 Failed to recover event

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-014 Failed to recover trigger group

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-015 Failed to recover trigger

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-017 Trigger is already member of trigger group

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-001-018 Trigger has circular dependencies

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-002-006 Trigger \%\s\: action execution failed: %1s

Explanation: The following examples show how this message is written to the log.

Example 1:

```
E-AUT-002-006: Trigger "deleteitm":
action execution failed:
Attempt to insert duplicate row
```

Example 2:

```
E-AUT-002-006:
Trigger "connection_watch_disconnect":
action execution failed:
Not enough space
```

Example 3:

```
E-AUT-002-006: Trigger "log_all_event":
action execution failed:
There is not enough memory available now.
The external procedure (log_event) was not
executed.
```

The example messages indicate that ObjectServer triggers are not being executed, possibly because there is not enough memory to process the operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: In example message 1, a deduplication trigger does not exist for the table where the event is being inserted. In this case, you can add a deduplication trigger to handle duplicate rows in the table concerned.

The following example trigger drops the incoming duplicate event data and does not make any updates:

```
create or replace trigger custom_dedup
group default_triggers
debug false
enabled true
priority 1
comment 'Deduplication processing for
custom.status'
before reinsert on custom.status
```

```
for each row
begin
```

```
cancel;
```

```
end;
```

In example messages 2 and 3, there is a problem with the amount of memory available. Monitor the memory usage of the ObjectServer and the host system over an extended time period to determine whether the system requires more physical memory.

For information about triggers and automations, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-AUT-002-009 Trigger \%\s\: action execution failed: %1s: %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-001 Trigger \%\s\: %1s on line %2d near %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-002 Trigger \%\s\: %1s on line %2d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-004 Trigger \%\s\: recursive raise detected. Aborting execution

Explanation: The following example shows how this message is written to the log:

```
2012-04-13T21:12:28: Error: E-AUT-003-004:
Trigger "test_correlation": recursive raise
detected. Aborting execution
```

This error indicates that the affected trigger is performing an action that might lead to the trigger being executed recursively, thereby degrading ObjectServer performance. When the ObjectServer detects that it is recursively invoking a trigger, it prevents execution of the trigger and returns this error message.

In the example message, a custom database trigger, `test_correlation`, fires on an update to the

alerts.status table. However, the trigger itself performs an update to alerts.status, thus starting a recursive loop.

System action: Not applicable.

User response: Not applicable.

Administrator response: The response to this error will depend on your system configuration. The solution to the problem in the example is to either alter the trigger to prevent recursion, or to use a temporal trigger instead of a database trigger.

E-AUT-003-005 %0s at or near %1s on line %2d of %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-007 Failed to recover %0d of %1d triggers

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-008 Trigger recovery failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-009 Trigger \%0s\ execution failed in evaluate clause : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-010 Trigger \%0s\ execution failed in action clause : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-AUT-003-011 %0s raising signal %1s. Counterpart
ObjectServer is not available for failover
or failback.

Explanation: The following example shows how this message is written to the log:

```
E-AUT-003-011: gateway raising signal  
gw_counterpart_down. Counterpart ObjectServer  
is not available for failover or failback
```

The example message was written to an ObjectServer log file. It indicates that a bidirectional ObjectServer gateway cannot connect to one ObjectServer in a failover or failback pair. The gateway raises the gw_counterpart_down signal in the ObjectServer that it is still connected to.

The gw_counterpart_down signal can be configured to trigger the remaining ObjectServer to take over the functions of the primary ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Determine what caused the ObjectServer outage. Examine the accompanying messages in the log for more information. If the ObjectServer that logged the message was the backup ObjectServer, verify that it is now processing alarms.

W-AUT-004-001 Failed to raise trigger statistics
logging signal: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-AUT-004-002 A callback servicing an alter trigger
group event (%0d) for trigger group %1s
returned: %2s (%3d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-AUT-004-003 A callback servicing an alter trigger
event (%0d) for trigger %1s returned:
%2s (%3d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-AUT-004-004 Invocation of trigger %0s will not be timed due to stop watch creation problem (%1s;%2d). Time statistics will be incorrect for this trigger.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

BRI

Messages related to the firewall bridge server utility (**nco_bridgeserv**).

E-BRI-102-002 [BridgeServer]: Failed to initialise property manager with the NIPC client properties. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-003 [BridgeServer]: Failed to initialise property manager with the bridge servers properties. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-004 [BridgeServer]: Failed to initialise argument manager with the NIPC client arguments. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-005 [BridgeServer]: Failed to initialise argument manager with the bridge servers arguments. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-006 [BridgeServer]: Failed to update property manager with the bridge servers properties affected by name change. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-007 [BridgeServer]: Failed to initialise the
NIPC client library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-008 [BridgeServer]: Failed to fetch all of
the required server property values.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-009 [BridgeServer]: Failed to create a
client data connection structure.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-010 [BridgeServer]: Failed to challenge
client for login details. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-011 [BridgeServer]: Failed to validate
clients login credentials. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-012 [BridgeServer]: Failed to inform the
process agent %0s that we have started. (
%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-013 [BridgeServer]: %0s: The thread has terminated unexpectedly. Server may be shutdown. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-014 [BridgeServer]: %0s: Failed to spawn the client connection handling thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-015 [BridgeServer]: Failed to join the client connection handling thread and wait for it to shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-016 [BridgeServer]: Client Thread: Failed to create session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-017 [BridgeServer]: Client Thread: Failed to install challenge callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-018 [BridgeServer]: Client Thread: Failed to install session name callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-019 [BridgeServer]: Client Thread: Failed to connect to remote ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-020 [BridgeServer]: Client Thread: Failed to disconnect from remote ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-021 [BridgeServer]: Client Thread: Failed to destroy the session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-022 [BridgeServer]: %0s: The thread has terminated unexpectedly. Server may be shutdown. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-023 [BridgeServer]: %0s: The thread has terminated unexpectedly. Server may be shutdown. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-024 [BridgeServer]: %0s: Failed to spawn the thread pool worker thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-025 [BridgeServer]: %0s: Failed to join the thread pool worker thread and wait for it to shutdown. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-026 [BridgeServer]: Invalid value %0s defined for bridge role property %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-027 [BridgeServer]: Unknown bridge mode in start-up handler. Unable to determine servers operational start-up sequence. (%0u)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-028 [BridgeServer]: Unknown bridge mode in stop handler. Unable to determine servers operational shutdown sequence. (%0u)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-029 [BridgeServer]: %0s: Failed to create the server access point listening socket. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-030 [BridgeServer]: %0s: Failed to create the client access point listening socket. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-031 [BridgeServer]: %0s: Failed to create all of the required elements for operation. Shutting down the server. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-032 [BridgeServer]: %0s: Fatal error detected in operation. Terminating the thread.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-033 [BridgeServer]: %0s: Failed to allocate the threads operational data structure (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-034 [BridgeServer]: %0s: Failed to accept a connection on the server access point listening port %1u . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-035 [BridgeServer]: %0s: Failed to accept a connection on the client access point listening port %1u . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-036 [BridgeServer]: %0s: Failed to read command from client connection on socket %1u [%2s;%3s]. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-037 [BridgeServer]: %0s: Failed to look up the associated connection structure for active socket %1u . Fatal condition detected.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-038 [BridgeServer]: %0s: Failed to look up the associated connection structure for active socket %1u . Unexpected error condition detected. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-039 [BridgeServer]: Failed to accept connection on listening socket %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-040 [BridgeServer]: Failed to create a raw connection data handle accepted connection (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-041 [BridgeServer]: %0s: Failed to spawn the client access point command handling thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-042 [BridgeServer]: Failed to join the client access point command handling thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-043 [BridgeServer]: Failed to make a connection to %0s on port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-044 [BridgeServer]: Failed to create a raw connection data handle for established connection to %0s port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-045 [BridgeServer]: %0s: Fatal error detected in operation. Terminating the thread.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-046 [BridgeServer]: %0s: Unable to establish connection bridge for client connection as no command connection has been established between the server access point. Dropping client connection on socket %1u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-047 [BridgeServer]: %0s: Failed to read command from current connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-048 [BridgeServer]: %0s: Failed to connect to client access point server port. Retrying in %1u seconds. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-049 [BridgeServer]: %0s: Failed to look up the associated peer connection structure for socket %1u . Unable to establish a link-up on requesting socket %2u . Dropping connection. (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-050 [BridgeServer]: Failed to read %0d bytes from raw connection data handle. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-051 [BridgeServer]: %0s: Failed to add linked up data flow raw connections to thread pool manager. Dropping associated sockets %1u and %2u . (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-052 [BridgeServer]: %0s: An unknown server command of type %1u has been received from client connection on socket %2u [%3s;%4s]. Dropping command and attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-053 [BridgeServer]: %0s: Failed to handle the read ready status of data pending received from client connection on socket. Attempting to continue. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-054 [BridgeServer]: %0s: An unrecoverable condition has been detected and the thread is not able to continue. Request a shutdown of the bridge server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-055 [BridgeServer]: SrvCmd: Invalid header detected in server command.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-056 [BridgeServer]: SrvCmd: Versioned server command is not supported by current code base. Server command is 0x%0x , but only support up to version 0x%1x

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-057 [BridgeServer]: SrvCmd: Failed to determine the number of bytes pending on client connection socket %0u [%1s:%2s]. Disconnecting the client from the server. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-058 [BridgeServer]: SrvCmd: Client disconnection detected on client connection socket %0u [%1s:%2s]. Disconnecting the client from the server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-059 [BridgeServer]: SrvCmd: Insufficient bytes available for server command header from client connection socket %0u [%1s:%2s]. Expected %3u , but only got %4u . Dropping the data and attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-060 [BridgeServer]: SrvCmd: Failed to send server command to client connection socket %0u [%1s:%2s]. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-061 [BridgeServer]: %0s: Failed to determine the number of bytes pending on client connection socket %1u [%2s:%3s]. Disconnecting the client data flow from the server. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-062 [BridgeServer]: %0s: Client disconnection detected on client connection socket %1u [%2s:%3s]. Disconnecting the client data flow from the server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-063 [BridgeServer]: %0s: Failed to read the pending data from source client connection socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-064 [BridgeServer]: %0s: Failed to write the pending data to destination client connection socket %1u [%2s:%3s]. Disconnecting the client data flow from the server. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-065 [BridgeServer]: TPMgr: Failed to check all threads in the thread pool for an available free slot. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-066 [BridgeServer]: TPMgr: Failed to start a new worker thread within the thread pool. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-067 [BridgeServer]: %0s: Failed to process an active data flow between [%1u:%2s:%3s]->[%4u:%5s:%6s]. (%7d:%8s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-068 [BridgeServer]: %0s: Failed to allocate the threads operational data structure (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-069 [BridgeServer]: %0s: Disconnecting the client connections that represent the active data flow between [%1u:%2s:%3s]->[%4u:%5s:%6s] and dropping the work item.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-070 [BridgeServer]: %0s: Fatal error condition in the thread and can potentially not continue. Return ing failure condition which may result in server shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-071 [BridgeServer]: Failed to build the connection list for ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-072 [BridgeServer]: Failed to establish a raw client connection to ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-073 [BridgeServer]: %0s: Failed to read acknowledge command from new client connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-074 [BridgeServer]: %0s: Failed to wait for acknowledge command from new client connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-075 [BridgeServer]: %0s: Invalid server command received from new client connection on socket %1u [%2s:%3s]. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-076 [BridgeServer]: %0s: Failed to establish a raw client connection to the ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-077 [BridgeServer]: %0s: Failed to establish a link-up raw client connection with the client access point bridge server %1s port %2u . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-078 [BridgeServer]: %0s: Failed to add linked up data flow raw connections to thread pool manager. Dropping associated sockets %1u and %2u . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-079 [BridgeServer]: %0s: Failed to lock the thread pool workers mutex lock. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-080 [BridgeServer]: %0s: Failed to start up all of the threads required operational elements. Shutting down the server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-081 [BridgeServer]: %0s: Failed to send failure error code back to client access point for link up request using client id %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-082 [BridgeServer]: %0s: Server access point has failed to established the data flow on its side. Dropping associated client connection sockets %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-083 [BridgeServer]: Failed to open the Sybase interfaces file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-084 [BridgeServer]: %0s: Received unknown server command %1u from current connection on socket %2u [%3s:%4s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-085 [BridgeServer]: SrvCmd: Unable to encode/decode unknown server command %0u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-086 [BridgeServer]: Client Command Parser: Failed to parse client command. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-087 [BridgeServer]: Client Command Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-088 [BridgeServer]: Failed to parse the client language command %0s .
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-097 [BridgeServer]: Failed to issue bridge server shutdown request. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-100 [BridgeServer]: %0s: Failed to determine whether client connection from hostname %1s (%2s) on socket %3u is from a trusted IP address. Dropping connection. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-101 [BridgeServer]: %0s: Client connection from hostname %1s (%2s) on socket %3u is from an untrusted IP address. Dropping connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-103 [BridgeServer]: Trusted Hosts File Parser: Failed to parse trusted host definition. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-104 [BridgeServer]: Trusted Hosts File Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-105 [BridgeServer]: Failed to parse the trusted hosts file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-106 [BridgeServer]: Failed to open the trusted hosts file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-107 [BridgeServer]: IPv4 address %0d.%1d.%2d.%3d is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-108 [BridgeServer]: IPv4 network prefix %0d is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-109 [BridgeServer]: IPv6 address %0s is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-110 [BridgeServer]: IPv6 network prefix %0d is invalid in trusted hosts file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-111 [BridgeServer]: Failed to execute the client language command %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-114 PAM: Unknown PAM conversion type: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-115 PAM: Failed to initialise the underlining OS PAM sub-system. PAM Error [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-116 PAM: Cannot set thread specific data. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-117 PAM: Failed to set the user name on the PAM handle [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-118 PAM: User authentication of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-119 PAM: User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-120 PAM: Unknown error has occurred during authentication. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-121 PAM: Account Management of user
%0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-122 PAM: PAM message for user %0s:
%1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-123 [BridgeServer]: %0s: Failed to send
heartbeat to client access point
(%1d;%2s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-124 [BridgeServer]: %0s: Failed to send
heartbeat to server access point
(%1d;%2s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-125 [BridgeServer]: %0s: Failed to
determine whether server connection
from hostname %1s (%2s) on socket %3u
is from a trusted IP address. Dropping
connection. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-126 [BridgeServer]: %0s: Server
connection from hostname %1s (%2s) on
socket %3u is from an untrusted IP
address. Dropping connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-127

E-BRI-102-127 [BridgeServer]: %0s: Failed to create link-up request command structure for connection from hostname %1s (%2s) on socket %3u . Dropping connection. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-BRI-102-128 [BridgeServer]: %0s: Failed to send
link-up request to server access point
for connection from hostname %1s (%2s)
on socket %3u . Dropping connection.
(%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-BRI-103-001

W-BRI-103-001 [BridgeServer]: Failed to look up
hostname for IP address %0s . Using
default system hostname %1s .
(%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-BRI-103-002 [BridgeServer]: %0s: Failed to read
command from client connection on
socket %1u [%2s:%3s]. Disconnecting
client from the server. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-BRI-103-003

W-BRI-103-003 [BridgeServer]: %0s: Failed to read command from current connection on socket %1u [%2s:%3s]. Disconnecting from the client. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

CHE

Messages related to the memstore checkpoint verification utility (**nco_check_store**).

E-CHE-001-001 Verification failed for %0s: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-CHE-001-002

F-CHE-001-002 Failed to get property %0s: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-CHE-001-003 Failed to process arguments: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-CHE-001-004 Failed to process properties: %0s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

CMD

Messages related to SQL command processing.

E-CMD-001-001 Invalid expression**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-002 Divide by zero error**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-003 Not a row variable**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-004 Illegal variable**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-005 Object not found**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-006 Table not found**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-CMD-001-007 Database not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-008 Column not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-009 Type mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-010 Invalid condition

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-011 Attempted to compare incompatible types

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-012 Column count mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-013 Named wildcard in view not allowed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-014 Expression requires label

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-015 Expression named twice

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-016 Unknown property

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-017 Cannot modify

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-018 Object exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-019 Invalid column

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-020 Parameter count mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-021 Unsupported

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-022 Primary key not specified

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-023 Illegal mode for table parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-024 Identifier previously declared

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-025 Illegal data type

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-026 Assignment to non scalar value

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-CMD-001-027 Type mismatch for formal
parameter**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-CMD-001-028 Attempt to modify IN formal
parameter**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-029 Attempt to read OUT parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-030 Illegal OUT actual parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-031 Illegal IN/OUT actual parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-032 Illegal row actual parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-033 Incorrect number of fields in actual row parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-034 Actual parameter type mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-035 Illegal IN actual parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-036 Not an array

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-037 Illegal type for array subscript

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-038 Object's parent database must be named

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-039 Cannot replace old object with object of this type

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-040 WHEN clause not allowed in statement level trigger

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-041 Procedure text exceeds permitted number of characters

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-042 Argument out of range

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-043 Object is not a base table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-044 Cannot redefine system column

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-045 Variable cannot be modified

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-046 Cannot read from OUT parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-047 Type mismatch for column

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-049 Type mismatch for field

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-050 Invalid name

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-051 Array bound violation

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-052 Array index type mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-053 Array too large

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-054 Type mismatch for expression list member

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-055 Illegal argument to OUT parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-056 Illegal argument to IN/OUT parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-057 Illegal INSERT. FOR EACH statement in execution on this table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-058 Illegal UPDATE. FOR EACH statement in execution on this table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-CMD-001-059 Illegal DELETE. FOR EACH
statement in execution on this table**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-CMD-001-060 Illegal FOR EACH. FOR EACH
statement in execution on this table**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-061 Illegal EVALUATE clause

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-062 Not a table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-CMD-001-063 WHERE clause not allowed over
this object**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-064 Name too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-065 Illegal subcommand

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-066 Not a scalar value

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-067 Array variable must be IN parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-068 Filter does not match table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-069 Row not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-070 Object is a system table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-071 GroupBy not allowed in a view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-072 Wildcard not allowed in GroupBy

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-073 Illegal the selection list must not contain both aggregate and column expressions

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-074 Order by clause not allowed in an aggregate select

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-075 TOP not allowed in a view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-076 TOP not allowed in an aggregate select

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-077 Illegal the condition must not contain aggregate expressions

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-078 Illegal string size

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-079 Illegal format parameter supplied

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-CMD-001-080 **Illegal index type**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

DBI

Messages related to the database initialization utility (**nco_dbinit**).

E-DBI-001-001 **Command not allowed using
nco_dbinit**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-001 **%0s in file %1s at or near %2s on line
%3d of statement %4s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-002 **%0s in file %1s on line %2d of
statement %3s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-003 **Security startup failed: %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-004 **Security property startup failed: %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-005 **Failed to copy ObjectServer property
file: %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-008 Failed to process file: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-028 An error has occurred while
processing the .sql files. See log for
more details

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-029 No Further Data will be imported to
the objectserver from this file: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-030 Failed to convert error string to a
wide string

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-031 Custom config file %0s does not exist

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-032 Failed to open property file %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-DBI-002-033 Error occurred appending properties
to props file %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-004 Security property startup failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-006 Failed to start procedure subsystem: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-007 Failed to start automation subsystem: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-008 Failed to process file: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-009 Failed to allocate memory: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-010 Failed to process arguments: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-011 Failed to process properties: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-012 Failed to get property %0s: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-013 Invalid server name: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-018 Data directory exists. Use -force option to force overwrite

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-019 Failed to initialise command library: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-020 Failed to start storage subsystem: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-021 Failed to create ObjectServer system events: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-023 Failed to shutdown the storage subsystem: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-034 Failed to initialize property buffer:
%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-DBI-002-035

F-DBI-002-035 Failed to enable UTF8Enabled
property

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-DBI-004-001 Unable to append properties to props file because CopyPropsFile is false

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

ETC

Messages related to the core Netcool/OMNIBus library libnetcool.

E-ETC-003-012 Failed to initialise NTimer for CLOCK tick

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-013 Failed to create NTimer for CLOCK tick_timer

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-014 Failed to create NEvent for CLOCK tick

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-015 Failed to create tick_list_lock

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-003-016 Failed to create timer_mutex

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-004-001 %0s in %1s, line %2d near %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-004-002 *%0s in %1s, line %2d*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-004-008 **THREAD MGR: thread** *%0s (%1p)*
 ***EXIT*:** *%2s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-002 **No global key set and no key
 provided**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-003 **Could not open file** *%0s* **for reading,**
 Error: *%1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-004 **File length found does not match
 expected file length:** *%0s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-005 **Key file formatted incorrectly, length
 mismatch** *%0s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-006 **Key file formatted incorrectly, no
 separator found** *%0s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-007 Attempt made to read data from
empty file: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-008 Failed to define property %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-009 Failed to define callback for property
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-010 Encryption algorithm not found: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-011 Key file formatted incorrectly, non
numeric characters in length: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-021 Failed to open ICU converter, error
code %0d error message %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-022 Failed to open ICU collator, error
code %0d error message %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-023 **libncrypt error:** %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-024 **libncrypt error code out of range:**
%0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-025 **libncrypt error:** %0s %1d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-026 **FIPS mode set and non FIPS cipher
mode detected:** %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-027 **Failed to convert UTF-16 string to
code page:** %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-028 **Failed to convert string:** %0s to
UTF-16: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-029 **Failed to set ICU from Unicode
conversion call back function:** %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-ETC-102-030 Failed to set ICU to Unicode conversion call back function: %0s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-031 Failed to set ICU substitution character call back function: %0s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-032 Failed to set thread specific data for ICU Converter. (%0d:%1s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-033 Failed to create thread specific ICU Converter. (%0d:%1s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-034 Invalid date/time format: %0s.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-035 Fail to format date with format: %0s. Error code: %1s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-ETC-102-036 Fail to parse date string: %0s using format: %1s. Error code: %2s**Explanation:** The following example shows how this message is written to the log:

Error: E-ETC-102-036: Fail to parse date string:
 Tue DEC 19 18:33:11 JST 2010
 using format: %a %b %e %T %Y.
 Error code: U_PARSE_ERROR

This error messages indicates that a probe failed to parse a date string.

The example error message was written to a probe log file. In this example, the error occurs because the date and time pattern %a %b %e %T %Y does not match the date string, which includes time zone information (JST).

System action: Not applicable.**User response:** Not applicable.

Administrator response: To address the problem indicated by the example error message, add the time zone information to the pattern. For example, use the pattern %a %b %e %T %Z %Y to define the time string Tue DEC 19 18:33:11 JST 2010.

However, because JST is not a standard time zone identifier supported by ICU, the time string Tue DEC 19 18:33:11 JST 2010 still causes a parse error. The solution is to use an unambiguous time zone identifier equal to JST, for example, Tue DEC 19 18:33:11 GMT+9 2010.

This error does not occur in versions of Tivoli Netcool/OMNIBus earlier than V7.3 because those versions ignore time zone information. In Tivoli Netcool/OMNIBus V7.3, POSIX date and time patterns were deprecated in favor of Locale Data Markup Language (LDML) date and time patterns that are provided by International Components for Unicode (ICU) libraries. Whenever possible, replace POSIX patterns in probe rules files with LDML patterns.

For more information about the change from POSIX to LDML date and time formats, see the *IBM Tivoli Netcool/OMNIBus Installation and Deployment Guide*.

For more information about using date and time functions in rules files, see the *IBM Tivoli Netcool/OMNIBus Probe and Gateway Guide*.

W-ETC-004-060 Undefined argument: %0s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

W-ETC-004-066 Failed to load properties file %0s: %1s**Explanation:** The following examples show how this message is written to the log:

W-ETC-004-066: Failed to load properties file
 /opt/netcool/omnibus/etc/NCOMS.props:
 No such file or directory

W-ETC-004-066: Failed to load properties file
 /nco731/tivoli/netcool/omnibus/etc/NCOMS.props:
 A file or directory in the path name
 does not exist.

The example messages indicate that the ObjectServer properties file does not exist, or that part of the path name is incorrect.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example message, ensure that the ObjectServer properties file exists. The default location is \$NCHOME/omnibus/etc.

You can use the ObjectServer -propsfile option to set the properties file:

```
nco_objserv -propsfile $NCHOME/omnibus/etc
/NCOMS.props
```

This error can occur when you attempt to start an ObjectServer without having first run the database initialization utility (**nco_dbinit**) to create the database files and the default properties file.

For information about creating and running ObjectServers, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

W-ETC-102-002 Invalid character %0x found when converting from Unicode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-102-003 Invalid character %0x found when converting to Unicode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-102-006 Invalid character %0x replaced by [space] in SQL command at index %1d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-102-007 Code page:%0s is detected, backslash(0x5c) character is defined as Yen symbol in this code page, string can't be escaped and unescaped properly

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-001 Accessing property %0s via alias
 %1s - this alias may be removed in a
 future version

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-002

W-ETC-103-002 Failed to load IP address network
module %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-003 Failed to lookup access function in
IP address network module %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-004

W-ETC-103-004 Failed to successfully call access
function in IP address network module
%0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-ETC-103-005 Failed to get file statistics on file
%0s, trying to read as ascii.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

GOB

Messages related to ObjectServer gateways.

E-GOB-102-001 [ngobjserv]: Failed to create the
property set for ObjectServer data
mapper %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-002 [ngobjserv]: Failed to add the
property set of the ObjectServer data
mapper %0s to the properties manager.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-003 [ngobjserv]: Failed to add the
argument set of the ObjectServer data
mapper %0s to the arguments manager.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-004 [ngobjserv]: Failed to update the
property set of the ObjectServer data
mapper %0s with the properties
manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-005 [ngobjserv]: Failed to get the
property set values for the ObjectServer
data mapper %0s from the properties
manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-006 [ngobjserv]: Failed to create the property set for ObjectServer reader %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-007 [ngobjserv]: Failed to add the property set of the ObjectServer reader %0s to the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-008 [ngobjserv]: Failed to add the argument set of the ObjectServer reader %0s to the arguments manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-009 [ngobjserv]: Failed to update the property set of the ObjectServer reader %0s with the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-010 [ngobjserv]: Failed to get the property set values for the ObjectServer reader %0s from the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-011 [ngobjserv]: Failed to create the property set for ObjectServer writer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-012 [ngobjserv]: Failed to add the property set of the ObjectServer writer %0s to the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-013 [ngobjserv]: Failed to add the argument set of the ObjectServer writer %0s to the arguments manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-014 [ngobjserv]: Failed to update the property set of the ObjectServer writer %0s with the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-015 [ngobjserv]: Failed to get the property set values for the ObjectServer writer %0s from the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-016 [ngobjserv]: Failed to create the property set for ObjectServer reader/writer %0s. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-017 [ngobjserv]: Failed to add the property set of the ObjectServer reader/writer %0s to the properties manager. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-018 [ngobjserv]: Failed to add the argument set of the ObjectServer reader/writer %0s to the arguments manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-019 [ngobjserv]: Failed to update the property set of the ObjectServer reader/writer %0s with the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-020 [ngobjserv]: Failed to get the property set values for the ObjectServer reader/writer %0s from the properties manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-021 [ngobjserv]: Table Replication Definition Parser: Failed to parse table replication definition. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-022 [ngobjserv]: Table Replication Definition: Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-023 [ngobjserv]: Failed to open the table replication definition file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-024 [ngobjserv]: Failed to parse the table replication definition file %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-025 [ngobjserv]: Failed to identify the version of the connect ObjectServer due to a fatal error condition. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-035 [ngobjserv]: Failed to create the resynchronisation manager. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-036 [ngobjserv]: Failed to start the resynchronisation manager. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-037 [ngobjserv]: %0s: Failed to connect to the ObjectServer %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-038 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-039 [ngobjserv]: %0s: Failed to check and send the required flush IDUC command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-040 [ngobjserv]: %0s: Failed to parse the table replication definition file %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-041 [ngobjserv]: %0s: Reader has failed to connect to the ObjectServer %1s . (%2d:%3s)

Explanation: The following examples show how this message is written to the log.

Example:

E-GOB-102-041: [ngobjserv]: RdrWtr: Reader has failed to connect to the ObjectServer 'DEVPCOMS'.
(-19:General failure)

Example:

E-GOB-102-041: [ngobjserv]: ObjectServerA: Reader has failed to connect to the ObjectServer 'NCOMS_TMPR'.
(-27:Connection closed)

Example:

E-GOB-102-041: [ngobjserv]: ObjectServerB: Reader has failed to connect to the ObjectServer 'NCOMSBAK'.
(-2302:Session connection failure)

Example:

E-GOB-102-041: [ngobjserv]: ObjectServerB: Reader has failed to connect to the ObjectServer 'NGSV0IP_OBJ1'.
(1000008:node name or service name not known)

The example messages were written to gateway or ObjectServer gateway log files. The messages indicate that a gateway reader failed to connect to a named ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: The error code (%2d:%3s) indicates the cause of the problem. Examine the accompanying messages in the log for more information.

E-GOB-102-042 [ngobjserv]: %0s: Reader has suffered a fatal error in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-043 [ngobjserv]: %0s: Reader has failed to check and send the required flush IDUC command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-044 [ngobjserv]: %0s: Writer has failed to connect to the ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-049 [ngobjserv]: Failed to read and fetch all of the iduc data from the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-050 [ngobjserv]: Failed to add the nipc client library properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-051 [ngobjserv]: Failed to add the nipc client library arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-052 [ngobjserv]: Failed to initialise the nipc client library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-053 [ngobjserv]: %0s: Failed to connect to the ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-054 [ngobjserv]: %0s: Writer has suffered a fatal error in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-055 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-057 [ngobjserv]: Failed to send the command to the ObjectServer. (%0d:%1s)

Explanation: The following example shows how this message is written to the log:

Error: E-GOB-102-057: [ngobjserv]:
Failed to send the command to the ObjectServer.
(-19: General failure)

The example error message was written to a bidirectional ObjectServer gateway log file and indicates that the gateway cannot send a command to the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: This error can be caused by many different conditions. Verify that the ObjectServer is running correctly and that it is managing the current load.

To monitor ObjectServer performance, ensure that the ObjectServer **Profile** property is enabled, and review the profile and trigger statistics logs in the

\$NCHOME/omnibus/logs/
*ObjectServer_name_profiler_report.log*1 and
\$NCHOME/omnibus/logs/
*ObjectServer_name_trigger_stats.log*1 files.

Ensure that the total time from client requests and automations in both the profile and trigger statistics logs is less than the ObjectServer **Granularity** property setting (the default is 60 seconds).

If the total time is regularly longer than the **Granularity** property setting, ObjectServer performance might degrade. Troubleshoot the clients and triggers that are identified in the log files as consuming the most IDUC cycles. The client time might be longer than the granularity period because of ObjectServer multithreading.

For information about monitoring ObjectServer performance, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-GOB-102-059 [ngobjserv]: Failed to create the nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-060 [ngobjserv]: Failed to destroy the nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-061 [ngobjserv]: Failed to connect to the server %0s . (%1d:%2s)

Explanation: The following example shows how this message is written to the log:

E-GOB-102-061: [ngobjserv]: Failed to connect to the server 'AGG_B'. (-2302:Session connection failure)

The example message indicates that an ObjectServer gateway failed to connect to the ObjectServer AGG_B.

System action: Not applicable.

User response: Not applicable.

Administrator response: This error can be caused by several different conditions. The error string gives an indication of the cause of the error.

The following actions can help you to determine the cause of the error.

- Examine the log file for related messages that might indicate the root cause of the error.

- Verify that the named ObjectServer is running correctly. You can use the Tivoli Netcool/OMNIBus Administrator GUI (**nco_config**) to check the status of the ObjectServer. You can also use the SQL interactive interface to check the availability of the ObjectServer or the **nco_ping** utility to check its availability and response time.
- If the ObjectServer does not respond, verify that it is correctly configured in the Server Editor (or the connections data file \$NCHOME/etc/omni.dat).
- If the ObjectServer is busy, review the following profile and trigger statistics log files to determine if there are any performance issues:
 - \$NCHOME/omnibus/logs/
ObjectServer_name_profiler_report.log1
 - \$NCHOME/omnibus/logs/
ObjectServer_name_trigger_stats.log1

You must enable the ObjectServer **Profile** property to generate these log files.

- If the ObjectServer is correctly configured and is running properly, the error might be caused by a timeout situation. In this case, the value of the **Ipc.Timeout** property in the ObjectServer gateway properties file might be set too low.

For information about monitoring ObjectServer performance, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

For information about ObjectServer gateway properties, see the *IBM Tivoli Netcool/OMNIBus ObjectServer Gateway Reference Guide*.

E-GOB-102-063 [ngobjserv]: Failed to create and setup a command structure for SQL %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-064 [ngobjserv]: Failed to determine whether server connection is dead. Assuming that it is dead. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-066 [ngobjserv]: Failed to create the self describing result set structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-067 [ngobjserv]: Failed to disconnect from the server. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-073 [ngobjserv]: Failed to set user data on nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-075 [ngobjserv]: Failed to install challenge callback on nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-076 [ngobjserv]: Failed to install name callback on nipc client session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-077 [ngobjserv]: Failed to check fetched server property. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-078 [ngobjserv]: Failed to process the
ObjectServer property list. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-079 [ngobjserv]: No result rows have
been returned for an ObjectServer
property list request.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-080 [ngobjserv]: Unexpected column
number in ObjectServer property list
results set. Expected %0d , but got %1d
.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-081 [ngobjserv]: Type mismatch in
columns of ObjectServer property list
results set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-082 [ngobjserv]: IDUC v2 Connection:
Failed to unregister for iduc on table
%0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-083 [ngobjserv]: IDUC v2 Connection:
Failed to register for iduc on table %0s .
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-084 [ngobjserv]: Failed to create the iduc
processing data set for reader %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-085 [ngobjserv]: Failed to create the iduc
processing data set for reader/writer %0s
. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-086 [ngobjserv]: %0s: Failed to find map
%1s for source table %2s in the map
manager. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-087 [ngobjserv]: %0s: Failed to describe
the source table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-088 [ngobjserv]: %0s: Failed to find
column %1s that is specified in map %2s
for the source table %3s . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-089 [ngobjserv]: %0s: Failed to build the
ObjectServer selection list from map
%1s for the source table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-090 [ngobjserv]: %0s : Failed to parse the
table replication definition file %1s .
(%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-091 [ngobjserv]: %0s: Failed to read any
pending iduc data message from the
ObjectServer. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-092 [ngobjserv]: %0s: Failed to process
the iduc data message that was read
from the ObjectServer. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-093 [ngobjserv]: %0s: Failed to read any
pending iduc data message from the
ObjectServer. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-094 [ngobjserv]: %0s: Failed to process
the iduc data message that was read
from the ObjectServer. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-095 [ngobjserv]: Failed to send the
processed iduc message to the mapper.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-096 [ngobjserv]: Failed to check and re-size all of the iduc processing data buffers. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-097 [ngobjserv]: Failed to get an iduc table data processing structure from the iduc data set pool. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-099 [ngobjserv]: IDUC v%0u Connection: Failed to build the data acquisition sets from iduc data for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-100 [ngobjserv]: Failed to fetch the iduc data from the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-101 [ngobjserv]: %0s: Failed to lookup and find the table %1s in the cache manager. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-102 [ngobjserv]: %0s: Failed to find the column, %1s in the map manager results set resolve callback function. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-103 [ngobjserv]: %0s: Failed to get the value of column, %1s in the map manager results set evaluation callback function. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-104 [ngobjserv]: %0s: Failed to insert a cache entry for the current column of source table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-105 [ngobjserv]: %0s: Failed to create a mapped table row entry for an insert on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-106 [ngobjserv]: %0s: Failed to evaluate all required column values via provided map for insert row entry on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-107 [ngobjserv]: %0s: Failed to create a mapped table row entry for an update on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-108 [ngobjserv]: %0s: Failed to evaluate all required column values via provided map for update row entry on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-109 [ngobjserv]: %0s: Failed to lookup column %1s in the insert/update results set for table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-110 [ngobjserv]: %0s: Failed to get all of the key column values for the current row from the insert/update results set for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-111 [ngobjserv]: %0s: Failed to get the value of column %1s for the current row, from the insert/update results set for table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-112 [ngobjserv]: %0s: Failed to process all of the inserts and updates in the current iduc data batch for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-113 [ngobjserv]: %0s: Failed to process all of the deletes in the current iduc data batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-116 [ngobjserv]: %0s: Failed to create a mapped table row entry for a delete on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-117 [ngobjserv]: %0s: Failed to send mapped update table data to writer queue for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-118 [ngobjserv]: %0s: Failed to send mapped insert table data to writer queue for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-119 [ngobjserv]: %0s: Failed to send mapped delete table data to writer queue for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-120 [ngobjserv]: %0s: Failed to get a handle to the map column data in order to process the inserts and updates of table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-121 [ngobjserv]: %0s: Failed to lookup and delete a row in the cache for table %1s , due to an unexpected error. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-122 [ngobjserv]: %0s: Failed to lookup the table %1s from server %2s in the cache. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-124 [ngobjserv]: %0s: Failed to process all of the row inserts in the current batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-125 [ngobjserv]: %0s: Failed to flush and send the remaining buffered SQL commands to the server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-126 [ngobjserv]: %0s: Failed to process all of the row updates in the current batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-127 [ngobjserv]: %0s: Failed to process all of the row deletes in the current batch. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-128 [ngobjserv]: %0s: Failed to send the constructed SQL command to the server. (%1d:%2s)

Explanation: The following examples show how this message is written to the log:

Example 1:

E-GOB-102-128: [ngobjserv]: ObjectServerA: Failed to send the constructed SQL command to the server. (-19:General failure)

Example 2:

E-GOB-102-128: [ngobjserv]: Writer: Failed to send the constructed SQL command to the server. (-27:Connection closed)

The example messages indicate that an ObjectServer gateway failed to send an SQL command to an ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: This error can be caused by

several different conditions. The error string gives an indication of the cause of the error.

The most likely cause of the example error messages is a problem with the connection between the gateway and the ObjectServer. Either the ObjectServer is not running or there are network problems. Examine the ObjectServer log file for related messages.

E-GOB-102-129 [ngobjserv]: %0s: Failed to lookup and delete all row entries from table %1s in the cache manager. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-130 [ngobjserv]: %0s: Failed to add inserted status table row to SNSS hash list table. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-131 [ngobjserv]: %0s: Failed to build the cache details fetching SQL command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-132 [ngobjserv]: Failed to build the after iduc SQL command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-133 [ngobjserv]: Failed to send the after iduc SQL command to the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-134 [ngobjserv]: Failed to send the iduc data fetch SQL command to the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-135 [ngobjserv]: Resync Manager has failed to start its thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-136 [ngobjserv]: Resync Manager has failed to stop its thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-137 [ngobjserv]: %0s: Failed to send cache details select SQL command to the server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-138 [ngobjserv]: Transfer Manager has suffered an unexpected error on its request message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-140 [ngobjserv]: %0s: No results have been returned in response to the cache details select SQL command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-141 [ngobjserv]: %0s: Failed to add the fetched cache details to the cache. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-142 [ngobjserv]: Failed to add the resynchronisation manager s properties to the property manager. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-143 [ngobjserv]: Failed to add the resynchronisation manager s arguments to the argument manager. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-144 [ngobjserv]: %0s: Failed to determine the name of destination ObjectServer. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-145 [ngobjserv]: Failed to find key column %0s in the results set from %1s for source table %2s . (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-146 [ngobjserv]: Key column %0s in the results set from %1s for source table %2s has the wrong type. (%3d;%4d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-147 [ngobjserv]: Failed to successfully fake the hash insert table for an Iduc V1 connection. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-148 [ngobjserv]: Specified resync type %0s could not be identified. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-149 [ngobjserv]: Failed to place a resync request message onto the Resync Manager s request message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-150 [ngobjserv]: Resync Manager: Failed to lock the resynchronisation lock in ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-151 [ngobjserv]: Resync Manager: Failed to unlock the resynchronisation lock in ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-152 [ngobjserv]: Resync Manager: Failed to find the reader/writer object %0s defined in the master option.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-153 [ngobjserv]: Resync Manager: Failed to get the UpTime property from ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-154 [ngobjserv]: Resync Manager: No results returned for the UpTime property from ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-155 [ngobjserv]: Resync Manager: Incorrect number of columns in the results set for the UpTime property from ObjectServer %0s . Expected %1d, got %2d.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-156 [ngobjserv]: Resync Manager: Incorrect type for the UpTime property s value from ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-157 [ngobjserv]: Resync Manager: Failed to get the value for the UpTime property from ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-158 [ngobjserv]: Resync Manager: Failed to find the reader/writer object %0s defined in the preferred option.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-159 [ngobjserv]: Resync Manager: Failed to rebuild the cache for table %0s in ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-160 [ngobjserv]: Resync Manager: Resyncing of table %0s failed. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-161 [ngobjserv]: Failed to send resync request to the resync manager in the post-object startup handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-162 [ngobjserv]: Failed to describe the table %0s in ObjectServer %1s for cache entry creation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-163 [ngobjserv]: Failed to build column description list for table %0s in ObjectServer %1s for cache entry creation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-164 [ngobjserv]: Failed to create cache entry for table %0s in ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-165 [ngobjserv]: %0s: Failed to connect to the ObjectServer %1s . Failback check has failed, keeping existing connection. (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-166 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. Failback check has failed, keeping existing connection. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-167 [ngobjserv]: %0s: Failed to validate table replication definitions maps. Failback check has failed, keeping existing connection. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-168 [ngobjserv]: %0s: Failed to connect to the ObjectServer %1s . Failback check has failed, keeping existing connection. (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-169 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. Failback check has failed, keeping existing connection. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-170 [ngobjserv]: %0s: Failed to describe the destination table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-171 [ngobjserv]: %0s: Failed to find column %1s that is specified in map %2s for the destination table %3s . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-172 [ngobjserv]: %0s: Failed to decompose the description of source table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-173 [ngobjserv]: %0s: Failed to decompose the description of destination table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-174 [ngobjserv]: %0s: Reader failed to connect to the ObjectServer %1s . Failback check has failed, keeping existing connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-175 [ngobjserv]: %0s: Fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. Failback check has failed, keeping existing connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-176 [ngobjserv]: %0s: Failed to validate table replication definitions maps. Failback check has failed, keeping existing connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-177 [ngobjserv]: %0s: Writer failed to connect to the ObjectServer %1s . Failback check has failed, keeping existing connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-178 [ngobjserv]: %0s: Failed to describe the source table %1s for transfer. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-179 [ngobjserv]: %0s: Failed to decompose the description source table %1s for transfer. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-180 [ngobjserv]: %0s: Failed to create a temporary dummy map for transfer of data from source table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-181 [ngobjserv]: %0s: Failed to find map %1s in the map manager for transfer operation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-183 [ngobjserv]: Resync Manager: Failed to send data for table %0s to mapper object. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-184 [ngobjserv]: Resync Manager: Failed to wait for table data for %0s to be mapped and send to server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-185 [ngobjserv]: %0s: Failed to remove the SAF file. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-186 [ngobjserv]: %0s: Failed to replay the SAF file. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-187 [ngobjserv]: %0s: Failed to get all of the user defined column values for the current row from the insert/update results set for table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-188 [ngobjserv]: %0s: Unable to send SQL command to ObjectServer as no valid connection to server is correctly held.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-189 [ngobjserv]: %0s: Failed to create an ObjectServer SQL command data message for writer queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-190 [ngobjserv]: %0s: Failed to send ObjectServer SQL command data message to writer queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-191 [ngobjserv]: Resync Manager: Failed to find a data replication entry for the status table. Unable to forward data for table %0s as it is either the journal or details table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-192 [ngobjserv]: %0s: Failed to send skip spid request to the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-193 [ngobjserv]: %0s: Failed to get the spid number from our counter-part reader connection. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-194 [ngobjserv]: IDUC v%0u Connection: Failed to find a data replication entry for the status table. Unable to forward data for table %1s as it is either the journal or details table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-195 [ngobjserv]: %0s: Failed to send data to mapper via its input message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-196 [ngobjserv]: %0s: Failed to wait for writer to process and send transfer data to the target server. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-197 [ngobjserv]: %0s: Failed to execute the SQL command. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-198 [ngobjserv]: %0s: Writer has failed to get a handle to its counter-part gateway object. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-199 [ngobjserv]: %0s: Writer has failed to wait for its counter-part gateway object to complete its start routine. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-200 [ngobjserv]: %0s: Writer has failed to get a handle to the source data table replication definition list. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-201 [ngobjserv]: %0s: Writer has failed to validate the source data table replication definition list. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-202 [ngobjserv]: Resync Manager: Destination writer has terminated. Aborting resync operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-203 [ngobjserv]: Failed to build the key column reference string for the after iduc command on table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-204 [ngobjserv]: Failed to send the constructed after iduc SQL command for table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-205 [ngobjserv]: %0s: Failed to create the a mapper processing data structure for the transfer of data from table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-206 [ngobjserv]: %0s: Failed to build the fake insert identification table for the transfer of data from table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-207 [ngobjserv]: %0s: Failed to build the iduc message for the mapper, in order to transfer the data from table %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-208 [ngobjserv]: Failed to find the primary key column %0s in results set for table %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-209 [ngobjserv]: %0s: Target ObjectServer does not support tables with multiple column keys. Unable to populate cache with target row data for table %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-104-211 [ngobjserv]: Resync Manager: Uni-directional resync aborted due to detection of gateway shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-104-212 [ngobjserv]: Resync Manager: Bi-directional resync aborted due to detection of gateway shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-213 [ngobjserv]: %0s: Failed to read and dump current iduc data message from the ObjectServer. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-214 [ngobjserv]: %0s: Failback thread fatal error occurred in the attempt to determine whether the connected ObjectServer is a primary or not. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-215 [ngobjserv]: %0s: Failed to start failback thread. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-216 [ngobjserv]: Resync Manager: Fatal error occurred during resynchronisation. Cannot continue without shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-217 [ngobjserv]: Resync Manager: A non-fatal error occurred during resynchronisation. Can continue without shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-218 [ngobjserv]: Resync Manager: Failed to send discard message to gateway object. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-219 [ngobjserv]: Resync Manager: Failed to send true discard message to gateway objects. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-220 [ngobjserv]: Resync Manager: Failed to send false discard message to gateway objects. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-221 [ngobjserv]: Resync Manager: Failed to wait for discard message to be processed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-222 [ngobjserv]: %0s: Connection loss to server %1s detected in connection poll handler.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-223 [ngobjserv]: Specified resync lock type %0s could not be identified. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-224 [ngobjserv]: Failed to add the iduc client library properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-225 [ngobjserv]: Failed to add the iduc client library arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-226 [ngobjserv]: Failed to create the iduc client library handle. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-227 [ngobjserv]: Failed to establish an iduc connection to the ObjectServer via the iduc client library handle. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-228 [ngobjserv]: Failed to read pending data on iduc connection via the iduc client library handle. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-229 [ngobjserv]: %0s: Failed to process the Event Fast Track message that was read from the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-230 [ngobjserv]: %0s: Failed to process the Event Fast Track message that was read from the ObjectServer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-231 [ngobjserv]: Failed to send the Event Fast Track row data fetch SQL command to the ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-232 [ngobjserv]: %0s: Failed to evaluate all required sub-table mappings via provided map for insert row entry on on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-233 [ngobjserv]: %0s: Failed to evaluate all required sub-table mappings via provided map for update row entry on on table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-234 [ngobjserv]: %0s: Failed to process all of the inserts and updates in the current sub-table data mapping from table %1s to table %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-235 [ngobjserv]: %0s: Failed to get a handle to the map column data for map %1s . This is required for a sub-table mapping operation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-236 [ngobjserv]: %0s: Failed to evaluate the key columns values for a row within a sub-table mapping, using map %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-237 [ngobjserv]: %0s: Failed to find or create the required mapping data structures for a sub-table mapping operation. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-238 [ngobjserv]: %0s: Failed to get a handle to the map defined key columns set for map %1s . This is required for a sub-table mapping operation. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-239 [ngobjserv]: %0s: Failed to lookup the IP Address values. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-240 [ngobjserv]: %0s: Valid connection not held by writer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-241 [ngobjserv]: %0s: Failed to construct event summary text. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-242 [ngobjserv]: %0s: Failed to copy additional information hash table from IDUC data message to insert mapped table for %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-243 [ngobjserv]: %0s: Failed to copy additional information hash table from IDUC data message to update mapped table for %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-244 [ngobjserv]: Resync Manager: Failed to raise the resynchronisation signal via command %0s in ObjectServer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-245 [ngobjserv]: Failed to set acceptable Common Names for SSL Server Certificates. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-246 [ngobjserv]: Failed to create the key column data for the journal table mapper. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-247 [ngobjserv]: Failed to send Post Iduc data message to writer queue. (%0s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-249 [ngobjserv]: Resync Manager: Failed to get the connection handle from %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-250 [ngobjserv]: Resync Manager: Failed to get the ActingPrimary property from ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-251 [ngobjserv]: Resync Manager: No results returned for the ActingPrimary property from ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-252 [ngobjserv]: Resync Manager: Incorrect number of columns in the results set for the ActingPrimary property from ObjectServer %0s . Expected %1d, got %2d.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-253 [ngobjserv]: Resync Manager: Incorrect type for the ActingPrimary property s value from ObjectServer %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-254 [ngobjserv]: Resync Manager: Failed to get the value for the ActingPrimary property from ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GOB-102-255 [ngobjserv]: Resync Manager: Unable to set OldRow value in ObjectServer %0s . Deletes will not be passed across. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-256 [ngobjserv]: Resync Manager:
Unable to determine LastIduc value for
ObjectServer %0s . All events will be
checked for updates. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-257 [ngobjserv]: Resync Manager: Failed
to determine the master of the resync
based on the ActingPrimary property.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-258 [ngobjserv]: %0s: Writer has failed to
get a handle to its counter-part gateway
writer object. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GOB-102-259 [ngobjserv]: %0s: Failed to wait for
counter-part gateway writer object to
have started. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-015 [ngobjserv]: Resync Manager:
Failed to rebuild cache for resync
disabled table %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-001 [ngobjserv]: %0s: Failed to
disconnect from the backup server.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-002 [ngobjserv]: %0s: Failed to refresh
the cache for server %1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-003 [ngobjserv]: %0s: Failed to
disconnect from the backup server.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-004 [ngobjserv]: %0s: Failed to refresh
the cache for server %1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-005 [ngobjserv]: %0s: Failed to
disconnect from the backup server.
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-006 [ngobjserv]: %0s: Failed to refresh
the cache for server %1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-007 [ngobjserv]: %0s: Connection to
server is down and SAF is not enabled.
Dropping current SQL command data.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-008 [ngobjserv]: %0s: Unable to process mapped update table data batch from %1s table %2s as source table uses a multi-column key and the destination ObjectServer is only capable of single key updates (OS SQL V1). Dropping update data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-009 [ngobjserv]: %0s: Unable to process mapped delete table data batch from %1s table %2s as source table uses a multi-column key and the destination ObjectServer is only capable of single key deletes (OS SQL V1). Dropping delete data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-010 [ngobjserv]: Resync Manager: An after iduc directive has been defined for table %0s . The source ObjectServer does not provide sufficient support for after iduc on this table, it is therefore not supported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-011 [ngobjserv]: An after iduc directive has been defined for table %0s . The source ObjectServer does not provide sufficient support for after iduc on this table, it is therefore not supported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-012 [ngobjserv]: %0s: Table cache for destination table %1s , does not have the same table keys as the source table %2s . Unable to clear deleted cache row entries in destination table cache.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-013

W-GOB-103-013 [ngobjserv]: %0s: SAF enabled.
Entering SAF mode to store the SQL
command buffer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GOB-103-014 [ngobjserv]: %0s: Failed to send
failover/failback message to the mapper.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-GOB-103-015 [ngobjserv]: Resync Manager:
Failed to rebuild cache for resync
disabled table %0s . (%1d:%2s)**

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

GTK

Messages related to the gateway NGtk tool kit.

**E-GTK-102-004 [ngtk]: Failed to register gateway
toolkit return code set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-005 [ngtk]: Failed to initialise the
gateway toolkits property set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-006 [ngtk]: Failed to create the cache
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-007 [ngtk]: Failed to create the transfer
manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-008 [ngtk]: Failed to create the data
message queue manager. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-GTK-102-009 [ngtk]: Failed to initialise the
gateway toolkit. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-010 [ngtk]: Installed gateway
initialisation handler has failed.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-011 [ngtk]: Failed to add the gateway
toolkits properties to the property
manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-012 [ngtk]: Installed gateway property
definition handler has failed to add its
properties to the property manager.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-013 [ngtk]: Failed to add the gateway
toolkits arguments to the argument
manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-014 [ngtk]: Installed gateway argument
definition handler has failed to add its
arguments to the argument manager.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-015 [ngtk]: Failed to update the gateway
toolkits properties with the property
manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-016 [ngtk]: Installed gateway property update handler has failed to update its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-017 [ngtk]: Failed to startup the gateway toolkit. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-018 [ngtk]: Installed gateway start handler has failed to startup specific gateway components. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-019 [ngtk]: Failed to create the user object thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-020 [ngtk]: Failed to start the user object thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-021 [ngtk]: Failed to stop the user object thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-029 [ngtk]: Reader object constructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-030 [ngtk]: Writer object constructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-032 [ngtk]: Reader object destructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-033 [ngtk]: Writer object destructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-035 [ngtk]: Reader object property definition handler function has failed to add its properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-036 [ngtk]: Writer object property definition handler function has failed to add its properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-038 [ngtk]: Reader object argument definition handler function has failed to add its arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-039 [ngtk]: Writer object argument definition handler function has failed to add its arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-041 [ngtk]: Reader object property update handler function has failed to update its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-042 [ngtk]: Writer object property update handler function has failed to update its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-044 [ngtk]: Reader object start handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-045 [ngtk]: Writer object start handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-047 [ngtk]: Reader object stop handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-048 [ngtk]: Writer object stop handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-050 [ngtk]: Failed to allocate the object thread group array.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-051 [ngtk]: Failed to lookup the output message queue for reader %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-052 [ngtk]: %0s: Thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-053 [ngtk]: %0s: Thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-054 [ngtk]: Failed to lookup the input message queue for writer %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-055 [ngtk]: %0s: Thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-056 [ngtk]: %0s: Thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-057 [ngtk]: %0s: Reader thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-058 [ngtk]: %0s: Reader thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-059 [ngtk]: Failed to lookup the input message queue for reader/writer %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-060 [ngtk]: Failed to lookup the output message queue for reader/writer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-061 [ngtk]: %0s: Writer thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-062 [ngtk]: %0s: Writer thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-063 [ngtk]: Failed to lookup the output message queue for reader %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-064 [ngtk]: Failed to lookup the input message queue for writer %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-065 [ngtk]: Failed to lookup the input message queue for reader %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-066 [ngtk]: Failed to lookup the output message queue for writer %0s for mapper %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-067 [ngtk]: Mapper %0s reader-to-writer thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-068 [ngtk]: Mapper %0s reader-to-writer thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-069 [ngtk]: Mapper %0s writer-to-reader thread start handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-070 [ngtk]: Mapper %0s writer-to-reader thread stop handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-071 [ngtk]: Failed to create the output message queue for %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-072 [ngtk]: Failed to create the input message queue for %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-073 [ngtk]: %0s: Reader connection handler function has failed to complete successfully. (%1d:%2s)

Explanation: The following examples show how this message is written to the log.

Example 1:

E-GTK-102-073: [ngtk]: ObjectServerB: Reader connection handler function has failed to complete successfully.
(-22:Object not found)

Example 2:

E-GTK-102-073: [ngtk]: ObjectServerA: Reader connection handler function has failed to complete successfully.
(-27:Connection closed)

Example 3:

E-GTK-102-073: [ngtk]: ObjectServerB: Reader connection handler function has failed to complete successfully.
(-2302:Session connection failure)

The example messages were written to ObjectServer gateway log files. The messages indicate that a gateway reader failed to connect to an ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: The error code (%1d:%2s) indicates the cause of the problem. Examine the accompanying messages in the log for more information.

E-GTK-102-074 [ngtk]: %0s: Reader disconnection handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-075 [ngtk]: %0s: **Writer component has failed to connect to the same server as the reader. Closing this connection and forcing the operation to be retried by the reader component.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-078 [ngtk]: %0s: **Writer connection handler function has failed to complete successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-079 [ngtk]: %0s: **Writer disconnection handler function has failed to complete successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-081 [ngtk]: %0s: **Connect handler function has failed to complete successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-082 [ngtk]: %0s: **Disconnect handler function has failed to complete successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-083 [ngtk]: %0s: **Connect handler function has failed to complete successfully. (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-084 [ngtk]: %0s: Disconnect handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-085 [ngtk]: %0s: Update data check and fetch operation has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-086 [ngtk]: %0s: Update data get handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-087 [ngtk]: %0s: Reader failback handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-088 [ngtk]: Thread %0s has failed to lock the reader mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-089 [ngtk]: Thread %0s has failed to unlock the reader mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-090 [ngtk]: Thread %0s has failed to lock the writer mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-091 [ngtk]: Thread %0s has failed to unlock the writer mutex of Reader/Writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-092 [ngtk]: Reader/Writer object constructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-093 [ngtk]: Reader/Writer object destructor handler function has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-094 [ngtk]: Reader/Writer object property definition handler function has failed to add its properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-095 [ngtk]: Reader/Writer object argument definition handler function has failed to add its arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-096 [ngtk]: Reader/Writer object property update handler function has failed to update its properties with the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-097 [ngtk]: Reader/Writer object start handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-098 [ngtk]: Reader/Writer object stop handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-099 [ngtk]: Failed to inform the process agent %0s that we have started. (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-100 [ngtk]: Shutting gateway down due to process agent notification failure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-102 [ngtk]: %0s: Failback attempt handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-103 [ngtk]: %0s: Reader component, update data check and fetch operation has failed to complete successfully. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-104 [ngtk]: %0s: Writer component, has failed to read an input message and/or process it successfully. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-105 [ngtk]: Thread %0s has failed to lock the reader/writer mutex of Reader/Writer %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-106 [ngtk]: Thread %0s has failed to unlock the reader/writer mutex of Reader/Writer %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-107 [ngtk]: %0s: Writer failback handler function has failed to complete successfully. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-108 [ngtk]: %0s: %1s component has aborted its wait for the %2s component to complete its part of the %3s operation, as a retry of the operation has been requested.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-109 [ngtk]: %0s: %1s component has aborted its wait for the %2s component to complete its part of the %3s operation, as the operation failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-110 [ngtk]: %0s: %1s component has aborted its wait for the %2s component to complete its part of the %3s operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-111 [ngtk]: %0s: %1s component has failed to wait for its action status to be cleared.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-113 [ngtk]: %0s: Reader component has failed to connect to the source system. (%1d:%2s)

Explanation: The following examples show how this message is written to the log.

Example 1:

E-GTK-102-113: [ngtk]: G_JDBC: Reader component has failed to connect to the source system. (-19:General failure)

Example 2:

E-GTK-102-113: [ngtk]: ObjectServerA: Reader component has failed to connect to the source system. (-22:Object not found)

Example 3:

E-GTK-102-113: [ngtk]: ObjectServerA: Reader component has failed to connect to the source system. (-27:Connection closed)

Example 4:

E-GTK-102-113: [ngtk]: ObjectServerB: Reader component has failed to connect to the source system. (-2302:Session connection failure)

The example messages were written to gateway or ObjectServer gateway log files. The messages indicate

that a gateway reader component failed to connect to a source application or database.

System action: Not applicable.

User response: Not applicable.

Administrator response: The error code (%1d:%2s) indicates the cause of the problem. Examine the accompanying messages in the log for more information.

E-GTK-102-114 [ngtk]: %0s: Writer component has failed to connect to the target system. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-115 [ngtk]: %0s: Failed to wait for synchronisation action acknowledgement. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-116 [ngtk]: %0s: Writer component has failed to fail back.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-117 [ngtk]: %0s: Reader component has failed to fail back.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-118 [ngtk]: %0s: Reader component has failed to fallback with an unexpected out come. (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-119 [ngtk]: %0s: Writer component has failed to failback with an unexpected out come. (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-120 [ngtk]: Thread %0s has failed to lock the mutex of reader %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-121 [ngtk]: Thread %0s has failed to unlock the mutex of reader %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-122 [ngtk]: Thread %0s has failed to lock the mutex of writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-123 [ngtk]: Thread %0s has failed to unlock the mutex of writer %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-124 [ngtk]: Gateway Command Parser: Failed to parse language command.
Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-125 [ngtk]: Gateway Cmd: Parser Error:
msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-126 [ngtk]: Gateway Command Parser:
Failed to open startup command file
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-127 [ngtk]: Gateway Command Parser:
Failed to parse startup command file
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-128 [ngtk]: %0s: Reader update data
fetch handler function has failed to
complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-129 [ngtk]: Map File Parser: Failed to
parse map file definitions. Error:
nrc=%0s : msg=%1s : line=%2u :
token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-130 [ngtk]: Map File: Parser Error:
msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-131 [ngtk]: Map File Parser: Failed to open map file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-132 [ngtk]: Map File Parser: Failed to parse map file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-133 [ngtk]: Failed to create the map manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-134 [ngtk]: Failed to startup the map manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-135 [ngtk]: Failed to startup the transfer manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-136 [ngtk]: Failed to issue gateway shutdown request. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-138 [ngtk]: Mapper %0s : Mapping Data Message handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-142 [ngtk]: Failed to create the license manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-143 [ngtk]: Failed to startup the license manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-144 [ngtk]: %0s: Received invalid Mapper data message. Dropping message and generating an internal error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-145 [ngtk]: %0s: Reader failover handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-146 [ngtk]: %0s: Reader failback handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-147 [ngtk]: %0s: Table data pre-processing batch handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-148 [ngtk]: %0s: Table data post-processing batch handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-149 [ngtk]: %0s: Insert table data batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-150 [ngtk]: %0s: Update table data batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-151 [ngtk]: %0s: Delete table data batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-152 [ngtk]: %0s: Failback attempt handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-153 [ngtk]: %0s: Writer component has received an invalid Mapper data message. Dropping message and generating an internal error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-154 [ngtk]: %0s: **Writer table data post-processing batch handler function has failed to complete successfully.**
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-155 [ngtk]: %0s: **Writer delete table data batch processing handler function has failed to complete successfully.**
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-156 [ngtk]: %0s: **Writer update table data batch processing handler function has failed to complete successfully.**
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-157 [ngtk]: %0s: **Writer insert table data batch processing handler function has failed to complete successfully.**
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-158 [ngtk]: %0s: **Writer reader failback handler function has failed to complete successfully.** (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-159 [ngtk]: %0s: **Writer reader failover handler function has failed to complete successfully.** (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-160 [ngtk]: %0s: Writer table data pre-processing batch handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-161 [ngtk]: Thread %0s : Failed to acquire a read lock on the cache manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-162 [ngtk]: Thread %0s : Failed to acquire a write lock on the cache manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-163 [ngtk]: Thread %0s : Failed to release a lock on the cache manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-164 [ngtk]: %0s: Failed to put the discard message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-165 [ngtk]: %0s: Failed to put the failover message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-166 [ngtk]: %0s: Failed to put the failback message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-167 [ngtk]: %0s: Failed to put a table data message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-168 [ngtk]: %0s: Failed to put a user data message onto the output message queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-169 [ngtk]: Transfer Manager has failed to start its thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-170 [ngtk]: Transfer Manager has failed to stop its thread group. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-171 [ngtk]: Transfer Manager: Transfer request thread has suffered an unexpected error on its request message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-172 [ngtk]: Failed to place a transfer request message onto the Transfer Manager's request message queue. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-173 [ngtk]: Failed to create a transfer request message. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-180 [ngtk]: %0s: Failed to wait for all pending synchronised messages in the output data queue to be processed. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-181 [ngtk]: Transfer Manager: Data source object %0s does not exist. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-182 [ngtk]: Transfer Manager: Data destination object %0s does not exist. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-183 [ngtk]: Transfer Manager: The source and destination of transfer is the same object. Transfer request is invalid, operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-184 [ngtk]: Transfer Manager: Data source object %0s is not of the right object type. It should be a reader or reader/writer. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-185 [ngtk]: Transfer Manager: Data destination object %0s is not of the right object type. It should be a writer or reader/writer. Transfer operation aborted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-188 [ngtk]: Gateway Command Parser: Attempt to call GET LOGIN TOKEN from non-interactive client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-190 [ngtk]: Failed to login client via secure token login. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-191 [ngtk]: Reader/Writer object transfer data get handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-192 [ngtk]: Reader/Writer object transfer data send handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-193 [ngtk]: Reader/Writer object transfer data free handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-194 [ngtk]: Reader object transfer data get handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-195 [ngtk]: Reader object transfer data send handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-196 [ngtk]: Reader object transfer data free handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-197 [ngtk]: Reader/Writer object transfer data delete handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-198 [ngtk]: Writer object transfer data delete handler function has failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-199 [ngtk]: Failed to get the size of the SAF file. Assuming file has no header. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-200 [ngtk]: Received interrupted system call in read(), retrying read operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-201 [ngtk]: Read operation via read() failed. Unable to read data from SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-202 [ngtk]: Received interrupted system call in write(), retrying write operation.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-203 [ngtk]: Write operation via write() failed. Unable to write data to SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-204 [ngtk]: Invalid SAF file header contained in SAF attribute data structure.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-205 [ngtk]: Failed to write the SAF file header to the SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-206 [ngtk]: Failed to write the architecture sub header to the SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-207 [ngtk]: File is too small in size to contain the complete SAF header.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-208 [ngtk]: Failed to read the SAF file header from the SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-209 [ngtk]: Invalid SAF header detected in the file. SAF file specified, is not an SAF file for this gateway.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-210 [ngtk]: Failed to read the architecture sub header from the SAF file. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-211 [ngtk]: Invalid architectural sub header detected. Architectures do not match.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-212 [ngtk]: Insufficient bytes left in the file for an item header. File contents error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-213 [ngtk]: Failed to read the stored item header from the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-214 [ngtk]: Insufficient bytes left in the SAF file to contain specified data item of %0u bytes. File contents error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-215 [ngtk]: Failed to read the stored item data from the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-216 [ngtk]: Failed to decode the stored item data read from SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-217 [ngtk]: Failed to send the decoded stored item to the target system. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-218 [ngtk]: No SAF filename has been given. SAF syb-system disabled.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-219 [ngtk]: SAF sub-system error. All of the necessary handlers have not been provided.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-220 [ngtk]: Failed to open the SAF file %0s for write. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-221 [ngtk]: Failed to encode the stored item data that is to be written to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-222 [ngtk]: Failed to write the data item header to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-223 [ngtk]: Failed to write the data item to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-224 [ngtk]: SAF sub-system error. Replay SAF file indicator unexpectantly set already. !!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-225 [ngtk]: Failed to get the size of the store file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-226 [ngtk]: Failed to open the SAF file %0s for read. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-227 [ngtk]: Failed to close SAF file %0s with file ID %1d . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-228 [ngtk]: Failed to removed SAF file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-229 [ngtk]: Failed to replay the SAF file due to read failure of the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-230 [ngtk]: Failed to startup the cache manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-231 [ngtk]: Installed gateway post-object start handler has failed to startup specific gateway components. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-232 [ngtk]: Failed to create the gateway support var directory. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-233 [ngtk]: Failed to write the updated data item header to the SAF file. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-234 [ngtk]: Failed to get the current file position via lseek(). (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-235 [ngtk]: Failed to set the current file position via lseek(). (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-237 [ngtk]: Output of property %0s to stderr not supported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-240 [ngtk]: Transfer Manager: Transfer FSync thread has suffered an unexpected error on its request message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-241 [ngtk]: Transfer Manager: Attempt to add failover sync item for object %0s , table %1s that already exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-242 [ngtk]: Transfer Manager: Failed to find failover sync item for object %0s , table %1s to remove.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-243 [ngtk]: Transfer Manager: Transfer FSync thread has failed to send transfer request for object %0s , table %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-244 [ngtk]: Failed to create a transfer failover sync message. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-245 [ngtk]: Failed to place a failover sync transfer message onto the fsync message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-246 [ngtk]: Failed to add the transfer managers properties to the property manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-247 [ngtk]: Failed to add the transfer managers arguments to the argument manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-248 [ngtk]: Specified failover sync rate is too low. Minimum value is %0u minutes.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-249 [ngtk]: %0s: User data message handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-250 [ngtk]: %0s: Writer component user data message handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-252 [ngtk]: Transfer Manager: Gateway has been signalled to stop. Transfer request of data from %0s to %1s , will be dropped.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-254 [ngtk]: PAM message for user %0s: %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-255 [ngtk]: Unknown PAM conversion type: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-256 [ngtk]: Failed to initialise the underlining OS PAM sub-system. PAM Error [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-257 [ngtk]: Failed to set the user name on the PAM handle [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-258 [ngtk]: User authentication of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-259 [ngtk]: User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-260 [ngtk]: Unknown error has occurred during authentication. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-261 [ngtk]: Account Management of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-262 [ngtk]: Cannot authenticate user %0s via PAM. PAM Error = %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-264 [ngtk]: Cannot authenticate user %0s via UNIX authentication.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-266 [ngtk]: No %0s group entry: connection refused.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-267 [ngtk]: User %0s is not a member of the %1s group: connection refused.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-268 [ngtk]: Failed to acquire user record for user %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-269 [ngtk]: Failed to authenticate client login for user %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-270 [ngtk]: %0s: Connection poll handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-271 [ngtk]: Map Mgr: NvpExpand(): Failed to locate map %0s in map manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-272 [ngtk]: Map Mgr: NvpExpand(): Failed to extract all name-value pairs from input string value. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-273 [ngtk]: Map Mgr: NvpExpand(): Application installed sub-table mapping function failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-274 [ngtk]: Map Mgr: Lookup(): Invalid datatype for lookup table name argument. This argument must be a static string.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-275 [ngtk]: Map Mgr: Lookup(): Failed to find lookup table %0s in the map managers lookup table manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-276 [ngtk]: Map Mgr: Lookup(): Failed to determine the return data type of the default value for lookup table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-277 [ngtk]: Map Mgr: Lookup(): Data type mismatch between the lookup tables return and the its default value.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-278 [ngtk]: Map Mgr: RegMatch(): Failed to compile the regular expression %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-279 [ngtk]: Map Mgr: Extract(): Failed to compile the regular expression %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-280 [ngtk]: Map Mgr: %0s(): Function called with incorrect number of arguments. Expected %1u got %2u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-281 [ngtk]: Map Mgr: Failed to validate the arguments of function %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-282 [ngtk]: Map Mgr: NvpGet(): Failed to extract all name-value pairs from input string value. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-283 [ngtk]: Failed to determine gateways local hostname and IP address. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-284 [ngtk]: %0s: Writer post iduc batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-285 [ngtk]: %0s: Writer post iduc batch processing handler function has failed to complete successfully. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-286

E-GTK-102-286 [ngtk]: %0s: Failed to put a post iduc
data message onto the output message
queue. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-287 [ngtk]: UNIX Authentication being used is not FIPS compliant. Use PAM for external authentication.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-GTK-102-288

E-GTK-102-288 [ngtk]: Failed to authenticate client
login during secure login challenge for
user %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GTK-103-002 [ngtk]: Hash Table Size of %0u is set too low. Ignoring setting and using minimum setting of %1u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-GTK-103-003 [ngtk]: Failed to determine gateways local hostname and IP address, loopback address will be used.
(%0d:%1s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

HTT

Messages related to the HTTP/HTTPS interface.

E-HTT-102-001 Colon is missing in header %0s , header is ignored

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

E-HTT-102-003 Failed to create request (%0d:%1s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

E-HTT-102-005 Failed to send request (%0d:%1s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

F-HTT-102-001 Failed to get property %0s (%1d:%2s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

F-HTT-102-002 Failed to process arguments
(%0d:%1s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

F-HTT-102-003 Failed to create client props
(%0d:%1s)

System action: Not applicable.
User response: Not applicable.
Administrator response: Not applicable.

F-HTT-102-004 Failed to start client (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-HTT-102-005

F-HTT-102-005 Failed to set http username and
password (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-HTTP-102-006 HTTP method %0s is unknown

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-HTT-102-007 A URI is required

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

IDC

Messages related to IDUC clients.

E-IDC-102-001 Iduc Client: Failed to create and
setup the command structure for RPC
%0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-002 Iduc Client: Failed to call the
ObjectServer RPC %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-003 Iduc Client: Invalid number of
results in results list for RPC %0s .
Expected 1, got %1d result sets.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-004 Iduc Client: Invalid number of
columns in RPC %0s . Expected %1d
columns, but got %2d columns.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-005 Iduc Client: Invalid number of rows
in RPC %0s . Expected 1 row, but got
%1d rows.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-006 **Iduc Client: Invalid datatype for column %0d RPC %1s . Expecting type %2d , but got %3d .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-007 **Iduc Client: Failed to get IDUC host name details. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-008 **Iduc Client: Failed to get IDUC port number details. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-009 **Iduc Client: Failed to get IDUC connection details. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-010 **Iduc Client: Failed to establish physical IDUC connection. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-011 **Iduc Client: Failed to send SPID link message to the server. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-012 **Iduc Client: Failed to wait on the Iduc connection for the acknowledgement message. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-013 **Iduc Client: Failed to get the number of bytes to read on IDUC connection.**
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-014 **Iduc Client: ObjectServer disconnection detected on the IDUC connection.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-015 **Iduc Client: Failed to read %0u bytes from IDUC connection. (%1d;%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-016 **Iduc Client: Unexpected message received on Iduc channel. Message = %0s . Dropping.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-017 **Iduc Client: Failed to read and fetch all of the iduc data from the ObjectServer. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-018 **Iduc Client: Insufficient bytes pending for IDUC v2 header. Expected %0u only have %1u pending**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-019 **Iduc Client: Failed to extract payload size in message. Message = %0s . Dropping.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-020 **Iduc Client: Failed to create language command structure for SQL command %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-021 **Iduc Client: Failed to send the ObjectServer SQL command %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-022 **Iduc Client: Failed to extract the version ID for command %0s from iduc message. [%1s] (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-023 **Iduc Client: Received unsupported command from server on iduc connection. Version ID of message %0u , is greater than max supported ID %1u . Dropping message.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-024 **Iduc Client: Failed to find extent of table name in event fast track iduc command. Dropping message.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-025 **Iduc Client: Failed to extract the primary key values from event fast track iduc command. Dropping message.**
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-026 **Iduc Client: Failed to extract the summary column values from event fast track iduc command. Dropping message.**
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-027 **Iduc Client: Insufficient columns in iduc data results set for table %0s . Expected %1d , but got %2d .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-028 **Iduc Client: Failed to determine whether server connection is dead. Assuming that it is dead. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-029 **Iduc Client: Failed to find extent of channel name in event fast track iduc command. Dropping message.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDC-102-030 **Iduc Client: Failed to determine the action type for %0c in event fast track iduc command. Dropping message.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IDC-103-001 **Iduc Client: Failed to get the change data for all tables in the iduc set. Attempting to process %0d set(s) of data that has been received.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IDC-103-002 **Iduc Client: Failed to get the actual change data for table %0s . No results data was returned. Return empty data set.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

IDS

Messages related to IDUC servers.

E-IDS-102-001 **Failed to allocate a results set.**
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-002 **Failed to describe column %0s .**
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-003 **Iduc Mgr: No status table has been registered. Iduc V1 not available.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-004 **Iduc Mgr: Failed to lookup up status table %0s.%1s . Iduc V1 not available.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-005 **Iduc Mgr: No journal table has been registered. Iduc V1 not available.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-006 **Iduc Mgr: Failed to lookup up journal table %0s.%1s . Iduc V1 not available.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-007 **Iduc Mgr: Registered journal table does not have expected string key columnn. Iduc V1 not available.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-008 **Iduc Mgr: Failed to create Iduc V1 results set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-009 **Iduc Mgr: Problems in building associated journal Iduc V1 results set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-010 **Iduc Mgr: Failed to create Iduc V2 results set. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-011 **Iduc Mgr: Failed to find or create a row element for change on table object %0s.%1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-012 **Iduc Mgr: Failed to add change element for table object %0s.%1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-013 Iduc Mgr: Failed to lookup up table
%0s.%1s . Iduc on table not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-015 Failed to register RPC %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-016 Iduc Ctrl: Unable to determine the
number of bytes to read from %0s on
socket %1d . Disconnecting the client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-017 Iduc Ctrl: Failed to allocate memory
for receipt of pending data from %0s on
socket %1d . Disconnecting client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-018 Iduc Ctrl: Failed to read %0d bytes of
data from %1s on socket %2d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-019 Iduc Ctrl: Invalid data written by %0s
on socket %1d . Disconnecting client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-020 **Iduc Ctrl: Unable to lookup associated real-time client entry ID %0u as provided by %1s on socket %2d . Disconnecting client.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-021 **Iduc Ctrl: Attempt to connect client %0u , when it is already connected with %1s on socket %2d . Disconnecting client.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-022 **Iduc Ctrl: Failed to associate client connection. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-023 **Iduc Ctrl: Failed to lock mutex. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-024 **Iduc Ctrl: Failed to accept a client connection. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-025 **Iduc Ctrl: Unable to determine if any changes are pending for client %0u at %1s on socket %2d .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-026 **Iduc Ctrl: Failed to build IDUC
update message for client at %0s on
socket %1d . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-027 **Iduc Ctrl: Failed to send IDUC
update message to client at %0s on
socket %1d . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-028 **Iduc Ctrl: Unable to lookup
associated real-time client by socket for
%0s on socket %1d .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-029 **Iduc Ctrl: Unable to lookup real-time
client for id %0u .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-031 **Iduc Ctrl: Client at %0s on socket
%1d will be retried on its next time-slot.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-032 **Iduc Ctrl: Only able to update %0d
out of %1d client(s).**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-033 Iduc Ctrl: Unexpected error received
while waiting for connections.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-034 Client ID %0u already registered !!!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-035 Attempt to unregister a Client ID
%0u that has not been registered.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-036 Attempt to set IDUC level on
unregistered Client ID %0u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-037 Attempt to get IDUC level from
unregistered Client ID %0u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-038 Attempt to send client message to
unregistered Client ID %0u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-039 Iduc Ctrl: Failed to send client
message %0s to client %1u on socket
%2d . (%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-040 Attempt to send client message to Client ID %0u which does not currently hold a valid Iduc socket connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-041 Iduc Ctrl: Incorrect format for Iduc V2 link message by %0s on socket %1d . Separator character missing. Disconnecting client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-042 Iduc Ctrl: User installed connection callback had an error for client %0u from %1s on socket %2d . Disconnecting the client connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-043 Iduc Ctrl: User installed disconnection callback had an error for client %0u from %1s on socket %2d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-044 Iduc Ctrl: Failed to get the value for property %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-045 Iduc Ctrl: Failed to create the Iduc listening socket on port %0d . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-046 **Iduc Mgr: Installed interest callback function failed to complete successfully.**
 (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-047 **Iduc Mgr: Install no interest callback function failed to complete successfully.**
 (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-048 **Iduc Mgr: Attempt by client %0u to register for iduc on table %1s.%2s. when it is already registered. Request ignored.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-049 **Iduc Mgr: Attempt by client %0u to unregister for iduc on table %1s.%2s. when it is not registered. Request ignored.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-050 **Iduc Ctrl: Failed to send IDUC connection ack message to client at %0s on socket %1d . (%2d;%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-051 **Attempt to get IDUC socket file descriptor from unregistered Client ID %0u .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-052 Iduc Ctrl: Failed to resolved system listening hostname for client. Using default name %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-053 Iduc Ctrl: Failed to create the iduc client message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-054 Iduc Ctrl: Failed to check and get a message from iduc client message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-055 Iduc Ctrl: Iduc Command Message: Client ID resolver callback has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-056 Iduc Ctrl: Iduc Command Message: Client message formatter callback has failed for client ID %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-057 Iduc Ctrl: Iduc Command Message: Attempt to send message to unregistered client ID %0u . Client dropped.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-058 Attempt to send client command message to Client ID %0u which does not currently hold a valid Iduc socket connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-059 Iduc Ctrl: Failed to send client command message %0s to client %1u on socket %2d . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-060 Iduc Ctrl: Iduc Command Message: Client send message pre-processing callback has failed for client ID %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-061 Iduc Ctrl: Iduc Command Message: Client send message post-processing callback has failed for client ID %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-062 Iduc Ctrl: Iduc Command Message: Client send set pre-processing callback has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-102-063 Iduc Ctrl: Iduc Command Message: Client send set post-processing callback has failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-102-064 Iduc Ctrl: Iduc Command Message:
Failed to build message payload for
client command message. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-102-065 Iduc Ctrl: User installed IducMissed
callback had an error for client %0u
from %1s on socket %2d .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IDS-110-001 Client aborted connection request

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-IDS-110-002 Lookup of connected client failed.
Dropping client**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-IDS-103-001 Iduc Ctrl: Iduc Command Message:
Attempt to send message to non-Iduc
V2.1 client. Client ID %0u dropped.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-IDS-103-002 Iduc Ctrl: Iduc Command Message:
Attempt to send message to client with
unknown Iduc level. Client ID %0u
dropped.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IDS-103-003 Iduc Ctrl: Failed to set accepted client IDUC connection file description %0d to non-blocking. (%1d:%2s)

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

IPC

Messages related to Inter-Process Communication (IPC).

E-IPC-001-001 User not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-001 Too many RPC parameters

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-002 RPC parameter not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-003 RPC parameter is of unsupported type

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-004 RPC parameter type mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-005 Too few RPC parameters

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-006 Client does not support RPCs

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-002-007 RPC function not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-001 Notification registration failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-002 Notification already exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-003 Notification not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-004 Notification unregistration failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-005 Notification failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-003-006 Notification parameters invalid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-004-001 Failed to send message to client

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-001 Session busy

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-002 Session pending

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-003 Session connection failure

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-004 Operation canceled

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-005 Command send failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-005-006 Command parameter add failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-001 Failed to describe result set meta data

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-002

E-IPC-099-002 Failed to bind result set row data

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-003 Failed to send row data to client

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-004

E-IPC-099-004 Failed to send done to client

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-005 Client does not support one or more
column types

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IPC-099-006 Index out of range**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

IVM

Messages related to Inter-Process Communication (IPC).

E-IVM-001-001 Session capability fetch failed**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-001-002 Session SPID fetch failed**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-001-003 Setting thread user data failed**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-001-004 Fetching thread user data failed**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-001-005 Failed to dispatch OpenServer event**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-002 RPC hash table: %0s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-006 Failed to set module log file**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-007 Failed to set module log file size**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**E-IVM-002-008 Failed to set module log file
truncation****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-009 Failed to set interfaces file**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-010 Failed to set thread stack size**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**E-IVM-002-011 Failed to set IPC multi-threaded
mode****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**E-IVM-002-015 Failed to set number of client
connections: %0d****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-IVM-002-016 Failed to set internal queue size:
%0dk

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-017 Failed to install the internal error
handler function

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-018 Failed to initialise vendor
middleware

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-019 Failed to install start handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-020 Failed to install shutdown handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-021 Failed to create module callback
mutex: *%0s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-022 Failed to create module RPC mutex:
%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-024 Failed to install module language handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-025 Failed to install module connection handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-026 Failed to install module disconnection handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-027 Failed to install module RPC handler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-028 Failed to spawn the stop thread

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-029 Failed to create dogsbody thread

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-036 Failed to terminate dogsbody thread

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-037 Failed to initialise secure login module

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-038 Failed to set vendor server library version property %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-042 Failed to get server language value: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-043 Failed to set server language properties: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-002-044 Failed to disable api checking

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-006 Failed to create module session: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-011 Failed to retrieve module session from disconnection handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-012 Failed to fetch application
description from client: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-013 Failed to attach module session to
connection handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-014 Failed to retrieve module session
from language handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-019 Language handler called for
connection which has no session
information (proc = %0p)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-020 RPC handler called for connection
which has no session information (proc
= %0p)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-003-021 Unhandled appdesc buffer:
proc=%0p AppSpec[%1d]=%2x

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-003 Failed to create parameter list for
RPC %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-005 Failed to send RPC %0s result set:
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-006 Failed to send result set for RPC %0s
: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-007 Process %0p requesting execution of
an unregistered RPC %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-004-014 Failed to retrieve module session
from RPC handler thread: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-005-001 OpenServer - Error: %0d:%1s

Explanation: The following example shows how this message is written to the log:

E-IVM-005-001: OpenServer - Error: 16133/10/0:
Configuration of 100 connections has been
exceeded, connection rejected

The example message indicates that a connections threshold has been exceeded. The E-IVM-005-001 message can indicate any one of several different errors, and is not limited to connection problems.

System action: Not applicable.

User response: Not applicable.

Administrator response: OpenServer errors can have many causes. Examine the message text and the accompanying messages in the log for more information.

E-IVM-005-002 OpenServer - Error: %0d:%1s

Explanation: The following examples show how this message is written to the log.

Example 1:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine sybnet_listen() failed in
srv_start_net
Network error: status = 22 - Protocol driver call
to determine properties failed
Error -1:SSL: Unable to open keyfile. Either the
file is missing, or the file permissions do not
grant access, or the file format is incorrect.
```

Example 2:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine sybnet_listen() failed in
srv_start_net
Network error: status = 22 - Protocol driver call
to determine properties failed
Error -1:SSL: Password incorrect. Possibly the
stash-file is missing or the password does not
meet security requirements.
```

Example 3:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine failed in
srv_io_check
Network error: status = 32 - Net-Lib protocol
driver call to read data failed
Error -1:SSL: The label for this server cannot
be found in the key file.
```

Example 4:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine sybnet_listen() failed in
srv_start_net
Network error: status = 23 - Net-Lib protocol
driver call to register a listener failed
Error -1:Socket bind failed - errno 13
Permission denied
```

Example 5:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine sybnet_listen() failed in
srv_start_net
Network error: status = 23 - Net-Lib protocol
driver call to register a listener failed
Error -1:Socket bind failed - errno 125
Address already in use
```

Example 6:

```
E-IVM-005-002: OpenServer - Error: 16240/10/0:
Net-Library routine sybnet_listen() failed in
srv_start_net
Network error: status = 23 - Net-Lib protocol
driver call to register a listener failed
Error -1:Socket bind failed - errno 126
Cannot assign requested address
```

Message E-IVM-005-002 indicates that the server encountered a communication problem.

The example messages that are listed here indicate that there are incorrect settings in the Server Editor. On UNIX and Linux operating systems, these settings are also specified in the connections data file, \$NCHOME/etc/omni.dat.

Example messages 1, 2, 4, 5, and 6 are usually accompanied in the log by the following fatal message:

```
F-IVM-005-001: OpenServer - Fatal Error:
16029/20/0: Failed to start any network listeners
```

System action: Not applicable.

User response: Not applicable.

Administrator response: OpenServer errors can have many causes. Examine the message text and the accompanying messages in the log for more information.

The example messages described here can be caused by the following conditions:

- In example message 1, SSL encryption is specified in the Server Editor but either the key file or the stash file is missing.
- In example message 2, SSL encryption is specified in the Server Editor and the key file is present but the password that is stored in the stash file is incorrect or does not meet security requirements. In some cases, the stash file might be missing.
- In example message 3, SSL encryption is specified in the Server Editor and the key file is present but the server certificate is missing. This error is not fatal, the server continues running but it cannot connect to the ObjectServer.
- In example message 4, the port number of the host that is specified in the Server Editor is incorrect or missing.
- In example message 5, the port number of the host that is specified in the Server Editor is already in use.
- In example message 6, the host name that is specified in the Server Editor is incorrect.

For information about configuring server communication details or SSL connections, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

Related information:

“F-IVM-005-001” on page 200

OpenServer - Fatal Error: %0d:%1s

E-IVM-007-001 Vendor log file size too small (min: 16k): %0uk

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-007-002 Unable to set Connections property to %0d. Connections property has been limited to %1d.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-001 Failed to set interfaces file %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-002 Failed to initialise vendor context

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-003 Failed to allocate vendor connection

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-004 Failed to bind username to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-005 Failed to bind password to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-006 Failed to bind application name to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-007 Failed to bind hostname to session

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-008 Failed to set timeout

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-009 Failed to set vendor session user data

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-010 Failed to install session callbacks

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-011 Failed to extract login token from provided password

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-051-013 Failed to set vendor client library version property: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-052-001 A command returned a result set with an unexpected number of columns (%0d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-052-002 Error in row %0d of result set

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-052-003 Failed to describe a result set: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-005 OpenClient (Layer = %0s, Origin = %1s, Severity = %2s, Number = %3s) - Session '%4s': %5s

Explanation: The following examples show how this message is written to the log.

Example 1:

E-IVM-053-005: OpenClient (Layer = 5, Origin = 3, Severity = 5, Number = 6) - Session 'DEVPCOMS':
readahead failure: network packet layer:
internal net library error:
Net-Library operation terminated due to disconnect

Example 2:

E-IVM-053-005: OpenClient (Layer = 6, Origin = 8, Severity = 5, Number = 3) - Session 'INPOSSSP':
ct_connect(): directory service layer:
internal directory control layer error:
Requested server name not found.

Example 3:

E-IVM-053-005: OpenClient (Layer = 1, Origin = 2, Severity = 2, Number = 63) - Session 'AGG_V':
ct_results(): user api layer:
internal Client Library error:
Read from the server has timed out.

Example 4:

E-IVM-053-005: OpenClient (Layer = 1, Origin = 1, Severity = 1, Number = 50) - Session 'AGG_V':
ct_cmd_drop(): user api layer: external error:
The connection has been marked dead.

The example messages indicate that an ObjectServer client encountered a communication problem.

System action: Not applicable.

User response: Not applicable.

Administrator response: OpenClient errors can have several causes. Examine the message text and the accompanying messages in the log for more information.

Example messages 1 and 4 indicate that the client connection to the ObjectServer was lost. Check the ObjectServer logs for more information about why the client disconnected.

Example message 2 indicates that the ObjectServer name was not found in the interfaces file. Configure the ObjectServer connection information in the Server Editor (or in the connections data file \$NCHOME/etc/omni.dat).

Example 3 indicates a read timeout on the ObjectServer. If the client uses a timeout property (such as **NetworkTimeout**), check that its value is high enough to allow for busy periods at the ObjectServer. If the client is a probe connected to an ObjectServer pair in failover configuration, ensure that the value of probe **PollServer** property is greater than the value of the **NetworkTimeout** property.

For information about configuring server communication details, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

For information about configuring probe properties, see the *IBM Tivoli Netcool/OMNIBus Probe and Gateway Guide*.

E-IVM-053-009 Challenge callback (%0p) failed: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-010 Challenge callback (%0p) failed on session %1s : %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-011 Challenge callback not installed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-012 Challenge callback not installed on session %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-013 Notification callback (%0p) failed: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-014 Notification callback (%0p) failed on session %1s : %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-015 Notification callback not installed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-016 Notification callback not installed on session %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-017 Dropping notification event for procedure %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-053-018 Dropping notification event for procedure %0s on session %1s : %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-054-001 Notifier polling thread encountered an error using `ct_poll` using session `%0p`: `%1s`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-054-002 Notifier polling thread encountered an error using `ct_poll` using session `%0s`: `%1s`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-IVM-102-002 Secure login housekeeping thread failed to open cursor

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-IVM-005-001 OpenServer - Fatal Error: `%0d;%1s`

Explanation: The following examples show how this message is written to the log.

Example 1:

F-IVM-005-001: OpenServer - Fatal Error:
16029/20/0: Failed to start any network listeners

Example 2:

F-IVM-005-001: OpenServer - Fatal Error:
16013/20/0: Could not find server name 'NCOMS'
in interfaces file

The example messages indicate that there is a problem with the server settings in the Server Editor. On UNIX and Linux operating systems, these settings are also specified in the connections data file, `$NCHOME/etc/omni.dat`.

System action: Not applicable.

User response: Not applicable.

Administrator response: OpenServer errors, such as example message 1, can have many causes. Examine the message text and the accompanying messages in the log for more information.

In example message 2, there is no entry in the Server Editor for the server named NCOMS.

For information about configuring server communication details, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

W-IVM-002-001 User property has overridden the
mutli-threaded server setting

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-002-045 Deprecated SSL property or
command line option specified. This
property has no effect

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-007-003 Vendor stack size too small: %0db.
Reseting to default: %1ub

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-051-012 Could not set OpenClient debug
property. Ensure to link against
OpenClient devlibs.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-053-001 Session name callback failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-053-002 Session name callback (%0p)
returned NULL session name

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-053-023 Application description response
has been truncated

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-IVM-103-002 Secure login housekeeper thread
received error on wake-up

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

MEM

Messages related to the memstore.

E-MEM-001-001 Row size too large

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-001-002 Attempt to modify row that has
been deleted

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-001-003 Did not force

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-001-004 The soft limit is greater than the
hard limit

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-001-005 The hard limit is greater than the
maximum permitted value

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-001 The specified path, %0s , is too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-002 Could not create %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-003 %0s is not a directory

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-004 Directory %0s exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-MEM-002-005 Data directory prefix %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-MEM-002-006 Failed to allocate memory for index
 %0s , index marked invalid**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-MEM-002-007 Failed to lock required chain lock
 for destruction of deleted row.
 (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**W-MEM-004-001 Failed to remove a row marked as
 deleted: %0s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-MEM-004-002

W-MEM-004-002 Failed to re-acquire transaction
lock after action list purge. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-MEM-004-003 Failed to add updated row to post
processing action list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-MEM-004-004 Failed to add inserted row to post processing action list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

NHT

Messages related to the HTTP/HTTPS interface.

E-NHT-102-001 [%0s]: Failed to lock the action mutex. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-002 [%0s]: Failed to accept a connection on listening socket %1u on port %2u . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-003 [%0s]: Failed to create a client structure for accepted socket connection socket %1u on listening socket %2u on port %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-004 [%0s]: Failed to find a client connection structure for active socket %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-005 [%0s]: Failed to send active client connection structure for socket %1u to work pool. Disconnecting connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-006 [%0s]: **Server listening socket thread for port %1u has terminated abnormally.** (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-007 [%0s]: **Failed to check and execution all actions in connection list.** (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-008 [%0s]: **Failed to wait on socket list for port %1u .** (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-009 [%0s]: **Work pool thread (0x%1p) has terminated abnormally.** (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-012 [%0s]: **Failed to process all HTTP requests on socket %1u . Dropping connection.** (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-013 [%0s]: **Failed to create a listening socket port %1u .** (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-001 [%0s]: Failed to lock the action
mutex. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-002 [%0s]: Failed to accept a connection
on listening socket %1u on port %2u .
(%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-003 [%0s]: Failed to create a client
structure for accepted socket connection
socket %1u on listening socket %2u on
port %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-004 [%0s]: Failed to find a client
connection structure for active socket
%1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-005 [%0s]: Failed to send active client
connection structure for socket %1u to
work pool. Disconnecting connection.
(%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-006 [%0s]: Server listening socket thread
for port %1u has terminated abnormally.
(%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-007 [%0s]: Failed to check and execution all actions in connection list. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-008 [%0s]: Failed to wait on socket list for port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-009 [%0s]: Work pool thread (0x%1p) has terminated abnormally. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-012 [%0s]: Failed to process all HTTP requests on socket %1u . Dropping connection. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-014 [%0s]: Failed to spawn a thread for listening port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-015 [%0s]: Failed to determine successful start condition of thread for listening port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-016 [%0s]: Failed to determine successful stop condition of thread for listening port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-017 [%0s]: Failed to lock the work pool queue mutex. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-018 [%0s]: Failed to create an action event. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-019 [%0s]: Failed to add an action event to listening socket thread for port %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-020 [NCRYPT]: Function %0s failed. (rc=%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-021 [%0s]: Failed to read %1d bytes from %2s (%3s) on socket %4u . (%5d:%6s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-022 [%0s]: Failed to determine the number of bytes pending from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-026 [%0s]: Unknown method detected in HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-027 [%0s]: Unknown HTTP version detected in HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-028 [%0s]: Failed to decode URI in the HTTP request from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-029 [%0s]: Failed to decode the authentication credentials string in the HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-030 [%0s]: Failed to extract the user name from decoded authentication credentials string in the HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-031 [%0s]: Failed to extract the password from decoded authentication credentials string in the HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-032 [%0s]: Failed to create request structure for request from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-033 [%0s]: Failed to get full HTTP request from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-034 [%0s]: Failed to parse HTTP request line from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-035 [%0s]: Failed to parse and read message body of HTTP request from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-036 [%0s]: Failed to extract authentication type from authorization header of HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-037 [%0s]: Failed to extract credentials from authorization header of HTTP request from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-038 [%0s]: Authentication type %1s is unknown from %2s (%3s) on socket %4u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-039 [%0s]: Failed to read required data from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-040 [%0s]: Failed to spawn thread %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-041 [%0s]: Failed to wait for thread %1s to indicate a successful start status. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-042 [%0s]: Failed to wait for thread %1s to indicate a successful stop status. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-043 • E-NHT-102-048

E-NHT-102-043 [%0s]: Failed to resolve local
hostname details for client connection
on socket %1u . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-044 [%0s]: Unexpected error given in
attempt to get the authorization header
in parsed HTTP from %1s (%2s) on
socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-045 [%0s]: Failed to parse the
authorization header in HTTP from %1s
(%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-046 [%0s]: Application installed
authorization callback failed to complete
successfully for %1s (%2s) on socket
%3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-047 [%0s]: Failed to handle request on
URI %1s for %2s (%3s) on socket %4u .
(%5d:%6s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-048 [%0s]: Failed to return Method Not
Allowed HTTP response to URI %1s for
%2s (%3s) on socket %4u . (%5d:%6s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-049 [%0s]: Failed to return Internal Error to URI %1s for %2s (%3s) on socket %4u . (%5d:%6s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-050 [%0s]: Application installed URI callback failed to complete successfully for %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-051 [%0s]: Failed to get an item from the queue when there should have been one available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-052 [%0s]: Failed to try the work queue semaphore for pending work. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-053 [%0s]: Failed to start all threads within the work pool. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-054 [%0s]: Failed to successfully create a work item for the work pool. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-055 [%0s]: Failed to post indication of a work item to the work pools semaphore. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-056 Failed to define property %0s to the property s manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-057 Invalid data type for property %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-058 Failed to get value of property %0s from the property manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-059 Invalid datatype for property %0s . Expected %1s and got %2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-060 Failed to convert datatype for property %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-061 Failed to parse the property file %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-062 Failed to create the work pool manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-063 Failed to start the work pool manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-064 Failed to open the access log %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-065 Failed to create the server listening socket for port %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-066 Failed to start the server listening socket thread for port %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-067 [%0s]: Failed to add header %1s to HTTP response structure. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-068 [%0s]: Failed to create a response structure for response from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-069 [%0s]: Failed to send HTTP response
back to client %1s (%2s) on socket %3u .
(%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-070 [%0s]: Failed to write data to %1s
(%2s) on socket %3u . (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-071 [%0s]: Failed to read file %1s .
(%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-072 [%0s]: Failed to add header %1s to
HTTP request structure. (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-073 [%0s]: Failed to get full HTTP
response from %1s (%2s) on socket %3u
. (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-074 [%0s]: Failed to parse HTTP
response line from %1s (%2s) on socket
%3u . (%4d;%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-075 [%0s]: Failed to parse, extract and add all headers in the HTTP response to the constructed structure from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-076 [%0s]: Failed to parse and read message body of HTTP response from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-077 [%0s]: Unknown HTTP version detected in HTTP response from %1s (%2s) on socket %3u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-078 [%0s]: Failed to lookup hostname %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-079 [%0s]: Failed to send request message to HTTP server %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-080 [%0s]: Failed to read response message from HTTP server %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-082 [%0s]: Invalid status code detected in
HTTP response from %1s (%2s) on
socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-083 [%0s]: Server listening socket thread
for port %1u has failed to installed its
SIGPIPE signal handler. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-061 Failed to parse the property file %0s
. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-062 Failed to create the work pool
manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-063 Failed to start the work pool
manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-064 Failed to open the access log %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-065 Failed to create the server listening socket for port %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-066 Failed to start the server listening socket thread for port %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-067 [%0s]: Failed to add header %1s to HTTP response structure. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-068 [%0s]: Failed to create a response structure for response from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-069 [%0s]: Failed to send HTTP response back to client %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-070 [%0s]: Failed to write data to %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-071 [%0s]: Failed to read file %1s .
(%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-072 [%0s]: Failed to add header %1s to
HTTP request structure. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-073 [%0s]: Failed to get full HTTP
response from %1s (%2s) on socket %3u
. (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-074 [%0s]: Failed to parse HTTP
response line from %1s (%2s) on socket
%3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-075 [%0s]: Failed to parse, extract and
add all headers in the HTTP response to
the constructed structure from %1s (%2s)
on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-076 [%0s]: Failed to parse and read
message body of HTTP response from
%1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-077 [%0s]: **Unknown HTTP version detected in HTTP response from %1s (%2s) on socket %3u .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-078 [%0s]: **Failed to lookup hostname %1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-079 [%0s]: **Failed to send request message to HTTP server %1s (%2s) on socket %3u . (%4d:%5s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-080 [%0s]: **Failed to read response message from HTTP server %1s (%2s) on socket %3u . (%4d:%5s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-082 [%0s]: **Invalid status code detected in HTTP response from %1s (%2s) on socket %3u . (%4d:%5s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-084 [%0s]: **Failed to lookup hostname and IP address connection information for %1s . (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-085 [%0s]: Failed to connect to %1s on port %2u . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-086 [%0s]: Failed to return Unsupported Media Type HTTP response to URI %1s for %2s (%3s) on socket %4u . (%5d:%6s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-087 [%0s]: Failed to parse all chunked data blocks due to bad encoding from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-088 [%0s]: Failed to get full chunk header from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-089 [%0s]: Failed to validate a HTTP request from %1s (%2s) on socket %3u . (%4d:%5s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-NHT-102-090 [%0s]: Failed to create a response structure. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-NHT-103-001 [%0s]: Failed to lookup hostname
for IP address %1s . Using default
system hostname %2s . (%3d:%4s)

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

OAM

Messages related to authentication.

E-OAM-102-001

E-OAM-102-001 Failed to open authentication

module: \%0s\: %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OAM-102-002 Module %0s is not an authentication module

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OAM-102-003

E-OAM-102-003 Authentication module %0s has an incompatible version (%1d vs. %2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OAM-102-004 Failed to call access function

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

OBJ

Messages related to the ObjectServer.

E-OBJ-102-001 Permission check on unregistered object: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-002 %0s at or near %1s on line %2d of %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-003 Failed to recover %0d of %1d restriction filters

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-004 Restriction filter recovery failed: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-102-005 alter user %0s ... : Denied

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-001 A user with this ID already exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-002 A role with this ID already exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-004 Could not initialise the attribute

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-005 The privilege is invalid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-006 A group with this ID already exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-007 The restriction filter doesn't exist

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-008 Could not identify the database or
table for the restriction filter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-009 Restriction filter is assigned

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-010 Group ID must be in the range
0..2147483647

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-011 Object name must be less than 64
bytes long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-012 Password must be less than 64 bytes
long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-013 Comment field must be less than 255
bytes long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-014 PAM isn't supported on this
objectserver platform

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-015 Role ID must be in the range
0..2147483647

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-016 User ID must be in the range
0..2147483647

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-017

E-OBJ-110-017 The tablename must be fully qualified

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-018 **Id and name mismatch**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBJ-110-021

E-OBJ-110-021 Filter cannot select from itself

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBJ-103-001 Invalid name value pair: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBJ-103-002

W-OBJ-103-002 Class name %0s and number %1d
must be unique, row discarded

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBJ-103-003 Class %0d and parent %1d would introduce a loop, row discarded

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

OBX

Messages related to the ObjectServer application (**nco_objserv**).

E-OBX-001-001

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-002 Attempt to connect using an unsupported client

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-003 Attempt to use the RESYNC command by a non-gateway client

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-004 Resync is already in progress

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-005 Resync is not in progress

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-006 service.status does not exist

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-007 service.status has non v3.x schema

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-008 Attempt by non-realtime client to use real-time functionality.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-009 Attempt by non-iduc V2 real-time client to use Iduc V2 functionality.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-010 Invalid data store - database missing

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-011 Invalid data store - table missing

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-012 Read-only ISQL attempting execution of restricted SQL

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-013 SQL profiler timing not started

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-014 SQL profiler timing not suspended

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-015 Client not registered with SQL profiler

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-016 Client connected as nobody

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-017 Cannot send message, the client is not connected

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-001-018 Invalid file server root directory

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-004 Failed to initialise the command library.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-005 Failed to allocate application data structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-006 Failed to initialise default server properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-008 Failed to define libnsecurity properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-009 Failed to define libnstore properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-010 Failed to define server properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-011 Failed to define libnsecurity arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-012 Failed to define libnstore arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-013 Failed to define server arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-014 Failed to initialise security system:
(%0d:%1s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-016 Language command from %0s@%1s failed. %2s on line %3u of statement %4s at or near %5s**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-017 Language command from %0s@%1s failed. %2s on line %3u of statement %4s**Explanation:** The following examples show how this message is written to the log.

Example 1:

```
E-OBX-102-017: Language command from
probe@lcdsd928 failed. Attempt to insert
duplicate row on line 1 of statement
'example_SQL_statement'
```

Example 2:

```
E-OBX-102-017: Language command from
root@yfcdatvlin failed. Group is already
assigned to a user or role on line 1 of statement
'example_SQL_statement'
```

Example 3:

```
E-OBX-102-017: Language command from
root@hcwweb01 failed. Not enough space on
line 1 of statement 'example_SQL_statement'
```

Example 4:

```
E-OBX-102-017: Language command from
gateway@tmrt02 failed. Currently, available
memory is insufficient on line 1 of
statement 'example_SQL_statement'
```

Example 5:

```
E-OBX-102-017: Language command from
probe@SVHJ0361 failed. Region soft limit
exceeded on line 1 of statement
'example_SQL_statement'
```

Example 6:

```
E-OBX-102-017: Language command from
gateway@y03100u0010 failed. Attempt to modify
row that has been deleted on line 2 of
statement 'example_SQL_statement'
```

The example messages were written to ObjectServer log files and indicate that an SQL statement was not processed. The SQL statements are omitted from the examples.

In example message 1, the cause of the problem is an attempt to insert a duplicate row. In example message 2, the cause of the problem is a permissions issue. In example messages 3, 4, and 5, the problem is caused by insufficient memory. In example message 6, the row no longer exists in the ObjectServer so it cannot be modified.

System action: Not applicable.**User response:** Not applicable.**Administrator response:** The error code (%2s) indicates the cause of the problem. Where indicated, check for insufficient resources or permissions problems. Check the SQL statement for invalid SQL.

In example message 1, a deduplication trigger does not exist for the table where the event is being inserted. In this case, you can add a deduplication trigger to handle duplicate rows in the table concerned.

The following example trigger drops the incoming duplicate event data and does not make any updates:

```
create or replace trigger custom_dedup
group default_triggers
debug false
enabled true
priority 1
comment 'Deduplication processing for
custom.status'
before reinsert on custom.status
for each row
begin

cancel;

end;
```

In example message 5, the Region soft limit exceeded message indicates that the maximum ObjectServer database size is exceeded. You might need to increase the table_store soft limit.

For more information about changing table_store hard and soft limits, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-OBX-102-018 Failed to resolve parsed language command. (%0d:%1s)

Explanation: The following example shows how this message is written to the log:

E-OBX-102-018: Failed to resolve parsed language command. (-636:Type mismatch for column)

The example message indicates that the ObjectServer failed to resolve an SQL command. In this case, the column type in an INSERT command does not match the column type in the ObjectServer table.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example message, ensure that the source data type matches the data type in the ObjectServer table. When you use INSERT commands, enclose character values in single quotation marks ('). Do not enclose integer values in quotation marks.

Type mismatch errors can also occur when you use the INSERT command in an automation to insert rows into the alerts.journal ObjectServer table. In such cases, use the jinsert standard automation procedure to insert rows into the alerts.journal table.

For information about the INSERT command and the jinsert procedure, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-OBX-102-019 Failed to execute parsed language command. (%0d:%1s)

Explanation: The following example shows how this message is written to the log:

Error: E-OBX-102-019: Failed to execute parsed language command. (-402:Region soft limit exceeded)

The example message indicates that the table_store memstore exceeded its soft limit.

The E-OBX-102-019 message can indicate any one of several different errors, and is not limited to memstore problems. The message variable (%0d:%1s) contains the main problem information.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example error message, review the ObjectServer profiler and trigger statics logs and determine if there is a problem with the size of one of the dynamic tables. If the problem is caused by a lack of table_store space, and the ObjectServer dynamic tables are within normal size limits, then increase the table_store soft and hard limits.

For more information about changing table_store hard

and soft limits, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-OBX-102-020 Failed to start the storage system. (%0d:%1s)

Explanation: The following example shows how this message is written to the log:

Error: E-OBX-102-020: Failed to start the storage system. (-490:Extent statistics mismatch)

This error message indicates that the ObjectServer failed to start for any one of several reasons.

In the example error message, Extent statistics mismatch indicates that the ObjectServer database is corrupted. The database can become corrupted when an ObjectServer is shut down abnormally, for example, due to a system crash or if the nco_objserv process is stopped.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example error message, restore the last uncorrupted ObjectServer.

Note: The restore procedures described below results in some data loss. Data is recovered in the state that the Object Server was in when the files were created. If you have a recent backup of the ObjectServer (made, for example, using the ALTER SYSTEM BACKUP command), use the following steps:

1. Make a backup of the \$NCHOME/omnibus/db/*ObjectServer_name* directory.
2. Remove all files from the current \$NCHOME/omnibus/db/*ObjectServer_name* directory.
3. Copy the master_store.tab and table_store.tab files from the backup directory to the current \$NCHOME/omnibus/db/*ObjectServer_name* directory.
4. Start the ObjectServer.

If you do not have a recent backup of the ObjectServer, you can attempt to recover the ObjectServer by using the current database files:

1. Make a backup of the \$NCHOME/omnibus/db/*ObjectServer_name* directory.
2. In the \$NCHOME/omnibus/db/*ObjectServer_name* directory, identify all files with the suffixes _0 and _1 that are 0 bytes in size and remove the corresponding .chk and .log files.

For example, in the following database directory, files with the _1 suffix are 0 bytes in size, so remove master_store_1.chk, master_store_1.log, table_store_1.chk, and table_store_1.log:

```
root 126340 Dec 7 08:47 master_store_0.chk
root 126340 Dec 7 08:47 master_store_0.log
root 0 Dec 7 08:47 master_store_1.chk
```

```

root 0 Dec 7 08:47 master_store_1.log
root 2822144 Dec 7 08:45 master_store.tab
root 7656 Dec 7 08:47 table_store_0.chk
root 7656 Dec 7 08:47 table_store_0.log
root 0 Dec 7 08:47 table_store_1.chk
root 0 Dec 7 08:47 table_store_1.log
root 3543040 Dec 7 08:45 table_store.tab

```

3. Start the ObjectServer.
4. If the ObjectServer fails to start, use the following steps:
 - a. Restore the `$NCHOME/omnibus/db/ObjectServer_name` directory that you backed up in Step 1.
 - b. In the restored `$NCHOME/omnibus/db/ObjectServer_name` directory, remove any `.chk` and `.log` files that you did not remove in Step 2.
For example, in the database directory in Step 2, you must remove `master_store_0.chk`, `master_store_0.log`, `table_store_0.chk`, and `table_store_0.log`.
 - c. Start the ObjectServer.
5. If the ObjectServer still does not start, use the following steps:
 - a. Remove all `.chk` and `.log` files from the `$NCHOME/omnibus/db/ObjectServer_name` directory.
Do not remove the `table_store.tab` and `master_store.tab` files.
 - b. Start the ObjectServer.

For more information about checkpoints and ObjectServer backups, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-OBX-102-021 Failed to stop the storage system.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-023 Failed to authenticate user %0s.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-024 NSecContextProcess
failed. (%0d:%1s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-025 Failed to start the automation
subsystem: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-026 Failed to define automation
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-027 Could not time backup operation:
%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-028 Could not raise internal event: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-029 Failed to raise system event: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-030 Failed to stop the automation
system: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-031 Failed to stop the procedure system:
%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-032 Failed to create backdoors: (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-033 Failed to define Iduc Manager properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-034 Failed to define Iduc Controller properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-035 Failed to define Iduc Manager arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-036 Failed to define Iduc Controller arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-037 Failed to register client %0u for status table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-038 Failed to register client %0u for journal table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-039 Failed to unregister client %0u for status table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-040 Failed to unregister client %0u for journal table updates. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-041 Failed to return client ID to IDUC Manager. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-042 Failed to unregister client with the IDUC controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-043 Failed to register client with the IDUC controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-044 Failed to start the profiling subsystem. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-045 Failed to install the %0s callback on table %1s.%2s . Iduc on table not possible. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-046 Failed to remove the %0s callback from table %1s.%2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-047 Failed to create Iduc Change data set for table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-048 Failed to find column %0s in table %1s.%2s . Cannot push Iduc changes for table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-049 Failed to add row update to iduc change set for table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-050 Failed to get value for column %0s of table %1s.%2s . Cannot push Iduc changes for table. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-051 Failed to create the Iduc Manager.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-052 Failed to create the Iduc Controller.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-053 Failed to startup the Iduc Manager.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-054 Failed to startup the Iduc Controller.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-055 Failed to retrieve the user name.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-056 Proxy@%0s (ConnectionID=%1u)
attempting to execute restricted SQL**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-057 User %0s@%1s failed to login: %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-058 Did not recover %0s table**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-059 Did not recover security database**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-060 Failed to create/populate function manager: (%0d:%1s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-061 Failed to define automation arguments: (%0d:%1s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-062 User %0s tried to connect with an unsupported administration client type (%1s) from host %2s. Please use nco_config.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-063 Failed to allocate memory for the Iduc table data hash table.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-064 Failed to create a pre-resolved iduc table entry for table %0s.%1s . (%2d:%3s)**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

E-OBX-102-065 Failed to find a pre-resolved iduc
table entry for table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-066 Failed to send result set to client
with connection ID = %0u: %1s (%2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-067 Failed to send done to client with
connection ID = %0u: %1s (%2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-068 Failed to send wait message to client
blocked meta/data wait. (%0d:%1s)

Explanation: The following example shows how this
message is written to the log:

```
E-OBX-102-068: Failed to send wait message  
to client blocked meta/data wait.  
(-2250:Failed to send message to client)
```

The example message indicates that the ObjectServer is
busy and failed to send a wait message to a client that
tried to connect to it.

System action: Not applicable.

User response: Not applicable.

Administrator response: The example message
indicates that there is a performance issue at the
ObjectServer. This error is typically seen when there is
a problem with memory usage by dynamic tables or a
problem with one or more triggers.

The error can also occur when a gateway
resynchronizes with the ObjectServer. The ObjectServer
can be locked during the resynchronization and the
message is logged until the resynchronization is
complete.

For information about monitoring ObjectServer
performance, and about triggers and automations, see
the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-OBX-102-069 Failed to set value for property
ClientHeartbeatRate , as value specified
is lower than minimum value %0u .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-070 Did not recover transfer database

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-071 Did not recover persist database

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-072 Removing stale security object for
trigger %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-073 Failed to set value for property
RegexpLibrary to %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-074 Failed to add client ID %0u to
resolution list. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-075 Failed to walk the real-time client
list of the Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-076 Failed to obtain a pre-allocated iduc operation processing data set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-077 Failed to build the key column value list for Event Fast Track of row for table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-078 Failed to build the summary column value list for Event Fast Track of row for table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-079 Failed to create the iduc command user data structure for message delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-080 Failed to create the Event Fast Track command structure for delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-081 Failed to send the Event Fast Track command structure to the Iduc Controller for execution. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-082 Failed to create the Action Command command structure for delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-083 Failed to send the Action Command command structure to the Iduc Controller for execution. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-084 Failed to create the Send Message command structure for delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-085 Failed to send the Send Message command structure to the Iduc Controller for execution. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-086 Failed to install the alter table callback with the storage system. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-087 Failed to remove the alter table callback from the storage system. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-088 Failed to create iduc data handles for row during construction of the Event Fast Track command structure for delivery to Iduc Controller. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-089 Failed to find column %0s in table %1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-090 Column %0s in table %1s.%2s has unexpected type. Expected %3s , but column is %4s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-091 Failed to find table %0s.%1s within the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-092 Failed to build a memory reference cache of the servers known iduc channels. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-093 Failed to walk the table %0s.%1s . Unable to resolve all of the required iduc channel details within the server. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-094 Failed to lookup and find the iduc channel %0s within the channel table. Iduc command dropped as channel is unknown to the server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-095 No channel handle found in channel connection ID resolution. Cannot resolve recipient list

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-096 Failed to get the required column values for current row in table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-097 Failed to create lookup cache entry for channel %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-098 Failed to create channel summary column lookup cache entry for column %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-099 Failed to create table summary lookup cache for table %0s.%1s in channel %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-100 Failed to create channel interest lookup cache entry for channel %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-101 Unable to locate summary column entry for index %0d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-102 Unable to locate channel interest element for channel %0s . Channel interest entry [%1s][%2d][%3s][%4s][%5s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-103 Failed to build the user, group and group membership table cache for determining user interest. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-104 Failed to find group %0s within the group table cache. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-105 Failed to process and add all members of group %0s to the name resolution list of iduc channel interest row entry. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-106 Failed to rebuild iduc channel data
after resync. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-107 Failed to generate an IDUC
connection system event for client id
%0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-108 Failed to generate an IDUC
disconnection system event for client id
%0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-109 Iduc Channel: Failed to create the
channel statistics table %0s.%1s .
(%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-110 Iduc Channel: Failed to find the
channel statistics table %0s.%1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-111 Iduc Channel: Failed to destroy the
channel statistics table %0s.%1s .
(%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-112 **Iduc Channel: Failed to insert
channel %0s into statistics table %1s.%2s
. (%3d:%4s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-113 **Iduc Channel: Failed to update
channel %0s in statistics table %1s.%2s .
(%3d:%4s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-114 **Iduc Channel: Failed to delete
channel %0s from statistics table
%1s.%2s . (%3d:%4s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-115 **Failed to start IDUC channel
execution stop watch timer. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-116 **Failed to stop IDUC channel
execution stop watch timer. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-117 **Failed to update statistics of IDUC
channel %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-118 Iduc Channel: Failed to start the channel statistics period thread.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-119 Attempt to fast track row that is not yet inserted. Dropping attempted Event Fast Track for row in table %0s.%1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-120 Failed to recover indexes. (%0d:%1s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-121 Failed to generate an IDUC missed system event for client id %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-122 Client %0u has missed %1d IDUC cycles for user %2s on host %3s from application %4s:%5s .

Explanation: The following example shows how this message is written to the log:

```
10/22/09 21:46:01: Error: E-OBX-102-122:
Client '1' has missed '2' IDUC cycles
for user 'Gateway' on host 'hostname'
from application 'GATEWAY'.
```

The example message indicates that the client did not request IDUC information from the ObjectServer within the granularity period that is specified by the ObjectServer **Granularity** property. If this problem is not corrected, a client that misses multiple IDUC cycles will cause the memory usage of the ObjectServer to increase and might increase the profiling times for some clients.

System action: Not applicable.

User response: Not applicable.

Administrator response: If this message appears regularly in the log, you can perform one or more of the following actions to address it:

- Ensure that the ObjectServer **Profile** property is enabled, and review the profile and trigger statistics logs in the \$NCHOME/omnibus/logs/*ObjectServer_name_profiler_report.log1* and \$NCHOME/omnibus/logs/*ObjectServer_name_trigger_stats.log1* files. Ensure that the total time from client requests and automations in both the profile and trigger statistics logs is less than the ObjectServer **Granularity** property setting (the default is 60 seconds). If the total time is regularly longer than the **Granularity** property setting, ObjectServer performance will degrade. Troubleshoot the clients and triggers that are identified in the log files as consuming the most IDUC cycles. Be aware that the client time might be longer than the granularity period due to ObjectServer multithreading.
 - Enable debug logging for the client named in the error message and address any errors. Review the client properties for available performance optimizations. If the client IDUC period is shorter than the ObjectServer granularity, it might need to be increased.
 - Enable the `disconnect_iduc_missed` trigger. This trigger disconnects clients that fail to communicate with the ObjectServer for 100 granularity periods, to prevent the ObjectServer from consuming too much memory serving clients that miss IDUC cycles. If the trigger is unnecessarily disconnecting clients, increase the `%signal.missed_cycles` setting to at least 100.
-

E-OBX-102-123 WTPasswordCheck property %0s is not valid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-124 PasswordEncryption is not FIPS compliant. Switching to AES.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-125 GET LOGIN TOKEN command is not FIPS compliant.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-126 Failed to generate an IDUC data request system event for client id %0u . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-127 Unable to lookup real-time client for id %0u . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-128 Failed to enable UTF8Enabled property

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-129 Failed to create system events: (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-130 Failed to create system events: (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-131 _NOBJSrvDropTransientViews:
Failed to allocate memory: %0s: %1s.%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-132 Failed to drop connection, connection ID = %0u could not be found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-133 Number of failed client heartbeats exceeded %0u. The keep-alive message will no longer be sent to client with id = %1u .

Explanation: The following example shows how this message is written to the log:

E-OBX-102-133: Number of failed client heartbeats exceeded 5. The keep-alive message will no longer be sent to client with id = '52'

The example message was written to an ObjectServer log file and indicates that a client stopped running.

This message is logged when the ObjectServer is busy and one of its waiting clients disconnects. When the ObjectServer is no longer busy, the message is no longer logged because the ObjectServer processed the client disconnection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Verify that the ObjectServer is running correctly and that it is managing the current load. If this message recurs regularly in the logs, you might want to tune the ObjectServer performance.

For information about tuning ObjectServer performance, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-OBX-102-134 Failed to find column %0s in table %1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-135 Column %0s in table %1s.%2s has unexpected type. Expected %3s , but column is %4s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-136 [RESTIF]: Failed to install callback of type %0u on table %1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-137 [RESTIF]: Failed to remove callback of type %0u from table %1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-138 [RESTIF]: Failed to allocate a result set structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-139 [RESTIF]: Failed to create client handle. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-140 [RESTIF]: Failed to initialise the server library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-141 [RESTIF]: Failed to initialise the client library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-142 [RESTIF]: Failed to initialise property manager with server properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-143 [RESTIF]: Failed to initialise argument manager with server arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-144 [RESTIF]: Failed to create a REST client handle. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-145 [RESTIF]: Failed to create a REST Engine system instance. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-146 [RESTIF]: Failed to start-up the REST Engine system instance. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-147 [RESTIF]: Failed to set-up the OSLC Service Provider Registrations system components. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-148 [RESTIF]: Failed to parse URI %0s . URI is potentially invalid? (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-149 [RESTIF]: Failed to sent the user credentials on HTTP client context for service provider registration. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-150 [RESTIF]: Failed to register
ObjectServer service provider definition
with registry %0s (%1s). (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-151 [RESTIF]: Failed to update OSLC
Service Provider registration table with
registration details for %0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-152 [RESTIF]: Failed to deregister
ObjectServer service provider definition
with registry %0s (%1s). (%2d:%3s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-153 [RESTIF]: Failed to resolved all
required details within the OSLC
service provider registration table.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-154 [RESTIF]: Failed to get all values
from row within the OSLC service
provider registration table. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-155 [RESTIF]: Failed to create a OSLC
service provider registration work item.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-156 [RESTIF]: Failed to send an OSLC service provider registration work item to processing thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-157 [RESTIF]: Failed to convert URI to a string representation. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-158 [RESTIF]: Work item processing thread has is terminating due to unexpected error.(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-159 [RESTIF]: Failed to create a command execution structure.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-160 [RESTIF]: Failed to resolve the current command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-OBX-102-161 [RESTIF]: Failed to execute the current command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-162 [RESTIF]: Failed to build base URI
for service provider definition.
(%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-163 Failed to initialise the HTTP/OSLC
system interface. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-164 Failed to initialise property manager
with HTTP/OSLC system interface
server properties. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-165 Failed to initialise argument
manager with HTTP/OSLC system
interface server arguments. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-166 Failed to run the HTTP/OSLC
system interface. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-OBX-102-167 Failed to convert value for column
%0s of table %1s.%2s from %3d to %4d .
Cannot push Iduc changes for table.
(%5d;%6s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-OBX-101-001 **_NObjSrvDropTransientViews:**
remove callback error: %0s: %1s.%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-OBX-101-003 **_NObjSrvDropTransientViews: drop**
error: %0s: %1s.%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-001 **Probe language command from**
%0s@%1s failed. %2s on line %3u of
statement %4s at or near %5s .
Continuing with the default SQL
processing.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-002 **Probe language command from**
%0s@%1s failed. %2s on line %3u of
statement %4s . Continuing with the
default SQL processing.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-004 **Failed to lookup and find table**
%0s.%1s in data store.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-005 **Removing %0s from security**
repositories

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-006 Profiler thread failed to read a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-007 Profiler thread encountered an error whilst processing a message of type %0d on behalf of connection ID %1d: %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-008 Profiler report waker thread failed to read a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-009 Profiler report waker thread failed to create a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-010 Profiler report waker thread failed to post a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-011 Failed to find table %0s.%1s . Locale safe IDUC messages not possible.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-012 Failed to remove pending row iduc from iduc change set for table %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-013 Failed to lookup and find the iduc channel %0s within the channel table. Iduc command to connection ID %1d will be processed with default settings.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-014 Failed to lookup and find a summary list for table %0s.%1s in iduc channel %2s . Using the tables primary key as summary list for Event Fast Track message.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-015 Unable to locate channel %0d for channel interest entry defined in table %1s.%2s . Unassociated entry detected. [%3s][%4d][%5s][%6s][%7s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-016 Unable to locate channel %0d for channel summary entry defined in table %1s.%2s . Unassociated entry detected. [%3s][%4s][%5d]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-017 Unable to locate summary list %0d for channel summary column entry defined in table %1s.%2s . Unassociated entry detected. [%3s][%4d]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-018 Failed to resolve and find all required tables and columns for iduc channel resolution. Iduc channel syb-system will be unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-019 Failed to find user ID %0d within the user table cache. Dropping user ID from processing set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-020 Position order of columns within the summary list for table %0s.%1s in iduc channel %2s is NOT defined in numerical sequence order. Column extraction will be inefficient for Event Fast Track messages on this table. Please correct the order.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-021 Iduc Channel: Failed to successfully update the statistics for all known IDUC channels. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-022 Iduc Channel: Failed to successfully insert the statistics for all known IDUC channels. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-023 Iduc Channel: Failed to successfully delete the statistics for all known IDUC channels. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-024 Failed to lookup and find a summary list for table %0s.%1s with id %2d for iduc channel %3s in table cache.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-025 No per thread cpu-time clock source available. Profile times will be overestimated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-026 The profile_report trigger failed to run

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-027 Dropping channel interest entry for channel %0s due to error %1s . Dropped interest entry is ElementName= %2s ,IsGroup=%3d,Hostname= %4s ,AppName= %5s ,AppDescription= %6s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-028 [RESTIF]: Failed to find OSLC Service Provider table %0s.%1s . Registration disabled.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-029

W-OBX-103-029 [RESTIF]: Failed to generated
registrations update work items from
OSLC Service Provider registration
table. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-OBX-103-030 [RESTIF]: Failed to build string representation of SQL command for debug log message. (%0d:%1s)

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

POS

Messages related to the **nco_postmsg** utility.

W-POS-103-001 Cache file level warning! Cache exceeds %0d%% of %1d bytes. Currently %2d bytes

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

PRO

Messages related to Process Agent.

E-PRO-001-001 Parameter must be IN for external procedures

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-002 Attempted to re-enter procedure

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-003 Recursive call

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-004 BREAK outside of loop

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-005 Procedure subsystem disabled

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-006 Cannot update an object of this kind from within a FOR-EACH-ROW clause

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-007 CANCEL not allowed in a post trigger

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-008 Procedure has circular dependencies

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-009 Cannot replace procedure with other type of procedure

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-010 Process not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-011 Not connected to process agent

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-012 Error sending a command to the PA

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-013 PA connection failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-014 Unknown attribute

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-015 Unknown service

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-016 Unknown process

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-017 Process already added

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-018 Missing parameter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-019 PA fatal error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-020 PA unknown error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-021 No PA message

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-022 No PA response

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-023 Lost connection to PA

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-001-024 Failed to create PA connection

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRO-002-001 Failed to recover procedure %0s. %1s
on line %2d**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRO-002-002 Failed to recover procedure %0s. %1s
on line %2d near %3s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRO-002-004 Failed to parse procedure %0s. %1s
on line %2d near %3s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRO-002-005 Failed to recompile procedure %0s.
%1s on line %2d**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-002-006 Failed to recompile procedure %0s.
%1s on line %2d near %3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-001 Failed to send request to Process
Agent: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-002 Attempted to re-enter procedure

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-003 Could not execute %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-004 Connection to Process Agent failed.
Dropping external action %0s : %1s

Explanation: The following example shows how this message is written to the log:

E-PRO-004-004: Connection to Process Agent failed.
Dropping external action 'idbi_send_mail':
PA connection failed

The example message indicates that the connection between the ObjectServer and the process agent failed. The connection failure caused the process agent to drop execution of the user-defined idbi_send_mail external action.

System action: Not applicable.

User response: Not applicable.

Administrator response: Examine the process agent log file (\$NCHOME/omnibus/log/pa_name.log) and ensure that the process agent is running correctly. The default process agent name is NCO_PA.

If you are running a high number of external actions, verify that you have sufficient system resources to handle the load.

E-PRO-004-005 Connection to Process Agent failed.

Reconnecting: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-006

E-PRO-004-006 **Reconnection to Process Agent
failed. Dropping external action %0s :
%1s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRO-004-007 Could not remove procedure %0s
from persistent store

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

PRX

Messages related to the proxy server utility (**nco_proxyserv**).

E-PRX-102-002 [ProxyServer]: Failed to initialise
property manager with the NIPC client
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-003 [ProxyServer]: Failed to initialise
property manager with the proxy servers
properties. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-004 [ProxyServer]: Failed to initialise
argument manager with the NIPC client
arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-005 [ProxyServer]: Failed to initialise
argument manager with the proxy
servers arguments. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-006 [ProxyServer]: Failed to update
property manager with the proxy servers
properties affected by name change.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-007 [ProxyServer]: Failed to initialise the NIPC client library. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-008 [ProxyServer]: Failed to fetch all of the required server property values. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-009 [ProxyServer]: Failed to start the servers action support thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-010 [ProxyServer]: Failed to stop the servers action support thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-011 [ProxyServer]: Failed to lock the servers main data mutex. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-012 [ProxyServer]: Failed to create a client data connection structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-013 [ProxyServer]: Failed to assign a client to a specific data connection thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-014 [ProxyServer]: Failed to unassign a client from its data connection thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-015 [ProxyServer]: A client that is not assigned to a connection data thread has issued an SQL language command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-016 [ProxyServer]: Failed to create SQL command structure for client language command. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-017 [ProxyServer]: Failed to send the created SQL command structure to the clients assigned data connection thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-018 [ProxyServer]: Client language command failed to complete successfully against remote ObjectServer. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-019 [ProxyServer]: Failed to join connection processing thread and wait for it to shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-020 [ProxyServer]: Failed to join the action support processing thread and wait for it to shutdown. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-021 [ProxyServer]: Failed to spawn the action support processing thread. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-022 [ProxyServer]: Failed to create the action support processing input message queue. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-023 [ProxyServer]: Action support processing thread has terminated with a failure condition. Shutting down the server. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-024 [ProxyServer]: Action support processing thread has failed to process an action message of type %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-025 [ProxyServer]: Action support processing thread has failed to fetch a message from its input message queue. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-026 [ProxyServer]: Failed to place action command on the action support processing threads input message queue. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-027 [ProxyServer]: Connection Thread: Failed to connect to remote ObjectServer %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-028 [ProxyServer]: Connection Thread: The thread has terminated unexpectantly. Server may be shutdown. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-029 [ProxyServer]: Connection Thread: Failed to spawn the connection handling thread. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-030 [ProxyServer]: Connection Thread: Failed to wait on synchronisation semaphore and wait for thread start-up. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-031 [ProxyServer]: Connection Thread:
Spawned thread failed to start-up
successfully. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-032 [ProxyServer]: Connection Thread:
Failed to create a stop request to
shutdown connection thread. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-033 [ProxyServer]: Connection Thread:
Failed to send a stop request for
shutdown connection thread to the
action support thread. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-034 [ProxyServer]: Failed to create
connection thread data structure.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-035 [ProxyServer]: Connection Thread:
Failed to fetch a message from its input
message queue. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-036 [ProxyServer]: Connection Thread:
Failed to create an NIPC client
command structure. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-037 [ProxyServer]: Connection Thread:
Failed to send an NIPC client command
structure. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-038 [ProxyServer]: Connection Thread:
Failed to process a message from its
input message queue. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-039 [ProxyServer]: Connection Thread:
Failed to create session structure.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-040 [ProxyServer]: Client Thread: Failed
to send results set back to client.
(%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-041 [ProxyServer]: Client Thread: Failed
to create session structure. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-PRX-102-042 [ProxyServer]: Client Thread: Failed
to connect to remote ObjectServer %0s .
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-043 [ProxyServer]: Failed to challenge client for login details. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-044 [ProxyServer]: Failed to validate clients login credentials. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-045 [ProxyServer]: Connection Thread: Failed to set user data on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-046 [ProxyServer]: Connection Thread: Failed to install challenge callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-047 [ProxyServer]: Connection Thread: Failed to install session name callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-048 [ProxyServer]: Client Thread: Failed to install challenge callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-049 [ProxyServer]: Client Thread: Failed to install session name callback on nipc session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-050 [ProxyServer]: Connection Thread: Failed to determine status of ObjectServer connection. Assuming the connection is dead. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-051 [ProxyServer]: Connection Thread: Connection is dead. Execution of SQL failed due to loss of connectivity. Shutting down server to simulate ObjectServer loss.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-052 [ProxyServer]: Connection Thread: Connection is not dead. Execution of SQL failed for alternate reason. Attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-053 [ProxyServer]: Client Thread: Failed to disconnect from remote ObjectServer %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-054 [ProxyServer]: Client Thread: Failed to destroy the session structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-055

E-PRX-102-055 [ProxyServer]: Connection Thread:
Client %0s is not permitted to connect
via proxy server. Enable
AllowAllClients property to permit this
client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-PRX-102-056 [ProxyServer]: Failed to inform the
process agent %0s that we have started. (
%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-PRX-101-001

F-PRX-101-001 [ProxyServer]: Connection Thread:
Failed to post a message to
synchronisation semaphore. Fatal thread
block in server, exiting immediately.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-PRX-103-001 [ProxyServer]: Failed to send a connection heart-beat to an currently active client connection. (%0d:%1s)

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

RCL

Messages related to HTTP and OSLC clients.

E-RCL-102-001 Failed to build OSLC Service Provider payload for registration. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-002 Failed to send OSLC Service Provider registration to registry. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-003 Failed to send OSLC Service Provider deregistration to registry. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-004 Failed to create a POST HTTP request structure for %0s. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-005 Failed to set a payload on HTTP request structure for. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-006 Failed to send a HTTP request to
%0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-007 Unexpected HTTP response.
Expected 201 , but received a %0u
response.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-008 Failed to get Location HTTP header
from 201 response. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-009 Failed to parse Location HTTP
header URI value %0s in 201 response.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-010 Failed to create a %0s HTTP request
structure for %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-011 Unexpected HTTP response.
Expected 200 , but received a %0u
response.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-012 Failed to add MIME type %0s to
HTTP request structure for %1s .
(%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-014 Return MIME type is %0s , but
requested MIME type of %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-015 No payload returned in GET
response.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-016 Failed to create a DELETE HTTP
request structure for %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-017 Unexpected HTTP response.
Expected 200 , but received a %0u
response.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-018 Failed to create a PATCH HTTP
request structure for %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-019 Failed to parse JSON document.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-020 Failed to get JSON document text.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-021 Failed to get Tivoli Service Provider
Registry definition. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-022 Failed to create xpath search
structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-024 Failed to get resource attribute from
creation factory element of service
provider definition. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-025 Failed to parse URI %0s defined in
resource attribute creation factory
element of service provider definition.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-026 Unexpected HTTP response.
Expected 200 or 204 , but received a %0u
response.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-027

E-RCL-102-027 Failed to locate the creation factory
%0s in service provider definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCL-102-028 Failed to locate the creation factory
%0s in service provider definition due
to error. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCL-102-059 [OSLC Resource]: Failed to parse
RDF document. (%0d:%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

RCO

Messages related to HTTP and OSLC interfaces.

**E-RCO-102-001 [XMLDoc]: XML document state
error. Previous document has not been
ended correctly.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-002 [XMLDoc]: XML document state
error. No document has been started.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-003 [XMLDoc]: XML document state
error. No current node element has been
defined.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-004 [XMLDoc]: XML document error.
Failed to create new XML document.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-005 [XMLDoc]: XML document error.
Failed to create namespace %0s:%1s
node.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-006 [XMLDoc]: XML document error.
Failed to create %0s root element.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-007 [XMLDoc]: XML document error.
Failed to create %0s child node element.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-008 [XMLDoc]: XML document error.
Failed to attribute %0s on current node element.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-009 [EvtSysMgr]: Failed to resolve the
table schema for %0s resource.
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-010 [EvtSysMgr]: Failed to get schema
for resource type %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-011 [EvtSysMgr]: Failed to get resource
map for resource type %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-012 [JSON]: Failed to parse the JSON message. Failed at %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-013 [JSON]: JSON Object %0s has incorrect type. Expected %1d , but got %2d .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-014 [OSLC Resource]: Failed to create an RDF document for processing RDF data. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-015 [ResMgr]: Failed to read all name space definitions for resource type %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-016 [ResMgr]: Failed to read all column map definitions for current resource. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-017 [ResMgr]: Failed to read in resource configuration file %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-018 [EvtSysMgr]: Failed to populate resource shape table for resource type %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-019 OSLC Where Parser: Failed to parse where expression. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-020 OSLC Where Parser: Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-021 OSLC ColumnList Parser: Failed to parse column list. Error: nrc=%0s : msg=%1s : line=%2u : token=%3s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-022 OSLC ColumnList Parser: Parser Error: msg=%0s : line=%1u : token=%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-023 [OSLC Expr]: Failed to find a name space with prefix %0s for property %1s in resource map %2s . (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-024 [OSLC Expr]: Failed to find property
%0s in name space %1s in resource map
%2s . (%3d:%4s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-025 [OSLC Expr]: Failed to find column
%0s in the table schema for %1s.%2s for
resource map %3s . (%4d:%5s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-026 [OSLC Column]: Failed to convert
the value for column %0s from type %1u
to type %2u . (%3d:%4s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-027 [OSLC Expr]: Failed to create the
literal value expression for column %0s .
(%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-028 [OSLC Expr]: Failed to create a
comparison SQL condition for column
%0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-029 [OSLC Expr]: Failed to create a
sub-query SQL condition for column
%0s . (%1d:%2s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-030 [OSLC Expr]: Failed to create the
inlist SQL condition for column %0s .
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-031 [OSLC Expr]: Failed to create
compound SQL condition. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-032 [OSLC Expr]: Failed to create the
required expression or sub-query
component for column %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-033 [OSLC Expr]: Failed to create the
value inlist for column %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-034 [OSLC Expr]: Failed to create the
column value expression for column
%0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-035 [OSLC Expr]: Failed to create the
SQL order by list. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-036 [OSLC Expr]: Failed to create the SQL column list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-038 Failed to get a table schema for resource type %0s from table schema manager. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-039 [OSLC Expr]: Failed to add required defaults to the SQL column list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-040 [OSLC Column]: Failed to get the value for column %0s (%1d) in result set. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-041 [OSLC Column]: Failed to create a resource column for %0s:%1s (%2s). (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-042 [OSLC Resource]: Failed to resolve column %0s in the table schema or results set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-043 [OSLC Resource]: Failed to resolve the columns in namespace map %0s (%1s). (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-044 [OSLC Resource]: Failed to resolve the default columns for resource. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-045 [OSLC Resource]: Failed to get the value for column %0s (%1d) in result set. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-046 [OSLC Resource]: Failed to build about URI for resource. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-047 [OSLC Resource]: Failed to add column %0s:%1s to current resource. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-048 [OSLC Resource]: Failed to create a resource entry for current result set row. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-049 [OSLC Resource]: Failed to create and add all properties to resource entry for current result set row. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-050 [OSLC Resource]: Failed to create all resource entries for rows in result set row. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-051 [XMLDoc]: XML document error. Failed to get attribute %0s on current node element %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-052 [XMLDoc]: XML document error. Failed to get element %0s in namespace %1s on current node element.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-053 [RDFDoc]: RDF document error. Failed to find namespace %0s in the resource map for resource type %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-054 [RDFDoc]: RDF document error. Failed to add column %0s:%1s to the document successfully. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-055 [RDFDoc]: RDF document error.
Failed to add all resources to document.
(%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-056 [OSLC Resource]: Failed to get about
URI from current resource entry.
(%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-057 [OSLC Resource]: Failed to read all
properties for current resource.
(%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-059 [OSLC Resource]: Failed to parse
RDF document. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-060 [OSLC Resource]: Failed to
successfully process all resource entries
in RDF document. (%0d;%1s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-RCO-102-061 [OSLC Resource]: Failed Property
%0s in namespace %1s of resource map
for resource type %2s could not be
extracted. (%3d;%4s)**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-062 [OSLC Resource]: Failed to create the literal value expression for column %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-063 [OSLC Resource]: Failed to create the assignment structure for column %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-064 [JSON]: Failed to describe column %0s to the NIPC result set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-065 [JSON]: Failed to set value for column %0s in NIPC result set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-066 [JSON]: Invalid type detected for column %0s . Cannot describe column to NIPC result set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-067 Failed to find column %0s in provided result set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-068 Failed to get the value for column
%0s in provided result set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-069 [RDFDoc]: RDF document error. URI
mismatch between system prefix %0s
(%1s) and resource prefix %2s (%3s).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-070 [OSLC Resource]: Failed to obtain
event server serial and server name
values for resource URI via installed
serial evaluation callback function.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-071 [OSLC Resource]: Failed to obtain
event server serial and server name
values for resource URI via installed
identifier evaluation callback function.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-072 [OSLC Expr]: Failed to find property
%0s:%1s in expression tree. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-073 [OSLC Expr]: Failed to create a
column list with the column name %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-074 [OSLC Expr]: Failed to build the select SQL command for sub-query evaluation. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-075 [OSLC Resource]: Failed to get identifier from resource.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-076 [OSLC Resource]: Failed to get lookup column %0s in table %1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-077 [OSLC Column]: Failed to create value for resource column for %0s:%1s (%2s). (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RCO-102-078 [OSLC Expr]: Failed to create the regular value expression for column %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-001 [EvtSysMgr]: Failed to find column %0s in schema for %1s.%2s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-002 Failed to return table schema for
%0s.%1s to the table schema manager.
(%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-003

W-RCO-103-003 [OSLC Resource]: Failed to find column %0s in the table schema or results set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-004 [OSLC Column]: Failed to parse
URI value %0s for column %1s (%2d).
(%3d;%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-005

W-RCO-103-005 [OSLC Resource]: Namespace %0s
is not found in resource map for
resource type %1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RCO-103-006 [OSLC Resource]: Property %0s is not found in namespace %1s of resource map for resource type %2s . (%3d:%4s)

System action: Not applicable.

REG

Messages related to ObjectServer Database Storage.

E-REG-002-001 Logging failed: %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-021 Failed to open tabfile %0s - data has NOT been synced

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-022 Failed to write file header - data has NOT been synced

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-023 Failed to write all data to %0s - data has NOT been synced

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-002-025 Region %0s , from directory %1s , has been recovered in a corrupt state: %2s

Explanation: The following example shows how this message is written to the log:

Error: E-REG-002-025: Region 'table_store', from directory '/opt/netcool/omnibus/db/NCOMS/', has been recovered in a corrupt state: Extent statistics mismatch

This error message indicates that the ObjectServer database is corrupted.

In the example error message, Extent statistics mismatch indicates that the NCOMS ObjectServer database is corrupted. The database can become corrupted when an ObjectServer is shut down abnormally, for example, due to a system crash or if the nco_objserv process is stopped.

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example error message, you must restore the last uncorrupted ObjectServer.

Note: The restore procedures described below will result in some data loss. Data will be recovered in the state that the Object Server was in when the files were created.

If you have a recent backup of the ObjectServer (made, for example, using the ALTER SYSTEM BACKUP command), use the following steps:

1. Make a backup of the \$NCHOME/omnibus/db/*ObjectServer_name* directory.
2. Remove all files from the \$NCHOME/omnibus/db/*ObjectServer_name* directory.
3. Copy the master_store.tab and table_store.tab files from the backup directory to \$NCHOME/omnibus/db/*ObjectServer_name*.
4. Start the ObjectServer.

If you do not have a recent backup of the ObjectServer, you can attempt to recover it using the current database files:

1. Make a backup of the \$NCHOME/omnibus/db/*ObjectServer_name* directory.
2. In the \$NCHOME/omnibus/db/*ObjectServer_name* directory, identify all files with the suffixes _0 and _1 that are 0 bytes in size and remove the corresponding .chk and .log files.

For example, in the following database directory, files with the _1 suffix are 0 bytes in size so you must remove master_store_1.chk, master_store_1.log, table_store_1.chk, and table_store_1.log:

```
root 126340 Dec 7 08:47 master_store_0.chk
root 126340 Dec 7 08:47 master_store_0.log
root 0 Dec 7 08:47 master_store_1.chk
root 0 Dec 7 08:47 master_store_1.log
root 2822144 Dec 7 08:45 master_store.tab
root 7656 Dec 7 08:47 table_store_0.chk
root 7656 Dec 7 08:47 table_store_0.log
root 0 Dec 7 08:47 table_store_1.chk
root 0 Dec 7 08:47 table_store_1.log
root 3543040 Dec 7 08:45 table_store.tab
```

3. Start the ObjectServer.

4. If the ObjectServer fails to start, use the following steps:
 - a. Restore the \$NCHOME/omnibus/db/
ObjectServer_name directory that you backed up in Step 1.
 - b. In the restored \$NCHOME/omnibus/db/
ObjectServer_name directory, remove any .chk and .log files that you did not remove in Step 2.

For example, in the database directory in Step 2, you must remove master_store_0.chk, master_store_0.log, table_store_0.chk, and table_store_0.log.
 - c. Start the ObjectServer.
5. If the ObjectServer still does not start, use the following steps:
 - a. Remove all .chk and .log files from the \$NCHOME/omnibus/db/*ObjectServer_name* directory.

Do not remove the table_store.tab and master_store.tab files.
 - b. Start the ObjectServer.

For more information about checkpoints and ObjectServer backups, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-REG-002-029 Soft limit exceeded for region : %0s

Explanation: The following example shows how this message is written to the log:

```
E-REG-002-029: Soft limit exceeded for region :
nco_g_oracle_cache
```

The example message was written to a Gateway for Oracle (nco_g_oracle) log file and indicates that the cache memory is full.

System action: Not applicable.

User response: Not applicable.

Administrator response: Soft limit problems can be caused by insufficient memory. Verify that the system has enough physical memory available for the required processes.

The problem indicated by the example message can occur when events in the alerts.status ObjectServer table are not cleared. It can also occur when the reader thread reads in more events from the ObjectServer than can be processed by the writer thread.

To address this problem, fine-tune the **Oracle.BatchSize** property (or the **ODBC.BatchSize** property in the case of the Gateway for ODBC). This property specifies the maximum number of rows that is passed to the database in a single batch.

For more information about configuring the Gateway for Oracle and Gateway for ODBC, see the individual gateway reference guides.

E-REG-003-005 **Problem with file %0s: %1s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-003-006 **Unable to open or create file %0s:
%1s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-001 **%0s: Failed to free the hash table
entry. %1s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-002 **%0s: Failed to allocate volatile space.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-003 **%0s: Failed to create segment. %1s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-004 **%0s: Failed to allocate space for
persistent store. %1s**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-005 **%0s: Hash and comparison functions
must be specified.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-006 *%0s: Failed to open segment. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-007 *%0s: Segment Scan Begin failed. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-008 *%0s: NSegmentScanNext failed. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-009 *%0s: NSegmentScanEnd failed. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-010 *%0s: Failed to allocate memory for
 cursor. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-011 *%0s: Failed to allocate memory for
 region list. %1s*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-012 *%0s: Node is out of range.*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-REG-102-013 Hash table %0d in region %1s has wrong version number (%2d != %3d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

RSE

Messages related to HTTP and OSLC servers.

E-RSE-102-001 Failed to get URI parameter %0s from the HTTP request. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-002 Failed to get URI query parameter %0s from the HTTP request. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-003 Failed to send HTTP response %0u (%1s) to HTTP client. (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-004 Failed to read OSLC event resource shapes configuration file %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-005 Failed to create a HTTPD context (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-006 Failed to start the HTTPD service (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-007 Failed to register URI set with HTTPD context. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-008 Failed to create the base OSLC EM Service Provider Catalog . (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-009 Failed to look-up and populate the required OSLC resource tables. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-010 Failed to authentication user %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-011 Failed to create security context. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-012 Failed to set local parameter %0u on security context. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-013 Failed to process security context. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-014 Failed to create an RDF document.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-015 Failed to build the service provider
catalog RDF document. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-016 Failed to build the service provider
RDF document. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-017 Failed to get XML text representation
of RDF document. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-018 Failed to build the shape RDF
document. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-019 Failed to find a shape for resource
type %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-020 Failed to find database %0s in the
servers data store. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-021 Failed to find table %0s in database
%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-022 Failed to lock meta lock for read.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-023 Failed to process all of the columns
within the table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-024 Failed to create client user data
structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-025 [OSLC API]: Failed to parse query
parameter %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-026 Failed to create a select SQL
command on table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-027 Failed to create an insert SQL
command for table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-028 Failed to create an update SQL
command on table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-029 Failed to create a delete SQL
command on table %0s.%1s . (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-030 [OSLC API]: Failed to convert OSLC
where definition to SQL where clause.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-031 [OSLC API]: Failed to convert OSLC
select definition to SQL column list.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-032 [OSLC API]: Failed to convert OSLC
orderBy definition to SQL order by list.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-033 [OSLC API]: Failed to execute select
SQL command against data store.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-034 [OSLC API]: Failed to create the SQL
select command for GET request.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-035 [OSLC API]: Failed to create the SQL
insert command for POST request.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-036 [OSLC API]: Failed to create the SQL
update command for PATCH request.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-037 [OSLC API]: Failed to create the SQL
delete command for DELETE request.
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-038 [OSLC API]: Failed to convert a
result set into a resource list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-039 Failed to execute SQL command
against data store. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-040 [OSLC API]: Failed to execute insert SQL command against data store.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-041 [OSLC API]: Failed to execute update SQL command against data store.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-042 [OSLC API]: Failed to execute delete SQL command against data store.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-043 Failed to get JSON text representation of JSON document.
(%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-044 Failed to create left-hand column expression for column %0s condition.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-045 Failed to create right-hand literal expression for column %0s condition.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-046 Failed to create comparison
condition for column %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-047 Failed to create all literal expressions
for provided primary keys. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-048 Failed to create all the key list for the
literal expression list of provided
primary keys. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-049 Failed to create named column
expression for all columns defined in
column list. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-050 Failed to get the number of columns
in NIPC result set structure. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-051 Failed to create literal expressions for
all column values defined in NIPC
result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-052 Failed to create literal expressions for all column value assignments defined in NIPC result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-053 Failed to parse SQL command. Failure occurred at %0s , expected %1s at line number %2u. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-054 Failed to parse any SQL commands in provided SQL. Generating a parse error.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-055 Failed to find column %0s in NIPC result set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-056 Failed to get value for column %0s in NIPC result set. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-057 Failed to extract all keyfields from provided string value. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-058 Failed to extract all keyfields from provided NIPC result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-059 Failed to successfully build a JSON message response for HTTP client. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-060 Failed to move to the first row in NIPC result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-061 Failed to extract the server name and server serial column values from NIPC result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-062 Failed to build a string containment or rows keyfields. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-064 Failed to convert JSON rowset payload message to an NIPC result set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-065 [OSLC API]: Failed to extract the server serial and server name components of event keyfield %0s . (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-066 Failed to build the about URI for event %0u - %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-067 Failed to build the keyfield for event %0u - %1s . (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-068 Failed to find any resource of type %0s in RDF document. Bad request from client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-069 No identifier defined for resource of type %0s in RDF document. Bad request from client.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-070 Failed to convert resource of type %0s to insert SQL command data lists. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-071 Failed to convert resource of type
%0s to update SQL command assign list.
(%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-072 Failed to build server serial and
server name SQL command where
clause. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-073 Failed to build user ID SQL
command where clause. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-074 Failed to build group ID SQL
command where clause. (%0d;%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-075 Failed to get identifier for resource of
type %0s . Cannot insert resource with
no primary key.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-076 [OSLC API]: Failed to convert group
ID %0s from string to an unsigned
integer. (%1d;%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-077 [OSLC API]: Failed to convert user ID %0s from string to an unsigned integer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-078 Failed to convert row set result data to JSON document. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-079 Failed to convert row serial %0s from string to an unsigned integer. (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-080 Failed to find values for all key field columns in JSON row set. Cannot insert row with incomplete key set. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-081 Failed to build SQL command column from query paramter %0s (%1s). (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-082 Failed to resolve key field columns for constructing URI of newly inserted row. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-083 Failed to find attribute %0s:%1s in OSLC resource. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-084 Failed to extract the server serial and server name from event resource keyfield identifier %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-085 Failed to create SQL command to select ServerSerial and ServerName values for Serial %0u . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-086 Failed to create SQL command to select ServerSerial and ServerName values for Identifier %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-087 Failed to build via clause for row selection. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-088 Failed to get base directory from directory URI %0s . (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-089 Failed to create HTTP response %0u
(%1s) to HTTP client. (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-090 Failed to set the payload of type %0s
on HTTP response %1u (%2s) to HTTP
client. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-091 Failed to add HTTP header %0s to
HTTP response %1u (%2s) to HTTP
client. (%3d:%4s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-092 Invalid value for property %0s .
Format type %1s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-093 Request for relative file %0s that is
not within document root. Real path is
%1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-RSE-102-094 Authorization of client for use of
SQL command factory failed. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RSE-103-001

W-RSE-103-001 Parsed SQL command generated more than one executable command action. Only first command will be executed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RSE-103-002 Failed to authenticate user %0s .
(%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-RSE-103-003 Default authorization callback installed. Running without any authorization checks.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

SEC

Messages related to security.

E-SEC-102-001 Failed to open security repository:
%0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-002 Syntax error in repository specification: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-003 Module %0s is not a security module

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-004 Security module %0s has an incompatible version (%1d vs. %2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-005 Security table file name not defined

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-006 Failed to open security table %0s :
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-007 Failed to read security table %0s :
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-008 Failed to allocate space for security
table %0s : %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-024 Retrieve error from repository %0s -
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-025 Failed to delete role grant for user
%0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-026 Failed to delete permissions for user
%0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-027 Failed to delete group assignments
for group %0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-028 Failed to delete group assignments
for user %0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-029 Failed to delete restriction filter assignments for user %0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-030 Failed to delete restriction filter assignments for group %0s from repository %1s - %2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-031 Failed to initialise the underlining OS PAM sub-system. PAM Error [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-032 Failed to set the user name on the PAM handle [%0d][%1s].

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-033 User authentication of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-034 User %0s is not known.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-035 Unknown error has occurred during authentication. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-036 Authentication Token Update has failed. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-037 Unknown error has occurred during authentication token update. [%0d][%1s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-038 Account Management of user %0s , has failed. [%1d][%2s]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-040 Password encryption property set to unknown scheme %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-041 Password format property set to invalid value %0s . Format should be in format <int>:<int>:<int>:<int> . </int></int></int></int>

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-042 Cannot change password encryption to DES while in FIPS mode. scheme %0s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-102-043 Failed to changed owner id %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-009 %0s : Cannot set thread specific data:
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-010 %0s : Cannot get thread specific data:
%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-011 PAM message for user %0s: %1s .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-012 Unknown PAM conversion type: %0d

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-017 Failed to create object: can t find
parent object_type (%0d,%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-018 Failed to create object: can t find
object_type (%0d,%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-104-039 %0s : PAM module in use is broken.
Application user data has not been
passed to conversation function.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-001 Denied

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-002 Wrong type

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-003 Not authenticated

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-004 No repository

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-005 Role is already assigned to user/role

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-006 Circular role assignment is prohibited

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-007 **User/role has not been written to repository**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-008 **Compulsory field not assigned**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-009 **User/role not in sync with repository**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-010 **Cannot change permission for object owner**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-011 **Two users or roles with same id or name found**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-012 **Permission repository protocol error**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-013 **User not found**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-014 Role not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-015 User not enabled

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-016 Group not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-017 Group is already assigned to a user or role

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-018 Group already has a restriction filter defined for this table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-019 User already has a restriction filter defined for this table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-020 Restriction filter is not assigned to the group

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-021

E-SEC-110-021 **Restriction filter is not assigned to the user**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-022 Could not initialise the attribute

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-023

E-SEC-110-023 Password does not meet the restriction requirements.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-024 Could not modify the attribute

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-110-025

E-SEC-110-025 Cannot change password encryption
to DES while in FIPS mode

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-SEC-999-015 **User %0s disabled**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-SEC-103-003

W-SEC-103-003 Security negotiation changing
principal from %0s to %1s ignored

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

STB

Messages related to security.

E-STB-102-002 Cannot find security table %0s.%1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-003

E-STB-102-003 Cannot find security column
%0s.%1s.%2s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-004 Have read lock when write lock
required

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-005

E-STB-102-005 Illegal use of non-system database
%0s as permission repository

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STB-102-006 PasswordEncryption is not FIPS compliant. Use AES.

System action: Not applicable.

STK

Messages related to servers.

E-STK-102-001 [nstk]: Failed to inform daemon interface of run state.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-002 [nstk]: User installed stop handler(s) failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-003 [nstk]: User installed client language handler(s) failed to complete successfully. (%0d:%1s)

Explanation: The following example shows how this message is written to the log:

E-STK-102-003: [nstk]: User installed client language handler(s) failed to complete successfully. (-2353:Failed to send done to client)

The example message indicates that the connection between an ObjectServer and a client application failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: This error can be caused by several different conditions. The error string gives an indication of the cause of the error.

The probable cause of the example error message is that the client was abruptly disconnected from the ObjectServer, either because the client process was killed or because of network problems. Examine the ObjectServer log file for related messages.

If this message appears frequently in the log file, review the following profile and trigger statistics log files:

- \$NCHOME/omnibus/logs/
ObjectServer_name_profiler_report.log1
Examine the profiler report log file for performance issues.

User response: Not applicable.

Administrator response: Not applicable.

- \$NCHOME/omnibus/logs/
ObjectServer_name_trigger_stats.log1

Examine the trigger statistics log file for problems with triggers. Some triggers, such as disconnect_iduc_missed and disconnect_all_clients, can cause clients to disconnect abruptly.

You must enable the ObjectServer **Profile** property to generate these log files.

For information about monitoring ObjectServer performance, see the *IBM Tivoli Netcool/OMNIBus Administration Guide*.

E-STK-102-004 [nstk]: User installed client connection handler(s) failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-005 [nstk]: User installed client disconnection handlers failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-006 [nstk]: Failed to create client user entry. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-007 [nstk]: Failed to initialise IPC library via NIpServerInitialise(). (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-008 [nstk]: Failed to install the server start handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-009 [nstk]: Failed to install the server stop handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-010 [nstk]: Failed to install the client language handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-011 [nstk]: Failed to install the client connection handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-012 [nstk]: Failed to install the client disconnection handler. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-013 [nstk]: %0s: Failed to register server's PID. (%1d:%2s)

Explanation: The following example shows how this message is written to the log:

Error: E-STK-102-013: [nstk]: NCOMS1:
Failed to register server's PID. (-100:pid file exists, service already running)

This error message indicates that the ObjectServer failed to start because its process is already running.

In the example message, the NCOMS1 ObjectServer failed to start. Some possible causes for this failure are as follows:

- Another ObjectServer instance with the same name is already running on the same computer.
- The process ID (PID) file, \$NCHOME/omnibus/var/NCOMS1.pid, has an entry for an instance of the

ObjectServer that is no longer running, but another process on the computer is now using the same PID.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example message, verify that the PID in the NCOMS1.pid file exists and identify what process it belongs to.

If the PID belongs to an ObjectServer process (nco_objserv), an instance of the NCOMS1 ObjectServer is already running, so do not attempt to start a new instance.

If the PID belongs to another process (which is, therefore, using the same PID as a previously run instance of the ObjectServer) delete the PID file and start the ObjectServer again.

E-STK-102-014 [nstk]: %0s: Failed to start server processing loop. (%1d:%2s)

Explanation: The following example shows how this message is written to the log:

Error: E-STK-102-014: [nstk]: NCOMS01:
Failed to start server processing loop.
(-19:General failure)

This error message indicates that the server process encountered a problem and will shutdown.

System action: Not applicable.

User response: Not applicable.

Administrator response: Review the preceding messages in the error log for more information about the cause of this error.

E-STK-102-026 [nstk]: User installed client post connection handler(s) failed to complete successfully. (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-027 [nstk]: Invalid message level (%0s). (%1d:%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STK-102-028 [nstk]: Problem in determining FIPS status - Defaulting to NON FIPS.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STK-103-001

W-STK-103-001 [nstk]: Client connection in
non-multiuser mode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STK-103-002 [nstk]: Client disconnection in non-multiuser mode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

STO

Messages related to ObjectServer Database Storage.

E-STO-001-001 NOMODIFY constraint violation

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-002 NODEFAULT constraint violation

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-003 Empty column list

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-004 Column count mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-005 Column entry duplication

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-006 Duplicate column name

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-007 Exceeds the max number of allowed columns

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-008 Invalid select all columns are hidden

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-009 Column type mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-010 The object has dependants

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-011 The primary key must not be hidden

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-012 The maximum number of tables has been reached

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-013 The object can not be modified

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-014 Can not drop table that is not empty

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-015 Object is currently marked as invalid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-016 Invalid object kind

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-017 Open file error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-018 Close file error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-019 Delete file error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-020 Write file error

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-021 The physical file exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-022 Invalid file size

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-023 Invalid file

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-024 The view is invalid

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-025 Can not insert into a view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-STO-001-026 Can not do a sorted selection on a
sorted view**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-STO-001-027 Aggregate select on an aggregate
view is not allowed**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**E-STO-001-028 No dependants are allowed on
transient views**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-029 Invalid hard_limit

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-030 The default store has not been set

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-031 Invalid store size

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-032 Storage type mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-033 Illegal storage type

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-034 Can not alter master store

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-035 The path is too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-036 Data directory not forced

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-037 This is a system table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-038 Can not add objects to a system database

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-039 System maintained column

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-040 Illegal column length

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-041 This is a view over a system table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-042 The database has dependant objects

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-043 Storage library already started

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-044 Cannot reduce a store s hard limit

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-045 Where clause in a select over an aggregate view is not allowed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-046 Illegal insert prevented by the restriction filter

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-047 Can not do an update on this view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-048 The primary keys supplied in the via clause do not match those of the table

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-049 Can not do a delete on this view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-050 Attempt to insert duplicate row

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-051 The selection list in a GroupBy must contain both aggregate and column expressions

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-052 Row deleted

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-053 The group by list must not contain any aggregate columns

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-054 Invalid hashtable

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-055 Invalid string

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-056 Name mismatch

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-057 Name too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-058 Column expressions are not allowed over a metric view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-059 Sql query too long

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-060 Check sql failed

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-061 Cannot apply a restriction filter to a view

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-062 Illegal index type

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-063 Hash index already exists as primary key

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-001-064 An index already exists on this column

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-001 Could not recover table %0s.%1s
(NRC: %2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-002 Could not find the default store: %0s
(NRC: %1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-003 Cannot create persistent table
%0s.%1s. (%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-004 Cannot create virtual table %0s.%1s.
(%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-005 Cannot create temporary table
%0s.%1s. (%2s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-007 Failed to begin a read transaction on
table %0s.%1s : (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-008 Failed to begin a write transaction on
table %0s.%1s : (%2d;%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-009 Failed to end transaction on table
 %0s.%1s : (%2d:%3s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-010 Failed to set thread specific data.
 (%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-011 Failed to recompile object %0s, the
 object has been dropped. The object sql
 is %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-012 SQL text in the current delete
 command was null. The delete message
 will not be logged even if
 DeleteLogging is true.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-013 Suspended writing to file %0s.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-014 File rotation succeeded. Resumed
 writing to file %0s.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

E-STO-102-016 Unable to rotate files because a delete on file %0s failed (errno %1d).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-001 Truncating column %0s

Explanation: The following example shows how this message is written to the log:

Warning: W-STO-103-001: Truncating column Detail

This warning message indicates that the value being set for an ObjectServer char or varchar column is larger than the specified size of the column. The ObjectServer truncates the value so that it fits into the column.

In the example message, the Detail column in the alerts.details table is being truncated because a probe is sending values that are larger than the maximum size of the column.

System action: Not applicable.

User response: Not applicable.

Administrator response: To address the problem indicated by the example message, either amend the probe rules file to modify the data before it is sent to the ObjectServer, or alter the size of the Detail column.

For more information about modifying rules files, see the *Tivoli Netcool/OMNIBus Probe and Gateway Guide*.

You can change the size of the Detail column using the SQL interactive interface (**nco_sql** or **isql**) or Netcool/OMNIBus Administrator (**nco_config**).

For more information about altering ObjectServer tables, see the *Tivoli Netcool/OMNIBus Administration Guide*.

W-STO-103-003 Used memory thread encountered an error whilst processing a message: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-004 Used memory thread failed to
receive tick event: %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-005

W-STO-103-005 Used memory thread encountered
an error whilst processing a message:
%0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STO-103-006 Unable to recreate file %0s in previous directory. File moved to %1s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

STR

Messages related to the **nco_store_resize** utility.

F-STR-001-001 Failed to initialise properties and arguments: %0s (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-002 Failed to initialise libnmemstore properties: %0s (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-003 Failed to initialise libnmemstore arguments: %0s (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-004 Failed to process properties: %0s (%1d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-005 Failed to resize store %0s to %1uMB: %2s (%3d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-007 An ObjectServer called %0s seems to be still running. Please stop ObjectServer before attempting to extend store hard limit.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-STR-001-008

F-STR-001-008 Failed to detect whether an
ObjectServer called %0s is running.
Aborting store hard limit extention: %1s
(%2d)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-STR-001-009 Maximum hardlimit exceeded.
Restricting hardlimit to %0uMB

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

UNK

Messages related to unclassified problems.

E-UNK-000-000

E-UNK-000-000 **write(remote):** %0s

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

F-UNK-000-000 _OplBiDirInitialise() failed:
(%0d:%1s)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

W-UNK-000-000

W-UNK-000-000 carriage return/newline found in
literal string at line %0u

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

UNK-000

Messages for the UNK-000 component.

Chapter 2. Error messages generated by the Web GUI component

The following error messages are generated by the Web GUI component of Tivoli Netcool/OMNIBus.

HEMAR

Messages for the HEMAR component.

HEMAR0001E

HEMAR0001E Unable to convert error to JSON
Object

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAR0002E An error occurred during a GET
operation: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAR0003E

HEMAR0003E An error occurred during a POST
operation: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAR0004E An error occurred during a PUT
operation: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAR0005E An error occurred during a DELETE operation: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW

Messages for the HEMAW component.

HEMAW0000E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0001E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0002E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0003E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0004E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0005W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0006W {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0007W {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0008E View {0} of category {1} doesn't exist.
Filter collection - unable to setView.
nova:{2}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0009W {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0010W {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0011W {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0012W {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMAW0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0022E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0023E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0024E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0025E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0026E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0027E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0028E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0029E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0030E Attribute name is required

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0031W The view attribute is not specified.
The {0} View is used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0032I INFO {0}.setView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0033E A type attribute with user value is
specified. A user attribute is required in
this respect.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0034E A user attribute is specified. The type
attribute must be set to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0035E The user {0} does not exist. Make sure
that all user(s) ({1}) exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0036E The FilterCollection {0} does not exist.
Make sure that all FilterCollection(s)
(1) exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0037W The type attribute does not exist. Set
type of View to system

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0038E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0039E Found Duplicate View Name

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0040W The type attribute does not exist. A
system View will be created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0041E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0042I Deleting View: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0043W The type attribute does not exist. A system View will be created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0044E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0045W The type attribute does not exist. The type has been set to system .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0046E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0047E Unable to save View: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0048E Error converting nova view data to xml - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0049E {0}.getFieldType()NCWDataSource Exception: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0050E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0052E View {0} of category {1} doesn't exist.
Filter collection - unable to setView for
filterCollectionName:{2}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0053E Unable to save Filter: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0054E MetricOf is invalid: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0055E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0056W DEPRECATED WAAPI Entity
entity.list method usage. Please use
filter.list method.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0057W DEPRECATED WAAPI Entity
entity.addEntity method usage. Please
use filter.addFilter method.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0058E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0059W DEPRECATED WAAPI Entity
entity.deleteEntity method usage. Please
use filter.deleteFilter method.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0060E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0061W DEPRECATED WAAPI Entity
entity.modifyEntity method usage.
Please use filter.modifyFilter method.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0062E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0063W DEPRECATED WAAPI Entity
entity.deleteEntityForced method usage.
Please use filter.deleteFilter method

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0064W The WAAPI entity.deleteEntityForced
method call will be forwarded to
entity.deleteEntity

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0065W DEPRECATED WAAPI Entity
entity.createOrReplaceEntity method
usage.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0066E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0067W DEPRECATED WAAPI Entity
entity.list method usage. Please use
view.list method**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0068E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0069E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0070E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMAW0071E Map {0} exists - can t duplicate
resources to this name**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0072E Configuration database is down, can t duplicate resources to this map name{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0073E Can t duplicate a resource from {0} to {1} ;{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0074E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0075E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0080E Error during user log out after finishing waapi request - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0081E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0082E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0084E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0085E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0086E Upload failed: NoSuchMapException:
{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0087E Upload failed:
StoreAccessGatewayException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0088E Background image {0} for map {1} not
found in either the map or common
resources.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0091E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0092E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0093E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0094E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0096E Unable to establish SSL protocol.
Retrying with TLS...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0097E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0098E Problem loading server properties{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0099I Secure (http) waapi enabled

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0100I Non-secure (http) waapi enabled

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0101W No XML configuration file was specified!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0102E Server authentication schema error - waapi.host is an IP address

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0103E Server authentication schema error - waapi.host doesn't match server certificate CN

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0104E Server authentication schema error - no trusted IP found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0105E Invalid XML - line {0}, {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0106I {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0107E Method after server.shutdown cannot be executed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0108E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0109E XmlRpc Exception: {0}; {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0110E MyTimer is interrupted{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0112E Unable to forward default map image request because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0113I Unable to decode map text, using non-decoded text: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0114E WAAPI: Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0115E Class {0} could not be registered as a WAAPI handler for the following reason: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0116E WAAPI request execution failed for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0121A WAAPI method {0} invoked by user {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0122A WAAPI method {0} has been executed by user {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0123A WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0124A WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0125A Failed to authenticate user {0} for WAAPI request. Error was: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0126W DEPRECATED WAAPI Entity entity.setDefaultView method usage. Please use filter.setDefaultView method.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0127E Attribute name is required.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0128E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0129A WAAPI: Processing XMLRPC: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0130E WAAPI: Filter {0} of category {1} in
Filter Collection {2} is not allowed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0131E {0}.getFieldType() Exception: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0132E One or more data source(s) specified
as {0} does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0133E A type attribute with group value is
specified. A group attribute is required
in this respect.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0134E A group attribute is specified. The
type attribute must be set to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0135E

HEMAW0135E The group {0} does not exist. Make sure that all group(s) ({1}) exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0136W The SQL statement {0} is not valid.
The filter mode will be changed to
advanced for filter {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0137E

HEMAW0137E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMAW0138E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT

Messages for the HEMBT component.

HEMBT0000E Unable to run a SQL tool. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0001E Unable to run a journal tool. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0002E Unable to set the locale in a tool
transaction: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0003W The type ({0}) of a parameter in a tool
request is incorrect. Supply a parameter
of the correct type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0004E Unable to get the locale from a
transaction: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0005E Unable to copy the menu definition
{0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0006E Unable to check the menu permissions for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0007E {1} does not contain the property {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0008E Unable to extract the data sources from request {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0009E Unable to get a value for {0} in {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0010E Unable to complete the processing of submenu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0011E Unable to get the label and mnemonic from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0012E Unable to translate the label and mnemonic from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0013E Unable to save the menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0014E Unable to create menu from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0016E Unable to find the configuration for
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0017E Unable to process a request to the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0018E Unable to process a request to the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0019E Unable to process a request to the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0020E Unable to read an object in the tool
controller.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0021E Unable to get data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0022E Unable to check for valid fields on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0023E Unable to create a tool from its definition: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0024E Unable to store the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0025E Unable to get the data sources for a request: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0026E The prompt request {0} does not have a prompt name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0027E Cannot find the prompt {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0028E The definition of prompt {0} does not have a type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0029E Unable to augment prompt {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0031E Unable to obtain the prompt choices from data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0032W There are no available choices for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0033W The choice list has more than two columns: {0} for {1}. Attempting to continue.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0034E The choice list has less than two columns: {0} for {1}. The choice list is unusable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0035E {1} does not contain {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0036W Unable to find the specified locale a prompt. Using the default locale.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0037W The choice prompt {0} contains no data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0040E Unable to obtain the prompt choices from the file: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0041W Unable to get the prompt choices from {0} because the file is empty.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0042E Unable to remove {0} from {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0043E Unable to find the prompt definition for key {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0044E Unable to find the prompt key for prompt {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0045E Unable to find the prompt definition for key {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0047E The tool passed for deletion has no name. No action taken.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0048E Unable to delete the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0050E Unable to process the the last tool request. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0051E Unable to load the data source definition from the tool definition. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0052W There is an inconsistent class definition. The class {0} has the name {1} in data source {2} but already has the name {3} in another data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0053W {0} classes are not available for tools.
Check your configuration using
nco_config.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0054E Unable to extract the access criterion
from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0055E Unable to use the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0056E Unable to extract the access criterion
from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0057E Unable to get the class conversions for
data source {0}. No class conversions
will be available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0058E Unable to get the available fields for
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0059E Unable to get the available fields for
data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0060E Unable to get the available fields for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0061E Unable to get the available fields for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0062W {0} is not one of the available tool access criteria. Use one of the supplied criteria ({1} or {2}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0063W {0} is not one of the available tool security criteria. Use one of the supplied criteria ({1} or {2}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0064W {0} is not one of the available tool ObjectServer field access criteria. Use one of the supplied criteria ({1} or {2}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0065E Unable to load the data source property from the tool definition. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0066E Unrecognized request method: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0067W The CGI tool {0} has an empty target window name. The default value of {1} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0068W The CGI tool {0} has an open method {1} that is not recognized. Use one of the supplied methods ({2} or {3}).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0069W {0} is not one of the available tool types. Use one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0070W Unrecognized compatibility mode.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0071W {0} is not one of the available tool parameter types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0072W {0} is not one of the available tool parameter types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0073E Unable to encode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0074E Unable to save the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0075E Unable to rename the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0076E Unable to validate the tool definition
for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0077E Unable to get the name of the default
data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0078E The tool passed for editing has no
name. No action taken.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0079E Unable to get default data source
name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0080E Unable to get the tool definition for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0081E Unable to get the prompt name for a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0082E Unable to encode the target URL for a tool prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0083E The type of a tool is not one of the available types. Use one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0084E Unable to construct a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0085E Unable to construct a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0086E Unable to construct a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0087E Unable to build tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0088E Unable to add runnable tool from tool definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0089E Unable to add tool command from tool definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0090E Unable to add SQL to tool from definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0091E Unable to add journal to tool from definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0092E Unable to update a tool prompt request.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0093E Unable to get other tool parameters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0094E Unable to set the properties of a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0096E The definition of a tool in the file {0}
is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0097E The definition of a tool in the file {0}
is corrupt: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0098E The definition of a tool in the file {0}
is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0099E The definition of a tool in the file {0}
is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0100E Unable to delete the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0101E Unable to add the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0102E Unable to add the tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0103E Unable to set the content of a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0104E Unable to convert a component of a
command-line tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0105I Migrating the tool {0} ...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0106I The type {0} in tool {1} is not one of
the available types. Specify one of the
supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0107I The migration of tool {0} is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0108I Migrating the SQL tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0109I Migrating the CGI tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0110I Migrating the command-line tool {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0113E Unable to encode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0114W {0} is not one of the available tool components. Choose one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0115E Unable to convert the CGI component: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0116W Unable to convert a CGI tool because its type ({0}) is not one of the available types. Choose one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0117E Unable to validate a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0118E Unable to remove the default value from a time prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0119E Unable to create a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0120E Unable to modify a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0121E Unable to create a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0122W Unable to save a tool through WAAPI.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0123E Unable to delete a tool through WAAPI for the following reason: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0124W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0125E Unable to save a tool through WAAPI.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0126E Unable to delete a tool through WAAPI.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0127E Unable to load the data source property from a tool definition. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0128W {0} is not one of the available tool components. Choose one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0129E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0130E Unable to generate the menu choices for a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0131E Unable to validate a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0132I There was an error creating a tool via
WAAP: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0133I There was an error creating a tool via
WAAP: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0134I There was an error deleting a tool via
WAAP: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0135I There was an error creating a tool via
WAAP: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0136E Unable to get the description for tool
{0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0137W The details for prompt {0} are
incorrect.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0138W A prompt type {0} is incorrect.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0139E Unable to convert a component of a prompt for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0140E Unable to initialize the description component of a tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0141E Unable to get a field name from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0142E Unable to validate a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0143E Unable to generate a menu variable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0144E Unable to generate a menu choice.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0145E Unable to convert a SQL component for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0146E Unable to set the encoded prompts {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0147E Unable to get the encoded prompts.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0148E Unable to validate a prompt for a password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0149E Unable to convert a component of a journal tool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0150W Unable to transform a parameter from the new format to the old. The type {0} is not one of the available values.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0151W {0} is not one of the available prompt label values. Choose one of the supplied label values.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0152W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0153W • HEMBT0160E

HEMBT0153W {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0154E Unable to save a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0155E Unable to delete a prompt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0156E Unable to generate a menu variable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0157E Unable to generate a menu choice.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0158E Unable to find the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0159E Unable to read the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0160E The required type for {0} is menu, but it has the type {1}. Use the correct type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0161E Unable to get the menu from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0162E Unable to get the name from the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0163E Unable to back up the menu file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0164I There was an error during menu creation via WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0165I There was an error during menu creation via WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0166I There was an error during menu modification via WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0167I There was an error during menu deletion via WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0168E Unable to decode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0169E Unable to add menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0170E Unable to add menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0171E Unable to add menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0172E Unable to get the description of menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0173E Unable to migrate the menu: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0174I Migrating the menu {0} ...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0175I The migration of menu {0} is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0177E Menu {0} was not migrated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0178E Unable to encode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0179E Unable to decode {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0180E Unable to update menu contents.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0181E Unable to get the menu label for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0182E Unable to decode the menu label for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0183W Unable to get tool {0}. Check that the tool exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0184E User {0} does not exist in the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0185E Exception occurred while trying to get the user {0} from the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0186A User {0} executed SQL {1} at datasource {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0187A Menu {0} was created by user {1}. This menu contains the following item(s): {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0188A Menu {0} was created. This menu contains the following item(s): {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0189A Menu {0} was modified by user {1}. This menu now contains the following item(s): {2} It previously contained the following item(s): {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0190A Menu {0} was modified. This menu now contains the following item(s): {2}
It previously contained the following item(s): {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0191A Menu {0} was deleted by user {1}.
This menu contained the following item(s): {2} (These items are not deleted).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0192A Menu {0} was deleted. This menu contained the following item(s): {2}
(These items are not deleted).

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0193W Unable to get the description of menu {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0194A Tool {0} was created by user {1}. This tool is now available to the following group(s): {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0195A Tool {0} was created. This tool is now available to the following group(s): {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0196A Tool {0} was modified by user {1}.
Access was added for the following
group(s): {2}. Access was removed for
the following group(s): {3}. This tool is
now available to the following group(s):
{4}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0197A Tool {0} was modified. Access was
added for the following group(s): {1}.
Access was removed for the following
group(s): {2}. This tool is now available
to the following group(s): {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0198A Tool {0} was deleted by user {1}. This
tool is no longer available to the
following group(s): {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0199A Tool {0} was deleted. This tool is no
longer available to the following
group(s): {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0200A Tool {0} was renamed to {1} by user
{2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0201A Tool {0} was renamed to {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0202A Prompt {0} was created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0203A

HEMBT0203A Prompt {0} was modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0204A Prompt {0} was deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0205A

HEMBT0205A The request to execute tool {0} by user {1} passed inspection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0206A Tool execution request by user {0}
failed inspection. Inspection failed for
the following reason: {1}. The original
request was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMBT0207E Error while populating tools from the menu response: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA

Messages for the HEMDA component.

HEMDA0000E There was an error during decryption of the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0001E There was an error when reading the decryption key.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0002E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0003E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0004E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0005E There was an error when reading the decryption key.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0006E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0007E There was an error during decryption of the password. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0008E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0009E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0010E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0011E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0012E There was an error when connecting to the ObjectServer using SSL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0013E Unable to get the value from the selected row.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0014E Unable to query the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0015E Unable to obtain the user identifier for {0} from the data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0016E Unable to update the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0017E Unable to obtain the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0018E Unable to construct an update request for the journal.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0019E Unable to obtain user identifier for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0020E Unable to obtain user identifier for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0021E Unable to obtain the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0022E Unable to get information on the root user.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0023E Unable to get information on the user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0024I Executing dual server update request. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0025I Users current address assignment: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0026I Unable to proceed with tool update.
There was an address mismatch.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0027I Executing a simple write request for the server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0028I Executing a request to update the silo.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0029I Executing a translated update request on the write server.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0030I {0} handling event..({1}) {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0031I The multiple server datasource {0} is now offline.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0032I The multiple server datasource {0} is now online.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0033I The multiple server datasource {0} is failing-back.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0034I The multiple server datasource {0} failing-over.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0035I Starting datasource {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0036I Cannot set the connection timeout for {0} because the supplied value is below the minimum. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0037E Invoking a connection event failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0038E Unable to get sets of row identifiers.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0039E An SQL update on the master server failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0040E Unable to start data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0041E Unable to fail over on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0042E Unable to authenticate with datasource {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0043E Unable to get the field descriptor.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0044E Unable to check that a field exists on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0045E Unable to get the version number of data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0046I Resynchronizing colors.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0047I The resynchronization of colors was abandoned. There is no data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0048I Processing colors...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0049I The processing of colors is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0050E Unable to resynchronize color data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0051E Unable to resynchronize color data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0052E Unable to resynchronize color data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0053E Unable to create a color.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0054I Resynchronizing users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMDA0055I The resynchronization of users was
abandoned. There is no data source
assigned.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0056I Processing user results...**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMDA0057I The processing of users is complete.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMDA0058I Processing profile results...**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMDA0059I The processing of profiles is complete.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMDA0060I Processing restriction filters...**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMDA0061I The processing of restriction filters is complete.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMDA0062E The resynchronization of users failed.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMDA0063E The resynchronization of users failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0064E The resynchronization of profiles failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0065E The resynchronization of profiles failed..

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0066E Unable to create a user object.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0067E Unable to find a profile for the user.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0068E Processing of a user profile failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0070I Resynchronizing conversions.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0071I The resynchronization of conversions was abandoned. There is no data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0072I Processing conversion results...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0073I The processing of conversions is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0074E Unable to get conversion for key {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0075E Unable to resynchronize conversion data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0076E Unable to resynchronize conversion data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0077E Unable to create a conversion.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0078E The creation of a conversion key failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0079I Resynchronizing groups.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0080I The resynchronization of groups was abandoned. There is no data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0081I Processing group results...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0082I The processing of groups is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0083I Processing group member results.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0084I The processing of group members is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0085E The resynchronization of groups failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0086E The resynchronization of groups failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0087E The processing of group membership failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0088E The processing of group membership failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0089E Unable to create a group from the row in the master.groups table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0090E The processing of a group member from a row of the master.members table failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0091E The processing of a group member from a row of the master.members table failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0092E Unable to convert the string {0} to a boolean.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0093E Unable to convert the string {0} to an integer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0094E Unable to create a conversion key for field {0} and value {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0095I The resynchronization of ObjectServer configuration was abandoned. There is no available data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0096I Resynchronizing ObjectServer config for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0097I Resynchronized ObjectServer config for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0099E Unable to resynchronize with the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0101E • HEMDA0107E

HEMDA0101E Unable to resynchronize with the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0102E Unable to resynchronize with the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0103I Resynchronizing column visuals.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0104I The resynchronization of column visuals was abandoned. There is no data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0105I Processing column visual results...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0106I The processing of column visuals is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0107E Unable to resynchronize the column visuals.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0108E Unable to resynchronize the column visuals.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0109E Unable to resynchronize the column visuals.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0110E Unable to create a column visual.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0111E An unknown type was specified for an event to change the configuration. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0113E Unable to resynchronize the configuration of the data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0114I Resynchronizing properties.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0115I The resynchronization of properties was abandoned. There is no data source assigned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0116I Processing properties results...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0117I The processing of properties is complete.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0118E Unable to resynchronize properties.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0119E Unable to resynchronize properties.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0120E Unable to resynchronize properties.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0121E Unable to create a property from the row data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0122E Unable to get a report.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0123I Part of the connection address is null.
The write server is {0} and the read
server is {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0124I A user session is not currently
assigned to a data source. Getting next
available connection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0125I The user's read connection is no
longer available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0126I Requesting a server address.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0127I The next available data source is {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0128I Assigning the user to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0129E Unable to add servers to the server
map.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0131E Unable to read the definition of a data source from {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0132E Unable to add the definition of a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0133E Unable to add the definition of a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0134E Unable to get the type string for the definition of a datasource.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0136E Unable to set the cache properties specified in the data source definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0137W The maximum age of {2} passed to {0} was incorrect. The age cannot be less than 0, so using {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0138W The cleaner time of {3} sent to {0} is incorrect. The time cannot be less than {2}. Using the minimum value of {4}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0139I Setting the connection timeout to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0140E Unable to get the default data source list from ncwDataSourceDefinitions.xml.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0141I The entry for the primary server is null in {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0142E The generation of the data source credentials failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0143E The generation of an Objectserver definition failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0144E Unable to convert the backoff multiplier {0} to an integer value.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0145E Unable to convert the value of the base polling time {0} to a long number.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0146E Unable to convert the value of the heartbeat time {0} to a long number.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0147E When generating a definition, {0} caught this exception for a malformed definition of a datasource: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0149E Unable to get the definition of the read cloud.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0150E Unable to convert the base value of the wait time for synchronization {0} to a long number.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0151I The single server datasource {0} is now offline.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0152I Starting datasource {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0153I Cannot set the connection timeout for {0} because the supplied value is below the minimum. Using the default value.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0154E An SQL update in data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0155E An SQL update in data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0156E A request to carry out a simple update on data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0157E A query on data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0158E Failed to start data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0159E Unable to authenticate with data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0160E Unable to get the failover state of data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0161E The processing of a connection event for data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0162E Unable to get a field descriptor on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0163E Unable to check that a field exists on data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0164E Invoking a connection event to data source {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0165E Unable to get the version information from data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0166I Incoming request of {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0167I Applying security to row {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0168I Adding row {0} to the row set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0169I Removing row {0} from the row set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0170I User {0} is in group {1} for serial {2}
and can modify the row.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0171I User {0} is allowed to modify the row
with serial {1} because weak security
flag is set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0172I The user security level is {0}. The
owner security level for serial {2} is {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0173I User {0} is NOT in group {1} for serial
{2} and cannot modify the row.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0174E An update request failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0175E • HEMDA0181E

HEMDA0175E Unable to get the value of the Alert Security Model from the data source configuration.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0176E Unable to get a row set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0177E Unable to apply security settings due to a configuration problem with the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0178E Unable to obtain user privileges.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0179E Unable to create a socket on {0};{1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0180I Starting to fail back MSDDataSource. Estimated time to completion: {0} seconds.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0181E Unable to interrupt the data source s failback thread.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0182I Creating the data source factory.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0184E Failed to add the datasource {0}. {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0185E Failed to add the datasource. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0187I The data source factory ignored an attempt to set an empty list of default data sources. Check the list of default data sources in ncwDataSourceDefinitions.xml.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0188E Unable to start data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0189E The initialization of the data source factory failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0192E Unable to load definitions of the data sources.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0193E Unable to get row identifiers.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0194E {0} is not a valid ObjectServer. {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0195E An error occurred when fetching the
type of field {0} in data source {1}: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0196I Unable to parse the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0197E Unable to validate filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0198I Generating the data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0199I Generating the MSD data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0200W Unknown type of data source: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0201I Setting the connection timeout to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0204I {0} with request: {1} in connection: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0205I Connection to ({0}) has failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0206I Connecting to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0208I Trying reconnect to {0} in {1} seconds.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0209E Unable to connect to the heartbeat
connection of a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0210E Unable to initialize {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0211E Unable to get a connection to a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0212E Unable to get a connection to a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0213E Unable to get a connection to a data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0216E A query for a monitor box failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0217E A query for a monitor box failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0218E Unable to get the version information from the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0219E Unable to get the version information from the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0220E Unable to read metadata from the alerts.status table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0221E Unable to obtain the descriptor for field {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0222E Unable to get the field descriptors.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0223E Unable to get the field descriptors.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0225E Unable to get the field names for the {0},{1} table.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0227E Unable to check that a field exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0228E Unable to check that a field exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0229E Unable to set the type of connection event to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0230E Unable to set field type to {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0231E Unable to get the columns from schema {0} and table {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0232I The initialization of the SSL connection failed. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0233I Incorrect user name or password for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0234I Unable to connect to the ObjectServer.
Check the SSL configuration for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0235I Incorrect user name or password for
{0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0236I Unable to connect to the ObjectServer
{0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0238I Cannot set the connection timeout for
{0} because the supplied value is below
the minimum. Using the default value.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0239E Incorrect AES-encrypted password.
The password cannot contain more than
16 characters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0240E Caught an SQL exception. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0241E Unable to get the name of the local
host.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0242E Unable to decrypt the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0243E Unable to decrypt the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0244E Unable to decrypt the password.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0245E The request does not contain any SQL.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0246I {0} is flushing the cache of results for {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0247I {0} cannot obtain a passive cache because the configuration of the cache is missing. Using the default configuration of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0248I {0} cannot obtain a data source config cache because the configuration of the cache is missing. Using the default configuration of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0249E Unable to retrieve the result of a query from the cache.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0250E Unable to clean results cache because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0251E The initialization of the connection pool failed. Unable to load the database driver {0}. A required class could not be found.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0252E The initialization of the connection pool failed. Unable to instantiate the database driver.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0253E The initialization of the connection pool failed. There was an `IllegalArgumentException`.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0254I Connection {0} is established. There are {1} established connections in the connection pool..

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0255I Cannot set maximum connection pool size to a value less than the minimum size. The maximum and minimum connection pool size for {0} has been set to {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0256W Cannot set the minimum connection pool size for {0} to {1}. This is greater than the maximum pool size of {2}. The minimum pool size has been set to the same as the maximum pool size value of {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0257I Cannot set the connection pool timeout for {0} to {1}. The connection timeout has been set to {2}. A value greater than 0 is required.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0258W Attempt to set minimum connection pool size for {0} to {1} was ignored. The pool size must be at least 1. The minimum pool size has been set to 1.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0259I Cannot set the maximum connection pool size for {0} to {1}. The pool size must be at least 1. The maximum pool size has been set to the same as the minimum pool size value of {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0260I Cannot set the maximum connection pool size for {0} to {1}. This value is greater than the maximum number of supported connections of {2}. The maximum pool size has been set to {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0261I Cannot set the maximum number of supportable connections for the {0} connection pool to {1}. This value is greater than the maximum permitted value of {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0262I Cannot set the maximum number of supportable connections for the {0} connection pool to {1}. At least 1 connection must be supported. The default maximum number of supportable connections is {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0263E Unable to determine the maximum supported connections at {0} using query {1}. The default value of {2} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0264E Unable to create a connection at {0}. The server may be down or the maximum number of connections supported by {1} may have been reached. There are currently {2} connection(s) in the connection pool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0265E Failed to initialize connection pool for {0}. The server may be down.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0266E Unable to get connection to the specified ObjectServer: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0267E A fatal SQLException occurred. The connection will not be returned to the connection pool.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0268E SQLException occurred while attempting to close a pooled database connection {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0269E Exception occurred while attempting to resynchronize users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0270W Multiple restriction filters were returned for table {0},{1} on {2}. The first restriction filter has been used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0271I The user {0} has been configured with
a restriction filter: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0272E Restriction filters could not be
processed for {0} because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0273E caught TimeoutException while
processing query {0}. ObjectServer may
be offline.,

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0274E caught InterruptedException while
processing query {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0275E caught ExecutionException while
processing query {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0276E caught RejectedExecutionException
while processing query {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0277E caught TimeoutException while
executing update {0}. ObjectServer may
be offline.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0278E caught InterruptedException while
executing update {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0279E caught ExecutionException while
executing update {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0280E caught RejectedExecutionException
while executing update {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0281E No write connection available for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0282E No write connection available for {0}.
The data source is unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0283E Unable to get the table names from
datasource {0} for restriction filters: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0284E The {0} method is not implemented in
the data source metadata.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0285E A number format error occurred while determining the value of the system property {0}. Check the server.init file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0286W The number of matched rows *{0}* exceeds the display capacity of *{1}* rows. The first *{2}* rows were processed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP

Messages for the HEMDP component.

HEMDA0238E A number format error occurred while determining the value of the system property *{0}*. Check the server.init file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0239E Unable to determine the value for the *{0}* column because the column does not exist in the data set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0240E A problem occurred while sorting the nodes for the Event Data REST Service. The exception was *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDA0241E A problem occurred while sorting the origin nodes for the Event Data REST Service. The exception was *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0001E A data source error occurred whilst attempting to determine the timeout.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0003I No filter collection names where specified in the request. The filtercollections parameter must contain a comma-separated list of filter collection names.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0004E A number format error occurred while determining the value of the system property ael.top-n.value . Check the server.init file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0005E A number format error occurred while determining the value of the system property ael.top-n.mode . Check the server.init file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0006E A number format error occurred while determining the value of the system property ael.top-n.refresh . Check the server.init file.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0007I Constructed Row ID SQL query {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0008I Constructed event row ID SQL query {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0009I Constructed topped event row ID SQL query {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0010I Constructed topped event row SQL query {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0011E {0} is not a valid value for request parameter format .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0012E The Aspect Service entered an illegal state whilst attempting to write binary output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0013E There was an output error in the Aspect Service whilst attempting to write binary output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0014E An error occurred in the Aspect Service whilst attempting to write binary output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0015E An attempt was made to use an unsupported encoding UTF-8 in the Aspect Service whilst attempting to write string output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0016E There was an output error in the Aspect Service whilst attempting to write string output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0017E An error occurred in the Aspect Service whilst attempting to write string output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0018E An attempt was made to use an unsupported encoding UTF-8 in the Aspect Service whilst attempting to write XML output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0019E There was an output error in the Aspect Service whilst attempting to write XML output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0020E An error occurred in the Aspect Service whilst attempting to write XML output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0021E An attempt was made to use an unsupported encoding UTF-8 in the Aspect Service whilst attempting to write JSON output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0022E There was an output error in the Aspect Service whilst attempting to write JSON output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0023E An error occurred in the Aspect Service whilst attempting to write JSON output.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0024I No data found in configuration store {0} for type {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0025E There was an error loading the data of type {0} in the {1} store: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0026E Unable to find filter {0} of category {1} . Check that the filter exists in the configuration store. For transient filters, use the TransientFilterMonitorService.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0027E Unable to obtain transient data because the session is null. User may not be logged in.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0028E Transient data stores not initialized because the session is null. User may not be logged in.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0029E Connection Sessions cannot be not initialized because the session is null. User may not be logged in.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0030E Unable to find filter {0} of category {1} and owner {2} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0032E An exception was handled whilst processing the Aspect Service. The status code is {0} and the following error message was sent to the client: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0035E A data source exception occurred whilst setting the event data response attributes.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0036E Unable to create worker for processing event data request.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0037E An invalid request parameter was passed to the Event Data Provider. The error was: {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0038I Setting the size of the Event Provider s thread pool to {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0039E An error occurred when setting the size of the Event Provider s thread pool. Using the default pool size of {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0040E An error occurred when setting the size of the Event Provider s thread pool. The size may not be less than zero. Using the default pool size of {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0042E A data source exception occurred whilst setting the event summary response attributes.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0043E An invalid request parameter was passed to the Event Summary Data Provider. The error was: {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0044E Unable to create worker for processing event summary data request.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0046I Using the default data source of {0} to evaluate SQL in the Event Data Service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0047E No results obtained for topped event data distribution query.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0048E An error occurred whilst attempting to determine the default data source name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0049E Unexpected severity distribution results for topped event data query. Only one row was expected but {0} were returned.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0050E Unable to create the Filter Collection {0} . The view name is missing from the configuration.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0051E Unable to create the Filter Collection {0} . The view type is missing from the configuration.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0052E Unable to create the Filter Collection {0} . The view {1} of category {2} specified in the configuration does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0053E An error occurred whilst adding a filter to the Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0058E Unable to read configuration for Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0059E An error occurred whilst attempting to store the Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0060E A store access problem occurred whilst attempting to store the Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0061E An error occurred whilst attempting to store the Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0062E A store access problem occurred whilst attempting to delete the Filter Collection {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0063E A runtime error occurred whilst loading the Filter Collections.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0064E An error occurred whilst attempting to read a Filter Collection name from the configuration store.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0066E The filter category {0} specified for filter {1} does not exist. Using the default system category instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0067E An error occurred whilst setting the data source name for a filter description. The default data source will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0068W Failed to read filter {0} from the transient filter store. The transient filter store is not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0069I Unable to read filter names from the filter box {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0070I Unable to read filters from the filter box {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0071W The filter store does not contain filter {0} of category {1} for owner {2} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0072W Cannot set view {0} of category {1} for Filter Collection {2} . This view is not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0073I Created the transient filter store for containerSessionId {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0074I Removing the transient filter and filter collection stores for container session {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0075I Created the transient filter collection store for containerSessionId {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0076I There are no filter dependencies specified for dependent filter {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0077I Unable to read view names from the view box {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0078I Unable to read views from the view box {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0079A Filter Collection {0} has been created. It uses the {1} {2} view. It contains {3} global filters and {4} system filters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0079E An error occurred while trying to determine the data source source names for the filter {0} of category {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0080A Filter Collection {0} has been deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0081A Filter Collection {0} view changed from {1} {2} view to {3} {4} view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0082A Added {0} {1} filter to Filter Collection {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0083A Removed {0} {1} filter from Filter Collection {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0084A Filter Collection {0} has been modified. It uses the {1} {2} view. It now contains {3} global filters and {4} system filters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0090E The value of {0} must be numeric. The value {1} is not a number.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0091E The value of startindex must be equal to or greater than 0. The value {1} is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0092E The value of endindex must be -1 or equal to or greater than the startindex value of {0}. The value {1} is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0093I {0} rows requested from indices {1} to {2} (inclusive). There are {3} total rows in the response from the datasource.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0094I The specified start index value {0} is out of range. There are {1} total rows matching the specified filter. Start index set to {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0095I End index {0} is greater than the total number of rows {1}. Setting to {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0096I Returning {0} rows from indices {1} to {2} (inclusive) out of a total of {3} rows.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0097E Unable to return rows {0} to {1}. There are {2} rows in total. All rows will be returned. Error was: {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0098E Unable to determine the default data source for the data source collection.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0099E Unable to determine if the current node is the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0100E Unable to read the navigation property for data source availability.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0101E No collection advertisers were found. So the OMNIBus Web GUI REST services cannot advertise any datasets.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0102E An exception occurred when determining if user {0} is authorized to access the {1} OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0103A User {0} denied access to the {1} OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0104A User {0} granted access to the {1} OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0105W {0} is not a valid dataset for the OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0106E Unable to call the Event Summary REST Service because the originating HTTP request could not be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0107E Failed to obtain the event summary data for the {0} filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0108E An exception occurred when trying to get the filters available to user {0} using the OMNIBus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0109E A DCI exception occurred when trying to determine the filters available to user {0} using the OMNIBus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0110E A Security exception occurred when trying to initialize the filter collection for the OMNIBus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0111E Unable to obtain the Event Summary REST Service filter parameter because the originating user could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0112E Unable to call the Filter Summary REST Service because the originating HTTP request could not be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0113E Unable to obtain the Filter Summary REST Service parameter {0} because the originating user could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0115E Failed to load view column resource bundle for locale {0}. Default column titles will be used for Event Data REST Service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0116E The request to the Event Data REST Service did not contain a filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0117E Event Data REST Service cannot be called at this time as the originating HTTP request cannot be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0118E Event Data REST Service failed to obtain event data for the {0} filter from data source {1} for user {2} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0119E Event Data REST Service failed to obtain event data in the expected format for {0} filter from data source {1} for user {2} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0120E An error occurred in the Event Data REST Service while processing event data for {0} filter from data source {1} for user {2} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0121E There are no data source results to process for the Event Data REST Service. Data was expected from data source {0} for filter {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0122I Results from more than one data source cannot currently be processed by the Event Data REST Service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0123I An error occurred while fetching event data for the Event Data REST Service. Status code is {0} and the error is {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0124E There are no fields to process for the Event Data REST Service. Field data was expected from data source {0} for filter {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0125E Row data alignment error detected by Event Data REST Service. Unable to process row data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0126W No event summary information was returned via the REST service because the filter parameter was not specified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0130E A Security exception occurred when trying to initialize the view collection for the OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0131E A DCI exception occurred when trying to determine the views available to user {0} using the OMNibus Web GUI REST service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0135E Failed to convert field value {0} for the {1} field into a valid Date value. The exception was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0136E Unable to determine the user from the current thread context. Using default values for the calendar, timezone and date format.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0137E Unable to read property {0} . The default value of {1} was applied.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0138E Failed to extract event Nova data from {0} . The error was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0139E Failed to extract event Nova data from {0} . The data was in unexpected format.
The error was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0140E Failed to apply date/time pattern {0} .
The default value {1} was applied.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0141E Failed to get the conversion for field {0} and value {1} . The exception was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0142E Failed to convert field value {0} for the {1} field into a valid Integer value.
The exception was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0143E Failed to set the display value {0} for the {1} field. The exception was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0144E Failed to initialise event row navigation node. the exception was {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0145E Failed to get the property for the {0} field, so cannot create the node style. The exception was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0146E Failed to get data source {0} . The error was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0147E Unable to process Event Data REST Service request. Failed to initialise view columns because an unrecognized category {0} was specified for the filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0148E Unable to process Event Data REST Service request because the input parameters could not be validated. The input parameters were: {0}={1}, {2}={3}, {4}={5}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0149E Unable to process Event Data REST Service request. Failed to initialise view columns because an unrecognized category {0} was specified for the view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0150E Failed to obtain the event summary data for the {0} filter, for the following reason: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0151E Failed to obtain the event summary data for the {0} filter, due to summary values having unexpected formats.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0152E The request to the Event Data REST Service contained a badly formed view parameter {0} . A name and category are required.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0153E Unable to obtain the Event Data REST Service parameter {0} because the originating user could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0154E The request to the Event Data REST Service contained a badly formed view parameter {0} . The name must not be empty.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0155E A problem occurred while filtering the nodes for the Event Data REST Service. The exception was {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0156E Failed to get the property for the {0} field. Unable to set the background-color and foreground-color attributes for the event node. The exception was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0157W The {0} user preference for user {1} could not be obtained, so the default setting of {2} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0159W A problem occurred while sorting nodes for the Event Data REST Service. The exception was {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0160E Detailed event information could not be obtained from the OMNibus Web GUI REST services because the {0} data source is unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0161W Assigned data source connections could not be found for user {0} . No fixed Object Server will be used for {1} data source queries.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0162W A problem occurred trying to prepare the HTTP session for user {0}. No fixed Object Server will be used for {1} data source queries.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0163W The originating HTTP request could not be obtained for user {0}. No fixed Object Server will be used for {1} data source queries.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0164E Unable to retrieve detailed event information via the REST service because the originating HTTP request could not be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0165E Unable to retrieve detailed event information via the REST service because the originating user could not be identified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0166E Unable to retrieve detailed event information via the REST service for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0167W No detailed event information was returned via the REST service for serial {0} and data source {1} due to a non-existent or inaccessible serial ID.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0169E Unable to obtain detailed event information via the REST service due to the data Nova having an unexpected format.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0170W No default data source is available, so data source configuration cannot be obtained. Using the standard configuration instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0171W The {0} data source could not be found, so data source configuration cannot be obtained. Using the standard configuration instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0172W The {0} resource bundle could not be found, so severity name translations cannot be obtained. Using the data source conversions instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0173W No translation for severity {0} could be found. Using the data source conversion instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0174W Conversions could not be obtained for the {0} data source. Using standard severity configuration instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0175W Severity conversions could not be obtained for the {0} data source. Using standard severity configuration instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0176W A conversion for severity {0} could not be obtained for the {1} data source. Using a standard severity name instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0177W • HEMDP0184W

HEMDP0177W Severity colors could not be obtained for the {0} data source. Using standard severity configuration instead.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0180A No information was returned via the Event Fields REST Service because the Show basic event information preference is not enabled for user {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0181W No detailed event information was returned via the REST service because neither the serial nor the datasources parameter were specified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0182W Unable to retrieve detailed event information via the REST service because the serial parameter was not specified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0183W Unable to retrieve detailed event information via the REST service because the datasources parameter was not specified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0184W Unable to retrieve detailed event information via the REST service because the serial parameter was incorrectly formatted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0185W Unable to retrieve detailed event information via the REST service because an invalid data source was specified in the datasources parameter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0186A No information was returned via the Event Details REST Service because the Show event details preference is not enabled for user {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0187A No information was returned via the Journal Entries REST Service because the Show journals preference is not enabled for user {0} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0190E Unable to get process event node value. The column descriptor is not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0191W The count parameter must be a positive integer. {0} is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0192W The start parameter must be a 0 or a positive integer. {0} is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0193W The start index {0} is greater than the number of nodes {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0194W Unable to get {1} event nodes from index {0}. Out of bounds. There are {2} nodes in the dataset.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0195E The specified view {0} of category {1} does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0196W Unable to process Event Data REST request with the datasources parameter value {0} . Multiple data sources are not supported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0200E Unable to retrieve user preferences through the REST service because the originating HTTP request could not be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0201E Unable to retrieve user preferences through the REST service because the originating user could not be identified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0202E Unable to retrieve user preferences through the REST service for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0210E Unable to determine event relationships. The required column descriptor {0} is not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0211E No grouping data was gathered for client Id {0} , so asynchronous update of event grouping data cannot be performed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0212E An event grouping collection for client Id {0} could not be found in the Web GUI collection register, so asynchronous update of event grouping data cannot be performed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0213E Unable to perform event grouping because one or more of the group columns could not be found in the data source query results.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0214E Unable to perform event grouping because the Severity column could not be found in the data source query results.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0215E Unable to perform event grouping because the severity of the underlying events could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0216E Unable to perform event grouping for the following reason: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0217W Unable to perform event grouping because no group columns were found for the current view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0218W Unable to perform event grouping because no columns were found for the current view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0220E Unable to obtain the Event Grouping REST Service filter parameter because the originating user could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0221E Unable to obtain the Event Grouping REST Service view parameter because the originating user could not be determined.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0222W The Event Grouping REST service cannot be called without specifying a filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0223E Unable to call the Event Grouping REST Service because the originating HTTP request could not be obtained.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0224E The Event Grouping REST Service was called with an invalid filter parameter: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0225E The Event Grouping REST Service was called with an invalid view parameter: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0226E The Event Grouping REST Service failed to determine an appropriate view to use, based on a specified filter of {0} and view of {1} .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0227E Unable to call the Event Grouping REST Service because there is currently no available data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0228E No summary data was gathered for client Id {0} , so asynchronous update of event summary data cannot be performed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0229E An event summary collection for client Id {0} could not be found in the Web GUI collection register, so asynchronous update of event summary data cannot be performed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0230E Unable to perform event summarisation for the following reason:
{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0231W Unable to include the requested filter {0} of type {1} in the filters collection because it is not available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0232E Failed to include the requested filter {0} of category {1} in the filters collection. The category is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0233W A problem occurred while sorting nodes for the Event Data Service. The exception was {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0234E Unable to retrieve user preference {0}.
The exception was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0235E

HEMDP0235E Unable to retrieve user preference {0}.
The exception was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0236W Unable to edit node properties. This operation is not supported for event nodes in the Event Data REST Service.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0237W

HEMDP0237W The number of matched rows (*{0}*) exceeds the display capacity of *{1}* rows. The first *{2}* rows were processed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0242E Failed to convert value {0} into a valid
Date value. The exception was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMDP0243E Failed to convert field value {0} for the {1} field into a valid Integer value. The exception was {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA

Messages for the HEMEA component.

HEMEA0000E Unable to get the list of user groups.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0001E Unable to get the groups for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0002E Unable to check if the group {0} exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0003I Backing up the group file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0004E Unable to save the group file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0005I Backing up the group file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0007I Unable to find the ACL directory {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0008E Unable to find the ACL file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0009E Unable to read the ACL file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0010I Duplicate group name {0} in {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0013I Creating group {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0014I Unable to create the group {0}. There is already a group with this name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0015I Unable to create the group {0}. There is already a group with this name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0016E Unable to save group {0} to disk.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0017E Unable to save group {0} to disk.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0018I Adding users {1} to the group {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0020I Adding user {0} to the group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0021I Unable to add user {0} to the group {1}.
The user already belongs to that group.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0022E Unable to save group {0} to disk.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0023E Unable to save group {0} to disk.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0025I Removing user {0} from group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0026W Unable to remove user {0} from the group {1}. The user is not a member of that group.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0027E Unable to save group {0} to disk.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0029E Unable to remove user {0} from all groups. The user does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0030E Unable to save group {0} to disk. User {1} cannot be removed from the group.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0033E Unable to check if user {0} is in the group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0034W The value of the {2} property in server.init can be 0 or 1, not {0}. It has been set to the default value {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0035W The value of the {0} property in server.init is {1} can be 0 or 1, not {1}. It has been set to the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0036I Deleting the filter and view data for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0043E There were problems modifying users through WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0044E Unable to get a list of user names.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0045E Unable to set preference {0} to the value {1} for user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0046E Unable to get a user filter for user {0} of the ObjectServer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0047E Unable to get a user filter for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0048E Unable to check whether user {0}
exists in data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0049E Unable to check whether user {0} is an
NIS user in data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0050E Unable to check whether user {0} can
modify the journal. Preventing the user
from modifying the journal.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0051E Unable to save the preferences for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0052E Unable to remove configuration data
for user {0} because: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0053E Unable to complete the cleanup of the
user configuration data because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0054E Unable to refresh the user list from
the data sources.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0055E Unable to save the preferences for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0058E Unable to add user session {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0062W The value of the timeoutsecs property in server.init is less than the minimum of 10 seconds. Using the default value of 10 seconds.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0065E Unable to get the active HTTP sessions for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0066E Unable to add the default user because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0067I User directory {0} has been removed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0068I Filter storage {0} has been removed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0069I View storage {0} has been removed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0070W Adding user {0}. The user directory {1} already exists.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0071E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0072E Unable to get the list of user groups.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0073W The value of the {2} property in server.init can be 0 or 1, not {0}. It has been set to the default value {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0080E Unable to get mapping of users to groups.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0090A Starting to clean up the user configuration data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0091A

HEMEA0091A User {0} has no Omnibus Web GUI roles. Removing the user s configuration data.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0092A The cleanup of the user configuration data completed successfully.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0093A

HEMEA0093A Cleanup of user configuration aborted
-the configuration database is
unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0094A Preference {0} for user {1} successfully
changed to {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEA0095A Deleted the filter and view data for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC

Messages for the HEMEC component.

HEMEC0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0001E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0003E Running without PA support (bad id)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0004I Running without PA support (no PA specified)

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0005I Searching for PA server {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0006I Interfaces file is {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0007E Unable to find PA server named {0} in interfaces

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0008E Unable to load Sybase driver

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0009E Unable to make connection to PA server {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0010I Connection made to PA {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0011E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0012I System Information: {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0013E {0}.init() ProductHomeException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0014I Using ServletConfig setting for
NCW_HOME. Value is:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0015E Problem loading server properties: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0016I Shutting down Webtop...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0022E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0023E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0024E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0025E {0}.getRegistrationException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0026E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0027E Could not process file: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0028E Could not process file: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0029E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0030E Bad entry in interfaces file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0031E Problem processing line {0} in file {1} :
{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0032E Unable to start OMNIBus Web GUI properly.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0033E Unable to initialize logging.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0034I Registered the OMNIBus Web GUI s
navigational data model with the Tivoli
Integrated Portal.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0035W The OMNIBus Web GUI s
navigational data model is already
registered with the Tivoli Integrated
Portal.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0036E Cannot obtain the registry for the
Tivoli Integrated Portal s navigational
model. So the Web GUI REST services
are unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEC0037E Problem registering the OMNibus
Web GUI s navigational data model
with the Tivoli Integrated Portal: {0}

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

HEMEE

Messages for the HEMEE component.

HEMEE0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0001E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0008E {0}.doGet() caught exception
registering transient entity: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0009E {0}.doGet() caught exception
registering transient entity: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0010E {0}.processRequest() caught exception
registering transient entity: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0022I Backing up old entities file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0023I Moving {0} to {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0024E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0025W Name unavailable for entity,
discarding entity.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0026W Name unavailable for entity

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0027W List unavailable for entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0028E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0029E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEE0030E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEE0031E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEE0032E Unable to load base entities file.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMEE0033E Failed to read group {0} . Check the
directory {1} exists and contains a valid
group definition file.****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMEE0034E Entity Loader(type 2): Unable to load
file {0}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMEE0035E Entity Loader(type 2): Unable to load
file {0}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEE0036W Name unavailable for entity,
discarding entity.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0037W Name unavailable for entity

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0038W List unavailable for entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0040E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0041E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0043I No Entity groups found.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0044W Entity: unknown default store type defaulting to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0045W Entity: unknown default store type defaulting to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0046E The entity: {0} is corrupt.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0047W The entity: {0} contains a circular reference.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0048I Add Entity {0} to group {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0049E Error saving file : {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0050I Add Entity {0} to group {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0051I Add Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0052I Add Entity {0} to group {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0053I Add Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0054I Add Entity {0} to group {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0055E caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0056I Modify Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0057I Modify Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0058W Forced Delete Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0059E Error saving group file for {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0060I Delete Entity {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0061E Error saving group file for {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0062E {0}.getUserEntity(String, HttpSession)
DEPRECATED API. DO NOT USE!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0063E Error trying to save group - {0} no
group exists with this name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0064E Error saving entity file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0065E {0}.getEntityStatus(String, String,
String, String, DataHolder) THIS
METHOD IS DEPRECATED

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0066E The default entity group does not exist!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0067W processDeleteGroup: Group {0} is not empty: contains either subgroups or entities

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0068E processDeleteGroup: IOException while saving group {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0069I processDeleteGroup: group {0} successfully deleted

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0070I processDeleteGroup: group {0} NOT deleted

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0071E doDeleteGroup: SecurityException attempting to delete group {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0072E doDeleteGroup: SecurityException attempting to delete file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0073E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0074E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0075E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0076E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0077E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0078E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0080E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0081E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0082E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0083E

HEMEE0083E Error saving file for entity group: {0} -
 {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0084E Error saving entity: {0} - {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0085W

HEMEE0085W No {0} Directory

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEE0086E {0} could not be backed up because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH

Messages for the HEMEH component.

HEMEH0001E The configuration for the relationship {0} contains the following errors: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0002E Unable to read relationship {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0003E Relationship {0} is corrupted in storage.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0004E Unable to read relationship {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0005A Relationship {0} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0006A Relationship {0} has been created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0007E

HEMEH0007E Unable to save a relationship. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0008W The following errors occurred while
saving a relationship: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0009E

HEMEH0009E There was an error displaying
relationship definitions: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0010E There was a datasource error in the
relationship definition portlet: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0011E

HEMEH0011E There was a datasource error in the
relationship definition portlet: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEH0012E Failed to read localized relationship definition for {0}. The error was {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM

Messages for the HEMEM component.

HEMEM0000E Unable to save a metric. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0001W The following errors occurred while saving a metric: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0002E Unable to delete a metric. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0003W The following errors occurred while deleting a metric: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0005E Unable to read metric {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0006E Metric {0} is corrupted in storage.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0007E Unable to read a required attribute {0} from metric {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0008E Unable to read the required {0} attribute from a metric definition.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0009E The configuration for the metric {0} contains the following errors: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0010E An exception occurred whilst processing the metric {0}. The error was: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0011E An invalid request parameter was passed to the Metric Data Provider. The error was: {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0012W Processing of the metric {0} timed out at data source {1}. The metric cannot be evaluated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0013W The value of threshold1 for a gauge is outside the range 1 to 100. Using the default value of {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0014W The value of threshold2 for a gauge is outside the range 1 to 100. Using the default value of {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0015W Threshold1 has a greater value than threshold2 for a gauge. Setting both thresholds to {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0016E Unable to convert {0} to a double value. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0017E Unable to convert {0} to an integer value. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0018E Unable to convert {0} to a long value. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0019E Unable to convert {0} to a valid gauge type. Using the default value of {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0020E Unable to parse and draw the SVG {0} due to this I/O exception: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0021E Invalid gauge layout configuration. Using the default values.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0022E Failed to save the gauge layout. The error was {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0023E Failed to set the gauge refresh time. The default value {0} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0024E An error occurred while setting the request attribute {0} for the resource {1}. The error was: {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0025E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0026E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMEM0027E Port Number incorrectly formatted.
Unable to determine server port from
{0}.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMEM0028E Unable to determine timeout for data
source {0}.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMEM0029E Unable to convert {0} to a valid color.
Using the default value of {1}.**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0030A Metric {0} has been created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0031A Metric {0} has been deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0032A Metric {0} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEM0033E

HEMEM0033E Failed to set the gauge size. The default value {0} will be used.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN

Messages for the HEMEN component.

HEMEN0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0001E

HEMEN0001E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0002E Unable to enable BiDi in a portlet
because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0003E

HEMEN0003E Unable to save Bidi parameters in the session because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEN0005E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO

Messages for the HEMEO component.

HEMEO0000E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0001E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0002E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0003E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0004E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0005E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMEO0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0008E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0009E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0010E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0011E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0012E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0014E

HEMEO0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0016E

HEMEO0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0018E

HEMEO0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0019E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0020E

HEMEO0020E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEO0021E Caught exception {0}**User response:** Not applicable.**System action:** Not applicable.**Administrator response:** Not applicable.

HEMEP

Messages for the HEMEP component.

HEMEP0000E

HEMEP0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP0001E Unable to parse refresh rate value {0}.
Refresh rate should be a positive
integer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP0002E

HEMEP0002E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP0003E Unable to parse minimum refresh rate value {0}. Minimum refresh rate should be a positive integer.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP0004W

HEMEP0004W Minimum refresh rate is lower than the allowed limit. Setting it to the default value of {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEP0005W Refresh rate value of {0} is less than minimum refresh rate. Setting it to the minimum refresh rate value of {1}.

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

HEMER

Messages for the HEMER component.

HEMER0001I

HEMER0001I Dispatching RESYNC_ALL command

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMER0002I Dispatching STATE_CHANGED
command

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES

Messages for the HEMES component.

HEMES0000E The following SQL update failed: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0001E {0}: VMM user credentials
synchronisation iteration: FAILED

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0002I {0}: VMM user credentials
synchronisation iteration: SUCCESSFUL

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0003W NCOSyncWoker[{0}] DataSource
unavailable, resync will happen when
DataSource is up again.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0004E NCOSyncWoker[{0}] Thread
Interrupted Exception: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0005E NCOSyncWoker[{0}] Thread
Exception: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0006E `[[0]] failed to get VMM user
credentials{1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0007E `[[0]]: NullPointerException: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0008E `[[0]]: IllegalArgumentException: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0009E `[[0]]: NCOSyncException: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0010E `NCOSyncWorker[[0]]: Get DataSource
groups failed: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0011E `NCOSyncWorker[[0]]: Get DataSource
groups failed: {1}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0012E `NCOSyncWorker[[0]]: Create {1} group
in DataSource failed: {2}`

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0013E NCOSyncWorker{0}: Create {1} group
in DataSource failed: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0014E [{0}]: IllegalArgumentException{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0015E [{0}]: Cannot retrieve synchronised
users from DataSource{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0016E [{0}]: Couldn t delete users from
DataSource{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0017E [{0}]: Get extended user information
failed: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0018E [{0}]: IllegalArgumentException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0019I [{0}]: NCOSyncExeption: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0020E [{0}]: DataSource query failed.{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0021E [{0}]: DataSource query failed.{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0022E [{0}]: DataSource query failed.{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0023E [{0}]: DataSource update failed.{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0024W [{0}]: The resyncTime is lower than 60.
Synchronisation time will be set to 60!**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0025W [{0}]: Couldn't retrieve
resynchronisation time for DataSource
{1} . Set value to 3600: {2}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0048I NCOSSyncResult[{0}]: {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMES0050E Thread Interrupted Exception{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0051E Thread Exception{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0052E cannot find server.init {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0053E server.init IOException{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0054E cannot close {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMES0055E couldn't get DataSource object for {0}
{1}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0056E Thread Interrupted Exception{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0057E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0058E Unable to read the key file {0} because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0059E Unable to close stream because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0060E Unable to read the key file {0} because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0061E Unable to read the key file {0} because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0062E Unable to close stream because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0063E An error occurred looking for the ObjectServer user repository, user synchronization will be disabled as a fail-safe. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0064I The ObjectServer is installed as a user repository. Automatic user synchronization from other repositories will not be performed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0065E

HEMES0065E [{0}] VMM returns 0 OMNIBus Web GUI users. No synchronisation is necessary. Check your role mappings or VMM configuration. Resynchronisation will be re-attempted in 60 seconds.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0070E NCOSSyncWorker[{0}]: Get
DataSource group membership failed:
{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMES0071E NCOSyncWorker[{0}]: Get
DataSource group membership failed:
{1}

User response: Not applicable.

Administrator response: Not applicable.

System action: Not applicable.

HEMEU

Messages for the HEMEU component.

HEMEU0000I {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0001I Can not schedule any task. The is
disabled.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0002W Caught InterruptedException.
Stopping thread...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0006E Caught BringUpException. Stopping thread...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0007E Unable to load default user preferences. Falling back to the hard coded defaults.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0008E Problem loading Browser Property file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0012E Error while closing reader of file {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0017E Problem loading illegal char: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0018E Illegal first character {0} in string {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0019E Illegal character {0} in string {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0020I {0} is not a directory, creating one.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0021I Adding directory {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0022W {0} is not added

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0023E Problem obtaining illegalChar props
file. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0024E Illegal character {0} in string {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0027E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0028E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0029E Bad entity parsed in EntityEngine : {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0030E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0031E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0032E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0033E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0039E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0041I {0} {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0043E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0044E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0045E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0046E The Web GUI server cannot start
because it cannot obtain its host name.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0047W Missing Resource: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0048W Unable to load default user
preferences. Falling back to the hard
coded defaults.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0049E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0050W The hostname could not be
determined, using {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0051A

HEMEU0051A CSRF prevention token is missing from the request to {0}. Possible CSRF attack in progress via user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMEU0052A CSRF prevention token from the request to {0} does not match session token. Possible CSRF attack in progress via user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV

Messages for the HEMFV component.

HEMFV0000E Unable to add a view from data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0001E Unable to add a view from file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0002E Unable to add a view from file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0003E Unable to add a view from file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0004E Unable to add a sort column for view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0005W Attempted to delete filter {0} from {1} data store. The filter does not exist in this data store - another user may have already deleted it.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0007E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0009E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0012E Unable to create view from file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0013E Unable to save the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0014I Removed view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0015I Backing up the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0016E Unable to get the filtered visual
entries for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0017E Unable to get the filtered fields for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0018I Backing up the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0019E Unable to save the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0020I Backing up the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0021I Removed view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0022E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0023E Error parsing a view file because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0024E Unable to process a view file because:
 {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0025E Unable to process a visual entry
 because it is corrupt. The corrupt visual
 entry is: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0026E Unable to determine the type of a
 field from data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0027W The views directory {0} does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0028E Unable to find the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0029E Unable to read the view file {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0030I Unable to find the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0031W {0}.createView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0032W {0}.createView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0033W {0}.createOrReplaceView{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0034W {0}.createView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0035E Unable to create the view {0} because
another view has that name. Supply a
name that is unique to this view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0036I Adding the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0037E Unable to create the view {0} because
another view has that name. Supply a
name that is unique to this view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0038E Unable to save view {0} because: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0039W {0}.deleteView(){1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0040I Deleting the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0041E Unable to check if field {0} is present
in data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0044E Unable to change the type of the view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0046E Unable to change the type of the view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0047E Cannot load view storage for {0} - {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0050W The format of the view name {0} is incorrect or contains characters that are not allowed in a view name. Specify a name in the correct format.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0051E Unable to convert the view data to XML.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0052E Unable to copy the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0053E Unable to copy the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0054I Unable to find view {0} for {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0055E Unable to save the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0060E Unable to copy view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0062E There are no views available in the user session.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0063I There is no view {0} available for {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0065I Copying view {0} to user {1} {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0071E Cannot load the views for user {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0075E Unable to load the filters for user or group {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0081E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0083E Unable to initialize the internal data for the filter and view builder.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0084E Unable to get the filtered sort columns for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0085E Unable to get the filtered visual entries for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0086E The advanced SQL statement {0} is invalid for the following reason: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0087E Unable to add the dependency {0} to {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0092E Unable to create view storage for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0095E Unable to create filter storage for {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0099E The filter storage {0} does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0100E Unable to save data for the new user {0} to {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0101E Unable to load {0} data from {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0102E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0103E Unable to parse the XML data for the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0104E Unable to determine the type of field {0} in data source {1}. Using the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0105E Unable to get the default data source.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0106E Unable to parse the XML data for the view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0108E The specified view category for filter {0} is not one of the available types. Use one of the supplied types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0109W The SQL statement {0} is not valid. The filter mode will be changed to advanced for filter {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0111E Unable to delete view {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0113W The format of the filter name {0} is incorrect or contains characters that are not allowed in a view name. Specify a name in the correct format.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0114W No data source selected.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0115W The filter {0} could not be retrieved from the {1} data store, it may have been removed by another user. This filter will be recreated.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0117E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0119E Unable to save a filter. The SQL statement {0} is incorrect for at least one of the selected data sources.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0120E Unable to copy filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0121E Unable to save filter {0} because its category is not one of the available types.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0122E Unable to save filter {0} because the file does not exist in the specified location.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0123E Unable to save filter {0} because there is a recursive dependency.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0124E Unable to save filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0125E Unable to save filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0126E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0127E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0128E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0129E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0130E Unable to save the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0131E Unable to copy the filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0134I Copying filter {0} to user {1} {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0136E Unable to edit view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0138E View data is invalid {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0141E Error copying properties to form.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0143E Unable to edit a filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0144E Unable to edit a filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0145E Unable to find data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0149I No user filter or view data storage
found.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0150E Unable to delete filter {0} because another filter is dependent on it.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0151E Unable to delete filter {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0152E Unable to change filter type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0153E Unable to change filter type.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0155E Cannot load filter storage for {0} {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0156E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0157E Unable to write {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0158E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0159E Unable to write {0} data store for {1}
{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0160E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0161E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0162E Unable to find {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0163E IO Error writing {0} data store for {1}
{2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0164E Unable to find {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0165E Caught exception {0} whilst loading {1} data store for {2} {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0166E Unable to find {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0167E Error writing {0} data store for {1} {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0168E Unable to get the default datasource.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0169E Unable to delete the filter {0} of type {1}. User {2} does not have required privilege to delete this filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0170E Unable to delete the view {0} of type {1}. User {2} does not have required privilege to delete this view.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0171A View {0} has been created for user {1} by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0172A View {0} has been created for user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0173A View {0} of category {1} has been created by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0174A View {0} of category {1} has been created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0175A View {0} for user {1} has been modified by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0176A View {0} of category {1} has been modified by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0177A View {0} for user {1} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0178A View {0} of category {1} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0179A View {0} has been deleted for user {1} by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0180A View {0} has been deleted for user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0181A View {0} of category {1} has been deleted by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0182A View {0} of category {1} has been deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0183A Copying View {0} of category {1} to user(s): [{2}]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0184A Copying View {0} of category {1} to users in group(s): [{2}]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0185A Copying View {0} of category {1} to global views.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0186A Copying View {0} of category {1} to system views.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0187A Filter {0} has been created for user {1} by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0188A Filter {0} has been created for user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0189A Filter {0} of category {1} has been created by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0190A Filter {0} of category {1} has been created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0191A Filter {0} for user {1} has been modified by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0192A Filter {0} of category {1} has been modified by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0193A Filter {0} for user {1} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0194A Filter {0} of category {1} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0195A Filter {0} has been deleted for user {1} by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0196A Filter {0} has been deleted for user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0197A Filter {0} of category {1} has been deleted by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0198A Filter {0} of category {1} has been deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0199A Transient Filter {0} has been created by user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0200A Transient Filter {0} has been created.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0201A Transient Filter {0} has been deleted
by user {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0202A Transient Filter {0} has been deleted.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0203A Copying Filter {0} of category {1} to
user(s): [{2}]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0204A Copying Filter {0} of category {1} to
group(s): [{2}]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0205A Copying Filter {0} of category {1} to
global filters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0206A Copying Filter {0} of category {1} to
system filters.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0207E Failed to determine if resync command required for sessions accessing {0} data for {1}. Exception was: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0208A Filter {0} has been created for group {1} by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0208E Unable to determine user role for user {0}. Exception was: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0209A Filter {0} has been created for group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0210A Filter {0} for group {1} has been modified by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0211A Filter {0} for group {1} has been modified.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0212A

HEMFV0212A Filter {0} has been deleted for group {1} by user {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0213A Filter {0} has been deleted for group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0214I

HEMFV0214I No group filter or view data storage found.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0215E Unable to get the filtered group
columns for data source {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0216E

HEMFV0216E Unable to describe field {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0217E Unable to determine the type of field
{0} in data source {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMFV0218E Unable to save the view {0} because store is read-only.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA

Messages for the HEMHA component.

HEMHA0001E Unable to notify node {0} of a change in the cluster configuration. The response code to the notification request is: {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0002I Successfully notified the node {0} of a change in the cluster configuration.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0003E Unable to notify node {0} of a change in the cluster configuration. Check that the node s URI is correct.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0004E Unable to notify node {0} of a change in the cluster configuration. An exception occurred while connecting to the node.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0005E Unable to set store properties. The configuration database may be unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0006E Unable to add the current node to the load balancing cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0007E Unable to add the current node to the load balancing cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0008E Unable to remove the current node from the load balancing cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0009W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0010W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0011W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0012W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0013W The configuration database is unavailable, no configuration changes will be allowed until it becomes available.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0014E Unable to update the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0015E An incorrect file hashing algorithm was specified: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0016W An attempt was made to remove the following item from the configuration database, but it did not exist in the database. {0} {1} {2} {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0017E The synchronization of configuration items failed because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0018E Unable to add the current node to the HA cluster because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0019E Unable to resynchronize the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0020E Unable to resynchronize the new configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0021E Failed to add the new configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0022E Failed to obtain configuration item references for {0} {1}. Unable to determine if items from this namespace have been deleted on other nodes.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0023E Failed to remove the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0024E

HEMHA0024E Unable to resynchronize the configuration item {0} {1} {2} {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0025E The synchronization of configuration
items failed because: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0026E

HEMHA0026E The notification inhibitor thread was interrupted. The error was: *{0}*.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0027E The delayed notification thread was interrupted. The error was: *{0}*.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0030A

HEMHA0030A Synchronised {0}/{1},{2} with changes made on another node.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0031A Added {0}/{1},{2} to reflect changes made on another node.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHA0032A Removed {0}/{1},{2} to reflect changes made on another node.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB

Messages for the HEMHB component.

HEMHB0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0001E Chart error: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0001W No IlvChart object found for request: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0008E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0009E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0010E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0011E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0012E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0014E

HEMHB0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0016E

HEMHB0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMHB0017E Chart exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM

Messages for the HEMIM component.

HEMIM0000E Failed to add resource {0} because the image type {1} is unsupported.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0001I Adding Resource Summary {0} [{1}] for map {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0002W No resources summary for map {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0003I Adding Resource {0} to map {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0004E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0005E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0006E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0007I Remove resource from {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0008W Resource not found {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0009W No map of name {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0010E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0011E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0012E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0014E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0015E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0016E Error in map {0}: ignored - {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0017E Error in map {0}: ignored - {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0018E Error in map {0}: ignored - {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0019E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0020E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0021E Bad map file: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0022E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0023E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0024I Modify map {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0025E problem with map data - {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0026W {0} does not exist**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0027E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0028E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0029E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0030E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0031I Create map {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0032W {0} already exists

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0033W Attempt to save a map with no definition was ignored.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0034E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0035I Modify map {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0036E Problem with map data - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0037E {0} does not exist**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0038E WAAPI: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0039I Delete map {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0040W {0} does not exist**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0041E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0042E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0044E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0045E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMIM0046E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0047E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0048E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0049E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0050E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0051E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0052A Map {0} was created by user {1}. This map is now available to all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0053A Map {0} was created by user {1}. This map is now available to all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0054A Map {0} was created. This map is now available to all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0055A Map {0} was created. This map is now available to all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0056A Map {0} was modified by user {1}. Access control was unchanged and the map is available to all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0057A Map {0} was modified by user {1}. Access control was unchanged and the map is available to all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0058A Map {0} was modified by user {1}. Access control was all users. Access control is now all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0059A Map {0} was modified by user {1}.
Access control was all users in group {2}. Access control is now all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0060A Map {0} was modified by user {1}.
Access control was all users in group {2}. Access control is now all users in group {3}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0061A Map {0} was modified. Access control was unchanged and the map is available to all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0062A Map {0} was modified. Access control was unchanged and the map is available to all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0063A Map {0} was modified. Access control was all users. Access control is now all users in group {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0064A Map {0} was modified. Access control was all users in group {1}. Access control is now all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0065A

HEMIM0065A Map {0} was modified. Access control was all users in group {1}. Access control is now all users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0066A Map {0} was deleted by user {1}. This map is no longer available to all users.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0067A

HEMIM0067A Map {0} was deleted by user {1}. This map is no longer available to users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0068A Map {0} was deleted. This map is no longer available to all users .

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIM0069A Map {0} was deleted. This map is no longer available to users in group {2}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIN

Messages for the HEMIN component.

HEMIN0010W

System Action

During installation, the installer requests the user name and password of the ObjectServer to use for the connection from the Web GUI to the ObjectServer. The installer does not validate the correctness of the password and completes the installation, even if the password is incorrect, but no data is retrieved from the ObjectServer.

User response

Not applicable.

Administrator response

After installation, verify that the password is correct. If the password is incorrect, change it in the following files:

- `ncwDataSourceDefinitions.xml`: You can edit this file manually. For more information about the `ncwDataSourceDefinitions.xml` file and how to edit it, see the *IBM Tivoli Netcool/OMNIBus Web GUI Administration and User's Guide* and search for *Data source configuration file reference*. After you edit this file, restart the Tivoli Integrated Portal server so that the change takes effect.
- `wimconfig.xml`: You can edit this file by running the `confvmm4ncos` script. For more information about how to run this script, see the *IBM Tivoli Netcool/OMNIBus Installation and Deployment Guide* and search for *Defining an ObjectServer as a user repository*.

HEMIP

Messages for the HEMIP component.

HEMIP0000W Invalid dashboard layout configuration. Filter names, categories and owners do not match.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0001E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0002E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0006E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0007E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0008E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0010E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0011E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0012E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0013E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0016E There was an error retrieving the user preference for refresh rate.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0017A There was an error configuring the user's filters for display in a mobile dashboard.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0018E

HEMIP0018E There was an error configuring the user's filters for display in a mobile dashboard.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0019E The configuration for the requested
mobile dashboard could not be found.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0020E

HEMIP0020E There was an error generating QR code
for mobile dashboard URL: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMIP0021E There was an error generating QR code
for mobile gauges URL: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS

Messages for the HEMJS component.

HEMJS0000E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0001E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0002E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0004E {0}.processResults() unexpected
response type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0005E {0}.processResults() status:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0006E LEL Handler recieved error {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0007E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0008E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0009I no system or user transient filter found
for entityname {0}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0010E Error attempting to set the datasource
name:{0}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0011E getDatasourceName(): Error getting OS
- {0}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

**HEMJS0012E {0}.setView() caught
IllegalCategoryException: {1}****System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0013E {0}.setView() caught
IllegalCategoryException: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0014E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0015E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0016E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0017E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0018E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0019W The value for tableview.pixelmultiply
must be greater than 0.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0022E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0023E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0024E getDatasource(): Error getting OS - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0025E Init(): Error getting OS - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0027E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0028E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0029E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0030E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0031E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0032E getDatasourceName(): Error getting OS
- {0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0033E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0034E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0035E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0036E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0037E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0038E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0039E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0040W Invalid template file :{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0041I Template dir does not exist {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0043E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0044E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0045E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0046E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0047E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0048E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0049E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0050E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0051E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0052E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0053I Removing dir {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0054W {0} does not exist.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0055W {0} not empty.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0056I Recursive remove directory {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0057W {0} does not exist**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0058I {0} in {1} deleted.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0059E Cannot delete file {0} in {1}.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0060E Cannot recursive remove directory {0}.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0061E Cannot remove directory {0}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0062E Cannot remove directory {0} - I/O error occurs.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0063E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0064I Deleting file {0} from {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0065E {0} in {1} cannot be deleted

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0066E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0067E {0}.processResults() unexpected response type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0068E {0}.processResults() status:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0069E LEL Handler recieved error {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0070E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0071E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0072I Resource {0} not found**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0073E {0} not found**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0074E IOException reading {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0075E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0076E Exception in inserter: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0077W Invalid Map refresh rate in SmartPage tag for {0} Map! Using value from server.init...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0078W The tableview.pixelmultiply value is not of type int: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0079I tableview.pixelmultiply is set to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0080E Exception whilst reformatting date {0} in static table for user:

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0081E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0082E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0083E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0084E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0085E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0086E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0088E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0089E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0090E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0091E Caught exception getting property {0}
for user {1}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0092E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0093E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0094E Unable to process user removed page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0095W Invalid insertion command:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0096E No page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0097E Unable to process page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0098E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0099I User:{0} Logged out

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0100E No log-out page found! {0}, file base {1}, {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0101E Unable to process log-out page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0102E No table-view file.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0103E Unable to read table-view file.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0104E Error while parsing System property printtabletitle.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0106E Error while parsing line of tableview template. Unknown inserter command.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0107W Invalid insertion command:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0108E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0109E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0110I Servlet: The users homepage seems to be
a webtop context relative uri, trying to
forward to {0} .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0111I Servlet: The users homepage seems not
to be a webtop context relative uri, need
to send a redirect to {0} .**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0112W {0} Not found! needs to start with {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0113E Unable to process {0} page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0114E Caught UnsupportedEncoding
Exception. {0} Check the value of
System property html.charset in
server.init is correct. Current value is {1}
, reset to {2}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0115E caught exception for user:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0116E caught exception for user:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0117E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0118E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0119E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0122E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0123E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0124E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0125E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0126E Unable to get Colors for data source {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0127E Unable to get Conversions for data source {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0128E caught NoSuchElementException.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0129E Servlet error: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0130E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0131E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0132E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0133E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0134E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0136E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0137E No Such Map {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0138E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0139E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0140E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0141E WAAPI: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0142E Unable to process cgi-file using
defined perlengine, ie first line that
start with !#, on top of command:{0}
Using {1} HEMJS0143W=Unauthorized
user {0} attempted to access CGI {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0144I Setting NT CGI Shell to {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0145I Windows CGI Shell
**HEMJS0146E=Failed to install Windows
CGI Shell**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0147E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0148E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0149E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0150E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0151E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0152E Colors.processRequest() caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0154E FieldNameHandler.processRequest() caught Exception: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0156E Caught Exception loading user filters for {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0157E File is unreadable {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0158W Unauthorized attempt by {0} to add a journal entry to serials {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0159E Failed to add journal entry for Serials
{0}; Response code *{1}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0160E Failed to add journal entry for Serials
{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0165E Caught exception *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0166E Caught exception *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0167E Caught exception *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0168E Caught exception *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0169E caught Exception: *{0}*

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0170E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0171E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0173E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0175E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0176E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0177I Command nova constructed for {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0178E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0179E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0180E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0181E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0182E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0183E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0184E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0185E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0186W TimedOut:Invalid insertion
command:{0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0187E No unavailable page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0188E Unable to process unavailable page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0189E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0190E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0191E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0192E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0193I Moved uploaded file from {0} to {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0194E Failed to uploaded file from {0} to {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0195E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0196W File Not Found {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0197E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0198E Unregistration of CGI {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0199E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0200E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0201E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0202E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0203E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0204E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0205E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0206E No map called:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0207E HA database is down, cannot create
map:{0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0208E HA database is down, cannot modify
map:{0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0209E HA database is down, cannot delete
map:{0}**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0210E {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0211E {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0212E Problem removing resource {0} for map
{1} {2}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0213E Problem removing resource {0} for map
{1} {2}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0214E Problem Creating resource dir for map
{0} - Map already exists!**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0216E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0217E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0218E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0219E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0220E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0221E {0} already in {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0222E {0} caused IOException when saving

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0223E {0} user not found when removing

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

**HEMJS0224E {0} caused IOException when saving
after removing User**

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0225E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0226E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0227E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0228E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0229E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0230E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0231E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0232E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0233E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0234E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0235E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0236E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0237E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0238E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0239E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0240E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0241E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0242E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0243E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0244E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0245W Deletion of reserved Menu{0} was prevented.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0246E Deletion of Menu {0} failed.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0247I User:{0} Logged in

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0248C Session ID:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0249C Redirect back to:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0250E No DataSources currently available.
Webtop service unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0251E Unexpected exception

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0252E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0253E No log-in page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0254E Unable to process log-in page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0255E No log-in in progress page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0256E Unable to process log-in in progress page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0257E No log-in (access denied) page found!

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0258E Unable to process log-in (access denied) page

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0259I {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0260W Unknown User

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0261E Unexpected exception

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0262E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0263E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0264E Error invoking CGI. - {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0265E The header contains a corrupt line

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0266E Failed to execute CGI HEMJS0267E={0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0268W NCHOME not defined, using {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0269I header=[{0}]

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0270W expiry time in cookie null - time not set.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0271E UTF-8 encoding is not supported

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0272E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0274E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0275E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0276E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0277I Session created {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0278I Session destroyed {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0279W AEL launch parameter, view could not be resolved. The specified view does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0280E AEL launch parameter, view could not be resolved. The specified view does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0281E caught exception registering transient entity. filter:{0} view:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0282W AEL launch parameter, filtertype not specified. Using the {0} category for the specified filter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0283E AEL launch parameter, filtername could not be resolved. The specified filter does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0284E AEL launch parameter, filtername could not be resolved. The specified filter does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0285E Number of {0} and {1} parameters do not match.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0286W Deprecated AEL launch parameter used. The {0} parameter is deprecated. Use the {1} parameter.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0287W AEL launch parameter, viewname could not be resolved. The specified view does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0288E CreateDynamicTransientEntity failed to create transient with filter {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0288W AEL launch parameter, viewtype could not be resolved. The specified type is not valid.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0289I INFO creating transient filter {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0289W AEL launch parameter, viewname of viewtype could not be resolved. The specified view does not exist.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0290E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0291E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0292E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0294E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0295E caught NoSuchViewException

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0297E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0298E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0300E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0301I Adding OS-validated user: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0302I Adding local user: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0303C Setting Session ID:{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0304I User:{0} Logged in**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0305C Session ID:{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0306C Redirect back to:{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0307I Single-Sign-On fail for user: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0308C Session:{0} URL request:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0309C Session:{0} URI request:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0310C Session:{0} IP Address:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0311C Session:{0} IP Name:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0312C Session:{0} UserAgent:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0313C Session:{0} Browser Type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0314I New Session:{0} URL request:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0315I New Session:{0} IP Address:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0316I New Session:{0} IP Name:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0317C New Session:{0} UserAgent:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0318C New Session:{0} Browser Type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0319I {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0320E Problem adding user: {0} - {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0321E Unexpected exception in Login

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0322E Error while getting the users
homepage.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0323E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0400E Unexpected response type:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0401E Status:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0402W LEL Handler recieved error {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0403E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0404E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0405I Adding OS-validated user: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0406I Adding local user: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0407C Setting Session ID:{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0408I User:{0} Logged in**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0409C Session ID:{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0410C Redirect back to:{0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0411I Single-Sign-On fail for user: {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0412C Session:{0} URL request:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0413C Session:{0} URI request:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0414C Session:{0} IP Address:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0415C Session:{0} IP Name:{1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMJS0416C Session:{0} UserAgent:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0417C Session:{0} Browser Type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0418I New Session:{0} URL request:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0419I New Session:{0} IP Address:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0420I New Session:{0} IP Name:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0421C New Session:{0} UserAgent:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0422C New Session:{0} Browser Type:{1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0423E No DataSources currently available.
Webtop service unavailable.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0424E Problem adding user: {0} - {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0425E Unexpected exception in Login

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0426E Error while getting the users homepage.{0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0427E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0428E Unable to enable BiDi in the Chart portlet because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0429E Unable to enable BiDi in the LEL portlet because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0430E Unable to enable BiDi in the TableView portlet because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0431E Unable to fill the BiDi bean because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0432E Unable to get BiDi support settings for user {0} because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0433E Unable to get preference {0} from user preferences because {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0434E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0435E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0436E Failed to save user preferences. {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0437E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0438E Unable to get calendar type from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0439E Unable to get calendar type from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0440E Unable to get {0} from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0441E Unable to get {0} from user preferences.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0442E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0443E Unable to forward default map image request because {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0444E Failed to get resource bundle {0}. Error was {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0445E Failed to retrieve data from resource bundle {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0446E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0447E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0448A CGI {0} was registered by user {1}.
This CGI is now available to the
following group(s): {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0448E Unable to get the default datasource.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0449A CGI {0} was unregistered by user {1}.
This CGI is no longer available to the
following group(s): {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0450A CGI {0} was modified by user {1}.
Access was added for the following
group(s): {2}. Access was removed for
the following group(s): {3}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0451E Failed to unregister CGI {0} due to a Configuration Store exception {1}.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0452E Failed to unregister CGI {0} because it was not registered.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0453A User {0} was granted access to the Event Database Query interface via the ISQL permission.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0454A User {0} was denied access to the Event Database Query interface. The ObjectServer permission ISQL is required.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0455A User {0} attempted to execute SQL {1} via the Event Database Query form against the {2} datasource. Access was denied. The user does not have the required ISQL permission.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0456A User {0} executed SQL statement {1} at {2} datasource via Event Database Query.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0457A User {0} was granted access to {1} via {2} role.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0458A User {0} was denied access to {1}. The {2} role is required.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0459E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0460C Restricted URLs loaded from {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0461W The {0} property in server.init has been set to {1} but the restricted URLs file is empty

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0462A User {0} attempted to access the following restricted URL: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0463W The restricted URLs file {0} was not found

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMJS0464W The restricted URLs file {0} could not be read for the following reason: {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP

Messages for the HEMUP component.

HEMUP0003E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0004E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0005E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0006E The backup of relevent files that needs to be upgraded failed. The upgrade process has been stopped due to an IOException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0007I Deprecated file formats detected. Upgrading system...

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0008I Upgrade task finished

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0009E Could not delete deprecated file {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0011I Successfully migrated the {0} Entity View to {1} System View.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0012W The {0} system View already exists. Skipping migration for {1} Entity View.

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0021E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0022E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0023E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0024E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0025E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0026E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0027E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0028E Caught exception {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0032E Deletion of {0} file after upgrade failed.**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0033E {0}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0034E Can't read file {0} : {1}**System action:** Not applicable.**User response:** Not applicable.**Administrator response:** Not applicable.

HEMUP0035E Can t close file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0036E Can t write file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0037E Can t close file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0038E Can t create file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0039E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0040E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0041E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0042E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0043E Can t read file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0044E Can t close file {0} : {1}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0045E ParseException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0046E EntityException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0047E OverwriteException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0048E FilterSaveException: {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0049E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0050E {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0051E Cannot add {0} as dependent Filter to
{1}System Filter.
IllegalCategoryException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0052E Cannot add {0} as dependent Filter to
{1}System Filter.
IllegalArgumentException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0053E Cannot add {0} as dependent Filter to
{1}System Filter.
FilterNotFoundException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0054E Cannot add {0} as dependent Filter to
{1}System Filter.
RecursiveDependencyException: {2}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0055E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0056E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0059E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0060E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0061E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0062E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0063E Attribute name is required

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0064E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0065E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0066E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0067E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0068E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0069W Can t create {0} deprecated directory

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0070W Can t delete {0} installer backup file

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

HEMUP0071E Caught exception {0}

System action: Not applicable.

User response: Not applicable.

Administrator response: Not applicable.

Notices

This information was developed for products and services offered in the U.S.A.

IBM® may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan, Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation
958/NH04
IBM Centre, St Leonards
601 Pacific Hwy
St Leonards, NSW, 2069
Australia

IBM Corporation
896471/H128B
76 Upper Ground
London SE1 9PZ
United Kingdom

IBM Corporation
JBF1/SOM1
294 Route 100
Somers, NY, 10589-0100
United States of America

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the

names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs.

Portions of this product include software developed by Daniel Veillard.

- libxml2-2.7.8

The libxml2-2.7.8 software is distributed according to the following license agreement:

© Copyright 1998-2003 Daniel Veillard.

All Rights Reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE DANIEL VEILLARD BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of Daniel Veillard shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from him.

Trademarks

AIX, DB2, IBM, the IBM logo, ibm.com®, iSeries, Netcool, Passport Advantage, pSeries, Service Request Manager, System p, System z, Tivoli®, Tivoli Enterprise Console, TotalStorage, WebSphere, and zSeries are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both.

Adobe, Acrobat, Portable Document Format (PDF), PostScript, and all Adobe-based trademarks are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, other countries, or both.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.



Java™ and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other company, product, or service names may be trademarks or service marks of others.

Index

A

accessibility vii
arch
 operating system directory viii

C

conventions, typeface viii

E

E-ALD-102-001 1
E-ALD-102-002 1
E-ALD-102-003 1
E-ALD-102-004 1
E-ALD-102-005 1
E-ALD-102-006 2
E-ALD-102-007 2
E-ALD-102-008 2
E-ALD-102-009 2
E-ALD-102-010 2
E-ALD-102-011 2
E-ALD-102-012 2
E-ALD-102-013 3
E-ALD-102-014 3
E-ALD-102-015 3
E-ALD-102-016 3
E-ALD-102-017 3
E-ALD-102-018 3
E-ALD-102-019 3
E-ALD-102-020 4
E-ALD-102-021 4
E-ALD-102-022 4
E-ALD-102-023 4
E-ALD-102-024 4
E-ALD-102-025 4
E-ALD-102-026 4
E-ALD-102-027 4
E-ALD-102-028 5
E-ALD-102-029 5
E-ALD-102-030 5
E-ALD-102-031 5
E-ALD-102-032 5
E-ALD-102-033 5
E-ALD-102-034 6
E-APM-102-001 7
E-APM-102-003 7
E-APM-102-004 7
E-APM-102-005 7
E-APM-102-006 8
E-APM-102-007 9
E-APM-102-008 10
E-APM-102-009 11
E-APM-102-010 12
E-APM-104-002 13
E-APM-104-011 14
E-AUT-001-001 14
E-AUT-001-002 14
E-AUT-001-004 14
E-AUT-001-005 14

E-AUT-001-006 14
E-AUT-001-007 14
E-AUT-001-008 15
E-AUT-001-009 15
E-AUT-001-010 15
E-AUT-001-011 15
E-AUT-001-012 15
E-AUT-001-013 15
E-AUT-001-014 15
E-AUT-001-015 15
E-AUT-001-017 16
E-AUT-001-018 16
E-AUT-002-006 16
E-AUT-002-009 16
E-AUT-003-001 16
E-AUT-003-002 16
E-AUT-003-004 16
E-AUT-003-005 17
E-AUT-003-007 17
E-AUT-003-008 17
E-AUT-003-009 17
E-AUT-003-010 17
E-AUT-003-011 18
E-BRI-102-002 19
E-BRI-102-003 19
E-BRI-102-004 19
E-BRI-102-005 19
E-BRI-102-006 19
E-BRI-102-007 20
E-BRI-102-008 20
E-BRI-102-009 20
E-BRI-102-010 20
E-BRI-102-011 20
E-BRI-102-012 20
E-BRI-102-013 21
E-BRI-102-014 21
E-BRI-102-015 21
E-BRI-102-016 21
E-BRI-102-017 21
E-BRI-102-018 21
E-BRI-102-019 22
E-BRI-102-020 22
E-BRI-102-021 22
E-BRI-102-022 22
E-BRI-102-023 22
E-BRI-102-024 22
E-BRI-102-025 23
E-BRI-102-026 23
E-BRI-102-027 23
E-BRI-102-028 23
E-BRI-102-029 23
E-BRI-102-030 23
E-BRI-102-031 24
E-BRI-102-032 24
E-BRI-102-033 24
E-BRI-102-034 24
E-BRI-102-035 24
E-BRI-102-036 24
E-BRI-102-037 25
E-BRI-102-038 25
E-BRI-102-039 25

E-BRI-102-040 25
E-BRI-102-041 25
E-BRI-102-042 25
E-BRI-102-043 26
E-BRI-102-044 26
E-BRI-102-045 26
E-BRI-102-046 26
E-BRI-102-047 26
E-BRI-102-048 26
E-BRI-102-049 27
E-BRI-102-050 27
E-BRI-102-051 27
E-BRI-102-052 27
E-BRI-102-053 27
E-BRI-102-054 28
E-BRI-102-055 28
E-BRI-102-056 28
E-BRI-102-057 28
E-BRI-102-058 28
E-BRI-102-059 29
E-BRI-102-060 29
E-BRI-102-061 29
E-BRI-102-062 29
E-BRI-102-063 29
E-BRI-102-064 30
E-BRI-102-065 30
E-BRI-102-066 30
E-BRI-102-067 30
E-BRI-102-068 30
E-BRI-102-069 30
E-BRI-102-070 31
E-BRI-102-071 31
E-BRI-102-072 31
E-BRI-102-073 31
E-BRI-102-074 31
E-BRI-102-075 31
E-BRI-102-076 32
E-BRI-102-077 32
E-BRI-102-078 32
E-BRI-102-079 32
E-BRI-102-080 32
E-BRI-102-081 32
E-BRI-102-082 33
E-BRI-102-083 33
E-BRI-102-084 33
E-BRI-102-085 33
E-BRI-102-086 33
E-BRI-102-087 33
E-BRI-102-088 34
E-BRI-102-097 34
E-BRI-102-100 34
E-BRI-102-101 34
E-BRI-102-103 34
E-BRI-102-104 34
E-BRI-102-105 35
E-BRI-102-106 35
E-BRI-102-107 35
E-BRI-102-108 35
E-BRI-102-109 35
E-BRI-102-110 35
E-BRI-102-111 35

E-BRI-102-114	36	E-CMD-001-053	53	E-ETC-102-029	66
E-BRI-102-115	36	E-CMD-001-054	53	E-ETC-102-030	67
E-BRI-102-116	36	E-CMD-001-055	53	E-ETC-102-031	67
E-BRI-102-117	36	E-CMD-001-056	53	E-ETC-102-032	67
E-BRI-102-118	36	E-CMD-001-057	53	E-ETC-102-033	67
E-BRI-102-119	36	E-CMD-001-058	53	E-ETC-102-034	67
E-BRI-102-120	36	E-CMD-001-059	54	E-ETC-102-035	67
E-BRI-102-121	37	E-CMD-001-060	54	E-ETC-102-036	67
E-BRI-102-122	37	E-CMD-001-061	54	E-GOB-102-001	73
E-BRI-102-123	37	E-CMD-001-062	54	E-GOB-102-002	73
E-BRI-102-124	37	E-CMD-001-063	54	E-GOB-102-003	73
E-BRI-102-125	37	E-CMD-001-064	54	E-GOB-102-004	73
E-BRI-102-126	37	E-CMD-001-065	54	E-GOB-102-005	73
E-BRI-102-127	38	E-CMD-001-066	55	E-GOB-102-006	74
E-BRI-102-128	39	E-CMD-001-067	55	E-GOB-102-007	74
E-CHE-001-001	43	E-CMD-001-068	55	E-GOB-102-008	74
E-CMD-001-001	46	E-CMD-001-069	55	E-GOB-102-009	74
E-CMD-001-002	46	E-CMD-001-070	55	E-GOB-102-010	74
E-CMD-001-003	46	E-CMD-001-071	55	E-GOB-102-011	74
E-CMD-001-004	46	E-CMD-001-072	55	E-GOB-102-012	75
E-CMD-001-005	46	E-CMD-001-073	56	E-GOB-102-013	75
E-CMD-001-006	46	E-CMD-001-074	56	E-GOB-102-014	75
E-CMD-001-007	47	E-CMD-001-075	56	E-GOB-102-015	75
E-CMD-001-008	47	E-CMD-001-076	56	E-GOB-102-016	75
E-CMD-001-009	47	E-CMD-001-077	56	E-GOB-102-017	75
E-CMD-001-010	47	E-CMD-001-078	56	E-GOB-102-018	76
E-CMD-001-011	47	E-CMD-001-079	56	E-GOB-102-019	76
E-CMD-001-012	47	E-CMD-001-080	57	E-GOB-102-020	76
E-CMD-001-013	47	E-DBI-001-001	57	E-GOB-102-021	76
E-CMD-001-014	48	E-DBI-002-001	57	E-GOB-102-022	76
E-CMD-001-015	48	E-DBI-002-002	57	E-GOB-102-023	76
E-CMD-001-016	48	E-DBI-002-003	57	E-GOB-102-024	77
E-CMD-001-017	48	E-DBI-002-004	57	E-GOB-102-025	77
E-CMD-001-018	48	E-DBI-002-005	57	E-GOB-102-035	77
E-CMD-001-019	48	E-DBI-002-008	58	E-GOB-102-036	77
E-CMD-001-020	48	E-DBI-002-028	58	E-GOB-102-037	77
E-CMD-001-021	48	E-DBI-002-029	58	E-GOB-102-038	77
E-CMD-001-022	49	E-DBI-002-030	58	E-GOB-102-039	78
E-CMD-001-023	49	E-DBI-002-031	58	E-GOB-102-040	78
E-CMD-001-024	49	E-DBI-002-032	58	E-GOB-102-041	78
E-CMD-001-025	49	E-DBI-002-033	58	E-GOB-102-042	79
E-CMD-001-026	49	E-ETC-003-012	63	E-GOB-102-043	79
E-CMD-001-027	49	E-ETC-003-013	63	E-GOB-102-044	79
E-CMD-001-028	49	E-ETC-003-014	63	E-GOB-102-049	79
E-CMD-001-029	50	E-ETC-003-015	63	E-GOB-102-050	79
E-CMD-001-030	50	E-ETC-003-016	63	E-GOB-102-051	79
E-CMD-001-031	50	E-ETC-004-001	63	E-GOB-102-052	80
E-CMD-001-032	50	E-ETC-004-002	64	E-GOB-102-053	80
E-CMD-001-033	50	E-ETC-004-008	64	E-GOB-102-054	80
E-CMD-001-034	50	E-ETC-102-002	64	E-GOB-102-055	80
E-CMD-001-035	50	E-ETC-102-003	64	E-GOB-102-057	80
E-CMD-001-036	51	E-ETC-102-004	64	E-GOB-102-059	80
E-CMD-001-037	51	E-ETC-102-005	64	E-GOB-102-060	80
E-CMD-001-038	51	E-ETC-102-006	64	E-GOB-102-061	80
E-CMD-001-039	51	E-ETC-102-007	65	E-GOB-102-063	81
E-CMD-001-040	51	E-ETC-102-008	65	E-GOB-102-064	81
E-CMD-001-041	51	E-ETC-102-009	65	E-GOB-102-066	82
E-CMD-001-042	51	E-ETC-102-010	65	E-GOB-102-067	82
E-CMD-001-043	52	E-ETC-102-011	65	E-GOB-102-073	82
E-CMD-001-044	52	E-ETC-102-021	65	E-GOB-102-075	82
E-CMD-001-045	52	E-ETC-102-022	65	E-GOB-102-076	82
E-CMD-001-046	52	E-ETC-102-023	66	E-GOB-102-077	82
E-CMD-001-047	52	E-ETC-102-024	66	E-GOB-102-078	83
E-CMD-001-049	52	E-ETC-102-025	66	E-GOB-102-079	83
E-CMD-001-050	52	E-ETC-102-026	66	E-GOB-102-080	83
E-CMD-001-051	52	E-ETC-102-027	66	E-GOB-102-081	83
E-CMD-001-052	53	E-ETC-102-028	66	E-GOB-102-082	83

E-GOB-102-083	83	E-GOB-102-155	94	E-GOB-102-226	106
E-GOB-102-084	84	E-GOB-102-156	94	E-GOB-102-227	106
E-GOB-102-085	84	E-GOB-102-157	94	E-GOB-102-228	106
E-GOB-102-086	84	E-GOB-102-158	94	E-GOB-102-229	106
E-GOB-102-087	84	E-GOB-102-159	95	E-GOB-102-230	106
E-GOB-102-088	84	E-GOB-102-160	95	E-GOB-102-231	106
E-GOB-102-089	84	E-GOB-102-161	95	E-GOB-102-232	107
E-GOB-102-090	85	E-GOB-102-162	95	E-GOB-102-233	107
E-GOB-102-091	85	E-GOB-102-163	95	E-GOB-102-234	107
E-GOB-102-092	85	E-GOB-102-164	95	E-GOB-102-235	107
E-GOB-102-093	85	E-GOB-102-165	96	E-GOB-102-236	107
E-GOB-102-094	85	E-GOB-102-166	96	E-GOB-102-237	108
E-GOB-102-095	85	E-GOB-102-167	96	E-GOB-102-238	108
E-GOB-102-096	86	E-GOB-102-168	96	E-GOB-102-239	108
E-GOB-102-097	86	E-GOB-102-169	96	E-GOB-102-240	108
E-GOB-102-099	86	E-GOB-102-170	97	E-GOB-102-241	108
E-GOB-102-100	86	E-GOB-102-171	97	E-GOB-102-242	108
E-GOB-102-101	86	E-GOB-102-172	97	E-GOB-102-243	109
E-GOB-102-102	86	E-GOB-102-173	97	E-GOB-102-244	109
E-GOB-102-103	87	E-GOB-102-174	97	E-GOB-102-245	109
E-GOB-102-104	87	E-GOB-102-175	97	E-GOB-102-246	109
E-GOB-102-105	87	E-GOB-102-176	98	E-GOB-102-247	109
E-GOB-102-106	87	E-GOB-102-177	98	E-GOB-102-249	109
E-GOB-102-107	87	E-GOB-102-178	98	E-GOB-102-250	110
E-GOB-102-108	87	E-GOB-102-179	98	E-GOB-102-251	110
E-GOB-102-109	88	E-GOB-102-180	98	E-GOB-102-252	110
E-GOB-102-110	88	E-GOB-102-181	98	E-GOB-102-253	110
E-GOB-102-111	88	E-GOB-102-183	99	E-GOB-102-254	110
E-GOB-102-112	88	E-GOB-102-184	99	E-GOB-102-255	110
E-GOB-102-113	88	E-GOB-102-185	99	E-GOB-102-256	111
E-GOB-102-116	88	E-GOB-102-186	99	E-GOB-102-257	111
E-GOB-102-117	89	E-GOB-102-187	99	E-GOB-102-258	111
E-GOB-102-118	89	E-GOB-102-188	99	E-GOB-102-259	111
E-GOB-102-119	89	E-GOB-102-189	100	E-GOB-104-211	103
E-GOB-102-120	89	E-GOB-102-190	100	E-GOB-104-212	103
E-GOB-102-121	89	E-GOB-102-191	100	E-GTK-102-004	116
E-GOB-102-122	89	E-GOB-102-192	100	E-GTK-102-005	116
E-GOB-102-124	90	E-GOB-102-193	100	E-GTK-102-006	116
E-GOB-102-125	90	E-GOB-102-194	100	E-GTK-102-007	116
E-GOB-102-126	90	E-GOB-102-195	101	E-GTK-102-008	116
E-GOB-102-127	90	E-GOB-102-196	101	E-GTK-102-009	116
E-GOB-102-128	90	E-GOB-102-197	101	E-GTK-102-010	117
E-GOB-102-129	90	E-GOB-102-198	101	E-GTK-102-011	117
E-GOB-102-130	90	E-GOB-102-199	101	E-GTK-102-012	117
E-GOB-102-131	90	E-GOB-102-200	101	E-GTK-102-013	117
E-GOB-102-132	90	E-GOB-102-201	102	E-GTK-102-014	117
E-GOB-102-133	90	E-GOB-102-202	102	E-GTK-102-015	117
E-GOB-102-134	91	E-GOB-102-203	102	E-GTK-102-016	118
E-GOB-102-135	91	E-GOB-102-204	102	E-GTK-102-017	118
E-GOB-102-136	91	E-GOB-102-205	102	E-GTK-102-018	118
E-GOB-102-137	91	E-GOB-102-206	102	E-GTK-102-019	118
E-GOB-102-138	91	E-GOB-102-207	103	E-GTK-102-020	118
E-GOB-102-140	91	E-GOB-102-208	103	E-GTK-102-021	118
E-GOB-102-141	92	E-GOB-102-209	103	E-GTK-102-029	119
E-GOB-102-142	92	E-GOB-102-213	103	E-GTK-102-030	119
E-GOB-102-143	92	E-GOB-102-214	104	E-GTK-102-032	119
E-GOB-102-144	92	E-GOB-102-215	104	E-GTK-102-033	119
E-GOB-102-145	92	E-GOB-102-216	104	E-GTK-102-035	119
E-GOB-102-146	92	E-GOB-102-217	104	E-GTK-102-036	119
E-GOB-102-147	93	E-GOB-102-218	104	E-GTK-102-038	120
E-GOB-102-148	93	E-GOB-102-219	104	E-GTK-102-039	120
E-GOB-102-149	93	E-GOB-102-220	105	E-GTK-102-041	120
E-GOB-102-150	93	E-GOB-102-221	105	E-GTK-102-042	120
E-GOB-102-151	93	E-GOB-102-222	105	E-GTK-102-044	120
E-GOB-102-152	93	E-GOB-102-223	105	E-GTK-102-045	120
E-GOB-102-153	94	E-GOB-102-224	105	E-GTK-102-047	121
E-GOB-102-154	94	E-GOB-102-225	105	E-GTK-102-048	121

E-GTK-102-050	121	E-GTK-102-122	132	E-GTK-102-202	143
E-GTK-102-051	121	E-GTK-102-123	132	E-GTK-102-203	143
E-GTK-102-052	121	E-GTK-102-124	132	E-GTK-102-204	143
E-GTK-102-053	121	E-GTK-102-125	133	E-GTK-102-205	144
E-GTK-102-054	122	E-GTK-102-126	133	E-GTK-102-206	144
E-GTK-102-055	122	E-GTK-102-127	133	E-GTK-102-207	144
E-GTK-102-056	122	E-GTK-102-128	133	E-GTK-102-208	144
E-GTK-102-057	122	E-GTK-102-129	133	E-GTK-102-209	144
E-GTK-102-058	122	E-GTK-102-130	133	E-GTK-102-210	144
E-GTK-102-059	122	E-GTK-102-131	134	E-GTK-102-211	145
E-GTK-102-060	123	E-GTK-102-132	134	E-GTK-102-212	145
E-GTK-102-061	123	E-GTK-102-133	134	E-GTK-102-213	145
E-GTK-102-062	123	E-GTK-102-134	134	E-GTK-102-214	145
E-GTK-102-063	123	E-GTK-102-135	134	E-GTK-102-215	145
E-GTK-102-064	123	E-GTK-102-136	134	E-GTK-102-216	145
E-GTK-102-065	123	E-GTK-102-138	134	E-GTK-102-217	146
E-GTK-102-066	124	E-GTK-102-142	135	E-GTK-102-218	146
E-GTK-102-067	124	E-GTK-102-143	135	E-GTK-102-219	146
E-GTK-102-068	124	E-GTK-102-144	135	E-GTK-102-220	146
E-GTK-102-069	124	E-GTK-102-145	135	E-GTK-102-221	146
E-GTK-102-070	124	E-GTK-102-146	135	E-GTK-102-222	146
E-GTK-102-071	124	E-GTK-102-147	135	E-GTK-102-223	147
E-GTK-102-072	125	E-GTK-102-148	136	E-GTK-102-224	147
E-GTK-102-073	125	E-GTK-102-149	136	E-GTK-102-225	147
E-GTK-102-074	125	E-GTK-102-150	136	E-GTK-102-226	147
E-GTK-102-075	126	E-GTK-102-151	136	E-GTK-102-227	147
E-GTK-102-078	126	E-GTK-102-152	136	E-GTK-102-228	147
E-GTK-102-079	126	E-GTK-102-153	136	E-GTK-102-229	147
E-GTK-102-081	126	E-GTK-102-154	137	E-GTK-102-230	148
E-GTK-102-082	126	E-GTK-102-155	137	E-GTK-102-231	148
E-GTK-102-083	126	E-GTK-102-156	137	E-GTK-102-232	148
E-GTK-102-084	127	E-GTK-102-157	137	E-GTK-102-233	148
E-GTK-102-085	127	E-GTK-102-158	137	E-GTK-102-234	148
E-GTK-102-086	127	E-GTK-102-159	137	E-GTK-102-235	148
E-GTK-102-087	127	E-GTK-102-160	138	E-GTK-102-237	149
E-GTK-102-088	127	E-GTK-102-161	138	E-GTK-102-240	149
E-GTK-102-089	127	E-GTK-102-162	138	E-GTK-102-241	149
E-GTK-102-090	128	E-GTK-102-163	138	E-GTK-102-242	149
E-GTK-102-091	128	E-GTK-102-164	138	E-GTK-102-243	149
E-GTK-102-092	128	E-GTK-102-165	138	E-GTK-102-244	149
E-GTK-102-093	128	E-GTK-102-166	139	E-GTK-102-245	150
E-GTK-102-094	128	E-GTK-102-167	139	E-GTK-102-246	150
E-GTK-102-095	128	E-GTK-102-168	139	E-GTK-102-247	150
E-GTK-102-096	129	E-GTK-102-169	139	E-GTK-102-248	150
E-GTK-102-097	129	E-GTK-102-170	139	E-GTK-102-249	150
E-GTK-102-098	129	E-GTK-102-171	139	E-GTK-102-250	150
E-GTK-102-099	129	E-GTK-102-172	140	E-GTK-102-252	151
E-GTK-102-100	129	E-GTK-102-173	140	E-GTK-102-254	151
E-GTK-102-102	129	E-GTK-102-180	140	E-GTK-102-255	151
E-GTK-102-103	130	E-GTK-102-181	140	E-GTK-102-256	151
E-GTK-102-104	130	E-GTK-102-182	140	E-GTK-102-257	151
E-GTK-102-105	130	E-GTK-102-183	140	E-GTK-102-258	151
E-GTK-102-106	130	E-GTK-102-184	141	E-GTK-102-259	152
E-GTK-102-107	130	E-GTK-102-185	141	E-GTK-102-260	152
E-GTK-102-108	130	E-GTK-102-188	141	E-GTK-102-261	152
E-GTK-102-109	131	E-GTK-102-190	141	E-GTK-102-262	152
E-GTK-102-110	131	E-GTK-102-191	141	E-GTK-102-264	152
E-GTK-102-111	131	E-GTK-102-192	141	E-GTK-102-266	152
E-GTK-102-113	131	E-GTK-102-193	142	E-GTK-102-267	152
E-GTK-102-114	131	E-GTK-102-194	142	E-GTK-102-268	153
E-GTK-102-115	131	E-GTK-102-195	142	E-GTK-102-269	153
E-GTK-102-116	131	E-GTK-102-196	142	E-GTK-102-270	153
E-GTK-102-117	131	E-GTK-102-197	142	E-GTK-102-271	153
E-GTK-102-118	131	E-GTK-102-198	142	E-GTK-102-272	153
E-GTK-102-119	132	E-GTK-102-199	143	E-GTK-102-273	153
E-GTK-102-120	132	E-GTK-102-200	143	E-GTK-102-274	154
E-GTK-102-121	132	E-GTK-102-201	143	E-GTK-102-275	154

E-GTK-102-276	154	E-IDS-102-023	173	E-IPC-099-003	185
E-GTK-102-277	154	E-IDS-102-024	173	E-IPC-099-004	186
E-GTK-102-278	154	E-IDS-102-025	173	E-IPC-099-005	187
E-GTK-102-279	154	E-IDS-102-026	174	E-IPC-099-006	188
E-GTK-102-280	155	E-IDS-102-027	174	E-IVM-001-001	188
E-GTK-102-281	155	E-IDS-102-028	174	E-IVM-001-002	188
E-GTK-102-282	155	E-IDS-102-029	174	E-IVM-001-003	188
E-GTK-102-283	155	E-IDS-102-031	174	E-IVM-001-004	188
E-GTK-102-284	155	E-IDS-102-032	174	E-IVM-001-005	188
E-GTK-102-285	155	E-IDS-102-033	175	E-IVM-002-002	188
E-GTK-102-286	156	E-IDS-102-034	175	E-IVM-002-006	189
E-GTK-102-287	157	E-IDS-102-035	175	E-IVM-002-007	189
E-GTK-102-288	158	E-IDS-102-036	175	E-IVM-002-008	189
E-HTT-102-001	160	E-IDS-102-037	175	E-IVM-002-009	189
E-HTT-102-003	160	E-IDS-102-038	175	E-IVM-002-010	189
E-HTT-102-005	160	E-IDS-102-039	175	E-IVM-002-011	189
E-IDC-102-001	164	E-IDS-102-040	176	E-IVM-002-015	189
E-IDC-102-002	164	E-IDS-102-041	176	E-IVM-002-016	190
E-IDC-102-003	164	E-IDS-102-042	176	E-IVM-002-017	190
E-IDC-102-004	164	E-IDS-102-043	176	E-IVM-002-018	190
E-IDC-102-005	164	E-IDS-102-044	176	E-IVM-002-019	190
E-IDC-102-006	165	E-IDS-102-045	176	E-IVM-002-020	190
E-IDC-102-007	165	E-IDS-102-046	177	E-IVM-002-021	190
E-IDC-102-008	165	E-IDS-102-047	177	E-IVM-002-022	190
E-IDC-102-009	165	E-IDS-102-048	177	E-IVM-002-024	191
E-IDC-102-010	165	E-IDS-102-049	177	E-IVM-002-025	191
E-IDC-102-011	165	E-IDS-102-050	177	E-IVM-002-026	191
E-IDC-102-012	165	E-IDS-102-051	177	E-IVM-002-027	191
E-IDC-102-013	166	E-IDS-102-052	178	E-IVM-002-028	191
E-IDC-102-014	166	E-IDS-102-053	178	E-IVM-002-029	191
E-IDC-102-015	166	E-IDS-102-054	178	E-IVM-002-036	191
E-IDC-102-016	166	E-IDS-102-055	178	E-IVM-002-037	192
E-IDC-102-017	166	E-IDS-102-056	178	E-IVM-002-038	192
E-IDC-102-018	166	E-IDS-102-057	178	E-IVM-002-042	192
E-IDC-102-019	167	E-IDS-102-058	179	E-IVM-002-043	192
E-IDC-102-020	167	E-IDS-102-059	179	E-IVM-002-044	192
E-IDC-102-021	167	E-IDS-102-060	179	E-IVM-003-006	192
E-IDC-102-022	167	E-IDS-102-061	179	E-IVM-003-011	192
E-IDC-102-023	167	E-IDS-102-062	179	E-IVM-003-012	193
E-IDC-102-024	167	E-IDS-102-063	179	E-IVM-003-013	193
E-IDC-102-025	168	E-IDS-102-064	180	E-IVM-003-014	193
E-IDC-102-026	168	E-IDS-102-065	180	E-IVM-003-019	193
E-IDC-102-027	168	E-IDS-110-001	180	E-IVM-003-020	193
E-IDC-102-028	168	E-IDS-110-002	180	E-IVM-003-021	193
E-IDC-102-029	168	E-IPC-001-001	181	E-IVM-004-003	194
E-IDC-102-030	168	E-IPC-002-001	181	E-IVM-004-005	194
E-IDS-102-001	170	E-IPC-002-002	181	E-IVM-004-006	194
E-IDS-102-002	170	E-IPC-002-003	181	E-IVM-004-007	194
E-IDS-102-003	170	E-IPC-002-004	181	E-IVM-004-014	194
E-IDS-102-004	170	E-IPC-002-005	181	E-IVM-005-001	194
E-IDS-102-005	170	E-IPC-002-006	182	E-IVM-005-002	195
E-IDS-102-006	170	E-IPC-002-007	182	E-IVM-007-001	196
E-IDS-102-007	171	E-IPC-003-001	182	E-IVM-007-002	196
E-IDS-102-008	171	E-IPC-003-002	182	E-IVM-051-001	196
E-IDS-102-009	171	E-IPC-003-003	182	E-IVM-051-002	196
E-IDS-102-010	171	E-IPC-003-004	182	E-IVM-051-003	196
E-IDS-102-011	171	E-IPC-003-005	182	E-IVM-051-004	196
E-IDS-102-012	171	E-IPC-003-006	182	E-IVM-051-005	196
E-IDS-102-013	172	E-IPC-004-001	183	E-IVM-051-006	197
E-IDS-102-015	172	E-IPC-005-001	183	E-IVM-051-007	197
E-IDS-102-016	172	E-IPC-005-002	183	E-IVM-051-008	197
E-IDS-102-017	172	E-IPC-005-003	183	E-IVM-051-009	197
E-IDS-102-018	172	E-IPC-005-004	183	E-IVM-051-010	197
E-IDS-102-019	172	E-IPC-005-005	183	E-IVM-051-011	197
E-IDS-102-020	173	E-IPC-005-006	183	E-IVM-051-013	197
E-IDS-102-021	173	E-IPC-099-001	183	E-IVM-052-001	198
E-IDS-102-022	173	E-IPC-099-002	184	E-IVM-052-002	198

E-IVM-052-003	198	E-NHT-102-046	214	E-OBJ-110-016	231
E-IVM-053-005	198	E-NHT-102-047	214	E-OBJ-110-017	232
E-IVM-053-009	198	E-NHT-102-048	214	E-OBJ-110-018	233
E-IVM-053-010	198	E-NHT-102-049	215	E-OBJ-110-021	234
E-IVM-053-011	198	E-NHT-102-050	215	E-OBX-001-001	237
E-IVM-053-012	199	E-NHT-102-051	215	E-OBX-001-002	237
E-IVM-053-013	199	E-NHT-102-052	215	E-OBX-001-003	237
E-IVM-053-014	199	E-NHT-102-053	215	E-OBX-001-004	237
E-IVM-053-015	199	E-NHT-102-054	215	E-OBX-001-005	237
E-IVM-053-016	199	E-NHT-102-055	216	E-OBX-001-006	237
E-IVM-053-017	199	E-NHT-102-056	216	E-OBX-001-007	238
E-IVM-053-018	199	E-NHT-102-057	216	E-OBX-001-008	238
E-IVM-054-001	200	E-NHT-102-058	216	E-OBX-001-009	238
E-IVM-054-002	200	E-NHT-102-059	216	E-OBX-001-010	238
E-IVM-102-002	200	E-NHT-102-060	216	E-OBX-001-011	238
E-MEM-001-001	202	E-NHT-102-061	216, 220	E-OBX-001-012	238
E-MEM-001-002	202	E-NHT-102-062	217, 220	E-OBX-001-013	238
E-MEM-001-003	202	E-NHT-102-063	217, 220	E-OBX-001-014	239
E-MEM-001-004	202	E-NHT-102-064	217, 220	E-OBX-001-015	239
E-MEM-001-005	202	E-NHT-102-065	217, 221	E-OBX-001-016	239
E-MEM-002-001	202	E-NHT-102-066	217, 221	E-OBX-001-017	239
E-MEM-002-002	203	E-NHT-102-067	217, 221	E-OBX-001-018	239
E-MEM-002-003	203	E-NHT-102-068	217, 221	E-OBX-102-004	239
E-MEM-002-004	203	E-NHT-102-069	218, 221	E-OBX-102-005	239
E-MEM-002-005	203	E-NHT-102-070	218, 221	E-OBX-102-006	240
E-MEM-002-006	203	E-NHT-102-071	218, 222	E-OBX-102-008	240
E-MEM-002-007	203	E-NHT-102-072	218, 222	E-OBX-102-009	240
E-NHT-102-001	206, 208	E-NHT-102-073	218, 222	E-OBX-102-010	240
E-NHT-102-002	206, 208	E-NHT-102-074	218, 222	E-OBX-102-011	240
E-NHT-102-003	206, 208	E-NHT-102-075	219, 222	E-OBX-102-012	240
E-NHT-102-004	206, 208	E-NHT-102-076	219, 222	E-OBX-102-013	240
E-NHT-102-005	206, 208	E-NHT-102-077	219, 223	E-OBX-102-014	241
E-NHT-102-006	207, 208	E-NHT-102-078	219, 223	E-OBX-102-016	241
E-NHT-102-007	207, 209	E-NHT-102-079	219, 223	E-OBX-102-017	241
E-NHT-102-008	207, 209	E-NHT-102-080	219, 223	E-OBX-102-018	242
E-NHT-102-009	207, 209	E-NHT-102-082	220, 223	E-OBX-102-019	242
E-NHT-102-012	207, 209	E-NHT-102-083	220	E-OBX-102-020	242
E-NHT-102-013	207	E-NHT-102-084	223	E-OBX-102-021	243
E-NHT-102-014	209	E-NHT-102-085	224	E-OBX-102-023	243
E-NHT-102-015	209	E-NHT-102-086	224	E-OBX-102-024	244
E-NHT-102-016	210	E-NHT-102-087	224	E-OBX-102-025	244
E-NHT-102-017	210	E-NHT-102-088	224	E-OBX-102-026	244
E-NHT-102-018	210	E-NHT-102-089	224	E-OBX-102-027	244
E-NHT-102-019	210	E-NHT-102-090	224	E-OBX-102-028	244
E-NHT-102-020	210	E-OAM-102-001	226	E-OBX-102-029	244
E-NHT-102-021	210	E-OAM-102-002	227	E-OBX-102-030	244
E-NHT-102-022	211	E-OAM-102-003	228	E-OBX-102-031	245
E-NHT-102-026	211	E-OAM-102-004	229	E-OBX-102-032	245
E-NHT-102-027	211	E-OBJ-102-001	229	E-OBX-102-033	245
E-NHT-102-028	211	E-OBJ-102-002	229	E-OBX-102-034	245
E-NHT-102-029	211	E-OBJ-102-003	229	E-OBX-102-035	245
E-NHT-102-030	211	E-OBJ-102-004	229	E-OBX-102-036	245
E-NHT-102-031	212	E-OBJ-102-005	229	E-OBX-102-037	245
E-NHT-102-032	212	E-OBJ-110-001	229	E-OBX-102-038	246
E-NHT-102-033	212	E-OBJ-110-002	230	E-OBX-102-039	246
E-NHT-102-034	212	E-OBJ-110-004	230	E-OBX-102-040	246
E-NHT-102-035	212	E-OBJ-110-005	230	E-OBX-102-041	246
E-NHT-102-036	212	E-OBJ-110-006	230	E-OBX-102-042	246
E-NHT-102-037	213	E-OBJ-110-007	230	E-OBX-102-043	246
E-NHT-102-038	213	E-OBJ-110-008	230	E-OBX-102-044	246
E-NHT-102-039	213	E-OBJ-110-009	230	E-OBX-102-045	247
E-NHT-102-040	213	E-OBJ-110-010	231	E-OBX-102-046	247
E-NHT-102-041	213	E-OBJ-110-011	231	E-OBX-102-047	247
E-NHT-102-042	213	E-OBJ-110-012	231	E-OBX-102-048	247
E-NHT-102-043	214	E-OBJ-110-013	231	E-OBX-102-049	247
E-NHT-102-044	214	E-OBJ-110-014	231	E-OBX-102-050	247
E-NHT-102-045	214	E-OBJ-110-015	231	E-OBX-102-051	248

E-PRX-102-051	289	E-RCO-102-035	305	E-RSE-102-005	321
E-PRX-102-052	289	E-RCO-102-036	306	E-RSE-102-006	321
E-PRX-102-053	289	E-RCO-102-038	306	E-RSE-102-007	322
E-PRX-102-054	289	E-RCO-102-039	306	E-RSE-102-008	322
E-PRX-102-055	290	E-RCO-102-040	306	E-RSE-102-009	322
E-PRX-102-056	291	E-RCO-102-041	306	E-RSE-102-010	322
E-RCL-102-001	293	E-RCO-102-042	306	E-RSE-102-011	322
E-RCL-102-002	293	E-RCO-102-043	307	E-RSE-102-012	322
E-RCL-102-003	293	E-RCO-102-044	307	E-RSE-102-013	322
E-RCL-102-004	293	E-RCO-102-045	307	E-RSE-102-014	323
E-RCL-102-005	293	E-RCO-102-046	307	E-RSE-102-015	323
E-RCL-102-006	294	E-RCO-102-047	307	E-RSE-102-016	323
E-RCL-102-007	294	E-RCO-102-048	307	E-RSE-102-017	323
E-RCL-102-008	294	E-RCO-102-049	308	E-RSE-102-018	323
E-RCL-102-009	294	E-RCO-102-050	308	E-RSE-102-019	323
E-RCL-102-010	294	E-RCO-102-051	308	E-RSE-102-020	323
E-RCL-102-011	294	E-RCO-102-052	308	E-RSE-102-021	324
E-RCL-102-012	295	E-RCO-102-053	308	E-RSE-102-022	324
E-RCL-102-014	295	E-RCO-102-054	308	E-RSE-102-023	324
E-RCL-102-015	295	E-RCO-102-055	309	E-RSE-102-024	324
E-RCL-102-016	295	E-RCO-102-056	309	E-RSE-102-025	324
E-RCL-102-017	295	E-RCO-102-057	309	E-RSE-102-026	324
E-RCL-102-018	295	E-RCO-102-059	309	E-RSE-102-027	324
E-RCL-102-019	296	E-RCO-102-060	309	E-RSE-102-028	325
E-RCL-102-020	296	E-RCO-102-061	309	E-RSE-102-029	325
E-RCL-102-021	296	E-RCO-102-062	310	E-RSE-102-030	325
E-RCL-102-022	296	E-RCO-102-063	310	E-RSE-102-031	325
E-RCL-102-024	296	E-RCO-102-064	310	E-RSE-102-032	325
E-RCL-102-025	296	E-RCO-102-065	310	E-RSE-102-033	325
E-RCL-102-026	297	E-RCO-102-066	310	E-RSE-102-034	326
E-RCL-102-027	298	E-RCO-102-067	310	E-RSE-102-035	326
E-RCL-102-028	299	E-RCO-102-068	311	E-RSE-102-036	326
E-RCL-102-059	300	E-RCO-102-069	311	E-RSE-102-037	326
E-RCO-102-001	300	E-RCO-102-070	311	E-RSE-102-038	326
E-RCO-102-002	300	E-RCO-102-071	311	E-RSE-102-039	326
E-RCO-102-003	300	E-RCO-102-072	311	E-RSE-102-040	327
E-RCO-102-004	300	E-RCO-102-073	311	E-RSE-102-041	327
E-RCO-102-005	300	E-RCO-102-074	312	E-RSE-102-042	327
E-RCO-102-006	301	E-RCO-102-075	312	E-RSE-102-043	327
E-RCO-102-007	301	E-RCO-102-076	312	E-RSE-102-044	327
E-RCO-102-008	301	E-RCO-102-077	312	E-RSE-102-045	327
E-RCO-102-009	301	E-RCO-102-078	312	E-RSE-102-046	328
E-RCO-102-010	301	E-REG-002-001	317	E-RSE-102-047	328
E-RCO-102-011	301	E-REG-002-021	317	E-RSE-102-048	328
E-RCO-102-012	302	E-REG-002-022	317	E-RSE-102-049	328
E-RCO-102-013	302	E-REG-002-023	317	E-RSE-102-050	328
E-RCO-102-014	302	E-REG-002-025	317	E-RSE-102-051	328
E-RCO-102-015	302	E-REG-002-029	318	E-RSE-102-052	329
E-RCO-102-016	302	E-REG-003-005	319	E-RSE-102-053	329
E-RCO-102-017	302	E-REG-003-006	319	E-RSE-102-054	329
E-RCO-102-018	303	E-REG-102-001	319	E-RSE-102-055	329
E-RCO-102-019	303	E-REG-102-002	319	E-RSE-102-056	329
E-RCO-102-020	303	E-REG-102-003	319	E-RSE-102-057	329
E-RCO-102-021	303	E-REG-102-004	319	E-RSE-102-058	330
E-RCO-102-022	303	E-REG-102-005	319	E-RSE-102-059	330
E-RCO-102-023	303	E-REG-102-006	320	E-RSE-102-060	330
E-RCO-102-024	304	E-REG-102-007	320	E-RSE-102-061	330
E-RCO-102-025	304	E-REG-102-008	320	E-RSE-102-062	330
E-RCO-102-026	304	E-REG-102-009	320	E-RSE-102-064	330
E-RCO-102-027	304	E-REG-102-010	320	E-RSE-102-065	331
E-RCO-102-028	304	E-REG-102-011	320	E-RSE-102-066	331
E-RCO-102-029	304	E-REG-102-012	320	E-RSE-102-067	331
E-RCO-102-030	305	E-REG-102-013	321	E-RSE-102-068	331
E-RCO-102-031	305	E-RSE-102-001	321	E-RSE-102-069	331
E-RCO-102-032	305	E-RSE-102-002	321	E-RSE-102-070	331
E-RCO-102-033	305	E-RSE-102-003	321	E-RSE-102-071	332
E-RCO-102-034	305	E-RSE-102-004	321	E-RSE-102-072	332

E-RSE-102-073 332
 E-RSE-102-074 332
 E-RSE-102-075 332
 E-RSE-102-076 332
 E-RSE-102-077 333
 E-RSE-102-078 333
 E-RSE-102-079 333
 E-RSE-102-080 333
 E-RSE-102-081 333
 E-RSE-102-082 333
 E-RSE-102-083 334
 E-RSE-102-084 334
 E-RSE-102-085 334
 E-RSE-102-086 334
 E-RSE-102-087 334
 E-RSE-102-088 334
 E-RSE-102-089 335
 E-RSE-102-090 335
 E-RSE-102-091 335
 E-RSE-102-092 335
 E-RSE-102-093 335
 E-RSE-102-094 335
 E-SEC-102-001 338
 E-SEC-102-002 338
 E-SEC-102-003 338
 E-SEC-102-004 338
 E-SEC-102-005 338
 E-SEC-102-006 338
 E-SEC-102-007 339
 E-SEC-102-008 339
 E-SEC-102-024 339
 E-SEC-102-025 339
 E-SEC-102-026 339
 E-SEC-102-027 339
 E-SEC-102-028 339
 E-SEC-102-029 340
 E-SEC-102-030 340
 E-SEC-102-031 340
 E-SEC-102-032 340
 E-SEC-102-033 340
 E-SEC-102-034 340
 E-SEC-102-035 340
 E-SEC-102-036 341
 E-SEC-102-037 341
 E-SEC-102-038 341
 E-SEC-102-040 341
 E-SEC-102-041 341
 E-SEC-102-042 341
 E-SEC-102-043 342
 E-SEC-104-009 342
 E-SEC-104-010 342
 E-SEC-104-011 342
 E-SEC-104-012 342
 E-SEC-104-017 342
 E-SEC-104-018 342
 E-SEC-104-039 343
 E-SEC-110-001 343
 E-SEC-110-002 343
 E-SEC-110-003 343
 E-SEC-110-004 343
 E-SEC-110-005 343
 E-SEC-110-006 343
 E-SEC-110-007 344
 E-SEC-110-008 344
 E-SEC-110-009 344
 E-SEC-110-010 344
 E-SEC-110-011 344

E-SEC-110-012 344
 E-SEC-110-013 344
 E-SEC-110-014 345
 E-SEC-110-015 345
 E-SEC-110-016 345
 E-SEC-110-017 345
 E-SEC-110-018 345
 E-SEC-110-019 345
 E-SEC-110-020 345
 E-SEC-110-021 346
 E-SEC-110-022 347
 E-SEC-110-023 348
 E-SEC-110-024 349
 E-SEC-110-025 350
 E-SEC-999-015 351
 E-STB-102-002 353
 E-STB-102-003 354
 E-STB-102-004 355
 E-STB-102-005 356
 E-STB-102-006 357
 E-STK-102-001 357
 E-STK-102-002 357
 E-STK-102-003 357
 E-STK-102-004 357
 E-STK-102-005 357
 E-STK-102-006 357
 E-STK-102-007 357
 E-STK-102-008 358
 E-STK-102-009 358
 E-STK-102-010 358
 E-STK-102-011 358
 E-STK-102-012 358
 E-STK-102-013 358
 E-STK-102-014 358
 E-STK-102-026 358
 E-STK-102-027 358
 E-STK-102-028 359
 E-STO-001-001 361
 E-STO-001-002 361
 E-STO-001-003 361
 E-STO-001-004 361
 E-STO-001-005 361
 E-STO-001-006 361
 E-STO-001-007 362
 E-STO-001-008 362
 E-STO-001-009 362
 E-STO-001-010 362
 E-STO-001-011 362
 E-STO-001-012 362
 E-STO-001-013 362
 E-STO-001-014 363
 E-STO-001-015 363
 E-STO-001-016 363
 E-STO-001-017 363
 E-STO-001-018 363
 E-STO-001-019 363
 E-STO-001-020 363
 E-STO-001-021 363
 E-STO-001-022 364
 E-STO-001-023 364
 E-STO-001-024 364
 E-STO-001-025 364
 E-STO-001-026 364
 E-STO-001-027 364
 E-STO-001-028 364
 E-STO-001-029 365
 E-STO-001-030 365

E-STO-001-031 365
 E-STO-001-032 365
 E-STO-001-033 365
 E-STO-001-034 365
 E-STO-001-035 365
 E-STO-001-036 365
 E-STO-001-037 366
 E-STO-001-038 366
 E-STO-001-039 366
 E-STO-001-040 366
 E-STO-001-041 366
 E-STO-001-042 366
 E-STO-001-043 366
 E-STO-001-044 367
 E-STO-001-045 367
 E-STO-001-046 367
 E-STO-001-047 367
 E-STO-001-048 367
 E-STO-001-049 367
 E-STO-001-050 367
 E-STO-001-051 368
 E-STO-001-052 368
 E-STO-001-053 368
 E-STO-001-054 368
 E-STO-001-055 368
 E-STO-001-056 368
 E-STO-001-057 368
 E-STO-001-058 369
 E-STO-001-059 369
 E-STO-001-060 369
 E-STO-001-061 369
 E-STO-001-062 369
 E-STO-001-063 369
 E-STO-001-064 369
 E-STO-102-001 370
 E-STO-102-002 370
 E-STO-102-003 370
 E-STO-102-004 370
 E-STO-102-005 370
 E-STO-102-007 370
 E-STO-102-008 370
 E-STO-102-009 371
 E-STO-102-010 371
 E-STO-102-011 371
 E-STO-102-012 371
 E-STO-102-013 371
 E-STO-102-014 371
 E-STO-102-016 372
 E-UNK-000-000 378
 education

see Tivoli technical training vii
 environment variables, notation viii

F

F-CHE-001-002 44
 F-CHE-001-003 45
 F-CHE-001-004 46
 F-DBI-002-004 59
 F-DBI-002-006 59
 F-DBI-002-007 59
 F-DBI-002-008 59
 F-DBI-002-009 59
 F-DBI-002-010 59
 F-DBI-002-011 59
 F-DBI-002-012 60
 F-DBI-002-013 60

F-DBI-002-018 60
 F-DBI-002-019 60
 F-DBI-002-020 60
 F-DBI-002-021 60
 F-DBI-002-023 60
 F-DBI-002-034 61
 F-DBI-002-035 62
 F-HTT-102-001 160
 F-HTT-102-002 160
 F-HTT-102-003 160
 F-HTT-102-004 161
 F-HTT-102-005 162
 F-HTT-102-006 163
 F-HTT-102-007 164
 F-IVM-005-001 200
 F-OBX-101-001 267
 F-OBX-101-003 267
 F-PRX-101-001 292
 F-STR-001-001 375
 F-STR-001-002 375
 F-STR-001-003 375
 F-STR-001-004 375
 F-STR-001-005 375
 F-STR-001-007 375
 F-STR-001-008 376
 F-UNK-000-000 379

H

HEMAR0001E 382
 HEMAR0002E 383
 HEMAR0003E 384
 HEMAR0004E 385
 HEMAR0005E 386
 HEMAW0000E 386
 HEMAW0001E 386
 HEMAW0002E 386
 HEMAW0003E 386
 HEMAW0004E 386
 HEMAW0005W 386
 HEMAW0006W 387
 HEMAW0007W 387
 HEMAW0008E 387
 HEMAW0009W 387
 HEMAW0010W 387
 HEMAW0011W 387
 HEMAW0012W 387
 HEMAW0013E 388
 HEMAW0014E 388
 HEMAW0015E 388
 HEMAW0016E 388
 HEMAW0017E 388
 HEMAW0018E 388
 HEMAW0019E 388
 HEMAW0020E 388
 HEMAW0021E 389
 HEMAW0022E 389
 HEMAW0023E 389
 HEMAW0024E 389
 HEMAW0025E 389
 HEMAW0026E 389
 HEMAW0027E 389
 HEMAW0028E 389
 HEMAW0029E 390
 HEMAW0030E 390
 HEMAW0031W 390
 HEMAW0032I 390

HEMAW0033E 390
 HEMAW0034E 390
 HEMAW0035E 390
 HEMAW0036E 391
 HEMAW0037W 391
 HEMAW0038E 391
 HEMAW0039E 391
 HEMAW0040W 391
 HEMAW0041E 391
 HEMAW0042I 391
 HEMAW0043W 392
 HEMAW0044E 392
 HEMAW0045W 392
 HEMAW0046E 392
 HEMAW0047E 392
 HEMAW0048E 392
 HEMAW0049E 392
 HEMAW0050E 393
 HEMAW0052E 393
 HEMAW0053E 393
 HEMAW0054E 393
 HEMAW0055E 393
 HEMAW0056W 393
 HEMAW0057W 393
 HEMAW0058E 394
 HEMAW0059W 394
 HEMAW0060E 394
 HEMAW0061W 394
 HEMAW0062E 394
 HEMAW0063W 394
 HEMAW0064W 394
 HEMAW0065W 395
 HEMAW0066E 395
 HEMAW0067W 395
 HEMAW0068E 395
 HEMAW0069E 395
 HEMAW0070E 395
 HEMAW0071E 395
 HEMAW0072E 396
 HEMAW0073E 396
 HEMAW0074E 396
 HEMAW0075E 396
 HEMAW0080E 396
 HEMAW0081E 396
 HEMAW0082E 396
 HEMAW0084E 397
 HEMAW0085E 397
 HEMAW0086E 397
 HEMAW0087E 397
 HEMAW0088E 397
 HEMAW0091E 397
 HEMAW0092E 397
 HEMAW0093E 398
 HEMAW0094E 398
 HEMAW0096E 398
 HEMAW0097E 398
 HEMAW0098E 398
 HEMAW0099I 398
 HEMAW0100I 398
 HEMAW0101W 399
 HEMAW0102E 399
 HEMAW0103E 399
 HEMAW0104E 399
 HEMAW0105E 399
 HEMAW0106I 399
 HEMAW0107E 399
 HEMAW0108E 400

HEMAW0109E 400
 HEMAW0110E 400
 HEMAW0112E 400
 HEMAW0113I 400
 HEMAW0114E 400
 HEMAW0115E 400
 HEMAW0116E 401
 HEMAW0121A 401
 HEMAW0122A 401
 HEMAW0123A 401
 HEMAW0124A 401
 HEMAW0125A 401
 HEMAW0126W 401
 HEMAW0127E 402
 HEMAW0128E 402
 HEMAW0129A 402
 HEMAW0130E 402
 HEMAW0131E 402
 HEMAW0132E 402
 HEMAW0133E 402
 HEMAW0134E 403
 HEMAW0135E 404
 HEMAW0136W 405
 HEMAW0137E 406
 HEMAW0138E 407
 HEMBT0000E 407
 HEMBT0001E 407
 HEMBT0002E 407
 HEMBT0003W 407
 HEMBT0004E 407
 HEMBT0005E 407
 HEMBT0006E 408
 HEMBT0007E 408
 HEMBT0008E 408
 HEMBT0009E 408
 HEMBT0010E 408
 HEMBT0011E 408
 HEMBT0012E 408
 HEMBT0013E 409
 HEMBT0014E 409
 HEMBT0016E 409
 HEMBT0017E 409
 HEMBT0018E 409
 HEMBT0019E 409
 HEMBT0020E 409
 HEMBT0021E 410
 HEMBT0022E 410
 HEMBT0023E 410
 HEMBT0024E 410
 HEMBT0025E 410
 HEMBT0026E 410
 HEMBT0027E 410
 HEMBT0028E 411
 HEMBT0029E 411
 HEMBT0031E 411
 HEMBT0032W 411
 HEMBT0033W 411
 HEMBT0034E 411
 HEMBT0035E 411
 HEMBT0036W 412
 HEMBT0037W 412
 HEMBT0040E 412
 HEMBT0041W 412
 HEMBT0042E 412
 HEMBT0043E 412
 HEMBT0044E 412
 HEMBT0045E 413

HEMBT0047E	413	HEMBT0118E	423	HEMBT0186A	432
HEMBT0048E	413	HEMBT0119E	423	HEMBT0187A	432
HEMBT0050E	413	HEMBT0120E	423	HEMBT0188A	432
HEMBT0051E	413	HEMBT0121E	423	HEMBT0189A	432
HEMBT0052W	413	HEMBT0122W	423	HEMBT0190A	433
HEMBT0053W	414	HEMBT0123E	423	HEMBT0191A	433
HEMBT0054E	414	HEMBT0124W	423	HEMBT0192A	433
HEMBT0055E	414	HEMBT0125E	424	HEMBT0193W	433
HEMBT0056E	414	HEMBT0126E	424	HEMBT0194A	433
HEMBT0057E	414	HEMBT0127E	424	HEMBT0195A	433
HEMBT0058E	414	HEMBT0128W	424	HEMBT0196A	434
HEMBT0059E	414	HEMBT0129E	424	HEMBT0197A	434
HEMBT0060E	415	HEMBT0130E	424	HEMBT0198A	434
HEMBT0061E	415	HEMBT0131E	424	HEMBT0199A	434
HEMBT0062W	415	HEMBT0132I	425	HEMBT0200A	434
HEMBT0063W	415	HEMBT0133I	425	HEMBT0201A	434
HEMBT0064W	415	HEMBT0134I	425	HEMBT0202A	435
HEMBT0065E	415	HEMBT0135I	425	HEMBT0203A	436
HEMBT0066E	416	HEMBT0136E	425	HEMBT0204A	437
HEMBT0067W	416	HEMBT0137W	425	HEMBT0205A	438
HEMBT0068W	416	HEMBT0138W	425	HEMBT0206A	439
HEMBT0069W	416	HEMBT0139E	426	HEMBT0207E	440
HEMBT0070W	416	HEMBT0140E	426	HEMDA0000E	440
HEMBT0071W	416	HEMBT0141E	426	HEMDA0001E	440
HEMBT0072W	416	HEMBT0142E	426	HEMDA0002E	440
HEMBT0073E	417	HEMBT0143E	426	HEMDA0003E	440
HEMBT0074E	417	HEMBT0144E	426	HEMDA0004E	440
HEMBT0075E	417	HEMBT0145E	426	HEMDA0005E	440
HEMBT0076E	417	HEMBT0146E	427	HEMDA0006E	441
HEMBT0077E	417	HEMBT0147E	427	HEMDA0007E	441
HEMBT0078E	417	HEMBT0148E	427	HEMDA0008E	441
HEMBT0079E	417	HEMBT0149E	427	HEMDA0009E	441
HEMBT0080E	418	HEMBT0150W	427	HEMDA0010E	441
HEMBT0081E	418	HEMBT0151W	427	HEMDA0011E	441
HEMBT0082E	418	HEMBT0152W	427	HEMDA0012E	441
HEMBT0083E	418	HEMBT0153W	428	HEMDA0013E	442
HEMBT0084E	418	HEMBT0154E	428	HEMDA0014E	442
HEMBT0085E	418	HEMBT0155E	428	HEMDA0015E	442
HEMBT0086E	418	HEMBT0156E	428	HEMDA0016E	442
HEMBT0087E	419	HEMBT0157E	428	HEMDA0017E	442
HEMBT0088E	419	HEMBT0158E	428	HEMDA0018E	442
HEMBT0089E	419	HEMBT0159E	428	HEMDA0019E	442
HEMBT0090E	419	HEMBT0160E	428	HEMDA0020E	443
HEMBT0091E	419	HEMBT0161E	429	HEMDA0021E	443
HEMBT0092E	419	HEMBT0162E	429	HEMDA0022E	443
HEMBT0093E	419	HEMBT0163E	429	HEMDA0023E	443
HEMBT0094E	420	HEMBT0164I	429	HEMDA0024I	443
HEMBT0096E	420	HEMBT0165I	429	HEMDA0025I	443
HEMBT0097E	420	HEMBT0166I	429	HEMDA0026I	443
HEMBT0098E	420	HEMBT0167I	429	HEMDA0027I	444
HEMBT0099E	420	HEMBT0168E	430	HEMDA0028I	444
HEMBT0100E	420	HEMBT0169E	430	HEMDA0029I	444
HEMBT0101E	420	HEMBT0170E	430	HEMDA0030I	444
HEMBT0102E	421	HEMBT0171E	430	HEMDA0031I	444
HEMBT0103E	421	HEMBT0172E	430	HEMDA0032I	444
HEMBT0104E	421	HEMBT0173E	430	HEMDA0033I	444
HEMBT0105I	421	HEMBT0174I	430	HEMDA0034I	445
HEMBT0106I	421	HEMBT0175I	431	HEMDA0035I	445
HEMBT0107I	421	HEMBT0177E	431	HEMDA0036I	445
HEMBT0108I	421	HEMBT0178E	431	HEMDA0037E	445
HEMBT0109I	422	HEMBT0179E	431	HEMDA0038E	445
HEMBT0110I	422	HEMBT0180E	431	HEMDA0039E	445
HEMBT0113E	422	HEMBT0181E	431	HEMDA0040E	445
HEMBT0114W	422	HEMBT0182E	431	HEMDA0041E	446
HEMBT0115E	422	HEMBT0183W	432	HEMDA0042E	446
HEMBT0116W	422	HEMBT0184E	432	HEMDA0043E	446
HEMBT0117E	422	HEMBT0185E	432	HEMDA0044E	446

HEMDA0045E	446	HEMDA0116I	456	HEMDA0188E	465
HEMDA0046I	446	HEMDA0117I	456	HEMDA0189E	465
HEMDA0047I	446	HEMDA0118E	456	HEMDA0192E	465
HEMDA0048I	447	HEMDA0119E	456	HEMDA0193E	466
HEMDA0049I	447	HEMDA0120E	456	HEMDA0194E	466
HEMDA0050E	447	HEMDA0121E	456	HEMDA0195E	466
HEMDA0051E	447	HEMDA0122E	456	HEMDA0196I	466
HEMDA0052E	447	HEMDA0123I	457	HEMDA0197E	466
HEMDA0053E	447	HEMDA0124I	457	HEMDA0198I	466
HEMDA0054I	447	HEMDA0125I	457	HEMDA0199I	466
HEMDA0055I	447	HEMDA0126I	457	HEMDA0200W	467
HEMDA0056I	448	HEMDA0127I	457	HEMDA0201I	467
HEMDA0057I	448	HEMDA0128I	457	HEMDA0204I	467
HEMDA0058I	448	HEMDA0129E	457	HEMDA0205I	467
HEMDA0059I	448	HEMDA0131E	458	HEMDA0206I	467
HEMDA0060I	448	HEMDA0132E	458	HEMDA0208I	467
HEMDA0061I	448	HEMDA0133E	458	HEMDA0209E	467
HEMDA0062E	448	HEMDA0134E	458	HEMDA0210E	468
HEMDA0063E	449	HEMDA0136E	458	HEMDA0211E	468
HEMDA0064E	449	HEMDA0137W	458	HEMDA0212E	468
HEMDA0065E	449	HEMDA0138W	458	HEMDA0213E	468
HEMDA0066E	449	HEMDA0139I	459	HEMDA0216E	468
HEMDA0067E	449	HEMDA0140E	459	HEMDA0217E	468
HEMDA0068E	449	HEMDA0141I	459	HEMDA0218E	468
HEMDA0070I	449	HEMDA0142E	459	HEMDA0219E	469
HEMDA0071I	450	HEMDA0143E	459	HEMDA0220E	469
HEMDA0072I	450	HEMDA0144E	459	HEMDA0221E	469
HEMDA0073I	450	HEMDA0145E	459	HEMDA0222E	469
HEMDA0074E	450	HEMDA0146E	460	HEMDA0223E	469
HEMDA0075E	450	HEMDA0147E	460	HEMDA0225E	469
HEMDA0076E	450	HEMDA0149E	460	HEMDA0227E	469
HEMDA0077E	450	HEMDA0150E	460	HEMDA0228E	470
HEMDA0078E	451	HEMDA0151I	460	HEMDA0229E	470
HEMDA0079I	451	HEMDA0152I	460	HEMDA0230E	470
HEMDA0080I	451	HEMDA0153I	460	HEMDA0231E	470
HEMDA0081I	451	HEMDA0154E	461	HEMDA0232I	470
HEMDA0082I	451	HEMDA0155E	461	HEMDA0233I	470
HEMDA0083I	451	HEMDA0156E	461	HEMDA0234I	470
HEMDA0084I	451	HEMDA0157E	461	HEMDA0235I	471
HEMDA0085E	452	HEMDA0158E	461	HEMDA0236I	471
HEMDA0086E	452	HEMDA0159E	461	HEMDA0238E	480
HEMDA0087E	452	HEMDA0160E	461	HEMDA0238I	471
HEMDA0088E	452	HEMDA0161E	462	HEMDA0239E	471, 480
HEMDA0089E	452	HEMDA0162E	462	HEMDA0240E	471, 480
HEMDA0090E	452	HEMDA0163E	462	HEMDA0241E	471, 480
HEMDA0091E	452	HEMDA0164E	462	HEMDA0242E	471
HEMDA0092E	453	HEMDA0165E	462	HEMDA0243E	472
HEMDA0093E	453	HEMDA0166I	462	HEMDA0244E	472
HEMDA0094E	453	HEMDA0167I	462	HEMDA0245E	472
HEMDA0095I	453	HEMDA0168I	463	HEMDA0246I	472
HEMDA0096I	453	HEMDA0169I	463	HEMDA0247I	472
HEMDA0097I	453	HEMDA0170I	463	HEMDA0248I	472
HEMDA0099E	453	HEMDA0171I	463	HEMDA0249E	473
HEMDA0101E	454	HEMDA0172I	463	HEMDA0250E	473
HEMDA0102E	454	HEMDA0173I	463	HEMDA0251E	473
HEMDA0103I	454	HEMDA0174E	463	HEMDA0252E	473
HEMDA0104I	454	HEMDA0175E	464	HEMDA0253E	473
HEMDA0105I	454	HEMDA0176E	464	HEMDA0254I	473
HEMDA0106I	454	HEMDA0177E	464	HEMDA0255I	474
HEMDA0107E	454	HEMDA0178E	464	HEMDA0256W	474
HEMDA0108E	455	HEMDA0179E	464	HEMDA0257I	474
HEMDA0109E	455	HEMDA0180I	464	HEMDA0258W	474
HEMDA0110E	455	HEMDA0181E	464	HEMDA0259I	474
HEMDA0111E	455	HEMDA0182I	465	HEMDA0260I	475
HEMDA0113E	455	HEMDA0184E	465	HEMDA0261I	475
HEMDA0114I	455	HEMDA0185E	465	HEMDA0262I	475
HEMDA0115I	455	HEMDA0187I	465	HEMDA0263E	475

HEMDA0264E	475	HEMDP0051E	488	HEMDP0131E	499
HEMDA0265E	476	HEMDP0052E	488	HEMDP0135E	499
HEMDA0266E	476	HEMDP0053E	488	HEMDP0136E	499
HEMDA0267E	476	HEMDP0058E	488	HEMDP0137E	499
HEMDA0268E	476	HEMDP0059E	488	HEMDP0138E	499
HEMDA0269E	476	HEMDP0060E	489	HEMDP0139E	500
HEMDA0270W	476	HEMDP0061E	489	HEMDP0140E	500
HEMDA0271I	477	HEMDP0062E	489	HEMDP0141E	500
HEMDA0272E	477	HEMDP0063E	489	HEMDP0142E	500
HEMDA0273E	477	HEMDP0064E	489	HEMDP0143E	500
HEMDA0274E	477	HEMDP0066E	489	HEMDP0144E	500
HEMDA0275E	477	HEMDP0067E	490	HEMDP0145E	501
HEMDA0276E	477	HEMDP0068W	490	HEMDP0146E	501
HEMDA0277E	477	HEMDP0069I	490	HEMDP0147E	501
HEMDA0278E	478	HEMDP0070I	490	HEMDP0148E	501
HEMDA0279E	478	HEMDP0071W	490	HEMDP0149E	501
HEMDA0280E	478	HEMDP0072W	490	HEMDP0150E	501
HEMDA0281E	478	HEMDP0073I	491	HEMDP0151E	502
HEMDA0282E	478	HEMDP0074I	491	HEMDP0152E	502
HEMDA0283E	478	HEMDP0075I	491	HEMDP0153E	502
HEMDA0284E	478	HEMDP0076I	491	HEMDP0154E	502
HEMDA0285E	479	HEMDP0077I	491	HEMDP0155E	502
HEMDA0286W	480	HEMDP0078I	491	HEMDP0156E	502
HEMDP0001E	480	HEMDP0079A	491	HEMDP0157W	503
HEMDP0003I	481	HEMDP0079E	492	HEMDP0159W	503
HEMDP0004E	481	HEMDP0080A	492	HEMDP0160E	503
HEMDP0005E	481	HEMDP0081A	492	HEMDP0161W	503
HEMDP0006E	481	HEMDP0082A	492	HEMDP0162W	503
HEMDP0007I	481	HEMDP0083A	492	HEMDP0163W	503
HEMDP0008I	481	HEMDP0084A	492	HEMDP0164E	504
HEMDP0009I	482	HEMDP0090E	493	HEMDP0165E	504
HEMDP0010I	482	HEMDP0091E	493	HEMDP0166E	504
HEMDP0011E	482	HEMDP0092E	493	HEMDP0167W	504
HEMDP0012E	482	HEMDP0093I	493	HEMDP0169E	504
HEMDP0013E	482	HEMDP0094I	493	HEMDP0170W	504
HEMDP0014E	482	HEMDP0095I	493	HEMDP0171W	505
HEMDP0015E	483	HEMDP0096I	494	HEMDP0172W	505
HEMDP0016E	483	HEMDP0097E	494	HEMDP0173W	505
HEMDP0017E	483	HEMDP0098E	494	HEMDP0174W	505
HEMDP0018E	483	HEMDP0099E	494	HEMDP0175W	505
HEMDP0019E	483	HEMDP0100E	494	HEMDP0176W	505
HEMDP0020E	483	HEMDP0101E	494	HEMDP0177W	506
HEMDP0021E	484	HEMDP0102E	495	HEMDP0180A	506
HEMDP0022E	484	HEMDP0103A	495	HEMDP0181W	506
HEMDP0023E	484	HEMDP0104A	495	HEMDP0182W	506
HEMDP0024I	484	HEMDP0105W	495	HEMDP0183W	506
HEMDP0025E	484	HEMDP0106E	495	HEMDP0184W	506
HEMDP0026E	484	HEMDP0107E	495	HEMDP0185W	507
HEMDP0027E	485	HEMDP0108E	496	HEMDP0186A	507
HEMDP0028E	485	HEMDP0109E	496	HEMDP0187A	507
HEMDP0029E	485	HEMDP0110E	496	HEMDP0190E	507
HEMDP0030E	485	HEMDP0111E	496	HEMDP0191W	507
HEMDP0032E	485	HEMDP0112E	496	HEMDP0192W	507
HEMDP0035E	485	HEMDP0113E	496	HEMDP0193W	508
HEMDP0036E	486	HEMDP0115E	497	HEMDP0194W	508
HEMDP0037E	486	HEMDP0116E	497	HEMDP0195E	508
HEMDP0038I	486	HEMDP0117E	497	HEMDP0196W	508
HEMDP0039E	486	HEMDP0118E	497	HEMDP0200E	508
HEMDP0040E	486	HEMDP0119E	497	HEMDP0201E	508
HEMDP0042E	486	HEMDP0120E	497	HEMDP0202E	509
HEMDP0043E	487	HEMDP0121E	498	HEMDP0210E	509
HEMDP0044E	487	HEMDP0122I	498	HEMDP0211E	509
HEMDP0046I	487	HEMDP0123I	498	HEMDP0212E	509
HEMDP0047E	487	HEMDP0124E	498	HEMDP0213E	509
HEMDP0048E	487	HEMDP0125E	498	HEMDP0214E	509
HEMDP0049E	487	HEMDP0126W	498	HEMDP0215E	510
HEMDP0050E	488	HEMDP0130E	499	HEMDP0216E	510

HEMDP0217W	510	HEMEA0066E	524	HEMEE0026W	537
HEMDP0218W	510	HEMEA0067I	524	HEMEE0027W	537
HEMDP0220E	510	HEMEA0068I	524	HEMEE0028E	537
HEMDP0221E	510	HEMEA0069I	525	HEMEE0029E	538
HEMDP0222W	511	HEMEA0070W	525	HEMEE0030E	538
HEMDP0223E	511	HEMEA0071E	525	HEMEE0031E	538
HEMDP0224E	511	HEMEA0072E	525	HEMEE0032E	538
HEMDP0225E	511	HEMEA0073W	525	HEMEE0033E	538
HEMDP0226E	511	HEMEA0080E	525	HEMEE0034E	538
HEMDP0227E	511	HEMEA0090A	525	HEMEE0035E	538
HEMDP0228E	512	HEMEA0091A	526	HEMEE0036W	539
HEMDP0229E	512	HEMEA0092A	527	HEMEE0037W	539
HEMDP0230E	512	HEMEA0093A	528	HEMEE0038W	539
HEMDP0231W	512	HEMEA0094A	529	HEMEE0040E	539
HEMDP0232E	512	HEMEA0095A	530	HEMEE0041E	539
HEMDP0233W	512	HEMEC0000E	530	HEMEE0042E	539
HEMDP0234E	513	HEMEC0001E	530	HEMEE0043I	539
HEMDP0235E	514	HEMEC0003E	530	HEMEE0044W	540
HEMDP0236W	515	HEMEC0004I	530	HEMEE0045W	540
HEMDP0237W	516	HEMEC0005I	530	HEMEE0046E	540
HEMDP0242E	517	HEMEC0006I	530	HEMEE0047W	540
HEMDP0243E	518	HEMEC0007E	531	HEMEE0048I	540
HEMEA0000E	518	HEMEC0008E	531	HEMEE0049E	540
HEMEA0001E	518	HEMEC0009E	531	HEMEE0050I	540
HEMEA0002E	518	HEMEC0010I	531	HEMEE0051I	541
HEMEA0003I	518	HEMEC0011E	531	HEMEE0052I	541
HEMEA0004E	518	HEMEC0012I	531	HEMEE0053I	541
HEMEA0005I	518	HEMEC0013E	531	HEMEE0054I	541
HEMEA0007I	519	HEMEC0014I	532	HEMEE0055E	541
HEMEA0008E	519	HEMEC0015E	532	HEMEE0056I	541
HEMEA0009E	519	HEMEC0016I	532	HEMEE0057I	541
HEMEA0010I	519	HEMEC0019E	532	HEMEE0058W	541
HEMEA0013I	519	HEMEC0020E	532	HEMEE0059E	542
HEMEA0014I	519	HEMEC0021E	532	HEMEE0060I	542
HEMEA0015I	519	HEMEC0022E	532	HEMEE0061E	542
HEMEA0016E	520	HEMEC0023E	533	HEMEE0062E	542
HEMEA0017E	520	HEMEC0024E	533	HEMEE0063E	542
HEMEA0018I	520	HEMEC0025E	533	HEMEE0064E	542
HEMEA0020I	520	HEMEC0026E	533	HEMEE0065E	542
HEMEA0021I	520	HEMEC0027E	533	HEMEE0066E	543
HEMEA0022E	520	HEMEC0028E	533	HEMEE0067W	543
HEMEA0023E	520	HEMEC0029E	533	HEMEE0068E	543
HEMEA0025I	521	HEMEC0030E	533	HEMEE0069I	543
HEMEA0026W	521	HEMEC0031E	534	HEMEE0070I	543
HEMEA0027E	521	HEMEC0032E	534	HEMEE0071E	543
HEMEA0029E	521	HEMEC0033E	534	HEMEE0072E	543
HEMEA0030E	521	HEMEC0034I	534	HEMEE0073E	544
HEMEA0033E	521	HEMEC0035W	534	HEMEE0074E	544
HEMEA0034W	521	HEMEC0036E	534	HEMEE0075E	544
HEMEA0035W	522	HEMEC0037E	535	HEMEE0076E	544
HEMEA0036I	522	HEMEE0000E	535	HEMEE0077E	544
HEMEA0043E	522	HEMEE0001E	535	HEMEE0078E	544
HEMEA0044E	522	HEMEE0005E	535	HEMEE0080E	544
HEMEA0045E	522	HEMEE0006E	535	HEMEE0081E	544
HEMEA0046E	522	HEMEE0007E	535	HEMEE0082E	545
HEMEA0047E	522	HEMEE0008E	535	HEMEE0083E	546
HEMEA0048E	523	HEMEE0009E	536	HEMEE0084E	547
HEMEA0049E	523	HEMEE0010E	536	HEMEE0085W	548
HEMEA0050E	523	HEMEE0017E	536	HEMEE0086E	549
HEMEA0051E	523	HEMEE0018E	536	HEMEH0001E	549
HEMEA0052E	523	HEMEE0019E	536	HEMEH0002E	549
HEMEA0053E	523	HEMEE0020E	536	HEMEH0003E	549
HEMEA0054E	523	HEMEE0021E	536	HEMEH0004E	549
HEMEA0055E	524	HEMEE0022I	537	HEMEH0005A	549
HEMEA0058E	524	HEMEE0023I	537	HEMEH0006A	549
HEMEA0062W	524	HEMEE0024E	537	HEMEH0007E	550
HEMEA0065E	524	HEMEE0025W	537	HEMEH0008W	551

HEMEH0009E	552	HEMEP0002E	578	HEMEU0023E	594
HEMEH0010E	553	HEMEP0003E	579	HEMEU0024E	594
HEMEH0011E	554	HEMEP0004W	580	HEMEU0027E	594
HEMEH0012E	555	HEMEP0005W	581	HEMEU0028E	594
HEMEM0000E	555	HEMER0001I	582	HEMEU0029E	595
HEMEM0001W	555	HEMER0002I	583	HEMEU0030E	595
HEMEM0002E	555	HEMES0000E	583	HEMEU0031E	595
HEMEM0003W	555	HEMES0001E	583	HEMEU0032E	595
HEMEM0005E	555	HEMES0002I	583	HEMEU0033E	595
HEMEM0006E	555	HEMES0003W	583	HEMEU0039E	595
HEMEM0007E	556	HEMES0004E	583	HEMEU0041I	595
HEMEM0008E	556	HEMES0005E	583	HEMEU0042E	595
HEMEM0009E	556	HEMES0006E	584	HEMEU0043E	596
HEMEM0010E	556	HEMES0007E	584	HEMEU0044E	596
HEMEM0011E	556	HEMES0008E	584	HEMEU0045E	596
HEMEM0012W	556	HEMES0009E	584	HEMEU0046E	596
HEMEM0013W	557	HEMES0010E	584	HEMEU0047W	596
HEMEM0014W	557	HEMES0011E	584	HEMEU0048W	596
HEMEM0015W	557	HEMES0012E	584	HEMEU0049E	596
HEMEM0016E	557	HEMES0013E	585	HEMEU0050W	597
HEMEM0017E	557	HEMES0014E	585	HEMEU0051A	598
HEMEM0018E	557	HEMES0015E	585	HEMEU0052A	599
HEMEM0019E	558	HEMES0016E	585	HEMFV0000E	599
HEMEM0020E	558	HEMES0017E	585	HEMFV0001E	599
HEMEM0021E	558	HEMES0018E	585	HEMFV0002E	599
HEMEM0022E	558	HEMES0019I	585	HEMFV0003E	599
HEMEM0023E	558	HEMES0020E	586	HEMFV0004E	599
HEMEM0024E	558	HEMES0021E	586	HEMFV0005W	599
HEMEM0025E	558	HEMES0022E	586	HEMFV0007E	600
HEMEM0026E	559	HEMES0023E	586	HEMFV0009E	600
HEMEM0027E	559	HEMES0024W	586	HEMFV0012E	600
HEMEM0028E	559	HEMES0025W	586	HEMFV0013E	600
HEMEM0029E	559	HEMES0048I	586	HEMFV0014I	600
HEMEM0030A	559	HEMES0050E	587	HEMFV0015I	600
HEMEM0031A	559	HEMES0051E	587	HEMFV0016E	600
HEMEM0032A	559	HEMES0052E	587	HEMFV0017E	601
HEMEM0033E	560	HEMES0053E	587	HEMFV0018I	601
HEMEN0000E	561	HEMES0054E	587	HEMFV0019E	601
HEMEN0001E	562	HEMES0055E	587	HEMFV0020I	601
HEMEN0002E	563	HEMES0056E	587	HEMFV0021I	601
HEMEN0003E	564	HEMES0057E	588	HEMFV0022E	601
HEMEN0004E	565	HEMES0058E	588	HEMFV0023E	601
HEMEN0005E	566	HEMES0059E	588	HEMFV0024E	602
HEMEO0000E	566	HEMES0060E	588	HEMFV0025E	602
HEMEO0001E	566	HEMES0061E	588	HEMFV0026E	602
HEMEO0002E	566	HEMES0062E	588	HEMFV0027W	602
HEMEO0003E	566	HEMES0063E	588	HEMFV0028E	602
HEMEO0004E	566	HEMES0064I	589	HEMFV0029E	602
HEMEO0005E	566	HEMES0065E	590	HEMFV0030I	602
HEMEO0006E	567	HEMES0070E	591	HEMFV0031W	603
HEMEO0007E	567	HEMES0071E	592	HEMFV0032W	603
HEMEO0008E	567	HEMEU0000I	592	HEMFV0033W	603
HEMEO0009E	567	HEMEU0001I	592	HEMFV0034W	603
HEMEO0010E	567	HEMEU0002W	592	HEMFV0035E	603
HEMEO0011E	567	HEMEU0003E	592	HEMFV0036I	603
HEMEO0012E	567	HEMEU0004E	592	HEMFV0037E	603
HEMEO0013E	567	HEMEU0005E	592	HEMFV0038E	604
HEMEO0014E	568	HEMEU0006E	593	HEMFV0039W	604
HEMEO0015E	569	HEMEU0007E	593	HEMFV0040I	604
HEMEO0016E	570	HEMEU0008E	593	HEMFV0041E	604
HEMEO0017E	571	HEMEU0012E	593	HEMFV0044E	604
HEMEO0018E	572	HEMEU0017E	593	HEMFV0046E	604
HEMEO0019E	573	HEMEU0018E	593	HEMFV0047E	604
HEMEO0020E	574	HEMEU0019E	593	HEMFV0050W	605
HEMEO0021E	575	HEMEU0020I	594	HEMFV0051E	605
HEMEP0000E	576	HEMEU0021I	594	HEMFV0052E	605
HEMEP0001E	577	HEMEU0022W	594	HEMFV0053E	605

HEMFV0054I	605	HEMFV0166E	615	HEMHA0014E	630
HEMFV0055E	605	HEMFV0167E	615	HEMHA0015E	630
HEMFV0060E	605	HEMFV0168E	615	HEMHA0016W	630
HEMFV0062E	606	HEMFV0169E	615	HEMHA0017E	630
HEMFV0063I	606	HEMFV0170E	615	HEMHA0018E	631
HEMFV0065I	606	HEMFV0171A	615	HEMHA0019E	631
HEMFV0071E	606	HEMFV0172A	616	HEMHA0020E	631
HEMFV0075E	606	HEMFV0173A	616	HEMHA0021E	631
HEMFV0081E	606	HEMFV0174A	616	HEMHA0022E	631
HEMFV0083E	606	HEMFV0175A	616	HEMHA0023E	631
HEMFV0084E	607	HEMFV0176A	616	HEMHA0024E	632
HEMFV0085E	607	HEMFV0177A	616	HEMHA0025E	633
HEMFV0086E	607	HEMFV0178A	616	HEMHA0026E	634
HEMFV0087E	607	HEMFV0179A	617	HEMHA0027E	635
HEMFV0092E	607	HEMFV0180A	617	HEMHA0030A	636
HEMFV0095E	607	HEMFV0181A	617	HEMHA0031A	637
HEMFV0099E	607	HEMFV0182A	617	HEMHA0032A	638
HEMFV0100E	608	HEMFV0183A	617	HEMHB0000E	638
HEMFV0101E	608	HEMFV0184A	617	HEMHB0001E	638
HEMFV0102E	608	HEMFV0185A	617	HEMHB0001W	638
HEMFV0103E	608	HEMFV0186A	618	HEMHB0003E	638
HEMFV0104E	608	HEMFV0187A	618	HEMHB0004E	638
HEMFV0105E	608	HEMFV0188A	618	HEMHB0005E	638
HEMFV0106E	608	HEMFV0189A	618	HEMHB0006E	639
HEMFV0108E	609	HEMFV0190A	618	HEMHB0007E	639
HEMFV0109W	609	HEMFV0191A	618	HEMHB0008E	639
HEMFV0111E	609	HEMFV0192A	618	HEMHB0009E	639
HEMFV0113W	609	HEMFV0193A	619	HEMHB0010E	639
HEMFV0114W	609	HEMFV0194A	619	HEMHB0011E	639
HEMFV0115W	609	HEMFV0195A	619	HEMHB0012E	639
HEMFV0117E	610	HEMFV0196A	619	HEMHB0013E	639
HEMFV0119E	610	HEMFV0197A	619	HEMHB0014E	640
HEMFV0120E	610	HEMFV0198A	619	HEMHB0015E	641
HEMFV0121E	610	HEMFV0199A	619	HEMHB0016E	642
HEMFV0122E	610	HEMFV0200A	620	HEMHB0017E	643
HEMFV0123E	610	HEMFV0201A	620	HEMIM0000E	643
HEMFV0124E	610	HEMFV0202A	620	HEMIM0001I	643
HEMFV0125E	611	HEMFV0203A	620	HEMIM0002W	643
HEMFV0126E	611	HEMFV0204A	620	HEMIM0003I	643
HEMFV0127E	611	HEMFV0205A	620	HEMIM0004E	643
HEMFV0128E	611	HEMFV0206A	620	HEMIM0005E	643
HEMFV0129E	611	HEMFV0207E	621	HEMIM0006E	644
HEMFV0130E	611	HEMFV0208A	621	HEMIM0007I	644
HEMFV0131E	611	HEMFV0208E	621	HEMIM0008W	644
HEMFV0134I	611	HEMFV0209A	621	HEMIM0009W	644
HEMFV0136E	612	HEMFV0210A	621	HEMIM0010E	644
HEMFV0138E	612	HEMFV0211A	621	HEMIM0011E	644
HEMFV0141E	612	HEMFV0212A	622	HEMIM0012E	644
HEMFV0143E	612	HEMFV0213A	623	HEMIM0013E	644
HEMFV0144E	612	HEMFV0214I	624	HEMIM0014E	645
HEMFV0145E	612	HEMFV0215E	625	HEMIM0015E	645
HEMFV0149I	612	HEMFV0216E	626	HEMIM0016E	645
HEMFV0150E	613	HEMFV0217E	627	HEMIM0017E	645
HEMFV0151E	613	HEMFV0218E	628	HEMIM0018E	645
HEMFV0152E	613	HEMHA0001E	628	HEMIM0019E	645
HEMFV0153E	613	HEMHA0002I	628	HEMIM0020E	645
HEMFV0155E	613	HEMHA0003E	628	HEMIM0021E	645
HEMFV0156E	613	HEMHA0004E	628	HEMIM0022E	646
HEMFV0157E	613	HEMHA0005E	628	HEMIM0023E	646
HEMFV0158E	614	HEMHA0006E	629	HEMIM0024I	646
HEMFV0159E	614	HEMHA0007E	629	HEMIM0025E	646
HEMFV0160E	614	HEMHA0008E	629	HEMIM0026W	646
HEMFV0161E	614	HEMHA0009W	629	HEMIM0027E	646
HEMFV0162E	614	HEMHA0010W	629	HEMIM0028E	646
HEMFV0163E	614	HEMHA0011W	629	HEMIM0029E	646
HEMFV0164E	614	HEMHA0012W	630	HEMIM0030E	647
HEMFV0165E	615	HEMHA0013W	630	HEMIM0031I	647

HEMIM0032W	647	HEMJS0009I	664	HEMJS0078W	673
HEMIM0033W	647	HEMJS0010E	664	HEMJS0079I	673
HEMIM0034E	647	HEMJS0011E	664	HEMJS0080E	673
HEMIM0035I	647	HEMJS0012E	664	HEMJS0081E	673
HEMIM0036E	647	HEMJS0013E	665	HEMJS0082E	673
HEMIM0037E	648	HEMJS0014E	665	HEMJS0083E	674
HEMIM0038E	648	HEMJS0015E	665	HEMJS0084E	674
HEMIM0039I	648	HEMJS0016E	665	HEMJS0085E	674
HEMIM0040W	648	HEMJS0017E	665	HEMJS0086E	674
HEMIM0041E	648	HEMJS0018E	665	HEMJS0088E	674
HEMIM0042E	648	HEMJS0019W	665	HEMJS0089E	674
HEMIM0044E	648	HEMJS0021E	666	HEMJS0090E	674
HEMIM0045E	648	HEMJS0022E	666	HEMJS0091E	674
HEMIM0046E	649	HEMJS0023E	666	HEMJS0092E	675
HEMIM0047E	649	HEMJS0024E	666	HEMJS0093E	675
HEMIM0048E	649	HEMJS0025E	666	HEMJS0094E	675
HEMIM0049E	649	HEMJS0027E	666	HEMJS0095W	675
HEMIM0050E	649	HEMJS0028E	666	HEMJS0096E	675
HEMIM0051E	649	HEMJS0029E	666	HEMJS0097E	675
HEMIM0052A	649	HEMJS0030E	667	HEMJS0098E	675
HEMIM0053A	650	HEMJS0031E	667	HEMJS0099I	675
HEMIM0054A	650	HEMJS0032E	667	HEMJS0100E	676
HEMIM0055A	650	HEMJS0033E	667	HEMJS0101E	676
HEMIM0056A	650	HEMJS0034E	667	HEMJS0102E	676
HEMIM0057A	650	HEMJS0035E	667	HEMJS0103E	676
HEMIM0058A	650	HEMJS0036E	667	HEMJS0104E	676
HEMIM0059A	651	HEMJS0037E	668	HEMJS0106E	676
HEMIM0060A	651	HEMJS0038E	668	HEMJS0107W	676
HEMIM0061A	651	HEMJS0039E	668	HEMJS0108E	677
HEMIM0062A	651	HEMJS0040W	668	HEMJS0109E	677
HEMIM0063A	651	HEMJS0041I	668	HEMJS0110I	677
HEMIM0064A	651	HEMJS0042E	668	HEMJS0111I	677
HEMIM0065A	652	HEMJS0043E	668	HEMJS0112W	677
HEMIM0066A	653	HEMJS0044E	668	HEMJS0113E	677
HEMIM0067A	654	HEMJS0045E	669	HEMJS0114E	677
HEMIM0068A	655	HEMJS0046E	669	HEMJS0115E	678
HEMIM0069A	656	HEMJS0047E	669	HEMJS0116E	678
HEMIP0000W	656	HEMJS0048E	669	HEMJS0117E	678
HEMIP0001E	657	HEMJS0049E	669	HEMJS0118E	678
HEMIP0002E	657	HEMJS0050E	669	HEMJS0119E	678
HEMIP0003E	657	HEMJS0051E	669	HEMJS0122E	678
HEMIP0004E	657	HEMJS0052E	669	HEMJS0123E	678
HEMIP0005E	657	HEMJS0053I	670	HEMJS0124E	678
HEMIP0006E	657	HEMJS0054W	670	HEMJS0125E	679
HEMIP0007E	657	HEMJS0055W	670	HEMJS0126E	679
HEMIP0008E	657	HEMJS0056I	670	HEMJS0127E	679
HEMIP0010E	658	HEMJS0057W	670	HEMJS0128E	679
HEMIP0011E	658	HEMJS0058I	670	HEMJS0129E	679
HEMIP0012E	658	HEMJS0059E	670	HEMJS0130E	679
HEMIP0013E	658	HEMJS0060E	670	HEMJS0131E	679
HEMIP0014E	658	HEMJS0061E	671	HEMJS0132E	680
HEMIP0015E	658	HEMJS0062E	671	HEMJS0133E	680
HEMIP0016E	658	HEMJS0063E	671	HEMJS0134E	680
HEMIP0017A	659	HEMJS0064I	671	HEMJS0136E	680
HEMIP0018E	660	HEMJS0065E	671	HEMJS0137E	680
HEMIP0019E	661	HEMJS0066E	671	HEMJS0138E	680
HEMIP0020E	662	HEMJS0067E	671	HEMJS0139E	680
HEMIP0021E	663	HEMJS0068E	672	HEMJS0140E	680
HEMJS0000E	663	HEMJS0069E	672	HEMJS0141E	681
HEMJS0001E	663	HEMJS0070E	672	HEMJS0142E	681
HEMJS0002E	663	HEMJS0071E	672	HEMJS0144I	681
HEMJS0003E	663	HEMJS0072I	672	HEMJS0145I	681
HEMJS0004E	663	HEMJS0073E	672	HEMJS0147E	681
HEMJS0005E	663	HEMJS0074E	672	HEMJS0148E	681
HEMJS0006E	664	HEMJS0075E	672	HEMJS0149E	681
HEMJS0007E	664	HEMJS0076E	673	HEMJS0150E	682
HEMJS0008E	664	HEMJS0077W	673	HEMJS0151E	682

HEMJS0152E	682	HEMJS0228E	691	HEMJS0297E	700
HEMJS0154E	682	HEMJS0229E	691	HEMJS0298E	700
HEMJS0156E	682	HEMJS0230E	691	HEMJS0300E	700
HEMJS0157E	682	HEMJS0231E	691	HEMJS0301I	701
HEMJS0158W	682	HEMJS0232E	691	HEMJS0302I	701
HEMJS0159E	683	HEMJS0233E	692	HEMJS0303C	701
HEMJS0160E	683	HEMJS0234E	692	HEMJS0304I	701
HEMJS0165E	683	HEMJS0235E	692	HEMJS0305C	701
HEMJS0166E	683	HEMJS0236E	692	HEMJS0306C	701
HEMJS0167E	683	HEMJS0237E	692	HEMJS0307I	701
HEMJS0168E	683	HEMJS0238E	692	HEMJS0308C	701
HEMJS0169E	683	HEMJS0239E	692	HEMJS0309C	702
HEMJS0170E	684	HEMJS0240E	692	HEMJS0310C	702
HEMJS0171E	684	HEMJS0241E	693	HEMJS0311C	702
HEMJS0173E	684	HEMJS0242E	693	HEMJS0312C	702
HEMJS0175E	684	HEMJS0243E	693	HEMJS0313C	702
HEMJS0176E	684	HEMJS0244E	693	HEMJS0314I	702
HEMJS0177I	684	HEMJS0245W	693	HEMJS0315I	702
HEMJS0178E	684	HEMJS0246E	693	HEMJS0316I	702
HEMJS0179E	684	HEMJS0247I	693	HEMJS0317C	703
HEMJS0180E	685	HEMJS0248C	694	HEMJS0318C	703
HEMJS0181E	685	HEMJS0249C	694	HEMJS0319I	703
HEMJS0182E	685	HEMJS0250E	694	HEMJS0320E	703
HEMJS0183E	685	HEMJS0251E	694	HEMJS0321E	703
HEMJS0184E	685	HEMJS0252E	694	HEMJS0322E	703
HEMJS0185E	685	HEMJS0253E	694	HEMJS0323E	703
HEMJS0186W	685	HEMJS0254E	694	HEMJS0400E	704
HEMJS0187E	686	HEMJS0255E	695	HEMJS0401E	704
HEMJS0188E	686	HEMJS0256E	695	HEMJS0402W	704
HEMJS0189E	686	HEMJS0257E	695	HEMJS0403E	704
HEMJS0190E	686	HEMJS0258E	695	HEMJS0404E	704
HEMJS0191E	686	HEMJS0259I	695	HEMJS0405I	704
HEMJS0192E	686	HEMJS0260W	695	HEMJS0406I	704
HEMJS0193I	686	HEMJS0261E	695	HEMJS0407C	704
HEMJS0194E	686	HEMJS0262E	696	HEMJS0408I	705
HEMJS0195E	687	HEMJS0263E	696	HEMJS0409C	705
HEMJS0196W	687	HEMJS0264E	696	HEMJS0410C	705
HEMJS0197E	687	HEMJS0265E	696	HEMJS0411I	705
HEMJS0198E	687	HEMJS0266E	696	HEMJS0412C	705
HEMJS0199E	687	HEMJS0268W	696	HEMJS0413C	705
HEMJS0200E	687	HEMJS0269I	696	HEMJS0414C	705
HEMJS0201E	687	HEMJS0270W	696	HEMJS0415C	705
HEMJS0202E	687	HEMJS0271E	697	HEMJS0416C	706
HEMJS0203E	688	HEMJS0272E	697	HEMJS0417C	706
HEMJS0204E	688	HEMJS0274E	697	HEMJS0418I	706
HEMJS0205E	688	HEMJS0275E	697	HEMJS0419I	706
HEMJS0206E	688	HEMJS0276E	697	HEMJS0420I	706
HEMJS0207E	688	HEMJS0277I	697	HEMJS0421C	706
HEMJS0208E	688	HEMJS0278I	697	HEMJS0422C	706
HEMJS0209E	688	HEMJS0279W	697	HEMJS0423E	706
HEMJS0210E	689	HEMJS0280E	698	HEMJS0424E	707
HEMJS0211E	689	HEMJS0281E	698	HEMJS0425E	707
HEMJS0212E	689	HEMJS0282W	698	HEMJS0426E	707
HEMJS0213E	689	HEMJS0283E	698	HEMJS0427E	707
HEMJS0214E	689	HEMJS0284E	698	HEMJS0428E	707
HEMJS0216E	689	HEMJS0285E	698	HEMJS0429E	707
HEMJS0217E	689	HEMJS0286W	699	HEMJS0430E	707
HEMJS0218E	690	HEMJS0287W	699	HEMJS0431E	708
HEMJS0219E	690	HEMJS0288E	699	HEMJS0432E	708
HEMJS0220E	690	HEMJS0288W	699	HEMJS0433E	708
HEMJS0221E	690	HEMJS0289I	699	HEMJS0434E	708
HEMJS0222E	690	HEMJS0289W	699	HEMJS0435E	708
HEMJS0223E	690	HEMJS0290E	700	HEMJS0436E	708
HEMJS0224E	690	HEMJS0291E	700	HEMJS0437E	708
HEMJS0225E	691	HEMJS0292E	700	HEMJS0438E	709
HEMJS0226E	691	HEMJS0294E	700	HEMJS0439E	709
HEMJS0227E	691	HEMJS0295E	700	HEMJS0440E	709

HEMJS0441E 709
 HEMJS0442E 709
 HEMJS0443E 709
 HEMJS0444E 709
 HEMJS0445E 710
 HEMJS0446E 710
 HEMJS0447E 710
 HEMJS0448A 710
 HEMJS0448E 710
 HEMJS0449A 710
 HEMJS0450A 710
 HEMJS0451E 711
 HEMJS0452E 711
 HEMJS0453A 711
 HEMJS0454A 711
 HEMJS0455A 711
 HEMJS0456A 711
 HEMJS0457A 712
 HEMJS0458A 712
 HEMJS0459E 712
 HEMJS0460C 712
 HEMJS0461W 712
 HEMJS0462A 712
 HEMJS0463W 712
 HEMJS0464W 713
 HEMUP0003E 713
 HEMUP0004E 713
 HEMUP0005E 713
 HEMUP0006E 713
 HEMUP0007I 713
 HEMUP0008I 713
 HEMUP0009E 714
 HEMUP0011I 714
 HEMUP0012W 714
 HEMUP0021E 714
 HEMUP0022E 714
 HEMUP0023E 714
 HEMUP0024E 714
 HEMUP0025E 715
 HEMUP0026E 715
 HEMUP0027E 715
 HEMUP0028E 715
 HEMUP0032E 715
 HEMUP0033E 715
 HEMUP0034E 715
 HEMUP0035E 716
 HEMUP0036E 716
 HEMUP0037E 716
 HEMUP0038E 716
 HEMUP0039E 716
 HEMUP0040E 716
 HEMUP0041E 716
 HEMUP0042E 716
 HEMUP0043E 717
 HEMUP0044E 717
 HEMUP0045E 717
 HEMUP0046E 717
 HEMUP0047E 717
 HEMUP0048E 717
 HEMUP0049E 717
 HEMUP0050E 717
 HEMUP0051E 718
 HEMUP0052E 718
 HEMUP0053E 718
 HEMUP0054E 718
 HEMUP0055E 718
 HEMUP0056E 718

HEMUP0059E 719
 HEMUP0060E 719
 HEMUP0061E 719
 HEMUP0062E 719
 HEMUP0063E 719
 HEMUP0064E 719
 HEMUP0065E 719
 HEMUP0066E 719
 HEMUP0067E 720
 HEMUP0068E 720
 HEMUP0069W 720
 HEMUP0070W 720
 HEMUP0071E 720

O

operating system directory
 arch viii

S

support information vii

T

Tivoli technical training vii
 training, Tivoli technical vii
 typeface conventions viii

V

variables, notation for viii

W

W-ALD-103-001 6
 W-ALD-103-002 6
 W-ALD-103-003 6
 W-AUT-004-001 18
 W-AUT-004-002 18
 W-AUT-004-003 18
 W-AUT-004-004 19
 W-BRI-103-001 40
 W-BRI-103-002 41
 W-BRI-103-003 42
 W-DBI-004-001 63
 W-ETC-004-060 67
 W-ETC-004-066 67
 W-ETC-102-002 68
 W-ETC-102-003 68
 W-ETC-102-006 68
 W-ETC-102-007 68
 W-ETC-103-001 69
 W-ETC-103-002 70
 W-ETC-103-003 71
 W-ETC-103-004 72
 W-ETC-103-005 73
 W-GOB-103-001 111
 W-GOB-103-002 112
 W-GOB-103-003 112
 W-GOB-103-004 112
 W-GOB-103-005 112
 W-GOB-103-006 112
 W-GOB-103-007 112
 W-GOB-103-008 113

W-GOB-103-009 113
 W-GOB-103-010 113
 W-GOB-103-011 113
 W-GOB-103-012 113
 W-GOB-103-013 114
 W-GOB-103-014 115
 W-GOB-103-015 111, 116
 W-GTK-103-002 159
 W-GTK-103-003 160
 W-IDC-103-001 169
 W-IDC-103-002 170
 W-IDS-103-001 180
 W-IDS-103-002 180
 W-IDS-103-003 181
 W-IVM-002-001 201
 W-IVM-002-045 201
 W-IVM-007-003 201
 W-IVM-051-012 201
 W-IVM-053-001 201
 W-IVM-053-002 201
 W-IVM-053-023 201
 W-IVM-103-002 202
 W-MEM-004-001 203
 W-MEM-004-002 204
 W-MEM-004-003 205
 W-MEM-004-004 206
 W-NHT-103-001 225
 W-OBJ-103-001 235
 W-OBJ-103-002 236
 W-OBJ-103-003 237
 W-OBX-103-001 267
 W-OBX-103-002 267
 W-OBX-103-004 267
 W-OBX-103-005 267
 W-OBX-103-006 268
 W-OBX-103-007 268
 W-OBX-103-008 268
 W-OBX-103-009 268
 W-OBX-103-010 268
 W-OBX-103-011 268
 W-OBX-103-012 268
 W-OBX-103-013 269
 W-OBX-103-014 269
 W-OBX-103-015 269
 W-OBX-103-016 269
 W-OBX-103-017 269
 W-OBX-103-018 270
 W-OBX-103-019 270
 W-OBX-103-020 270
 W-OBX-103-021 270
 W-OBX-103-022 270
 W-OBX-103-023 271
 W-OBX-103-024 271
 W-OBX-103-025 271
 W-OBX-103-026 271
 W-OBX-103-027 271
 W-OBX-103-028 271
 W-OBX-103-029 272
 W-OBX-103-030 273
 W-POS-103-001 274
 W-PRX-103-001 293
 W-RCO-103-001 312
 W-RCO-103-002 313
 W-RCO-103-003 314
 W-RCO-103-004 315
 W-RCO-103-005 316
 W-RCO-103-006 317

W-RSE-103-001	336
W-RSE-103-002	337
W-RSE-103-003	338
W-SEC-103-003	352
W-STK-103-001	360
W-STK-103-002	361
W-STO-103-001	372
W-STO-103-003	372
W-STO-103-004	373
W-STO-103-005	374
W-STO-103-006	375
W-STR-001-009	377
W-UNK-000-000	380



Printed in the Republic of Ireland

SC14-7534-02

