


IBM Tivoli Storage FlashCopy Manager for Windows
Version 4.1.4

Installation and User's Guide



IBM Tivoli Storage FlashCopy Manager for Windows
Version 4.1.4

Installation and User's Guide



Note:

Before you use this information and the product it supports, read the information in “Notices” on page 381.

Fourth edition (December 2015)

This edition applies to version 4, release 1, modification 4 of IBM Tivoli Storage FlashCopy Manager (product numbers 5608-ACB, 5641-A06, and 5724-X94). It also applies to all subsequent releases and modifications until otherwise indicated in new editions.

© **Copyright IBM Corporation 2001, 2015.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Figures	vii	Silently installing Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core	40
Tables	ix	Silently installing Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core with the setup program	41
About this publication	xi	Silently installing Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core with the Microsoft Installer program	42
Who should read this publication	xi	Upgrading Tivoli Storage FlashCopy Manager	43
Publications	xi	Tivoli Storage FlashCopy Manager migration	44
Reading syntax diagrams	xi	Managing migrated backups to a Database Availability Group node	44
New for Tivoli Storage FlashCopy Manager Version 4.1.4	xv	Uninstalling Tivoli Storage FlashCopy Manager	45
Chapter 1. Tivoli Storage FlashCopy Manager for Windows overview	1	Chapter 4. Configuring Tivoli Storage FlashCopy Manager	47
Volume Shadow Copy Service framework	2	Specifying configuration parameters for Tivoli Storage Manager	48
Data protection in VSS environments	3	Specifying configuration and options files in non-default locations	50
Data backup processing.	6	Setting user preferences	51
Database backup types	6	Data Protection properties	52
Data backup methods	10	Configuring Tivoli Storage FlashCopy Manager in a stand-alone configuration.	64
Policy management with Tivoli Storage FlashCopy Manager	13	Configuring a Tivoli Storage FlashCopy Manager remote system in a stand-alone configuration ..	66
Data restore processing	21	Configuring Tivoli Storage FlashCopy Manager to integrate with Tivoli Storage Manager	67
VSS fast restore processing	22	Configuring a Tivoli Storage FlashCopy Manager remote system to integrate with Tivoli Storage Manager	71
VSS instant restore processing	22	Configuring Tivoli Storage FlashCopy Manager to restore mailboxes from mounted Exchange Server database files	72
VSS backups that are restored to alternate databases	23	Configuring node definitions for Tivoli Storage FlashCopy Manager	73
Exchange mailbox restore operations	23	Proxy node definitions for VSS backups	73
Tivoli Storage FlashCopy Manager with IBM SAN Volume Controller and IBM Storwize V7000	25	Configuring the system that runs offloaded backups	76
IBM System Storage requirements	26	Configuring Tivoli Storage FlashCopy Manager to protect SQL Server data	76
AlwaysOn Availability Groups with Tivoli Storage FlashCopy Manager for SQL Server in a Windows failover cluster environment.	27	Configuring Tivoli Storage FlashCopy Manager for SQL Server clustered environments	77
Availability database backup operations	28	Configuring Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core	83
Availability database restore operations	29	Configuring your system for mailbox restore operations	90
Automated Tivoli Storage Manager server failover for data recovery	29	Examples of distributed VSS backups in Microsoft Exchange Database Availability Groups and Microsoft SQL AlwaysOn Availability Groups	91
Chapter 2. Planning for Tivoli Storage FlashCopy Manager	31	Examples of IBM SAN Volume Controller and IBM Storwize V7000 configuration scenarios	92
Storage capacity requirements	31		
Best practices for Tivoli Storage FlashCopy Manager with IBM XIV 11.6 Real-time Compression	32		
Chapter 3. Installing and upgrading Tivoli Storage FlashCopy Manager. ..	35		
Prerequisites	35		
Installing Tivoli Storage FlashCopy Manager for Windows	36		
Silently installing Tivoli Storage FlashCopy Manager	39		
Installing Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core	40		

Chapter 5. Protecting data with Tivoli Storage FlashCopy Manager for Windows	95
Starting Microsoft Management Console	95
Starting the Tivoli Storage FlashCopy Manager command-line interface	96
Getting help for Tivoli Storage FlashCopy Manager commands	96
Determining managed storage capacity	97
Protecting Microsoft Exchange Server data	97
Prerequisites	97
Backing up Exchange Server data by using VSS	107
Mounting Exchange Server backups	109
Deleting Exchange Server backups	109
Setting data restore options in Microsoft Management Console	110
Restoring an Exchange Server database	111
Restoring a Database Availability Group database backup	114
Restoring mailbox data	115
Restoring mailbox messages interactively with the Mailbox Restore Browser	121
Restoring mailboxes directly from Exchange Server database files	126
Restoring a deleted mailbox or items from a deleted mailbox	127
Restoring mailboxes on remote systems	127
Protecting SQL Server data	128
Prerequisites	128
Verifying the integrity of legacy databases by using the checksum option	133
Creating VSS backups of SQL Server databases	134
Creating legacy backups of SQL Server databases	136
Deleting SQL Server backups	140
Deactivating legacy backups of SQL Server databases	140
Setting single-user mode for restore operations	141
Setting data restore options in Microsoft Management Console	142
Restoring SQL Server data	144
Restoring an SQL Server database to an alternate instance	147
Restoring the master database	149
Restoring SQL databases with full-text catalogs and indexes	150
Protecting SQL Server data in a Windows Server Core environment	151
Protecting custom application and file system data	153
Prerequisites	153
Backing up custom application and file system data	155
Implementing custom application and file system backup scenarios	156
Mounting custom application and file system backups	157
Deleting custom application and file system backups	158
Restoring custom application and file system data	158

Implementing custom application and file system restore scenarios	160
Mounting VSS snapshots to remote servers	163
Managing Tivoli Storage FlashCopy Manager installations remotely	164
Viewing, printing, and saving reports	165
Generating group reports	165

Chapter 6. Automating tasks with Tivoli Storage FlashCopy Manager ..	167
Preparing to use Windows PowerShell cmdlets with Tivoli Storage FlashCopy Manager	167
Cmdlets for Microsoft Management Console	168
Cmdlets for protecting Microsoft Exchange Server data	169
Cmdlets for protecting Microsoft SQL Server data	170
Cmdlets for protecting custom application and file system data	171
Automating Microsoft Exchange Server tasks	173
Automating Microsoft SQL Server tasks	174
Automating custom applications and file system tasks	175
Scheduling tasks	176

Chapter 7. Troubleshooting with Tivoli Storage FlashCopy Manager	179
Diagnosing problems	179
Error log files for Tivoli Storage FlashCopy Manager components	179
Trace files for Tivoli Storage FlashCopy Manager components	180
Diagnosing VSS issues	181
Resolving reproducible problems	182
Troubleshooting VSS backup and restore operations	182
Troubleshooting mailbox restore errors	184
Deleting mailbox history information	188
Troubleshooting configuration errors in a failover clustered environment	190
Troubleshooting VSS and SAN Volume Controller, Storwize V7000, or DS8000	190
Resolving problems with IBM Support	191
Viewing trace and log files	192
Gathering trace and log files for remote systems	193
Gathering information about Exchange or SQL Server with VSS before you call IBM	195
Viewing system information	196
Emailing files to IBM Support	197
Online IBM support	197

Chapter 8. Reference information for IBM Tivoli Storage FlashCopy Manager	199
Command-line overview: Tivoli Storage FlashCopy Manager for Exchange Server	199
Backup command	200
Delete backup command	206
Help command	212

Mount backup command	212	Tivoli Storage FlashCopy Manager commands for	
Policy commands for Tivoli Storage FlashCopy		custom applications and file systems	324
Manager for Exchange	216	Backup command	325
Query Exchange command	219	Delete backup command	329
Query FCM command	223	Help command	333
Query Managedcapacity command	227	Policy commands for Tivoli Storage FlashCopy	
Query TDP command	228	Manager	334
Restore command	230	Mount backup command	337
Restorefiles command	237	Query component command	342
Restoremailbox command	241	Query config command	345
Set command	260	Query backup command	348
Unmount backup command	265	Query managedcapacity command	354
Command-line overview: Tivoli Storage FlashCopy		Restore command	358
Manager for SQL Server	268	Unmount backup command	365
Backup command	269	Update config command	369
Delete backup command	279	VSS policy commands	374
Help command	283		
Mount Backup command	283	Appendix. Accessibility features for	
Policy commands for Tivoli Storage FlashCopy		the Tivoli Storage Manager product	
Manager for SQL	288	family.	379
Query FCM command	290		
Query Managedcapacity command	295	Notices	381
Query SQL command	295		
Query TDP command	301	Glossary	385
Restore command	303		
Restorefiles command	311	Index	387
Set command	316		
Unmount Backup command	321		

Figures

1.	Sample DAG environment	12	4.	Example of backups that are distributed across DAG members.	103
2.	Example of how Tivoli Storage FlashCopy Manager distributes VSS backups	91	5.	Another example of backups distributed across DAG members.	104
3.	Typical DAG configuration	102			

Tables

1.	Tivoli Storage FlashCopy Manager components in Windows environment	1
2.	Tivoli Storage FlashCopy Manager for Exchange Server VSS backup types	7
3.	Tivoli Storage FlashCopy Manager for SQL Server backup types	8
4.	Exchange Server 2013 Recoverable Items folder contents.	24
5.	Diagnostics modes and their usage.	54
6.	Field entry in the Tivoli Storage Manager Node Names page	68
7.	Field entry in the Tivoli Storage Manager Node Names page	70
8.	Required node names for basic VSS operations	74
9.	Required node names for basic VSS offloaded backups.	74
10.	Configuration options for file system and custom applications.	79
11.	Tivoli Storage FlashCopy Manager help commands	96
12.	Options for integrity checking	108
13.	Database restore options	110
14.	Database restore selection options.	113
15.	Database restore options	117
16.	Restore options	118
17.	Selecting mailboxes to restore	122
18.	Previewing and filtering mailbox items	123
19.	Restoring a mailbox to another mailbox or .pst file	124
20.	Database backup views	135
21.	Database backup views	137
22.	Database backup options.	137
23.	Database restore options	142
24.	Database backup views	145
25.	Database restore selection options.	145
26.	Database backup views	147
27.	Database backup views	148
28.	Backup options	155
29.	Database restore selection options.	159
30.	Cmdlets to protect Microsoft Exchange Server data.	169
31.	Cmdlets to protect Microsoft SQL Server data	170
32.	Cmdlets to protect custom application and file system data	171

About this publication

Use the IBM® Tivoli® Storage FlashCopy® Manager software to create and manage volume-level snapshots while the applications that contain data on those volumes remain online.

Throughout this document, the term *Windows VSS System Provider* (unless otherwise specified) refers to the standard Windows System provider.

Since the previous edition, changes are marked with a vertical bar (|) in the left margin.

Who should read this publication

This publication is intended for administrators who are responsible for implementing a backup solution in database server environments.

It is assumed that you understand the following storage systems, operating systems, or applications, as applicable:

- The storage system that is used for the database:
 - Any storage devices that implement the VSS provider interface.
 - IBM System Storage® DS3000, DS4000®, DS5000
 - IBM System Storage SAN Volume Controller
 - IBM Storwize® V7000
 - IBM XIV® Storage System
 - IBM System Storage DS8000™ series
- Windows operating system
- Microsoft Volume Shadow Copy Service (VSS)
- Microsoft Exchange Server
- Microsoft SQL Server
- Active Directory

Publications


The Tivoli Storage Manager product family includes IBM Tivoli Storage FlashCopy Manager, IBM Tivoli Storage Manager for Space Management, IBM Tivoli Storage Manager for Databases, and several other storage management products from IBM.

To view IBM product documentation, see IBM Knowledge Center.

Reading syntax diagrams





To read a syntax diagram for entering a command, follow the path of the line. Read from left to right and from top to bottom.







- The ►— symbol indicates the beginning of a syntax diagram.
- The —> symbol at the end of a line indicates the syntax diagram continues on the next line.
- The ►— symbol at the beginning of a line indicates a syntax diagram continues from the previous line.

- The  symbol indicates the end of a syntax diagram.

Syntax items, such as a keyword or variable, can be:

- On the line (required element)
- Above the line (default element)
- Below the line (optional element)

Syntax diagram description	Example
Abbreviations:	
Uppercase letters denote the shortest acceptable truncation. If an item displays entirely in uppercase letters, it cannot be truncated.	
You can type the item in any combination of uppercase or lowercase letters.	
In this example, you can enter KEYWO, KEYWORD, or KEYWOrd.	
Symbols:	<div> <div>*</div> <div>Asterisk</div> </div> <div> <div>{ }</div> <div>Braces</div> </div> <div> <div>:</div> <div>Colon</div> </div> <div> <div>,</div> <div>Comma</div> </div> <div> <div>=</div> <div>Equal Sign</div> </div> <div> <div>-</div> <div>Hyphen</div> </div> <div> <div>()</div> <div>Parentheses</div> </div> <div> <div>.</div> <div>Period</div> </div> <div> <div>'</div> <div>Single quotation mark</div> </div> <div> <div></div> <div>Space</div> </div> <div> <div>"</div> <div>Quotation mark</div> </div>
Variables:	
Italicized lowercase items (<i>var_name</i>) denote variables.	
In this example, you can specify a <i>var_name</i> when you enter the KEYWORD command.	
Repetition:	
An arrow that returns to the left means you can repeat the item.	
A character or space within an arrow means you must separate the repeated items with that character or space.	

Syntax diagram description	Example
<p>Required Choices:</p> <p>When two or more items are in a stack and one of them is on the line, you must specify one item.</p> <p>In this example, you must choose A, B, or C.</p>	
<p>Optional Choice:</p> <p>When an item is below the line, that item is optional. In the first example, you can choose A or nothing at all.</p> <p>When two or more items are in a stack below the line, all of them are optional. In the second example, you can choose A, B, C, or nothing at all.</p>	
<p>Defaults:</p> <p>Defaults are above the line. The default is selected unless you override it. You can override the default by including an option from the stack below the line.</p> <p>In this example, A is the default. You can override A by choosing B or C. You can also specify the default explicitly.</p>	
<p>Repeatable Choices:</p> <p>A stack of items followed by an arrow that returns to the left means you can select more than one item. In some cases, it means you can repeat a single item.</p> <p>In this example, you can choose any combination of A, B, or C.</p>	
<p>Syntax Fragments:</p> <p>Some diagrams because of their length, must fragment the syntax. The fragment name is displayed between vertical bars in the diagram. The expanded fragment is displayed between vertical bars in the diagram after a heading with the same fragment name.</p>	<p>The fragment name</p> <p>The fragment name:</p> 
<p>Footnote:</p> <p>A footnote in the diagram references specific details about the syntax that contains the footnote.</p> <p>In this example, the footnote by the arrow references the number of times you can repeat the item.</p>	 <p>Notes:</p> <p>1 Specify <i>repeat</i> as many as 5 times.</p>

New for Tivoli Storage FlashCopy Manager Version 4.1.4

Tivoli Storage FlashCopy Manager includes new features and changes.

New and changed information is indicated by a vertical bar (|) to the left of the change.

Run instant restore operations on IBM and non-IBM storage systems

In Microsoft Windows Server 2012 or later, you can use Tivoli Storage FlashCopy Manager to run instant restore operations on IBM and non-IBM storage systems.

For IBM storage devices, you can perform instant restore operations by using either private interfaces or the VSS ResyncLuns API. The format that is used depends on the device. When you use private interfaces on these devices, it is not necessary to set the shadow copy as a transportable snapshot. When you use VSS ResyncLuns API on these devices, it is necessary to set the shadow copy as a transportable snapshot.

For non-IBM storage devices, the VSS Hardware provider must enable the device to implement and support the Microsoft VSS ResyncLuns API. In addition, the VSS Hardware provider must support creating transportable snapshots during backups, and importing transportable snapshots during restores. You cannot perform instant restore operations on these devices unless the VSS ResyncLuns API is implemented.

Create capacity metrics reports

If you are licensed under a front-end or back-end licensing model, you may need to create capacity metrics reports. To enable you to generate these reports, a new property page, Capacity Licensing, has been added to the Data Protection properties. To view, go to the navigation tree of Microsoft Management Console (MMC), and click **Properties** in the **Actions** pane.

Chapter 1. Tivoli Storage FlashCopy Manager for Windows overview

With IBM Tivoli Storage FlashCopy Manager, you can back up and restore Exchange Server data, SQL Server data, file system volumes, and custom application data on volumes. You can back up and restore the data to Tivoli Storage Manager server or local shadow volumes.

A *local shadow volume* contains data that is stored on shadow volumes, which are local to a disk storage system.

You can install, configure, and use Tivoli Storage FlashCopy Manager with different operating systems, databases, and applications or file systems. The software is compatible with most hardware that use FlashCopy technology.

The following table lists Tivoli Storage FlashCopy Manager components that operate in Microsoft Exchange Server, Microsoft SQL Server, and file system and custom application environments:

Table 1. Tivoli Storage FlashCopy Manager components in Windows environment

Component	Description
Microsoft Management Console (MMC) Snap-in and Base System Services	Uses MMC and a generic backup agent to create snapshots of file systems, applications, or databases.
VSS Requestor	Uses the VSS backup-archive client as a VSS interface to communicate with Microsoft VSS services, access data, and create volume shadow copies.
Tivoli Storage FlashCopy Manager for Exchange Server	Uses Microsoft Exchange Server capabilities to complete the following tasks: <ul style="list-style-type: none">• Store VSS backup copies locally as persistent snapshots, or store VSS backup copies as snapshots on the Tivoli Storage Manager server. You can also offload backups to Tivoli Storage Manager.• Centralize policy management and scheduling.• Complete VSS, and volume-level instant restore operations.• Complete individual mailbox restore operations.

Table 1. Tivoli Storage FlashCopy Manager components in Windows environment (continued)

Component	Description
Tivoli Storage FlashCopy Manager for SQL Server	<p>Uses Microsoft SQL Server capabilities to complete the following tasks:</p> <ul style="list-style-type: none"> • Complete legacy-style and VSS backups. • Store VSS backup copies locally as persistent snapshots, or store VSS backup copies as snapshots on the Tivoli Storage Manager server. You can also offload backups to Tivoli Storage Manager. • Centralize policy management and scheduling. • Complete VSS, and volume-level instant restores.

You can use Tivoli Storage FlashCopy Manager with Tivoli Storage Manager. When the two products are used together, they provide advanced data protection and centrally managed, policy-based administration capabilities for Tivoli Storage FlashCopy Manager backup images.

Volume Shadow Copy Service framework

Volume Shadow Copy Service (VSS) provides a common interface model to generate and manage online snapshots of Exchange Server, SQL Server, file system, or custom application data.

The Microsoft VSS service manages and directs three VSS software components that are used during VSS operations: the VSS writer, the VSS Requestor, and the VSS provider. The VSS writer is the application that stores data on the source volumes. The VSS Requestor is the backup software. The VSS provider is the combined hardware and software that generates the snapshot volume.

The VSS system provider creates and maintains snapshots on local shadow volumes and refers to the default VSS provider that is available with Windows Server. If you use the Windows VSS system provider, no configuration is required. However, you can make changes by using the **VSSADMIN** commands.

With a VSS hardware and software copy provider, you can create shadow copies of running volumes on demand. A hardware provider uses a hardware storage adapter or controller to manage shadow copies at the hardware level. Tivoli Storage FlashCopy Manager for Windows software does not control the VSS hardware provider. The VSS hardware provider is controlled by the hardware vendor. Install and configure the VSS hardware and software provider as required. When you use a hardware provider, configure the disks as basic disks. Do not use dynamic disks.

Data protection in VSS environments

The characteristics of Volume Shadow Copy Service (VSS) backup and restore operations can affect management tasks, for example, the backup types that you can run, the backup granularity, and the backup storage location options.

As you decide your backup and restore strategies, be aware of VSS requirements and guidelines.

VSS backup characteristics

Backups can be stored on local shadow volumes, a Tivoli Storage Manager server, or at both locations. You can define different policy settings for each backup location.

Databases must have unique names. If a database has the same name as another database, but the capitalization differs, the software does not differentiate between case.

When you back up Exchange Server data by using Tivoli Storage FlashCopy Manager, VSS backups have the following characteristics:

- Backups provide an Exchange Server database integrity check function, but do not provide a zeroing function.
- You can run full, copy, differential and incremental backups.
- You can restore a backup to a local disk only on the same system.

When you back up SQL Server data by using Tivoli Storage FlashCopy Manager, VSS backups have the following characteristics:

- Backups can run in a valid Microsoft Windows Failover Clustering or Veritas Cluster Server (VCS) environment.
- You can only run full and copy-only full backups.
- You can run legacy differential and legacy log backups after you restore a full VSS backup.
- You can back up SQL server databases in an AlwaysOn Availability Group (AAG).
- To relieve resources on production servers, you can offload backups from Tivoli Storage Manager server storage to another system.

For custom application and file system data, data is backed up at the file system level. You can use drives and mount points. You can back up data in a valid Microsoft Windows Failover Clustering or Veritas Cluster Server (VCS) environment.

Related concepts:

“AlwaysOn Availability Groups with Tivoli Storage FlashCopy Manager for SQL Server in a Windows failover cluster environment” on page 27

VSS backup requirements

Plan your VSS backup strategy to optimize the performance of your backup operations and to avoid potential problems.

Follow these guidelines when you plan for VSS backups:

- Use custom-application VSS backups and files-system data VSS backups for only NTFS and ReFS volumes.
For file system and custom application data, data is restored at the volume level. When a file system or custom application data is restored, all files from the VSS snapshot backup are restored to their original location.
- Use single hardware Logical Unit Numbers (LUN) for log files, system files, and database files.
- Use basic disks, which are initialized for basic storage. A basic disk consists of basic volumes, such as primary partitions, extended partitions, and logical drives. Do not use dynamic disks.
- If you plan to keep VSS snapshot backups only on local shadow volumes, know how to implement the configuration options of your VSS hardware provider.
For example, if your VSS hardware provider supports a full-copy snapshot versus a copy-on-write snapshot mechanism, full-copy type implementations have greater disk storage requirements. However, full-copy type implementations do not rely on the original volume to restore the data and are less risky. Copy-on-write implementations require less disk storage but rely on the original volume to restore the data.
- If you run parallel VSS backups, stagger the start time of the backups by at least 10 minutes. This interval ensures that the snapshot operations do not overlap.
- If you run parallel VSS backups, configure the parallel instance backups so that snapshots of the same volumes are not created.
- If you run parallel VSS backups, ensure that parallel backups do not create a snapshot of the same LUN.
- Do not place multiple volumes on the same LUN. Configure a single volume, single partition, and single LUN as one-to-one.
- Do not set the ASNODENAME option in the dsm.opt file when you use Tivoli Storage FlashCopy Manager. Setting the ASNODENAME option can cause VSS data backups and VSS restore operations to fail.

VSS restore characteristics

In a VSS restore operation, VSS backups (Exchange Server database files and log files, or SQL database files and log files) that are on Tivoli Storage Manager server storage are restored to their original location on the Exchange Server or SQL Server.

The following characteristics are true of a VSS SQL Server data restore operation:

- You can restore only SQL Server VSS backups to the same SQL Server instance.
- You can restore full and copy-only full backup types.
- You cannot run differential, individual filegroups, individual files, and set backup operations because VSS cannot restore that data.
- Data is restored at the database level.
- You can restore one or more databases from a VSS snapshot backup on Tivoli Storage Manager server storage.
- You can run restore operations in a Microsoft Windows Failover Clustering or Veritas Cluster Server (VCS) environment.

- By using the **/relocatedir** option, you can restore a VSS backup directly from Tivoli Storage Manager server storage to an alternate location.
- You cannot run parallel VSS fast restore or instant restore operations with Microsoft Windows Server 2008 or later versions.

The following characteristics are true of a VSS Exchange Server data restore operation:

- You can restore data by using full, copy, incremental, and differential backup methods.
- You can restore data from a VSS backup to an alternate database.
- Data is restored at the database level.
- You can restore one or more databases from a VSS snapshot backup on Tivoli Storage FlashCopy Manager.
- You can restore data in a Database Availability Group (DAG) environment.
- You can restore a VSS backup directly from Tivoli Storage Manager server storage to an alternate system.
- You can restore data from a DAG replica on Exchange Server 2010 or later backup versions to the production server.
- You cannot run parallel VSS fast restore or instant restore operations with Microsoft Windows Server 2008 or later versions.
- VSS restore operations place data directly into the production database, unless you specify the **/intodb** parameter.

VSS restore requirements

Unless otherwise specified, a *VSS restore* operation refers to all restore types that use VSS, including VSS restore, VSS fast restore, and VSS instant restore operations.

If you complete VSS snapshot backups with the backup destination parameter set to TSM, *restore* processing also refers to an image-level restore from the Tivoli Storage Manager server.

As you decide your restore strategies, be aware of VSS requirements.

VSS instant restore operations

A VSS instant restore operation overwrites the entire contents of the source volumes.

- If you do not want to overwrite the source volumes, ensure that you set the **Instant Restore** option to **No** in Microsoft Management Console (MMC).
- VSS instant restore processing requires that the local disk is not accessed by other applications, for example, Windows Explorer.
- When you run a VSS instant restore operation, verify that there is no other data on the volumes that are being restored.
- Before you start a VSS instant restore operation, ensure that any previous background copies that contain the volumes that are being restored are completed. XIV, SAN Volume Controller, or Storwize V7000 with space-efficient target volumes do not need to be completed.
- To restore VSS snapshots on non-IBM storage systems, you must create the snapshot as a transportable snapshot and import the transportable snapshot into the system.

|
|
|

Tip: For instant restore operations on non-IBM storage devices, the VSS Hardware provider must enable the device to implement and support the Microsoft VSS ResyncLuns API. In addition, the VSS Hardware provider must support creating transportable snapshots during backups, and importing transportable snapshots during restores. You cannot perform instant restore operations on these devices unless the VSS ResyncLuns API is implemented.

Tip: For instant restore operations on IBM storage devices, you can use either private interfaces or the VSS ResyncLuns API. The format that is used depends on the device. When you use private interfaces on these devices, it is not necessary to set the shadow copy as a transportable snapshot. When you use VSS ResyncLuns API on these devices, it is necessary to set the shadow copy as a transportable snapshot.

- To instantly restore VSS snapshots on non-IBM storage systems, the source volume must not be a shared cluster disk. If the source volume is a shared cluster disk, instant restore is not supported and fast restore is performed instead.

VSS fast restore operations

In a VSS fast restore operation, if you do not want to overwrite all the files on the original volume, mount the snapshot. Copy only the files that you want to restore.

When you restore data, only use basic disks that are initialized for basic storage. A basic disk consists of basic volumes, such as primary partitions, extended partitions, and logical drives. Do not use dynamic disks.

When you complete a VSS restore operation from local shadow volumes, the bytes that transfer are displayed as 0 because no data (0) is restored from the Tivoli Storage Manager server.

Because of an SQL Server limitation, you cannot restore a VSS backup to an alternate SQL Server instance. VSS backups are restored to the same SQL Server instance where the snapshot is taken.

Data backup processing

Tivoli Storage FlashCopy Manager can use the Microsoft Volume Shadow Copy Service (VSS) framework to produce a point-in-time, consistent, online copy of Exchange Server, SQL Server, file system, or custom application data.

Database backup types

With Tivoli Storage FlashCopy Manager for Exchange Server and Tivoli Storage FlashCopy Manager for SQL Server, you can use the common interface in the Volume Shadow Copy Service (VSS) framework to create database backups.

You can back up FlashCopy Manager for Microsoft Exchange Server data by using the following methods:

Table 2. Tivoli Storage FlashCopy Manager for Exchange Server VSS backup types

VSS backup types	
Full backup	With this method, FlashCopy Manager for Microsoft Exchange Server backs up the specified database and associated transaction logs. If the database is not mounted, the backup fails and the transaction logs are not truncated.
Copy backup	With this method, FlashCopy Manager for Microsoft Exchange Server does not delete transaction log files after the backup. Otherwise, this type is similar to a full backup. Use a copy backup to create a full backup of the Exchange Server database without disrupting any backup processes that use an incremental or differential backup.
Incremental backup	<p>With this method, FlashCopy Manager for Microsoft Exchange Server backs up only transaction logs. Transaction log files are not deleted if the backup fails.</p> <p>When you restore an Exchange Server database from an incremental backup, you must complete the following tasks:</p> <ul style="list-style-type: none"> • Restore the last full backup. • Restore any other incremental backups that occur between the full backup and the incremental backup. • Restore the incremental backup.
Differential backup	<p>With this method, FlashCopy Manager for Microsoft Exchange Server backs up transaction logs.</p> <p>When you follow a full backup with only differential backups, the last full backup and the last differential backup contain all the data that is required to restore the database to the most recent state.</p> <p>When you restore an Exchange Server database from a differential backup, you must complete the following tasks:</p> <ul style="list-style-type: none"> • Restore the last full backup. • Restore this differential backup, but no other differential backups.

Attention: When you enable circular logging, you cannot use differential or incremental backups. Data loss might occur if the log wraps before the incremental or differential backup ends.

VSS backups are at the volume and file-level. Legacy backups are a stream of bytes that FlashCopy Manager for Microsoft SQL Server stores on the Tivoli Storage Manager server.

You can back up FlashCopy Manager for Microsoft SQL Server data by using the following methods:

Table 3. Tivoli Storage FlashCopy Manager for SQL Server backup types

Tivoli Storage FlashCopy Manager for SQL Server	
Full database backup (Legacy and VSS)	With this method, FlashCopy Manager for Microsoft SQL Server backs up an SQL Server database and the portion of the transaction log that is necessary to provide a consistent database state. With this backup type, the copy includes enough information from any associated transaction log to create a backup that is consistent with itself. The portion of the log that is included contains only the transactions that occur from the beginning of the backup until its completion.
Copy-only full backup (Legacy and VSS)	With this method, FlashCopy Manager for Microsoft SQL Server creates data backups that do not affect existing backup and restore processes and can be retained in the longer term. For example, you can use this type to back up a log before an online file restore operation. In this example, the copy-only full backup is used once. After the backup is restored, it is deleted.
Differential backup (only Legacy)	<p>With this method, FlashCopy Manager for Microsoft SQL Server backs up only the data pages in an SQL Server database instance that changed after the last full backup. A portion of the transaction log is also backed up.</p> <p>Differential backup is associated with the last full backup that was run. The last full backup might be completed by FlashCopy Manager for Microsoft SQL Server or another application. For example, if you run a full SQL Server-to-disk backup, and run a differential backup, the differential backup is associated with the SQL Server disk backup.</p> <p>You cannot use differential backup for databases on the secondary replica in Microsoft SQL Server 2012.</p>

Table 3. Tivoli Storage FlashCopy Manager for SQL Server backup types (continued)

Tivoli Storage FlashCopy Manager for SQL Server	
Log backup (only Legacy)	<p>With this method, FlashCopy Manager for Microsoft SQL Server backs up only the contents of an SQL Server database transaction log since the last successful log backup. This type of backup is preceded by a full backup or an equivalent type of backup.</p> <p>Log backups normally follow full backups. The portion of the log that is included in full and differential backups is not equivalent to a log backup. Additionally, in full and differential backups, the log is not truncated as it is during a log backup. However, a log backup that follows a full or differential backup includes the same transactions as a full or differential backup. Log backups are not cumulative as are differential; they must be applied against a base backup and in the correct order.</p>
File backup (only Legacy)	<p>With this method, FlashCopy Manager for Microsoft SQL Server backs up only the contents of a specified SQL Server logical file. This type of backup can ease the scheduling conflicts if you must back up large databases. You can back up different sets of files during different scheduled backups. File, group, and set backups must be followed by a log backup, but a full backup is not required.</p>
Group backup (only Legacy)	<p>With this method, FlashCopy Manager for Microsoft SQL Server backs up only the contents of a specified SQL Server file group. You can back up the set of database tables and indexes within a specific group of files.</p> <p>The group is specified as part of the setup within SQL Server when you define the database files. If no group is specified and all the database files are part of the primary group, you cannot partially back up or partially restore the database by using the group.</p>
Set backup (only Legacy)	<p>With this method, FlashCopy Manager for Microsoft SQL Server backs up the contents of specified SQL Server file groups and files as a unit.</p>

Data backup methods

With Tivoli Storage FlashCopy Manager, you can use Volume Shadow Copy Service (VSS) to back up Exchange Server and SQL Server data. For SQL Server, you can also run legacy backups that create a copy of all or part of an SQL database or logs on Tivoli Storage Manager storage media.

You can run Exchange Server backup operations in a Database Availability Group (DAG) environment.

VSS data backups

You can store VSS backups on local VSS shadow volumes, or, when integrated with Tivoli Storage Manager, in Tivoli Storage Manager server storage.

VSS backups eliminate the need for the server or file system to be in backup mode for an extended time. The length of time to complete the snapshot is measured in seconds, not hours. In addition, a VSS backup allows a snapshot of large amounts of data at one time because the snapshot works at the volume level.

You must ensure that sufficient space is available for the snapshot at the storage destination. Both storage destinations require space to store the snapshot until the data transfer to the Tivoli Storage Manager server is complete. After the data transfer to the server is complete, VSS backups that are stored locally on VSS shadow volumes are directly accessible by the system. The snapshot volume is released and the space can be reused.

- For data that is backed up to local VSS shadow volumes, the snapshot backup is on the shadow copy volume.
- For data that is backed up only to Tivoli Storage Manager server storage, a local snapshot backup is run and the data on the local snapshot volume is sent to the Tivoli Storage Manager server.
- For data that is backed up to VSS shadow volumes and Tivoli Storage Manager server, the local snapshot volume is retained as a local backup after the transfer to the Tivoli Storage Manager server is complete.

If you store VSS backups both locally and to Tivoli Storage Manager server, and the maximum number of local backup versions to be maintained is reached, the oldest local backup version expires to create the new snapshot for the backup to Tivoli Storage Manager server storage. The maximum number of local backup versions that are maintained is set in the Tivoli Storage Manager policy.

Offloaded VSS backups

By running an offloaded backup, you can move the backup load from the production system to another system. You can reduce the load on network, I/O, and processor resources during backup processing.

Use the **RemoteDSMAGENTNode** parameter to run an offloaded system. Ensure that you install a VSS hardware provider, which supports transportable shadow copy volumes, on the production and secondary systems.

Exchange Database Availability Group backups

You can use the high-availability feature of Database Availability Group (DAG) backups for enhanced data and service availability, and automatic recovery from failures. You can use Exchange Server 2010 or later versions with DAG backups to improve Exchange Server data backups and data recovery.

Beginning with Exchange 2013 SP1, you can also back up Exchange Server databases in a Database Availability Group (DAG) environment without a Cluster Administrative Access Point (CAAP).

A DAG environment includes the following functions:

- A group of up to 16 mailbox servers that can host up to 100 mailbox databases
- Up to 16 online copies of a database (1 active database and up to 15 passive databases)
- Synchronous or lagged replication. With lagged replication, you can delay the replaying of logs on target databases if, for example, there are time differences between source and target databases.
- Automatic migration and failover of active database copies

The following figure illustrates a DAG environment:




Figure 1. Sample DAG environment

Database copies are mirrored on any node within the DAG. You can complete the following tasks:

- Query DAG database copies, including status.
- Manage full, copy, incremental, and differential backups of active and passive databases within a DAG. You can create a backup from any active database copy, any passive synchronous copy, or any lagged copy within the DAG. If you back up a lagged database copy, it might take more time to restore the backup because the lagged copy can have more transaction logs to restore and replay. As a best practice, create your backup from a passive synchronous copy and not a lagged copy.
- Move an active database copy to other nodes.
- Query all DAG database copy backups.
- Restore all DAG database copy backups.

- Restore data into an active database, from either active or passive database copy backups.
- Restore data into a recovery or alternate database.
- Process Individual Mailbox Restore (IMR) operations from a DAG database copy backup.
- Delete DAG database copy backups.

SQL Server legacy backups

With Tivoli Storage FlashCopy Manager for SQL Server, you can run legacy backups and store the backup on Tivoli Storage Manager server.

Legacy backups are unlike VSS backups because volume and file-level data are not backed up with this method.

Policy management with Tivoli Storage FlashCopy Manager

With Tivoli Storage FlashCopy Manager, you can manage and configure storage management policies for backups. A backup policy determines how backups on local shadow volumes are managed and retained.

Policy definitions apply only when you use a stand-alone configuration. If you configure Tivoli Storage FlashCopy Manager to use the Tivoli Storage Manager server, the policy definitions are defined on the Tivoli Storage Manager server. VSS policy bindings are still managed locally.

Tivoli Storage FlashCopy Manager uses a policy to determine how backups are retained. With Tivoli Storage FlashCopy Manager, you can create, change, and view policies, and set binding policy statements to manage your backups.

Although Tivoli Storage Manager policy determines how Tivoli Storage FlashCopy Manager backups are managed on Tivoli Storage Manager storage, backup retention on local shadow volumes is determined by version and time-based policies. Ensure that sufficient local storage space is available on local shadow volumes for a VSS backup. In addition, verify that enough available storage space is assigned to the volumes to accommodate your backup operations. The shadow copy volume that is the storage destination of a snapshot must have sufficient space for the snapshot.

Environment and storage resources also affect how many backup versions are maintained on local shadow volumes. The amount of space that is required depends on the VSS provider that you use.

How backups expire based on policy

Backups expire based on Tivoli Storage FlashCopy Manager policy.

Expiration is the process by which SQL Server, Exchange Server, or custom application and file system backup objects are identified for deletion when the expiration date is past or the maximum number of backup versions that must be retained is reached.

The date on which data expires depends on the business needs that are identified by the recovery point objective (RPO) and the recovery time objective (RTO) of your enterprise. For example, legal, operational, and application requirements affect how data must be protected to meet these RPO and RTO demands. With Tivoli Storage FlashCopy Manager, you can specify the number of snapshot backups to retain and the length of time to retain them.

Backups can expire during a query, backup, or restore operation of a Tivoli Storage FlashCopy Manager session.

You specify the number of backup copies that are retained. When the maximum number of backup copies is reached, the oldest backup expires and is deleted. You can specify the maximum number of backup copies in a Tivoli Storage FlashCopy Manager policy.

A backup copy is retained for a maximum number of days. The maximum number of days that a backup can be retained is specified in the Tivoli Storage FlashCopy Manager policy.

How policy affects backup management on Tivoli Storage FlashCopy Manager for Windows

A Tivoli Storage Manager policy determines how FlashCopy Manager for Microsoft Exchange Server and FlashCopy Manager for Microsoft SQL Server backups are managed on Tivoli Storage Manager storage and on local shadow volumes when the environment is configured for VSS operations.

The Tivoli Storage Manager server recognizes FlashCopy Manager for Microsoft Exchange Server and FlashCopy Manager for Microsoft SQL Server as a *node*.

Data that is backed up to Tivoli Storage Manager storage from the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server node is stored and managed according to settings that you specify in the Tivoli Storage Manager server policy.

The Tivoli Storage Manager policy manages the VSS backups that are placed in Tivoli Storage Manager server storage pools. The Tivoli Storage Manager server manages VSS backups.

If you use IBM Tivoli Storage Manager for Copy Services and upgrade to FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server, with the license for Tivoli Storage Manager for Copy Services, you can store VSS backups to local shadow volumes.

Tivoli Storage Manager requires that sufficient storage space is available to create shadow volumes for VSS backup processing. Even when the VSS backup destination is the Tivoli Storage Manager server, storage space to create a shadow volume is still required temporarily.

The number of local backup versions that are maintained by the Tivoli Storage Manager server is determined by the value that is specified by the Tivoli Storage Manager server **verexists** parameter, which is defined in the copy group of the management class to which the local backup belongs. It is not necessary to allocate target sets when you use the VSS system provider. When you do not use the VSS system provider, the number of target volume sets that are allocated for local backups must be equal to the value of the **verexists** parameter. Target volume sets are not applicable to IBM XIV Storage Systems.

For example, if **verexists**=3, then at least three sets of target volumes must be allocated for the backup to complete successfully. If only two sets of target volumes are allocated, the third and subsequent backup attempts fail. If more sets of target volumes exist than the number specified by the **verexists** parameter, these sets are ignored by the Tivoli Storage Manager server. A high number of local

backup versions cannot be stored. If you want to have n number of local backup versions, set the **verexists** parameter to $n + 1$.

If you keep only one backup, the same disk is reused. The process initially removes the existing backup and attempts the new backup. If the new backup fails, no backups exist.

If you retain multiple backups, the oldest backup is removed before another backup is created. If the new backup fails, you might have one less backup than specified by the policy. For example, if you specify that you want to retain five backups, but the last backup fails, you might have only four backup versions.

Ensure that you specify a **verexists** value that meets your VSS backup goals. If you have limited storage space for VSS operations and are restricted to a **verexists=1** setting, set the backup destination to BOTH. This option stores the backup on local shadow volumes and sends a copy to Tivoli Storage Manager server storage.

You can change and delete VSS backups that FlashCopy Manager for Microsoft Exchange Server and FlashCopy Manager for Microsoft SQL Server creates and stores on local shadow volumes. From the command-line interface, for example, issue the Microsoft **VSSADMIN DELETE SHADOWS** command to remove a VSS backup that is managed by Tivoli Storage Manager.

Tivoli Storage Manager is not able to prevent the backup from being removed. In this instance, Tivoli Storage Manager detects that the backup is removed and reconciles its index of available backups with what is on local shadow volumes. Because backups can be removed, establish a strategy that protects VSS backup data that is stored on local shadow volumes from being compromised.

When you use the configuration wizard in the GUI, the **VSSPOLICY** parameter is set in the **tdpexc.cfg** or **tdpsql.cfg** file.

Restriction:

If you configure Tivoli Storage FlashCopy Manager to integrate with Tivoli Storage Manager server, do not simultaneously configure the following items:

- In the VSS Requestor options file (**baclient\dsm.opt**), do not specify the following entry:
`Include.Image volume management-class-name`
- In the Tivoli Storage FlashCopy Manager configuration file (**fcmcfg.xml**), Exchange configuration file (**tdpexc.cfg**), or SQL configuration file (**tdpsql.cfg**), do not specify **VSSPOLICY** statements that use the TSM option to back up data to Tivoli Storage Manager.

Depending on the policy management settings, you can reuse a logical unit number (LUN) for a new backup. When a backup is requested and the maximum number of versions is reached, the software deletes the oldest snapshot (backup) to make space for the snapshot. If the new request fails after the oldest snapshot is deleted, you have one less backup version than expected.

You must manage the policy for local backups to reconcile the local backup repository with the information that is stored on the Tivoli Storage Manager server. For example, if target volume LUNs that are used for a local backup are removed from the storage system, the information that represents the backup on the Tivoli

Storage Manager server must be reconciled. Similarly, if a Tivoli Storage Manager server policy determines that a local backup copy is no longer needed, the local backup manager must free the target volume LUNs to the storage system. The local backup manager is released so that these LUNs can be used for future backup operations. Tivoli Storage Manager automatically detects when these situations occur and completes the reconciliation.

Consider the scenario where you use a two-member Database Availability Group (DAG), named MEMBER1 and MEMBER2. When you complete a backup to LOCAL on MEMBER1 and complete more backups on MEMBER2, the backups to LOCAL on MEMBER1 do not expire until the next time you back up, query, or delete data on MEMBER1. In this scenario, you might use more storage than specified by **verexists**.

Creating a local backup policy

A local backup policy determines how different backup versions are retained on local shadow volumes.

Before you begin

Backup retention on local shadow volumes is determined by your overall backup strategy, the type and number of VSS backup version on Tivoli Storage Manager and on the local shadow volumes, and time-based policies. Ensure that there is sufficient local storage space on local shadow volumes. The amount of space that is required depends on the VSS provider that you use.

About this task

When Tivoli Storage FlashCopy Manager is connected to a Tivoli Storage Manager server, the backup policy is defined by the server. When Tivoli Storage FlashCopy Manager is configured in stand-alone mode, you can define the backup policy.

Use the following steps to create and manage local backup policies.

Procedure

1. Start Microsoft Management Console (MMC).
2. In the navigation tree, click **IBM Tivoli Storage Manager**.
3. Select an **Exchange Server**, **SQL Server**, or **File System** instance.
4. In the Actions pane, click **Properties**.
5. From the list of available property pages, select **Policy Management**.
6. Add, delete, or update local policies for data retention. When you add a policy, specify a unique policy name. Double-click the policy to edit a policy field. To retain an unlimited number of snapshots, or to retain snapshots for an unlimited number of days, specify NL.
7. Click **Save**.

What to do next

After you add a policy, you can bind a backup to that policy. Updates to existing, bound policies do not take effect until the next backup is run.

Specifying policy binding statements

Bind policy statements to associate Microsoft SQL Server, Microsoft Exchange Server, and custom application and file system backups to a management policy.

About this task

A default policy binds any backups that are not explicitly bound to a named policy.

For custom application and file system backups, policy-binding statements are stored in the Tivoli Storage FlashCopy Manager configuration file, `fcmcfg.xml`, by default.

For Exchange Database Availability Groups (DAG), all the DAG members that share the DAG node must use the same VSS policy.

Tip: Use the same policy binding method for SQL Server, Exchange Server, or custom application and file system backups. Define a policy statement in the respective configuration file. A custom application or file system statement identifies the name of the volume or mount point directory (component) instead of the name of the database (object name).

Procedure

1. Specify the policy-binding statements to use to bind snapshots to a policy. Manually add the binding statements in the respective configuration file that defines the policy statements.

Policy-binding statements in the Tivoli Storage FlashCopy Manager for Exchange Server or Tivoli Storage FlashCopy Manager for SQL Server configuration files might look similar to the information in the following table.

	<i>server name</i>	<i>object name</i>	<i>backup type</i>	<i>backup dest</i>	<i>mgmt class</i>
VSSPOLICY	*	"Accounting"	FULL	LOCAL	MC_1
VSSPOLICY	SERVER_3	"Human Resources"	INCR	LOCAL	MC_6

2. For custom application and file system backups, modify the default `fcmcfg.xml` configuration file by issuing the following commands:

- Enter **FCMCLI INSERT VSSPOLICY** to insert a VSS policy binding statement at the position that is specified by the **SEQnumber** parameter.
- Enter **FCMCLI UPDATE VSSPOLICY** to update an existing VSS policy binding statement at the position that is specified by the **SEQnumber** parameter.
- Enter **FCMCLI DELETE VSSPOLICY** to delete an existing VSS policy binding statement at the position that is specified by the **SEQnumber** parameter.

For custom application and file system data, the following sample command inserts a new VSS policy binding statement at the position that is specified by the **SEQnumber** parameter:

```
FCMCLI INSERT VSSPOLICY "*" L:\mountdir FULL LOCAL MC1Q11" /SEQnumber=2
```

where:

- the asterisk character (*) is the server name
- L:\mountdir is the component
- FULL is the backup type
- LOCAL is the backup destination

- MC1Q11 is the management class

Binding backups to a policy

You can add, update, delete, or change the processing order of binding statements.

About this task

A backup policy determines how backups on local shadow volumes are managed and retained.

Procedure

1. Start Microsoft Management Console (MMC).
2. In the navigation tree, click **IBM Tivoli Storage Manager**.
3. Select an **Exchange Server**, **SQL Server**, or **File System** instance.
4. In the Actions pane, click **Properties**.
5. From the list of available property pages, select **VSS Policy Binding**.
6. Add, update, delete, or change the processing order of existing binding statements.

Tip: You can use an asterisk (*) as a wildcard character to represent all characters.

For example, in the **Server** field, enter the asterisk to bind the policy to all Exchange Servers, all SQL Servers, or all custom application and file system data.

7. Optional: To change the processing order, use **Move Up** and **Move Down**. Policies are processed from the bottom to the top of the file, and processing stops at the first match.

Tip: To ensure that more specific statements are processed before general statements, list the more general specification before the more specific statement.

8. Save the binding statement.
9. Optional: Verify new or updated policies and bindings.
 - a. Run one or more test backup operations.
 - b. On the **Recover** tab, verify the management classes that are bound to the test backups.

VSSPOLICY statements for backup types

For VSS backups, VSSPOLICY statements are used to associate VSS backups with management classes. When you change from legacy backups to VSS backups, consider the VSSPOLICY statements that you set for the backup.

The VSSPOLICY statements are in a configuration file, for example, `tdpexc.cfg` and `fcmcfg.xml`. A configuration file can include multiple VSSPOLICY statements. The configuration file is read from the bottom to the top of the file. VSSPOLICY statements in the `tdpexc.cfg` file are similar to the INCLUDE statements that are specified in the Tivoli Storage Manager backup-archive client in the `dsm.opt` file.

If no VSSPOLICY statements are included in the configuration file, or if the VSSPOLICY statements do not match the type of backup that is created, the default management class for the policy domain is used. Backup expiration parameters for the default management class might differ from the settings that are used for preexisting legacy backups. For example, the backup expiration period

If you change the `tdpexc.cfg` or `fcmcfg.xml` file, you must restart the Tivoli Storage Manager client acceptor daemon (CAD), Tivoli Storage Manager remote client agent (DSMAgent), and the Tivoli Storage Manager Scheduler Service for Exchange Server. If the DSMAgent service state is set to **Manual (Started)**, stop the service. The DSMAgent service starts when a VSS backup is initiated, but if the service is started and you change the policy settings, the policy settings do not take effect until you restart the service.

The following example shows the syntax of a VSSPOLICY statement:

where:

- In the following example, the VSSPOLICY statement is commented out. Before you can use this policy statement, you must remove the asterisk character (*) from the first column of each line.

In the preceding example, the following policy rules are specified:

- Chapter 1. Tivoli Storage FlashCopy Manager for Windows overview 19

- Any VSS backups of the *ACT* database on the Exchange Server *SERVER1* to *LOCAL* are bound to the management class *MCLASS2*.
- Full VSS backups of the *HR* database on any Exchange Server to *LOCAL* are bound to the management class *MCLASS3*.
- Full VSS backups of any other database on any other Exchange Server to *LOCAL* are bound to the management class *IUG_LOCAL*.
- Copy VSS backups of any other database on any other Exchange Server to *LOCAL* are bound to the management class *IUG_COPY*.
- Copy VSS backups of any other database on any other Exchange Server to Tivoli Storage Manager are bound to the management class *IUG_TSM_COPY*.
- Full VSS backups of any other database on any other Exchange Server to Tivoli Storage Manager are bound to the management class *IUG_TSM*.
- Any type of backup matches a rule because of the wildcard *VSSPOLICY* statements at the top of the file. Use these types of statements so that you explicitly state what management class is used.

Managing Exchange Database Availability Group members by using a single policy

For Microsoft Exchange Server databases in a Database Availability Group (DAG) environment, several online copies of a database are maintained for high availability. To reduce the number of database backups that are created, set up Tivoli Storage FlashCopy Manager to back up database copies from different DAG members under a single DAG node.

About this task

You can prevent Tivoli Storage FlashCopy Manager from backing up each database copy separately by backing up the database copies under a single DAG node.

All database copies can be managed as a single entity regardless of where the database copies are backed up from, and whether the backup copies are active or passive at the time of the backup. You can set up a minimum interval between database backups, which ensures that the database copies are not backed up at the same time or backed up too frequently.

Procedure

1. Use the Tivoli Storage Manager configuration wizard to configure the DAG node. Ensure that all the DAG members are configured with the same DAG node name.
 - For VSS backups to Tivoli Storage Manager, specify a node name in the **DAG Node** field on the TSM Node Names page in the wizard. This node is used to back up all the DAG.
 - For a stand-alone configuration, complete the following steps:
 - In Microsoft Management Console (MMC), select **Exchange workload** and click **Properties**.
 - Click **General**, and specify a node name in the **Back up DAG databases to common node** field.
2. Grant permission to the DAG member server to act as a proxy for the DAG node. Issue the **proxynode** command for each member server in the DAG. For example, issue the following commands:


```
register node backup_archive_client_node password
register node data_protection_node password
grant proxynode target=data_protection_node agent=backup_archive_client_node
```

```
register node DAG_node password
grant proxynode target=DAG_node agent=backup_archive_client_node
grant proxynode target=DAG_node agent=data_protection_node
```

Tip: If you do not use the configuration wizard to configure the Tivoli Storage Manager server, you must define the proxies and assign proxynode authority to the backup-archive client node and the Data Protection node.

3. For a stand-alone configuration, ensure that the DAG node and the Tivoli Storage FlashCopy Manager node are in the same policy domain.
Select a workload from the **Protect and Recover Data** node in the navigation tree of Microsoft Management Console (MMC), and click **Properties** in the Actions pane. Set and verify the policy domain name in the VSS Policy Binding property page for the Exchange Server workload.
4. Create a backup schedule and specify the **/MINIMUMBACKUPINTERVAL** parameter with the **backup** command. For example, to back up one copy of a database that contains multiple copies, complete the following steps:
 - a. Create a command script that is named C:\BACKUP.CMD by issuing this command:

```
TDPEXCC BACKUP DB1 FULL /MINIMUMBACKUPINTERVAL=60
```
 - b. Copy the BACKUP.CMD file to all the DAG members.
 - c. Create one schedule and associate all the nodes with this schedule.
5. Run the schedule by using the Tivoli Storage Manager scheduler. When the backup schedule runs, the minimum backup interval is observed and only one backup is created.

What to do next

To decrease the load on the production Exchange Server, you can specify that the backups are taken from a valid passive database copy. If a valid passive copy is not available, the backup copy is created from the active copy of the database. To add this specification, specify the **/PREFERDAGPASSIVE** on the **backup** command, for example:

```
TDPEXCC BACKUP DB1 FULL /MINIMUMBACKUPINTERVAL=60 /PREFERDAGPASSIVE
```

Data restore processing

Tivoli Storage FlashCopy Manager can use the Microsoft Volume Shadow Copy Service (VSS) framework to complete fast and instant restores of database backups. You also restore VSS backups to an alternate database and complete Exchange mailbox restore operations. For SQL Server, you can run legacy restore operations from Tivoli Storage Manager server.

In a VSS restore operation, you restore one or more databases from a VSS backup on Tivoli Storage Manager server storage to the original location on the Exchange or SQL Server.

VSS fast restore processing

A VSS fast restore operation restores data from a local snapshot. A VSS fast restore operation overwrites any files that exist at the time of the snapshot on the original source location. The file is overwritten with the version stored on the snapshot. Data is overwritten even if a file is marked read-only.

You can use VSS fast restore operations for the following tasks:

- Restore Exchange Server VSS backups, full, copy, incremental, and differential backup types.
- Restore data at the database level. For custom application and file system data, however, you can only restore data at the file system level. File overwriting occurs even if the file is marked read-only.
- Restore only SQL Server VSS backups to the same SQL Server instance.
- Restore SQL Server VSS backups to an alternate location by using the `/relocatedir` option.
- Restore a VSS backup to an alternate database.
- Restore one or more databases or file systems from a VSS snapshot backup on local shadow volumes that are managed by Tivoli Storage FlashCopy Manager.
- For SQL, custom application, and file system data, restore the data in Microsoft Windows failover clustering environments.
- In a Tivoli Storage Manager configuration, restore local database backups to only the system that created the backup.

VSS instant restore processing

In an *instant restore* operation, a volume-level snapshot of a local Volume Shadow Copy Service (VSS) backup is restored. The VSS backup must exist on SAN-attached volumes.

A Microsoft VSS instant restore operation restores data by using a hardware-assisted restore method, for example, a FlashCopy operation.

Data must be restored on a storage system that runs VSS software and can process VSS instant restore operations. Instant restore processing requires a VSS hardware provider to restore data at the volume level.

Typically, you can restore local VSS backups of SAN-attached volumes from the following storage systems:

- IBM System Storage DS8000® series
- IBM System Storage SAN Volume Controller
- IBM Storwize V7000
- IBM XIV Storage Systems

In Microsoft Windows Server 2012 or later, you can run instant restore operations on IBM and non-IBM storage devices that are enabled to work with a transportable snapshot. A *transportable snapshot* is a cloned image of an Exchange or SQL server database backup that is stored in a SAN cloud, and can be moved from one system to another.

For instant restore operations, use the devices that are listed here: Storage Architecture Support for Tivoli Storage FlashCopy Manager (<http://www.ibm.com/support/docview.wss?uid=swg21455924>).

If data is not on an XIV, SAN Volume Controller, or Storwize V7000 systems with space-efficient target volumes, you must ensure that background copies that use the volumes are restored.

You can manually disable VSS instant restore processing so that Tivoli Storage FlashCopy Manager uses VSS fast restore processing. Instant restore processing is automatically disabled for these VSS restore operations:

- Restore data to an alternate location
- Restore data to an Exchange Server recovery database
- Restore files by issuing the **restorefiles** command

Restriction: SQL Server VSS backups can be restored only to the same SQL Server instance from which they are backed up.

Even though Exchange Server data is restored relatively quickly, the transaction logs must be replayed after a restore operation. The time of recovery for the Exchange Server database increases as the number of logs to be replayed increases.

VSS backups that are restored to alternate databases

IBM Tivoli Storage FlashCopy Manager can restore an Exchange Server database backup or DAG active or passive database copy backup, to a recovery database or to an alternate (or relocated) database.

This restore method is called *restore into*. If you are restoring a relocated database, use the *restore into* function. You must specify the same database name as the one you are restoring.

Note: If you use the *restore into* function, VSS instant restore capability is automatically disabled.

Backups to local shadow volumes can be restored only to the system where the backups are created.

Exchange mailbox restore operations

By using Tivoli Storage FlashCopy Manager, you can restore an entire mailbox or selected mailbox items to the original mailbox, another online mailbox on the same server, or to a Unicode or non-Unicode .pst file.

Restriction:

In the Mailbox Restore view of Microsoft Management Console (MMC), you can restore mail items to Unicode and non-Unicode .pst files. In the Mailbox Restore Browser view, however, you can restore mail items to only non-Unicode .pst files.

The Recoverable Items folder is a storage area in a mailbox that contains operational data about the mailbox. Depending on the Exchange Server functions that you enabled for the mailbox, you can recover and restore the following types of mail items in the Recoverable Items folder:

- Deleted item retention
- Single item recovery
- In-place hold
- Litigation hold
- Mailbox audit-logging

- Calendar logging

Typically, a mailbox is set up to protect mail items from being accidentally or maliciously deleted, or to retrieve mail items during litigation or investigations.

Mailbox-enabled functions

You can verify whether a mailbox is enabled for mailbox restore operations by running the following Exchange Powershell cmdlets. In the examples, the mailbox is for George Clark:

Deleted item retention

```
Get-Mailbox "george clark" | FL RetentionHoldEnabled,
    RetainDeletedItemsFor, RetainDeletedItemsUntilBackup
```

Single item recovery

```
Get-Mailbox "george clark" | FL SingleItemRecoveryEnabled
```

In-place hold

```
Get-Mailbox "george clark" | FL InPlaceHolds
```

Litigation hold

```
Get-Mailbox "george clark" | FL LitigationHoldEnabled
```

Mailbox audit-logging

```
Get-Mailbox "george clark" | FL AuditEnabled,
    AuditLogAgeLimit
```

Calendar logging

```
Get-Mailbox "george clark" | FL CalendarVersionStoreDisabled
```

Mail items in the Recoverable Items folder

In the mailbox restore views in Microsoft Management Console (MMC), you can recover and restore mail items from the subfolders within the Recoverable Items folder. You can also complete this task by issuing the **restoremailbox** command. The following table lists the subfolders that are included in the Recoverable Items folder.

Table 4. Exchange Server 2013 Recoverable Items folder contents

Recoverable Items subfolder	Mailbox-enabled functions	Subfolder contents
Deletions	Deleted item retention	Contains mail items that a user deleted from the Deleted Items folder in their mailbox
Versions	<ul style="list-style-type: none"> • In-place hold • Litigation hold • Single item recovery 	Contains the original and modified copies of the deleted mail items
Purges	<ul style="list-style-type: none"> • Litigation hold • Single item recovery 	Contains all mail items that a user <i>hard deleted</i> , that is, purged from their mailbox
Audits	Mailbox audit-logging	Contains audit log entries
Discovery Holds	In-place hold	Contains mail items that are to be protected from deletion and match <i>hold</i> query parameters
Calendar Logging	Calendar logging	Contains calendar changes that occur within a mailbox

Restriction:

- You cannot restore the Recoverable Items folder and subfolder hierarchy to a mailbox restore destination. You can restore only the contents of the email folders.
- You cannot create a subfolder in the Recoverable Items folder in a mailbox.
- You can restore the Recoverable Items content for a public folder mailbox but not for each public folder in the public folder mailbox.

Related tasks:

“Restoring mailbox data” on page 115


“Restoring mailbox messages interactively with the Mailbox Restore Browser” on page 121

“Configuring your system for mailbox restore operations” on page 90

Related reference:

“Restoremailbox command” on page 241

Related information:

 <https://technet.microsoft.com/en-us/library/ee364755%28v=exchg.150%29.aspx>

Tivoli Storage FlashCopy Manager with IBM SAN Volume Controller and IBM Storwize V7000

The way in which you configure the VSS provider for IBM SAN Volume Controller and IBM Storwize V7000 controls the type of FlashCopy operation that runs when you create a VSS snapshot.

The VSS provider that you use with IBM SAN Volume Controller and IBM Storwize V7000 must have the following characteristics:

- If the VSS provider is configured to use incremental FlashCopy, you can take only one backup version. Each VSS snapshot request for a source volume causes an incremental refresh of the same target volume.

When you delete the VSS snapshot, it is removed from the VSS inventory. If you create another VSS snapshot of the same source volume, the process results in an incremental refresh of the target volume.

The following guidelines apply when you use Tivoli Storage FlashCopy Manager with SAN Volume Controller- based storage:

- Do not use a combination of space-efficient and fully allocated target volumes. Choose to use either space-efficient or fully allocated volumes for FlashCopy targets. Provision enough target volumes in the SAN Volume Controller VSS_FREE volume group for the backup versions you require. If you use fully allocated target volumes, the capacity size of those volumes must match the size of the source volumes.
- If space-efficient virtual disks (VDisks) are used for backup targets, set the IBM VSS provider background copy value to zero by entering the `ibmvcfg set backgroundCopy 0` command. To activate the changes, restart the IBM VSS system service after you enter the command.

You can transition your data from fully allocated targets to space-efficient targets by using fully allocated targets as if those targets are space-efficient when the background copy rate is set to 0.

- Do not use a combination of persistent and nonpersistent VSS snapshots.

- Do not mix COPY and NOCOPY FlashCopy relationships from the same source volume or volumes.
- Enable the autoexpand option for the space-efficient target volumes to avoid out-of-space conditions.
- Allocate enough space for space-efficient target volumes to hold 120 % of the data that is expected to change on the source volume in the time between snapshots. For example, if a database changes at a rate of 20 % per day, VSS backups complete every six hours, and a steady rate of change throughout the day is assumed. The expected change rate between snapshots is 5 % of the source volume (20/4). Therefore, the allocated space for the space-efficient target volumes is to be 1.2 times 5 % equal to 6 % of the source volume size. If the rate of change is not consistent throughout the day, allocate enough space to the target volumes to accommodate the highest expected change rate for the period between snapshots.

You can use VSS instant restore operations with Tivoli Storage FlashCopy Manager when multiple backup versions exist on IBM SAN Volume Controller and IBM Storwize V7000 space-efficient target volumes.

- Do not delete snapshots manually. Allow Tivoli Storage FlashCopy Manager to delete backup versions that are based on the defined policy to ensure that deletion occurs in the correct order.
- For FlashCopy Manager for Microsoft SQL Server, ensure that the Windows host is attached to a IBM SAN Volume Controller or IBM Storwize V7000 cluster. The volumes that are assigned to the Windows host must participate in the IBM SAN Volume Controller or IBM Storwize V7000 cluster.

Related tasks:

“Troubleshooting VSS and SAN Volume Controller, Storwize V7000, or DS8000” on page 190

IBM System Storage requirements

If you use IBM System Storage DS8000 series, SAN Volume Controller, or Storwize V7000 storage systems, be aware of database, log, file, and LUN settings.

Follow these guidelines when you plan for IBM System Storage:

- Place database files on a separate and dedicated logical volume.
- Place logs on a separate logical volume.
- When you use hardware snapshot providers, ensure that the database LUNs are dedicated to only one database or application.
- If you delete a local snapshot that is stored on a IBM SAN Volume Controller or IBM Storwize V7000 space-efficient volume (SEV) that has multiple dependent targets, delete the snapshots in the same order in which you created the snapshots. You must delete the oldest one first, followed by the second oldest.
- In a IBM SAN Volume Controller or IBM Storwize V7000 environment, if you use multiple target FlashCopy mappings, a mapping might stay in the copying state after all the source data is copied to the target. This situation can occur if mappings that started earlier and use the same source disk are not yet fully copied. In this instance, schedule local backups for IBM SAN Volume Controller and IBM Storwize V7000 storage systems at intervals that are greater than the time required for the background copy process to complete.

AlwaysOn Availability Groups with Tivoli Storage FlashCopy Manager for SQL Server in a Windows failover cluster environment

The AlwaysOn Availability Groups (AAG) function provides high availability and disaster recovery at the SQL database level. A SQL AlwaysOn failover cluster instance provides high availability and disaster recovery at the SQL Server level.

Tivoli Storage FlashCopy Manager for SQL Server protects availability databases in an AAG and AlwaysOn Failover cluster instances. An AAG can contain a set of primary databases and multiple copies of the set of primary databases, called secondary databases. Databases in an availability group are called availability databases, and they fail over together as a group.

An AlwaysOn Node manages backups of availability databases. This node is a shared node that allows data backups and restores of availability databases from any replica. Tivoli Storage FlashCopy Manager for SQL Server treats a backup as originating on a single SQL Server regardless of which node of the cluster is backed up.

You can use AAGs with SQL AlwaysOn failover cluster instances to complete the following tasks:

- In an AAG, you can deploy a group of single or clustered server instances, each holding a copy of all databases
- As many as nine online copies of a database (one primary and up to eight secondary copies) can be in an AAG
- You can use synchronous and asynchronous replication
- You can use log shipping
- You can use automatic and manual failover modes
- Databases within an AAG fail over as a group

Follow these guidelines when you set up AAGs in a Microsoft Windows failover cluster environment or in a Veritas cluster server cluster environment:

- Install Tivoli Storage FlashCopy Manager for SQL Server on each cluster node and configure each node identically. Specify identical configurations in the Tivoli Storage FlashCopy Manager for SQL Server options file.
- Ensure that each availability replica of an availability group is on a different node in the same Windows failover cluster environment.
- Use the configuration wizard to register an AlwaysOn Node on the Tivoli Storage Manager server.
- To access a clustered SQL Server, identify the virtual server name and specify that name in Tivoli Storage FlashCopy Manager for SQL Server.
- If you use the Tivoli Storage Manager scheduler to automate data backups, install the scheduler service on each node of the cluster to enable failover support.
- You cannot restore a VSS backup to an alternate instance. Restore VSS backups on the same SQL Server instance where the snapshot is taken.

Tip: VSS and legacy full backups of availability databases on secondary replicas are copy-only. The copy-only option is not automatically used with log backups because you can run log backups that truncate logs on secondary replicas.

Availability database backup operations

Tivoli Storage FlashCopy Manager backs up each availability database as a single object, regardless of which availability replica is used for backup and restore operations.

An AlwaysOn Availability Group (AAG) requires SQL Server instances on Windows Failover Cluster nodes. An availability group can have a number of replicas. For example, availability group 1 might have replicas node1, node2, and node3.

A cluster node might be a replica for one or more availability groups. For example, node1 might be a replica for availability group 1 and another availability group.

The AlwaysOn Node is used to manage backups of availability databases. When you work in a Tivoli Storage Manager environment, the AlwaysOn Node is to be common in a Windows Failover Cluster. This presence enables the management of backups of an availability database in a single location, regardless of the replica that is used to complete the backup.

You can run the following types of VSS backup operations:

- Full VSS backups of the primary availability replica
- VSS copy-only full backups of availability replicas

Restriction: Microsoft does not support legacy full backups on secondary replicas. FlashCopy Manager for Microsoft SQL Server, however, does permit you to run a full backup of a secondary replica based on Tivoli Storage Manager policy.

When you run a full legacy backup of a secondary replica, the underlying implementation of FlashCopy Manager for Microsoft SQL Server is to back up the data as copyfull. However, FlashCopy Manager for Microsoft SQL Server detects the intended full backup operation and applies the Tivoli Storage Manager policy that is associated with the full backup type.

Microsoft Management Console (MMC) and CLI views honor the Tivoli Storage Manager policy that applies to the backup type and in this instance, show the backup type as full. For more information, see Active Secondaries: Backup on Secondary Replicas (AlwaysOn Availability Groups)(<https://msdn.microsoft.com/en-us/library/hh245119.aspx>).

For all backup operations of secondary availability replicas, the secondary replicas must be in the synchronized or synchronizing state.

To assist you with scheduling and load balancing, scheduled backup preference settings of availability groups are also available.

Availability database restore operations

Depending on how you back up availability databases, legacy restore and VSS restore operations are available to restore the availability databases on primary or secondary availability replicas.

Certain restrictions apply when you restore availability databases:

Legacy restore

You can restore an availability database on either a primary or secondary replica.

During the restore process, the restored database is removed from the availability group. When a database is removed from the availability group, the database becomes a local database on that replica. The database is restored as a local database. After the database is restored, you must verify that the data on all replicas is transactionally consistent.

To verify that the data is transactionally consistent, verify that the backup copy contains data and transaction log records. Full backups and differential backups contain data and transaction log records so that the restored database is transactionally consistent.

After you verify that the data is transactionally consistent, manually add the database to the availability group.

VSS restore

You cannot restore a VSS backup to an alternative SQL Server instance. Restore VSS backups to the same SQL Server instance where the snapshot is taken.

AlwaysOn availability databases

For AlwaysOn availability databases, you must set up Tivoli Storage FlashCopy Manager to use an AlwaysOn node name. By default, the AlwaysOn node name is set to the cluster node name for the Availability Group in SQL Server 2012, and later versions.

Automated Tivoli Storage Manager server failover for data recovery

If you use Tivoli Storage FlashCopy Manager with the Tivoli Storage Manager configuration, Tivoli Storage FlashCopy Manager can automatically fail over to a secondary server for data recovery when there is an outage on the Tivoli Storage Manager server.

The Tivoli Storage Manager server that Tivoli Storage FlashCopy Manager connects to for backup services is called the *primary server*. If the primary server is set up for node replication, the client node data on the primary server can be replicated to another Tivoli Storage Manager server, which is the *secondary server*.

Depending on your configuration, you must set up the following nodes for replication on the primary server:

- Tivoli Storage FlashCopy Manager node
- VSS Requestor node
- Tivoli Storage Manager Remote Client Agent (DSMAGENT) node for offloaded backups to the primary server
- Exchange Server Database Availability Group (DAG) node for backups of databases in a DAG

- AlwaysOn node for backups of availability databases in an AlwaysOn Availability Group (AAG) on SQL Server 2012 and later versions. The AlwaysOn node is a shared nodes that facilitates backups and restores of availability databases from any replica.

During processing, connection information for the secondary server is automatically sent to Tivoli Storage FlashCopy Manager from the primary server. The secondary server information is saved to the client options `dsm.opt` file.

Each time the backup-archive client logs on to the server for backup services, it attempts to contact the primary server. If the primary server is unavailable, the backup-archive client automatically fails over to the secondary server. In failover mode, you can restore data that is replicated to the secondary server. When the primary server is online again, the backup-archive client automatically fails back to the primary server the next time the backup-archive client connects to the server.

Requirements: To ensure that automated client failover can occur, Tivoli Storage FlashCopy Manager must meet the following requirements:

- Tivoli Storage FlashCopy Manager must be at least at V4.1 level or later.
- The primary server, secondary server, and backup-archive client must be at least at V7.1.1 level or later.
- The primary and secondary servers must be set up for node replication.
- The following nodes must be configured for replication with the `replstate=enabled` option in each node definition on the server:
 - Tivoli Storage FlashCopy Manager node
 - VSS Requestor node
 - Remote DSM agent node for offloaded backups
 - DAG node, if applicable
 - AlwaysOn node, if applicable
- Before the connection information for the secondary server can be sent to Tivoli Storage FlashCopy Manager, the following processes must occur:
 - You must back up data at least one time to the primary server.
 - The following nodes must be replicated at least one time to the secondary server:
 - Tivoli Storage FlashCopy Manager node
 - DAG node, if applicable
 - AlwaysOn node, if applicable

The following restrictions apply to Tivoli Storage FlashCopy Manager during failover:

- Any operation that requires data to be stored on the Tivoli Storage Manager server, such as backup operations, are not available. You can use only data recovery functions, such as restore or query operations.
- Schedules are not replicated to the secondary server. Therefore, schedules are not run while the primary server is unavailable.
- If the primary server stops before or during node replication, the most recent backup data is not successfully replicated to the secondary server. The replication status of the file space is not current.

Attention: If you restore data in failover mode and the replication status is not current, the recovered data might be corrupted. You must wait until the primary server comes back online before you can restore the data.

Chapter 2. Planning for Tivoli Storage FlashCopy Manager

You can install and configure Tivoli Storage FlashCopy Manager software on a local system or on a virtual machine. From one Tivoli Storage FlashCopy Manager installation, you can manage all of the Tivoli Storage FlashCopy Manager installations in your enterprise.

About this task

Before you implement your backup and restore strategies, review the security requirements and other guidelines that are specific to protecting data in your Tivoli Storage FlashCopy Manager for Windows environment. Consider how to manage your Tivoli Storage Manager policy, and set Tivoli Storage FlashCopy Manager configuration options and preferences.

Storage capacity requirements

With Tivoli Storage FlashCopy Manager, you need storage space for the product installation, space to store Tivoli Storage FlashCopy Manager metadata, and space on the storage device for the snapshot backups.

Product installation

The space that you need for the product installation of Tivoli Storage FlashCopy Manager depends on the components that are installed. Space requirements also depend on required maintenance updates and required operating systems, applications, and other software currency support.

When you plan a product installation, the following components is required depending on the data that you want to protect:

- Microsoft Management Console (MMC) and the VSS Requestor are required components. You install MMC when you install the software by running the setupfcm.exe file. The VSS Requestor is automatically installed for all installations.

Tivoli Storage FlashCopy Manager metadata

Tivoli Storage FlashCopy Manager uses disk space to store product metadata that tracks and manages snapshots (point-in-time consistent copies of application data).

The amount of space that is required is directly proportionate to the number of snapshots that you maintain on the system. For each snapshot that you plan to retain on the system, ensure that at least 1 MB of free disk space is available to store the metadata.

The amount of disk space that is required to store metadata depends on the configuration of your environment.

Configuration with only Tivoli Storage FlashCopy Manager

If you are protecting Microsoft Exchange Server data, Tivoli Storage FlashCopy Manager retains mailbox history information in the metadata to support individual mailbox restore (IMR) processing. The amount of space that is required to store the metadata is proportionate to the number of

mailboxes and log files in the entire organization. For each user mailbox in an organization, ensure that at least 50 KB of disk space is available to store the metadata.

Configuration with Tivoli Storage Manager and Tivoli Storage FlashCopy Manager

If you are protecting Exchange Server data, Tivoli Storage FlashCopy Manager retains the mailbox history information that is stored on the Tivoli Storage Manager server. In this configuration, no disk space is required for Tivoli Storage FlashCopy Manager.

Snapshot copies

Snapshot copies of application data require the most storage space. The amount of space that is required depends on the following factors:

- The VSS provider that you use and the configuration of the VSS provider
- The total size of all source volumes that contain the application data
- The rate at which the source volumes are altered after a snapshot is taken

Full snapshots are the standard type of FlashCopy snapshot. On SAN Volume Controller, DS8000, and Storwize V7000 storage devices, full snapshot copies require the same amount of space as the corresponding source volumes. However, with the Windows System VSS provider, space-efficient copies on SAN Volume Controller and the XIV system initially require space for only the metadata. The space requirement for snapshot copies increases with every volume block that changes on the corresponding source volume. As more source volume blocks change, more space is required for the target volumes that represent a snapshot copy of those applications.

Best practices for Tivoli Storage FlashCopy Manager with IBM XIV 11.6 Real-time Compression

You can use IBM XIV 11.6 Real-time Compression with Tivoli Storage FlashCopy Manager.

About this task

The usage of Tivoli Storage FlashCopy Manager with compressed volumes does not change. However, when you transform volumes managed by Tivoli Storage FlashCopy Manager from the uncompressed state to the compressed state (or if you transform from compressed to uncompressed), use the following list of behaviors as a guide:

Procedure

1. When source volume transformation is in progress (from uncompressed to compressed, or compressed to uncompressed), most Tivoli Storage FlashCopy Manager operations (for example, back up, restore, and mount) fail. The Tivoli Storage FlashCopy Manager software returns the **FMV1235E (RC-1)** message. Perform the volume transformation at a time that does not overlap with scheduled backups or other Tivoli Storage FlashCopy Manager actions running on the volume that is being transformed.
2. With the XIV system, you can transform a volume from uncompressed to compressed state (or compressed to uncompressed state) using one of the following options:

- With the `delete_source=yes` option, delete all volume backups. If you do not delete the volume backups, the transform is unsuccessful. You can use the Tivoli Storage FlashCopy Manager GUI or CLI to manually delete the backups before the transform operation runs.
- With the `delete_source=no` option, the volume backups are retained. After the transform completes, the original (source) volume is hidden from the host system. The original volume is replaced by the transformed volume. Any instant restore operation completed with the backups made before the transformation are restored to the hidden volume on the storage device. The restore is not made to the volume seen by the host. Note that the restore to the volume seen by the host appears to be successful, but the source volume visible to the host system is unchanged.

When using Tivoli Storage FlashCopy Manager to protect volumes to be transformed, delete the existing snapshot backups, regardless of the `delete_source` option setting.

Chapter 3. Installing and upgrading Tivoli Storage FlashCopy Manager

Tivoli Storage FlashCopy Manager wizards guide you through the installation, upgrade, and configuration of Tivoli Storage FlashCopy Manager. After you complete the setup and configuration wizards, your system is ready to back up and restore data.

Tivoli Storage FlashCopy Manager provides the following wizards for installation and configuration tasks:

Standalone configuration wizard

Use this wizard to configure Tivoli Storage FlashCopy Manager to manage snapshot backups as a standalone computer.

Tivoli Storage Manager configuration wizard

Use this wizard to configure Tivoli Storage FlashCopy Manager in an environment that is integrated with Tivoli Storage Manager. This integration provides data protection and centrally managed, policy-based administration.

Mailbox restore only configuration wizard

Use this wizard to configure Tivoli Storage FlashCopy Manager to restore mailboxes from mounted EDB files. Extra data protection features are not available. This configuration is ideal when you have a specific task to complete and do not want the additional Tivoli Storage FlashCopy Manager software functions.

Prerequisites

Before you install Tivoli Storage FlashCopy Manager, ensure that your system meets the minimum hardware, software, and operating system requirements.

To run data protection operations with Tivoli Storage Manager server, you must install the correct product license in the correct installation directory. If you cannot configure the software, verify that the product license file is correctly installed in one of these directories:

- For FlashCopy Manager for Microsoft Exchange Server, install the `excclient.lic` license file in the FlashCopy Manager for Microsoft Exchange Server installation directory.
- For FlashCopy Manager for Microsoft SQL Server, install the `sqlclient.lic` license file in the FlashCopy Manager for Microsoft SQL Server installation directory.
- For Tivoli Storage FlashCopy Manager, install the `fcmclient.lic` license file in the Tivoli Storage FlashCopy Manager installation directory.

The installation wizard verifies many of the prerequisites as part of its verification process. However, some prerequisites cannot be automatically verified, for example, the host bus adapter (HBA) or multipath I/O (MPIO) software that is required for your VSS provider.

In addition, the Tivoli Storage FlashCopy Manager product comprises multiple components that support different operating systems, databases, and applications.

Hardware and software requirements change over time due to maintenance updates and the addition of operating system, application, and other software currency support. Before you begin the installation process, always verify that your environment meets the hardware and software prerequisites.

For more information, review the Hardware and Software Requirements technote that is associated with the level of your Tivoli Storage FlashCopy Manager program. This technote is available at this web page: Tivoli Storage FlashCopy® Manager - All Requirements Doc (<http://www.ibm.com/support/docview.wss?uid=swg21427692>). Follow the link to the requirements technote for your specific release or update level

If you are protecting Tivoli Storage FlashCopy Manager databases on Microsoft Windows Server 2008 and later versions, you must install Microsoft Windows Powershell Version 3.0 or later versions. For more information, see Microsoft TechNet: Installing Windows PowerShell (<http://technet.microsoft.com/en-us/library/hh847837.aspx>).

Installation process might require a restart

If you do not install all of the prerequisites before you start the installation process, the installation process might require a restart. As part of the installation process, one or more Microsoft C++ redistributable packages are installed, if they are not already installed on the Windows workstation. These packages can also be automatically updated by the Windows Update service. If the packages are updated, the update can cause the system to restart when you start the installation program.

Additionally, because the Microsoft Visual Studio C++ redistributable package is a shared Windows component, other applications that have dependencies on the package might be stopped or restarted by Windows as part of the installation or upgrade of the C++ redistributable package. Schedule installations and upgrades during a maintenance window when other applications are not be adversely affected if they are stopped or restarted when the C++ redistributable package is installed. Monitor other applications after the installation is complete to see whether any applications were stopped and not restarted.

Virtualization environment resources

For more information about the virtualization environments that you can use with Tivoli Storage FlashCopy Manager, see this web page: Tivoli Storage Manager (TSM) guest support for Virtual Machines and Virtualization (<http://www.ibm.com/support/docview.wss?uid=swg21239546>)

Installing Tivoli Storage FlashCopy Manager for Windows

The configuration wizard guides you through installing Tivoli Storage FlashCopy Manager on your computer.

Before you begin

Before you install and configure Tivoli Storage FlashCopy Manager, verify that you satisfy the hardware and software requirements.

You can obtain the installation package from the product DVD or from an IBM download site.

- If you obtain the package from the product DVD, ensure that the installation files are visible on the DVD drive.
- If you obtain the package from an IBM download site, you must extract the installation files.

About this task

Tivoli Storage FlashCopy Manager is available in both licensed and maintenance packages. The installation process differs based on the package type.

Licensed package

Includes a license enablement file that is only available from your software distribution channel, such as Passport Advantage®, and includes the initial General Availability release of a product or component.

Maintenance update (fix pack or interim fix package)

Available from the maintenance delivery channel, and can sometimes be used to refresh the software distribution channel. Maintenance packages do not contain license enablement files and must be installed after a licensed package.

See the README.FTP file for information about how to install a fix pack or interim fix package. The README.FTP file is available in the same directory where the maintenance package is downloaded.

Procedure

1. Log on with administrator credentials and complete the following steps:
 - a. Download the appropriate package file from one of the following websites, or you can access the files from the product DVD:
 - For a first-time installation or a new release go to Passport Advantage at IBM Passport Advantage. Passport Advantage is the only website from which you can download a licensed package file.
 - For a maintenance fix, go to this FTP site and to the directory that contains the maintenance fix version that you require, Index of Tivoli Storage FlashCopy Manager patch files (<ftp://public.dhe.ibm.com/storage/tivoli-storage-flashcopymanager/patches/>).
 - b. If you download the package from one of the download sites, complete the following steps:
 - Verify that you have enough space to store the installation files when they are extracted from the product package.
 - Change to the directory where you placed the executable file.

Tip: In the next step, the files are extracted to the current directory. The path must contain no more than 128 characters. Extract the installation files to an empty directory. Do not extract the files to a directory that contains previously extracted files, or any other files.

- Either double-click the executable file, or enter the following command on the command line to extract the installation files. The files are extracted to the current directory.

```
package_name.exe
```

where package_name is like this example:

```
4.1.4.0-TIV-FCM-Win.exe
```

- c. Follow the installation instructions that are displayed.

- d. Click **Finish** to complete the installation of Tivoli Storage FlashCopy Manager.
2. Configure Tivoli Storage FlashCopy Manager by using the configuration wizard.
 - a. Start Microsoft Management Console (MMC). Click **Start > All Programs > Tivoli Storage FlashCopy Manager > FlashCopy Manager Management Console**. When you start MMC, a welcome page is displayed. If Tivoli Storage FlashCopy Manager is not configured, the configuration wizard starts.
 - b. If the configuration wizard does not start automatically, go to **IBM Tivoli Storage Manager > Dashboard > Manage > Configuration > Wizards** in the tree view, and select one of the following wizards:
 - Standalone configuration wizard
 - Tivoli Storage Manager configuration wizard
 - Mailbox Restore Only configuration wizard
 Click **Start** in the Actions pane.
 - c. In the configuration wizard, select the applications to protect, verify requirements, provision, and configure.
3. After you complete the configuration wizard, verify your configuration by selecting each workload instance in the tree view and completing the following steps:
 - a. Click the **Automate** tab.
 - b. Click **Open** in the toolbar.
 - c. Type `verify`. The following three file names are listed.

```
verify_sql.txt
verify_exc.txt
verify_fs.txt
```

The `verify_fs.txt` file is used with MMC and is part of the base product installation.

- d. Select and open the file that matches the workload.
- e. Click **Run** in the toolbar.

If the commands run on the command-line interface with no warnings or errors, the configuration is verified.

The `verify_sql.txt` file contains the following commands:

```
query tdp
query tsm
query sql
```

The `verify_exc.txt` file contains the following commands:

```
query tdp
query tsm
query exchange
```

The `verify_fs.txt` file contains the following commands:

```
query component
query config
```

4. Back up and restore a set of test data. Refine your configuration settings as necessary.
5. Define the policy settings and scheduled operations.

Related concepts:

“Security requirements for backup and restore operations” on page 98

Silently installing Tivoli Storage FlashCopy Manager

You can use the setup program to implement a silent (unattended) installation of Tivoli Storage FlashCopy Manager.

Before you begin

Before you install and configure Tivoli Storage FlashCopy Manager, verify that you satisfy the hardware and software requirements.

You must install two components: Microsoft Management Console (MMC) and Tivoli Storage FlashCopy Manager Server. The setup programs for these components are on the installation media (where x:\ is your DVD drive):

Tivoli Storage FlashCopy Manager Management Console setup program
(64-bit) x:\fcm\x64\mmc\4140\enu\setup.exe

About this task

To ensure a consistent configuration and to avoid having 25 different people enter Tivoli Storage FlashCopy Manager parameters, an administrator can choose to produce an unattended installation package and make it available to the 25 sites. The installation package can be placed on a DVD and sent to each of the remote sites, or the package can be placed in a shared directory on a file server for distribution across the different sites.

Procedure

1. Enter the following commands to silently install both components to the default installation directories:

```
x:\fcm\x64\mmc\4140\enu\setup.exe /s /v/qn
```

where x:\ is your DVD drive.

2. Run the setup.exe file with the following options. Specify each command on a single line from a Run as Administrator command line. The following examples are commands that specify the target directory, the features, start suppression, and logging.

```
x:\fcm\x64\mmc\4140\enu\setup.exe /s /v"INSTALLDIR=
"C:\Program Files\Tivoli\ADDLOCAL="Client" TRANSFORM=1033.mst
REBOOT=ReallySuppress/qn /l*v"C:\Program Files\Tivoli\FlashCopyManager\logs\
fcm.log"
```

3. Review these guidelines as you complete the installation process:
 - You must place a backslash (\) before each quotation mark that is within an outer set of quotation marks (").
 - For a single-line command, press **Enter** only when all the parameters are entered.
 - You must place quotation marks (") around the following text:
 - A directory path that contains spaces.
 - An argument that specifies multiple features. Although you must use quotation marks around the complete argument, you must still place a backslash before each internal quotation mark.
 - All features that are listed in a custom installation must be listed after the **addlocal** option.
 - Setting the **rebootyesno** option to *No* applies only to the installation of the Tivoli Storage FlashCopy Manager software. The installation package

includes a number of prerequisites that are installed by Tivoli Storage FlashCopy Manager. Ensure that all the prerequisites are installed before you start the silent installation, and then set the **rebootyesno** option to *No* to avoid a restart after the silent installation process finishes.

Installing Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core

If you are protecting Microsoft SQL Server 2012 and later versions in a Windows Server Core environment, you can use the setup wizard to install Tivoli Storage FlashCopy Manager.

Before you begin

Before you install and configure Tivoli Storage FlashCopy Manager, verify that you satisfy the hardware and software requirements.

Procedure

1. Log on as an administrator.
2. Install Tivoli Storage FlashCopy Manager for SQL Server by using the configuration wizard.
 - a. Insert the Tivoli Storage FlashCopy Manager for SQL Server product DVD into your DVD drive.

If autorun is enabled, the installation dialog starts automatically when the DVD loads. Otherwise, select **Start > Run**, and at the prompt, specify: `x:\setup.exe`, where `x:` is your DVD drive, and click **OK**.
 - b. Follow the installation instructions that are displayed.
 - c. Click **Finish** to complete the installation. If prompted, restart your system.

What to do next

You can complete an unattended installation of Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core.

Silently installing Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core

If you are protecting Microsoft SQL Server 2012 or later versions in a Windows Server Core environment, you can use silent installation methods to install Tivoli Storage FlashCopy Manager without any user interaction.

About this task

You can use either the setup program or the Windows installer (MSI) program for the unattended installation of Tivoli Storage FlashCopy Manager.

Silently installing Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core with the setup program

You can use the setup program to silently install Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core.

Before you begin

Before you install and configure Tivoli Storage FlashCopy Manager, verify that you satisfy the hardware and software requirements.

Tivoli Storage FlashCopy Manager must be installed from an account that is a member of the local Administrators group for the system on which the SQL Server is running.

About this task

The Tivoli Storage FlashCopy Manager for SQL Server setup program is on the installation media (where x: is your DVD drive):

- (32-bit) x:\fcm\x86\mmc\4140\enu\setup.exe
- (64-bit) x:\fcm\x64\mmc\4140\enu\setup.exe

Procedure

1. Enter the following command to silently install Tivoli Storage FlashCopy Manager for SQL Server to the default installation directory:

```
x:\fcm\aaa\sql\7140\enu\setup.exe /s /v/qn
```

where x: is your DVD drive and aaa is either x64 or x86.

2. Run the setup.exe file with the following options. Specify each command on a single line. The following examples are commands that specify the target directory, the features, start suppression, and logging.

```
x:\fcm\x64\mmc\4140\enu\setup.exe /s /v"INSTALLDIR="C:\Program Files\Tivoli\"  
ADDLOCAL="Client" TRANSFORM=1033.mst REBOOT=ReallySuppress /qn /l*v  
"C:\Program Files\Tivoli\FlashCopyManager\Provisioning\FcmProvisioning.log"
```

3. Review these guidelines as you complete the installation process:
 - You must place a backslash (\) before each quotation mark that is within an outer set of quotation marks (").
 - For a single-line command, press **Enter** only when all the parameters are entered.
 - You must place quotation marks (") around the following text:
 - A directory path that contains spaces.
 - An argument that specifies multiple features. Although you must use quotation marks around the complete argument, you must still place a backslash before each internal quotation mark.
 - All features that are listed in a custom installation must be listed after the **addlocal** option.
 - Setting the **rebootyesno** option to *No* applies only to the installation of the Tivoli Storage FlashCopy Manager for SQL Server software. The installation package includes a number of prerequisites that are installed by Tivoli Storage FlashCopy Manager for SQL Server. Ensure that all the prerequisites are installed before you start the silent installation, and then set the **rebootyesno** option to *No* to avoid a restart after the silent installation process finishes.

What to do next

You are ready to configure Tivoli Storage FlashCopy Manager for SQL Server.

Silently installing Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core with the Microsoft Installer program

You can use the Microsoft Installer (MSI) program, `msiexec.exe`, to implement a silent installation of Tivoli Storage FlashCopy Manager for SQL Server. If you are protecting Microsoft SQL Server 2012 and later versions, you can also use the MSI program to silently install Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core.

Before you begin

Tivoli Storage FlashCopy Manager must be installed from an account that is a member of the local Administrators group for the system on which the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server is running.

Important: Unlike the `setup.exe` program, the `msiexec.exe` program does not install any prerequisites. When you use `msiexec.exe`, you must install all prerequisites manually.

Procedure

To install Microsoft Management Console (MMC), enter each of these **msiexec** commands on a single line from a Run as Administrator command line.

```
msiexec /i "x:\fcm\aaa\mmc\4140\enu\IBM Tivoli Storage FlashCopy Manager.msi"  
RebootYesNo="No" Reboot="ReallySuppress" ALLUSERS=1  
INSTALLDIR="c:\program files\tivoli" ADDLOCAL="Client"  
TRANSFORMS="x:\fcm\aaa\mmc\4140\enu\1033.mst" /qn /l*v "c:\temp\log_fcm.log"
```

where *x*: is your DVD drive and *aaa* is either x86 or x64.

What to do next

Important:

- You must place quotation marks (") around the following items:
 - A directory path that contains spaces.
 - An argument that specifies multiple features. Although you must use quotation marks around the complete argument, you must still place a backslash before each internal quotation mark.
- All features that are listed in a custom installation must be specified after the **addlocal** option.

Upgrading Tivoli Storage FlashCopy Manager

You can upgrade Tivoli Storage FlashCopy Manager with the latest versions of Tivoli Storage FlashCopy Manager for Exchange Server and Tivoli Storage FlashCopy Manager for SQL Server.

Before you begin

- Install Tivoli Storage FlashCopy Manager. When you extract and install the Tivoli Storage FlashCopy Manager setupFCM.exe package, ensure that you leave all the source installation binary files on your local system.
- Run the configuration wizard and verify your Tivoli Storage FlashCopy Manager version. The configuration wizard does not run if it cannot locate the installation package binary files on your system.

Procedure

1. Download the latest patch files for Tivoli Storage FlashCopy Manager for Exchange Server or Tivoli Storage FlashCopy Manager for SQL Server at Index of Tivoli Data Protection patches.
2. Extract the patch files that you downloaded, and run setupFCM.exe. Ensure that you leave all the source installation binary files on your local system or the configuration wizard might not run.
3. To start Microsoft Management Console (MMC), click **Start > All Programs > Tivoli FlashCopy Manager > FlashCopy Manager Management Console**. The system detects the patch files that you installed for Tivoli Storage FlashCopy Manager for Exchange Server or Tivoli Storage FlashCopy Manager for SQL Server, and identifies the version.
4. In the Welcome page, click **OK**.
The configuration wizard automatically starts and can vary depending on the software licenses that are found on the system. If the configuration wizard does not start automatically, click **IBM Tivoli Storage Manager** in the navigation tree, and click **Configuration**. Then, double-click **Wizards**.
5. In the configuration wizard, select to configure either Exchange Server or SQL Server installed components. The configuration wizard guides you through the process of provisioning and installing the remaining files for the selected Data Protection component. When the configuration wizard is complete, the Data Protection component version is displayed.
6. At any stage, rerun the configuration wizard to verify the Data Protection component version that Tivoli Storage FlashCopy Manager is running.

What to do next

After you upgrade Tivoli Storage FlashCopy Manager, you can restore, mount, and unmount any local backups that are created with an earlier version of the software. Use the upgraded version of the software to complete this task. If you use an older version of the software, errors occur.

Tivoli Storage FlashCopy Manager migration

You can migrate data from earlier versions of Tivoli Storage FlashCopy Manager.

After you upgrade to a newer version of Tivoli Storage FlashCopy Manager, use VSS restore for local VSS backups that were originally created with the older version of the software.

If you used a previous version of Tivoli Storage FlashCopy Manager in a Microsoft clustering environment, and you upgrade to a newer version of Tivoli Storage FlashCopy Manager, any existing backups that are completed on cluster disks do not count toward the maximum number of versions. New backups for clustered disks that are completed with the newer version of Tivoli Storage FlashCopy Manager are managed logically for the cluster. Except for the active backup, older backups eventually expire. When you no longer must retain the active backup, the active backup must be deleted by using the **delete backup** command. You can restore the existing backups.

Managing migrated backups to a Database Availability Group node

When you configure Tivoli Storage FlashCopy Manager to back up databases in a DAG to a common DAG node, all DAG databases are backed up with the new DAG node name.

Before you begin

If you are migrating from a Tivoli Storage FlashCopy Manager version that is earlier than V3.2, manage the backups from the previous versions by following these guidelines:

- Do not mix backups that are created with previous versions of Tivoli Storage FlashCopy Manager with new backups that are created by using the DAG node. To separate the backups, keep the previous backups under the previous Data Protection node name that is defined in the `dsm.opt` file in the `C:\Program Files\Tivoli\tsm\TDPEXchange` directory, and use a new DAG node name to store the new backups.
- To view or restore a backup that is stored under the previous node name, you must change the Tivoli Storage FlashCopy Manager configuration.
- You must manually delete backups over time if the old backups are no longer useful.

Procedure

1. After you complete your migration, ensure that the first backup you do is a full backup.
2. To view and restore backups that are stored under the previous Data Protection node name, complete these steps:
 - a. Remove the **DAG Node** by using the General properties page, configuration wizard, or the **set** command on the command line.
 - b. Restart or refresh Microsoft Management Console (MMC) or command-line interface.
 - c. Click the **Recover** tab in MMC, or run a `tdpexcc query tsm *` command. Because the **DAG Node** parameter is not set, Tivoli Storage FlashCopy Manager lists the backups that are stored under the Tivoli Storage FlashCopy Manager node.

- d. Proceed to restore one or more of the listed backups.
3. Delete the backups that are expired.

Uninstalling Tivoli Storage FlashCopy Manager

When you install Tivoli Storage FlashCopy Manager, some components are saved to your system. You can remove components by using the Windows **Add or Remove Programs** or **Programs and Features** in the Windows control panel. You must manually remove any remaining files, registry keys, or Windows services that are created by Tivoli Storage FlashCopy Manager.

Before you begin

Log into a Windows account with administrator privileges.

About this task

This procedure assumes that a default Tivoli Storage FlashCopy Manager configuration is in place.

Use this procedure to completely remove all Tivoli Storage FlashCopy Manager data from a computer. Adjust the path in the example to suit your environment.

Procedure

1. Copy any files that you want to keep from the `c:\Program Files\Tivoli` directory and its subdirectories to a different directory. For example, you might have configuration files that you want to save.
2. Delete any Tivoli Storage FlashCopy Manager scheduled tasks:
 - a. Select the **Scheduling** node in the Tivoli Storage FlashCopy Manager tree view.
 - b. Select each scheduled task that is listed in the Schedules section of the results pane, and click **Delete**.
3. Stop any Tivoli Storage FlashCopy Manager components that are running.
4. Delete any existing Tivoli Storage FlashCopy Manager snapshots by issuing the **DELETE BACKUP** command.
5. Enter the following commands. You can use the command `dsmcutil list` to display any Tivoli Storage FlashCopy Manager services that are installed.
 - a. `cd /d "c:\program files\tivoli\tsm\baclient"`
If necessary, replace `c:\program files\tivoli` with the correct installation folder.
 - b. `dsmcutil remove /name:"TSM Remote Client Agent"`

Important: Remove the TSM Remote Client Agent before you remove the TSM Client Acceptor, or the TSM Client Acceptor cannot be removed.

 - c. `dsmcutil remove /name:"TSM Client Acceptor"`
6. From the **Control Panel** window, open **Add or Remove Programs** or **Programs and Features**.
7. Uninstall the following items if listed:
 - IBM Tivoli Storage FlashCopy Manager
 - IBM Tivoli Storage Manager Client
 - IBM Tivoli Storage Manager for Databases - MS SQL

- IBM Tivoli Storage Manager for Mail - MS Exchange
- Find the Tivoli Storage Manager staging files and remove them from the file system. Run the following commands:
 - `cd /d "c:\program files\tivoli"`
If the Tivoli Storage Manager staging files are not in the default locations, manually remove the files. If necessary, replace `c:\program files\tivoli` with the correct installation folder.
 - `rd /s flashcopymanager`
 - `rd /s tsm`
 - Enter the following command:
`reg query hklm\software\ibm`

A list of registry keys are displayed. For example:

```
HKEY_LOCAL_MACHINE\software\ibm\ADSM
HKEY_LOCAL_MACHINE\software\ibm\FlashCopyManager
HKEY_LOCAL_MACHINE\software\ibm\GSK7
HKEY_LOCAL_MACHINE\software\ibm\GSK8
```

- Enter the following commands from a Run as Administrator command prompt window.
 - Enter this command if you want to completely remove the Tivoli Storage Manager backup-archive client from the system: `reg delete HKLM\SOFTWARE\IBM\ADSM` You can uninstall Tivoli Storage FlashCopy Manager, but continue to use Tivoli Storage Manager backup-archive client.
 - `reg delete HKLM\SOFTWARE\IBM\FLASHCOPYMANAGER`
- Before you enter the following commands, verify these requirements:
 - The entries `HKEY_LOCAL_MACHINE\software\ibm\GSK7` and `HKEY_LOCAL_MACHINE\software\ibm\GSK8` were included in the command output that is shown in Step 9.
 - No other applications are using IBM GSKIT.

If either of the preceding conditions exist, enter the following commands:

 - `reg delete HKLM\software\ibm\GSK7`
 - `reg delete HKLM\software\ibm\GSK8`
- Remove any Tivoli Storage FlashCopy Manager user configuration files by entering the following command. Repeat the command for any user accounts that are configured with Tivoli Storage FlashCopy Manager:
 - Change to the following directory:
`cd %userprofile%\appdata\local\microsoft_corporation`
Add quotation marks around the directory name if the name contains any spaces. For example: `cd /d "%userprofile%\appdata\local\microsoft_corporation"`
 - Enter this command:
`dir _fmux*`
 - Remove each folder that begins with `_fmux`. Make sure to enclose the folder name in quotation marks (" "). For example:
`rd /s "_FmUx,_Version=4.1.2.0,_C_Path_rusomschqavk3w2upyovnjy1331z5qn3"`

Chapter 4. Configuring Tivoli Storage FlashCopy Manager

You can use configuration wizards to configure Tivoli Storage FlashCopy Manager, or you can complete the steps manually. For best results, be guided by the step-by-step instructions in the configuration wizards.

About this task

Tivoli Storage FlashCopy Manager provides the following wizards to guide your configuration tasks:

Standalone configuration wizard

Use this wizard to configure Tivoli Storage FlashCopy Manager to manage snapshot backups as a stand-alone computer. When you select the Standalone Configuration option, you configure Tivoli Storage FlashCopy Manager to manage snapshots locally, without using a Tivoli Storage Manager server. For stand-alone support, backups are stored locally on the server that is running the backup. The VSS backup is created by using Microsoft Volume Shadow Copy Service. The VSS backup produces an online snapshot (point-in-time consistent copy) of Exchange Server, SQL Server, or custom application and file system data.

Tivoli Storage Manager configuration wizard

Use this wizard to configure Tivoli Storage FlashCopy Manager to work with Tivoli Storage Manager. This integration provides data protection and centrally managed, policy-based administration.

When you select the TSM Configuration option, Tivoli Storage FlashCopy Manager software protects and manages Exchange Server, SQL Server, or custom application and file system data by storing backups locally or on the Tivoli Storage Manager server. With Tivoli Storage Manager, you can also offload your backups to another computer and to move the data to the Tivoli Storage Manager server.

Mailbox Restore Only configuration wizard

Use this wizard to configure Tivoli Storage FlashCopy Manager to restore mailboxes from mounted Exchange database EDB files. When you select the Mailbox Restore Only configuration option, extra data protection features are not available. This configuration option is ideal when you want to restore mailboxes from only .EDB files and you do not want to use the additional Tivoli Storage FlashCopy Manager software functions. The functions that are available with this configuration option are included in the other configuration options.

Specifying configuration parameters for Tivoli Storage Manager

After Tivoli Storage FlashCopy Manager for Windows is registered to Tivoli Storage Manager, you must configure the node name, password, the communications method, and the appropriate parameters to connect to the Tivoli Storage Manager server.

Before you begin

When you manually set configuration parameters for Tivoli Storage Manager, ensure that the Tivoli Storage FlashCopy Manager options file (`dsm.opt`) and the backup-archive client options file (also `dsm.opt`) specify the same Tivoli Storage Manager server.

About this task

You can use the configuration wizard to set the configuration parameters. To manually configure the parameters, complete the following steps.

Procedure

1. If you are running Tivoli Storage FlashCopy Manager on a Microsoft Windows Failover Clustering or Veritas Cluster Server, ensure that the options files on each cluster node are identical by editing the options file. Use a text editor to edit the file.

The `dsm.opt` options file includes the following parameters, which are necessary for initial configuration:

COMMMethod

Specify the communication protocol to use between the Tivoli Storage FlashCopy Manager node and the Tivoli Storage Manager server. Depending on the `commmethod` option that you choose, specify one of the following connectivity parameters for the `commmethod` values.

- For VSS backups, specify the **COMMMethod** option in the Tivoli Storage FlashCopy Manager options file.
- For VSS backups, specify the **COMMMethod** option in the backup-archive client options file that is used as the Local DSMAGENT Node. If the environment is configured for VSS offloaded backups, you must also specify the **COMMMethod** option in the backup-archive client options file that is used as the Remote DSMAGENT Node.

NODename

Specify the Tivoli Storage Manager node name that Tivoli Storage Manager uses to identify the system that runs Tivoli Storage FlashCopy Manager.

PASSWORDAccess

Specify either the default `generate` value to generate a password automatically, or specify the `prompt` password to respond to a request for a password.

2. Optional: modify the default values for the following parameters:

CLUSTERnode

In the DSMAGENT options files, specify the **CLUSTERnode** option and set it to *no*. For the Tivoli Storage FlashCopy Manager options file, specify the **CLUSTERnode** option and set it to *yes*.

HTTPport

Specify the HTTP port. The default value is 1581.

TCPPort

Specify the TCP port.

TCPServeraddress

Specify the TCP server address.

3. Optional: For VSS backups that are sent to the Tivoli Storage Manager server, specify the following options to enable features for the data that is sent to the Tivoli Storage Manager server.

When you use these options, you must update the backup-archive client options file that is used as the local DSMAGENT node and the remote DSMAGENT node.

COMPRESSION

Specify the compression yes option if any of the following conditions exist:

- The network adapter has a data overload
- Communications between Tivoli Storage FlashCopy Manager and Tivoli Storage Manager server are over a low-bandwidth connection
- Heavy network traffic exists

Specify the compression no option if any of the following conditions exist:

- The computer that runs Tivoli Storage FlashCopy Manager has a processor overload; the added processor usage might cause issues for other applications that include the server. You can monitor processor and network resource usage with the Performance Monitor program that is included with Windows.
- You are not constrained by network bandwidth; you can achieve the best performance by leaving the compression no option unchanged and enabling hardware compaction on the tape drive, which also reduces storage requirements.

For VSS backups, specify the **COMPRESSION** option in the backup-archive client options file that is used as the local DSMAGENT node. If the environment is configured for VSS offloaded backups, specify the **COMPRESSION** option in the backup-archive client options file that is used as the remote DSMAGENT node.

DEDUPLICATION

Specify whether the Tivoli Storage Manager API deduplicates data before the data is sent to the Tivoli Storage Manager server. Specify Yes or No. The value applies only if Tivoli Storage Manager allows client-side data deduplication.

When you specify both deduplication and **ENABLELANFree** options, the deduplication option is ignored.

You can enable client-side data deduplication by specifying DEDUPLICATION YES in the dsm.opt file.

ENABLELANFree

If you run data backup and restore operations in a LAN-free environment, specify **ENABLELANFree yes** in the DSMAGENT (VSS Requestor) options file.

ENABLECLIENTENCRYPTKEY

Specify this option to encrypt databases during backup and restore processing by generating one random encryption key per session.

Restriction: You can back up encrypted VSS databases only to the Tivoli Storage Manager server. You cannot back up encrypted data to a Tivoli Storage FlashCopy Manager server.

You can specify DES56 (56 bit), AES128 (128 bit), or AES256 (256 bit). The most secure data encryption method is AES256.

In the options file, you must also specify the databases that you want to encrypt by adding an include statement with the `include.encrypt` option.

For VSS backups, specify the encryption options in the backup-archive client options file that is used as the local DSMAGENT node. If the environment is configured for VSS offloaded backups, specify the encryption options in the backup-archive client options file that is used as the remote DSMAGENT node.

If you make changes in the backup-archive client options file, ensure that you restart the Tivoli Storage Manager Client Acceptor Daemon (CAD) service for the Exchange or SQL Server.

What to do next

You can create more FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server options files to point to another Tivoli Storage Manager server. You can create more than one options file, where each file contains different parameters to use with a single Tivoli Storage Manager server.

Related tasks:

“Configuring Tivoli Storage FlashCopy Manager for SQL Server clustered environments” on page 77

Specifying configuration and options files in non-default locations

The Tivoli Storage FlashCopy Manager software uses default configuration and options files. If you want to use non-default configuration and options files, use command-line parameters to specify alternative configuration and option files when you start Tivoli Storage FlashCopy Manager.

Before you begin

The information in this procedure does not apply to managing remote Tivoli Storage FlashCopy Manager installations.

About this task

MMC that is used for Tivoli Storage FlashCopy Manager software is started with the `flashcopymanager.exe` file. The `flashcopymanager.exe` file accepts the following parameters:

```
/mscFilename=filename # Name of the MMC snap-in control file  
/author # Opens the MMC console in author mode.
```

For example:

```
flashcopymanager.exe parameter1=filename  
parameter2=filename ...
```

The flashcopymanager.exe file accepts the following parameters to set the configuration files:

```
/FSCONFigfile=filename # File system configuration file  
/SQLCONFigfile=filename # SQL configuration file  
/EXCCONFigfile=filename # Exchange configuration file  
/FSOPTfile=filename # File system OPT file  
/SQLOPTfile=filename # SQL OPT file  
/EXCOPTfile=filename # Exchange OPT file  
/FCMCUSTConfigfile=filename # Custom configuration file  
/SQLINSTancenames=Instance1,Instance2,... # SQL instances to show in the MMC
```

Procedure

Start MMC with the parameters by using flashcopymanager.exe, as shown in the following example.

```
flashcopymanager.exe /FSCONFigfile=newcfg.xml /SQLCONFigfile=altsql.cfg  
/SQLINSTancenames=mysql1,mysql2
```

You can also start and run multiple instances of MMC concurrently. With the command-line parameters, each instance operates by using a different configuration that is based on the specified configuration and option files.

Setting user preferences

Use the property pages in the Data Protection Properties window to customize your IBM Tivoli Storage FlashCopy Manager configuration preferences.

Before you begin

The property pages customize preferences such as logging of activity, how languages and information are displayed, and tune performance. The information about the General property page is required to back up data, but the properties are set when you complete the configuration wizard.

When you configure preferences, consider the backup strategy, resource needs, policy settings, and hardware environment of your system.

Procedure

1. In the navigation tree of Microsoft Management Console (MMC), select the Exchange Server, SQL Server, or file system instance for which you want to edit preferences.
2. In the Action pane, click **Properties**.
3. Select the property page that you want to view or edit. The property pages that are available depend on whether your Tivoli Storage FlashCopy Manager system is configured for stand-alone support or Tivoli Storage Manager support.
4. Edit the property page and click **OK** to save your changes and close the window.

What to do next

Tip: You can also view or edit properties for the dashboard and MMC. To open the properties window, click **Dashboard** in the navigation tree, and click **Properties**

in the Actions pane.

Data Protection properties

Use property pages to customize your configuration preferences.

The available property pages for a workload vary depending on whether it is configured for the stand-alone environment or the Tivoli Storage Manager environment.

You can view or edit property pages by selecting a workload from the **Protect and Recover Data** node in the navigation tree of Microsoft Management Console (MMC), and clicking **Properties** in the Actions pane.

Server Information

Use the Server Information property page to obtain information about the server that provides backup services.

The fields that display depends on whether the product is configured for a stand-alone snapshot environment or for a Tivoli Storage Manager environment.

Note: References to the stand-alone snapshot environment are specific to Tivoli Storage FlashCopy Manager.

Node name

Specifies the name that is used to identify the client node for stand-alone backup operations or backup operations to Tivoli Storage Manager server.

TSM API version

Specifies the version of the Tivoli Storage Manager application programming interface (API).

Server name

For backups to Tivoli Storage Manager, specifies the name of the Tivoli Storage Manager server that you are connected to.

For a stand-alone configuration, Virtual Server is displayed.

Server Network Host name

Specifies the network host name for the Tivoli Storage Manager server.

For a stand-alone configuration, **FLASHCOPYMANAGER** is displayed.

Server type

For backups to Tivoli Storage Manager, specifies the type of operating system of the Tivoli Storage Manager server.

For a stand-alone configuration, Virtual Platform is displayed.

Server version

Specifies the version of the Tivoli Storage Manager server.

Compression mode

Specifies whether compression is used during backup operations to the Tivoli Storage Manager server. The possible values are Yes, No, and Client Determined.

Domain name

Specifies the policy domain that the node belongs to. A policy domain contains one or more policy sets.

For SQL systems, the domain name, policy set, and management class are listed for the Data Protection or AlwaysOn node.

For Exchange systems, the domain name, policy set, and management class are listed for the Data Protection node. To get these parameters for the DAG node, log on to the Tivoli Storage Manager server or contact your Tivoli Storage Manager server administrator.

Active Policy Set

Specifies the policy set that is active for the policy domain. A policy set contains one or more management class definitions.

Default Management Class

The default policy or management class that contains attributes. These attributes determine how long backup versions are stored, where backup versions are stored, and how many backup versions are retained.

Server Password

Use the Server Password property page to change the password for the Data Protection node that you use to access the Tivoli Storage Manager server. This property page applies only to Tivoli Storage Manager configurations.

The following fields are displayed in the property page:

Old password

Type the Tivoli Storage Manager password that you want to change.

New password

Type a new password. Follow the Tivoli Storage Manager server password policy rules.

Confirm new password

Type the new password again. Click **OK** to save your changes.

Policy Management

Use the Policy Management property page to add or update a backup policy, which controls how different backup versions are retained on local shadow volumes on stand-alone snapshot configurations.

Backup retention on local shadow volumes is determined by version and time-based policies. Ensure that sufficient local storage space is available on local shadow volumes for your VSS backup. The amount of storage space that is required depends on the VSS Provider that you use.

The following fields are displayed in the property page:

Policy Specify the unique name of a backup policy for the stand-alone configuration.

Number of Snapshots to keep

Specify the number of backup versions to retain on local shadow volumes. Enter a value from 1 to 9999. Type NL to retain as many backup versions as permitted by available storage space. The default value is 2.

This parameter does not apply to incremental backup versions of Exchange Server data. Incremental backups do not participate in expirations because of version limit because there is never more than one version of an incremental backup object. There is only one version of an incremental backup object because incremental backups are always uniquely named.

Days to keep a Snapshot

Specify the number of days to retain backup versions on local shadow volumes. Enter a value from 0 to 9999. Type NL to retain as many backup

versions as the available storage space allows. When the value is set to 0, snapshots are kept for the current day. The default value is 30.

VSS Policy Binding

Use the VSS Policy Binding property page to bind storage snapshots to back up policies or management classes. VSS policies determine how backups are managed and retained.

VSS policy statements are processed from the end to the beginning and processing stops when the first matching statement is reached. To ensure that more specific statements are processed, specify the more general specification before the more specific ones.

The policy statements do not take effect on existing or new backups until the next backup is completed.

Managed Capacity

Use the Managed Capacity property page to track the capacity of managed storage.

The information that is provided can assist you with storage capacity planning during activities such as license renewal.

Diagnostics

Use the Diagnostics property page to select the type of tracing to run on various components of Tivoli Storage FlashCopy Manager.

When you encounter a problem, open the Diagnostics property page. Select the diagnostic mode that you want to use by clicking **Normal**, **Complete**, or **Custom**. Then, click **Begin** to start the trace. Close the property page. Re-create the problem, open the Diagnostics property page, and click **End** to stop the tracing and collect the data.

If you are using this property page from the Dashboard property sheet, you can run trace only for Microsoft Management Console (MMC).

Diagnostic modes

The following diagnostic mode is available in the Diagnostics property page from the Dashboard property sheet:

MMC - use this mode to set tracing for MMC only. Only MMC tracing can be completed with this mode.

The following diagnostic modes are available in the Diagnostics property page in the workload property sheets. The type of tracing that is enabled for each mode is listed in the table. Specific trace flags, and guidance on when to use each mode is also listed.

Table 5. Diagnostics modes and their usage

Mode	Components traced along with trace flags used	When to use
Normal	MMC, DP (service), API (service,api_detail)	If you are completing legacy operations, you can use this mode because it results in small output size

Table 5. Diagnostics modes and their usage (continued)

Mode	Components traced along with trace flags used	When to use
Complete	MMC, DP (service), API (service,api_detail), Agent (service)	Use for VSS operations, results in large output size
Custom	Any combination	Use if specific flags are needed

Normal

Click **Normal** to collect trace and log files for legacy operations. Not applicable for FlashCopy Manager for Microsoft Exchange Server.

Complete

Click **Complete** to collect trace and log files for VSS operations.

Custom

Click **Custom**, then click the check mark icon to select the trace and log files that you want to collect. Use this mode only if specific trace flags are required.

Enable snap-in tracing

Select this box to enable tracing of MMC. Click **Review** to view the trace file.

Set Default Trace Flags

Click **Set Default Trace Flags** to set the most commonly requested trace flags.

Enable Data Protection tracing

Select this box to enable tracing of FlashCopy Manager for Microsoft Exchange Server, FlashCopy Manager for Microsoft SQL Server, and file system and custom application operations. Click **Review** to view the trace file. Add or update trace flags in the field.

Enable DSM Agent tracing

Select this box to enable tracing for the Tivoli Storage Manager client node. You must restart the client acceptor service before you start the trace. Click **Review** to view the trace file. Add or update trace flags in the field.

Enable API tracing

Select this box to enable tracing for the Tivoli Storage Manager API. Click **Review** to view the trace file. Add or update trace flags in the field.

Email Select diagnostic files and click **Email** to send a diagnostic email to an IBM service representative with the selected files attached. You must configure your email information before you can send the data to an IBM service representative. To configure your email information, go to the Dashboard and click **Properties**. Then, click **Email** to open the email property page.

Screenshot

This function is enabled after you click **Begin**. Click **Screenshot** to open the Diagnostic Screenshot Tool. This tool is a modeless dialog that remains open until you close it or click **End** or **Cancel**.

Click **Add New Screenshot** to add a screen capture to the FlashCopyManager\ProblemDetermination folder. The screen capture can be selected with other diagnostic data.

SQL Login

Use this property page to set preferences for logging on to the Microsoft SQL Server. This property page is available only for the **SQL Server** workload.

Use Windows Authentication

Select this option to use a trusted connection and allow Microsoft Windows to authenticate the logon.

Use SQL Server Authentication

Select this option to use SQL user ID security. With this type of security, you must enter the logon ID and the password to log on to the Microsoft SQL Server.

User name

Specifies the SQL user ID.

Password

Specifies the password to log on to the Microsoft SQL Server.

General (SQL Server)

Use General (SQL) property page to specify general preferences for the **SQL Server** workload. This property page applies if the product is configured to back up data to stand-alone storage or Tivoli Storage Manager.

SQL Server

Specify the unique name that identifies the SQL Server instance.

From Server

Specify the SQL Server backups that you want to use for the restore. By default, this field displays the same name for the **SQL Server**.

Wait for tape mounts for backup or restore

Select this box when you want FlashCopy Manager for Microsoft SQL Server to wait for tape media to be mounted for backup and restore operations. This setting is applicable when the Tivoli Storage Manager server is configured to store the backup data on tape media. With backup data on removable media, during backup and restore operations, a wait period occurs during storage volume mounts. If a wait occurs, this setting specifies whether FlashCopy Manager for Microsoft SQL Server waits for the media mount or stop the current operation. By default, this option is not selected.

Use VSS backups as the default backup method

Select this box to set VSS backups as the default backup method. Ensure that the **Local DSMAGENT Node name** field is specified in the VSS Backup property page. Backups can be restored only by using VSS.

Compress backup by using SQL Server compression

Select this box to enable SQL Server compression during legacy backup operations. This check box is available only if you are running Microsoft SQL Server 2008 or later versions.

Compute SQL Server checksum for legacy backup

When selected, this option is written to the FlashCopy Manager for Microsoft SQL Server preferences file (tdpsql.cfg), and can be applied to all legacy backups. If you clear the check box, you ensure that the integrity check does not apply to any legacy database backup.

Estimate % change for differential backup

Specify the value for the estimated change to database pages for differential backups. This estimate is used by FlashCopy Manager for Microsoft SQL Server to determine whether enough storage space is available for the backup. The default value is 20. This value becomes the default value for all differential backups.

This field applies only to FlashCopy Manager for Microsoft SQL Server legacy backups.

General (Exchange Server)

Use the General (Exchange) property page to specify general preferences for the **Exchange Server** workload. This property page applies only if your workload is configured to back up data to Tivoli Storage Manager.

Temporary log restore path

Specify the default temporary path to use when you restore logs and patch files. For best performance, specify a path that is on a different physical device than the current active logger. If you do not enter a path, the default is the value of the TEMP environment variable. When you run a full restore, copy restore, or database copy restore, all log files that are in the specified path are erased.

Back up DAG databases to common node

Specify the node name that you want to use to back up databases from a Database Availability Group (DAG). With this setting, all active and passive copies of the databases are backed up to the same file space on the Tivoli Storage Manager server. The database copies are managed as a single entity, regardless of which Database Availability Group member they were backed up from.

When you use this setting, Tivoli Storage Manager applies the same policy across all DAG members, regardless of which DAG member ran the backup.

Temporary database restore path

Specify the directory where the database files that are being restored are temporarily located. Ensure that the directory provides enough space to store the entire mailbox database file. If you do not specify a directory, the database files are restored into a directory that is specified by the TEMP environment variable. This option is only available for mailbox restore operations.

Alias of temporary mailbox

Specifies the alias of a mailbox to use as a temporary storage location during mailbox restore operations. The temporary mailbox is used during restore operations of mailboxes that were deleted, re-created, or moved since the time of the backup. By default, the mailbox restore operation uses the administrator user's mailbox as a temporary storage location.

Exchange Client Access Server

Specify the name of the Client Access Server (CAS) that you want to use. This field is available only for Microsoft Exchange Server 2010.

By default, Tivoli Storage FlashCopy Manager uses the local server as the CAS if the local server has the CAS role installed. The CAS that is defined by the logon user mailbox database is used if the local server does not have the CAS role installed.

You can find the name of the current CAS, which is defined by the current logon user mailbox database, by running this Exchange Management Shell command:

```
Get-MailboxDatabase -Identity <logon user mailbox database> |  
select RpcClientAccessServer
```

To use a different CAS, you can define the CAS to be used.

Restore mail messages as unread

Select this check box to specify that restored mail messages are marked as unread.

Backup mailbox history

Select this check box if you are using mailbox restore operations and you want the mailbox history to be backed up.

Tip: If you do not intend to run mailbox restore operations, clear this check box. This action can improve backup performance.

Pre/Post Snapshot

Use this property page to specify presnapshot and postsnapshot commands. This property page applies only to custom applications in the **File System** workload.

Pre-Snapshot Command

Specify the name of the command script that is used to quiesce custom applications that use the file system before the snapshot is created. You must specify the fully qualified path name for the command script.

Post-Snapshot Command

Specify the name of the command script that is used to restart custom applications that use the file system after the snapshot is created. You must specify the fully qualified path name for the command script.

All batch scripts must include an exit statement with the following value:

```
exit error_code
```

Logging

Use the Logging property page to specify activity log preferences.

Log File Name

Specifies the name of the file in which activities are logged.

Enable pruning

Specifies that older entries from the log are to automatically be deleted. By default, log pruning is activated and completed daily.

Number of days to keep old entries

Specifies the number of days to keep old entries in the log before they are pruned. By default, 60 days of log entries are saved in the pruning process.

Prune now

Click this option to delete older entries from the Tivoli Storage FlashCopy Manager activity log when a command runs.

Regional

Use the Regional property page to set preferences that affect how languages and information are displayed and logged.

Regional and Language options

Select this option to set preferences for Microsoft Management Console (MMC). MMC uses the same regional settings as the Windows system.

Language

Select the language to use for log files and the command-line interface.

Date Format

Select a date format to use for log files and the command-line interface.

The available choices represent several ways to place the month (*mm*), day (*dd*), year (*yyyy*), and period of day (*a.m.* or *p.m.*). The default date format is *mm/dd/yyyy*.

Time Format

Select a time format to use for log files and the command-line interface.

The available choices represent several ways to place the hour (*hh*), minutes (*mm*), and seconds (*ss*). The default time format is *hh:mm:ss*.

Number Format

Select a number format to use for log files and the command-line interface.

The available choices represent several ways to place the decimal, comma, and spaces. The default number format is *xxx,xxx.dd*.

Match MMC Language

Select this option to change MMC regional settings to match the system's regional and language options. By selecting this option, the number, date, and time formats are matched to the default formats of the selected language.

VSS Options

Use the VSS Options property page to configure preferences that are used during VSS backup and restore operations.

Default Backup Destination

Select the default storage location for data backups.

Tip: You must have the Tivoli Storage FlashCopy Manager license to use the Tivoli Storage Manager software. If you have only the Data Protection license, only the Tivoli Storage Manager option is enabled. You can select from the following storage locations:

Tivoli Storage Manager server

The backup is stored only on Tivoli Storage Manager server storage. Select this option for workloads that are configured with Tivoli Storage Manager server. For Exchange Server and SQL Server, Tivoli Storage Manager server is the default backup destination.

Local The backup is stored only on a local disk. For custom application and file system data, a local backup is the default backup destination.

Both The backup is stored on Tivoli Storage Manager server storage and on a local disk. Select this option for workloads that are configured with Tivoli Storage Manager server.

For Tivoli Storage Manager configurations, the backups can be stored on a local disk, but managed on the Tivoli Storage Manager server. The Tivoli Storage Manager server maintains the metadata, that is, the information about where the local snapshot is stored.

Local DSMAGENT Node name

Specify the node name for the DSM Agent node of the local client system that creates the VSS backups.

Remote DSMAGENT Node name

Specify the node name of the system that moves the VSS data to Tivoli Storage Manager server storage during offloaded backups. If you do not use offloaded backups, you can leave this field blank.

Import VSS snapshots only when needed

Select the check box to have Tivoli Storage FlashCopy Manager import VSS snapshots to the Windows system where the snapshots are created. The check box is selected by default. During backup processing, transportable snapshots are automatically created and imported to storage systems when the snapshots are required.

Ensure that the check box is selected if you want to take the following actions:

- Run instant restore operations on some IBM and non-IBM storage systems by enabling the storage system to create transportable snapshots during backups
- Import the VSS snapshots to a local server
- Keep more than 100 backup versions
- Extend the number of LUNs that the server can use, for example, in a VMWare environment

Tip: If you work in a VMware environment and want to use VMware vMotion, ensure that the LUNs are correctly zoned to the ESX hosts. The import process maps the VSS snapshot to the ESX host where the Windows virtual machine is running.

Clear the check box if you do not want to create transportable VSS snapshots during backup processing and automatically import the snapshot to storage systems after the backup is completed.

During Instant Restore, automatically stop and restart necessary Microsoft Exchange services

When this option is selected, during instant restore operations, the following Microsoft Exchange services are, as necessary, automatically stopped and restarted:

- (DAG environments only) Exchange Replication Service
- (Exchange 2013 only) Exchange Search Host Controller Service

Capacity Licensing

Use the Capacity Licensing property page to generate capacity metrics reports for users who are licensed under the front-end or back-end capacity licensing model.

The report, in an XML file format, is generated automatically at the end of a backup operation. You can specify the frequency at which the report is generated and the location into which it is created by using the following options on the Capacity Licensing property pane.

XML creation interval

Specify the frequency in days at which the report is automatically generated at the end of a backup operation. Valid values are 1 - 365 and the default value is 7 days.

XML creation location

Specify the directory path into which the report is created. The location you specify is a network shared folder that can be accessed by the central reporting tool.

You must specify a creation location. If you do not, the report is not generated.

Custom Settings

Use the Custom Settings property page to set your filtering options and control the amount of information that is returned from the server.

Select **Show Refresh Options** in the toolbar in the Recover view. This property page is available only with SQL Server and Exchange Server workloads.

In environments where thousands or millions of backup objects are stored on the Tivoli Storage Manager server, it can be helpful to disable the automatic refresh mode. You can click **Refresh Options** and use the toolbar to switch between manual and automatic refresh mode.

Automatic and manual refresh modes differ in the following ways:

- In automatic refresh mode, a view automatically refreshes the first time that you select it. If there are thousands or millions of objects on the server, the refresh can take a long time to complete.
- In manual refresh mode, the view is not automatically refreshed. A name filter is available on the **Refresh Options** toolbar that you can use to narrow down the number of objects selected. After you enter a name pattern, you can click **Refresh**. By using manual refresh mode and limiting your query by using filters, you can reduce the amount of information that is returned from the server. Reducing the amount of information that is returned from the server can improve query and restore performance.

To help you to filter information, you can also specify an asterisk (*) as a wildcard character in the name pattern.

Performance

Use this property page to set preferences that affect performance for legacy backups. This property does not apply to Data Protection for Exchange Server.

DP Buffers

Specifies a number in the range 2 - 8 that specifies the number of communication data buffers that FlashCopy Manager for Microsoft SQL Server uses when it transfers data to the Tivoli Storage Manager server. Each buffer has the size that is specified by the **DP Buffer Size** option. This option applies only to legacy backups.

DP Buffer size

Specifies the size of the buffers that are used by FlashCopy Manager for Microsoft SQL Server to transfer data to the Tivoli Storage Manager server. This option applies only to legacy backups. Specify a value in the range 64 - 8192.

SQL Buffers

Specifies the number of communication data buffers that FlashCopy Manager for Microsoft SQL Server uses when it transfers data between the SQL Server and FlashCopy Manager for Microsoft SQL Server. Each buffer has the size that is specified in the **SQL Buffer Size** option. This option applies to legacy backups only. Specify a value from 0 - 999.

SQL Buffer size

Specifies the size of the buffers that are used by FlashCopy Manager for Microsoft SQL Server to transfer data from the SQL Server to FlashCopy Manager for Microsoft SQL Server. This option applies only to legacy backups. Specify a value in the range 64 - 4096.

Stripes

Specifies the number of data stripes to use in a legacy backup or legacy restore operation. Specify a value in the range 1 - 64. The default value is 1. This option applies to legacy backup and restore operations only.

When you use a multiple stripes number for legacy backups, and setting the **Verify Only** parameter to **Yes** to restore the legacy backup, the number of stripes for legacy restore must be equal or greater than the number of stripes for the legacy backup.

MAPI Settings

If you use Exchange Server 2013, use the MAPI Settings property page to verify that the user mailbox is online. You can also view and update the MAPI registry key that enables Tivoli Storage FlashCopy Manager to connect to the Exchange Server.

Tivoli Storage FlashCopy Manager automatically generates a default value for the registry key. Edit the registry key only if the default value is incorrect.

The values that you enter override the registry key that is in the `HKEY_CURRENT_USER\Software\Microsoft\Windows NT\Current Version\Windows Messaging Subsystem` directory. If you modify the registry incorrectly, the connection to the Exchange Server might fail.

You can use this property page only if you use Exchange Server 2013 or later versions.

RpcHttpProxyMap_TSM

Change the registry key values to reflect the correct domain, endpoint, and Remote Procedure Call (RPC) authentication methods for your environment. By default, the format is:

*Domain=Proxy Server,RpcHttpAuthenticationMethod,
RpcAuthenticationMethod,IgnoreSslCert*

For example:

`companyname.local=https://exchange.companyname.com,ntlm,ntlm,false`

where:

- *Domain* value is the domain suffix of the personalized server ID, for example, `companyname.local`. Specify any domain or a substring of a domain, or the asterisk (*) and question mark (?) wildcard characters, for example, `*.companyname.local`.
- *Proxy Server* value is the RPC proxy server that has the Client Access Server (CAS) role. Specify the fully qualified domain name (FQDN) of the RPC proxy server. Precede the FQDN by `http://` for an HTTP connection, or `https://` for an HTTPS connection. For example, `https://exchange.companyname.com`
- *RpcHttpAuthenticationMethod* value is the method that is used to authenticate RPC-over-HTTP connections. Specify NTLM, Basic, Negotiate, or WinNT.
- *RpcAuthenticationMethod* value is the method that is used to authenticate RPC-over-TCP connections. Specify NTLM, Negotiate, WinNT, Anonymous, or None.
- *IgnoreSslCert* value indicates whether the Exchange Server validates SSL certificates. For the Exchange Server to ignore invalid certificates, specify `False`.

Domain

Change the domain name to reflect the correct domain if for example, you have multiple domains, or the default domain value is incorrect. To match all domains, enter the asterisk (*) wildcard character. When you change this domain value, the *Domain* value of the registry key automatically updates in the `RpcHttpProxyMap_TSM` field.

Use HTTPS authentication

Select this check box if RPC-over-HTTPS is enabled for the Exchange Server that is hosting the MAPI profile. Otherwise, clear this check box to ensure that HTTP authentication is used for RPC-over-HTTP connections. When you change this authentication value, the *RpcAuthenticationMethod* value of the registry key automatically updates in the `RpcHttpProxyMap_TSM` field.

Related tasks:

“Ensuring successful MAPI connections” on page 105

Configuring Tivoli Storage FlashCopy Manager in a stand-alone configuration

By using the Standalone Configuration Wizard, you can configure Tivoli Storage FlashCopy Manager to store database snapshots locally, without using a Tivoli Storage Manager server.

About this task

The configuration procedure applies to the following environments:

- Tivoli Storage FlashCopy Manager for SQL Server, if the required license is located
- Tivoli Storage FlashCopy Manager for Exchange Server, if the required license is located
- File system and custom applications

Procedure

1. To start Microsoft Management Console (MMC), click **Start > All Programs > Tivoli Storage FlashCopy Manager > FlashCopy Manager Management Console**.

If the Management Console is not configured for licenses that are identified, a welcome page is displayed. You can select the type of configuration to complete.

2. From the start page, click **Configuration**.

You are automatically prompted to run the configuration wizard. If the configuration wizard prompt is not displayed automatically, expand the following tree nodes: **IBM Tivoli Storage Manager > Dashboard > Manage > Configuration**. Then, select **Wizards**.

3. In the results pane, double-click **Standalone Configuration** to open the Standalone Configuration Wizard.
4. Follow the wizard instructions to configure stand-alone snapshot support.
 - a. In the Data Protection Selection page, select the applications that you want to protect. You can select the **SQL Server**, **Exchange Server**, or **File System** workload.
 - b. To view information about the computer, operating system, processor, and physical memory, click **Show System Information**.
 - c. Review the information in the Requirements Check page. Correct any error or warning messages. For Exchange Server workload, if you do not have all the user roles that are required for individual mailbox restore operations, click the **Warnings** link and follow the wizard prompts to add the missing Exchange Server roles. If you are a member of the Exchange Organization Management group and have sufficient role-based access control (RBAC) permissions, you can automatically add the missing roles. If you are not a member of the Exchange Organization Management group and have insufficient RBAC permissions, you must manually add the missing roles.
 - d. Select the **Default** configuration setting. When you select the **Default** configuration setting, the VSS Requestor is configured in addition to configuring the applications that you selected. The client and agent services are also registered and configured, and a schedule to support historical managed capacity is defined.

If you need more than one instance of the Client Acceptor and Remote Agent services, or if you use the backup-archive client to back up to the

Tivoli Storage Manager server, but Tivoli Storage FlashCopy Manager is in a stand-alone configuration, click **Custom**. You can use the **Custom** setting to choose a node name for the Client Acceptor and Remote Agent services, an options file, service names, and the HTTP port. Tivoli Storage FlashCopy Manager does not interfere with the existing client operations. If the backup-archive client is not installed and configured to protect the file system, the **Default** setting is easier to use.

When you select **Custom**, more fields are displayed to change the client service configuration. Review the information in the fields and, if necessary, change settings.

- **VSS Requestor node name:** Enter the node name that communicates with the VSS Service to access the Exchange Server, SQL Server, or custom application and file system data. The VSS Requestor node name is also the node name that the Remote Client Agent service uses to communicate with Tivoli Storage FlashCopy Manager.
- **VSS Requestor options file name:** Enter the name of the client options file for the VSS Requestor node.
- **Client Acceptor service name:** Specify the name of the service that is used by Tivoli Storage Manager backup-archive client to communicate with Tivoli Storage FlashCopy Manager. By default, this service is named the **TSM Client Acceptor**.
- **Remote Client Agent service name:** Specify the name of the service that communicates with Windows VSS to run the VSS operations. By default, this service is named the **TSM Remote Client Agent**.
- **HTTP Port:** Specify the HTTP port to use for the Client Acceptor service.

You can also delete an existing service by selecting a service in the **Currently installed client services** list and clicking **Remove**. Removal of a service happens instantly. The removal occurs when you click **Remove**.

- e. Click **Show Details** to view a list of individual configuration results.
5. Click **Finish** to complete the wizard.
 6. Optional: After you complete the configuration process with the wizard, test VSS snapshots on the system. Click **Run VSS diagnostics when this wizard exits**.

Attention: If the configuration is for space-efficient target volumes for SAN Volume Controller or Storwize V7000, testing VSS snapshots deletes previous backups that are created for the volumes that are selected in the test wizard.

7. To verify that Tivoli Storage FlashCopy Manager is correctly configured, select a workload in the **Protect and Recover Data** node in the navigation tree. From the **Automate** view, issue one of the following commands. . For example, the following CLI commands can be used:

- For file systems and custom applications:

```
fcmcli query component
fcmcli query config
```

- For SQL Server:

```
tdpsqlc query tdp
tdpsqlc query fcm
tdpsqlc query sql
```

- For Exchange Server:

```
tdpexcc query tdp
tdpexcc query fcm
tdpexcc query exchange
```

You can use the selection tool to choose to enter either CLI commands or PowerShell cmdlets. You can also view the configuration settings by clicking **Properties** for each configured workload.

What to do next

After you complete the configuration wizard, you can use Tivoli Storage FlashCopy Manager to back up and restore data.

Configuring a Tivoli Storage FlashCopy Manager remote system in a stand-alone configuration

By using the Standalone Configuration Wizard, you can configure a remote system to work in a stand-alone environment.

Before you begin

On the local system, verify the following system requirements:

- Windows 7, Windows 8, Windows 2008, Windows 2008 R2, Windows 2012, Windows 2012 R2, or a later version is installed
- PowerShell version 3.0 or later is installed, if you are running Windows 7, Windows 8, Windows 2008, or Windows 2008 R2. On Windows 2012 and later versions, PowerShell version 4.0 is installed by default.
- Tivoli Storage FlashCopy Manager version 4.1.4 is installed

On the remote system, verify the following system requirements:

- Windows 2008, Windows 2008 R2, Windows 2012, Windows 2012 R2, or a later version is installed
- Windows PowerShell version 3.0 or later is installed, if you are running Windows 2008, or Windows 2008 R2. On Windows 2012 and later versions, PowerShell version 4.0 is installed by default.
- Tivoli Storage FlashCopy Manager version 4.1.4 is installed
- The required workload is configured.

Procedure

1. On the local system, start the Tivoli Storage FlashCopy Manager Management Console.
2. From the Management Console, use Manage Computers to add the remote system.
3. In the navigation tree, verify that the remote system is displayed.
4. Click **Manage > Configuration > Wizards**.
5. Select **Standalone Configuration**.
6. On the Data Protection Selection page, verify that the following information is entered correctly:
 - The remote computer name in the window title.
 - The correct system information.
7. Select the application to be configured and click **Next**.
8. On the Requirements Check page, click **Show Details**. For Exchange Server workload, if you do not have all the user roles that are required for individual mailbox restore operations, click the **Warnings** link and follow the wizard prompts to add the missing Exchange Server roles. If you are a member of the Exchange Organization Management group and have sufficient role-based

access control (RBAC) permissions, you can automatically add the missing roles. If you are not a member of the Exchange Organization Management group and have insufficient RBAC permissions, you must manually add the missing roles.

9. On the Custom Configuration page, select **Default**.
10. On the Configuration page, click **Show Details**. Verify the progress and status of the configuration.
11. Click **Finish** to complete the wizard.

What to do next

To verify that the configuration is set up correctly, complete the following steps:

1. In the navigation tree, for the remote system, expand **Protect and Recover** and click the application that is configured.
2. Query the components and verify that a successful backup can be completed.

Related concepts:

“Security requirements for backup and restore operations” on page 98

Configuring Tivoli Storage FlashCopy Manager to integrate with Tivoli Storage Manager

By using the TSM Configuration Wizard, you can configure Tivoli Storage FlashCopy Manager to protect and manage Exchange Server, SQL Server, or custom application and file system data by storing backups locally or on the Tivoli Storage Manager server.

Before you begin

If you configure the DSM Agent node (the backup-archive client node) manually, ensure that you set the **PASSWORDAccess** option to generate in the `dsm.opt` file for the Tivoli Storage Manager backup-archive client. Also ensure that the stored password for the DSMAGENT Node is valid.

About this task

The configuration procedure applies to the following environments:

- Tivoli Storage FlashCopy Manager for SQL Server, if the required license is located
- Tivoli Storage FlashCopy Manager for Exchange Server, if the required license is located
- File system and custom applications

Procedure

1. To start Microsoft Management Console (MMC), click **Start > All Programs > Tivoli Storage FlashCopy Manager > FlashCopy Manager Management Console**.

2. From the start page, click **Configuration**.

You are automatically prompted to run the configuration wizard. If the configuration wizard prompt is not displayed automatically, expand the following tree nodes: **IBM Tivoli Storage Manager > Dashboard > Manage > Configuration**. Then, select **Wizards**.

3. In the results pane, double-click **TSM Configuration** to open the Tivoli Storage Manager Configuration Wizard.
4. Follow the wizard configuration instructions, and click **Next** to move to the next page.
 - a. In the Data Protection Selection page, select the applications that you want to protect. You can select the **SQL Server**, **Exchange Server**, or **File System** workload.
 - b. Review the results of the requirements check and ensure that you address any errors or warnings.

Click **Show Details** to view results.

- If you are configuring an application for which you do not have the necessary license, the license requirement check fails. You must either return to the Data Protection Selection page and clear the selected application to proceed with the configuration, or obtain the necessary license.
 - For Exchange Server workload, if you do not have all the user roles that are required for individual mailbox restore operations, click the **Warnings** link and follow the wizard prompts to add the missing Exchange Server roles. If you are a member of the Exchange Organization Management group and have sufficient role-based access control (RBAC) permissions, you can automatically add the missing roles. If you are not a member of the Exchange Organization Management group and have insufficient RBAC permissions, you must manually add the missing roles.
- c. In the TSM Node Names page, specify the Tivoli Storage Manager node names, which exist on the same system, to use for the applications that you want to protect.

Table 6. Field entry in the Tivoli Storage Manager Node Names page

Field	Action
VSS Requestor	Enter the node name that communicates with the VSS service to access the Exchange Server, SQL Server, or custom application and file system data.
Data Protection for SQL	Enter the node name where the Data Protection application is installed. This name is the node name that is used to store the Tivoli Storage FlashCopy Manager for SQL Server backups. Tip: If you do not need a VSS configuration for your SQL Server, you can skip the configuration. Click Do not configure DP SQL VSS support .
AlwaysOn Node	Enter a node name if you are configuring Tivoli Storage FlashCopy Manager with SQL Server 2012 and later versions. This name is the node name that is used to back up the availability databases in an AlwaysOn Availability Group. By default, the Windows Failover Cluster name is used.

Table 6. Field entry in the Tivoli Storage Manager Node Names page (continued)

Field	Action
Data Center Node	Enter the data center node name if the Tivoli Storage Manager for Virtual Environments Recovery Agent license is available. The data center node is the virtual node that maps to a data center.
Data Protection for Exchange	<p>Enter the node name where the Data Protection application is installed. This name is the node name that is used to store the FlashCopy Manager for Microsoft Exchange Server backups.</p> <p>If you configure the DAG Node on this wizard page, Exchange Server DAG database backups are stored under the DAG node.</p>
DAG Node	<p>Enter the node name that you want to use to back up databases in an Exchange Server DAG. With this setting, backups from all DAG members that are configured to use the DAG node are backed up to a common file space on the Tivoli Storage Manager server.</p> <p>The database copies are managed as a single entity, regardless of which DAG member they were backed up from. This setting can prevent Tivoli Storage FlashCopy Manager from making too many backups of the same database.</p> <p>Ensure that you configure all of your DAG members that have copies of the same database to all use the same DAG node. On the Tivoli Storage Manager server, ensure that you register the DAG node name. All of the DAG member nodes (the Data Protection nodes) must be granted <i>proxynode</i> authority to run backups on behalf of the DAG node. All of the DSM Agent nodes (the backup-archive client nodes) must also be granted <i>proxynode</i> authority. If you do not want to manually update these properties, you can use the configuration wizard to set the properties on the Tivoli Storage Manager server.</p>
Files System and Custom Configuration	Enter the node name that you want to use to back up custom application and file system data.

Create a node name that can help you distinguish the type of backup that is run. For example, if your host name is *MALTA*, you can name the VSS Requestor node name *MALTA*, and you can create a Data Protection node name that is called *MALTA_EXC* or *MALTA_SQL*. For an SQL Server configuration, the AlwaysOn node name does not have to be related to the VSS Requestor or the Tivoli Storage FlashCopy Manager for SQL Server node name. For example, you can name it *TSM_ALWAYSON*. For an Exchange

Server configuration, the DAG node name does not have to be related to the VSS Requestor or the Tivoli Storage FlashCopy Manager for Exchange Server node name. For example, you can name it TSMDAG.

- d. Enter information for the Tivoli Storage Manager server that you are connecting to and click **Next** to continue.

Table 7. Field entry in the Tivoli Storage Manager Node Names page

Field	Action
Tivoli Storage Manager Server Address	Enter the TCP/IP domain name or a numeric IP address for the Tivoli Storage Manager server that contains the backups. Obtain this information from your Tivoli Storage Manager server administrator.
Tivoli Storage Manager Server Port	Enter the port number for the Tivoli Storage Manager server that contains the backups. Obtain this information from your Tivoli Storage Manager administrator.

Specify whether to have the wizard to configure the Tivoli Storage Manager server for you by generating a configuration macro file.

If you click **No**, the macro file is available at the final page of the wizard so that it can be provided to the Tivoli Storage Manager administrator as an example of one way to configure the Tivoli Storage Manager server to support application data protection.

If you click **Yes**, the wizard starts the macro during the Configuration step in the wizard. Review the macro file and update it if needed.

After you click **Yes**, enter the following information in the appropriate field:

- The name of the Tivoli Storage Manager administrator account.
 - The password for the Tivoli Storage Manager administrator.
 - Click **Test Communications** if you want to test your connection with the Tivoli Storage Manager server. This option is not available until the VSS Requestor is installed.
 - Click **Review/Edit** to review or update the Tivoli Storage Manager macro file. Alternatively, you can review the macro file and directly run the commands on the Tivoli Storage Manager server.
- e. Select the **Default** configuration setting. When you select the **Default** configuration setting, the VSS Requestor is configured in addition to configuring the applications that you selected. The client and agent services are also registered and configured, and a schedule to support historical managed capacity is defined.
 - f. Review the results of the configuration process. Click **Show Details** to view a list of individual configuration results.
5. Click **Finish** to complete the wizard.
 6. Optional: After you complete the configuration process with the wizard, test VSS snapshots on the system. Click **Run VSS diagnostics when this wizard exits**.

Attention: If the configuration is for space-efficient target volumes for SAN Volume Controller or Storwize V7000, testing VSS snapshots deletes previous backups that are created for the volumes that are selected in the test wizard.

7. To verify that Tivoli Storage FlashCopy Manager is correctly configured, select a workload in the **Protect and Recover Data** node in the navigation tree. From the **Automate** view, issue one of the following commands.

- For file systems and custom applications:

```
fccli query component  
fccli query config
```

- For SQL Server:

```
tdpsqlc query tdp  
tdpsqlc query tsm  
tdpsqlc query sql
```

- For Exchange Server:

```
tdpexcc query tdp  
tdpexcc query tsm  
tdpexcc query exchange
```

You can use the selection tool to choose to enter either CLI commands or PowerShell cmdlets. You can also view the configuration settings by clicking **Properties** for each configured workload.

What to do next

After you complete the configuration wizard, you can use Tivoli Storage FlashCopy Manager to back up and restore data.

Configuring a Tivoli Storage FlashCopy Manager remote system to integrate with Tivoli Storage Manager

By using the TSM Configuration Wizard, you can configure a remote system to communicate with a Tivoli Storage Manager server.

Before you begin

On the local system, verify the following system requirements:

- Windows 7, Windows 8, Windows 2008, Windows 2008 R2, Windows 2012, Windows 2012 R2, or a later version is installed
- PowerShell version 3.0 or later is installed, if you are running Windows 7, Windows 8, Windows 2008, or Windows 2008 R2. On Windows 2012 and later versions, PowerShell version 4.0 is installed by default.
- Tivoli Storage FlashCopy Manager version 4.1.4 is installed

On the remote system, verify the following system requirements:

- Windows 2008, Windows 2008 R2, Windows 2012, Windows 2012 R2, or a later version is installed
- Windows PowerShell version 3.0 or later is installed, if you are running Windows 2008, or Windows 2008 R2. On Windows 2012 and later versions, PowerShell version 4.0 is installed by default.
- Tivoli Storage FlashCopy Manager version 4.1.4 is installed
- The required workload is configured.

Procedure

1. On the local system, start Microsoft Management Console (MMC).
2. From MMC, use Manage Computers to add the remote system.
3. In the navigation tree, verify that the remote system is displayed.

4. Click **Manage > Configuration > Wizards**.
5. Select **TSM Configuration**.
6. On the Data Protection Selection page, verify that the following information is entered correctly:
 - The remote computer name in the window title.
 - The correct system information.
7. Select the application to be configured and click **Next**.
8. For Exchange or SQL Server, the license check might fail. If the test fails, provide the file path and name for the location on the remote server.
9. On the TSM Node Names page, verify that the following information is entered correctly:
 - VSS Requestor
 - The Data Protection or file system name, depending on the application that is configured

For systems with a Database Availability Group (DAG) or an AlwaysOn Availability Group, the corresponding DAG node or AlwaysOn node is detected.
10. On the TSM Server Settings page, type the server name and port number.
11. For the **Would you like this wizard to configure your TSM server?** question, select **Yes**.
12. Click **Review / Edit**. If the domain is not entered correctly, update the information. Click **OK**.
13. On the Custom Configuration page, select **Default**.
14. On the Configuration page, click **Show Details**. Verify the progress and status of the configuration.
15. Click **Finish** to complete the wizard.

What to do next

To verify that the configuration is set up correctly, complete the following steps:

1. In the navigation tree, for the remote system, expand **Protect and Recover** and click the application that is configured.
2. Open the Properties and click **Server Information**. Verify that the correct information is displayed.
3. Query the components and verify that a successful backup can be completed.

Related concepts:

"Security requirements for backup and restore operations" on page 98

Configuring Tivoli Storage FlashCopy Manager to restore mailboxes from mounted Exchange Server database files

The Mailbox Restore Only configuration wizard is useful when you do not have to configure additional Tivoli Storage FlashCopy Manager software functions.

Procedure

1. To start Microsoft Management Console (MMC), click **Start > All Programs > Tivoli Storage FlashCopy Manager > FlashCopy Manager Management Console**.
2. From the start page, click **Configuration**.

You are automatically prompted to run the configuration wizard. If the configuration wizard prompt is not displayed automatically, expand the following tree nodes: **IBM Tivoli Storage Manager > Dashboard > Manage > Configuration**. Then, select **Wizards**.

3. In the results pane, double-click **Mailbox Restore Only** to open the Mailbox Restore Only Configuration wizard.
4. Follow the wizard configuration instructions. Click **Show Details** to view a list of individual requirement results.

Review the results of the requirements check and address any errors or warnings. For Exchange Server workload, if you do not have all the user roles that are required for individual mailbox restore operations, click the **Warnings** link and follow the wizard prompts to add the missing Exchange Server roles. If you are a member of the Exchange Organization Management group and have sufficient Role Based Access Control (RBAC) permissions, you can automatically add the missing roles. If you are not a member of the Exchange Organization Management group and have insufficient RBAC permissions, you must manually add the missing roles.

5. Click **Finish** to complete the wizard.

Related concepts:

“Security requirements for backup and restore operations” on page 98

Configuring node definitions for Tivoli Storage FlashCopy Manager

Although Tivoli Storage FlashCopy Manager can automatically configure node definitions, you can also manually configure node names for Tivoli Storage FlashCopy Manager. You can also configure the system that runs offloaded backups.

Proxy node definitions for VSS backups

You must use node names for VSS operations because FlashCopy Manager for Microsoft Exchange Server and FlashCopy Manager for Microsoft SQL Server use the Tivoli Storage Manager backup-archive client to implement VSS backup operations.

In addition, you must use a node name for where FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server is installed.

As part of the configuration procedure, a proxy relationship is defined for these node names. By default, this proxy relationship is defined when you run the configuration wizard. You can manually complete the configuration.

The proxy relationship allows node names to process operations on behalf of another node name. When you register these nodes to the Tivoli Storage Manager server for VSS operations, do not specify the Tivoli Storage Manager `USerid=NONE` parameter. VSS operations fail when this parameter is specified.

Two types of node names are defined in proxy node relationships:

- *Target node*: A node name that controls data backup and restore operations and also owns the data on the Tivoli Storage Manager server. This node name is specified in the FlashCopy Manager for Microsoft Exchange Server and FlashCopy Manager for Microsoft SQL Server `dsm.opt` file.

- *Agent node*: A node name that processes operations on behalf of a target node. This node name is specified in the backup-archive client `dsm.opt` file.

To define these nodes, enter the backup-archive client **grant proxy** command. For example:

```
GRANT PROXY TARGET=dpexc_node_name AGENT=dsmagent_node_name
```

Required node names for basic VSS operations

VSS operations require specific node name settings.

To process basic VSS operations, you must have one target node and one agent node.

Table 8. Required node names for basic VSS operations

Proxy node type	Node name	Where to specify
Target node	The FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server node name	Use the <code>nodename</code> option in the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server options file (<code>dsm.opt</code>)
Agent node	The Local DSMAGENT Node name that must match the backup-archive client node name	Use the localdsmagentnode parameter in the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server configuration file (<code>tdpexc.cfg</code>) or (<code>tdpsql.cfg</code>)

Note: For basic VSS operations, the agent node and target node are on the same system.

Required node names for basic VSS offloaded backups

VSS offloaded backups require specific node name settings.

To complete VSS offloaded backups, you must have one target node and two agent nodes:

Table 9. Required node names for basic VSS offloaded backups

Proxy node type	Node name	Where to specify
Target node	FlashCopy Manager for Microsoft Exchange ServerFlashCopy Manager for Microsoft SQL Server node name	Use the nodename option in the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server options file (<code>dsm.opt</code>)
Agent node	Local DSMAGENT Node	Use the localdsmagentnode parameter in the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server configuration file (<code>tdpexc.cfg</code>) or (<code>tdpsql.cfg</code>)
Agent node	Remote DSMAGENT Node	Use the remotedsmagentnode parameter in the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server configuration file <code>tdpexc.cfg</code> or (<code>tdpsql.cfg</code>)

Target node

This node name is where FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server is installed. This node name (specified with the **nodename** option in the `dsm.opt` file) is referred to as the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server node name.

Agent node - Local DSMAGENT Node

This node name is where the backup-archive client and VSS provider are installed. This node is responsible for processing the VSS operations because FlashCopy Manager for Microsoft Exchange Server does not process any direct VSS operations.

This node name is referred to as the Local DSMAGENT Node and is specified with the **localdsmagentnode** parameter in the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server configuration file (`tdpexc.cfg` or `tdpsql.cfg` by default). To specify this parameter with the Properties window of Microsoft Management Console (MMC), select VSS backup. In the Properties window, you can update the Local DSMAGENT Node name. Otherwise, use the **tdpexcc set** or **tdpsqlc set** command to specify this parameter.

Agent node - Remote DSMAGENT Node

This node name is a separate system that must also have the backup-archive client, and the VSS provider installed. In addition, for Exchange Server workloads, ensure that you install the same level of the Exchange System Management Tools that is installed on your Exchange production server. This node is responsible for moving VSS snapshot data from local shadow volumes to the Tivoli Storage Manager server.

This node name is referred to as the Remote DSMAGENT Node and is specified with the **remotedsmagentnode** parameter in the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server configuration file (`tdpexc.cfg` or `tdpsql.cfg` by default). To specify this parameter with the Properties window of MMC, select VSS backup. Then, you can update the Remote DSMAGENT Node name. Otherwise, use the **tdpexcc set** or **tdpsqlc set** command to specify this parameter.

The choice of available systems depends on whether the systems have access to the local shadow volumes that contain the VSS snapshot backups. This node name is only valid for VSS environments that support shadow copies that can be transported.

If you are using the default VSS system provider, you cannot specify the node name.

Ensure that the **localdsmagentnode** and **remotedsmagentnode** are registered to the same Tivoli Storage Manager server that is specified in the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server options file (`dsm.opt`) and the backup-archive client options file (also `dsm.opt`).

Configuring the system that runs offloaded backups

Complete the following steps on the computer that is running the offloaded backups. This task is for VSS operations only.

Procedure

1. Configure the Tivoli Storage Manager backup-archive client if it is not already configured. If the backup-archive client is already configured, you can use existing client services. Select **Utilities > Setup Wizard > Help me configure the TSM Backup Archive Client**.

The node name for this system is called the Remote DSMAGENT Node and is specified with the **remotedsmagentnode** parameter in the FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server configuration file on the local system.

2. Install and configure the Tivoli Storage Manager Client Acceptor (CAD) Service and the Remote Client Agent Service (DSMAGENT) if these services are not already installed. If a client CAD Service is already installed and configured, you can use an existing one. Use the backup-archive client Setup wizard to guide you through the CAD installation process by selecting **Utilities > Setup Wizard > Help me configure the TSM Web Client**.
3. Install the Microsoft Exchange Server management tools from the Microsoft Exchange Server installation media. Take note of the Microsoft Exchange Server Management tools binary directory, for example, C:\Program files\Exchsrvr\bin. Verify that the ESEUTIL.EXE tool is stored in this directory. FlashCopy Manager for Microsoft Exchange Server uses this tool to run automatic integrity checking of the VSS backup. Also, the Exchange Server does not need to be installed or running on this system. Only the Microsoft Exchange Server management tools must be installed on this system. For more information about the necessary license requirements, see the Microsoft Exchange Server documentation.
4. Add the Microsoft Exchange Server binary path to the PATH statement in the system environment variables. For example:
"C:\Program files\Exchsrvr\bin"
5. Install and configure a VSS provider if you do not use the default system VSS provider. Consult the VSS provider documentation for information about the configuration of that software.

Configuring Tivoli Storage FlashCopy Manager to protect SQL Server data

With Tivoli Storage FlashCopy Manager for SQL Server, you can configure SQL Server clustered environments, high availability environments, and Windows Server Core environments.

Configuring Tivoli Storage FlashCopy Manager for SQL Server clustered environments

Depending on the applications that are installed, you can configure Tivoli Storage FlashCopy Manager to operate in clustered environments with SQL Server, or file system workloads.

Related tasks:

“Troubleshooting configuration errors in a failover clustered environment” on page 190

Configuring a Tivoli Storage FlashCopy Manager for SQL Server stand-alone configuration in a SQL failover cluster environment with shared disks or cluster shared volumes

You can configure Tivoli Storage FlashCopy Manager as a stand-alone configuration, and protect SQL Server workloads in a clustered environment that uses either shared disks or cluster shared volumes (CSV).

About this task

In the backup-archive client `dsm.opt` file, each system uses its node name as the local agent node for Tivoli Storage FlashCopy Manager. The same FlashCopy Manager for Microsoft SQL Server node name, `VirtualClusterNodeName`, is applied to all of the systems in the cluster.

The `VSSALTSTAGINGDIR` path must point to an accessible directory on a shared disk, for example, `X:\vss_staging`, or to a cluster shared volume, for example, `C:\ClusterStorage\Volume1\vss_staging`. The `VSSALTSTAGINGDIR` option must be specified in the backup-archive client options file, `baclient\dsm.opt`, and in the FlashCopy Manager for Microsoft SQL Server options file, `tdpsql\dsm.opt`, and the option argument must be the same. For example, `X:\vss_staging` is the absolute path to the VSS staging directory on a shared disk or a CSV that all cluster nodes can access.

Alternatively, you can go to the `baclient` directory and open either the `dsm.opt` or `custom.opt` file when the configuration wizard mode is in either default or custom mode. By default, the VSS Requestor `dsm.opt` file is in the Tivoli Storage Manager backup-archive client installation directory, `c:\Program Files\tivoli\tsm\baclient\dsm.opt`. The location of the FlashCopy Manager for Microsoft SQL Server options file is `c:\Program Files\tivoli\tsm\TDPSQL\dsm.opt`.

Procedure

1. Install Tivoli Storage FlashCopy Manager for SQL on all cluster nodes, and in the same directory on all cluster nodes. The default installation directory is `c:\Program Files\Tivoli\FlashCopyManager\`.
2. On the active node in the cluster, run the stand-alone configuration wizard, from the Microsoft Management Console (MMC), and follow these steps:
 - a. Specify the same Tivoli Storage Manager node name for the FlashCopy Manager for Microsoft SQL Server configuration.
 - b. Specify the same folder location for the VSS alternative staging directory to point to an existing directory on a shared disk, or on a cluster shared volume, for example, `X:\vss_staging`.

You can use the remote management configuration feature for remote management of other cluster nodes.

3. After the configuration wizard finishes successfully, close MMC.

4. Configure the client acceptor daemon. For more information, see Configuring cluster protection (Windows Server clients) (http://www.ibm.com/support/knowledgecenter/SSGSG7_7.1.4/client/t_cfg_clus_wizard_win2008.html)
5. Repeat these steps on all other nodes in the cluster.

Important: Each node must be the active node in the cluster when the stand-alone configuration wizard is running.

6. Verify that the configuration is valid by manually checking every cluster node as follows:

- a. Open MMC and select **Dashboard > Configuration > Files**.

- b. Depending on whether the configuration wizard mode is in either default or custom mode, browse to either the `dsm.opt` or `custom.opt` file. Ensure that the settings in the file are as follows:

```
NODename localdsmagent
PASSWORDAccess generate
TCPServeraddress flashcopymanager
CLUSTERnode no
CLUSTERDISKSONly no
VSSALTSTAGINGDIR X:\vss_staging
```

- c. Select `dsm.opt` under the FlashCopy Manager for Microsoft SQL Server section, and ensure that the settings are as follows:

```
NODename VirtualClusterNodeName
PASSWORDAccess generate
TCPServeraddress flashcopymanager
CLUSTERnode yes
VSSALTSTAGINGDIR X:\vss_staging
```

Related tasks:

"Troubleshooting configuration errors in a failover clustered environment" on page 190

Configuring Tivoli Storage FlashCopy Manager for file system and custom applications in a Microsoft Cluster Server environment

You can configure a Tivoli Storage FlashCopy Manager to support a file system and custom application workload in a Microsoft Cluster Server environment.

Before you begin

- Before you begin your configuration, read the entire procedure.
- Perform the configuration steps in the same way on all of the nodes in the cluster.
- Keep the number of cluster groups to a minimum. If possible, have only one cluster resource group that contains all physical disk resources.
- Use a dedicated volume (VSS staging directory volume) for each cluster resource group. The VSS staging directory volume must have a minimum of 1 GB of storage space for FlashCopy Manager metadata. This volume must be part of the cluster resource group and must be able to fail over with the cluster resource group. This VSS staging directory volume must not be one of the volumes that is backed up with Tivoli Storage FlashCopy Manager.

About this task

Complete the following steps for each node on the cluster.

Procedure

1. Install Tivoli Storage FlashCopy Manager.
2. Start Microsoft Management Console (MMC).

You are automatically prompted to run the configuration wizard. If the configuration wizard prompt is not displayed automatically, expand the following tree nodes: **IBM Tivoli Storage Manager > Dashboard > Manage > Configuration**. Then, select **Wizards**. Depending on your environment, launch either the Standalone Configuration or TSM Configuration wizard. If you have a Tivoli Storage Manager server, select TSM Configuration, otherwise, if you do not have access to a Tivoli Storage Manager server, select Standalone Configuration.

3. Select the **File System** checkbox. To start the wizard, click **Next**.

Table 10. Configuration options for file system and custom applications

Configuration	Action
Standalone Configuration	<ol style="list-style-type: none"> 1. On the requirements check pane, you might see a Warnings link next to the Cluster check rule. Click Warnings and MMC displays the Issue Resolution Windows for vssaltstagingdir path. In the Path field, enter the path of your VSS staging directory volume. If you are configuring multiple resource groups, start with the dedicated volume that belongs to the cluster resource group that you want to configure first. 2. Complete the wizard pages. 3. Click Finish to complete the initial configuration. 4. Exit MMC. <p>After the configuration wizard completes, the following are the contents of the different options files. Values might differ slightly:</p> <ul style="list-style-type: none"> • In the backup-archive client options file: <pre> NODename OTHELLO PASSWORDAccess generate TCPServeraddress flashcopymanager HTTPport 1581 CLUSTERnode no CLUSTERDISKOnly no VSSALTSTAGINGDIR J:\vssaltstagingdir </pre> • In the Tivoli Storage FlashCopy Manager file system options file: <pre> NODename OTHELLO_FS PASSWORDAccess generate TCPServeraddress flashcopymanager HTTPport 1581 CLUSTERnode yes VSSALTSTAGINGDIR J:\vssaltstagingdir </pre>

Table 10. Configuration options for file system and custom applications (continued)

Configuration	Action
TSM Configuration	<ol style="list-style-type: none"> On the requirements check pane, you might see a Warnings link next to the Cluster check rule. Click Warnings and MMC displays the Issue Resolution Windows for vssaltstagingdir path. In this Path field, enter the path of your VSS staging directory volume. If you are configuring multiple resource groups, start with the dedicated volume that belongs to the cluster resource group you want to configure first. Complete the wizard pages. Click Finish to complete the initial configuration. After the configuration wizard is complete, the following contents are displayed in the different options files. Values might differ slightly. In the following OPT files, ensure that the DSM agent node and Tivoli Storage FlashCopy Manager node are registered and granted proxy. <ul style="list-style-type: none"> In the backup-archive client options file: <pre> NODename 0THELLO PASSWORDAccess generate TCPServeraddress orion.storage.usca.ibm.com TCPPort 1500 CLUSTERnode no CLUSTERDISKOnly no </pre> In the Tivoli Storage FlashCopy Manager file system options file: <pre> NODename CLUSTER_FS PASSWORDAccess generate TCPServeraddress orion.storage.usca.ibm.com TCPPort 1500 HTTPport 1581 CLUSTERnode yes VSSALTSTAGINGDIR J:\vssaltstagingdir </pre> Exit MMC. Open a Windows command line and change the directory to the backup-archive client directory location. Default location: c:\Program Files\Tivoli\tsm\baclient To connect to the Tivoli Storage Manager server, enter the dsmc command . You might need to provide your user ID and password for the backup-archive client DSMAGENT node to save the password on the registry. Exit the dsmc. Using the same Windows command line, enter the following command to connect to the Tivoli Storage Manager server by using the Tivoli Storage FlashCopy Manager node: <pre> dsmc -optfile="c:\Program Files\Tivoli\FlashCopyManager\ dsm.opt" </pre> <p>You might need to provide your user ID and password for the Tivoli Storage FlashCopy Manager node to save the password on the registry. Exit the dsmc and exit the Windows command line.</p>

4. (Standalone Configuration only) Complete the following steps:
 - a. Open the Windows Services MMC. Stop both the CAD and Agent Services that are named, by default, *TSM Client Acceptor* and *TSM Remote Client Agent*.
 - b. Open a Windows command line and change directories to the Tivoli Storage FlashCopy Manager installation directory. The default location: C:\Program Files\Tivoli\FlashCopyManager
 - c. Open the dsm.opt file by using Notepad, and change the nodename option to a different name that would best describe your cluster. For example:

```

NODename cluster_fs

```
 - d. Specify the VSS staging directory volume for Tivoli Storage FlashCopy Manager VSS metadata. Add the **vssaltstagingdir path** option at the end of the file. The path must be the path of your VSS staging directory volume.

If you are configuring multiple resource groups, start with the dedicated volume in the cluster resource group that you want to configure first. For example, if the J: drive is the dedicated VSS staging directory volume in the cluster resource that you want to configure, specify this option:

```
VSSALTSTAGINGDIR J:\vssaltstagingdir
```

- e. Save and close the Tivoli Storage FlashCopy Manager options file.
 - f. Change the directory to the backup-archive client installation directory.
Default location: C:\Program Files\Tivoli\tsm\baclient
 - g. Open the dsm.opt file by using Notepad, and add the exact same value for the **vssaltstagingdir** option as exists in the Tivoli Storage FlashCopy Manager dsm.opt file. For example:
VSSALTSTAGINGDIR J:\vssaltstagingdir
 - h. Save and close the backup-archive client options file.
 - i. Exit the Windows command line.
5. If this node is the first cluster node that you are configuring, open the Microsoft Failover Cluster Manager. Go to the cluster resource group that you are configuring. Right-click the resource group and select **Add a resource > Generic Service**. From the New Resource Wizard dialog that is displayed, select the CAD service that is named, by default, *TSM Client Acceptor*, and complete the wizard configuration. From the Failover Cluster Manager, bring the *TSM Client Acceptor* service resource online. If you are repeating this procedure for another cluster node, the *TSM Client Acceptor* service resource is already configured. In this scenario, go to the resource group and open the service resource online.
 6. Open a Windows command line and change directories to the Tivoli Storage FlashCopy Manager installation directory. Default location: C:\Program Files\Tivoli\FlashCopyManager
Enter the following command:
fcmcli query component

A list of all available volumes for backup is displayed. Your first group resource is configured.

7. Complete the same procedure on the other nodes in your cluster. Before you begin the procedure on other nodes in the cluster, go to the Windows Services MMC, and stop the *TSM Remote Client Agent* service if it is running. Then, using the Microsoft Failover Cluster Manager, make the *TSM Client Acceptor* service offline from the resource group that you configured. Finally move the group resource that you configured to the other node in the cluster and restart the procedure. A final note: All nodes in the cluster must have identical Tivoli Storage FlashCopy Manager options file. For the backup-archive client dsm.opt file, each node in the cluster can use its own node name, but everything else in the options file must be identical.

Related concepts:

"Prerequisites" on page 153

Moving standard SQL databases to the AlwaysOn node

You can specify the **/USEALWAYSONnode** parameter with the **backup** command to back up standard SQL databases to the file space for the AlwaysOn node. This transition can make it easier for you to manage all your database backups under a single node name.

About this task

If you want to regularly back up standard SQL databases to the file space for the AlwaysOn node, you can use the **set** command.

The AlwaysOn node name is required when you configure Tivoli Storage FlashCopy Manager with SQL Server 2012 and later versions. It is not necessary to specify the AlwaysOn node name during each backup, query, or restore operation of an availability database.

The AlwaysOn node does not affect where standard databases are backed up. The standard databases continue to be backed up to the Tivoli Storage FlashCopy Manager node unless the **/USEALWAYSONnode** option is specified.

Procedure

Enter the following command to back up your standard SQL databases to the file space for the AlwaysOn node:

For example,

```
TDPSQLC Backup *[dbname[,dbname,...]] Full /USEALWAYSONnode
```

You can use the wildcard character (*) to back up all databases, or specify a list of database names that are separated by commas.

For example:

```
TDPSQLC Backup standard_db01,standard_db02 Full /USEALWAYSONnode
```

Configuring availability replicas to run scheduled data backups

When an availability database is replicated across multiple availability replicas in an availability group, a configuration option is available that you can use to select a single replica on which to run a backup operation instead of backing up all replicas.

About this task

Microsoft SQL Server 2012 and later versions provide a set of configuration options that you can use to specify whether scheduled backups are run on the primary or secondary availability replica. You can use the Tivoli Storage FlashCopy Manager GUI to set these options.

The configuration option can also be used to offload the backup from a primary replica to a secondary replica for load balancing. When databases fail over, backups must continue to run from other replicas to ensure that high availability is maintained.

Procedure

1. Start Microsoft Management Console (MMC).
2. In the Management section of the window, click **Protect Data** next to the SQL Server workload.
3. In the Action pane, click **Properties**.

4. Click the **AlwaysOn Preferences** property page.
5. In the **Availability group** field, select the **AlwaysOn Availability Group** for which you want to set up backup preferences.
6. In the **Preferred replica** field, select which replica is the preferred replica on which to run scheduled backups.
 - Select **Prefer Secondary replica** if you want scheduled backups to occur on a secondary replica, if it is available. Otherwise, use the primary replica for the scheduled backup.
 - Select **Secondary only** if you want scheduled backups to occur only on a secondary replica.
 - Select **Primary** if you want scheduled backups to occur only on the primary replica.
 - Select **Any replica** if you want scheduled backups to occur on any availability replica.
7. For each availability replica that is listed in the Availability replicas list box, specify whether it is a candidate for running scheduled backups by specifying the backup priority for that replica. A value of 1 has the lowest priority, and a value of 100 has the highest priority. A value of 0 indicates that the replica is excluded from schedule backup operations.
8. Click **OK** to save your configuration and exit the Data Protection Properties page. The settings are saved to the `tdpsql.cfg` file and can be replicated to the other replicas in the availability group.

What to do next

After you configure where scheduled backups are run, the administrator can specify the **tdpsql backup** command along with the **/ALWAYSONPriority** parameter in a backup schedule. For example:

```
tdpsqlc backup TestDb1 full /ALWAYSONPriority
```

When this scheduled backup command is run, Tivoli Storage FlashCopy Manager queries the SQL Server to determine the highest-priority availability replica that is active or online, ordered by preference. If the replica meets the specified criteria, the replica is backed up. Otherwise, the backup operation ends and a message is added to the log to indicate why the replica was not backed up.

An administrator can create a common backup schedule to run on all availability replicas. When the backup schedule starts, each **tdpsqlc** command queries each replica to determine whether it is to run the backup. Only one of the scheduled backups runs the backup.

Configuring Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core

You can manually configure Tivoli Storage FlashCopy Manager to protect your SQL Server 2012 and later versions on Windows Server Core.

Before you begin

Add the remote server core system to Microsoft Management Console (MMC) assuming that Tivoli Storage FlashCopy Manager is already installed on the remote system and you configured PowerShell remoting on the remote system, on either a local or centralized computer. On the local system that runs MMC, point to the

server core system and complete the TSM Configuration wizard. By using the wizard, you can provision and configure the software as if the wizard is running on the remote system.

If you do not use the remote configuration option, ensure that you install Tivoli Storage FlashCopy Manager and the Tivoli Storage Manager backup-archive client on the system that runs the Microsoft SQL Server.

Procedure

1. Create a node on the Tivoli Storage Manager server for the backup-archive client and Tivoli Storage FlashCopy Manager. If you are protecting availability databases in an AlwaysOn Availability Group, you must also create the AlwaysOn node on the Tivoli Storage Manager server.
2. If you intend to run offloaded VSS backups, set up a remote node to run the offloaded backup operation on a remote computer.
3. Configure the backup-archive client options file (dsm.opt).
4. Configure the FlashCopy Manager for Microsoft SQL Server option files (dsm.opt and tsmfcm.cfg).
5. If you use Tivoli Storage Manager policy sets, specify a management class to use for your Tivoli Storage FlashCopy Manager backups.

Creating a node on the Tivoli Storage Manager server

After you install the Tivoli Storage Manager client and Tivoli Storage FlashCopy Manager, you must set up a node name and password and register your node with the Tivoli Storage Manager server.

About this task

When you register your node, you create a file space on the Tivoli Storage Manager server where the backups of your data are stored. You must set up a client node and a Tivoli Storage FlashCopy Manager node. If you are protecting availability databases in an AlwaysOn Availability Group, you must also register the AlwaysOn node.

Follow these procedures if you installed the Tivoli Storage Manager administrative command line client. If you did not install the administrative client, the nodes must be registered on the Tivoli Storage Manager server.

Procedure

1. Start an administrative client session by entering the following command at the command line:
`C:\Program Files\Tivoli\TSM\baclient\dsmadm`
2. To register a client node, enter the following command:
`reg node client_nodename password backdel=yes`

where *client_nodename* is the node name for the client and *password* is the password that you want to use for the client. The **backdel=yes** parameter indicates that you can delete backup objects in your file space on the server. For example:

```
reg node doomvm3 doomvm3passwd backdel=yes
```

3. To register a FlashCopy Manager for Microsoft SQL Server node, enter the following command:
`reg node sql_nodename password backdel=yes`

where *sql_nodename* is the node name for the FlashCopy Manager for Microsoft SQL Server Data Protection node and *password* is the password to use for the SQL node. The **backdel=yes** parameter indicates that you can delete backup objects in your file space on the server.

For example:

```
reg node doomvm3_sql doomvm3sqlpasswd backdel=yes
```

Tip: To easily identify the node as a node for FlashCopy Manager for Microsoft SQL Server, add “_sql” to the end of the node name.

4. To register the AlwaysOn node, enter the following command:

```
reg node alwayson_nodename password backdel=yes
```

where *alwayson_nodename* is the name for the AlwaysOn node and *password* is the password that you want to use for the AlwaysOn node. The **backdel=yes** parameter indicates that you can delete backup objects in your file space on the server. For example:

```
reg node myalwaysonnode alwaysonpasswd backdel=yes
```

What to do next

To use Tivoli Storage Manager server policy sets, the Tivoli Storage Manager must define the policy domains, policy sets, management classes, copy groups, and storage pools.

These definitions are necessary to meet your Tivoli Storage FlashCopy Manager backup and restore requirements. For VSS operations, Tivoli Storage Manager server authentication must be on.

Setting up a proxy node for offloaded VSS backups in the Windows Server Core environment

If you want to offload VSS backups to the Tivoli Storage FlashCopy Manager, you must define a remote node to run the offloaded backups. This step is part of the configuration tasks for operating Tivoli Storage FlashCopy Manager on Windows Server Core.

About this task

Tivoli Storage FlashCopy Manager can offload VSS backups by using a remote computer to create the backup instead of using the local computer. To run an offload backup by using a remote node, you must first set the remote node as an agent of the local Tivoli Storage FlashCopy Manager node.

If you are protecting availability databases in an AlwaysOn Availability Group, you must set the remote node as an agent of the AlwaysOn node.

Before you begin, ensure that the Tivoli Storage Manager client is installed and configured on the remote computer.

Procedure

To define the proxy node relationship, the Tivoli Storage Manager administrator can enter the **grant proxynode** command from the Tivoli Storage Manager server administrative console.

- For standard Tivoli Storage FlashCopy Manager nodes, enter the following command:

```
grant proxynode target=local_sql_node agent=remote_node
```

where *local_sql_node* is the node name of the local Tivoli Storage FlashCopy Manager node, and *remote_node* is the remote Tivoli Storage Manager client node that runs the remote backups. For example:

```
grant proxynode target=doomvm3_sql agent=babar
```

- For AlwaysOn nodes, enter the following command:

```
grant proxynode target=alwayson_node agent=remote_node
```

where *alwayson_node* is the name of the AlwaysOn node, and *remote_node* is the remote Tivoli Storage Manager client node that runs the remote backups. For example:

```
grant proxynode target=myalwaysonnode agent=babar
```

- To display the client nodes with authority to act as proxy to other clients, run the following command from the administrative console of the server:

```
query proxynode
```

Configuring the client in the Windows Server Core environment

You must configure the Tivoli Storage Manager client node that you created. This step is part of the initial configuration tasks before you can use Tivoli Storage FlashCopy Manager in the Windows Server Core environment.

About this task

You must configure the client options file (dsm.opt), set the environment variables, and install and setup the Tivoli Storage Manager client acceptor service and remote client agent service.

Procedure

1. Configure the client options file:

- a. Change to the backup-archive client installation directory. For example, issue the following command in a Command Prompt window:

```
cd C:\Program Files\Tivoli\TSM\baclient
```

- b. Open the dsm.opt file with a text editor and enter the following statements:

```
PASSWORDACCESS GENERATE  
COMMMethod TCPip  
TCPPort 1500  
nodename client_nodename  
TCPSERVERADDRESS tsm_server
```

The following list contains brief explanations of the client options in the statements:

PASSWORDACCESS GENERATE

Instructs the client to save the password whenever the **/tsmpassword** option is used so that you do not have to enter the password with every command.

TCPPort 1500

Specifies that the client accesses the Tivoli Storage Manager server at TCP/IP port 1500. 1500 is the default port number.

nodename *client_nodename*

Specifies the newly created node for the backup-archive client.

TCPSERVERADDRESS *tsm_server*

Specifies the name of the Tivoli Storage Manager server. You can enter the server IP address or the fully qualified domain name.

For example:


```
NODename DOOMVM3
PASSWORDAccess generate
TCPServeraddress gijoe
TCPPort 1500
```

2. Install and start the Tivoli Storage Manager client acceptor service and remote client agent service.

- a. Install the client acceptor service by entering the following command in a Command Prompt window:

```
C:\Program Files\Tivoli\TSM\baclient\dsmcutil install cad
/name:"servicename" /node:nodename /password:password
/autostart:yes
```

where *nodename* is the client node name, *password* is the client password, and *servicename* is the name that you want to use for the client acceptor service. The default name is "TSM Client Acceptor". For example:

```
C:\Program Files\Tivoli\TSM\baclient\dsmcutil install cad /name:"TSM CAD"
/node:DOOMVM3 /password:doomvm3passwd /autostart:yes
```

- b. Install the remote client agent service by entering the following command in a Command Prompt window:

```
C:\Program Files\Tivoli\TSM\baclient\dsmcutil install remoteagent
/name:"servicename" /node:nodename /password:password
/partnername:"partner service name"
```

The node name for the Tivoli Storage Manager Client Acceptor and the Remote Client Agent must be set to the VSS requestor node. The default service name is "TSM Remote Client Agent". The value for the **/partnername** option must match the name of the client acceptor service that you created. The default name is "TSM Client Acceptor". For example:

```
C:\Program Files\Tivoli\TSM\baclient\dsmcutil install remoteagent
/name:"TSM AGENT" /node:DOOMVM3 /password:doomvm3passwd
/partnername:"TSM CAD"
```

- c. Start the client acceptor service by entering the following command:

```
net start "servicename"
```

where *servicename* is the name of the client acceptor service that you created. For example:

```
net start "TSM CAD"
```

Do not start the remote client agent service manually. The remote client agent service is automatically started by the client acceptor service when it is needed.

Configuring Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core

You must configure Tivoli Storage FlashCopy Manager before you can protect your Microsoft SQL Server 2012 and later databases in the Windows Server Core environment.

Before you begin

Restriction: You cannot specify the following special characters in the SQL Server database name on Tivoli Storage FlashCopy Manager:

- Question character (?)
- Multibyte character (,)
- Multibyte character (^)
- Asterisk character (*)
- Colon character (:) cannot be used in Tivoli Storage FlashCopy Manager version 4.1.0 or earlier versions

- Backslash character (\) cannot be used in Tivoli Storage FlashCopy Manager version 4.1.0 or earlier versions

About this task

You must configure the client options file (dsm.opt) and FlashCopy Manager for Microsoft SQL Server configuration file (tdpsql.cfg).

Procedure

1. Edit the client options file (dsm.opt).
 - a. In the Tivoli Storage FlashCopy Manager installation directory, open the client options file (dsm.opt) with a text editor.
 - b. Add the following statements to the client options file:

```
NODename      sql_nodename
PASSWORDAccess Generate
COMMMethod    TCPip
TCPServeraddress tsm_server
TCPPort       1500
TCPWindowSize 63
TCPBuffSize   32
```

where **nodename** is the Tivoli Storage FlashCopy Manager node name, and **TCPServeraddress** is the name of the Tivoli Storage Manager server. You can enter the server IP address or the fully qualified domain name.

For example:

```
NODename DOOMVM3_SQL
PASSWORDAccess generate
TCPServeraddress gijoe
TCPPort 1500
```

2. Edit the tdpsql.cfg file.
 - a. In the Tivoli Storage FlashCopy Manager installation directory, open the configuration file (tdpsql.cfg) with a text editor.
 - b. Add the following statements in the tdpsql.cfg file:

```
SQLSERVER      sql_server
FROMSQLserver  sql_server
SQLAUTHentication INTEGRated
MOUNTWaitfordata Yes
BACKUPMethod   Legacy[VSS]
DIFFESTimate   20
BUFFers        3
BUFFERSize     1024
STRIPes        1
SQLBUFFers     0
SQLBUFFERSize  1024
LOGPrune       60
LANGuage       ENU
BACKUPDestination [LOCAL|TSM|BOTH]
LOCALDSMAgentnode local_node
REMOTEDSMAgentnode remote_node
ALWAYSONNode    alwayson_node
USEALWAYSONnode [Yes|No]
ENABLEREPlacementchars [Yes|No]
LOGFile        tdpsql.log
```

The options in the tdpsql.cfg file are as follows:

SQLSERVER

Specifies the name of the Microsoft SQL Server that is running on the local computer.

BACKUPMethod

Determines whether to run a legacy or VSS backup.

BACKUPDestination

Determines whether to run a local backup, Tivoli Storage Manager backup, or both. For legacy backups, only Tivoli Storage Manager is used.

LOCALDSMAgentnode

Specifies the local node name of the client that is running on the local computer. This option is required for VSS offloaded backups.

REMOTEDSMAgentnode

Specifies the remote client node that runs the VSS offloaded backups on a remote computer.

ALWAYSONNode

Specifies the Tivoli Storage Manager node name that is used to back up availability databases in an AlwaysOn Availability Group.

USEALWAYSONnode

Specify *Yes* to set the AlwaysOn node as the default node for all backup operations of standard and availability databases. You can use this option to change database backups from a standard Tivoli Storage FlashCopy Manager node to an AlwaysOn node.

Specify *No* to back up standard databases to the Tivoli Storage FlashCopy Manager node. Availability databases are always backed up with the AlwaysOn node.

ENABLEREPlacementchars

Specify *Yes* to enable Tivoli Storage FlashCopy Manager to process backslash (\) or colon (:) characters in a database name, and back up the database to Tivoli Storage Manager.

Specify *No* to prevent database backups to Tivoli Storage Manager if a user-defined string is substituted for a backslash (\) or colon (:) character in the database name.

Restriction: The **ENABLEREPlacementchars** parameter applies only to Tivoli Storage FlashCopy Manager version 4.1.1 and later versions. The maximum length of the database name is 128 characters.

3. If you run the stand-alone configuration on Tivoli Storage FlashCopy Manager, complete the following steps:
 - a. In the Tivoli Storage FlashCopy Manager installation directory, open the client options file (dsm.opt) with a text editor.
 - b. Edit the dsm.opt file and change the TCPServeraddress *tsm_server* statement to TCPServeraddress *flashcopymanager*.
 - c. If installed, remove the Tivoli Storage Manager client acceptor service. Run the following command from a Command Prompt window:


```
C:\Program Files\Tivoli\TSM\baclient\dsmcutil remove /name:"TSM CAD"
```

 In this case, TSM CAD is the name of the client acceptor service that you want to remove.
 - d. Reinstall the remote client agent service by entering the following command:


```
C:\Program Files\Tivoli\TSM\baclient\dsmcutil install remoteagent /name:"TSM AGENT" /node:DOOMVM3_SQL /password:doomvm3sqlpasswd /partnername:"TSM CAD"
```

In this case, TSM AGENT is the name of the remote agent and TSM CAD is the name of the client acceptor service.

- e. Start the client acceptor service by entering the following command:

```
net start "TSM CAD"
```

In this case, TSM CAD is the name of the client acceptor service are starting.

Do not start the remote client agent service manually. The remote client agent service is automatically started by the client acceptor service when it is needed.

- 4. Optional: Use the **VSSPOLICY** option to specify a management class for VSS backups.

Unless specified otherwise, Tivoli Storage FlashCopy Manager uses the default management class of the policy domain that its node name is in. To specify that Tivoli Storage FlashCopy Manager uses a different management class, add the **VSSPOLICY** option to the `tdpsqlc.cfg` file. The format of the option is as follows:

```
VSSPOLICY SQL_server_name "db_name" backup_type backup_dest mgmt_class
```

For example:

```
VSSPOLICY doomvm3 * FULL LOCAL MGMT2
```

This statement specifies that Tivoli Storage FlashCopy Manager uses the management class MGMT2 for local backups of any database in the SQL Server named doomvm3.

Configuring your system for mailbox restore operations

To use Tivoli Storage FlashCopy Manager for Exchange Server to restore mailboxes and mailbox items, you must complete the configuration wizard.

About this task

The Tivoli Storage FlashCopy Manager for Exchange Server configuration wizard verifies that user permissions and software versions are correct.

- Ensure that you have the role-based access control (RBAC) permissions to complete individual mailbox restore operations.
- Install the correct version of Microsoft Exchange Server MAPI Client and Collaboration Data Objects on the Exchange server from which you are running the mailbox restore operations.

Tip: Do not install Microsoft Outlook 2010 or 2013 on the same server that Tivoli Storage FlashCopy Manager uses for mailbox restore operations. Conflicts might occur in the MAPI configurations.

Procedure

1. If you are using an incorrect Microsoft Exchange Server MAPI Client and Collaboration Data Objects version, click the **Warnings** link and go to the site where you can download the correct version.
2. If you do not have all the management roles for individual mailbox restore operations, click the **Warnings** link and follow the wizard prompts to add the missing Exchange roles. If you are a member of the Exchange Organization Management group, you can automatically add the missing roles. If you are not a member of the Exchange Organization Management group, you must manually add the missing roles.

3. Configure the Client Access Server (CAS) role to run Mailbox Restore operations on Exchange Server 2010 or later versions. For more information about specifying the CAS with the **set** command, see the **Set syntax** command.

Related concepts:

“Exchange mailbox restore operations” on page 23

Examples of distributed VSS backups in Microsoft Exchange Database Availability Groups and Microsoft SQL AlwaysOn Availability Groups

To use Tivoli Storage FlashCopy Manager for VSS backups, see the following illustration of a sample deployment. The illustration applies to Microsoft Exchange Database Availability Groups (DAGs) and Microsoft SQL AlwaysOn Availability Groups (AAGs).

In the following illustration, an Exchange Server DAG is shown, but you can use an SQL Server AAG.




Figure 2. Example of how Tivoli Storage FlashCopy Manager distributes VSS backups

In this deployment, you can install a Data Protection client component on one DAG node or AAG replica where the storage snapshot backup is to be completed. You can also define a CMD type schedule to run a CMD file with a backup command similar to the following example:

```
tdpexccc backup * full /backupmethod=VSS /backupdest=Both /offload
```

When you back up data to Tivoli Storage Manager from the VSS snapshot, use a passive copy. You can back up a passive copy, for example, the DB1 that is attached to EX3, so that the primary copy is not affected. You can also complete an offloaded backup by using the passive copy.

Similarly, as the illustration suggests, you can do both: back up data to Tivoli Storage Manager from the VSS snapshot by using a passive copy, and complete an offloaded backup by using the passive copy.

Examples of IBM SAN Volume Controller and IBM Storwize V7000 configuration scenarios

Configuration examples are scenarios that you can use to help you plan your data backup and recovery solutions.

Production application data is on standard volumes. Keep 14 snapshot backup versions. Use minimum storage space for snapshot backup versions. A full physical copy is not required. Complete two VSS backups per day.

SAN Volume Controller and Storwize V7000 settings

Create 14 space-efficient target volumes for each source volume to be protected. Enable the autoexpand option for the space-efficient target volumes. Add the space-efficient target volumes to the VSS_FREE pool.

VSS Provider settings

Set the background copy rate to 0.

Tivoli Storage FlashCopy Manager settings

Set the policy to retain 14 local backup versions. Schedule snapshot backups as required by setting the backup destination option to LOCAL.

After 14 VSS backups are completed, the 15th VSS backup causes the oldest backup to be deleted and reuses that target set.

Production application data is on standard volumes. Keep one snapshot backup version. Use minimum storage space for snapshot backup versions. A full physical copy is not required. Perform one VSS backup per day and send the backup to Tivoli Storage Manager.

SAN Volume Controller and Storwize V7000 settings

Create two space-efficient target volumes for each source volume to be protected. Enable the autoexpand option for the space-efficient target volumes. Add the space-efficient target volumes to the VSS_FREE pool .

VSS Provider settings

Set the background copy rate to 0.

Tivoli Storage FlashCopy Manager settings

Set the policy to retain two local backup versions. Schedule snapshot backups as required by setting the backup destination to BOTH

Set the policy for local snapshot backups to retain n+1 backup versions so that n snapshot backups are available for restore. Otherwise, a local backup version might not be available if a VSS backup fails after the prior backup was deleted.

Production application data is on standard volumes. Keep one snapshot backup version. A full physical copy is required. Minimize space usage of background copies. Perform one VSS backup per day and send the backup to Tivoli Storage Manager.

SAN Volume Controller and Storwize V7000 settings

Create one standard target volume for each source volume to be protected. Add standard target volumes to the VSS_FREE pool.

VSS Provider settings

Use the default background copy rate of 50. Configure a custom value to use incremental FlashCopy.

Tivoli Storage FlashCopy Manager settings

Set the policy to retain one local backup version. Schedule snapshot backups as required by setting the backup destination to BOTH.

When you use incremental FlashCopy backup processing, the VSS provider does not delete the single snapshot target set even though FlashCopy Manager software deletes the prior VSS snapshot before it creates a new snapshot.

Production application data is on standard volumes. Keep two snapshot backup versions. Full physical copies are required for local backup versions. Begin VSS backups every 12 hours with one backup sent to Tivoli Storage Manager daily.

SAN Volume Controller and Storwize V7000 settings

Create three standard target volumes for each source volume to be protected. Add standard target volumes to the VSS_FREE pool .

VSS Provider settings

Use the default background copy rate of 50.

Tivoli Storage FlashCopy Manager settings

Set the policy to retain three local backup versions. Schedule VSS backups as follows: set the backup destination to LOCAL at 11:00, set the backup destination to BOTH at 23:00.

Set the policy for local snapshot backups to retain n+1 backup versions so that you can restore n snapshot backups.

Production application data is on standard volumes. Keep four snapshot backup versions. Use minimum storage space for snapshot backup versions. A full physical copy is not required. Perform VSS backups every six hours with one backup daily sent to Tivoli Storage Manager.

SAN Volume Controller and Storwize V7000 settings

Create five space-efficient target volumes for each source volume to be protected. Enable the autoexpand option for the space-efficient target volumes. Add space-efficient target volumes to the VSS_FREE pool .

VSS Provider settings

Use the default background copy rate of 0.

Tivoli Storage FlashCopy Manager settings

Set the policy for local snapshot backups to retain five local backup versions. Schedule VSS backups as follows: set the backup destination to LOCAL at 06:00, 12:00, and 18:00, set the backup destination to BOTH at 00:00.

- Set policy to retain n+1 backup versions so that n snapshot backups are available for restore

Production application data is on space-efficient volumes. Keep two snapshot backup versions. A full physical copy is required for local backup versions. Perform VSS backups every six hours with one backup daily sent to Tivoli Storage Manager.

SAN Volume Controller and Storwize V7000 settings

Create three space-efficient target volumes for each source volume to be protected. Allocate the same percentage of real storage as for source volumes. Add space-efficient target volumes to the VSS_FREE pool .

VSS Provider settings

Use the default background copy rate of 50.

Tivoli Storage FlashCopy Manager settings

Set the policy to retain three local backup versions. Schedule VSS backups as follows: set the backup destination to LOCAL at 06:00, 12:00, and 18:00, set the backup destination to BOTH at 00:00.

Set the policy for local snapshot backups to retain n+1 backup versions so that n snapshot backups are available for restore operations. This setting allows thin provisioning for both source and target volumes, and allows them to grow together.

Chapter 5. Protecting data with Tivoli Storage FlashCopy Manager for Windows

By using Microsoft Management Console (MMC) or the command-line interface, you can back up and restore Microsoft Exchange Server data, Microsoft SQL Server data, or custom application and file system data.

About this task

If required, you can manage your installations remotely.

Starting Microsoft Management Console

After you complete the configuration process, start Microsoft Management Console (MMC) to protect your Exchange or SQL Server data.

Before you begin

If you try to use FlashCopy Manager for Microsoft Exchange Server or FlashCopy Manager for Microsoft SQL Server before you complete the configuration process, the software does not function correctly.

About this task

FlashCopy Manager for Microsoft Exchange Server and FlashCopy Manager for Microsoft SQL Server software is displayed in MMC as a plug-in. MMC uses a navigation tree to organize the computer data that is registered. Each computer icon that is followed by the word *Dashboard* represents a physical computer.

When you register a computer, information about the computer is collected and stored. Password information is encrypted and stored separately. The computers that are registered are tracked with a globally unique identifier (GUID). The GUID is used when you back up and restore data.

You can create groups of computers. These groups consolidate information when you view the dashboard, prepare reports, and run group commands. By default, the computers in a group are selected when you complete tasks for the group, but you can select more computers in the tree to include in an operation.

Procedure

To start MMC, click **Start > All Programs > Tivoli FlashCopy Manager > FlashCopy Manager Management Console**.

Starting the Tivoli Storage FlashCopy Manager command-line interface

You can start the Tivoli Storage FlashCopy Manager for Exchange Server or Tivoli Storage FlashCopy Manager for SQL Server command-line interface by using a Windows command prompt with administrative privileges. Alternatively, you can start the command-line interface from Microsoft Management Console (MMC).

Procedure

1. Start MMC.
2. In the navigation tree, select the computer node where you want to run the commands.
3. Expand the **Protect and Recover Data** node.
4. In the navigation tree, select an Exchange Server node.
5. Click the **Automate** tab. An integrated command line is available in the task window. You can use the interface to enter PowerShell cmdlets or command-line interface commands. The output is displayed in the main window.
6. From the drop-down list, change **PowerShell** to **Command Line**.

Getting help for Tivoli Storage FlashCopy Manager commands

By issuing the **help** command at the command prompt, you can view a complete list of commands and associated parameters for FlashCopy Manager for Microsoft Exchange Server, FlashCopy Manager for Microsoft SQL Server, and Tivoli Storage FlashCopy Manager for File Systems and Custom Applications.

Procedure

Use the following methods at the command prompt.

Table 11. Tivoli Storage FlashCopy Manager help commands

If you are using:	Issue this command
FlashCopy Manager for Microsoft SQL Server	tdpsqlc ?command_name where command_name is the name of the Tivoli Storage FlashCopy Manager command. For example: tdpsqlc ? restore full
FlashCopy Manager for Microsoft Exchange Server	tdpexcc ?command_name where command_name is the name of the Tivoli Storage FlashCopy Manager command. For example: tdpexcc ? backup
Tivoli Storage FlashCopy Manager for File Systems and Custom Applications	fcmlcli ?command_name where command_name is the name of the Tivoli Storage FlashCopy Manager command. For example: fcmlcli ? backup

Determining managed storage capacity

You can track the capacity of managed storage assets. This information can be useful when you are calculating storage requirements for license renewal.

About this task

Typically, the capacity that is used by server data differs from the capacity of the volume that contains that data. For example, a set of databases might require a capacity of 1 GB and be on a 10 GB volume. When a snapshot of the volume is created, the Tivoli Storage FlashCopy Manager managed capacity measurement is 10 GB.

Procedure

1. From Microsoft Management Console (MMC), select an Exchange Server, SQL Server, or file system instance.
2. On the **Protect**, **Recover**, or **Automate** tab, in the Actions pane, click **Properties**.
3. Select **Managed Capacity** from the list of available property pages. The managed capacity is calculated and displayed.
4. To view a list of the volumes that contain backups and their respective managed capacities, click **Show Details**.

Protecting Microsoft Exchange Server data

With Tivoli Storage FlashCopy Manager for Exchange Server, you can back up and restore Microsoft Exchange Server databases.

About this task

You can create point-in-time snapshots of a Microsoft Exchange Server.

Note: For information about protecting Microsoft Exchange Server data in VMware environments, see the chapter that explains in-guest application protection in the *Data Protection for VMware User's guide*.

Related tasks:

"Configuring Tivoli Storage FlashCopy Manager to restore mailboxes from mounted Exchange Server database files" on page 72

Prerequisites

With Tivoli Storage FlashCopy Manager, you can back up and restore Exchange Server data and protect your Exchange Server environment.

You can use FlashCopy Manager for Microsoft Exchange Server to run backup and restore operations in a Database Availability Group (DAG) environment. A DAG consists of mailbox servers that provide recovery from database, server, or network failures. DAGs provide continuous replication and continuous mailbox availability.

Security requirements for backup and restore operations

For Tivoli Storage FlashCopy Manager security, users who are logged on to the Exchange Server must have role-based access control (RBAC) permissions to access mailboxes and to complete mailbox restore tasks.

If your user name is authorized by the security policy in your organization, you can add user names in the Exchange Organization Management role group or subgroups. Users whose name is in the Exchange Organization Management role group or subgroups can complete mailbox restore operations. Users whose name is not in the Exchange Organization Management role group or subgroups might experience slower performance when completing restore operations.

You must define a minimum set of management roles and role scope for the Exchange user.

- Set the role and scope:

Management roles

"Active Directory Permissions", "Databases", "Disaster Recovery", "Mailbox Import Export", "View-Only Configuration", and "View-Only Recipients".

To restore an Exchange 2013 public folder mailbox, the Exchange user must also have the Public Folders management role. To restore mail to a Unicode PST file, the Exchange user must have the Mailbox Import Export management role.

The following Exchange Powershell cmdlet sets RBAC permissions:

```
New-RoleGroup -Name "My Admins" -Roles "Active Directory Permissions", "Databases",  
"Disaster Recovery", "Mailbox Import Export", "Public Folders",  
"View-Only Configuration", "View-Only Recipients" -Members operator1
```

The preceding example creates a new group, My Admins, with minimum roles to run Tivoli Storage FlashCopy Manager, and assigns user operator1 to this group. The operator1 user can run Tivoli Storage FlashCopy Manager but with limited Exchange privileges, for example, the user cannot create or remove a user mailbox.

Management role scope


Ensure that the following Exchange objects are in the management role scope for the user name who is logged on to the Exchange Server:

- The Exchange Server that contains the required data
 - The recovery database that Tivoli Storage FlashCopy Manager creates
 - The database that contains the active mailbox
 - The database that contains the active mailbox of the user who completes the restore operation
- Verify that the Exchange user name is a member of a local Administrators group, and has an active Exchange mailbox in the domain.

By default, Windows adds the Exchange Organization Administrators group to other security groups, including the local Administrators group. For Exchange users who are not members of the Exchange Organization Management group, you must manually add the user account to the local Administrators group. By using the Local Users and Groups tool on the computer of the domain member, select **Administrative tools > Computer Management > Local Users and Groups tool**. On a domain controller computer that does not have a local Administrators group or Local Users and Groups tool, manually add the user

account to the Administrators group in the domain by selecting **Administrative tools > Active Directory Users and Computers tool**.

Related information:

 <http://technet.microsoft.com/en-us/library/dd298183%28v=exchg.150%29.aspx>

Software requirements for backup and restore operations

To protect Microsoft Exchange Server 2010 and 2013 data, verify that your environment is set up correctly.

Ensure that your environment is set up to meet the following requirements.

Microsoft Exchange Server 2010 and 2013 requirements

FlashCopy Manager for Microsoft Exchange Server requires that you have local Administrator privileges.

Membership in the Organization Management group is not required because you might not want to grant Organization Management group permissions to all Exchange Server backup and restore operators. Instead, you can define customized role-based access control (RBAC) roles and management role scope so that Exchange Server users can run only limited operations within a limited scope.

Microsoft Exchange Server 2013 requirements

In Exchange Server 2013 mailbox restore operations, the MAPI clients must use the Remote Procedure Call over HTTP protocol (RPC over HTTPS, also known as Outlook Anywhere). You cannot use the RPC over TCP because Microsoft does not use that protocol.

Use Exchange Server 2013 CU2 or later versions, and download the correct MAPI. These software requirements are documented in the Hardware and Software Requirements technote at this location: TSM for Mail - All Requirement Documents (<http://www.ibm.com/support/docview.wss?uid=swg21219345>). Follow the link to the requirements technote for your specific release or update level.

After you configure your environment, mailbox restore operations work in the same way as with previous versions of Microsoft Exchange Server.

Related concepts:

“Security requirements for backup and restore operations” on page 98

Software requirements for mailbox restore operations

When you restore mailboxes and mailbox data, you can choose where to restore the mail and how to restore the mail. You can restore mailbox data from the GUI or command-line interface.

From these interfaces, you can restore data interactively by using the Mailbox Restore Browser or directly from Exchange Server database files. When you restore mailboxes and mailbox data on Exchange Server 2010 or later, ensure that your environment is set up to meet the following requirements:

- Ensure that the administrator account that is used to perform the mailbox restore operation has an active Exchange mailbox in the domain.
- Ensure that the user name who is logged in has role-based access control (RBAC) permissions to complete individual mailbox restore operations.

- Ensure that the directory where you restore a mailbox has enough temporary disk space to store the entire mailbox database and log files. To specify the restore directory path, use the following settings on the General property page for the Exchange Server workload:
 - **Temporary Log Restore Path**
 - **Temporary Database Restore Path**

If you do not specify a directory, the database files are restored into a directory that is specified by the TEMP environment variable.
- Ensure that the correct version of Microsoft Exchange Server MAPI Client and Collaboration Data Objects is installed on the Exchange Server that you use to run the mailbox restore operations. The correct version is identified in the Hardware and Software Requirements technote that is associated with the level of your software. This technote is available at this web page: TSM for Mail - All Requirement Documents (<http://www.ibm.com/support/docview.wss?uid=swg21219345>)
Follow the link to the requirements technote for your specific release or update level.

The amount of time that is needed to complete the restore process depends on the size of the mailbox databases, the network speed, and the number of mailboxes to process.

Related concepts:

“Exchange mailbox restore operations” on page 23

Microsoft Exchange Server backup methods

Depending on your Exchange Server environment, you can run only full backups, full plus incremental backups, or full plus differential backups. Your backup strategy might also include backing up data to Tivoli Storage Manager or local shadow volumes.

As you consider Exchange Server backup methods, understand all aspects of Exchange Server disaster recovery and the backup recommendations that Microsoft provides.

Follow these guidelines:

- Do not implement incremental and differential backups together.
- If you choose a strategy that involves incremental or differential backups, you must disable circular logging on the databases of the Exchange Server.

Full backup method

Use the full backup method during low usage times because a full backup can take a long time to run. However, the restore process is the most efficient because only the most recent full backup is restored.

Full backup plus incremental backup method

Use the full backup plus incremental backup method when the normal backup schedule or network capacity cannot support a full backup.

To minimize the effect on the backup schedule and network traffic during peak times, you can run a periodic full backup, followed by a series of incremental backups. For example, you can schedule full backups on the weekend and

incremental backups during the week. You can run full backups during low usage times and when increased network traffic can be tolerated.

If you use this backup strategy, modify the Tivoli Storage Manager storage management policies to ensure that all incremental backups are collocated on the Tivoli Storage Manager server. In this way, you can improve data restore performance by reducing the number of media mounts that are necessary to restore a series of incremental backups.

Full backup plus differential backup method

Use the full backup plus differential backup method if your backup schedule and network capacity can facilitate backing up all transaction logs that accumulate between full backup operations. This strategy requires that only one differential backup plus the last full backup be transferred to complete a restore operation. However, the same amount of data must be transferred in the differential image, as in the series of incremental backup operations.

Therefore, a full backup plus differential backup policy increases network traffic and Tivoli Storage Manager storage usage. This policy assumes that the differential backups are processed as often as the incremental backups.

Consider the potential advantages and whether you can justify the additional resources that are necessary to resend all prior transaction logs with each subsequent differential backup.

Tivoli Storage Manager backups versus local shadow volumes backups

When you create a policy for your backups, you must choose whether to back up data to Tivoli Storage Manager storage versus VSS disks. Data backups to Tivoli Storage Manager typically takes longer to process than backups to local shadow volumes.

Backing up Exchange Server data to Tivoli Storage Manager is necessary when long-term storage is required. For example, saving Exchange Server data on tape for archival purposes requires long-term storage. Tivoli Storage Manager backups are also necessary for disaster recovery situations when the disks that are used for local backups are unavailable.

By maintaining multiple backup copies on Tivoli Storage Manager server storage, a point-in-time copy is available if backups on the local shadow volumes become corrupted or deleted.

Local shadow volumes

When you back up data to local shadow volumes, ensure that sufficient local storage space is assigned to the local shadow volumes. Create different sets of policies for backups to both local shadow volumes and to Tivoli Storage Manager server storage. If you use a VSS provider other than the Windows VSS System Provider, follow the backup recommendations of the VSS provider.

You can run backups to local shadow volumes by time and backup versions. It is more effective to base policy for local backups on version limits because local snapshots are created more frequently and VSS storage provisioning and space

limitations apply. In Database Availability Group (DAG) environments, all of the DAG members must use the same local VSS policy.

Environment and storage resources also impact how many backup versions you can maintain on local shadow volumes for VSS fast restore and VSS instant restore operations, and on Tivoli Storage Manager server for VSS restore operations.

Database Availability Group backup and restore operations

To optimize use of available server resources, Database Availability Group (DAG) members often store a subset of the Exchange Server databases in a combination of active and passive copies. The configuration also provides greater resilience to failures. Specifically, three servers must fail before the servers lose access to a database.

Typical DAG configuration

In the following example, three copies of five databases span five servers in a DAG. This configuration ensures that two servers in the DAG never have the same set of database copies. The configuration also provides greater resilience to failures. Specifically, three servers must fail before the servers lose access to a database.




Figure 3. Typical DAG configuration

Typical data protection deployments in DAG environments

You can back up data from any DAG member and restore the data to any DAG member. You can also back up data from either the active or passive copy. Full and incremental database backups do not have to be completed from the same DAG member. All databases included in a VSS type backup are integrated.

The following figure illustrates a deployment of a backup task that is distributed across DAG members.




Figure 4. Example of backups that are distributed across DAG members

To specify a backup of all DAG nodes, issue the same backup command on each node. The command file contains separate backup commands per database. For example:

```
tdpexcc backup DB1 full /minimumbackupinterval=60 /preferdagpassive
tdpexcc backup DB2 full /minimumbackupinterval=60 /preferdagpassive
tdpexcc backup DB3 full /minimumbackupinterval=60 /preferdagpassive
```

In this deployment, one schedule applies to all nodes. The same backup command file is used for each node.

The following figure illustrates another possible backup task distribution across DAG members.




Figure 5. Another example of backups distributed across DAG members

In this deployment, one schedule applies to all nodes. The same backup command file is used for all nodes. The command file contains separate backup commands per database on that node. For example:

```
tdpexcc backup DB1 full /minimumbackupinterval=60 /preferdagpassive
tdpexcc backup DB2 full /minimumbackupinterval=60 /preferdagpassive
tdpexcc backup DB3 full /minimumbackupinterval=60 /preferdagpassive
```

Best practices for backing up a Database Availability Group

When you back up data, distribute the backup workload for scalability and isolate backup activity to a dedicated backup node. When you isolate backup activity, it minimizes the impact to production databases.

As a best practice, identify all replica copies of the same database and eliminate redundant backups of the same databases. You can apply retention policies to databases. Back up databases from any node in the availability group and run restore operations from any node in the availability group.

Complete backups for replicated database copies from the same Exchange Server. Additionally, complete backups on the passive database copies. When you backup passive database copies, you do not increase the load on the production Exchange Server.

When you back up databases, follow these guidelines:

- Use a DAG member to store DAG database backups.
- Ensure that the same VSS policy applies to all DAG members.
- Ensure that the first backup is a FULL backup when you move backups to DAG member backups.
- Ensure that previous backups are manually deleted after you move backups to DAG member backups, assuming that those backups are no longer needed.

- Run backups from a passive database copy to avoid increasing the load on the active databases.
- Schedule all DAG members that have a copy of the database to back up the database at the same time. To set the minimum amount of time before a backup of another DAG copy of the same database is allowed, specify the **MINIMUMBACKUPINTERVAL** parameter. When you specify this parameter, only one backup is taken per backup cycle.
- If the Exchange Server database belongs to a DAG and is an active database copy, specify the **/EXCLUDEAGACTIVE** parameter to exclude the databases from the backup.
- If the Exchange Server database belongs to a DAG and is a passive database copy, specify the **/EXCLUDEDAGPASSIVE** parameter to exclude the databases from the backup.
- If the Exchange Server database does not belong to a DAG, specify the **/EXCLUDENONDAGDBS** parameter to exclude the databases from the backup.
- To a backup is to be taken from a passive copy unless no valid passive copy is available, specify the **/PREFERDAGPASSIVE** parameter.
- To bypass an integrity check if two or more valid database copies exist in a DAG, specify the **/SKIPINTEGRITYCHECK** parameter.

Best practices for restoring a Database Availability Group

In a DAG environment, you must restore databases on an active database copy. To restore to a passive database copy, you must first move the copy to the active state. After the restore operation is complete, you can move the active database copy to the passive state.

If you back up data to a local system, you can complete data restore operations only on the Exchange Server where the backup is taken.

Ensuring successful MAPI connections

If you use Exchange Server 2013, use the MAPI Settings property page to verify that the user mailbox is online. You can also view and update the MAPI registry key that enables Tivoli Storage FlashCopy Manager to connect to the Exchange Server.

Before you begin

Ensure that the correct version of Microsoft Exchange Server MAPI Client and Collaboration Data Objects is installed on the Exchange Server. The correct version is identified in the Hardware and Software Requirements technote that is associated with the level of your software.

About this task

For mailbox restore operations to succeed in Exchange Server 2013 environments, the MAPI client must use Remote Procedure Call over HTTPS (RPC over HTTPS), also known as Outlook Anywhere. You cannot use RPC over TCP.

Procedure

1. From Microsoft Management Console (MMC), select an Exchange Server instance.
2. On the **Protect** tab, click **Properties** in the Action pane.
3. Select **MAPI Settings** from the list of property pages.

4. Verify that the following information is correct in the Exchange Server environment:
 - The **mailbox alias** field shows the mailbox that you are logged in to. Verify that you can open the mailbox in Microsoft Outlook or Outlook Web Access (OWA).
 - The **Exchange Profile Server** field shows the correct mailbox endpoint on the Exchange Server that has the Client Access Server (CAS) role. Verify that you can open the target mailbox in Outlook or OWA.
5. Edit the registry key only if the default value is incorrect. Use one of the following methods.
 - Enter the registry key value in the `RpcHttpProxyMap_TSM` field.
 - Enter the `Domain` field value and select or clear the **Use HTTPS authentication** check box. When you change either of these values, the values of the registry key automatically updates in the `RpcHttpProxyMap_TSM` field.

Consider that the values that you enter override the registry key that is in the `HKEY_CURRENT_USER\Software\Microsoft\Windows NT\Current Version\Windows Messaging Subsystem` directory. If you modify the registry incorrectly, the connection to the Exchange Server might fail.

RpcHttpProxyMap_TSM

Change the registry key values to reflect the correct domain, endpoint, and Remote Procedure Call (RPC) authentication methods for your environment. By default, the following format is used.

*Domain=Proxy Server,RpcHttpAuthenticationMethod,
RpcAuthenticationMethod,IgnoreSslCert*

For example:

`companyname.local=https://exchange.companyname.com,ntlm,ntlm,false`

where:

- *Domain* value is the domain suffix of the personalized server ID, for example, `companyname.local`. Specify any domain or a substring of a domain, or the asterisk (*) and question mark (?) wildcard characters, for example, `*.companyname.local`.
- *Proxy Server* value is the RPC proxy server that has the Client Access Server (CAS) role. Specify the fully qualified domain name (FQDN) of the RPC proxy server. Precede the FQDN by `http://` for an HTTP connection, or `https://` for an HTTPS connection. For example, `https://exchange.companyname.com`
- *RpcHttpAuthenticationMethod* value is the method that is used to authenticate RPC-over-HTTP connections. Specify NTLM, Basic, Negotiate, or WinNT.
- *RpcAuthenticationMethod* value is the method that is used to authenticate RPC-over-TCP connections. Specify NTLM, Negotiate, WinNT, Anonymous, or None.
- *IgnoreSslCert* value indicates whether the Exchange Server validates SSL certificates. For the Exchange Server to ignore invalid certificates, specify `False`.

Domain

Change the domain name to reflect the correct domain if for example, you have multiple domains, or the default domain value is incorrect. To match all domains, enter the asterisk (*) wildcard character. When you

change this domain value, the *Domain* value of the registry key automatically updates in the *RpcHttpProxyMap_TSM* field.

Use HTTPS authentication

Select this check box if RPC-over-HTTPS is enabled for the Exchange Server that is hosting the MAPI profile. Otherwise, clear this check box to ensure that HTTP authentication is used for RPC-over-HTTP connections. When you change this authentication value, the *RpcAuthenticationMethod* value of the registry key automatically updates in the *RpcHttpProxyMap_TSM* field.

Related tasks:

“Troubleshooting mailbox permissions, authentication methods, and registry key settings in a Microsoft Exchange 2013 environment” on page 185

“Troubleshooting MAPI connection issues” on page 186

Related reference:

“MAPI Settings” on page 62

Backing up Exchange Server data by using VSS

By using Microsoft Volume Shadow Copy Service (VSS), you can back up Exchange Server data and mount the backup if required.

Before you begin

- You must have a VSS provider that is configured for your environment.
- If you back up Exchange Server databases in a DAG environment, and you want to back up your databases to a common node, ensure that you set up a DAG node name (DAGNODE).

Tip: Backing up DAG databases to a common node is helpful when you want to manage backups with a single policy, regardless of which DAG server completes the backup.

You can set up the DAG node name in the **DAG Node** field in the TSM Node Names page of the Tivoli Storage Manager configuration wizard, or in the **Back up DAG databases to common node** field in the General properties page for your Exchange Server workload.

- Do not mix persistent and nonpersistent VSS snapshots.

Procedure

1. Start Microsoft Management Console (MMC) and click **Exchange Server** in the navigation tree.
2. On the **Protect** tab, select one or more databases to back up. Alternatively, click the **Protect Data** shortcut in the start page of MMC.
 - a. Filter the list of available databases in the results pane by entering a keyword in the **Search** field.
 - b. If you are running backup operations in an Exchange Server DAG environment, you can back up an active database copy or passive database copy. View the copy status in the **DAG Status** column on the **Protect** tab.
3. Specify the backup options. If the backup options are not displayed, click **Show Backup Options**.
 - To use offloaded backups, set the **Offload** option to **True**.

If you use offloaded backups, specify the remote client node, **RemoteDSMAGENTNode**, that runs the VSS offloaded backups on a remote computer. This option applies only to the Tivoli Storage Manager configuration.

- Select **Skip Integrity Check** and choose one of the following options.

Table 12. Options for integrity checking

Task	Action
Bypass integrity checking for all database and log files	Select Yes
Run integrity checking to verify that all database and log files are free of errors	Select No This option is the default.
Bypass integrity checking for database files only if at least two valid copies of a database (one active and one passive copy) exist in a DAG	Select Skip Database Check If Healthy
Bypass integrity checking for database and log files only if at least two valid copies of a database (one active and one passive copy) exist in a DAG	Select Skip Database And Log Check If Healthy

- If you are scheduling the backup of databases in an Exchange Server DAG, set the **Minimum Backup Interval** value to the minimum amount of time, in minutes, before a backup of another copy of the same DAG database can begin. The default value is 0, which means that you can back up the database again immediately after a backup operation of that database is complete. The time of the last database backup is determined from the Exchange Server and not the Tivoli Storage Manager server.

This option specifies that only one database copy can be backed up within a time frame. This option prevents all members in a DAG from backing up the database. Specify this setting for tasks that are scheduled to run when you click **Run Scheduled**.

- If you are scheduling the backup of databases in an Exchange Server DAG, set **PreferDAGPassive** option to **True** to skip the backup for an active database copy unless no valid passive copy is available. If no valid passive copy is available, the backup is created from the valid active database copy. Specify this setting for tasks that are scheduled to run when you click **Run Scheduled**.

4. Optional: Choose a mode for the current task:

- **Run Interactively:** Click this item to run the current task interactively. This selection is the default.
- **Run Scheduled:** Click this item to convert the current action into a scheduled task. When you select this item, the schedule wizard runs the command that is required to complete the task.

5. To create the backup, select the backup action in the Actions pane. You can run a full, copy, incremental, or differential backup with the VSS backup method.

Related concepts:

“Offloaded VSS backups” on page 10

Related tasks:

“Restoring a Database Availability Group database backup” on page 114

Mounting Exchange Server backups

To see a copy of Exchange Server data from a specific point in time, mount a snapshot backup.

About this task

A copy of data from a specific time is also known as a point-in-time consistent copy or online snapshot.

Restriction: You cannot use Microsoft Management Console (MMC) to mount a backup to a different server. To mount a VSS snapshot to a remote server, enter the **mount backup** command at the command line.

Procedure

1. Start MMC.
2. Click **Recover Data** in the welcome page of MMC.
3. In the Actions pane on the **Recover** tab, click **Mount Backup**.
4. Either type the path to the empty NTFS or ReFS folder where you want to mount the backup or browse to find the path. Click **OK**. On the **Recover** tab, the backup that you mounted is displayed.
5. In the Actions pane, select the **Explore** and **Unmount Backup** tasks for the backup that you mounted.

Related reference:

“Mount backup command” on page 212

Deleting Exchange Server backups

You can remove an Exchange Server backup that you created with the VSS backup method. Use this procedure only for deletions that are outside the scope of your standard policy management deletions.

Before you begin

Typically, backups are deleted automatically based on user-defined policy management settings. This procedure is necessary only if you must delete backups that are outside the scope of Tivoli Storage FlashCopy Manager policy definitions.

If you back up Exchange Server Database Availability Group (DAG) databases to Tivoli Storage Manager, you can delete the database backup from the DAG member to a local shadow volume only from the Exchange Server on which the backup is created.

If you delete a remotely-mounted backup, the snapshots and the relationship between the source and target volumes on the storage device are also deleted. However, the target volume that is imported and mounted might continue to exist. In addition, the target volume might not be available to the server where the remote mount occurred. The operations to the target volume depend on the VSS hardware provider and the storage device implementation.

After the maximum number of remotely-mounted backup versions or the maximum number of days to retain a backup is exceeded, the associated backup is expired and deleted.

Procedure

1. Start Microsoft Management Console (MMC).
2. Click **Recover Data** in the welcome page of MMC.
3. On the **Recover** tab for the Exchange Server instance, select **View: Database Restore**. In the Results pane, browse to and select one or more database backups to delete.
4. In the Actions pane, click **Delete Backup**. While a backup is being deleted, two tasks are displayed in the task window to show that the deletion is in progress, and that the view is being refreshed.

Related tasks:

“Mounting VSS snapshots to remote servers” on page 163

Setting data restore options in Microsoft Management Console

To optimize the data restore process for your environment, modify the default options that are available in Microsoft Management Console (MMC).

Procedure

1. On the Recover tab, select **Database Restore**.
2. Click **Show Restore Options** to modify the default restore options as follows:

Table 13. Database restore options

Option	Action
Auto Select	<p>For this option, specify a value of Yes (default) to quickly select the backup objects to restore. With automatic selection, when you select the most recent backup to restore, all associated backups are automatically selected, up to the previous full backup. When you specify Yes, the automatic selection option applies to full backups, differential backups, and incremental backups, but not to copy backups. This option affects backups in the following ways:</p> <ul style="list-style-type: none">• When you click a differential backup, the associated full backup is also selected.• When you click an incremental backup, the associated full backup and all associated earlier incremental backups are also selected.• For VSS backup, automatically selects all databases that were backed up together to the local destination. However, databases that were backed up to Tivoli Storage Manager are not automatically selected.
From Server	<p>Enter the name of the server where the original backup is completed. The default value the local server.</p>

Table 13. Database restore options (continued)

Option	Action
Instant Restore	<p>For this option, specify a value of Yes to use volume-level snapshot restore (instant restore) for local VSS backups if the backup exists on SAN-attached volumes. Specify a value of No to disable instant restore, which bypasses volume-level copy and uses file-level copy (fast restore) to restore the files from a local VSS backup. The default value is Yes, which uses volume-level snapshot restore if it is available.</p> <p>This option is available for VSS operations only. If you use instant restore for SAN Volume Controller earlier than version 5.1 or DS8000, ensure that any previous background copies that involve the volumes that are being restored are completed before you initiate the instant restore.</p> <p>This option is automatically set to No during <i>restore into</i> operations.</p> <p>In an instant restore operation, files on the destination file system are overwritten. Incremental and differential backups are automatically converted to file-level restores. An instant restore operation requires that the drive or volume where the mailbox database is located must be available. Any other process or application must not have access to the drive or volume.</p>
Mount Databases After Restore	<p>For this option, specify a value of Yes to automatically mount databases after backups are recovered. No is the default value for this option.</p>
Replay Restored AND Current Logs	<p>For this option, specify a value of Yes to replay any transaction log entries that are displayed in the current active transaction log. This log includes both current and restored logs. Yes is the default value for this option. This option is not supported for instant restore.</p>
Replay Restored Logs ONLY	<p>For this option, specify a value of Yes to replay only restored logs. No is the default value for this option.</p>
Run Recovery	<p>For this option, specify a value of Yes to complete the database restore operation. Recovery cannot run if the databases are not online.</p>

Restoring an Exchange Server database

You can use the *restore into* function to restore an Exchange Server database backup to a recovery database or alternate database. You can also restore a DAG active or passive database copy to a recovery database or alternate database.

Before you begin

- Ensure that your system is set up to use the DAG node name (DAGNODE). You can specify the DAG node name in the **DAG Node** field in the TSM Node Names page of the Tivoli Storage Manager configuration wizard, or in the **Back up DAG databases to common node** field in the General properties page for your Exchange Server workload.

- You can restore mailboxes with the Mailbox Restore Browser or Mailbox Restore functions. In some rare cases, however, you might want to restore data into a recovery database or alternate database. Ensure that a recovery database or alternate database exists before you attempt the restore operation.

About this task

- For database backups in the Exchange Server Database Availability Group (DAG) environment, you can restore a database regardless of which DAG member the database was backed up from because all database copies are backed up by using a single DAG node. Local backups must be restored on the node where the backup was completed.

In a stand-alone environment, you cannot back up a database from one DAG member and restore it to a different DAG member. Backups of the same database are managed with the same policy, regardless of whether the database is active or passive at the time of the backup.

- Running any type of *restore into* function automatically disables VSS instant restore capability.

When you restore a database by using instant restore processing, data that exists in the destination database is overwritten, and is no longer available after restore processing is complete. When you restore a database by using the *restore into* function, you restore data to an alternate target destination. The data is not restored to the original source destination. For the restore operation to be successful, the alternate target destination must be of equal or greater size as the original source volume.

- To complete restore operations, backups must be taken on the same version of Exchange Server.
- You cannot use multiple instances of FlashCopy Manager for Microsoft Exchange Server to restore databases into the recovery database simultaneously.

Procedure

1. From Microsoft Management Console (MMC), click **Recover Data** in the welcome page.
2. On the **Recover** tab for the Exchange Server instance, select **View: Database Restore**. In the Results pane, browse to the databases that are available to restore. The following options are available:

Table 14. Database restore selection options

Option	Action
Filter	<p>Use the filter options to narrow the list of databases in the result pane.</p> <ol style="list-style-type: none"> 1. Click Show Filter Options and Add Row. 2. In the Column Name field, click the down arrow and select an item to filter. For database backups in the Exchange Server DAG environment, the Server column displays the name of the DAG and the server that created the backup in this format: DAGNAME\SERVERNAME where DAGNAME is the name of the DAG, and SERVERNAME is the name of the server (DAG member) that created the backup. For example: TSM DAG4\AVOCADO To filter by Backup Date, click the default date and time to edit the table cell. To change the date, click the arrow button that is displayed at the end of the cell. The calendar date selection tool is displayed. After you select a date, to display the date in the field, press Enter. To edit the time, enter the time by using the 12-hour clock time convention such as 2 p.m. When you click Select All, all rows that reflect the filter specifications are selected. 3. In the Operator field, select an operator. 4. In the Value field, specify a filter value. 5. If you want to filter on more items, click Add Row. 6. Click Apply Filter.
Backups	Select the database to restore. You can click Active Backups to show only active backups, or click All Backups to show both active and inactive backups.
Search	In the Search field, enter a keyword to filter the list of available databases.
Refresh	Click Refresh to update the view with your changes.

If you applied a filter, the objects on the server that match the filter or search criteria are listed in the **Recover** tab. The status area indicates the number of items that match the criteria n of x displayed, where n equals the number of objects that match the filter criteria, and x is the number of objects that are retrieved from the server. For example, 5 of 20 displayed. If you specify refresh options to further narrow your results, and click **Refresh** again, the

objects on the server that match the filtered and refresh options are displayed. Each time that you click **Refresh**, another query is run against the Tivoli Storage Manager server.

3. On the **Recover** tab for the Exchange Server instance, select one or more backups to restore. If the **Auto Select** option is set to **Yes** in the Restore Options view, more backups that are necessary to restore the most recent backup are selected for you. If you do not want the additional selections that are made for you, set **Auto Select** to **No**.
4. Verify the restore options. If the restore options are not displayed, click **Show Restore Options**.
5. Optional: Choose a mode for the current task:
 - **Run Interactively**: Click this item to run the current task interactively. This selection is the default.
 - **Run Scheduled**: Click this item to convert the current action into a scheduled task. When you select this item, the schedule wizard runs the command that is required to complete the task.
6. Start the restore operation:
 - To restore the backup, right-click that backup name and select **Restore**. Alternatively, in the Actions pane, click **Restore**.
 - To restore the backup into another location, right-click and select **Restore Into** to specify a target location for the restore operation. A dialog window opens where you can specify the destination database.
Select the name of a database into which a VSS backup is restored.

VSS instant restore is available only for full or copy type backups that are on the disk devices that support this type of restore operation. During the VSS instant restore operation, the drive or volume where the database is located must not be accessed by any other process or application.

Restoring a Database Availability Group database backup

You can restore a replicated database copy in a Database Availability Group (DAG).

About this task

You can use Exchange Management Shell commands, which are provided in parentheses.

Procedure

1. Make the database that you want to restore active (**Move-ActiveMailboxDatabase**).
2. Suspend replication of all passive copies of the database (**Suspend-MailboxDatabaseCopy**).
3. Unmount the active mailbox database (**Dismount-Database**).
4. If you are using VSS instant restore, and the **During Instant Restore, automatically stop and restart necessary Microsoft Exchange services** option is not selected in Microsoft Management Console (MMC), or the **STOPSERVICESONIR** parameter is set to **NO** at the command line, stop the following replication services on all copies of the database.
 - (DAG environments only) Exchange Replication Service
 - (Exchange Server 2013 only) Exchange Search Host Controller Service
5. Restore the database and logs by using the command line or MMC.

Restriction: The database must not be mounted automatically after the restore. If you use MMC, ensure that the **Mount Databases After Restore** option is set to **No** in the Restore pane. If you use the command line, set the **/mountdatabases** parameter to NO.

However, if the **During Instant Restore, automatically stop and restart necessary Microsoft Exchange services** option is selected, or the **STOPSERVICESONIR** parameter is set to YES, you can set the **Mount Databases After Restore** option to YES.

6. If the service is stopped, start the replication service before you mount the active mailbox database. Otherwise, the database mount fails (**Mount-Database**).
7. Verify the health of the database before you update or reseed to replicated database copies. (**Get-MailboxDatabaseCopyStatus**)
8. Update or reseed all replicas (**Update-MailboxDatabaseCopy**). By completing this step, you can help to avoid potential transaction log synchronization problems that might arise if replication is resumed directly.
9. Move the active database to the server that you want (**Move-ActiveMailboxDatabase**).

Restoring mailbox data

Tivoli Storage FlashCopy Manager backs up mailbox data at the database level, and also restores individual mailbox items from the database backup.

Before you begin

You must have role-based access control (RBAC) permissions to complete individual mailbox restore operations.

If you plan to restore mail or folders by using a Simple Mail Transfer Protocol (SMTP) server, ensure that you configure the SMTP server before you start a restore operation. To set the configuration in the Management Console, right-click **Dashboard** in the tree view and select **Properties**. From the E-mail property page, enter the SMTP server and port.

About this task

- You can restore an entire mailbox or selected mailbox items to the original mailbox, another online mailbox on the same server, or to a Unicode .pst file. When you restore a mailbox to the mailbox restore destination, Tivoli Storage FlashCopy Manager automatically restores the mail items in the Recoverable Items folder.
 - You cannot restore the Recoverable Items folder and subfolder hierarchy to a mailbox restore destination. You can restore only the mail items in the folders.
 - The mail items that you can restore depends on whether the mailbox is enabled for mailbox restore operations.
 - You can restore the Recoverable Items content for a public folder mailbox but not for each public folder in the public folder mailbox.
 - You can exclude the mail items in the Recoverable Items folder in mailbox restore operations.
 - You cannot create a subfolder in the Recoverable Items folder in a mailbox.
- In Exchange Server 2013, you can restore a public folder mailbox database, a public folder mailbox, or only a part of the mailbox, for example, a specific public folder.

- To restore an Exchange 2013 public folder mailbox, the Exchange user must have the Public Folders management role.
- You can restore a public folder mailbox only to an existing public folder mailbox that is on the Exchange Server.
- You can restore a public folder only to an existing public folder. The public folder on the Exchange Server must have the same folder path as the public folder to be restored. If the public folder is deleted from the public folder mailbox on the Exchange Server, you must re-create the public folder with the same folder path as the public folder to be restored, before you start the restore operation.
- As a best practice, restore public folder mailboxes separately from user mailboxes. Select only one public folder mailbox to restore at a time if you want to restore a specific public folder in the mailbox, or if you want to restore to a different public folder mailbox than the original mailbox.
If you restore multiple mailboxes in a single restore operation, and at least one of the mailboxes is a public folder mailbox, the mailboxes are restored only to their original mailbox locations. You cannot specify a filter or an alternate mailbox destination.
- You might restore to a different public folder mailbox than the original mailbox if, for example, the public folder is relocated after the time of the backup. Before you complete the public folder restore operation, ensure that the public folder exists with the same folder path in the alternate mailbox location.
- In Exchange Server 2010 or later, you can restore an archive mailbox or a part of the mailbox, for example, a specific folder. You can restore archive mailbox messages to a mailbox that is on the Exchange Server, to an archive mailbox, or to an Exchange Server .pst file.
If you enable a user mailbox to be archived, ensure that the user is logged on to that mailbox at least once before you complete a backup and restore operation on the mailbox.
- If you restore multiple mailboxes, and you want to retain the recovery database after the restore operation is complete, ensure that all the mailboxes are in the same recovery database.
- By default, Tivoli Storage FlashCopy Manager restores the latest backup that is available for the specified mailbox.

The amount of time that it takes to complete the restore process depends on the size of the mailbox databases, the network speed, and the number of mailboxes to process.

Procedure

1. Start Microsoft Management Console (MMC) and select **Exchange Server** in the navigation tree.
2. On the **Recover** tab for the Exchange Server instance, select the **Mailbox Restore** view.
3. Select one or more mailboxes to restore. A list of mailboxes that are backed up is displayed. If you restore mail to a Unicode personal folder (.pst) file, or you restore a mailbox that is deleted or re-created after the time of the backup, FlashCopy Manager for Microsoft Exchange Server requires a temporary mailbox to store the mailbox messages. Create a temporary mailbox by setting the Alias of temporary mailbox option on the Properties page, under the **General** tab.

Tip: Ensure that the temporary mailbox that you create is on a database with enough disk storage capacity to accommodate all of the mailbox items that you are restoring.

4. Optional: By default, the entire mailbox is restored. You can use the **Item-Level Mailbox Filters** to identify individual messages to restore:
 - a. Click **Show Filter Options** and **Add Row**.
 - b. In the **Column Name** field, click the down arrow and select an item to filter.
 - You can filter public mailbox folders only by the **Folder Name** column.
 - You can filter Unicode .pst files only by **Backup Date**, **Folder Name**, and **All Content** filters.
 - You can filter by backup date, and click the default date and time to edit the table cell. To change the date, click the arrow at the end of the cell. The calendar date selection tool is displayed. After you select a date, to display the date in the field, press **Enter**. To edit the time, enter the time by using the 12-hour clock time convention such as 2 p.m.
 When you specify a backup date, FlashCopy Manager for Microsoft Exchange Server searches for a backup that corresponds to that exact date. If a backup with that exact date is not found, FlashCopy Manager for Microsoft Exchange Server selects the first backup after that date.
 - c. In the **Operator** field, select an operator.
 - d. In the **Value** field, specify a filter value.
 - e. If you want to filter on more items, click **Add Row**.
5. Specify the restore options by clicking **Show Restore Options**.

Table 15. Database restore options

Task	Action
Keep Recovery Database After Restore	Use this option to retain a recovery database after a mailbox restore operation is complete. The default value is No . If you set the value to Yes , FlashCopy Manager for Microsoft Exchange Server automatically retains the recovery database after mailbox restore processing.
Mailbox	If the alias of the mailbox to restore is not displayed in the list of mailboxes, specify the alias. This option overrides any selected mailboxes.
Mailbox Original Location	Use this option only if the mailbox was deleted or re-created since the time of the selected backup, and mailbox history is disabled. Specify the Exchange Server and the database where the mailbox was at the time of the backup. Use the following format: server-name,db-name, for example, serv1,db1.
Mark Restored Messages As Unread	Use this option to automatically mark the mailbox messages as unread after the restore operation is completed. The default value is Yes .

Table 15. Database restore options (continued)

Task	Action
Use Existing Recovery Database	<p>Use this action to restore the mailbox from an existing recovery database. The default value is Yes.</p> <p>If you set the value to No and a recovery database is mounted on the server before you restore the mailbox, FlashCopy Manager for Microsoft Exchange Server automatically removes the recovery database during mailbox restore processing.</p>

6. To complete the restore operation, click one of the following **Restore** options.

Table 16. Restore options

Task	Action
Restore Mail to Original Location	Select this action to restore mail items to their location at the time of the backup operation.
Restore Mail to Alternate Location	<p>Select this action to restore the mail items to a different mailbox.</p> <p>Note: If deleted mail items or tasks are flagged in the Recoverable Items folder of a mailbox, the items are restored with the flag attribute to the Flagged Items and Tasks view in the target mailbox.</p>
Restore Mail to non-Unicode PST file	<p>Select this action to restore the mail items to a non-Unicode personal folders (.pst) file.</p> <p>When you restore mail items to a .pst file with one selected mailbox, you are prompted for a file name. When you restore mail items to a .pst file with more than one selected mailbox, you are prompted for a directory location. Each mailbox is restored to a separate .pst file that reflects the name of the mailbox at the specified directory.</p> <p>If the .pst file exists, the file is used. Otherwise, the file is created.</p> <p>Restriction: The contents of each folder cannot exceed 16,383 mail items.</p>

Table 16. Restore options (continued)

Task	Action
Restore Mail to Unicode PST file	<p>Select this action to restore the mail items to a Unicode .pst file.</p> <p>When you restore mail items to a .pst file with one selected mailbox, you are prompted for a file name. When you restore mail items to a .pst file with more than one selected mailbox, you are prompted for a directory location.</p> <p>You can enter a standard path name (for example, c:\PST\mailbox.pst) or a UNC path (for example, \\server\c\$\PST\mailbox.pst). When you enter a standard path, the path is converted to a UNC path. If the UNC is a non-default UNC path, enter the UNC path directly.</p> <p>Each mailbox is restored to a separate .pst file that reflects the name of the mailbox at the specified directory. If the .pst file exists, the file is used. Otherwise, the file is created.</p>
Restore Public Folder Mailbox	<p>Select this action to restore a public folder mailbox to an existing online public folder mailbox.</p> <p>You can filter the mailbox and restore a specific public folder to an existing online public folder. In the Folder to be restored field, enter the name of the public folder that you want to restore. If you are restoring a subfolder in a parent folder, specify the full folder path in this format: <i>parent_folder_name/sub_folder_name</i>. To restore all subfolders in a parent folder, use <i>parent_folder_name/*</i>. If the full folder path includes spaces, enclose the folder path in double quotation marks, and do not append a backslash character (\) at the end of the folder path.</p> <p>You can also restore all or part of a public folder mailbox to a different public folder mailbox than the original mailbox. In the Target public folder mailbox field, specify the destination public folder mailbox that you want to restore to.</p>

Table 16. Restore options (continued)

Task	Action
Restore Mail to Archive Mailbox	<p>This action applies to a primary mailbox or an archive mailbox. Select this action to restore all or part of either type of mailbox to the original archive mailbox or to an alternate archive mailbox.</p> <p>You can filter the archive mailbox and restore a specific mailbox folder. In the Folder to be restored field, enter the name of the folder in the archive mailbox that you want to restore. If you are restoring a subfolder in a parent folder, specify the full folder path in this format: <i>parent_folder_name/sub_folder_name</i>. To restore all subfolders in a parent folder, use <i>parent_folder_name/*</i>. If the full folder path includes spaces, enclose the folder path in double quotation marks, and do not append a backslash character (\) at the end of the folder path.</p> <p>In the Target archive mailbox field, specify the archive mailbox destination that you want to restore to.</p>
Exclude recoverable mail items while restoring the mailbox	<p>Apply this action if you are restoring an online, public folder, or archive mailbox to an original mailbox, alternate mailbox, or to a Unicode .pst file.</p> <p>Specify a value of Yes to exclude the mail items in the Recoverable Items folder in mailbox restore operations. No is the default value.</p>

Related concepts:

“Exchange mailbox restore operations” on page 23

“Security requirements for backup and restore operations” on page 98

Related tasks:

“Troubleshooting a MAPI error that prevents multiple mailboxes restoring in a Microsoft Exchange 2013 environment” on page 187

“Setting data restore options in Microsoft Management Console” on page 110

“Deleting mailbox history information” on page 188

“Troubleshooting mailbox restore errors” on page 184

Related reference:

“Restoremailbox command” on page 241

Restoring mailbox messages interactively with the Mailbox Restore Browser

You can use the Mailbox Restore Browser to interactively restore a mailbox or items from a mailbox on an Exchange Server.

Before you begin

You must have role-based access control (RBAC) permissions to complete individual mailbox restore operations.

If you plan to restore mail or folders by using a Simple Mail Transfer Protocol (SMTP) Server, ensure that you configure the SMTP Server before you start a restore operation. Set the configuration in Microsoft Management Console (MMC) by right-clicking **Dashboard** in the navigation tree and selecting **Properties**. Then, in the E-mail property page, enter the SMTP server and port.

Download and install the Exchange MAPI and Microsoft Outlook MAPI on different servers. Do not install Microsoft Outlook 2010 or 2013 on the same server that Tivoli Storage FlashCopy Manager uses for mailbox restore operations. Conflicts might occur in the MAPI configurations.

About this task

- You can restore an entire mailbox or selected mailbox items to the original mailbox, another online mailbox on the same server, or to a Unicode .pst file. When you restore a mailbox to the mailbox restore destination, Tivoli Storage FlashCopy Manager automatically restores the mail items in the Recoverable Items folder.
 - You cannot restore the Recoverable Items folder and subfolder hierarchy to a mailbox restore destination. You can restore only the mail items in the folders.
 - The mail items that you can restore depends on whether the mailbox is enabled for mailbox restore operations.
 - You can restore the Recoverable Items content for a public folder mailbox but not for each public folder in the public folder mailbox.
 - You can exclude the mail items in the Recoverable Items folder in mailbox restore operations.
 - You cannot create a subfolder in the Recoverable Items folder in a mailbox.
 - The Mailbox Restore Browser displays folders that are normally hidden from view, for example, in the Recoverable Items folder. Folder names in the Recoverable Items folder are internal to Microsoft Exchange and are not translated by Microsoft. Therefore, if you use a language other than English, the folder names still display in English.
- In Exchange Server 2013, you can restore a public folder mailbox database, a public folder mailbox, or only a part of the mailbox, for example, a specific public folder. However, you cannot restore individual messages in a public folder by using the Mailbox Restore Browser interface.
 - To restore an Exchange 2013 public folder mailbox, the Exchange user must have the Public Folders management role.
 - You can restore a public folder mailbox only to an existing public folder mailbox that is on the Exchange Server.
 - You can restore a public folder only to an existing public folder. The public folder on the Exchange Server must have the same folder path as the public folder to be restored. If the public folder is deleted from the public folder

mailbox on the Exchange Server, you must re-create the public folder with the same folder path as the public folder to be restored, before you start the restore operation.

- As a best practice, restore public folder mailboxes separately from user mailboxes. Select only one public folder mailbox to restore at a time if you want to restore a specific public folder in the mailbox, or if you want to restore to a different public folder mailbox than the original mailbox.

If you restore multiple mailboxes in a single restore operation, and at least one of the mailboxes is a public folder mailbox, the mailboxes are restored only to their original mailbox locations. You cannot specify a filter or an alternate mailbox destination.

- You might restore to a different public folder mailbox than the original mailbox if, for example, the public folder is relocated after the time of the backup. Before you complete the public folder restore operation, ensure that the public folder exists with the same folder path in the alternate mailbox location.
- If you restore multiple mailboxes, and you want to retain the recovery database after the restore operation is complete, ensure that all the mailboxes are in the same recovery database.
- By default, Tivoli Storage FlashCopy Manager restores the latest backup that is available for the specified mailbox.

Restriction: Only mailboxes within the same database can be restored in a single mailbox restore action.

Procedure

1. Start MMC.
2. Under the **Protect and Recover Data** node in the navigation tree, select **Exchange Server**.
3. On the Recover panel, click **View > Mailbox Restore Browser**.
4. In the Select Source window, specify the mailbox that you want to restore. Choose from the actions in the following table:

Table 17. Selecting mailboxes to restore

Task	Action
Browse mailboxes and select one to restore	<ol style="list-style-type: none"> 1. From the drop-down list, select Browse Mailboxes. 2. Select a mailbox. 3. Click OK. <p>Tip: Use the Search field to filter the mailboxes. You can also sort the mailboxes by columns.</p>
Specify a mailbox to restore by name	<ol style="list-style-type: none"> 1. In the Mailbox Name field, enter the name of the mailbox to restore. 2. Click OK.

Table 17. Selecting mailboxes to restore (continued)

Task	Action
Restore a mailbox backup that was created at a specific time	<ol style="list-style-type: none"> 1. In the Backup Date/Time field, click the default date and time to edit the details. 2. To change the date, click the calendar icon, select a date, and press Enter. 3. To change the time of day, use the 12-hour system convention such as 2 p.m. 4. Click OK.
Review the mailbox backups that are available to restore before you complete the restore operation	<ol style="list-style-type: none"> 1. From the drop-down list, select Browse Mailboxes. 2. Select a mailbox for which backups exist. 3. From the Available Database Backups list, review the backups that are available for the mailbox and select a backup version to restore. 4. Ensure that the Backup Date/Time field reflects the time stamp for the selected mailbox backup. 5. Click OK.
Restore a mailbox that was deleted or re-created after the time of the backup	<p>In the Actions pane, click Properties, and on the General page, enter the temporary mailbox alias.</p> <p>Tip: If you do not enter the alias, the mailbox restore operation uses the administrator mailbox as a temporary storage location.</p>
Browse all databases in a backup	<ol style="list-style-type: none"> 1. From the drop-down list, select Browse Databases. 2. Select a database. 3. Click OK. <p>Tip: Use the Search field to filter the databases. You can also sort the mailboxes by columns.</p>

After the selected mailbox is restored to the recovery database, the restored mailbox and folders are displayed in the results pane.

5. In the results pane, browse the folders and messages that are contained within the selected mailbox. Choose from the following actions to select the mailbox, folder, or message to restore:

Table 18. Previewing and filtering mailbox items

Task	Action
Preview mailbox items	<ol style="list-style-type: none"> 1. Select a mailbox item to display its contents in the preview pane. 2. When an item contains an attachment, click the attachment icon to preview its contents. Click Open or save the item by clicking Save.

Table 18. Previewing and filtering mailbox items (continued)

Task	Action
Filter mailbox items	<p>Use the filter options to narrow the list of folders and messages in the result pane.</p> <ol style="list-style-type: none"> 1. Click Show Filter Options and Add Row. 2. Click the down arrow in the Column Name field and select an item to filter. You can filter by folder name, subject text, and so on. You can filter public mailbox folders only by the Folder Name column. When you select All Content, the mailbox items are filtered by attachment name, sender, subject, and message body. 3. In the Operator field, select an operator. 4. In the Value field, specify a filter value. 5. If you want to filter on more items, click Add Row. 6. Click Apply Filter to filter the messages and folders.

6. In the Actions pane, click the folder or messages restore task that you want to run. If you click **Save Mail Message Content**, which becomes available only when a message is selected in the preview pane, a Windows Save File window is displayed. Specify the location and message name and click **Save**. The Restore Progress window opens and shows the progress of the restore operation. Tivoli Storage FlashCopy Manager restores the mailbox backup to its original mailbox location.
7. To restore a mailbox or mailbox item to either of the following locations, complete the following steps. Choose from the actions in the following table:

Table 19. Restoring a mailbox to another mailbox or .pst file

Task	Action
Restore a mailbox or mailbox item to a different mailbox	<ol style="list-style-type: none"> 1. On the Actions pane, click Open Exchange Mailbox. 2. Enter the alias of the mailbox to identify it as the restore destination. 3. Drag the source mailbox to the destination mailbox on the results pane. <p>Restriction: You cannot drag mail items or subfolders in the Recoverable Items folder to a destination mailbox.</p>

Table 19. Restoring a mailbox to another mailbox or .pst file (continued)

Task	Action
Restore a mailbox to an Outlook personal folders (.pst) file	<ol style="list-style-type: none"> 1. On the Actions pane, click Open non-Unicode PST File. 2. When the Windows File window opens, select an existing .pst file or create a .pst file. 3. Drag the source mailbox to the destination .pst file on the results pane. <p>Restriction: You can use the Mailbox Restore Browser only with non-Unicode .pst files.</p>
Restore Public Folder Mailbox	<p>Select this action to restore a public folder mailbox to an existing online public folder mailbox.</p> <p>You can filter the mailbox and restore a specific public folder to an existing online public folder. In the Folder to be restored field, enter the name of the public folder that you want to restore. If you are restoring a subfolder in a parent folder, specify the full folder path in this format: <i>parent_folder_name/sub_folder_name</i>. To restore all subfolders in a parent folder, use <i>parent_folder_name/*</i>. If the full folder path includes spaces, enclose the folder path in double quotation marks, and do not append a backslash character (\) at the end of the folder path.</p> <p>You can also restore all or part of a public folder mailbox to a different public folder mailbox than the original mailbox. In the Target public folder mailbox field, specify the destination public folder mailbox that you want to restore to.</p>

In the Actions pane, the **Close Exchange Mailbox** and **Close PST File** tasks are displayed only when a destination mailbox or .pst file is opened.

8. Optional: Remove the recovery database by clicking **Close Mailbox to Restore**. This option is displayed only after a recovery database is created. Tivoli Storage FlashCopy Manager removes the recovery database and cleans up the restored files. If you do not select **Close Mailbox to Restore**, the recovery database is not removed even if you exit MMC.

If MMC also detects a recovery database that is created outside of Tivoli Storage FlashCopy Manager, it automatically connects to it. When you complete your mailbox restore tasks, you must manually remove the recovery database. You cannot use the **Close Mailbox to Restore** option.

Related concepts:

“Exchange mailbox restore operations” on page 23

Related tasks:

“Troubleshooting mailbox restore errors” on page 184

“Setting data restore options in Microsoft Management Console” on page 110

Restoring mailboxes directly from Exchange Server database files

If the backup database (EDB) file and log files are available on the disk of a supported Microsoft Exchange Server, you can restore an individual mailbox directly from the EDB file.

Before you begin

When you restore mailboxes directly from Exchange Server database files, verify that you have read and write access to the EDB file, and verify that the Exchange Server transaction log files exist.

If you use Tivoli Storage Manager for Virtual Environments software, review the following guidelines before you restore the mailbox:

- You can use Tivoli Storage Manager for Virtual Environments to back up an Exchange Server in a virtual machine. For more information about the **backup** command, see Backup command (http://www.ibm.com/support/knowledgecenter/SS8TDQ_7.1.4/ve.user/r_ve_vmcli_backup.html).
- To restore mailboxes from the backups that are created by Tivoli Storage Manager for Virtual Environments, mount the virtual volumes that contain the EDB file and log files with read/write access. You can obtain read/write access by clearing the **Mount virtual volume as read only** check box.
- If the log files are on a different volume than the EDB file, mount the volume that contains the log files on an unused drive letter. In this way, you can apply the transaction logs to the EDB file.

Procedure

1. From the Exchange Server, start Tivoli Storage FlashCopy Manager.
2. After you log on to Tivoli Storage FlashCopy Manager, in the navigation area, select the **Exchange Server** node and the **Recover** tab. The Mailbox Restore Browser view opens.
3. In the Actions pane, click **Open EDB File on Disk**.
4. In the window, enter or browse to the location of the EDB file.
5. In the window, enter or browse to the location of the log file directory. Specifying a path to the log file directory is not required. However, the amount of time that is necessary to complete the restore operation is reduced when you provide the log file directory path.
6. Click **OK**. The EDB file is opened and the mailboxes are displayed.
7. Select the mailbox that you want to restore and the type of restore that you want to complete. For example, you can restore a mailbox to a PST file.
8. When the restore operation is complete, click **Close Mailbox to Restore**. You are prompted to save or delete the recovery database folder.

Restoring a deleted mailbox or items from a deleted mailbox

You can use FlashCopy Manager for Microsoft Exchange Server to restore a mailbox or mailbox items that were deleted from an Exchange Server.

Before you begin

Decide where the mailbox data from the deleted mailbox is to be restored.

If you restore mail to a Unicode personal folder (.pst) file, or you restore a mailbox that is deleted or re-created after the time of the backup, FlashCopy Manager for Microsoft Exchange Server requires a temporary mailbox to store the mailbox messages. Create a temporary mailbox by setting the Alias of temporary mailbox option on the Properties page, under the **General** tab.

Attention: Ensure that the temporary mailbox that you create is on a database with enough disk storage capacity to accommodate all of the mailbox items that you are restoring.

Procedure

Complete one of the following actions:

- Restore the deleted mailbox data to the original location. Before you run the mailbox restore operation, re-create the mailbox that is using Exchange.
- Restore the deleted mailbox data into an active alternative mailbox in an online Exchange Server.
- Restore the deleted mailbox data into an Exchange Server personal folders (.pst) file.

Restoring mailboxes on remote systems

The process of restoring mailboxes on a remote system with the Mailbox Restore Browser feature differs from restore operations on local systems.

Before you begin

- For a typical mailbox restore task, you must install the FlashCopy Manager for Microsoft Exchange Server package on the local and remote systems. The correct version of Microsoft Exchange Server MAPI Client and Collaboration Data Objects must also be installed.
- To restore mailboxes on a remote system with Mailbox Restore Browser, the local and remote systems must be in the same domain. The following procedure assumes that you installed the latest version of Tivoli Storage FlashCopy Manager, configured the Exchange Server workload, and have a Windows PowerShell remote connection. At least one mailbox needs to be stored in a database on the remote system.
- After you complete the installation of software on the local and remote systems, verify that the remote system is available and that you can connect to it. Verify that the database with the mailbox you want to restore is backed up successfully. You can use Microsoft Management Console (MMC) to go to the remote system where you want to restore mailboxes.

Procedure

1. From MMC, expand the navigation tree to the remote system.
2. From the Protect and Recover Data tree node, select the **Exchange Server**.

3. In the main window, on the **Recover** tab, click **View > Mailbox Restore Browser**.
4. Select the mailbox that you want to restore. Click **OK**. The mailbox is displayed in the Source Mailbox tree view.
5. Click **Restore Mail to Original Mailbox**.

Protecting SQL Server data

With Tivoli Storage FlashCopy Manager for SQL Server, you can back up and restore Microsoft SQL Server databases in a stand-alone configuration.

About this task

You can create point-in-time snapshots of your Microsoft SQL Server and store the data locally on the server that is running the backup.

Note: For information about protecting Microsoft SQL Server data in VMware environments, see the chapter that explains in-guest application protection in the *Data Protection for VMware User's guide*.

Related concepts:

"Prerequisites"

Related tasks:

Chapter 4, "Configuring Tivoli Storage FlashCopy Manager," on page 47

Prerequisites

With Tivoli Storage FlashCopy Manager, you can back up and restore SQL Server data and protect your SQL Server environment.

Security requirements for backup and restore operations

Tivoli Storage FlashCopy Manager for SQL Server requires certain settings to process backup and restore operations in a secure environment.

To install Tivoli Storage FlashCopy Manager for SQL Server, you must have Windows administrator authority. You must register Tivoli Storage FlashCopy Manager for SQL Server to the Tivoli Storage Manager server and you must use the appropriate node name and password when it connects to the Tivoli Storage Manager server.

You can specify SQL Server logon information in one of the following ways:

- Accept the default sa account and system administrator password. Ensure that you secure your sa login account with a password.
- Use SQL user ID security and specify both the SQL user name and password. With SQL user ID security, the SQL Server administrator provides the logon ID and the password that provides access to the SQL Server.
- Use a trusted connection and allow Windows authenticate the logon.

You must add the SQL logon user name or Windows user name to the SQL Server SYSADMIN fixed server role before Tivoli Storage FlashCopy Manager for SQL Server can use those credentials.

Microsoft SQL Server backup methods

Depending on your SQL Server environment, you can run full backups only, copy-only full backups, full plus log backups, full plus differential backups, or file and group backups. Your backup strategy might also be to back up data to Tivoli Storage Manager or local shadow volumes.

Full backup method (Legacy and VSS)

Use the full backup method for system databases such as *master*, *model*, and *msdb* because of their typical small size. A full backup can take a long time to run. However, the restore process is the most efficient because only the most recent full backup is restored.

Copy-only full backup method (Legacy and VSS)

Use the copy-only full backup method to periodically create copy-only full backups for long-term retention without affecting existing backup schedules or retention policies that you use for disaster recovery. Copy-only full backups do not affect the transaction logs or the sequence of backups, such as differential backups or full backups.

Full backup plus log backup method (Legacy and VSS)

Use the full backup plus log backup method when the normal backup schedule or network capacity cannot support a full backup.

To minimize the effect on the backup schedule and network traffic during peak times, you can run a periodic full backup, followed by a series of log backups. For example, you can schedule full backups on the weekend and incremental backups during the week. You can run full backups during low usage times and when increased network traffic can be tolerated.

Restriction: If you run multiple full backups, the SQL database log can become full. Subsequent backups might fail as a result. If necessary, use basic SQL Server tools to truncate the log of your SQL databases.

Full backup plus differential backup method (Legacy and VSS)

Use the full backup plus differential backup method if your backup schedule and network capacity can facilitate backing up all transaction logs that accumulate between full backup operations. This strategy requires that only one differential backup plus the last full backup be transferred to complete a restore operation. However, the same amount of data must be transferred in the differential image, as in the series of log backup operations.

Although you can run only VSS full backups, you can apply legacy differential backups to the VSS full backup.

Full backup plus differential plus log backup method (Legacy and VSS)

Use the full backup plus differential plus log backup method to reduce the number of transactions that must be restored and applied. Restore operations are faster as a result.

If, for example, you complete a full legacy or VSS backup weekly, and a differential backup nightly, and a log backup every four hours, the restore

processing would include the full backup, a differential backup, and at most five log backups. However, if you only complete a full plus log backup scheme on the same cycle, the restore processing would include a full backup plus up to 41 log backups (six days multiplied by six log backups per day plus up to five backups on the day the full backup is completed).

Although you can run only VSS full backups, you can apply legacy log backups and legacy differential backups to the VSS full backup.

File or group backup method (only Legacy)

Use the file or group backup method when it is impractical to back up an entire database because of the size of the data, or associated time and performance issues.

When a group is created on the SQL Server, database files are identified with that group. The group that is used for the group backup depends on the group to which the database files are defined.

File or group options can save backup and restore processing time when certain tables or indexes have more updates than others and must be backed up more often. It is time-effective to contain such data in their own file group or files, and to back up only those items.

Except for logical log files, you can back up your transaction logs after you back up a data file or file group.

Tivoli Storage Manager backups versus local shadow volumes backups

When you create a policy for your backups, you must choose whether to back up data to Tivoli Storage Manager storage versus VSS disks. Data backups to Tivoli Storage Manager typically takes longer to process than backups to local shadow volumes.

Backing up SQL Server data to Tivoli Storage Manager is necessary when long-term storage is required. For example, saving SQL Server data on tape for archival purposes requires long-term storage. Tivoli Storage Manager backups are also necessary for disaster recovery situations when the disks that are used for local backups are unavailable.

By maintaining multiple backup copies on Tivoli Storage Manager server storage, a point-in-time copy is available if backups on the local shadow volumes become corrupted or deleted.

Restriction: If you run legacy log backups to a Tivoli Storage Manager server, the SQL database log files can be truncated.

Local shadow volumes

When you back up data to local shadow volumes, ensure that sufficient local storage space is assigned to the local shadow volumes. Create different sets of policies for backups to both local shadow volumes and to Tivoli Storage Manager server storage. If you use a VSS provider other than the Windows VSS System Provider, follow the backup recommendations of the VSS provider.

You can run backups to local shadow volumes by time and backup versions. It is more effective to base policy for local backups on version limits because local snapshots are created more frequently and VSS storage provisioning and space limitations apply. In AlwaysOn Availability Group (AAG) environments, all of the AAG members must use the same local VSS policy.

Environment and storage resources also impact how many backup versions you can maintain on local shadow volumes for VSS fast restore and VSS instant restore operations, and on Tivoli Storage Manager server for VSS restore operations.

Enhanced data protection for Microsoft SQL AlwaysOn Availability Groups

You can run VSS (full) and legacy (full, differential, file/set/group, and log) backup operations on a primary replica. You can run copy-only VSS and legacy backup operations, and normal log backups on a secondary replica. You cannot run a differential backup on a secondary replica.

For backups on a secondary replica, the replica must be in the synchronized or synchronizing state. You can have multiple AlwaysOn Availability Groups (AAGs) in a SQL Server cluster. You can also have a mix of standard databases and AAGs on a SQL Server cluster.

When you back up data, you can distribute the backup workload for scalability and isolate backup activity to a dedicated backup node. When you isolate backup activity, it minimizes the effect on production databases.

Given that replicas are copies of the same database, avoid redundant backups of the same databases. Apply retention policies to unique databases.

As a best practice, allow backups from any node in the availability group and enable restore operations from any node in the availability group.

Best practices for backing up data in an AAG

When you use Tivoli Storage FlashCopy Manager for SQL Server to manage AAG backups, consider the following backup options:

Backup priority

Specified per database in an AAG, the backup priority option defines the order in which replicas are used to back up a database in an AAG.

Preferred replica

Specified at an AAG level, the preferred replica option defines whether primary or secondary replicas can be used for backup operations.

- Prefer secondary replica: Scheduled backups occur on a secondary replica, if available. If the secondary replica is not available, you can use the primary replica.
- Secondary only: Scheduled backups can occur only on a secondary replica.
- Primary: Scheduled backups can occur only on the primary replica.
- Any replica: Scheduled backups can occur on any replica.

/USEALWAYSONNode parameter

A parameter option on the **backup** command that provides a common namespace for all backups. Each node authenticates separately with Tivoli Storage Manager. Backed up data is stored in the AlwaysOnNode namespace by using the Asnode option.

/ALWAYSONPriority parameter

A parameter option on the **backup** command that specifies that a local availability database is backed up only if it has the highest backup priority among the availability replicas that are working properly. This parameter applies only to scheduled backups.

Typical data protection deployments in AAG environments

You can back up data in an AAG in the following ways:

- Distribute a legacy backup across AAG replicas
- Distribute a VSS backup across AAG replicas

Approach®: Legacy backups are distributed across AAG replicas

When you configure your environment to distribute a legacy backup across AAG replicas, follow these steps:

1. Set the preferred replica to **Prefer secondary replica**.
2. Install Tivoli Storage FlashCopy Manager for SQL Server on all replicas that are eligible to run a backup.
3. Create a command script to run a .CMD file with a **backup** command similar to the following example:

```
tdpsqlc backup db1,db2,db3 full /alwaysonpriority
```
4. Associate each Tivoli Storage FlashCopy Manager for SQL Server node with the defined schedule.
5. Run backups on the SQL node according to defined priorities for each database.

Scenario: VSS backups are distributed across AAG replicas

When you configure your environment to distribute a VSS backup across AAG replicas, follow these steps:

1. Set the preferred replica to **Prefer secondary replica**.
2. Install Tivoli Storage FlashCopy Manager for SQL Server on all replicas that are eligible to run a backup.
3. Create a command script to run a .CMD file with a separate **backup** command per database similar to the following sample

```
tdpsqlc backup db1 full /alwaysonpriority /backupmethod=VSS  
backupdest=TSM  
tdpsqlc backup db2 full /alwaysonpriority /backupmethod=VSS  
backupdest=TSM  
tdpsqlc backup db3 full /alwaysonpriority /backupmethod=VSS  
backupdest=TSM
```
4. Associate each Tivoli Storage FlashCopy Manager for SQL Server node with the defined schedule.
5. Run backups on the SQL node according to defined priorities for each database.

Preparing for VSS instant restore operations

By using the VSS instant restore feature, you can restore one or more databases from a VSS snapshot backup on local shadow volumes that are managed by Tivoli Storage FlashCopy Manager. Data is restored at the volume level.

About this task

In a VSS instant restore operation, you can restore full backup and copy backup types. For SQL, custom application, and file system data, you can run VSS instant restore operations in a Microsoft Failover Clustering environment. You cannot use parallel VSS restore operations on Microsoft Windows Server.

Procedure

1. Verify that your system has a VSS hardware provider with VSS instant restore capability, for example, IBM XIV VSS Hardware Provider or System Storage support for Microsoft Volume Shadow Copy Service software.
2. Verify that you are restoring local VSS backups of SAN-attached volumes on the same storage systems where the backups are located. You can run instant restore operations on the following storage systems:
 - IBM System Storage DS8000 series
 - IBM System Storage SAN Volume Controller
 - IBM Storwize V7000
 - IBM XIV Storage Systems
 - IBM and non-IBM storage devices that implement the Microsoft VSS ResyncLuns API
3. Verify that databases are restored to the same drive letter and paths that are used during the original backup.
4. Close applications or windows that might have files or handles open on the volumes that are being restored.

Verifying the integrity of legacy databases by using the checksum option

With Tivoli Storage FlashCopy Manager, you can verify the integrity of legacy database backups by setting a checksum option.

About this task

A *checksum* is a value that is calculated and written in the data page header of the database data file. When a data file is read again, the checksum value is recalculated. Checksum processing validates the values in a file or configuration for unexpected changes. Values are verified between the current state and the baseline state.

Restriction: Checksum integrity checking is available only with legacy backups on SQL Server.

Procedure

1. Open the General Properties window in Microsoft Management Console (MMC).
2. Select **Compute SQL Server checksum for legacy backup**.

If you select this option, all legacy backups are checked by default. You can override this setting to set integrity checking for a particular backup. For

example, if you bypassed integrity checking on all backups, you can set integrating checking on a particular legacy backup by selecting the **SQL Checksum** backup option on the **Protect** tab for the SQL instance. You can also issue the SQLCHECKSUM option with the **backup** command on the command line to temporarily enable or disable the checksum option.

Results

When you select the **Compute SQL Server checksum for legacy backup** check box, the setting is written to the Tivoli Storage FlashCopy Manager for SQL Server preferences file, `tdpsql.cfg`, and is applied to all legacy backup operations. If you clear the check box, integrity checking does not apply to any legacy database backup.

Related tasks:

“Creating legacy backups of SQL Server databases” on page 136

Creating VSS backups of SQL Server databases

You can back up standard SQL Server databases or availability databases by using Microsoft Volume Shadow Copy Service (VSS).

Before you begin

- Before you back up a database, run **dbcc checkdb** and **dbcc checkcatalog** to verify the logical and physical consistency of the database.
- To manage local VSS backups or to run offloaded backups to Tivoli Storage Manager server storage, ensure that Tivoli Storage FlashCopy Manager is configured in your environment.
If you use VSS to back up data to a Tivoli Storage Manager server, Tivoli Storage FlashCopy Manager is not required.
- Do not mix persistent and nonpersistent VSS snapshots.

About this task

On SQL Server 2012 and later versions, you can back up availability databases in an AlwaysOn Availability Group (AAG) regardless of which availability replica is used for the backup operation.

Restriction: When you complete a full backup of a secondary replica in an AAG, only a copyfull backup of that database is created.

To back up availability databases, ensure that Tivoli Storage FlashCopy Manager is configured to use an AlwaysOn node. Additionally, specify the AlwaysOn node in the **AlwaysOn Node** field in the TSM Node Names page of the Tivoli Storage Manager Configuration Wizard. If you change the **AlwaysOn node name** field in the AlwaysOn Node properties page for your SQL workload, you must run the Tivoli Storage Manager Configuration Wizard to complete the reconfiguration of the name.

If you do not want to use the Tivoli Storage Manager Configuration Wizard to register the node on the Tivoli Storage Manager server, you can use the Tivoli Storage Manager **register node** command.

Restriction: You cannot back up a temporary database because a temporary database is created each time the SQL Server starts.

Procedure

1. Start Microsoft Management Console (MMC).
2. If you plan to use offloaded backups, and your environment is configured for use with a Tivoli Storage Manager server, specify a value in the **Remote DSMAGENT Node name** field.
 - a. Select the **SQL Server** instance in the navigation tree, and click **Properties** in the Actions pane.
 - b. Select the VSS Backup property page. If the **Remote DSMAGENT Node name** is blank, enter a node name.

An offloaded backup uses another system (specified with the **Remote DSMAGENT Node name** parameter) to move SQL data to Tivoli Storage Manager server storage. Offloaded backups can reduce the load on network, I/O, and processor resources during backup processing.

3. On the **Protect** tab of an SQL instance, select an option for viewing databases.

Table 20. Database backup views

Task	Action
View a list of SQL databases that are available for a backup operation	Click View: Databases .
View a list of SQL Server 2012 and later version availability databases that are available for a backup operation	Click Standard Databases . Information about the availability databases in an availability group is displayed, including the replica role, synchronization state, and space and log usage. Toggle the Standard Databases / Availability Databases button for the respective database views.

Refine the list of available databases in the results pane by entering a keyword in the **Search** field. Then, select the databases to back up.

4. Verify the backup options. If the backup options are not displayed, click **Show Backup Options**. If you want to use offloaded backups, select **Yes** in the **Offload** field.
5. In the Actions pane, click **Backup Method** and select **VSS**.
6. In the Actions pane, click **Backup Destination** and select a location to store the backup:

Local Click this item to store the database backups to only local shadow volumes.

TSM Click this item to store the database backups only on Tivoli Storage Manager server storage. Do not select this option if you are using Tivoli Storage FlashCopy Manager in a stand-alone configuration.

Both Click this item to store the database backups to Tivoli Storage Manager server storage and local shadow volumes. Do not select this option if you do not have a Tivoli Storage FlashCopy Manager license or if you are using Tivoli Storage FlashCopy Manager in a stand-alone configuration.

If you set the **Backup Destination** to TSM, a nonpersistent VSS snapshot is created. To avoid mixing persistent and nonpersistent VSS backups, do not follow a series of backups to a local server with a backup to Tivoli Storage

Manager server. As a best practice, set the **Backup Destination** to BOTH to send data to Tivoli Storage Manager server and preserve the local snapshot backup versions.

7. Optional: Choose a mode for the current task:
 - **Run Interactively:** Click this item to run the current task interactively. This selection is the default.
 - **Run Scheduled:** Click this item to convert the current action into a scheduled task. When you select this item, the schedule wizard runs the command that is required to complete the task.
8. To start the backup operation, in the Actions pane, take one of the following actions:
 - a. Click **Full Backup**. Alternatively, right-click a database and select the backup action that you require from the menu.
 - b. Click **Copy-Only Full Backup**. A copy-only full backup is independent of the sequence of SQL Server backups, and is not used as a base for a differential backup. A differential backup is not associated with the copy-full backup, but is associated with the previous full backup that completed. You might use a copy-only full backup as a special purpose backup that does not affect backup and restore operations, and retain such a backup for longer than conventional backups.
9. Review the status of the backup operation by clicking **Task List** in the results pane. Click **Task Details** to view detailed status information.

Results

During backup processing, FlashCopy Manager for Microsoft SQL Server bypasses database snapshots and databases that are in offline, mirroring, and restoring states.

What to do next

To determine which databases backups are bypassed during backup processing, review the `tdpsql.log` in the directory where Tivoli Storage FlashCopy Manager is installed.

Creating legacy backups of SQL Server databases

You can create a legacy backup of your standard SQL databases by using Microsoft Management Console (MMC). You can also use the legacy method to back up availability databases with SQL Server 2012 and later versions.

Before you begin

- For legacy database backups, you can verify whether a backup is valid without physically restoring the backup. Before you restore the legacy database backup, you can run the restore operation with the **Verify Only** option in Microsoft Management Console (MMC).
- To run a legacy backup, ensure that the Tivoli Storage FlashCopy Manager for SQL Server license file is installed.
- On SQL Server 2012 and later versions, you can also back up availability databases in an AlwaysOn Availability Group (AAG) regardless of which availability replica is used for the backup operation. To back up availability databases, ensure that Tivoli Storage FlashCopy Manager is configured to use an

AlwaysOn node. Additionally, specify the AlwaysOn node in the **AlwaysOn Node** field in the TSM Node Names page of the Tivoli Storage Manager Configuration Wizard.

Procedure

1. Start MMC.
2. Select the **SQL Server** instance in the tree view.
3. On the **Protect** tab of an SQL instance, select an option for viewing databases.

Table 21. Database backup views

Task	Action
View a list of SQL databases that are available for a backup operation	Click View: Databases .
View a list of SQL Server 2012 and later version availability databases that are available for a backup operation	Click Standard Databases . Information about the availability databases in an availability group is displayed, including the replica role, synchronization state, and space and log usage. Toggle the Standard Databases / Availability Databases button for the respective database views.

Refine the list of available databases in the results pane by entering a keyword in the **Search** field.

4. Verify the backup options. If the backup options are not displayed, click **Show Backup Options**.

Table 22. Database backup options

Option	Action
Data Stripes	Use this option to specify the number of data stripes to use in a backup or restore operation. The <i>numstripes</i> variable can be in the range 1 - 64. The default value is 1. When you use a multiple stripes number for legacy backups, and set the Verify Only parameter to Yes to restore the legacy backup, the number of stripes for legacy restore must be equal or greater than the number of stripes for the legacy backup.

Table 22. Database backup options (continued)

Option	Action
Estimated Database % Change	<p>Use this option to specify the estimated percentage of the database that changed since its last full database backup. The default value is 20.</p> <p>This estimate is useful because SQL Server does not provide a way to determine the size of a differential backup, and because the Tivoli Storage Manager server requires an accurate size estimate to efficiently allocate space and place objects. The Tivoli Storage Manager server uses this value to determine whether there is enough space in the primary storage pool to contain the backup.</p>
Estimated Log % Change	<p>Use this option to specify the estimated percentage of an SQL database that changed due to non-logged operations since the last log backup. The default value is 0.</p>
Truncate Logs	<p>Use this option to specify whether to dispose of entries that you no longer need in the SQL database transaction log after you back up the log. The default value is Yes.</p> <p>In general, you do not want to truncate the log when you rebuild a corrupted database. This option enables the server to back up the transaction log but does not affect the data. All transaction log entries are written from the time of the last log backup to the point of database corruption. If you do not truncate the transaction log, you might be able to back up the transaction log of a damaged, suspect, or unrecoverable SQL Server database.</p>
Back Up Tail-Log	<p>Use this option to store log records that are not backed up.</p> <p>By storing these records, also known as the <i>tail of the log</i>, the log chain is kept intact. Before you can recover an SQL Server database to the last point in time, you must back up the tail of the transaction log. The tail-log backup is the last backup of interest for the database recovery plan.</p>

Table 22. Database backup options (continued)

Option	Action
SQL Server Checksum	<p>Use this option to verify the integrity of a legacy database backup. Integrity checking is a process that validates the values in a file or configuration for unexpected changes. Values are verified between the current state and the baseline state.</p> <p>In the Performance Properties window of MMC, you can enable or disable the checksum option for all your legacy databases at once. You can override the global setting, and temporarily enable or disable the checksum option for a database backup, by setting this SQL Checksum option to Yes or No.</p>

5. In the Actions pane, click **Backup Method** and select **Legacy**.
6. Optional: Choose a mode for the current task:
 - **Run Interactively:** Click this item to run the current task interactively. This selection is the default.
 - **Run Scheduled:** Click this item to convert the current action into a scheduled task. When you select this item, the schedule wizard runs the command that is required to complete the task.
7. To start the backup operation, in the Actions pane, take one of the following actions:
 - **Full Backup**
 - **Copy-Only Full Backup**
 - **Differential Backup to TSM**
 - **Log Backup to TSM**
8. Review the status of the backup operation by clicking **Task List** in the results pane. Click **Task Details** to view detailed status information.

What to do next

- To determine which databases backups are bypassed during backup processing, review the `tdpsql.log` in the directory where Tivoli Storage FlashCopy Manager is installed. Tivoli Storage FlashCopy Manager bypasses database snapshots and databases that are in offline, mirroring, and restoring states.
- To determine whether the checksum option is applied to a legacy database backup, enter the **tdpsqlc query tsm *** command on the command line, or the equivalent **Get-DpSqlBackup** cmdlet.

Related tasks:

“Verifying the integrity of legacy databases by using the checksum option” on page 133

Deleting SQL Server backups

You can remove an SQL Server backup that you created with the VSS backup method. Complete this task only if necessary.

Before you begin

Typically, backups are deleted automatically based on user-defined policy management settings. This procedure is necessary only if you must delete backups that are outside the scope of Tivoli Storage FlashCopy Manager policy definitions.

If you delete a remotely-mounted backup, the snapshots and the relationship between the source and target volumes on the storage device are also deleted. However, the target volume that is imported and mounted might continue to exist. In addition, the target volume might not be available to the server where the remote mount occurred. The operations to the target volume depend on the VSS hardware provider and the storage device implementation.

After the maximum number of remotely-mounted backup versions or the maximum number of days to retain a backup is exceeded, the associated backup is expired and deleted.

Procedure

1. Start Microsoft Management Console (MMC).
2. Click **Recover Data > SQL** in the Management window.
3. On the **Recover** tab for the SQL instance, select **View: Database Restore**. In the results pane, browse to and select one or more database backups to delete. The corresponding node type, for example, DP or AlwaysOn, must also be selected.
4. In the Actions pane, click **Delete backup**. When a backup is deleted, two tasks display in the task window to show you that the deletion is in progress, and that the view is being refreshed.

Related tasks:

“Mounting VSS snapshots to remote servers” on page 163

Deactivating legacy backups of SQL Server databases

Tivoli Storage Manager deactivates an SQL database backup as a part of Tivoli Storage Manager policy management. Data backups are typically deactivated when an SQL database is deleted from the SQL Server as part of the scheduled backup processing.

Before you begin

The SQL database that you want to deactivate must be a legacy backup. You cannot use this procedure to deactivate VSS backups. The **Delete** action is available in the Actions pane when you select a VSS backup from the **Recover** view.

About this task

For legacy backups, you can deactivate any or all of the following backup object types: full, differential, copyfull, log, file, group, or set. You can also deactivate any object or object type that is older than a specified number of days.

When you deactivate database backups, any existing backups on Tivoli Storage Manager server are subject to be deleted, as specified by the **deleted** setting.

When automatic processing is insufficient, the **inactivate** function explicitly deactivates one or more active data backups on the Tivoli Storage Manager server.

Procedure

1. Under the **Protect and Recover Data** node in the tree view, select the SQL Server.
2. Open the **Recover** view to see the status of the backup. Active backups are displayed.
3. Select the database backup that you want to deactivate, and in the Actions pane, click **Inactivate**.
4. To view the results, take one of the following actions:
 - To display the database that you made inactive, click **All Backups** on the toolbar.
 - To display only active database backups, click **Active Backups** on the toolbar.

Setting single-user mode for restore operations

You might have to start an SQL Server instance in single-user mode during certain restore operations. For example, you might use single-user mode when you are restoring a damaged master database or a system database, or when you are changing server configuration options.

Before you begin

Restriction:

- You cannot restore SQL databases that are in use. By placing SQL databases to be restored in single-user mode, you can avoid system attempts to restore those databases.
- Microsoft Management Console (MMC) cannot connect to a SQL Server instance that is started in single-user mode. If you want to use MMC when the SQL Server instance is in single-user mode, you must use the command-line interface, `tdpsqlc.exe`, to restore the master database.

Procedure

1. To determine which users are using the databases, use the SQL stored procedure, `SP_WHO`.
2. To force users off the SQL database and set the SQL Server to single-user mode, issue this TRANSACT-SQL command.

```
ALTER DATABASE DBNAME SET SINGLE_USER  
WITH ROLLBACK AFTER N SECONDS
```
3. To start the SQL Server in single-user mode, use the `-m` SQL SERVER startup option.
4. To return the database to multiple-user mode, issue this TRANSACT-SQL command.

```
ALTER DATABASE DBNAME SET MULTI_USER
```

Setting data restore options in Microsoft Management Console

To optimize the data restore process for your environment, modify the default options that are available in Microsoft Management Console (MMC).

Procedure

1. On the Recover tab, select **Database Restore**.
2. Click **Show Restore Options** to modify the default restore options as follows:

Table 23. Database restore options

Option	Action
Auto Select	<p>For this option, specify a value of Yes (default) to quickly select the backup objects to restore. With automatic selection, when you select the most recent backup to restore, all associated backups are automatically selected, up to the previous full backup. This option affects backups in the following ways:</p> <ul style="list-style-type: none">• When you click a differential backup, the associated full backup is also selected.• When you click a log backup, the associated full backup and all associated earlier differential or log backups are also selected.
Performance	
Stripes	<p>For this option, specify the number of data stripes to use in a restore operation. A maximum of 64 data stripes is allowed. The default value is 1.</p> <p>The value that you enter must correspond to the value that you set for SQL buffers.</p> <p>Restriction: This restore option is available only with legacy backups.</p> <p>When you use a multiple stripes number for legacy backups, and set the Verify Only parameter to Yes to restore the legacy backup, the number of stripes for legacy restore must be equal to or greater than the number of stripes for the legacy backup.</p>
Restore Behavior	
Database Owner Only	<p>To mark a database for owner use only, set this value to Yes. The default value is No, which specifies not to mark the database for owner use.</p> <p>Restriction: This restore option is only available with legacy backups.</p>
Replace	<p>To replace a database during a restore operation, set this value to Yes. The default value is No, which specifies not to replace databases.</p> <p>Restriction: This restore option is available only with legacy backups.</p>

Table 23. Database restore options (continued)

Option	Action
Recovery	<p>Use this option to restore data to an SQL database that is not on a standby SQL Server. The default value is Yes.</p> <ul style="list-style-type: none"> • Select Yes when you run a sequence of restore operations to an SQL database and the current restore operation is the final one in the sequence, or when it is the only restore operation. • Select No when you run a sequence of restore operations to an SQL database and the current restore operation is not the final one in the sequence. Select No for all restore operations in the sequence except for the final one.
Stand By Undo File Name	<p>For this option, specify a value of Yes to change the target SQL database to a standby SQL database. The default value is No.</p> <p>This option is available for full, differential, and log backup types. When you specify this option for a database, it applies to all backup objects for that database. Similarly, when you remove this option for a backup object, the option is removed for all backup objects.</p>
Verify Only	<p>Before you restore a legacy database backup, set this option to Yes to verify that the database backup is complete and can be read. The default value is No.</p> <p>Restriction: This restore option is available only for legacy database backups.</p> <p>When you use a multiple stripes number for legacy backups, and set the Verify Only parameter to Yes to restore the legacy backup, the number of stripes for legacy restore must be equal to or greater than the number of stripes for the legacy backup.</p>
Source Server	
From SQL Server	<p>Use this option to specify the name of the SQL Server that the backup is created from.</p> <p>To specify the name of a virtual environment SQL Server, change IncludeTsmVM to Yes to view Virtual Environment backup SQL databases in the Databases view. The backup method is listed as TSMVM to distinguish these databases from the other databases that are listed.</p>
Tape	
Wait for Tape Mounts for Restore	<p>Use this option to specify whether the FlashCopy Manager for Microsoft Exchange Server restore operation waits for the Tivoli Storage Manager server to mount removable media such as tapes or other sequential device media. The default value is Yes.</p>

Table 23. Database restore options (continued)

Option	Action
Wait for Tape Mounts for File Information	<p>When you query Tivoli Storage Manager for file information, use this option to specify whether FlashCopy Manager for Microsoft Exchange Server waits for the Tivoli Storage Manager server to mount removable media. The default value is Yes.</p> <p>Restriction: You can use this restore option only with legacy backups.</p>
VSS	
Instant Restore	<p>For this option, specify a value of Yes to use volume-level snapshot restore (instant restore) for local VSS backups if the backup exists on SAN-attached volumes. Specify a value of No to disable instant restore, which bypasses volume-level copy and uses file-level copy (fast restore) to restore the files from a local VSS backup. The default value is Yes, which uses volume-level snapshot restore if it is available.</p> <p>This option is available for VSS operations only. If you use instant restore for SAN Volume Controller earlier than version 5.1 or DS8000, ensure that any previous background copies that involve the volumes that are being restored are completed before you initiate the instant restore.</p> <p>In an instant restore operation, files on the destination file system are overwritten. Incremental and differential backups are automatically converted to file-level restores. An instant restore operation requires that the drive or volume where the mailbox database is located must be available. Any other process or application must not have access to the drive or volume.</p>

Related tasks:

“Troubleshooting VSS backup and restore operations” on page 182

Restoring SQL Server data

You can restore SQL Server databases or parts of databases only from full, copyfull, differential, and log backups. You can also restore availability databases with SQL Server 2012 and later versions.

Before you begin

If multiple instances of SQL Server are running, ensure that you specify the server name in Tivoli Storage FlashCopy Manager for SQL Server to access the correct SQL Server.

About this task

Restriction: You cannot restore VSS backups to an alternate SQL Server. When you restore a database, existing data is overwritten by the restored data and is no longer available after the restore operation is complete.

- The Regional settings, which are defined in the Regional property page, must match the date format that is defined for the Microsoft SQL Server.
- You can use VSS to run backup operations of type full or copyfull. You can apply legacy differential and legacy log backups after a full VSS backup is restored.
 - When Virtual Environment restore operations are configured from the Tivoli Storage Manager server, you can restore and view these databases from the Recover tab.
 - You can also restore availability databases that you backed up with the AlwaysOn node with SQL Server 2012 and later versions. Backups of availability databases can be restored to any availability replica in an availability group.
 - You can restore a legacy database backup that is verified as valid and complete with the **Verify Only** option in Microsoft Management Console (MMC).

Procedure

1. Start MMC.
2. Select the **SQL Server** instance in the tree.
3. On the **Recover** tab for the SQL instance, specify the type of SQL data to restore.

Table 24. Database backup views

Task	Action
View a list of SQL databases that are available for a restore operation	Click View: Databases .
View a list of SQL database backup files that are available for a restore operation	Click View: Files .
View a list of SQL Server 2012 and later version availability databases that are available for a restore operation	Click DP Node Backups to show AlwaysOn node backups. Toggle the DP Node Backups / AlwaysOn Node Backups button for the respective database views.

4. On the **Recover** tab of an SQL Server instance, select an option for viewing databases. In the Results pane, browse to the databases that are available to restore. The following options are available:

Table 25. Database restore selection options

Option	Action
Search	Enter a keyword in the Search field to refine and filter the list of databases.

Table 25. Database restore selection options (continued)

Option	Action
Filter	<p>Use the filter options to refine and filter the list of databases.</p> <ol style="list-style-type: none"> 1. Click Show Filter Options and Add Row. 2. In the Column Name field, click the down arrow and select an item to filter. 3. In the Operator field, select an operator. 4. In the Value field, specify a filter value. 5. If you want to filter on more items, click Add Row. 6. Click Apply Filter.
Backups	<p>Select the database to restore. You can click Active Backups to show only active backups, or click All Backups to show both active and inactive backups.</p>
Refresh	<p>Click Refresh to update the view with your changes.</p>

If you applied a filter, the objects on the server that match the filter or search criteria are listed on the **Recover** tab. The status area indicates the number of items that match the criteria n of x displayed, where n equals the number of objects that match the filter criteria, and x is the number of objects that are retrieved from the server. For example, "5 of 20 displayed." If you specify refresh options to further narrow your results, and click **Refresh** again, the objects on the server that match the filtered and refresh options are displayed. Each time that you click **Refresh**, another query is run against the Tivoli Storage Manager server.

5. Verify the options for the restore operation. If the restore options are not displayed, click **Show Restore Options**.
6. Optional: Choose a mode for the current task:
 - **Run Interactively**: Click this item to run the current task interactively. This selection is the default.
 - **Run Scheduled**: Click this item to convert the current action into a scheduled task. When you select this item, the schedule wizard runs the command that is required to complete the task.
7. To start the restore operation, in the Actions pane, take one of the following actions:
 - Click **Restore**.
 - Click **Restore VerifyOnly**. The **Restore VerifyOnly** task is available only if all the selected database backups are legacy backups.
8. To view the status of the restore operation, click **Task List** in the results pane. Click **Task Details** to view detailed status information.

Related tasks:

"Setting data restore options in Microsoft Management Console" on page 142

"Troubleshooting VSS backup and restore operations" on page 182

"Restoring SQL Server data" on page 144

Related reference:

“Regional” on page 59

Restoring an SQL Server database to an alternate instance

By using Microsoft Management Console (MMC), you can restore an SQL Server database backup to an alternate SQL Server instance or database. You can also restore availability databases to an alternate location on any availability replica in an availability group.

Before you begin

Install Tivoli Storage FlashCopy Manager for SQL Server on both systems. Unlike legacy backups, you cannot restore VSS backups to an SQL Server that has a different name.

About this task

You can also restore availability databases that you backed up with the AlwaysOn node with SQL Server 2012 and later versions. Backups of availability databases can be restored to any availability replica in an availability group.

You can select only one database at a time when you restore a database to an alternate location.

Procedure

1. Copy the Tivoli Storage FlashCopy Manager for SQL Server options file (dsm.opt) from the source system to the target system.

Source system

The system from which the original backup (to be restored) is created.

Target system

The alternate system to which the backup is to be restored.

By default, the dsm.opt file is in the C:\Program Files\Tivoli\TSM\TDPSql directory. If you specified a value of generate for the **passwordaccess** parameter in the dsm.opt file, you might need to reset the password for this node on the Tivoli Storage Manager server.

2. Start MMC.
3. On the **Recover** tab for the SQL instance, specify the type of SQL data to restore.

Table 26. Database backup views

Task	Action
View a list of SQL databases that are available for a restore operation	Click All Backups .
View a list of SQL Server 2012 and later version availability databases that are available for a restore operation	Click DP Node Backups to show AlwaysOn node backups. Toggle the DP Node Backups / AlwaysOn Node Backups button for the respective database views.

4. Verify the options for the restore operation. If the restore options are not displayed, click **Show Restore Options**.
 - a. Ensure that **Wait for Tape Mounts for Restore** is set to **Yes**.

- b. Ensure that **Wait for Tape Mounts for File Information** is set to **Yes**.
 - c. If the database to be restored is to replace an existing database on the target system, click **Replace**.
 - d. Use the **Instant Restore** option to turn Instant Restore on or off. Click **Yes** to use Instant Restore. Click **No** to disable Instant Restore if you want to use Fast Restore.
Attention: Instant Restore operations overwrite all files on the destination file system.
5. To start the backup operation, in the Actions pane, take one of the following actions:
 - a. Click **Restore to Alternate Location**.
 - b. Click **Restore VerifyOnly to Alternate Location**. The **Restore VerifyOnly to Alternate Location** task is available only if all the selected database backups are legacy backups.
 6. In the **Restore Into** section of the Alternate Location Restore Settings window, click **Restore to new database**, and specify a target SQL Server instance name and target database name to restore a backup object to. VSS backups cannot be restored into an SQL Server that has a different name.

Tip: Any type of **Restore Into** processing automatically disables the VSS instant restore function.

7. In the **Relocate** section of the window, filter the restore processing operations.

Table 27. Database backup views

Task	Action
Specify new destination locations in which to restore backed up SQL databases, logs, and FILESTREAM files (SQL Server 2008 or later versions)	Click Restore all files into one directory .
Restore the log files into a location that is different from where the SQL database and other related files are restored	Select Relocate logs into and specify a new path in the text entry field.
Restore FILESTREAM files (SQL Server 2008 or later versions) into a location that is different from where the SQL database and logs are restored	Select Relocate other files into , and specify a new path in the text entry field.
Restore one or more individual SQL database, log, and FILESTREAM files	Click Relocate files individually , and click Browse to open a folder selection window. Select a folder or create a new folder, and click OK . The path of the selected files entries is set to use the folder. This option is available for legacy backups only.

Restriction: You cannot relocate database files and logs with a partial restore operation in MMC. You must use the command-line interface to complete a partial restore operation that requires these parameters.

8. Click **Restore** to close the Alternate Location Restore Settings window and begin the restore.
9. To view the status of the restore operation, click **Task List** in the lower half of the results pane. Click **Task Details** to view detailed status information.

What to do next

You can restore a legacy database backup that is verified as valid and complete with the **Verify Only** option in MMC, or with the **/VERIFYOnly** option of the **restore** command on the command line.

Restoring the master database

A damaged master database can prevent the SQL Server from starting and cause other errors. To protect your data if the master database is damaged, you must routinely complete a full database backup of the master database (msdb).

Before you begin

- Set single-user mode for restore operations.
- Always keep an up-to-date backup of your master database because the master database contains the system catalog. The system catalog contains important information about the SQL Server configuration.
- Ensure that you back up the master database after any changes that update system tables. For example, back up the master database after you use any of these statements:
 - ALTER DATABASE
 - CREATE DATABASE
 - DISK INIT
 - DISK RESIZE
 - DISK MIRROR
 - DISK UNMIRROR
 - DISK REMIRROR
 - Various DBCC options such as SHRINKDB
 - System-stored procedure, such as sp_dropremotelogin, sp_addumpdevice, sp_dropdevice, sp_addlogin, sp_droplogin, sp_addserver, sp_dropserver, sp_addremotelogin

About this task

You must complete a VSS restore of the master database while the database is offline. Therefore, you must stop the associated SQL Server instance before you run the restore operation. If you restore an online master database, the operation might fail or disable subsequent VSS backup and VSS restore operations until the SQL Server VSS Writer service is restarted.

If the master database is damaged while a server instance is running, fix the damaged database by restoring a recent full master database backup. If a server instance cannot start because the master database is damaged, the master database must be rebuilt. When you rebuild a master database, all system databases revert to their original state.

Restriction: Microsoft Management Console cannot connect to an SQL Server instance that is started in single-user mode. When the SQL Server instance is in single-user mode, you must use the command-line interface, `tdpsqlc.exe` to restore the master database.

Procedure

1. Click **Start > All Programs > Tivoli Storage Manager > Data Protection for Microsoft SQL Server > SQL Client - Command Line**.
2. Start the SQL Server in single-user mode.
3. Use FlashCopy Manager for Microsoft SQL Server to restore the master database. When the master database finishes the restoration process, the SQL Server shuts down and an error message is displayed. The message indicates that the connection to the SQL Server is lost. This loss of connection is expected.
4. Restart the database engine to restore SQL Server to the typical multiuser mode.
5. Run the SQL Server setup program to rebuild the master database. When you rebuild the master database, use the same character set and sort order as the master database backup that is to be restored.
6. Manually reapply any changes to the master database that occurred after the date of the database backup that is used to complete the restore operation.
7. Restore the msdb database. During the process of rebuilding the master database, the SQL Server setup program drops, and then re-creates, the msdb database. Therefore, you must restore the msdb database with the master database.

Results

After the master database is restored, you can use MMC to back up and restore individual databases that are operating in single-user mode.

Related tasks:

“Setting single-user mode for restore operations” on page 141

“Troubleshooting VSS offline restore of a master database” on page 183

Restoring SQL databases with full-text catalogs and indexes

You can restore SQL Server 2005 and 2008 databases, including their full-text catalogs and full-text indexes.

About this task

When you back up an SQL Server 2005 database and the full-text index is part of a full-text catalog, the full-text catalog has a physical path. In this scenario, the full-text catalog is treated as a database file.

When you back up an SQL Server 2008 database and later data, a full-text catalog is either a logical or virtual object that contains a group of full-text indexes. This full-text catalog does not have a physical path. When you restore a database with SQL Server 2008 and later full-text catalog files, no data is explicitly stored. The file is automatically backed up and restored as part of the filegroup.

Procedure

- To restore a database with the SQL Server 2005 physical full-text catalog file from the command-line interface, use the **/RELocate** and **/T0** parameters. For example:

```
Restore DATABASE full /relocate=database,sysft_docindex,database_log  
/T0={database_dir}\database.mdf,{database_dir}\docindex,  
{database_log_dir}\database_log.ldf
```


- To restore a database with the SQL Server 2005 physical full-text catalog file from the GUI, use the **Relocate files individually** option. From the command-line interface, use **/relocate** and **/T0** instead of **/RELOCATEDir**.

Protecting SQL Server data in a Windows Server Core environment

Server Core is a minimal and low-maintenance server environment where you can run the minimum services that are necessary to maintain Windows Server 2008 and later versions. You can install and operate Tivoli Storage FlashCopy Manager in this minimal server environment.

About this task

If you are protecting Microsoft SQL Server 2012 and later versions, you can install use Tivoli Storage FlashCopy Manager on Windows Server 2008 R2 Server Core SP1 and later versions.

In such a minimal environment, only the command-line interface is available for Tivoli Storage FlashCopy Manager on Windows Server Core unless you use the Tivoli Storage FlashCopy Manager remote management support. Additionally, if you use Windows Installer (MSI) to install Tivoli Storage FlashCopy Manager, you can use only the unattended mode.

You can use the **backup** and **restore** commands to protect databases that are stored on Microsoft SQL Server 2012 or later versions.

Backing up SQL Server databases on Windows Server Core

To back up Microsoft SQL Server 2012 and later version databases, use the **backup** command.

About this task

Use the following procedure to back up SQL Server databases to the Tivoli Storage Manager server, or to take local VSS snapshots.

Procedure

1. To back up all or part of an SQL database on Windows Server Core, enter the following command at the command prompt:

```
tdpsqlc backup database_name backup_type [other_options]
```

where *database_name* specifies the name of the database, and *backup_type* specifies the type of backup such as a full backup. You can specify other options, such as the back up method. For example, to create a full legacy backup of SQL databases DB_01 and DB_02, enter the following command:

```
tdpsqlc backup DB_01,DB_02 full /backupmethod=legacy
```

For example, to create a full legacy backup of all databases on the SQL Server, enter the following command:

```
tdpsqlc backup * full /backupmethod=legacy
```

2. To back up a file group, enter the following command at the command prompt:

```
tdpsqlc backup database_name file_group
```

where *database_name* specifies the name of the database, and *file_group* specifies the file group in the database. For example, to back up the filegroup DB_01_group1 that belongs to the DB_01 database, enter the following command:

```
tdpsqlc backup DB_01 Group=DB_01_group1
```

Restoring SQL Server databases on Windows Server Core

To restore Microsoft SQL Server 2012 and later version databases, use the **restore** command.

About this task

Use the following procedure to recover all or part of one or more SQL databases.

Procedure

To restore all or part of an SQL database on Windows Server Core, enter the following command at the command prompt:

```
tdpsqlc restore database_name backup_type [other_options]
```

where *database_name* specifies the name of the database, and *backup_type* specifies the type of backup such as a full backup. You can specify other options, such as the file group. For example, to create a full database restore of databases DB_01 and DB_02, and to replace the existing databases with the database objects that are recovered from the Tivoli Storage Manager server, enter the following command

```
tdpsqlc restore DB_01 group=DB_01_group1
```

To restore the filegroup DB_01_group1 that belongs to the DB_01 database, enter the following command:

```
tdpsqlc restore DB_01 group=DB_01_group1
```

To restore all the logical files that are in the DB_01 database, enter the following command:

```
tdpsqlc R DB_01 file=*
```

Changing Tivoli Storage FlashCopy Manager configuration values on Windows Server Core

To configure preferences for Tivoli Storage FlashCopy Manager for SQL Server, use the **set** command at the Windows Server Core command prompt.

About this task

The values that you change are saved in the Tivoli Storage FlashCopy Manager configuration file. The default configuration file is `tdpsql.cfg`.

Procedure

At the command prompt, enter the following command:

```
tdpsqlc set parameter=value [/configfile=filename]
```

where *parameter* is the Tivoli Storage FlashCopy Manager parameter or option for which you want to change the value, and *value* is the new value that you want to specify. **/configfile** is the optional parameter for the configuration file name. If

you do not specify the **/configfile** parameter, the default configuration file (tdpsql.cfg) is used.

Examples:

Task Set the preferred SQL Server in the tdpsql.cfg file.

```
Command: tdpsqlc set sqlserver=your_SQL_instance
/configfile=tdpsql.cfg
```

```
Command: tdpsqlc set fromsqlserver=your_SQL_instance
/configfile=tdpsql.cfg
```

Task Change the name of the Tivoli Storage FlashCopy Manager activity log file to tdpsql.log.

```
Command: tdpsqlc set logfile=tdpsql.log
```

Protecting custom application and file system data

With Tivoli Storage FlashCopy Manager, you can back up and restore custom application and file system data, and protect your environment.

About this task

When you use Tivoli Storage FlashCopy Manager software that is configured with a Tivoli Storage Manager server, and you create VSS snapshot backups of application and file system data, you can send the data to the Tivoli Storage Manager server storage pools. The data is set as a full image backup. The backup that is stored on the Tivoli Storage Manager server is used to restore volumes and mount points.

Regularly back up the `x:\adsm.sys\vss_staging` directory, the `LSM_REP_LOG_VOL_SNAP`, and `.TsmFmDatabases` folders. If the folders become damaged and unusable, restore the last copy. When the `TargetSetsState` file has a mapping entry, the reconciliation process can detect an inconsistency between `TargetSetsState` and the metadata that is stored on the Tivoli Storage Manager server, and synchronize the data. For example, if there is an orphan `VSSDC_xx` value in the Tivoli Storage Manager server and the value does not exist in `TargetSetsState`, reconciliation processing deletes the orphan metadata from the Tivoli Storage Manager server.

Related tasks:

“Configuring Tivoli Storage FlashCopy Manager for file system and custom applications in a Microsoft Cluster Server environment” on page 78

Prerequisites

To create VSS snapshot backups of NTFS or ReFS file systems and applications, use Tivoli Storage FlashCopy Manager. When you back up applications and file systems, Tivoli Storage FlashCopy Manager must access the data.

If permissions must be granted for Tivoli Storage FlashCopy Manager to access the data, see the documentation that is provided with the application and file system.

Scripts for automated processing

You can run scripts to prepare and resume custom application and file systems before and after you create a snapshot of the data.

To prepare custom application and file systems for volume-level snapshots, you can use preprocessing (**PRESNAPSHOTCMD**) and postprocessing (**POSTSNAPSHOTCMD**) scripts. If specified, these scripts run during backup processing. For example, you can use the **PRESNAPSHOTCMD** script to quiesce an application and the **POSTSNAPSHOTCMD** to resume it.

Data protection in an environment with Tivoli Storage Manager Server

Tivoli Storage FlashCopy Manager provides a way for you to manage persistent snapshots on Windows file systems by using VSS backup operations.

You can use Tivoli Storage Manager to protect custom application data and file systems in the following ways:

- Restore VSS snapshots of file systems when the backup destination is set Tivoli Storage Manager server (TSM option), a local system (LOCAL option), or both destinations (BOTH option). For backups to TSM or BOTH destinations, a VSS snapshot of the selected drive letter or mount point is created. The backup is sent to the Tivoli Storage Manager server as an image-level backup of the VSS snapshot.
- Restore backups that are in Tivoli Storage Manager server pools at a file system or drive level, as an image-level restore of the VSS snapshot.
- Restore backups that are in Tivoli Storage Manager server storage to an alternate server location, different local drive letter, or mount point.
- For backups to TSM or BOTH destinations, complete offloaded backups from a secondary system to Tivoli Storage Manager server storage pools.
- From the command-line interface and Microsoft Management Console (MMC), use enhanced final backup summary statistics for information about client-side deduplication, compression, encryption, and other options.
- From the command-line interface and Microsoft Management Console (MMC), use enhanced query output for information about client-side deduplication, compression, and encryption usage.
- For backups to TSM or BOTH destinations, use the unified views of available file system backup versions.

VSS backups are managed as backup versions by Tivoli Storage FlashCopy Manager management policies. VSS backups remain available for VSS Instant Restore or VSS Fast Restore operations. When Tivoli Storage Manager server is available in the environment, you can use the Tivoli Storage Manager backup-archive client to create file-level backups of your file system or custom application data in Tivoli Storage Manager storage pools.

To import VSS snapshots, verify that the VSS provider can use transportable snapshots. To use the command-line interface for the mount command with remote options, verify that the VSS provider can use transportable snapshots and configure the Windows PowerShell Remoting feature.

Backing up custom application and file system data

You can back up custom application and file system data by using Microsoft Volume Shadow Copy Service (VSS).

Before you begin

Configure Tivoli Storage FlashCopy Manager to manage VSS snapshots for the custom application or file system. by using the Standalone Configuration Wizard. In the wizard, select **File System**.

Alternatively, if you are using Tivoli Storage Manager server, configure integration with the Tivoli Storage Manager server by using the Tivoli Storage Manager wizard.

Restriction:

If you configure Tivoli Storage FlashCopy Manager to integrate with Tivoli Storage Manager server, do not simultaneously configure the following items:

- In the VSS Requestor options file (baclient\dsm.opt), do not specify the following entry:
`Include.Image volume management-class-name`
- In the Tivoli Storage FlashCopy Manager configuration file (fcmcfg.xml), Exchange configuration file (tdpexc.cfg, or SQL configuration file (tdpsql.cfg), do not specify VSSPOLICY statements that use the TSM option to back up data to Tivoli Storage Manager.

Procedure

1. Start Microsoft Management Console (MMC).
2. In the tree view, click **Protect and Recover Data > File System**.
3. In the **Protect** tab, select the volume names and mount points to back up.

Tip: Enter a keyword in the **Search** field to refine the list of available volume names and mount points in the results pane.

4. Click **Show Backup Options**. Then, select one of the options and take the appropriate action.

Table 28. Backup options

Option	Action	More information
Optional: For custom applications, specify the presnapshot and postsnapshot batch scripts	Specify the complete path for a presnapshotcmd file or postsnapshotcmd file to use. These scripts are used to quiesce or stop the application, which is necessary to ensure backup consistency.	A presnapshotcmd file is a Windows command file that is run before a snapshot backup is created. For example, the presnapshotcmd script can quiesce an application before the snapshot is created. A postsnapshotcmd file is a Windows command file that is run after a snapshot backup is created. For example, a postsnapshotcmd script can resume an application after the snapshot is created.

Table 28. Backup options (continued)

Option	Action	More information
To use offloaded backups	<p>Set the Offload option.</p> <p>If you intend to use offloaded backups, ensure that the Remote DSMAGENT Node name field is complete when you set preferences for the Data Protection properties. If you use the command-line interface to update the configuration for offloaded backups, set the REMOTEDSMAGENTNODE parameter. This parameter applies only to VSS backups.</p>	<p>An offloaded backup uses another system to move custom application and file system data to Tivoli Storage Manager server storage. An offloaded backup can reduce the load on the network, I/O, and CPU resources during backup processing.</p>

5. Optional: Choose a mode for the current task:
 - **Run Interactively:** Click this item to run the current task interactively. This selection is the default.
 - **Run Scheduled:** Click this item to convert the current action into a scheduled task. When you select this item, the schedule wizard runs the command that is required to complete the task.
6. In the Actions pane, click **Backup Method** and select **VSS**.
7. In the Actions pane, click **Backup Destination** and specify where to store the backup. These options are available:
 - **Local**
 - **TSM**
 - **Both**
8. In the Actions pane, click **Full Backup**. You can view the backup progress from the Task List and Task Details panes.

Implementing custom application and file system backup scenarios

You might decide to implement different backup strategies that depend on your network traffic requirement and backup schedule. Follow these typical backup scenarios if you want to back up custom application and file system data to local shadow volumes, or create a file-level backup to the Tivoli Storage Manager server.

Creating a VSS snapshot backup to local shadow volumes

You can back up custom application and file system data to local shadow volumes if sufficient storage space is available on the local shadow volumes.

Procedure

1. If you are backing up an application, stop (or suspend) the custom application and file system. To complete this task automatically, use the **fcmccli backup** command and specify the **/presnapshotcmd= cmdstring** parameter where the *cmdstring* variable is the command that runs run before the snapshot operation begins.

2. Create the backup by specifying the **fccli backup** command. Or, in the Tivoli Storage FlashCopy Manager user interface, click **Full Backup to Local** option in the Action window.

VSS snapshot backups can also be sent to the Tivoli Storage Manager server storage pools by specifying **BackupDestination TSM**, or BOTH from either the command-line interface (with the **fccli backup** command) or Tivoli Storage FlashCopy Manager user interface. The VSS snapshot data is sent to the Tivoli Storage Manager server as an image-level backup.

3. If you are backing up an application, restart or resume the application. To complete this task automatically, use the **fccli backup** command and specify the **/postsnapshotcmd= cmdstring** parameter where the *cmdstring* variable is the command that runs after the snapshot operation ends.

Related concepts:

"Microsoft SQL Server backup methods" on page 129

Related reference:

"Backup examples" on page 328

"Backup optional parameters" on page 326

Creating a file-level backup to the Tivoli Storage Manager server

You can optionally use the Tivoli Storage Manager server backup-archive client to create file-level backups of your file system or custom application data.

Procedure

1. Create a VSS snapshot backup.
2. Mount the VSS snapshot backup.
3. Create a file-level backup to the Tivoli Storage Manager server by issuing a Tivoli Storage Manager backup-archive client command. Use the incremental, selective, or archive command with the **snapshotroot** option. The **snapshotroot** option does not provide any facilities to take a volume snapshot, only to manage data that is created by a volume snapshot.
4. Unmount the VSS snapshot backup.

Related tasks:

"Mounting custom application and file system backups"

"Creating a VSS snapshot backup to local shadow volumes" on page 156

Mounting custom application and file system backups

You can mount a snapshot backup to see a point-in-time consistent copy of custom application and file system data.

About this task

Restriction: You cannot use Microsoft Management Console (MMC) to mount a backup to a different server. To mount a VSS snapshot to a remote server, enter the **mount backup** command at the command prompt.

When you submit a mount request, all of the volumes that are contained in the original snapshot set are imported. If the number of volumes that are imported exceed the maximum number of allowable mapped volumes for the environment, the mount operation can fail.

Procedure

1. Start MMC.
2. Click **Recover Data** in the welcome page of MMC.
3. In the Recover tab, go to the Action pane. Click **Mount Backup**.
4. Either type the path to the empty NTFS or ReFS folder where you want to mount the backup or browse to find the path. Click **OK**. On the **Recover** tab, the backup that you mounted is displayed.
5. Use the **Explore** and **Unmount Backup** options in the Actions pane to complete tasks with the backup that you mounted.

Deleting custom application and file system backups

You can remove a custom application or file system VSS backup object that you created with the VSS backup method. Complete this task only if necessary.

Before you begin

Typically, backups are deleted automatically based on user-defined policy management settings. This procedure is necessary only if you need to delete backups that are outside the scope of your standard policy management definitions.

Procedure

1. Start Microsoft Management Console (MMC).
2. From the Management window, click **Protect and Recover Data > File System**.
3. On the **Recover** tab, select the volume name or mount point to delete. Be aware that you are not deleting the volume or mount point. You are deleting the backup version of the volume or mount point. To view active and inactive backups, click **All Backups**. To view only active backups, click **Active Backups**.
4. Right-click to select the volume or mount point; then, either click **Delete Backup** in the menu, or click **Delete Backup** in the Actions pane. A confirmation message is displayed.
 - To delete the volume, click **Yes**.
 - To stop the deletion process, click **No**.

When a backup is deleted, two tasks are displayed in the task window to show that the deletion is in progress, and that the view is being refreshed.

Restoring custom application and file system data

The Tivoli Storage FlashCopy Manager user interface displays information about active and inactive backups. Review this information so that you can select the custom application and file system data to restore.

About this task

When you submit a restore request, all of the volumes that are contained in the original snapshot set are imported. If the number of volumes that are imported exceed the maximum number of allowable mapped volumes for the environment, the restore operation can fail.

Procedure

1. Start Microsoft Management Console (MMC).
2. In the Management window, click **Protect and Recover Data > File System**.

3. On the **Recover** tab, select an option for viewing databases. In the Results pane, browse to the databases that are available to restore. The following options are available:

Table 29. Database restore selection options

Option	Action
Search	Enter a keyword in the Search field to refine and filter the list of databases.
Filter	<p>Use the filter options to refine and filter the list of databases.</p> <ol style="list-style-type: none"> 1. Click Show Filter Options and Add Row. 2. In the Column Name field, click the down arrow and select an item to filter. 3. In the Operator field, select an operator. 4. In the Value field, specify a filter value. 5. If you want to filter on more items, click Add Row. 6. Click Apply Filter.
Backups	Select the database to restore. You can click Active Backups to show only active backups, or click All Backups to show both active and inactive backups.
Refresh	Click Refresh to update the view with your changes.

If you applied a filter, the objects on the server that match the filter or search criteria are listed on the **Recover** tab. The status area indicates the number of items that match the criteria n of x displayed, where n equals the number of objects that match the filter criteria, and x is the number of objects that are retrieved from the server. For example, "5 of 20 displayed." If you specify refresh options to further narrow your results, and click **Refresh** again, the objects on the server that match the filtered and refresh options are displayed. Each time that you click **Refresh**, another query is run against the Tivoli Storage Manager server.

4. Verify the restore options. If the restore options are not displayed, click **Show Restore Options**. Set a value for the following options:

FromServer

If the backup is not displayed in the results pane, enter the name of the server where the original backup was completed. The default value is the current server.

InstantRestore

To use VSS Instant Restore, enter Yes. This option applies only to snapshots that are on a disk system that supports Instant Restore operations. Enter No to use VSS Fast Restore (file-level copy).

5. Optional: Choose a mode for the current task:
 - **Run Interactively:** Click this item to run the current task interactively. This selection is the default.

- **Run Scheduled:** Click this item to convert the current action into a scheduled task. When you select this item, the schedule wizard runs the command that is required to complete the task.
6. In the Actions pane, complete one of the following actions to begin the restore operation.
 - a. Click **Restore** to restore the selected volumes or mount points to their original location.
 - b. Click **Restore Into**. When the backup is stored on only the Tivoli Storage Manager server, Tivoli Storage FlashCopy Manager provides the **Restore Into** option. When the backup is stored on only the local disk, the **Restore Into** option is not available.
 After you select **Restore Into**, in the window that is displayed, specify a target location for the restore operation. The target location must be a drive letter or mount point. The size of the target location must be equal to the size of the original volume.
 - c. Click **Restore to Point-in-Time** to specify a point in time in the past from which to restore the last version of a volume or mount point. When this action is selected, you are prompted to provide the following information:
 - **PITDate**
 Enter the date to establish a point in time to restore a specific version of your custom application or file system backup. Objects that are backed up on or before the date and time that you specify, and that are not deleted before the date and time you specify, are processed. Backup versions that you created after this date and time are ignored.
 - **PITTime**
 Use this option with the **PITDate** option to establish a point in time to restore a specific version of your custom application or file system backup. Objects that are backed up on or before the date and time that you specify, and objects that are not deleted before the date and time that you specify, are processed. Backup versions that you created after this date and time are ignored. This option is ignored if you do not specify **PITDate** option.
 7. To view the status of the restore operation, click **Task List** in the lower half of the results pane. Click **Task Details** to view detailed status information.

Implementing custom application and file system restore scenarios

You might decide to implement different restore strategies that depend on your network traffic requirement and restore schedule. Follow these typical restore scenarios if you want to restore the entire volume from local shadow volumes, restore individual files from a snapshot or from Tivoli Storage Manager server, or restore the entire volume from VSS image sent to Tivoli Storage Manager server pools.

Restoring the entire volume from a custom application and file system data VSS backup on local shadow volumes

You can use a VSS instant restore operation to restore a local VSS backup and overwrite the entire volume data. You can use a VSS fast restore operation to restore a local VSS backup that copies the files on the volume at the time of the backup.

Procedure

1. If the custom application is running, stop or suspend it. For a file system, close any open handles to that file system.
2. Restore from a VSS backup by specifying the **fccli restore** command with the **/INSTANTRestore=yes** parameter (VSS instant restore) or **/instantrestore=no** parameter (VSS fast restore).

When you restore a VSS backup from a Tivoli Storage Manager server, if the **INSTANTRESTORE** parameter is set to FALSE or **FASTRESTORE** parameter is set to NO, the setting is ignored. The restore operation completes with an image-level restore.

Examples:

Task By using a VSS instant restore operation, restore the local VSS backup and overwrite the entire volume data without a prompt.

Command: `fccli.exe restore G: /INSTANTRestore=Yes /NOPROMPT`

Task By using a VSS fast restore operation, restore the local VSS backup that copies the files on the volume at the time of the backup.

Command: `fccli.exe restore G: /INSTANTRestore=No`

3. Complete any actions that are required to achieve a correct state of the custom application and file system files.
4. Restart or resume the custom application.

Restoring individual files from a custom application and file system data VSS backup on local shadow volumes

You can restore files from a VSS backup of custom applications and file system data. The backup is stored on a local shadow volume.

Procedure

1. Mount the VSS backup.

Task Mount the local VSS backup from drive letter G: to drive letter M:

Command: `fccli.exe mount backup G:=M:`

2. If the custom application is running, stop or suspend it.
3. Issue the Windows COPY or XCOPY command or use a tool, for example, Windows Explorer, to copy the files from the VSS backup to your preferred location.

Task Issue the Windows COPY command to copy the config.txt file from drive letter M: to drive letter G::

Command: `copy M:\config.txt G:\config.txt /y`

4. Complete any actions that are required to achieve a correct state of the custom application.
5. Restart or resume the custom application.
6. Unmount the VSS backup.

Restoring the image backup of a custom application or file system data from Tivoli Storage Manager server

You can restore files from a VSS backup of custom applications and file system data. The backup is stored on a Tivoli Storage Manager server.

Procedure

1. If the custom application is running, stop or suspend it.
2. Restore from a Tivoli Storage Manager backup that was created on a Tivoli Storage Manager server by specifying the **fcmdi restore** command with the **/backupdestination=TSM**.

Task Restore the backup from drive letter G: volume that was created on a Tivoli Storage Manager server

Command: `fcmdi.exe restore G: /backupdestination=TSM`

3. Restart or resume the custom application.

Restoring an entire volume from a VSS image sent to Tivoli Storage Manager server pools

You can restore a volume from a VSS image that is stored on Tivoli Storage Manager server pools. During backup operations, data is sent as an image backup of the VSS snapshot. The restore operation is a volume-level restore.

Before you begin

- You cannot restore an image-level backup to the volume where the Tivoli Storage Manager backup-archive client is running. To avoid an error, install the Tivoli Storage Manager backup-archive client on the system drive. The same type of failure can occur if you create an application database, for example, a SQL database, under the volume that is being restored.
- For Microsoft VSS operations to succeed, ensure that the file system is of type NTFS or ReFS. You cannot use file systems of type FAT, FAT32, and RAW.

About this task

You can complete this procedure when the **/BACKUPDESTination** parameter is set to either TSM or BOTH options.

Procedure

1. If the custom application is running, stop or suspend it.
2. If you plan to restore data from a file system, close open handles to the file system.
3. To restore from a VSS backup that is sent to Tivoli Storage Manager, enter the **fcmdi restore** command with the **/BACKUPDESTination=TSM** parameter.

Related tasks:

"Troubleshooting file system and custom application VSS restores from Tivoli Storage Manager server" on page 183

Archiving the backup to tape with third-party software

You can mount, unmount, and query backup from remote systems. In addition, you can give a user the ability to view, recover, and allow third-party software to access files from the backup. To complete these tasks, the Tivoli Storage FlashCopy Manager command-line interface is used to mount the VSS snapshots to servers. When you allow third-party software to archive the backup to tape, the following scenario can be used:

1. Server A has a Microsoft Exchange Server database and Tivoli Storage FlashCopy Manager installed. Tivoli Storage FlashCopy Manager is running on Server A to complete regular backups.
2. Server B has Tivoli Storage FlashCopy Manager installed, along with a third-party tape archive utility. Using the mount command with remote options, Server B can be directed to remotely mount the backups that are created by Server A. The third-party tape archive utility archives the backups to tape.

Mounting VSS snapshots to remote servers

You can use the command-line interface to mount VSS snapshots to remote servers that other users can access.

About this task

The following procedure is specific to Tivoli Storage FlashCopy Manager and assumes that you have at least three servers in your environment: Server A, Server B, and Server C. The backup that is created on Server A is mounted remotely to Server B.

To mount a backup remotely, the hardware provider must allow transportable snapshots. In addition, you must enable the **Import VSS snapshots only when needed** configuration option and remote Windows PowerShell.

When a backup is mounted remotely and the backup is deleted, the state of the mount point varies. The state of the mount point depends on the VSS hardware provider and storage device that is used. When a backup is mounted remotely, the backup can be deleted. When a local persistent VSS snapshot is created, a source and target volume relationship is created. The local persistent VSS snapshot is created on your storage device. In this case, when a remote mount operation occurs, the target volume is imported and mounted to the server that sends the request for the remote operation.

Procedure

1. On Server A, use the command-line interface to complete a local backup query. The query shows that the backup is mounted on Server B.
2. On Server C, use the command-line interface to complete a remote backup query of Server A. The query shows that the backup is mounted on Server B.
3. When you enter a **mount** or **query** command with the `/remotecomputer` option, enable command-line interface tracing and enable tracing on the agent. Enable tracing on both the local and remote systems by appending `/tracefile=filename.trc /traceflag=service` to the command.

Related tasks:

“Gathering trace and log files for remote systems” on page 193

“Automating Microsoft Exchange Server tasks” on page 173

Managing Tivoli Storage FlashCopy Manager installations remotely

From a single Tivoli Storage FlashCopy Manager installation, you can manage all of the Tivoli Storage FlashCopy Manager installations in your organization.

Before you begin

Your system must run Microsoft Windows 2008 or later versions, PowerShell 3.0 or later, and Tivoli Storage FlashCopy Manager. On Windows 2012 and later versions, PowerShell version 4.0 is installed by default. For information about downloading, installing, and enabling Windows PowerShell, see this web page: Microsoft Windows Management Framework 3.0 Downloads (<http://www.microsoft.com/en-us/download/details.aspx?id=34595>)

About this task

Enabling Windows PowerShell Remoting is a task outside the scope of the Tivoli Storage FlashCopy Manager documentation. For your reference, the following PowerShell cmdlets are provided.

Procedure

1. Enable remote management for Tivoli Storage FlashCopy Manager installations by issuing the following Windows PowerShell command.

```
Enable-PSRemoting -force
```

This command enables remote management in most environments. If you use FlashCopy Manager for Microsoft Exchange Server, enable Windows PowerShell Remoting with Credential Security Support Provider (CredSSP) authentication. Complete the following steps:

- a. On the primary system, enter the following command:

```
enable-wsmancredssp -role client -delegatecomputer remote_computer_name
```

where *remote_computer_name* specifies the remote computer.

- b. On each remote system that runs FlashCopy Manager for Microsoft Exchange Server, issue the following command:

```
enable-wsmancredssp -role server
```

- c. Add the Tivoli Storage FlashCopy Manager servers to the trusted hosts list by issuing the following command on each remote system

```
Set-Item WSMan:\localhost\Client\TrustedHosts -Value  
remote_server_name -Force
```

- d. Verify that Windows PowerShell Remoting is configured correctly by issuing the following cmdlets:

- `invoke-command -computername remote_server_name -scriptblock {pwd} -Credential $creds`
- `invoke-command -computername remote_server_name -scriptblock {pwd} -Credential $creds -Authentication Credssp`

- e. After you make configuration changes, restart the winrm service by entering the following command:

```
Restart-Service winrm
```

2. From Microsoft Management Console (MMC), select **IBM Tivoli Storage FlashCopy Manager**, and in the Actions pane, click **Manage Computers**.
3. From the Manage Computers window, verify that the local system is listed in the Tree Nodes and Computers panes.

Viewing, printing, and saving reports

You can access reports on recent activity and historical managed capacity. You can determine which licenses and software are installed.

Procedure

1. Select **Reporting** in the **Manage** section. A list of available reports is displayed. Each report provides a summary of the report contents.
2. Select a report from the list. The selected report displays.
3. To print or save the current report, click the appropriate icon at the top of the report.

Generating group reports

When you use the Group tree nodes in Management Console (MMC) to create a group, the Group Dashboard, Group Reports, and Group Commands tabs replace the Protect, Recover, and Automate tabs.

Before you begin

Your system must run Windows 2008 or later versions, PowerShell 3.0 or later, and Tivoli Storage FlashCopy Manager. Workloads and backed up data must be configured successfully.

Procedure

1. In MMC, select the group with the added systems.
2. In the main window, select the Group Reports tab. The list of reports is displayed.
3. In the Actions pane, verify that the group name is correct.
4. In the Reports section, click **Refresh** to refresh the data that is displayed.

Chapter 6. Automating tasks with Tivoli Storage FlashCopy Manager

With Tivoli Storage FlashCopy Manager *automation* capability, you can run commands from the command line, create scripts, schedule tasks, and use Microsoft Management Console (MMC) to start tasks. The tasks that you can automate are based on the scripts and schedules that you create.

Tivoli Storage FlashCopy Manager supports you automating tasks from the command-line interface or Microsoft Windows PowerShell command prompt (Version 3.0 or later). You can also use the **Automate** tab in MMC.

Preparing to use Windows PowerShell cmdlets with Tivoli Storage FlashCopy Manager

Tivoli Storage FlashCopy Manager includes a set of Windows PowerShell cmdlets to help you manage Exchange Server, SQL Server, file system, and custom application data in your environment.

About this task

You can use the cmdlets that are provided with Tivoli Storage FlashCopy Manager in Windows environments.

Tivoli Storage FlashCopy Manager cmdlets support a seamless management environment and greatly improve remote management and automation capabilities. You can aggregate cmdlets together to form commands and use the large volume of existing cmdlets from other vendors.

Before you use the cmdlets, complete the following steps.

Procedure

1. Log on to the system as an administrator.
2. From a Windows PowerShell command line, enter the following command:
`set-executionpolicy remotesigned`
3. Import the Windows PowerShell modules from the FlashCopyManager folder:
 - FmModuleExc.dll
 - FmModuleFs.dll
 - FmModuleMMC.dll
 - FmModuleSQL.dll

From the Windows PowerShell command line, import modules, with the administrator credentials, as follows:

- a. Go to the FlashCopyManager folder.
- b. Enter the following commands:

```
import-module .\FmModuleExc.dll
import-module .\FmModuleFs.dll
import-module .\FmModuleMMC.dll
import-module .\FmModuleSQL.dll
```

- c. (Optional) To use the cmdlets in these modules any time that you start Windows PowerShell, add the following lines to your profile. The following path is the default profile path.

```
$path = (get-itemproperty -path "HKLM:\SOFTWARE\IBM\FlashCopyManager\
currentversion\mmc" -ea SilentlyContinue).path
if ($null -ne $path)
{
    dir "$path\fmmodule*.dll" | select -expand fullname | import-module
    -force -Global
}
```

What to do next

For information about creating, running, monitoring, and troubleshooting scripts with cmdlets, see Windows PowerShell 3.0 or later documentation. For more information about Windows PowerShell cmdlets, consistent naming patterns, parameters, arguments, and syntax, see this web page as a starting point: Microsoft TechNet: Getting Started with Windows PowerShell (<http://technet.microsoft.com/en-us/library/hh857337.aspx>).

Cmdlets for Microsoft Management Console

The following list identifies the cmdlets that you can use when interacting with Microsoft Management Console (MMC).

- **Clear-FcmMmcManagedCapacityHistory**
- **Clear-FcmMmcScheduledActivityHistory**
- **Disable-FcmMmcSchedule**
- **Enable-FcmMmcSchedule**
- **Get-FcmMmcActivity**
- **Get-FcmMmcComputerInformation**
- **Get-FcmMmcManagedCapacityHistory**
- **Get-FcmMmcReport**
- **Get-FcmMmcSchedule**
- **Get-FcmMmcScheduledActivity**
- **New-FcmMmcSchedule**
- **Remove-FcmMmcSchedule**
- **Set-FcmMmcSchedule**
- **Start-FcmMmcSchedule**

To view the details about a specific cmdlet, run the **Get-Help** cmdlet with the cmdlet name. For example:

```
Get-Help New-FcmMmcSchedule
```

To continue the example, to see examples for the cmdlet, enter:

```
get-help New-FcmMmcSchedule -examples
```

For more information, enter:

```
get-help New-FcmMmcSchedule -detailed
```

For technical information, enter:

```
get-help New-FcmMmcSchedule -full
```

For online product information, enter:

```
get-help New-FcmMmcSchedule -online
```

For information about a specific parameter, enter:

```
help New-FcmMmcSchedule -Parameter backupdestination
```

To display the help in a separate window, include the **-showwindow** parameter with the **help** command.

Cmdlets for protecting Microsoft Exchange Server data

The following table identifies the cmdlets that you can use to protect Microsoft Exchange Server data.

Table 30. Cmdlets to protect Microsoft Exchange Server data. The following table identifies the cmdlets that you can use to protect Microsoft Exchange Server data.

Cmdlet name	Related command-line interface command	Short description
Add-DpExcPolicy	tdpexcc create policy	Create a policy for FlashCopy Manager for Microsoft Exchange Server.
Backup-DpExcComponent	tdpexcc backup	Back up a Microsoft Exchange database.
Copy-DpExcPolicy	tdpexcc copy policy	Copy an existing policy.
Dismount-DpExcBackup	tdpexcc unmount backup	Dismount a backup.
Get-DpExcBackup	tdpexcc query tsm *	Query backups.
Get-DpExcComponent	tdpexcc query exchange	Query the Exchange Server for all databases that are available for backup.
Get-DpExcConfig	tdpexcc query tdp	Display configuration information.
Get-DpExcConnection	tdpexcc query tsm	Query a list of the current values set in the configuration file for Tivoli Storage Manager.
Get-DpExcInformation	tdpexcc query exchange	Query general local Exchange Server information.
Get-DpExcMailboxLocationHistory	tdpexcc q tsm /showMailboxInfo	Query the mailbox location history.
Get-DpExcManagedCapacity	tdpexcc query managedcapacity	Query managed capacity for Microsoft Exchange Server.
Get-DpExcPolicy	tdpexcc query policy	Display policy information.
Mount-DpExcBackup	tdpexcc mount backup	Mount a backup to provide access to the files that the backup contains.
Remove-DpExcBackup	tdpexcc delete backup	Remove the backup.
Remove-DpExcPolicy	tdpexcc delete policy	Delete the policy.
Reset-DpExcTsmPassword	tdpexcc changetsmpassword	Change the Tivoli Storage Manager password that is used by FlashCopy Manager for Microsoft Exchange Server.
Restore-DpExcBackup	tdpexcc restore	Restore a backup.
Restore-DpExcMailbox	tdpexcc restore mailbox	Restore a mailbox.
Set-DpExcConfig	tdpexcc set paramname	Set the application configuration parameters in a configuration file.
Set-DpExcPolicy	tdpexcc update policy	Update a policy.

To view the details about a specific cmdlet, run the **Get-Help** cmdlet with the cmdlet name. For example:

Get-Help Backup-DpExcComponent

To continue the example, to see examples for the cmdlet, enter:

```
get-help Backup-DpExcComponent -examples
```

For more information, enter:

```
get-help Backup-DpExcComponent -detailed
```

For technical information, enter:

```
get-help Backup-DpExcComponent -full
```

For online product information, enter:

```
get-help Backup-DpExcComponent -online
```

For information about a specific parameter, enter:

```
help Backup-DpExcComponent -Parameter backupdestination
```

To display the help in a separate window, include the **-showwindow** parameter with the **help** command.

Cmdlets for protecting Microsoft SQL Server data

The following table identifies the cmdlets that you can use to protect Microsoft SQL Server data.

Table 31. Cmdlets to protect Microsoft SQL Server data. The following table identifies the cmdlets that you can use to protect Microsoft SQL Server data.

Cmdlet name	Related command-line interface command	Short description
Add-DpSqlPolicy	tdpsqlc create policy	Create a new policy for Microsoft SQL Server data.
Backup-DpSqlComponent	tdpsqlc backup	Backup SQL components.
Copy-DpSqlPolicy	tdpsqlc copy policy	Copy an existing policy to a new policy.
Dismount-DpSqlBackup	tdpsqlc unmount backup	Dismount a backup.
Get-DpSqlBackup	tdpsqlc query tsm *	Query the backups that are stored on the server.
Get-DpSqlComponent	tdpsqlc query sql *	Query the databases that are available on the SQL Server.
Get-DpSqlConfig	tdpsqlc query tdp	Display configuration information.
Get-DpSqlConnection	tdpsqlc query tsm	Display the Tivoli Storage Manager API and server information.
Get-DpSqlFileGroups	not applicable	Display all file and group information about specified SQL Server databases.
Get-DpSqlInformation	tdpsqlc query sql	Display specified SQL Server information.
Get-DpSqlManagedCapacity	tdpsqlc query managedcapacity	Assist with storage planning by determining the amount of managed capacity that is in use.
Get-DpSqlPolicy	tdpsqlc query policy	Query policy.
Mount-DpSqlBackup	tdpsqlc mount backup	Mount a backup that provides access to the files that are contained by the backup.
Remove-DpSqlBackup	tdpsqlc delete backup and tdpsqlc inactivate	Delete a VSS backup of a SQL Server database, or deactivate one or more active legacy backup objects on the Tivoli Storage Manager server.

Table 31. Cmdlets to protect Microsoft SQL Server data (continued). The following table identifies the cmdlets that you can use to protect Microsoft SQL Server data.

Cmdlet name	Related command-line interface command	Short description
Remove-DpSqlPolicy	tdpsqlc delete policy	Delete a local policy.
Reset-DpSqlTsmPassword	tdpsqlc changetsmpassword	Change the Tivoli Storage Manager password that is used by FlashCopy Manager for Microsoft SQL Server.
Restore-DpSqlBackup	tdpsqlc restore	Restore backups of Microsoft SQL Server data.
Set-DpSqlConfig	tdpsqlc set paramname	Set the Tivoli Storage FlashCopy Manager for SQL configuration parameters in the configuration file.
Set-DpSqlPolicy	tdpsqlc update policy	Change an existing policy.

To view the details about a specific cmdlet, run the **Get-Help** cmdlet with the cmdlet name. For example:

```
Get-Help Get-DpSqlBackup
```

To continue the example, to see examples for the cmdlet, enter:

```
get-help Get-DpSqlBackup -examples
```

For more information, enter:

```
get-help Get-DpSqlBackup -detailed
```

For technical information, enter:

```
get-help Get-DpSqlBackup -full
```

For online product information, enter:

```
get-help Get-DpSqlBackup -online
```

For information about a specific parameter, enter:

```
help Get-DpSqlBackup -Parameter backupdestination
```

To display the help in a separate window, include the **-showwindow** parameter with the **help** command.

Cmdlets for protecting custom application and file system data

The following table identifies the cmdlets that you can use to protect custom application and file system data.

Table 32. Cmdlets to protect custom application and file system data. The following table identifies the cmdlets that you can use to protect custom application and file system data.

Cmdlet name	Related command-line interface command (if available)	Short description
Add-FcmFsPolicy	fccli create policy	Add a VSS policy binding statement.
Add-FcmFsVssPolicy	fccli insert vsspolicy	Insert a new VSS policy binding statement.

Table 32. Cmdlets to protect custom application and file system data (continued). The following table identifies the cmdlets that you can use to protect custom application and file system data.

Cmdlet name	Related command-line interface command (if available)	Short description
Backup-FcmFsComponent	fccli backup	Create a VSS snapshot backup of volumes and mount points.
Copy-FcmFsPolicy	fccli copy policy	Copy a policy.
Dismount-FcmFsBackup	fccli unmount backup	Unmount a mounted backup.
Get-FcmFsBackup	fccli query backup	Display information about the backup.
Get-FcmFsComponent	fccli query component	Query the VSS components that are available on the system.
Get-FcmFsConfig	fccli query config	Display configuration information.
Get-FcmFsConnection	fccli query config	Query Tivoli Storage Manager server connection information.
Get-FcmFsManagedCapacity	fccli query managedcapacity	Assist with storage planning by determining the amount of managed capacity that is in use.
Get-FcmFsPolicy	fccli query policy	Display policy information.
Get-FcmFsVSSPolicy	fccli query vsspolicy	Return the VSS policy binding statements that are stored in the configuration file.
Mount-FcmFsBackup	fccli mount backup	Mount a backup that provides access to the files that the backup contains.
Remove-FcmFsBackup	fccli delete backup	Delete a backup from FlashCopy Manager storage.
Remove-FcmFsPolicy	fccli delete policy	Remove a policy.
Remove-FcmFsVssPolicy	fccli delete vsspolicy	Delete a VSS policy binding statement.
Reset-FcmFsTsmPassword	fccli changetsmpassword	Change the Tivoli Storage Manager password that is used by the FlashCopy Manager for File Systems.
Restore-FcmFsBackup	fccli restore	Restore a backup.
Set-FcmFsConfig	fccli update config	Update configuration for file systems and custom applications.
Set-FcmFsPolicy	fccli update policy	Update an existing policy.
Set-FcmFsVssPolicy	fccli update vsspolicy	Update an existing VSS policy binding statement.

To view the details about a specific cmdlet, run the **Get-Help** cmdlet with the cmdlet name. For example:

```
Get-Help Backup-FcmFsComponent
```

To continue the example, to see examples for the cmdlet, enter:

```
get-help Backup-FcmFsComponent -examples
```

For more information, enter:

```
get-help Backup-FcmFsComponent -detailed
```

For technical information, enter:

```
get-help Backup-FcmFsComponent -full
```

For online product information, enter:

```
get-help Backup-FcmFsComponent -online
```

For information about a specific parameter, enter:

```
help Backup-FcmFsComponent -Parameter backupdestination
```

To display the help in a separate window, include the **-showwindow** parameter with the **help** command.

Automating Microsoft Exchange Server tasks

You can automate a workload by entering Windows PowerShell cmdlets or commands in the integrated command-line interface.

About this task

An integrated command line is available in the task window from which you can enter PowerShell cmdlets or command-line interface commands. You use the Automate view to work with commands. You can create, save, store, and schedule commands to run at the scheduled time.

Procedure

1. To open the Automate view, select a workload that you want to work with and click **Automate**.
2. Change **PowerShell** to **Command Line**.
3. To run a command, type a command in the details pane and click the **Execute** icon. You can enter the commands with or without specifying `fcmcli`.

For example, for each selected workload instance, you can enter a single command or multiple commands, such as:

```
q fcm
```

You can also run a saved task by clicking the **Open** icon, selecting the command file, and clicking the **Execute** icon. The output is displayed in the main window.

4. Click the **Save** icon and follow the prompts to save a command for future use.
5. To schedule a command, click the **Schedule this command** icon to open the scheduling wizard. Follow the prompts in the wizard to create a schedule for the command. The output of the command is displayed in the results pane.
6. (Optional) Save or send the command output to an email address.

What to do next

You can automate commands from the Protect, Recover, Schedule, and Task List views in Microsoft Management Console (MMC):

1. Start MMC and select a workload in the navigation tree.
2. Click the tab for the task you want to do (**Protect** or **Recover**).
3. Automate the command by using one of the following methods:

Result pane

Select the item for your task in the result pane, and select **Run Scheduled** in the toolbar menu. In the Actions pane, click the appropriate task. When the schedule wizard starts, enter the information for each prompt to create a scheduled task.

Task List pane

When a task is submitted, it displays in the task list pane. Select the appropriate task, then click **Schedule command script** in the task list toolbar. When the schedule wizard starts, enter the information for each prompt to create a scheduled task.

You can also right-click a task in the Task List pane and click **Copy**. Then, click the **Automate** tab and paste the command in the field.

Automating Microsoft SQL Server tasks

You can automate a workload by entering Windows PowerShell cmdlets or commands in the integrated command-line interface.

About this task

An integrated command line is available in the task window from which you can enter PowerShell cmdlets or command-line interface commands. You use the Automate view to work with commands. You can create, save, store, and schedule commands to run at the scheduled time.

Procedure

1. To open the Automate view, select a workload that you want to work with and click **Automate**.
2. Change **PowerShell** to **Command Line**.
3. To run a command, type a command in the details pane and click the **Execute** icon. You can enter the commands with or without specifying `fcmdi`.

For example, for each selected workload instance, you can enter a single command or multiple commands, such as:

```
q fcm
```

You can also run a saved task by clicking the **Open** icon, selecting the command file, and clicking the **Execute** icon. The output is displayed in the main window.

4. Click the **Save** icon and follow the prompts to save a command for future use.
5. To schedule a command, click the **Schedule this command** icon to open the scheduling wizard. Follow the prompts in the wizard to create a schedule for the command. The output of the command is displayed in the results pane.
6. (Optional) Save or send the command output to an email address.

What to do next

You can automate commands from the Protect, Recover, Schedule, and Task List views in Microsoft Management Console (MMC):

1. Start MMC and select a workload in the navigation tree.
2. Click the tab for the task you want to do (**Protect** or **Recover**).
3. Automate the command by using one of the following methods:

Result pane

Select the item for your task in the result pane, and select **Run Scheduled** in the toolbar menu. In the Actions pane, click the appropriate task. When the schedule wizard starts, enter the information for each prompt to create a scheduled task.

Task List pane

When a task is submitted, it displays in the task list pane. Select the appropriate task, then click **Schedule command script** in the task list toolbar. When the schedule wizard starts, enter the information for each prompt to create a scheduled task.

You can also right-click a task in the Task List pane and click **Copy**. Then, click the **Automate** tab and paste the command in the field.

Automating custom applications and file system tasks

You can automate a workload by entering Windows PowerShell cmdlets or commands in the integrated command-line interface.

About this task

An integrated command line is available in the task window from which you can enter PowerShell cmdlets or command-line interface commands. You use the Automate view to work with commands. You can create, save, store, and schedule commands to run at the scheduled time.

Procedure

1. To open the Automate view, select a workload that you want to work with and click **Automate**.
2. Change **PowerShell** to **Command Line**.
3. To run a command, type a command in the details pane and click the **Execute** icon. You can enter the commands with or without specifying `fcml i`.

For example, for each selected workload instance, you can enter a single command or multiple commands, such as:

```
q component  
q backup
```

You can also run a saved task by clicking the **Open** icon, selecting the command file, and clicking the **Execute** icon. The output is displayed in the main window.

4. Click the **Save** icon and follow the prompts to save a command for future use.
5. To schedule a command, click the **Schedule this command** icon to open the scheduling wizard. Follow the prompts in the wizard to create a schedule for the command. The output of the command is displayed in the results pane.
6. (Optional) Save or send the command output to an email address.

What to do next

You can automate commands from the Protect, Recover, Schedule, and Task List views in Microsoft Management Console (MMC) :

1. Start MMC and select a workload in the tree view.
2. Click the tab for the task you want to do (**Protect** or **Recover**).
3. Automate the command by using one of the following methods:

Result pane

Select the item for your task in the result pane, and select **Run Scheduled** in the toolbar menu. Click the appropriate task in the **Action** pane. When the schedule wizard starts, enter the information for each prompt to create a scheduled task.

Task List pane

When a task is submitted, it displays in the task list pane. Select the appropriate task, then click **Schedule command script** in the task list toolbar. When the schedule wizard starts, enter the information for each prompt to create a scheduled task.

You can also right-click a task in the Task List pane and click **Copy**. Then, click the **Automate** tab and paste the command in the field.

Scheduling tasks

Automate your data protection with Tivoli Storage FlashCopy Manager scheduling. Tivoli Storage FlashCopy Manager uses the Windows Scheduler to automate backup and restore operations. You can also schedule tasks by using the Tivoli Storage Manager Scheduler, and by using the PowerShell cmdlets that are available for use when you interact with Microsoft Management Console (MMC).

Before you begin

The scheduling wizards contain templates for PowerShell and command-line scripts. The default is PowerShell. For more information about the PowerShell cmdlets that are available for scheduling tasks, open a Windows PowerShell prompt and change directories to C:\Program Files\Tivoli\FlashCopyManager. Enter the following command:

```
gcm -mod FmModuleMMC *schedule*
```

You might see a list of available scheduling cmdlets like the following sample:

```
CommandType Name ModuleName
-----
Cmdlet Clear-FcmMmcScheduledActivityHistory FmModuleMMC
Cmdlet Disable-FcmMmcSchedule FmModuleMMC
Cmdlet Enable-FcmMmcSchedule FmModuleMMC
Cmdlet Get-FcmMmcSchedule FmModuleMMC
Cmdlet Get-FcmMmcScheduledActivity FmModuleMMC
Cmdlet New-FcmMmcSchedule FmModuleMMC
Cmdlet Remove-FcmMmcSchedule FmModuleMMC
Cmdlet Set-FcmMmcSchedule FmModuleMMC
Cmdlet Start-FcmMmcSchedule FmModuleMMC
```

About this task

Restriction: With Tivoli Storage FlashCopy Manager scheduling operations, you can schedule tasks to run periodically. However, you cannot schedule tasks to run only one time.

Procedure

1. Create and edit new schedules. Use the Scheduling wizard to guide you through the steps to define a local scheduled data protection task. The Scheduling wizard is available in the Action pane. You can create the following types of schedules:

Hourly

This type of schedule starts at a set time and runs indefinitely or for a set duration. It can be repeated at a specified time. Despite the duration or repeat settings, this type of schedule runs within one 24-hour period only.

Daily This type of schedule starts at a set time and repeats each day as specified.

Weekly

This type of schedule starts at a set time and repeats every week as specified.

Monthly

This type of schedule starts at a set time and repeats every month as specified.

2. Select **PowerShell** in the scheduling wizard, and complete one or more of the following tasks:
 - Specify a single schedule to complete workloads as a single scheduled task. For example, you can complete a full backup on Sunday and incremental backups on other days.
 - Select the **MMC template** to generate and email a report. When you select **PowerShell** in the scheduling wizard, four templates are available: file system, SQL Server, Exchange Server, and MMC. The other templates include statements to ensure that the correct working directory is used, and that error information is handled correctly. The templates also include sample statements to run queries and backups.
3. After you define your schedule, run it manually. Select the schedule and, in the Actions pane, click **Run**. For more granular control of your schedules, access the Windows scheduled tasks control pane.

By default, Tivoli Storage FlashCopy Manager schedules are activated by using Windows System Account permissions. If a schedule requires different Windows permissions, click **Run as** and enter the appropriate account and password. You cannot specify the percentage (%) character. All defined schedules are displayed.
4. The scheduled history log file keeps entries for 60 days, by default. To override this default value, change the scheduled history log prune value in the main Tivoli Storage FlashCopy Manager settings. In the Tree View, select the computer node that you want, and in the Actions pane, click **Properties**.

Chapter 7. Troubleshooting with Tivoli Storage FlashCopy Manager

Tivoli Storage FlashCopy Manager supports you in protecting Microsoft Exchange and SQL Server databases, file systems, and custom applications.

If you encounter a problem, you typically start with a symptom, or set of symptoms, and trace the root cause. Problem determination, however, is not the same as problem solving. During the process of problem determination, you might obtain sufficient information to enable you to solve the problem.

In some cases, you cannot solve a problem even after you determine its cause. For example, a performance problem might be caused by a limitation of your hardware. Debugging a VSS issue might lead you to analyze other components, for example, the VSS hardware provider, the VSS system, or the Multi Path Input Output (MPIO).

Diagnosing problems

One of the most difficult challenges of troubleshooting in a client/server environment is determining which component is the origin of the problem. VSS diagnostic wizards are available to help you test VSS snapshots on your system. You can determine whether the source of the problem is a general VSS issue or a Tivoli Storage Manager issue.

Error log files for Tivoli Storage FlashCopy Manager components

If you are protecting an Exchange or SQL Server, or a file system or custom application, an error condition occurs when you are protecting, you can view several log files to help diagnose the problem.

For example, you can confirm that Tivoli Storage FlashCopy Manager failed over by searching entries about the secondary server in the following log files:

- For FlashCopy Manager for Microsoft Exchange Server, check the following files:
 - Tivoli\tsm\TDPEXchange\dsierror.log
 - Tivoli\tsm\baclient\dsmerror.log
- For FlashCopy Manager for Microsoft SQL Server, check the following files:
 - Tivoli\tsm\TDPSQL\dsierror.log
 - Tivoli\tsm\baclient\dsmerror.log
- For Tivoli Storage FlashCopy Manager file system and custom applications, check the following files:
 - Tivoli\flashcopymanager\dsierror.log
 - Tivoli\tsm\baclient\dsmerror.log
- FlashCopy Manager for Microsoft Exchange Server, and FlashCopy Manager for Microsoft SQL Server, logs information about backup, restore, and delete commands to the Tivoli Event Console.
- FlashCopy Manager for Microsoft Exchange Server logs information, by default, to the tdpexc.log file in the directory where FlashCopy Manager for Microsoft Exchange Server is installed. FlashCopy Manager for Microsoft SQL Server logs

information, by default, to the `tdpsql.log` file in the directory where FlashCopy Manager for Microsoft SQL Server is installed. The log file indicates the date and time of a backup, the data that is backed up, and any error messages or completion codes. This file is important and must be monitored.

- The Tivoli Storage Manager API logs API error information, by default, to the `dsierror.log` file in the directory where FlashCopy Manager for Microsoft Exchange Server, or FlashCopy Manager for Microsoft SQL Server, is installed. No backup statistics are contained in this log. The `dsierror.log` file cannot be marked as read-only.
- FlashCopy Manager for Microsoft Exchange Server logs information to the Exchange Server error log. FlashCopy Manager for Microsoft SQL Server logs information to the SQL Server error log. The error log information can be viewed using the Exchange Server or SQL Server administration tools.
- The Tivoli Storage Manager scheduler logs information to both the `dsmsched.log` and the `dsierror.log` files. By default, these files are in the directory where the Tivoli Storage Manager backup-archive client is installed.

Note: Output from scheduled commands is sent to the scheduler log file (`dsmsched.log`). After the scheduled work completes, check the log to ensure that the work completed successfully.

When a scheduled command is processed, the scheduler log can contain the following entry:

```
Scheduled event eventname completed successfully
```

This entry is merely an indication that Tivoli Storage Manager successfully issued the scheduled command that is associated with the *eventname*. No attempt is made to determine the success or failure of the command. You can assess the success or failure of the command by evaluating the return code from the scheduled command in the scheduler log. The scheduler log entry for the command's return code is prefaced with the following text:

```
Finished command. Return code is: return_code_number
```

- Windows System and Application Event Log.
- For VSS operations, view the `dsmerror.log` file in the backup-archive client installation directory.

Trace files for Tivoli Storage FlashCopy Manager components

When you gather trace files for local or remote systems, the files are automatically copied, compressed, and stored in the `C:\Program Files\Tivoli\flashcopymanager\problemdetermination` folder other information.

MMC Options are stored in the MMC user settings file. The following file is generated:

```
TraceFm.trc  
TraceUx.trc
```

Data Protection

Tracing options are stored in the MMC user settings file and submitted to the Data Protection component as part of the command. The following file is generated:

```
TraceFileFs.trc  
TraceFileSql.trc  
TraceFileExc.trc
```

Agent Tracing options are stored in the VSS Requestor `dsm.opt` file. The following file is generated:

TraceFileAgent.trc

API Tracing options are stored in the respective Data Protection dsm.opt file.
The following file is generated:

TraceFileFsAPI.trc

Diagnosing VSS issues

You can test VSS persistent, non-persistent, and resync snapshots on your system with the assistance of a VSS diagnostics wizard.

Before you begin

Attention: Do not run these tests if you are already using SAN Volume Controller or Storwize V7000 space-efficient snapshots on your computer. If you do so, existing snapshots might be removed.

Procedure

1. Start Microsoft Management Console (MMC).
2. To open the diagnostics wizard, complete these steps:
 - a. Click **Diagnostics** in the results pane of the welcome page.
 - b. In the Actions pane, click **VSS Diagnostics**.

A list of volumes are displayed, and the status of each test is displayed when it is completed.

3. To view the results of the persistent and non-persistent snapshot testing, complete these steps:
 - a. Select the volumes or mount points to test and click **Next**.
 - b. Click **Show VSS Information** to view details about the VSS providers, writers, and snapshots that are available on your system.

The results of the persistent and non-persistent snapshot testing displays as Passed or Failed.

4. To view the results of the resync snapshot testing, complete these steps:

CAUTION:

VSS ResyncLUNs API instant restore tests will revert the data on the volume to an earlier time. Do not enable these instant restore tests on production volumes as data loss may occur.

- a. To test if the selected volumes support the VSS ResyncLuns API, select a volume and then click **Next**.
- b. Verify that the **Testing resync snapshot** field indicates a successful result.

The results of the resync snapshot testing display as Passed or Warning.

Note: On non-IBM storage devices, resync snapshots are necessary only for instant restore. Resync snapshots have no impact on backup and fast restore on non-IBM storage devices.

5. Review the results of the snapshot testing and click **Next**. The final results of the persistent and non-persistent snapshot testing display as Success or Unsuccessful.
6. Depending on the results, complete these steps:
 - If the testing status is a success, click **Finish** and exit the wizard.
 - If the testing status is not successful, click **Previous** and review information in the Rule dialog.

7. Return to the Management window and begin backup operations.

Resolving reproducible problems

When a component fails to operate as designed, try to reproduce the problem and capture information about the current operating environment at the time of the error. You can troubleshoot VSS backup and restore operations, mailbox restore errors, and VSS and SAN Volume Controller, Storwize V7000, or DS8000 problems.

Troubleshooting VSS backup and restore operations

If you encounter a problem during VSS backup and restore processing, attempt to reproduce the problem in your environment.

Before you begin

If a VSS backup fails, verify that sufficient disk space is available to store the snapshot.

About this task

Procedure

1. Try the operation that failed again.
2. Restart the Tivoli Storage Manager services, including the TSM Client Acceptor and the TSM Remote Client Agent.
3. If the problem still exists, close other applications, especially those applications, for example antivirus applications, that interact with Exchange Server, SQL Server, or file systems. Retry the operation that failed.
4. If the problem persists, look for information in the event logs: `tdpexc.log`, `tdpsql.log`, and `baclient\dsmerror.log`. You can also review the messages in the Windows System and Application Event Log. Log entries might exist to help you identify the VSS event that triggers the issue.
5. If you do not find a resolution to the problem in the log files, complete the following steps:
 - a. Restart the Exchange or SQL Server or the computer.
 - b. Run the operation that failed.

Failovers from VSS instant restore processing to VSS fast restore processing

If an error occurs early in a VSS instant restore operation, the error might cause the system to fail over to VSS fast restore processing. However, if an error occurs later in the instant restore operation, instant restore processing might fail without failing over to fast restore processing.

About this task

Errors in VSS instant restore operations might occur, for example, if the volume where the restored database is stored is used by another process.

Procedure

Check the error message in the `dsmerror.log` file.

Troubleshooting file system and custom application VSS restores from Tivoli Storage Manager server

File system and custom application VSS restores from Tivoli Storage Manager server are volume image-level restore operations. This type of restore operation might cause the shadow copies, which are created with a system provider for the volume that is being restored, to become invalid and be deleted.

About this task

This issue occurs when the shadow storage for the volume is located within the volume. During the volume image-level restore operation, the shadow storage data is overwritten and the shadow copies are invalidated.

Procedure

Allocate the shadow storage on a different volume. For example, with the **vssadmin** tool, use the **Add ShadowStorage** command:

```
vssadmin Add ShadowStorage /For=D: /On=F: /MaxSize=your size
```

Troubleshooting issues with SQL Server tail-log backups

A database restore operation might fail if transaction log records in the *tail of the log* are not backed up.

About this task

During the restore operation, you might see the following error message:

Failed - An exception occurred while executing a Transact-SQL statement or batch.
The tail-log backup of the *dbName* database has not been backed up.
Use BACKUP LOG WITH NORECOVERY to backup the log if it contains work you do not want to lose.
Use the WITH REPLACE or WITH STOPAT clause of the RESTORE statement to overwrite the contents of the log.

RESTORE DATABASE is terminating abnormally.
Changed database context to 'master'. (HRESULT:0x80131501)

To resolve the error, complete the tail-log backup.

Procedure

1. On the Protect tab of the SQL instance, click **Show Backup Options** and set the Back Up Tail-log option to **True**.
2. On the Actions pane, select **Log Backup to TSM**.

Troubleshooting VSS offline restore of a master database

Microsoft SQL Server only supports offline VSS restores of the master database. FlashCopy Manager for Microsoft SQL Server does not support offline restore operations. Therefore, you cannot use FlashCopy Manager for Microsoft SQL Server to restore the master database.

Procedure

1. Ensure that the SQL Server is online.
2. Restore the master database to a new database in Microsoft Management Console (MMC), or at the command line. For example: Enter the **tdpsqlc** command with the **/recovery=no** option.

3. After the restore operation is complete, verify that all data files are restored successfully.
4. Stop the SQL Server instance, and rename all data files of the master database.
5. Copy all data files from the new master_restore database to the location of the master database. Verify that all data files are copied.
6. Start the SQL Server instance and verify that the master database is restored successfully.

Related tasks:

“Restoring the master database” on page 149

Troubleshooting VSS limitations with IBM SAN Volume Controller and IBM Storwize V7000

When you run a FlashCopy Manager for Microsoft Exchange Server VSS backup (non-offloaded) to a Tivoli Storage Manager server, the IBM SAN Volume Controller or IBM Storwize V7000 LUNs can sometimes remain mapped to the Windows host even though the backup is complete.

Procedure

Use a backup destination other than Tivoli Storage Manager server (BOTH or LOCAL).

Results

When you run two FlashCopy Manager for Microsoft Exchange Server VSS backups and if the volumes are large, or the background copy rate is set to a low number, or both conditions occur, the second VSS backup might be presented to be in a hang state. Typically, the Exchange Server data is on IBM SAN Volume Controller or IBM Storwize V7000 disks. However, the second backup is waiting for the IBM SAN Volume Controller or IBM Storwize V7000 background copy of the first backup to complete before proceeding. IBM SAN Volume Controller or IBM Storwize V7000 does not allow two background copies of the same volume to occur at the same time. You might not know that the second backup is waiting for the first background copy to complete.

You might also see timeout errors if the previous IBM SAN Volume Controller or IBM Storwize V7000 background copy takes too long.

What to do next

To resolve timeout issues, schedule VSS backups so that enough time elapses between backups, or increase the copy rate of the IBM SAN Volume Controller or IBM Storwize V7000 background copy.

Troubleshooting mailbox restore errors

If you encounter a mailbox restore error, determine whether the problem is reproducible on other Exchange Servers.

About this task

Mailbox restore errors that you might encounter include MAPI connection issues to the mailbox, insufficient role-based access control (RBAC) permissions to complete the restore operation, or issues with the Mailbox Restore Browser feature.

Related tasks:

“Restoring mailbox data” on page 115

Troubleshooting insufficient RBAC roles and permissions

For the following mailbox restore errors, ensure that the RBAC roles and management role scope are set on the Exchange objects for the Exchange user.

Procedure

1. If a mailbox fails to open and the error message indicates a missing RBAC permission, ensure that the user who is logged on to the mailbox has the required RBAC roles, and the management scope for those roles includes the database that contains the mailbox. Then, open the mailbox again.
2. If a mailbox restore operation fails and the error message indicates a missing RBAC permission, ensure that the user who is logged on to the mailbox has the required RBAC roles, and the management scope for those roles includes the source and target databases. Then, restart the restore operation.

Related concepts:

“Security requirements for backup and restore operations” on page 98

Troubleshooting mailbox permissions, authentication methods, and registry key settings in a Microsoft Exchange 2013 environment

To resolve mailbox restore errors in an Exchange Server 2013 environment, ensure that the Exchange Server mailbox permissions, authentication methods, registry key settings, and the Client Access Server (CAS) role are configured correctly.

Procedure

1. Grant full access permission to the user who is logged on to the target mailbox. When the administrator mailbox is used, Exchange Server 2013 usually blocks full access permission for the administrator by default.
2. To restore an Exchange 2013 public folder mailbox, ensure that the Exchange user has the Public Folders management role.
3. Log on to an Exchange Server 2013 mailbox as the Exchange Server administrator and ensure that sufficient storage space is available in the administrator mailbox.
4. Ensure that you can access the mailbox that you logged on to and the target mailbox in either Microsoft Outlook or Outlook Web Access.
5. Specify an Exchange Server 2013 CAS by setting the **CLIENTACCESSServer=servername** parameter. If you are using a load balancer, set the **CLIENTACCESSServer** parameter to point to the CAS instead of the load balancer.
6. Open the administrator mailbox and the target mailbox. On the Actions pane in the Mailbox Restore Browser interface, click **Open Exchange Mailbox**.
7. Verify that the MAPI registry key, `RpcHttpProxyMap_TSM`, is correct to enable Tivoli Storage FlashCopy Manager to connect to the Exchange Server. Use one of the following methods:
 - Check the registry key that is in the `HKEY_CURRENT_USER\Software\Microsoft\Windows NT\Current Version\Windows Messaging Subsystem` directory. Change the registry key values to reflect the correct domain, endpoint, and Remote Procedure Call (RPC) authentication methods for your environment. For example, you might specify HTTPS as the authentication method if RPC-over-HTTPS connections are enabled for the Exchange Server that is hosting the MAPI profile. Otherwise, you might use HTTP authentication for RPC-over-HTTP connections.
 - Use the MAPI Settings property page in Microsoft Management Console (MMC) to ensure that the MAPI registry key is correct. Change the registry

key values to reflect the correct domain, endpoint, and Remote Procedure Call (RPC) authentication methods for your environment.

By default, the following registry key format is used.

*Domain=Proxy Server,RpcHttpAuthenticationMethod,
RpcAuthenticationMethod,IgnoreSslCert*

Where the

- *Domain* value is the domain suffix of the personalized server ID, for example, *companyname.local*. Specify any domain or a substring of a domain, or the asterisk (*) and question mark (?) wildcard characters, for example, **.companyname.local*.
- *Proxy Server* value is the RPC proxy server that has the Client Access Server (CAS) role. Specify the fully qualified domain name (FQDN) of the RPC proxy server. Precede the FQDN by *http://* for an HTTP connection, or *https://* for an HTTPS connection. For example, *https://exchange.companyname.com*
- *RpcHttpAuthenticationMethod* value is the method that is used to authenticate RPC-over-HTTP connections. Specify NTLM, Basic, Negotiate, or WinNT.
- *RpcAuthenticationMethod* value is the method that is used to authenticate RPC-over-TCP connections. Specify NTLM, Negotiate, WinNT, Anonymous, or None.
- *IgnoreSslCert* value indicates whether the Exchange Server validates SSL certificates. For the Exchange Server to ignore invalid certificates, specify *False*.

The default registry key looks like the following example:

contoso.com=https://mail.contoso.com,ntlm,ntlm,false

Related tasks:

“Ensuring successful MAPI connections” on page 105

Troubleshooting MAPI connection issues

Procedure

To diagnose MAPI-to-mailbox connection issues, enter the **TDPMAPI TESTMAPI** command with these parameters:

/MAILBOXALIAS

This parameter is the alias name for the mailbox that you are logged on to. The parameter refers to the email alias for the user and is the portion of the email address before the @ symbol. Run this command for the mailbox to be restored and the mailbox that you are logged on to.

/EXCSERVER

(Exchange Server 2010 environments) This parameter is the name of the Exchange Server that has the Client Access Server (CAS) role. By default, the parameter points to the local server. Use the Exchange PowerShell command, **get-ExchangeServer | fl**, to determine the Exchange Server that defined the CAS role for the mailbox database. You must specify this parameter when a CAS Load Balancer exists within the environment.

(Exchange Server 2013 environments) This parameter is the name of the mailbox endpoint of the user who is logged in. Use the Exchange Powershell command, **whoami | Get-Mailbox | fl ExchangeGUID**, to determine the value. You must specify this parameter for Exchange Server 2013.

/TRACEFILE

This parameter is the file name that is used to store the output from tracing operations. By default, tracing is turned off. You can qualify the file name by specifying a drive and a full directory path. You must have write permissions for the user that runs the command.

Related tasks:

“Ensuring successful MAPI connections” on page 105

Troubleshooting a MAPI error that prevents multiple mailboxes restoring in a Microsoft Exchange 2013 environment

When you restore multiple mailboxes on a server that is running Exchange Server 2013, the mailbox restore operation might partially fail and report a MAPI error.

About this task

In Exchange Server 2013, Client Throttling Policy (the **RcaMaxConcurrency** parameter), specifies how many concurrent connections you can maintain at one time. If you attempt to make more concurrent requests than the **RcaMaxConcurrency** parameter allows, the new connection attempt fails. However, the existing connections remain valid.

Procedure

Increase the **RcaMaxConcurrency** value for the logon user mailbox. For more information about this setting, see Microsoft documentation: Exchange 2013 Client Throttling ([https://technet.microsoft.com/en-us/library/bb232205\(v=exchg.150\).aspx](https://technet.microsoft.com/en-us/library/bb232205(v=exchg.150).aspx))

Troubleshooting issues with the Mailbox Restore Browser interface on remote systems

An error can occur when many mailboxes are queried on a remote system, which causes an out-of-memory exception.

About this task

If you restore mailboxes on the remote system, the list of mailboxes might not be displayed in the Source mailbox navigation tree of MMC. You might see the following message:

Error: Processing data for a remote command failed with the following error message:
The WSMAN provider host process did not return a proper response. A provider in the host process may have behaved improperly. For more information, see the about_Remote_Troubleshooting Help topic.OperationStopped: (<Machine_Name>:String)
[],PSRemotingTransportExceptionJobFailure

Procedure

To resolve the out-of-memory exception, increase the default memory value for the remote Powershell session.

For example, to increase the maximum of memory that is allocated per shell to 4 GB, enter the following cmdlets at the Microsoft Windows PowerShell command line.

```
Set-Item WSMAN:\localhost\Shell\MaxMemoryPerShellMB 4096
```

```
Set-Item WSMAN:\localhost\Plugin\Microsoft.PowerShell\Quotas\MaxMemoryPerShellMB 4096
```

Restart-Service winrm

Troubleshooting an SMTP restore issue that occurs when you restore email with large attachments in the Mailbox Restore Browser interface

If you restore an email with an attachment that is larger than 3 MB to an SMTP server, a Microsoft fix is required.

About this task

You might see the following error message:

QFD: System.Net.Mail - SmtplibClient class throws exceptions if file attachment is over 3 MB

Procedure

Resolve the issue by applying the fix that is available at this web page: Microsoft Connect Visual Studio and .NET Framework Downloads (<http://support.microsoft.com/kb/2183292>)

Troubleshooting a limitation with deleted mailbox history in the Mailbox Restore Browser interface

Tivoli Storage FlashCopy Manager does not record the time when mailboxes are deleted.

About this task

After a mailbox is deleted, the **Available Database Backups** list in the Mailbox Restore Browser continues to list database backups that contained the mailbox before its deletion.

Procedure

Ensure that the backup version that you select to restore from the **Available Database Backups** list contains the mailbox before it was deleted.

Deleting mailbox history information

Mailbox history includes only the mailboxes from databases that are backed up. If you back up mailbox history with a version of Tivoli Storage FlashCopy Manager earlier than version 4.1, you can manually delete the old mailbox history.

About this task

FlashCopy Manager for Microsoft Exchange Server backs up a new set of mailbox history data. With the new mailbox history data, you can experience better performance when you back up mailbox history. It is also easier to find the mailbox when you restore a mailbox. Additionally, when you retrieve mailbox history, the mailbox names can be displayed in multiple languages.

Deleting the old mailbox history is not required. If you delete the old mailbox history data, you lose the location history information for the deleted and moved mailboxes in the backup copies that earlier versions of FlashCopy Manager for Microsoft Exchange Server created.

Even if a mailbox user is deleted from Active Directory and backups that contained that mailbox are expired, Tivoli Storage FlashCopy Manager retains the mailbox history information indefinitely on the Tivoli Storage Manager server. Therefore, you can still see the mailbox history information for deleted mailboxes within the restore search views even though the associated backups might be expired. The mailbox restore list, which is populated from the mailbox history, is not intended to be an all-inclusive list of mailboxes that can be restored. It is made available for ease of use.

Procedure

1. Enter the following command to save the mailbox history to a file:

```
tdpexcc q tsm /showmailboxinfo > E:\MyMailboxHistory.txt
```

 Keep this file for reference. You can use the backup copy when you need location information for the deleted and moved mailboxes
2. If you need to restore a mailbox from the old backup copies, and the mailbox location changes before you delete the mailbox history, use the **/MAILBOXORIGLOCATION** parameter to restore the mailbox. After the old backup copies expire, mailbox history works without you having to specify the **/MAILBOXORIGLOCATION** parameter.
3. Complete the following steps to delete the old mailbox history from the Tivoli Storage Manager server.

- a. Start the Tivoli Storage Manager command-line administrative interface, `dsmadm.exe`.
- b. Log on to the Tivoli Storage Manager server.
- c. Enter the following command to query the filespace name:

Query Filespace *node_name file_space_name*

The format of the filespace name for mailbox history is *DomainName\MAILBOXINFO*. For example, the following command queries the filespace for the mailbox history for the **CXCLAB_EXC** node. The *node_name* is the **DAGNODE** name, or the Exchange Server node name when the **DAGNODE** is not being used.

tsm: FCM>QUERY FILESPACE CXCLAB_EXC *MAILBOXINFO

The following results are displayed:

Node Name	Filespace Name	FSID	Platform	Filespace Type	Is Filespace Unicode?	Capacity	Pct Util
-----	-----	----	-----	-----	-----	-----	-----
CXCLAB_EXC	cxcserver.-com\MAILBOXINFO	52	TDP MSE-xchg	API:ExcData	No	0 KB	0.0

4. Enter the following command to delete the filespace for the old mailbox history while bearing in mind that all previous backups, including backups of Exchange Server 2010 data, might be deleted if you do not enter the command correctly.

DELeTe Filespace *node_name file_space_name\MAILBOXINFO*

For example, the following command deletes the filespace for the mailbox history for the **CXCLAB_EXC** node:

tsm: FCM>DELETE FILESPACE CXCLAB_EXC cxcserver.com\MAILBOXINFO

Related concepts:

“Software requirements for mailbox restore operations” on page 99

Troubleshooting configuration errors in a failover clustered environment

If you encounter errors when you configure a failover clustered environment, determine whether the options in the backup-archive client and application-specific dsm.opt files are specified correctly.

Procedure

1. When you are configuring Tivoli Storage FlashCopy Manager as a stand-alone configuration, verify that the same path to the VSSALTSTAGINGDIR directory is specified in the backup-archive client options file, baclient\dsm.opt, and in the Tivoli Storage FlashCopy Manager for SQL Server options file, tdpsql\dsm.opt.
2. Verify that the VSSALTSTAGINGDIR path in the dsm.opt files points to a directory on a shared disk or cluster shared volume that all cluster nodes can access.
3. In the Data Protection and Tivoli Storage FlashCopy Manager dsm.opt files, verify that the option for the **CLUSTERNODE** parameter is set to yes. When you work in a cluster environment, from the command-line interface, the Volume GUID is not displayed for volumes that are clustered disks. The clustered disk is displayed.

Related tasks:

"Configuring Tivoli Storage FlashCopy Manager for SQL Server clustered environments" on page 77

Troubleshooting VSS and SAN Volume Controller, Storwize V7000, or DS8000

If you experience VSS and SAN Volume Controller, Storwize V7000, or DS8000 problems, investigate the configuration in your environment.

Procedure

1. Verify connectivity to the CIMOM (Common Information Model Object Manager) as follows:
 - a. Refer to your SAN Volume Controller, Storwize V7000, or DS8000 documentation.
 - b. Run the **IBMVCFG LIST** command. The default location is %Program Files%\IBM\Hardware Provider for VSS-VDS.
 - c. Issue the **IBMVCFG SHOWCFG** command to view the provider configuration information.
 - d. Check that the CIMOM is properly configured. Run verifyconfig.bat -u username -p password on the Master Console.
 - e. Check the user name and password. If the problem is with the truststore, follow the procedure in the documentation to generate a new truststore.
2. Verify CIMOM operational issues as follows:
 - a. If your backup or restore operation fails, check the IBMVSS.log file.

If the backup or restore failure is from a CIMOM failure, the log displays output similar to the following example:

```
Wed Jan 13 17:34:34.793 - Calling AttachReplicas
Wed Jan 13 17:34:35.702 - AttachReplicas: 909ms
Wed Jan 13 17:34:35.702 - returnValue: 34561
Wed Jan 13 17:34:35.718 - AttachReplicas returned: 34561
java.util.MissingResourceException: Can't find resource for
bundle java.util.PropertyResourceBundle, key 1793
at java.util.ResourceBundle.getObject(ResourceBundle.java:329)
at java.util.ResourceBundle.getString(ResourceBundle.java:289)
```



```
at com.ibm.cim.CIMException.<init>(CIMException.java:472)
at ESSService.executeFlashCopy(ESSService.java:3168)
Wed Jan 13 17:34:35.779 - IBMVSS: AbortSnapshots
```

A return value of 0 means that the backup or restore operation is successful.

- b. To determine why a backup or restore operation failed, review the log files.

Tip: If VSS backups fail, issue the **IBMVCFG LIST FREE** command verify that sufficient free volumes are available in the VSS_FREE volume group to store the snapshot.

3. If the failure seems to be for a different reason than a CIMOM failure, verify your host configuration. Run the latest support levels of the software for SAN Volume Controller, Storwize V7000, or DS8000.
4. If you are unable to resolve these problems, provide the following information to IBM Support:
 - Information that is listed in the Tivoli Storage Manager diagnostic information section
 - HBA type, firmware, and driver levels
 - SDD version
 - SAN Volume Controller microcode version (if applicable)
 - DS8000 microcode version (if applicable)
 - Storwize V7000 microcode version (if applicable)
 - SAN Volume Controller or Storwize V7000 Master Console version (if applicable)
 - For DS8000, the CIM Agent version (if applicable)
 - IBMVSS.log
 - IBMVDS.log
 - Application Event Log
 - System Event Log
 - CIMOM logs if the problem seems to be related to CIMOM. Run CollectLogs.bat and send the file that is created (CollectedLogs.zip) to IBM Support.

The default location for SAN Volume Controller or Storwize V7000 is C:\Program Files\IBM\svconsole\support, and the default location for DS8000 is C:\Program Files\IBM\cimagent.

Related concepts:

“Tivoli Storage FlashCopy Manager with IBM SAN Volume Controller and IBM Storwize V7000” on page 25

Resolving problems with IBM Support

Contact IBM Support for further assistance if you have a problem that you are unable to solve by applying maintenance fixes, reproducing the issue, or reviewing the information in previous topics. IBM Support might request to see some or all of the trace and log files related to a problem that you report.

About this task

You might be asked to set a trace on the Data Protection client that uses VSS technology, and then collect the log. IBM Support uses the information that is captured in the log file to trace a problem to its source or to determine why an

error occurred.

Viewing trace and log files

Tivoli Storage FlashCopy Manager uses several components. Each component is in its own directory along with its respective troubleshooting files. By using the Trace and Log Files view, you can easily view these files in a central location.

About this task

You can collect trace and log files in the Diagnostics property page for a workload.

These diagnostics property pages can control the tracing settings for all related components such as the workload, the Tivoli Storage Manager API, the Client Agent service, and Microsoft Management Console (MMC).

The following diagnostic modes are available:

Normal

Use for SQL legacy backup operations. Using this mode results in a small sized trace file.

Complete (default)

Using this mode results in a large sized trace file.

Custom

Use when full control over trace flags must be set

Procedure

1. When you encounter a problem in MMC, create trace files by using the Diagnostics property page.
 - a. Click **Properties > Diagnostics**, and click **Begin**. You can set the following items:
 - You can click **Screen shot** to open the Diagnostics screen shot tool window. When you want to create a screen capture of any open windows, click **Add New Screenshot**. The name of the screen capture is added to the list of items on the Diagnostics property page. Close the Diagnostics screen shot when you finish taking screen captures.
 - For SQL workload instances, enter a database name in the **SQL Database** field, and click **Add Database Information**. Repeat this step as needed. This step is useful if one database can be backed up and another cannot. By providing the details for both databases, it helps identify differences in database properties.
 - b. Close the property page and reproduce the problem.
 - c. Open the Diagnostics property page and click **Stop**. Clicking the **Diagnostics** button is the preferred method for gathering information to send to your service representative. This method gathers all the information that is needed. Even if a problem occurs only on the command-line interface, command, you can always gather information by using the Automate tab. The log files are displayed in the Trace and Log Files view.
2. Click the trace or log file that you want to view. The contents of the file are displayed in the results pane. The following files are examples of the files that you can view, including default log and trace files:

Examples of Tivoli Storage FlashCopy Manager default log and trace files:

- Installation directory: C:\Program Files\Tivoli\FlashCopyManager

- dserror.log
- Log file for custom applications and file systems workloads: fcm.log
- TraceFm.trc
- TraceUx.trc
- TraceManagedCapacityHistory.trc
- TraceSchedLaunch.trc
- VssProvisioning.log
- TraceFileFS.trc
- TraceFileExc.trc
- TraceFileSql.trc

If the fcm.log is defined in a path other than the default C:\Program Files\Tivoli\FlashCopyManager\fcml.log, the reports do not include the following information for scheduled backup and restore operations:

- Task completion
- Type of data protection activity
- Amount of data protection activity

The charts and reports display only information that is present in the default log file fcm.log.

Examples of trace logs and scripts to quiesce custom applications:

- Default directory: %ALLUSERSPROFILE%\Application Data\Tivoli\FlashCopyManager\custom-application where *custom-application* can be various applications. For example, an IBM Domino® mail server, or MySQL or Oracle server.

Examples of VSS Requestor default log and trace files:

- Installation directory: C:\Program Files\Tivoli\TSM\baclient
- dsmerror.log

Examples of IBM VSS provider for SAN Volume Controller, Storwize V7000, and DS8000 log files

- IBMVDS.log
- IBMVss.log

Gathering trace and log files for remote systems

Collecting diagnostic data for a remote system, by using Tivoli Storage FlashCopy Manager, is different to collecting data for a local system. You can update the Diagnostics property page to collect the correct log and trace files for remote systems.

Before you begin

On the local system, verify the following system requirements:

- Windows 7, Windows 8, Windows 2008, Windows 2008 R2, Windows 2012, Windows 2012 R2 is installed
- PowerShell version 3.0 or later is installed, if you are running Windows 7, Windows 8, Windows 2008, or Windows 2008 R2. With Windows 2012, PowerShell version 4.0 is installed by default.
- Tivoli Storage FlashCopy Manager version 4.1.4 is installed

On the remote system, verify the following system requirements:

- Windows 2008, Windows 2008 R2, Windows 2012, Windows 2012 R2, or a later version is installed
- Windows PowerShell version 3.0 or later is installed, if you are running Windows 2008, or Windows 2008 R2. With Windows 2012, PowerShell version 4.0 is installed by default.
- Tivoli Storage FlashCopy Manager version 4.1.4 is installed
- The required workload is configured.

Procedure

1. In the Actions pane, click **Properties > Diagnostics**, and select the mode that you require as follows.
 - For a smaller trace file, select **Normal**.
 - For a larger trace file, select **Complete**.
 - For full control over the trace flags that are set, select **Custom**.
2. Click **Begin**.
3. Click **OK** to close the window.
4. Reproduce the issue that you are seeing on the remote server. For example, back up or restore data on the remote Exchange Server.
5. Open the Diagnostics property page and click **Screenshot**. Clicking the **Diagnostics** button is the preferred method for gathering information to send to your service representative. This method gathers all the information that is needed.
6. In the Diagnostic Screen Shot Tool window, click **Add New Screen Shot**. An image is displayed. When you use the Diagnostic Screen Shot Tool on the remote system, the screen capture files are on the local system.
7. Close the Diagnostic Screen Shot Tool window.
8. Click **End**.

Results

Log, configuration, and trace files are detected and displayed, such as those files in the following example. The diagnostic log files are on the remote system.

- Microsoft Management Console (MMC): TraceFm.trc and TraceUx.trc
- Data Protection: TraceFileFs.trc, TraceFileSql.trc, TraceFileExc.trc
- Agent: TraceFileAgent.trc
- API: TraceFileFsAPI.trc
- Other: Hardware provider logs, System information

The files and traces are stored in the following folder on the remote system: C:\Program Files\Tivoli\FlashCopyManager\ProblemDetermination. Use the **Copy** function to copy the files locally.

If you enable command-line interface tracing, the command-line interface generates trace files for the local and remote systems. On the local system you can view the file that you specified. In addition, on the local and remote systems, a trace file is also created. This file has the same name as the file stored on the local system and the file name concludes with the following suffix appended to the file type extension: *_remote*

For example, on the local system, the following files are created after you enable command-line interface tracing:

- *filename.trc*
- *filename.trc_remote*

On the remote system, the following file is created after you enable command-line interface tracing, *filename.trc_remote*.

Related tasks:

“Mounting VSS snapshots to remote servers” on page 163

Gathering information about Exchange or SQL Server with VSS before you call IBM

The Data Protection client depends on the operating system and the Exchange or SQL Server application. Collecting all the necessary information about the environment can significantly assist Support in determining the source of problem.

Procedure

Gather as much of the following information as possible before you contact IBM Support:

- The exact level of the Windows operating system, including all service packs and test fixes that were applied.
- The exact level of the Exchange Server or SQL Server, including all service packs and test fixes that were applied.
- The exact level of FlashCopy Manager for Microsoft Exchange Server, or FlashCopy Manager for Microsoft SQL Server, with Volume Shadow Copy Service (VSS) backup and restore support.
- The exact level of the Tivoli Storage Manager API.
- The exact level of the Tivoli Storage Manager server.
- The exact level of the Tivoli Storage Manager backup-archive client.
- The exact level of the Tivoli Storage Manager storage agent (if LAN-free environment).
- The Tivoli Storage Manager server and operating system level.
- The output from the Tivoli Storage Manager server **QUERY SYSTEM** command.
- The output from the FlashCopy Manager for Microsoft Exchange Server **TDPEXCC QUERY EXCHANGE** command.
- The device type (and connectivity path) of the Exchange Server databases and logs.
- (SAN only) The specific hardware that is being used. For example: HBA, driver levels, microcode levels, SAN Volume Controller or Storwize V7000 levels, DS8000 hardware details.
- Permissions and the name of the user ID being used to run backup and restore operations.
- The name and version of antivirus software.
- (SAN only) The VSS hardware provider level.
- The VSS hardware provider log files. See the documentation of the specific VSS hardware provider on how to enable tracing and collect the trace log files.
- (SAN only) The IBM CIM agent level for DS8000, SAN Volume Controller, or Storwize V7000.
- A list of vendor-acquired Exchange applications that are running on the system.
- A list of other applications that are running on the system.

- A list of the steps that are needed to re-create the problem (if the problem can be re-created).
- If the problem cannot be re-created, list the steps that caused the problem.
- Is FlashCopy Manager for Microsoft SQL Server running in a Microsoft Failover Clustering environment?
- Does the problem occur on other Exchange or SQL servers?

Viewing system information

You can view and edit scripts that provide information about system components such as Windows-related services for Tivoli Storage FlashCopy Manager, Windows event log entries, and Volume Shadow Copy Service (VSS) information.

About this task

The System Information view is extensible. You can take advantage of this flexibility to add and share customize scripts.

Procedure

1. Open the System Information view as follows:
 - a. Click **Diagnostics** in the results pane of the welcome page.
 - b. Double-click **System Information** in the results pane. A list of scripts is displayed in the results pane of the System Information view. The types of scripts that are displayed are PowerShell scripts, Windows Management Instrumentation scripts, and Tivoli Storage Manager scripts.
2. Add, update, or delete your scripts, as follows:

Action	Steps
Add your own scripts	<ol style="list-style-type: none"> 1. Click New in the Actions pane. 2. If you want to copy your scripts directly to the ProgramFiles\Tivoli\FlashCopyManager\Scripts directory, make sure that your scripts follow these extension requirements: <ul style="list-style-type: none"> • PowerShell scripts: <i>filename.ps1</i> • Windows Management Instrumentation (WMI) scripts: <i>filename.wmi</i> • Tivoli Storage Manager scripts: <i>filename.tsm</i> <p>Tivoli Storage FlashCopy Manager uses the file type extension to determine how to run the script.</p>
View or edit an existing script	<ol style="list-style-type: none"> 1. From the list of script files in the results pane, select the name of a script that you want to view or edit. <p>Tip: The name of the script is displayed in the Actions pane. Click the name of the script in the Actions pane to reveal or hide a list of actions to process.</p> 2. To open the script file for viewing or editing, click Command Editor in the Actions pane. 3. View or edit the script. 4. Click OK to save your changes, or click Cancel to exit the System Information Command Editor without saving any changes.

Action	Steps
Delete a script	<ol style="list-style-type: none"> 1. From the list of script files in the results pane, select the name of a script that you want to delete. Tip: The name of the script is displayed in the Actions pane. Click the name of the script in the Actions pane to reveal or hide a list of actions to process. 2. Click Delete in the Actions pane.

Emailing files to IBM Support

You can send diagnostic information to IBM Support.

Before you begin

About this task

The email support files feature collects all detected configuration, option, system information, trace, and log files. It also collects information about services, operating systems, and application versions. These files are compressed and then attached in an email.

Procedure

1. Start Microsoft Management Console (MMC).
2. Click **Diagnostics** in the results pane of the welcome page.
3. In the Actions pane, click **E-Mail Support files**.
4. Enter the information in the various fields and click **Done**. The information is sent to the designated support personnel and the dialog closes.

Online IBM support

Multiple online support resources are available for your reference.

The following list identifies where you can find information online:

- Tivoli Storage Manager wiki (<https://www.ibm.com/developerworks/community/wikis/home?lang=en#!/wiki/Tivoli%20Storage%20Manager>).
- Storage Management community on Service Management Connect (<https://www.ibm.com/developerworks/servicemanagement/sm/index.html>).
- Tivoli Storage FlashCopy Manager (<http://www.ibm.com/software/products/en/tivoli-storage-flashcopy-manager>). Enter the search term to narrow the search criteria for your support requirements. Examples of search terms that you might use include an authorized program analysis report (APAR) number, release level, or operating system.
- Tivoli Storage Manager for Mail (<http://www.ibm.com/software/products/en/tivostormanaformail>). Enter the search term to narrow the search criteria for your support requirements. Examples of search terms that you might use include an authorized program analysis report (APAR) number, release level, or operating system.
- Tivoli Storage Manager for Databases (<http://www.ibm.com/software/products/en/tivostormanafordata>). Enter the search term to narrow the search criteria for your support requirements. Examples of search terms that you might use include an authorized program analysis report (APAR) number, release level, or operating system.

Chapter 8. Reference information for IBM Tivoli Storage FlashCopy Manager

Reference information includes the backup and restore commands that you can enter at the command-line interface as an alternative to using Microsoft Management Console (MMC).

Command-line overview: Tivoli Storage FlashCopy Manager for Exchange Server

The name of the Tivoli Storage FlashCopy Manager for Exchange Server command-line interface is `tdpexcc.exe`. If you installed the **TDPEXchange** package, or you configured the Exchange Server in Microsoft Management Console (MMC), the program is (by default) in the Tivoli Storage FlashCopy Manager for Exchange Server installation directory (`C:\Program Files\Tivoli\tsm\TDPEXchange\`).

Command-line parameter characteristics

The command-line parameters have the following characteristics:

- Positional parameters do not include a leading slash (/) or dash (-) character.
- Optional parameters can display in any order after the required parameters.
- Optional parameters begin with a forward slash (/) or a dash (-) character.
- Minimum abbreviations for keywords are indicated in uppercase text.
- Some keyword parameters require a value.
- For those keyword parameters that require a value, the value is separated from the keyword with an equal sign (=) character.
- If a parameter requires more than one value after the equal sign, the values are separated with commas.
- Each parameter is separated from the others by using spaces.
- If a parameter value includes spaces, the value must be enclosed in double quotation marks.
- A positional parameter can display only once per command invocation.

Command-line interface help

Issue the **tdpexcc ?** or **tdpexcc help** command to display help for the command-line interface. You can see more specific help for commands by entering a command like the following example: **tdpexcc help backup**, where **backup** is an example of a command.

Related tasks:

“Protecting Microsoft Exchange Server data” on page 97

Backup command

Use the **backup** command to run Exchange Server backups of databases from the Exchange Server to local shadow volumes managed by Tivoli Storage FlashCopy Manager.

You must have local registry rights (for all versions of Exchange Server) to run a Tivoli Storage FlashCopy Manager for Exchange Server backup.

Microsoft Exchange Server considers the asterisk (*) wildcard character to be an invalid character when used in database names. Databases that contain the asterisk (*) wildcard character in their name are not backed up. When a full VSS snapshot backup is done, the backup remains active until the backup version is deleted with the delete backup command, or expired by Tivoli Storage FlashCopy Manager according to the defined policy. Two different active backups can exist at the same time:

- Full backup, along with any associated incremental backups and differential backups.
- Copy backup, along with any associated incremental backups and differential backups.

When you run Exchange Server backups, the Exchange database file size might increase because of increased database commitments that are triggered by backup operations. This condition is a Microsoft Exchange server standard behavior.

Tivoli Storage FlashCopy Manager for Exchange Server supports the following types of VSS backups:

Full Back up the entire database and transaction logs. If a successful backup is obtained, the Exchange Server deletes the committed log files. In Exchange Server Database Availability Group environments, the log files might not be immediately deleted after a successful full backup.

Incremental

Back up the transaction logs. If a successful backup is obtained, the Exchange Server deletes the committed log files. In Exchange Server Database Availability Group environments, the log files might not be immediately deleted after a successful incremental backup.

Differential

Back up the transaction logs. The transaction logs are not deleted.


Copy Back up the entire database and transaction logs. The transaction logs are not deleted.

All databases must be mounted at the time of the backup operation. If any database is not mounted, the database is not backed up. In addition, the transaction logs are not truncated.

Backup syntax

Use the **backup** command syntax diagrams as a reference to view available options and truncation requirements.

TDPEXCC command



Backup positional parameters

Positional parameters immediately follow the **backup** command and precede the optional parameters.

The following positional parameters specify the object to back up:

*** | dbname1, ..., dbnameN**

***** Back up all databases.

dbname

Back up the specified database. Multiple entries are separated by commas. If separated by commas, ensure that there is no space between the comma and the name. If any database name contains blanks, enclose the database name in double quotation marks.

The following positional parameters specify the type of backup to run:

FULL | COPY | INCRemental | DIFFerential

FULL Back up the entire database, and the transaction logs, and if a successful backup is obtained, truncate the transaction logs.

COPY Back up the entire database, and the transaction logs, and do NOT truncate the transaction logs.

INCRemental

Back up the transaction logs, and if a successful backup is obtained, truncate the transaction logs.

DIFFerential

Back up the transaction log files, but do not truncate the log files.

Backup optional parameters

Optional parameters follow the **backup** command and positional parameters.

/BACKUPDESTination=LOCAL | TSM | BOTH

When you are backing up data to a local system, set **BACKUPDESTination** to LOCAL. When you are backing up data to a Tivoli Storage Manager server, set **BACKUPDESTination** to TSM. To back up data to a local system and a Tivoli Storage Manager server, set the parameter to BOTH.

/CONFIGfile=configfilename

Use the **/CONFIGfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager for Exchange Server configuration file that contains the values to use for a **backup** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager for Exchange Server installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpexc.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

`/CONFIGfile="c:\Program Files\file.cfg"`

/DAGNODE=nodename

Specify the node name that you want to use to back up the databases in an Exchange Server Database Availability Group. With this setting, backups from all Database Availability Group members that are configured to use the DAG node are backed up to a common file space on the Tivoli Storage

Manager server. The database copies are managed as a single entity, regardless of which Database Availability Group member they are backed up from. This setting can prevent FlashCopy Manager for Microsoft Exchange Server from making too many backups of the same database.

/EXCLUDEDAGActive

Use the **/EXCLUDEDAGActive** parameter to exclude the Exchange Server databases from backup if they belong to a Database Availability Group and are an active database copy.

/EXCLUDEDAGPassive

Use the **/EXCLUDEDAGPassive** parameter to exclude the Exchange Server databases from backup if they belong to a Database Availability Group and are a passive database copy.

/EXCLUDEDB=db-name1,db-nameN,...

Use the **/EXCLUDEDB** parameter to exclude the specified Exchange Server databases from the backup operation. If the database names are separated by commas, ensure that there are no spaces between the commas and the database names. If any database name contains blanks, enclose the database name in quotation marks. You cannot specify the asterisk (*) wildcard character.

/EXCLUDENONDAGDBs

Use the **/EXCLUDENONDAGDBs** parameter to exclude the Exchange Server databases from backup if they do not belong to a Database Availability Group.

/LOGFile=logfilename

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by FlashCopy Manager for Microsoft Exchange Server.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the FlashCopy Manager for Microsoft Exchange Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\mytdpexchange.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, *tdpexc.log*.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of FlashCopy Manager for Microsoft Exchange Server to run operations, use the **/LOGFile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the

option that you set for the **/LOGPrune** parameter, some days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/MINimumbackupinterval=numberOfMinutes

If you are scheduling the backup of databases in an Exchange Server Database Availability Group, specify the minimum amount of time, in minutes, before a backup of another copy of the same Database Availability Group database can begin. The range is 1 - 9999.

Setting this parameter specifies that only one database copy can be backed up within a time frame. This option prevents all of the members in a Database Availability Group from backing up the database, which would be redundant and invalidate the Tivoli Storage Manager storage management policy.

/MOUNTwait=Yes | No

Use the **/mountwait** parameter to specify whether waits for removable media to mount (such as tapes or CDs) or to stop the current operation. This situation occurs when the is configured to store backup data on removable media and waits for a required storage volume to be mounted.

You can specify these options:

- | | |
|------------|--|
| Yes | FlashCopy Manager for Microsoft Exchange Server waits until all initial volumes of any required removable media are made available to the Tivoli Storage Manager server before it completes the command. This option is the default. |
| No | FlashCopy Manager for Microsoft Exchange Server ends the command (if removable media are required). An error message is displayed. |

/OFFLOAD

Specify this option if, after the VSS snapshot is complete, you want to

offload the transfer of the data from the Tivoli Storage Manager server to the system specified by the **REMOTEDSMAGENTNODE** parameter. This option is only valid when the **BACKUPDESTINATION** parameter is set to either TSM or BOTH. The default is to not offload data.

/PREFERDAGPASSive

If you are scheduling the backup of databases in an Exchange Server Database Availability Group, set this parameter to back up a passive database in an Exchange Server Database Availability Group unless no valid passive copy is available. If no valid passive copy is available, the backup is created from the active database copy.

/Quiet This parameter prevents status information from being displayed. This function does not affect the level of information that is written to the activity log.

/SKIPINTEGRITYCHECK

Use the **/SKIPINTEGRITYCHECK** parameter to specify whether FlashCopy Manager for Microsoft Exchange Server bypasses the integrity checking of databases and log files, or automatically runs the integrity checking of databases and log files.

You can specify the following values:

- | | |
|------------|---|
| No | Run integrity checking to verify that all database and log files do not contain integrity issues. This option is the default. |
| Yes | Bypass integrity checking of all database and log files during backup processing. |

SKIPDBCHECKIFHEALTHY

Bypass integrity checking of database files only if at least two healthy copies of a database (one active and one passive copy) exist in a Database Availability Group (DAG).

SKIPDBANDLOGCHECKIFHEALTHY

Bypass integrity checking of all database and log files during backup processing only if at least two healthy copies of a database (one active and one passive copy) exist in a DAG.

Attention: If you do not specify a value with the **/SKIPINTEGRITYCHECK** parameter, integrity checking of database and log files is bypassed. If you bypass integrity checking, the backup that is stored on Tivoli Storage Manager server might not be valid, or data loss can occur.

/TSMOPTFile=tsmoptfilename

The **/TSMOPTFile** parameter specifies the Tivoli Storage FlashCopy Manager options file to use. Considerations:

- The *tsmoptfilename* variable can include a fully qualified path. If you do not include a path, the Tivoli Storage FlashCopy Manager installation directory is used.
- If the *tsmoptfilename* variable contains spaces, enclose the variable in double quotation marks. For example:
`/TSMOPTFile="c:\Program Files\dsm.opt"`
- If you do not specify **/TSMOPTFile**, the default value is `dsm.opt`.
- If you specify **/TSMOPTFile**, but not *tsmoptfilename*, the default is also `dsm.opt`.

/UpdateMailboxInfoOnly

Specify the **/UpdateMailboxInfoOnly** parameter to update only the mailbox history information in Microsoft Exchange Server database backups, for example:

```
tdpexcc backup DB1 full /UpdateMailboxInfoOnly
```

where DB1 is the database name, and full is the type of database backup.

Restriction: This parameter does not back up the Exchange Server database.

Backup example

The following list provides examples of how to use the **backup** command.

To complete a full backup of a database, for example, *DB_G*, the following command can be entered:

```
tdpexcc backup DB_G full
```

To complete a copy backup of a database, for example, *DB_G*, the following command can be entered:

```
tdpexcc backup DB_G copy
```

To complete a differential backup of a database, for example, *DB_G*, the following command can be entered:

```
tdpexcc backup DB_G diff
```

To complete an incremental backup of a database, for example, *DB_G*, the following command can be entered:

```
tdpexcc backup DB_G incr
```

Delete backup command

Use the **delete backup** command to delete a VSS backup of an Exchange Server database.

You must have local registry rights (for all versions of Exchange Server) to run a Tivoli Storage FlashCopy Manager for Exchange Server delete backup.


- When you run full VSS snapshot backup, the backup remains active until the backup version is either deleted with the delete backup command, or expired by Tivoli Storage FlashCopy Manager according to the defined policy. The expiration does not delete an incremental backup. Two different active backups can exist at the same time:
 - Full backup, along with any associated incremental backups and differential backups.
 - Copy backup, along with any associated incremental backups and differential backups.
- When you delete an active full or copy backup, the state of the previous active full or copy backup changes from inactive to active. However, the current active incremental or differential backup is not deleted and erroneously seems to be associated with the newly active full or copy backup. Also, the incremental or differential backup (associated with the previous inactive full or copy backup that is now changed to active) remains inactive. This inactive incremental or differential backup might not display in the query output unless the **/all** parameter is specified with the **query fcm** command.

- If you delete multiple LOCAL snapshots that are stored on SAN Volume Controller, Storwize V7000, or Space Efficient volumes, you must do so in the same order in which you created the snapshots. That is, you must delete the oldest one first, followed by the second oldest. Failure to delete them in this order can cause removal of other snapshots of the same source.

Delete backup syntax

Use the **delete backup** command syntax diagrams as a reference to view available options and truncation requirements.

TDPEXCC command



Delete backup positional parameters

Positional parameters immediately follow the **delete backup** command and precede the optional parameters.

The following positional parameters specify the backup to delete:

*** | dbname1,...,dbnameN backuptype**

***** Delete the active backups of all databases.

dbname

Delete a backup of the specified database. The active backup is deleted unless you specify a different backup with the **/object** parameter. When multiple active incremental backups exist, the **/object** parameter must be specified with the **delete** command.

Multiple entries are separated by commas. If separated by commas, ensure that there is no space between the comma and the component name. If any component name contains blanks, enclose the component name in double quotation marks.

Attention:

- Deleting incremental or differential backups can cause loss of recovery points.
- Deleting a full backup might cause incremental or differential backups to remain in a suspended state and are considered useless without a corresponding full backup.

The following positional parameters specify the type of delete backup to run:

FULL | COPY | INCRemental | DIFFerential

FULL Delete full type backups.

COPY Delete copy type backups.

INCRemental

Delete incremental type backups.

DIFFerential

Delete differential type backups.

Delete backup optional parameters

Optional parameters follow the **delete backup** command and positional parameters.

/BACKUPDESTination=LOCAL | TSM

Use this parameter to specify the destination of the backups to be deleted. The default is TSM

/CONFIGfile=configfilename

Use the **/configfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager for Exchange Server configuration file that contains the values to use for a **delete backup** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager for Exchange Server installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is *tdpexc.cfg*.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

/CONFIGfile="c:\Program Files\file.cfg"

/DAGNode=nodename

Specify the node name that you want to use to back up the databases in an Exchange Server Database Availability Group. With this setting, backups from all Database Availability Group members that are configured to use the DAG node are backed up to a common file space on the Tivoli Storage Manager server. The database copies are managed as a single entity, regardless of which Database Availability Group member they are backed up from. This setting can prevent FlashCopy Manager for Microsoft Exchange Server from making too many backups of the same database.

/FROMEXCServer=server-name

Use the **/fromexcserver** parameter to specify the name of the Exchange Server where the original backup was processed.

The default is the local Exchange Server.

If a DAG node is specified by using the **dagnode** parameter, FlashCopy Manager for Microsoft Exchange Server uses this node name instead of the FlashCopy Manager for Microsoft Exchange Server node to back up databases in an Exchange Server Database Availability Group. Therefore, the **delete** command automatically deletes the backups that are created by the other DAG members, without having to specify the **/fromexcserver** parameter.

/LOGFile=logfilename

Use the **/logfile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager for Exchange Server.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager for Exchange Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

/LOGFile="c:\Program Files\mytdpexchange.log"

If the **/logfile** parameter is not specified, log records are written to the default log file, *tdpexc.log*.

The **/logfile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of Tivoli Storage FlashCopy Manager for Exchange Server to process operations, use the **/logfile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify *no*, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/Object=objectname

Use the **/object** parameter to specify the name of the backup object you want to delete. The object name uniquely identifies each backup object and is created by Tivoli Storage FlashCopy Manager for Exchange Server.

Use the Tivoli Storage FlashCopy Manager for Exchange Server **query fcm * /all** command to view the names of all available backup objects.

The **/object** parameter is used to delete only one incremental backup at a time. When multiple active incremental backups exist, the **/object** parameter must be specified with the **delete backup** command. If it is not specified, the **delete backup** command fails.

/Olderthan=days

Use the **/olderthan** parameter to specify how old backup files can be to be deleted. The *days* variable can range from 0 - 9999. There is no default value for the **/olderthan** parameter.

/Quiet This parameter prevents status information from being displayed. This function does not affect the level of information that is written to the activity log.

/TSMNode=tsmnode name

Use the *tsmnode name* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (*dsm.opt*). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to PROMPT. This parameter is not valid when **PASSWORDACCESS** is set to GENERATE in the options file.

/TSMOPTFile=tsmoptfilename

Use the *tsmoptfilename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the Tivoli Storage FlashCopy Manager installation directory is used.

If the *tsmoptfilename* variable includes spaces, enclose it in double quotation marks. For example:

```
/TSMOPTFile="c:\Program Files\file.opt"
```

The default is *dsm.opt* if you do not specify the **/tsmoptfile** parameter or if you specify **/tsmoptfile** but not *tsmoptfilename*.

TSMPassword

Use the *tsmpassword* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified **PASSWORDACCESS GENERATE** in the Tivoli Storage FlashCopy Manager options file (*dsm.opt*), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time that Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when **PASSWORDACCESS GENERATE** is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If **PASSWORDACCESS PROMPT** is in effect, and you do not specify a password value on the command line, you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Delete Backup example

This output example provides a sample of the text, messages, and process status that displays when you use the **delete backup** command.

In this example, the command deletes a full backup of database *rabbitvm3_sw2ie_mbdb1*. The following output is displayed:

```
Connecting to TSM Server as node 'RABBITVM3_EXCH'...
Connecting to Local DSM Agent 'RABBITVM3'...
Using backup node 'RABBITVM3_EXCH'...
Backups to be deleted:
<rabbitvm3_sw2ie_mbdb1 : VSS : full : 10/09/2014 13:30:12>

VSS Delete backup operation completed with rc = 0
Files Examined   : 1
Files Completed  : 1
Files Failed     : 0
Total Bytes      : 0

The operation completed successfully. (rc = 0)
```

Help command


Use the **tdpexcc help** command to display help for Tivoli Storage FlashCopy Manager for Exchange Server commands.

This command lists one or more commands and their parameters. When you use a language other than English, you might be required to set the width of your screen display. To view the entire help description in one screen, set the screen display width to a value greater than 80 characters. For example, set the screen width to 100 characters.

Help syntax

Use the **help** command syntax diagrams as a reference to view available options and truncation requirements.

TDPEXCC command



Help optional parameters

Optional parameters follow the Tivoli Storage FlashCopy Manager for Exchange Server **help** command.

The following optional parameters specify the help to be displayed:

*|*command*

Identifies the specific Tivoli Storage FlashCopy Manager for Exchange Server command that is to be displayed. If you specify the asterisk (*) wildcard character, help for all Tivoli Storage FlashCopy Manager for Exchange Server commands are displayed.

*|*subcommand*

Help can be displayed for commands that have several subcommands, for example, the **query** command. If you do not specify a subcommand or the asterisk (*) wildcard character, help for all Tivoli Storage FlashCopy Manager for Exchange Server **query** commands are displayed.


Mount backup command


To mount backups that are managed by Tivoli Storage FlashCopy Manager for Exchange Server, use the **mount backup** command.

Mount backup syntax

Use the **mount backup** command syntax diagrams as a reference to view available options and truncation requirements.

TDPEXCC command





Mount backup positional parameter

The positional parameters immediately follow the **mount backup** command and precede the optional parameters.

The following positional parameters specify the objects to mount:

component name[(object-id)]=mount point root dir[,component name=mount point root dir]

component name[(object-id)]

Specify the backup of a local Exchange database.

mount point root dir

Specify the absolute path to the directory where the snapshots are going to be displayed as mount point directories. The directory must be empty. If not empty, an error is reported.

The list must contain all non-qualified objects or all qualified objects. The list cannot contain a combination of non-qualified objects and qualified objects. Specify the list by using the following syntax:

mount backup object-1[(object-1-id)]= mount-point-1[,object-2[(object-2-id)]=mount-point-2...]

For example:

```
tdpexcc mount backup excdb(20120815064316)=f:\emptyfolder
```

Mount backup optional parameters

Optional parameters follow the **mount backup** command and positional parameters.

/CONFIGfile=*configfilename*

Use the **/CONFIGfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager for Exchange Server configuration file that contains the values to use for a **mount backup** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager for Exchange Server installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpexc.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\tdpexc.cfg"
```

/FROMEXCServer=*server-name*

Use the **/fromexcserver** parameter to specify the name of the Exchange Server where the original backup was processed.

The default is the local Exchange Server.

If a DAG node is specified by using the **dagnode** parameter, FlashCopy Manager for Microsoft Exchange Server uses this node name instead of the FlashCopy Manager for Microsoft Exchange Server node to back up databases in an Exchange Server Database Availability Group. Therefore, the **delete** command automatically deletes the backups that are created by the other DAG members, without having to specify the **/fromexcserver** parameter.

/LOGFile=*logfilename*

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager for Exchange Server. The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager for Exchange Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/LOGFile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\tdpexc.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, `tdpexc.log`.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

/LOGPrune=*numdays* | **No**

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify *no*, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/REMOTECOMPUTER=computername

Enter the computer name or IP address of the remote system where the backup was created.

/REMOTECOMPUTERUser=user

Enter the user name that is used to log on to the server specified with the **REMOTECOMPUTER** parameter. If a domain is required to log on with the domain account, enter *Domain\User*. To log on to the local account, the domain is not required. There is no default value.

/REMOTECOMPUTERPassword=password

Enter the password for the user name that is specified with the **/REMOTECOMPUTERUser** parameter. There is no default value.

/TSMNODE=tsmnodename

Use the *tsmnodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (*dsm.opt*). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to **PROMPT**. This parameter is not valid when **PASSWORDACCESS** is set to **GENERATE** in the options file.

/TSMOPTFile=tsmoptfilename

Use the *tsmoptfilename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *tsmoptfilename* variable includes spaces, enclose the entire **/TSMOPTFile** parameter entry in double quotation marks. For example:

/TSMOPTFile="c:\Program Files\dsm.opt"

The default is dsm.opt.

/TSMPassword=*tsmpassword*

Use the *tsmpassword* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified PASSWORDACCESS GENERATE in the Tivoli Storage FlashCopy Manager options file (dsm.opt), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time that Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when PASSWORDACCESS GENERATE is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If PASSWORDACCESS PROMPT is in effect, and you do not specify a password value on the command line, then you are prompted for a password.


The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Policy commands for Tivoli Storage FlashCopy Manager for Exchange

Create Policy

This command is used to create a policy.

TDPEXCC command: CREATE POLIcy



Parameters:

- **policy_name** (required): Specifies the name of the policy that is being created. To create a policy, the policy name must be unique.
- **FCMOPTFile**: Specifies the Tivoli Storage FlashCopy Manager options file to use.
- **VERSretain**: Specifies the number of snapshot versions to retain (1 - 9999). You can also specify `NOLimit` to represent an unlimited number of snapshot versions to retain.

This parameter does not apply to incremental backup versions of Exchange Server data. Incremental backups do not participate in expirations because of version limits. There is never more than one


version of an incremental backup object. There is only one version of an incremental backup object because incremental backups are always uniquely named.

- **DAYSretain:** Specifies the number of days to retain a snapshot (0 - 9999). You can also specify **NOLimit** to represent an unlimited number of days to retain snapshot versions.

Update Policy

This command is used to update or modify an existing policy.

TDPEXCC command: UPDATE POLIcy



Parameters:

- **NEWname:** Specifies the new name of the policy, if the name is being updated. The policy name must be unique.
- **policy_name** (required): Specifies the name of the policy that is being updated.
- **FCMOPTFile:** Specifies the Tivoli Storage FlashCopy Manager options file to use.
- **VERSretain:** Specifies the number of snapshot versions to retain (1 - 9999). You can also specify **NOLimit** to represent an unlimited number of snapshot versions to retain.


This parameter does not apply to incremental backup versions of Exchange Server data. Incremental backups do not participate in expirations because of version limits. There is never more than one version of an incremental backup object. There is only one version of an incremental backup object because incremental backups are always uniquely named.


- **DAYSretain:** Specifies the number of days to retain a snapshot (0 - 9999). You can also specify **NOLimit** to represent an unlimited number of days to retain snapshot versions.

Copy Policy

This command is used to copy an existing policy to a new policy.

TDPEXCC command: COPY POLIcy





Parameters:

- **existing_policy_name** (required): Specifies the name of the policy that is being copied.
- **FCMOPTFile**: Specifies the Tivoli Storage FlashCopy Manager options file to use.
- **new_policy_name** (required): Specifies the name of the new policy. The policy name must be unique.

Query Policy

This command is used to list the attributes of a policy.

TDPEXCC command: Query POLIcy

►►TDPEXCC—Query POLIcy—*—►►

Parameters: * (required) Specifies all policies are to be queried. The result of the query is displayed as follows:


Connecting to Exchange Server, please wait...		
Policy	Number of snapshots to keep	Days to keep a snapshot
-----	-----	-----
FCMPOL	3	60
STANDARD	2	30

Delete Policy

This command is used to delete a policy.

TDPEXCC command: DELeTe POLIcy

►►TDPEXCC—DELeTe POLIcy—*policy_name*—►►



Parameters:

- **policy_name** (required): Specifies the name of the policy that is being deleted.
- **FCMOPTFile**: Specifies the Tivoli Storage FlashCopy Manager options file to use.

Exchange policy examples

These output examples provide a sample of the text, messages, and process status that displays when you use the **create policy** and **delete policy** commands.

In this example, the `tdpexcc create policy fcmexch01` command creates the *FCMEXCHPOL1* policy. The following output is displayed:

```
C:\PROGRA~1\Tivoli\tsm\TDPEXchange>tdpexcc create policy fcmexch01

IBM Tivoli Storage Manager for Mail:
Data Protection for Microsoft Exchange Server
Version 7, Release 1, Level 3.0
(C) Copyright IBM Corporation 1998, 2015. All rights reserved.

CREATE policy was successful.

The operation completed successfully. (rc = 0)
```

In this example, the `tdpexcc delete policy fcmexch01` command deletes the *FCMEXCHPOL1* policy. The following output is displayed:

```
C:\PROGRA~1\Tivoli\tsm\TDPEXchange>tdpexcc delete policy fcmexch01

IBM Tivoli Storage Manager for Mail:
Data Protection for Microsoft Exchange Server
Version 7, Release 1, Level 3.0
(C) Copyright IBM Corporation 1998, 2015. All rights reserved.

DELETE policy was successful.

The operation completed successfully. (rc = 0)
```

Query Exchange command

Use the **query exchange** command to query the local Exchange Server for general information.


The **query exchange** command returns the following information:

- Exchange Server name and version
- Domain name
- Names of all databases
- Status (online, offline) of all databases
- Circular logging status (enabled, disabled) of all databases
- VSS information:
 - Writer Name
 - Local DSMAgent Node
 - Remote DSMAgent Node
 - Writer Status (online, offline)
 - Number of selectable components

Query Exchange syntax

Use the **query exchange** command syntax diagrams as a reference to view available options and truncation requirements.

TDPEXCC command



Query Exchange optional parameters

Optional parameters follow the **query exchange** command.

/CONFIGfile=*configfilename*

Use the **/CONFIGfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager for Exchange Server configuration file that contains the values to use for a **query exchange** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager for Exchange Server installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpexc.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\file.cfg"
```

/FCMOPTFile=*dsmoptfilename*

The **/FCMOPTFile** parameter specifies the Tivoli Storage FlashCopy Manager options file to use.

- The *dsmoptfilename* variable can include a fully qualified path. If you do not include a path, the Tivoli Storage FlashCopy Manager installation directory is used.
- If the *dsmoptfilename* variable spaces, enclose it in double quotation marks.
- If you do not specify **/FCMOPTFile**, the default value is `dsm.opt`.
- If you specify **/FCMOPTFile** but not *dsmoptfilename*, the default is also `dsm.opt`.

/LOGFile=*logfilename*

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager for Exchange Server. The *logfilename* variable identifies the name of the activity log file. If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename*

variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager for Exchange Server installation directory. If the *logfile* variable includes spaces, enclose the entire **/LOGFile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\mytdpexchange.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, *tdpexc.log*. The **/LOGFile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of Tivoli Storage FlashCopy Manager for Exchange Server to run operations, use the **/LOGFile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or **no**; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

Query Exchange example

This output example provides a sample of the text, messages, and process status that displays when you use the **query exchange** command.

The **tdpexcc query exchange** command queries the Exchange server. An example of the output in an Exchange Server Database Availability Group environment is displayed:

```
Querying Exchange Server to gather component information, please wait...
```

Microsoft Exchange Server Information

```
-----  
Server Name:          AVATAR  
Domain Name:         avatar.local  
Exchange Server Version: 14.1.270.1  (Exchange Server 2010)
```

Databases and Status

```
-----  
avatarDB3_D_local_bas  
Circular Logging - Disabled  
DAG Status - None  
Recovery - False  
avatarDB3_D_local_bas           Offline  
  
avatarDB4_D_local_bas  
Circular Logging - Disabled  
DAG Status - None  
Recovery - False  
avatarDB4_D_local_bas           Online  
  
avatarDB5_G_storwize_bas  
Circular Logging - Disabled  
DAG Status - None  
Recovery - False  
avatarDB5_G_storwize_bas        Online  
  
avatar_F_H  
Circular Logging - Disabled  
DAG Status - None  
Recovery - False  
avatar_F_H                       Online  
  
Mailbox Database 0003208508  
Circular Logging - Disabled  
DAG Status - None  
Recovery - False  
Mailbox Database 0003208508      Online
```

Volume Shadow Copy Service (VSS) Information

```
-----  
Writer Name           : Microsoft Exchange Writer  
Local DSMAgent Node   : AVATAR  
Remote DSMAgent Node  :  
Writer Status         : Online  
Selectable Components : 4
```


Query FCM command

Use the **query fcm** command to display Tivoli Storage FlashCopy Manager information.

This command displays the following information:


- Compression mode
- Active policy set
- Default management class

This command can also display a list of backups that match the databases that are entered.

Query FCM syntax

Use the **query FCM** command syntax diagrams as a reference to view available options and truncation requirements.

TDPEXCC command



Query FCM positional parameters

Positional parameters immediately follow the **query FCM** command and precede the optional parameters.

The following positional parameters specify the object to query. If none of these positional parameters are specified, only the Tivoli Storage FlashCopy Manager API and Tivoli Storage FlashCopy Manager information is displayed:

* | *dbname*

dbname1, ..., dbnameN

Query all backup objects for the specified database. Multiple entries are separated by commas.

where *dbname* can be a database name.

The following positional parameters specify the type of backup to query. If this parameter is not specified, all backup types are displayed:

FULL Query only full backup types.

COPY Query only copy backup types.

INCR Query only incremental backup types.

DIFF Query only differential backup types.

Query FCM optional parameters

Optional parameters follow the **query FCM** command and positional parameters.

/Active

Use the **/Active** parameter to display active backup objects only. This parameter is the default.

/All Use the **/All** parameter to display both active and inactive backup objects. If the **/All** parameter is not specified, only active backup objects are displayed.

/CONFIGfile=configfilename

Use the **/CONFIGfile** parameter to specify the name of the Tivoli Storage FlashCopy Manager for Exchange Server configuration file that contains the values for the Tivoli Storage FlashCopy Manager for Exchange Server configuration options.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager for Exchange Server installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is *tdpexc.cfg*.

If the *configfilename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

/CONFIGfile="c:\Program Files\file.cfg"

/DEtail

Use the **/DEtail** parameter to display detailed output from the query command.

- The *dsmpoptfilename* variable can include a fully qualified path. If you do not include a path, the Tivoli Storage FlashCopy Manager installation directory is used.
- If the *dsmpoptfilename* variable spaces, enclose it in double quotation marks.

- If you do not specify **/FCMPTFile**, the default value is `dsm.opt`.
- If you specify **/FCMPTFile**, but not *dsmoptfilename*, the default is also `dsm.opt`.

/FCMPTFile=dsmoptfilename

The **/FCMPTFile** parameter specifies the Tivoli Storage FlashCopy Manager options file to use.

- The *dsmoptfilename* variable can include a fully qualified path. If you do not include a path, the Tivoli Storage FlashCopy Manager installation directory is used.
- If the *dsmoptfilename* variable spaces, enclose it in double quotation marks.
- If you do not specify **/FCMPTFile**, the default value is `dsm.opt`.
- If you specify **/FCMPTFile**, but not *dsmoptfilename*, the default is also `dsm.opt`.

/FROMEXCServer=server-name

Use the **/fromexcserver** parameter to specify the name of the Exchange Server where the original backup was processed.

The default is the local Exchange Server.

If a DAG node is specified by using the **dagnode** parameter, FlashCopy Manager for Microsoft Exchange Server uses this node name instead of the FlashCopy Manager for Microsoft Exchange Server node to back up databases in an Exchange Server Database Availability Group. Therefore, the **delete** command automatically deletes the backups that are created by the other DAG members, without having to specify the **/fromexcserver** parameter.

/LOGFile=logfilename

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager for Exchange Server.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager for Exchange Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/LOGFile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\mytdpexchange.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, `tdpexc.log`.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of Tivoli Storage FlashCopy Manager for Exchange Server to run operations, use the **/LOGFile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/REMOTECOMPUTER=computername

Enter the IP address or host name for the remote system where you want to query the data that is backed up.

/REMOTECOMPUTERUser=user

Enter the user name that is used to log on to the server specified with the **REMOTECOMPUTER** parameter. If a domain is required to log on with the domain account, enter *Domain\User*. To log on to the local account, the domain is not required. There is no default value.

/REMOTECOMPUTERPassword=password

Enter the password for the user name that is specified with the **REMOTECOMPUTERUser** parameter. There is no default value.

/SHOWMAILBOXInfo

Use the **/SHOWMAILBOXInfo** parameter to display mailbox history information in backup databases.

Query FCM example

The following command shows detailed information about current backups: **query fcm * /detail**

```
IBM FlashCopy Manager for Mail:
FlashCopy Manager for Microsoft Exchange Server
Version 7, Release 1, Level 3.0
(C) Copyright IBM Corporation 1998, 2015. All rights reserved.

Querying FlashCopy Manager server for a list of database backups, please wait...

Connecting to FCM Server as node 'TIVVM483_EXC'...
Connecting to Local DSM Agent 'TIVVM483'...
Using backup node 'DAG2'...

DAG : DAG2

Backup Object Information
-----

Exchange Server Name ..... TIVVM483
Database Availability Group ..... DAG2
Backup Database Name ..... RATTEST_DAGDB
Backup Method ..... VSS
Backup Location ..... Loc
Backup Object Type ..... full
Mount Points Root Directory .....
Backup Object State ..... Active
Backup Creation Date / Time ..... 08/22/2014 22:23:00
Backup Supports Instant Restore ..... No
Backup Object Size / Name ..... 172.07MB / 20120822222300
Backup Object Size / Name ..... 36.01MB / Logs
Backup Object Size / Name ..... 136.06MB / File

The operation completed successfully. (rc = 0)
```

Query Managedcapacity command

Use the **Query Managedcapacity** command to assist with storage planning by determining the amount of managed capacity in use.

Purpose

The **Query Managedcapacity** command displays capacity-related information about the volumes that are represented in local inventory that is managed by Tivoli Storage FlashCopy Manager. This command is valid for all Windows operating systems that are supported by Tivoli Storage FlashCopy Manager.

TDPEXCC command

►►—TDPEXCC—Query MANAGEDCAPacity—/Detailed—►►

Parameters

/Detailed

Results in a detailed listing of snapped volumes. If this option is not specified, then only the total capacity is displayed.

In this example, the **tdpexcc query managedcapacity** command displays the total amount of managed capacity in use in the local inventory. The following output is displayed:

Total Managed Capacity : 47.99 GB (51,533,307,904 bytes)

In this example, the **tdpexcc query managedcapacity /detailed** command displays a detailed listing of total amount of managed capacity and the snapped volumes in use. The following output is displayed:

```
IBM FlashCopy Manager for Mail:
FlashCopy Manager for Microsoft Exchange Server
Version 7, Release 1, Level 3.0
(C) Copyright IBM Corporation 1998, 2015. All rights reserved.
```

Total Managed Capacity : 31.99 GB (34,353,438,720 bytes)

Volume : M:
Managed Capacity : 16.00 GB (17,176,719,360 bytes)

Volume : F:
Managed Capacity : 16.00 GB (17,176,719,360 bytes)
Total Managed Capacity : 1,019.72 MB (1,069,253,632 bytes)


Query TDP command

Use the **query tdp** command to query a list of the current values that are set in the configuration file for Tivoli Storage FlashCopy Manager for Exchange Server.

Query TDP syntax

Use the **query TDP** command syntax diagrams as a reference to view available options and truncation requirements.

TDPEXCC command



Query TDP optional parameters

Optional parameters follow the **query TDP** command.

/CONFIGfile=*configfilename*

Use the **/CONFIGfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager for Exchange Server configuration file that contains the values to use for a **query tdp** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager for Exchange Server installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpexc.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\file.cfg"
```

/LOGFile=logfilename

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager for Exchange Server.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager for Exchange Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/LOGFile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\mytdpexchange.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, *tdpexc.log*.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of Tivoli Storage FlashCopy Manager for Exchange Server to run operations, use the **/LOGFile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or **no**; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

Query TDP example

This output example provides a sample of the text, messages, and process status that displays when you use the **query TDP** command.

An example of the output in a VSS configuration is displayed.

```
IBM FlashCopy Manager for Mail:
FlashCopy Manager for Microsoft Exchange Server
Version 7, Release 1, Level 3.0
(C) Copyright IBM Corporation 1998, 2015. All rights reserved.

FlashCopy Manager for Exchange Preferences
-----

BACKUPDESTination..... LOCAL
DATEformat ..... 1
IMPORTVSSSNAPSHOTONLYWhenneeded ... No
LANGuage ..... ENU
LOCALDSMAgentnode..... CENTORI
LOGFile ..... tdpexc.log
LOGPrune ..... 60
MOUNTWait ..... Yes
NUMBERformat ..... 1
REMOVEDSMAgentnode.....
TEMPDBRestorepath.....
TEMPLOGRestorepath.....
TIMEformat ..... 1
```

Restore command

Use the **restore** command to restore a database backup from local shadow volumes that are managed by Tivoli Storage FlashCopy Manager to an Exchange Server.

To complete a Tivoli Storage FlashCopy Manager for Exchange Server restore, you must have local registry rights for all versions of the Exchange Server.

When you use the **restore** command, remember the following guidelines:

- When you restore inactive backups or active incremental backups, use the **/object** parameter to specify the name of the backup object to restore. This object name uniquely identifies the backup instance that is managed by Tivoli Storage FlashCopy Manager storage. You can enter a **tdpexcc query fcm * /all** command to obtain a list of all the active and inactive backup objects.
If the **tdpexcc restore dbname incr** command is entered (without the **/object** parameter) to restore multiple active incremental backups, all multiple active incremental backups are restored sequentially. The **/object** parameter is used to restore only one incremental backup at a time.
- Use the **/eraseexistinglogs** parameter to direct the program to erase the existing transaction log files for the database before it restores the database. If you do not specify this option, existing transaction logs are not erased, and might be reapplied when the Exchange databases are mounted. This parameter is only valid when you restore a FULL or COPY VSS backup of Exchange Server databases.
- Specify **/mountdatabases=yes** if you are restoring the last backup and you want the database or databases to be automatically mounted after the recovery is completed. Only transaction logs that are contained in the backup is applied to the mailbox database when you run a recovery database restore. You must specify **/recover=applyrestoredlogs** when you restore a mailbox database to a recovery database. Otherwise, the restore operation might fail.

The graphical user interface provides an easy-to-use, flexible interface to help you run a restore operation. The interface presents information in a way that allows multiple selection and, in some cases, automatic operation.

With Microsoft Exchange Server, you cannot specify the asterisk (*) wildcard character in database names. Databases that contain the asterisk (*) wildcard character in their name are not backed up.

Tivoli Storage FlashCopy Manager for Exchange Server supports the following types of restore:

Full Restore a full type backup.

Copy Restore a copy type backup.

Incremental

Restore an incremental type backup.


Differential


Restore a differential type backup.

Restore syntax

Use the **restore** command syntax diagrams as a reference to view available options and truncation requirements.

TDPEXCC command





Restore positional parameters

Positional parameters immediately follow the **restore** command and precede the optional parameters.

The following positional parameters specify the object to restore:

*** | database_name1, ..., database_nameN**

***** Restore all components sequentially.

The following positional parameters specify the type of restore to run:

FULL | COPY | INCRemental | DIFFerential

FULL Restore a full backup.

COPY Restore a copy backup.

INCRemental
Restore an incremental backup.

DIFFerential
Restore a differential backup.

Restore optional parameters

Optional parameters follow the **restore** command and positional parameters.

/CONFIGfile=configfilename

Use the **/CONFIGfile** parameter to specify the name of the FlashCopy Manager for Microsoft Exchange Server configuration file that contains the values for the FlashCopy Manager for Microsoft Exchange Server configuration options.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the FlashCopy Manager for Microsoft Exchange Server installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is *tdpexc.cfg*.

If the *configfilename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\file.cfg"
```

/DAGNODE=nodename

Specify the node name that you want to use to back up the databases in an Exchange Server Database Availability Group. With this setting, backups from all Database Availability Group members that are configured to use the DAG node are backed up to a common file space on the Tivoli Storage Manager server. The database copies are managed as a single entity, regardless of which Database Availability Group member they are backed up from. This setting can prevent FlashCopy Manager for Microsoft Exchange Server from making too many backups of the same database.

/EXCLUDEDUMPster=dsmoptfilename

/FCMOPTFile=dsmoptfilename

The **/FCMOPTFile** parameter specifies the Tivoli Storage FlashCopy Manager options file to use.

- The *dsmoptfilename* variable can include a fully qualified path. If you do not include a path, the Tivoli Storage FlashCopy Manager installation directory is used.
- If the *dsmoptfilename* variable spaces, enclose it in double quotation marks.
- If you do not specify **/FCMPTFile**, the default value is *dsm.opt*.
- If you specify **/FCMPTFile** but not *dsmoptfilename*, the default is also *dsm.opt*.

/FROMEXCServer=server-name

Use the **/fromexcserver** parameter to specify the name of the Exchange Server where the original backup was processed.

The default is the local Exchange Server.

If a DAG node is specified by using the **dagnode** parameter, FlashCopy Manager for Microsoft Exchange Server uses this node name instead of the FlashCopy Manager for Microsoft Exchange Server node to back up databases in an Exchange Server Database Availability Group. Therefore, the **delete** command automatically deletes the backups that are created by the other DAG members, without having to specify the **/fromexcserver** parameter.

/INSTANTRestore=Yes|No

Use the **/INSTANTRestore** parameter to specify whether to use volume level snapshot or file level copy to restore a VSS backup that is on local shadow volumes. The default value is **Yes**. An IBM Systems Storage SAN Volume Controller, DS8000, the XIV system, and IBM Storwize V7000 storage system is required to complete VSS instant restore operations.

You can specify:

- | | |
|------------|---|
| Yes | Use volume level snapshot restore for a VSS backup that is on local shadow volumes if the backup exists on volumes that support it. This option is the default. |
| No | Use file level copy to restore the files from a VSS backup that is on local shadow volumes. Bypassing volume-level copy means that Exchange database files, log files, and the checkpoint file are overwritten on the source volumes. |

When a VSS instant restore is completed on DS8000 and Storwize family, make sure that any previous background copies (that involve the volumes that are being restored) are completed before you initiate the VSS instant restore operation. The **/instantrestore** parameter is ignored and VSS instant restore capabilities are automatically disabled when it runs any type of VSS restore into operation. VSS instant restore of differential and incremental backups is not supported.

/INTODB=db-name

Use the **/INTODB** parameter to specify the name of the database into which the VSS backup is restored. The database name must be specified with the *db-name* variable. For example, if *RDB* is the name of the database into which the VSS backup is restored, the input on the command line is as follows:

```
TDPEXCC RESTore Maildb1 FULL /INTODB=RDB
```

However, when you restore a database that is relocated (system file path, log file path, or database file path), you must specify the same database

name as the one you are restoring. For example, if *Maildb5* is the name of the relocated database that is being restored, the command-line entry is as follows:

```
TDPEXCC RESTore Maildb5 FULL /INTODB=Maildb5
```

- There is no default value.
- To restore into a Recovery Database (RDB) or alternate database, an RDB or alternate database must exist before you attempt the restore operation.

/LOGFile=logfilename

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by FlashCopy Manager for Microsoft Exchange Server.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the FlashCopy Manager for Microsoft Exchange Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\mytdpexchange.log"
```

If you do not specify the **/LOGFile** parameter, log records are written to the default log file, *tdpexc.log*.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of FlashCopy Manager for Microsoft Exchange Server to run operations, use the **/LOGFile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.

- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, *60*, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/MOUNTDatabases=No | Yes

Use the **/mountdatabases** parameter to specify whether to mount the databases after the restore operation is completed. You must specify one of the following values:

- Yes** Mount the databases after the restore operation is completed.
- No** Do not mount the databases after the restore operation is completed. This option is the default.

/MOUNTWait=Yes | No

Use the **/mountwait** parameter to specify whether FlashCopy Manager for Microsoft Exchange Server waits for removable media to mount (such as tapes or CDs) or to stop the current operation. This situation occurs when the is configured to store backup data on removable media and waits for a required storage volume to be mounted.

You can specify these options:

- Yes** FlashCopy Manager for Microsoft Exchange Server waits until all initial volumes of any required removable media are made available to the Tivoli Storage Manager server before it completes the command. This option is the default.
- No** FlashCopy Manager for Microsoft Exchange Server ends the command (if removable media are required). An error message is displayed.

/Object=object-name

Use the **/object** parameter to specify the name of the backup object you want to restore. The object name uniquely identifies each backup object and is created by FlashCopy Manager for Microsoft Exchange Server.

Use the FlashCopy Manager for Microsoft Exchange Server query `fcm /all` command to view the names of active and inactive backup objects.

If the `tdpexcc restore dbname incr` command is entered (without the **/object** parameter) to restore multiple active incremental backups, all multiple active incremental backups are restored sequentially. The **/object** parameter is used to restore only one incremental backup at a time.

/Quiet This parameter prevents status information from being displayed. This function does not affect the level of information that is written to the activity log.

/RECOVER=APPLYRESToredlogs | APPLYALLlogs

Use this parameter to specify whether you want to run recovery after you restore an object. If the database is not mountable, you can either restore the last backup again and specify the **/RECOVER=value** option or you can use the Microsoft **ESEUTIL /cc** command to run recovery manually.

You must specify one of the following values when you use this parameter:

APPLYALLlogs

Specify `/recover=applyalllogs` to replay the restored-transaction log entries and the current active-transaction log entries. Any transaction logs entries that display in the current active-transaction log are replayed. This option is the default.

APPLYRESToredlogs

Specify `/recover=applyrestoredlogs` to replay only the restored-transaction log entries. The current active-transaction log entries are not replayed. When you choose this option for a restore, your next backup must be a full or copy backup.

When you restore multiple backup objects, the **/RECOVER** option must be used on the restore of the last object.

/TEMPLOGRESTorepath=path-name

Use the **/TEMPLOGRESTorepath** parameter to specify the default temporary path to use when logs and patch files are restored. For best performance, this path must be on a different physical device than the current active-transaction logger.

If you do not specify the **/TEMPLOGRESTorepath** parameter, the default value is the value that is specified by the **/TEMPLOGRESTorepath** option in the FlashCopy Manager for Microsoft Exchange Server configuration file. The default FlashCopy Manager for Microsoft Exchange Server configuration file is `tdpexc.cfg`.

If you do not specify the **/TEMPLOGRESTorepath** parameter, and the **/TEMPLOGRESTorepath** value does not exist in the FlashCopy Manager for Microsoft Exchange Server configuration file, the TEMP environment variable value is used.

When you do a full or copy restore operation, all log files in the path that is specified by the **/TEMPLOGRESTorepath** parameter are erased. In addition, the value of **/TEMPLOGRESTorepath** must not be the same value as the current location for the database. If the value is the same, the database can become corrupted.

Do not specify double-byte characters (DBCS) within the temporary log path.

Restore example

This output example provides a sample of the text, messages, and process status that displays when you use the **restore** command.

In this example, the command completes an instant restore of the local backup for mailbox database `rabbitvm3_sw2ie_mbdb1`. The following output is displayed:

```

Connecting to TSM Server as node 'RABBITVM3_EXCH'...
Connecting to Local DSM Agent 'RABBITVM3'...
Using backup node 'RABBITVM3_EXCH'...
Starting Microsoft Exchange restore...

Beginning VSS restore of 'rabbitvm3_sw2ie_mdb1'. This operation could take a while,
please wait...
Restoring 'rabbitvm3_sw2ie_mdb1' via volume-level copy from snapshot(s). This process may
take some time. Please wait.
VSS Restore operation completed with rc = 0
Files Examined      : 0
Files Completed     : 0
Files Failed        : 0
Total Bytes         : 0
Total LanFree Bytes : 0

Running recovery. This operation might take some time, depending on the number
of transaction logs being replayed.

The operation completed successfully. (rc = 0)

```

Restorefiles command

Use the **restorefiles** command to restore flat files from a backup into a specified directory.

The following information provides details about this using the **restorefiles** command:

- The **restorefiles** command is only available on the command-line interface.
- This command does not require an Exchange Server to be installed on, or accessible from the system where **restorefiles** is run.
- Files can be restored to an alternative system or to an alternative directory on the same system as the Exchange Server.
- The **restorefiles** operation fails if a previously restored file exists, except for VSS backup files.
- The command continues until it succeeds, or until the destination volume does not contain enough space for the operation.
- When you restore files from an inactive backup or an active incremental backup, use the **/object** parameter to specify the name of the backup object. The object name uniquely identifies the backup instance in Tivoli Storage Manager server storage. A list of backup object names is obtained by issuing the **query tsm * /all** command.

A VSS **restorefiles** operation overwrites files that exist and have the same name. If a log file from an incremental backup has the same name as the log file from the full backup operation, you can run two consecutive **restorefiles** operations to the same directory:

1. Run the following command to restore a full backup:
 tdpexcc restorefiles DB1 FULL /into=d:\temprestore |
2. Run the following command to restore the log files during the incremental restore:
 tdpexcc restorefiles DB1 INCR /into=d:\temprestore |


Before you issue the **restorefiles** command, make sure that you have sufficient disk space to hold all of the flat files. For example, if your database and logs are 50 GB in size, you need 50 GB available in the destination directory that is specified by the **/into** parameter. For VSS backups, do not issue a **restorefiles** command

to the existing location of the production or active database. Those files are overwritten.

Restorefiles syntax

Use the **restorefiles** command syntax diagrams as a reference to view available options and truncation requirements.

TDPEXCC command



Restorefiles positional parameters

Positional parameters immediately follow the **restorefiles** command and precede the optional parameters.

The following positional parameters specify the object to restore:

* *dbname*

* Sequentially restore all flat files for the database.

dbname

Restore the specified database files. Multiple entries are separated by commas.

The following positional parameters specify the type of backup from which the files are restored:

FULL | COPY | INCRemental | DIFFerential *dbname*

FULL Restore the files from a full backup.

COPY Restore the files from a copied backup.

INCRemental

Restore the files from an incremental backup.

DIFFerential

Restore the files from a differential backup.

Restorefiles optional parameters

The optional parameters for the **restorefiles** command and positional parameters are listed.

/CONFIGfile=*configfilename*

Use the **/CONFIGfile** parameter to specify the name of the Tivoli Storage FlashCopy Manager for Exchange Server configuration file that contains the values for the Tivoli Storage FlashCopy Manager for Exchange Server configuration options.

The *configfilename* variable can include a full path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager for Exchange Server installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpexc.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\file.cfg"
```

/DAGNODE=*nodename*

Specify the node name that you want to use to back up the databases in an Exchange Server Database Availability Group. With this setting, backups from all Database Availability Group members that are configured to use the DAG node are backed up to a common file space on the Tivoli Storage Manager server. The database copies are managed as a single entity, regardless of which Database Availability Group member they are backed up from. This setting can prevent FlashCopy Manager for Microsoft Exchange Server from making too many backups of the same database.

/FROMEXCServer=*server-name*

Use the **/fromexcserver** parameter to specify the name of the Exchange Server where the original backup was processed.

The default is the local Exchange Server.

If a DAG node is specified by using the **dagnode** parameter, FlashCopy Manager for Microsoft Exchange Server uses this node name instead of the FlashCopy Manager for Microsoft Exchange Server node to back up databases in an Exchange Server Database Availability Group. Therefore, the **delete** command automatically deletes the backups that are created by the other DAG members, without having to specify the **/fromexcserver** parameter.

/INTO=*path*

Use the **/INTO** parameter to specify the root directory where files are to be restored. The **restorefiles** operation creates a subdirectory under the root directory that contains the name of the database. Restored files are placed in that subdirectory. If the **/INTO** parameter is not specified, the files are restored into the directory where the **restorefiles** command is issued.

/LOGFile=*logfile*

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager for Exchange Server.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager for Exchange Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/LOGFile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\mytdpexchange.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, *tdpexc.log*.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of Tivoli Storage FlashCopy Manager for Exchange Server to run operations, use the **/LOGFile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/MOUNTwait=Yes | No

Use the **/mountwait** parameter to specify whether FlashCopy Manager for Microsoft Exchange Server waits for removable media to mount (such as tapes or CDs) or to stop the current operation. This situation occurs when

the is configured to store backup data on removable media and waits for a required storage volume to be mounted.

You can specify these options:

- Yes** FlashCopy Manager for Microsoft Exchange Server waits until all initial volumes of any required removable media are made available to the Tivoli Storage Manager server before it completes the command. This option is the default.
- No** FlashCopy Manager for Microsoft Exchange Server ends the command (if removable media are required). An error message is displayed.

/Object=object

Use the **/Object** parameter to specify the name of the backup object files that you want to restore. The object name uniquely identifies each backup object and is created by Tivoli Storage FlashCopy Manager for Exchange Server.

Use the Tivoli Storage FlashCopy Manager for Exchange Server **query tsm * /all** command to view the names of the backup objects.

/Quiet This parameter prevents status information from being displayed. The level of information that is written to the activity log is not affected.

/FCMPTFile=dsm.opt filename

Use the *tsmoptfilename* variable to identify the Tivoli Storage FlashCopy Manager for Exchange Server options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager for Exchange Server is installed is searched.

If the *tsmoptfilename* variable includes spaces, enclose the entire *dsm.opt filename* parameter entry in double quotation marks. For example:

```
/fcmptfile="c:\Program Files\file.opt"
```

The default is *dsm.opt*.

Restoremailbox command

To restore mailbox-level data or mailbox-item-level data from Tivoli Storage FlashCopy Manager for Exchange Server backups, use the **restoremailbox** command.

The **restoremailbox** command applies to any FlashCopy Manager for Microsoft Exchange Server VSS backup:

- VSS backups that are stored on Tivoli Storage Manager server
- VSS backups that are stored on local shadow volumes

When you use the **restoremailbox** command, follow these guidelines:

- Ensure that you have the required role-based access control (RBAC) permissions to complete individual mailbox restore operations.
- You can restore multiple mailboxes in a single mailbox restore operation.
- You can use the **restoremailbox** command to restore data to a mailbox on the Exchange Server or to an Exchange Server.pst file.

When you restore to a Unicode .pst file, except for the **Folder Name** and **All Content** filters, the filters are ignored. The amount of time that is needed to

complete the restore process depends on the size of the mailbox databases, the network speed, and the number of mailboxes to process.

For non-Unicode .pst files, you can limit the range of the mailbox data to restore by using the **/mailboxfilter** parameter to specify filters that are based on the following mailbox message elements:

- Sender name
- Folder name
- Message body
- Subject line
- Attachment name
- Range of the message delivery date and time
- You can use the **restoremailbox** command on the primary Exchange Server or on an alternate Exchange Server that is in the same domain.
- In Exchange 2013, you can use the **restoremailbox** command to restore a public folder mailbox database, a public folder mailbox, or only a part of the mailbox, for example, a specific public folder.
 - To restore an Exchange 2013 public folder mailbox, you must have the Public Folders management role.
 - You can restore a public folder mailbox only to an existing public folder mailbox that is on the Exchange server.
 - You can restore a public folder only to an existing public folder. The public folder on the Exchange server must have the same folder path as the public folder to be restored. If the public folder is deleted from the public folder mailbox on the Exchange server, you must re-create the public folder with the same folder path as the public folder to be restored, before you start the restore operation.
 - As a best practice, restore public folder mailboxes separately from user mailboxes. Select only one public folder mailbox to restore at a time if you want to restore a specific public folder in the mailbox, or if you want to restore to a different public folder mailbox than the original mailbox.

If you restore multiple mailboxes in a single restore operation, and at least one of the mailboxes is a public folder mailbox, the mailboxes are restored only to their original mailbox locations. You cannot specify a filter or an alternate mailbox destination.
 - You can restore to a different public folder mailbox than the original mailbox if, for example, the public folder was relocated since the time of the backup. Before you complete the public folder restore operation, ensure that the public folder exists with the same folder path in the alternate mailbox location.
- In Exchange Server 2010 or later, you can use the **restoremailbox** command to restore an archive mailbox or only a part of the mailbox, for example, a specific folder. You can restore archive mailbox messages to an existing mailbox on the Exchange server, to an archive mailbox, or to an Exchange Server .pst file.
- You can use the **restoremailbox** command with the following parameter and options:
 - Set the **/KEEPRDB** parameter option to Yes to retain a recovery database after one or more mailboxes are restored. Set the parameter value to No to automatically remove the recovery database after mailbox restore processing. Regardless of the option that you set, FlashCopy Manager for Microsoft Exchange Server retains the recovery database if the mailbox restore operation fails after the recovery database is successfully restored.

If you restore multiple mailboxes, and you want to retain the recovery database after the restore operation is complete, ensure that all mailboxes are in the same recovery database.

- Set the **/USEEXISTINGRDB** parameter option to Yes to restore a mailbox from an existing recovery database. Set the parameter value to No to automatically remove the existing recovery database during mailbox restore processing.
- Set the **/mailboxoriglocation** parameter to specify the server and the database where the mailbox is at the time of backup. You set this option when the mailbox history is disabled and when the mailbox that you are restoring is either moved or deleted since the time of the backup.
- If a mailbox is deleted or re-created since the time of the backup, you must use a temporary mailbox with enough capacity to contain all of the mailbox items that you are restoring. The mailbox of the user who is logged in is used as temporary mailbox by default.

You can set the **/tempmailboxalias** optional parameter by selecting **Properties** from the Actions pane. In the **Data Protection Properties** window, select the **General** page, where you can specify the temporary log restore path, the temporary database restore path and the alias of the temporary mailbox.

- You can use the **restoremailbox** command to recover and restore different types of mail items in the Recoverable Items folder.
 - The mail items that you can restore depends on whether the mailbox is enabled for mailbox restore operations.
 - You cannot restore the Recoverable Items folder and subfolder hierarchy to a mailbox restore destination. You can restore only the contents of the email folders.
 - You cannot add a subfolder to the Recoverable Items folder in a mailbox.

Related concepts:

“Exchange mailbox restore operations” on page 23

“Security requirements for backup and restore operations” on page 98


Related tasks:


“Restoring mailbox data” on page 115

Restoremailbox syntax


Use the **restoremailbox** command syntax diagram as a reference to view available options and truncation requirements.

TDPEXCC command





/MAILBOXRESTOREDESTination options:



Notes:

- 1 You can specify the **/MAILBOXFILTER** parameter multiple times; however, you must specify each **/MAILBOXFILTER** subparameter only once.

Restoremailbox positional parameters

Positional parameters immediately follow the **restoremailbox** command and precede the optional parameters.

original-mailboxname

Use this parameter to specify the name of the mailbox to restore from. The mailbox name can be either the mailbox-alias, the mailbox-display name, or the mailbox globally unique identifier (GUID). The *original-mailboxname* parameter is required.

To specify more than one name, separate them by commas. If any mailbox name contains blanks, enclose the entire mailbox name in double quotation marks.

Restoremailbox optional parameters

Optional parameters are supplied following the **restoremailbox** command and positional parameters.

/CLIENTAccessserver=configfilename

Use the **/CLIENTAccessserver** parameter to specify the name of the Client Access Server (CAS) that you want to use. This parameter is available only if you use Microsoft Exchange 2010 or later versions.

By default, Tivoli Storage FlashCopy Manager uses the local server as the CAS if the CAS role is installed on the local server. If the CAS role is not installed on the local server, Tivoli Storage FlashCopy Manager uses the mailbox database that the user is logged in to.

To determine the name of the CAS in use, run this Exchange Management Shell command:

```
Get-MailboxDatabase -Identity <logon user mailbox database> |
select RpcClientAccessServer
```

You can also specify a different CAS.

/CONFIGfile=configfilename

Use the **/CONFIGfile** parameter to specify the name of the FlashCopy Manager for Microsoft Exchange Server configuration file that contains the values for the FlashCopy Manager for Microsoft Exchange Server configuration options.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the FlashCopy Manager for

Microsoft Exchange Server installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpexc.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\file.cfg"
```

/DAGNode=nodename

Specify the node name that you want to use to back up the databases in an Exchange Server Database Availability Group. With this setting, backups from all Database Availability Group members that are configured to use the DAG node are backed up to a common file space on the Tivoli Storage Manager server. The database copies are managed as a single entity, regardless of which Database Availability Group member they are backed up from. This setting can prevent FlashCopy Manager for Microsoft Exchange Server from making too many backups of the same database.

/EXCLUDEDUMPster=No | Yes

Use the **/EXCLUDEDUMPster** parameter to specify whether Tivoli Storage FlashCopy Manager includes or excludes the mail items in the Recoverable Items folder in mailbox restore operations.

You can specify the following values:

No Restore the mail items in the Recoverable Items folder to a mailbox restore destination. This option is the default.

Yes Do not restore the mail items in the Recoverable Items folder to a mailbox restore destination.

If you are restoring the mailbox of George Clark, for example, you can exclude the Recoverable Items folder contents as shown in the following example:

```
tdpexc restoremailbox "George Clark" /EXCLUDEDUMPster=YES  
/USEEXISTINGRDB=NO /KEEPRDB=NO
```

/FCMPTFile=dsmoptfilename

The **/FCMPTFile** parameter specifies the Tivoli Storage FlashCopy Manager options file to use.

- The *dsmoptfilename* variable can include a fully qualified path. If you do not include a path, the Tivoli Storage FlashCopy Manager installation directory is used.
- If the *dsmoptfilename* variable spaces, enclose it in double quotation marks.
- If you do not specify **/FCMPTFile**, the default value is `dsm.opt`.
- If you specify **/FCMPTFile** but not *dsmoptfilename*, the default is also `dsm.opt`.

/FROMArchive

Use the **/FROMArchive** parameter only if you are restoring an archive mailbox and you specify the mailbox alias of the primary mailbox. If you specify the primary mailbox alias and you do not specify this parameter option, by default, the primary mailbox is restored.

To restore an archive mailbox to another archive mailbox, specify both the **/FROMArchive** and the **/MAILBOXRESTOREDestination=ARCHIVEMAILBOX,target-mailboxname** parameters. For example:


```
tdpexcc restoremailbox "OriginalArchiveMailboxName" /FROMArchive  
/MAILBOXRESTOREDESTINATION=ARCHIVEMAILBOX,"TargetArchiveMailboxName"
```

/KEEPRDB=No|Yes

Use the **/KEEPRDB** parameter to specify whether Tivoli Storage FlashCopy Manager retains a recovery database for reuse in mailbox restore operations, or automatically removes the recovery database after mailbox restore operations.

You can specify the following values:

No Do not retain a recovery database for mailbox restore operations. Remove the recovery database after mailbox restore processing. This option is the default.

Yes Retain the recovery database for mailbox restore operations.

/LOGFile=logfilename

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by FlashCopy Manager for Microsoft Exchange Server.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the FlashCopy Manager for Microsoft Exchange Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/LOGFile** parameter in double quotation marks. For example:

```
/LOGFile="c:\Program Files\mytdpexchange.log"
```

If you do not specify the **/LOGFile** parameter, log records are written to the default log file, *tdpexc.log*.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of FlashCopy Manager for Microsoft Exchange Server to run operations, use the **/LOGFile** parameter to specify a different log file for each instance that is used. This function directs logging for each instance to a different log file and prevents interspersed log file records.

Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays|No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, some days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.

- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/MAILBOXFILTER=ATTACHMENTNAME | ENDDATETIME | FOLDER | MESSAGEBODY | SENDER | STARTDATETIME | SUBJECT | ALLCONTENT

Use the **/MAILBOXFILTER** parameter to specify filters to restrict what mailbox data is restored. When you are restoring to a Unicode .pst file, except for the FOLDER and ALLCONTENT filters, the filters are ignored.

You can specify multiple filters; however, you must specify each filter only one time. For each filter that you specify, a separate **/MAILBOXFILTER** parameter must be used. For example:

```
tdpexcc.exe restoremailbox dchang /MAILBOXFILTER=STARTDATETIME,07/01/2013
/MAILBOXFILTER=ENDDATETIME,07/31/2013
```

Mailbox data that matches a combination of all filters that are specified is restored. If no filters are specified, by default all data in the mailbox is restored.

Specify one of the following filters when you use this parameter:

ATTACHMENTNAME,attachmentname-search-text

Use **/MAILBOXFILTER=attachmentname attachmentname-search-text** to restore only the mailbox messages that contain a match of the specified text within a message attachment name. The match is not case-sensitive. For example, an *attachmentname-search-text* of *Rob* matches the attachment name: *Rob*, *robert.txt*, *PROBE*, and *prObe.pdf*.

Enclose the *attachmentname-search-text* variable in double quotation marks.

The **ATTACHMENTNAME** filter does not match the attachment names of encrypted mailbox messages. If a mailbox message is encrypted, it is skipped by the **ATTACHMENTNAME** filter.

ENDDATETIME,end-date[,end-time]

Use **/MAILBOXFILTER=enddatetime,end-date[,end-time]** to restore only the mailbox messages that are sent or received earlier than the specified date and time.

The *end-date* variable is required. Use the same date format for the *end-date* that you selected with the DATEFORMAT option in the Tivoli Storage FlashCopy Manager options file.

The *end-time* variable is optional. Use the same time format for the *end-time* variable that you selected with the TIMEFORMAT option in the Tivoli Storage FlashCopy Manager options file.

The ENDDATETIME filter date and time must be later than the STARTDATETIME filter date and time. If no time is specified, all messages that are sent or received on that date is restored.

FOLDER,*folder-name*

Use /MAILBOXFILTER=folder,*original-folder-name* to restore only the mailbox messages that are in the specified folder within the original mailbox. The match is not case-sensitive.

Enclose the *original-folder-name* variable in double quotation marks.

- To filter a public folder to restore, ensure that you are restoring the folder to an existing public folder that has the same folder path as the public folder to be restored. If the original public folder is deleted after the time of the backup, re-create the public folder. Specify the full path to the folder. If the full directory path includes spaces, enclose the directory path in double quotation marks, and do not append a backslash character (\) at the end of the directory path.

For example, to restore a folder that is named "SubFolder" under "ParentFolder", specify "ParentFolder/SubFolder" as the folder path. To restore all folders in a parent folder, use *ParentFolder/**.

- To restore a specific folder in an archive mailbox, ensure that you specify the full directory path to the folder.

To restore an archive mailbox to another archive mailbox, you must specify both the /MAILBOXFILTER=folder,*original-folder-name* parameter and the /MAILBOXRESTOREDESTINATION=ARCHIVEMAILBOX,*target-mailboxname* parameter. For example:

```
tdpexcc restoremailbox "OriginalArchiveMailboxName"  
/MailboxFilter=folder,"folderA" /MAILBOXRESTOREDESTINATION=  
ARCHIVEMAILBOX,"TargetArchiveMailboxName"
```

- To restore the folder of a mailbox to a Unicode .pst file, ensure that you specify the /MAILBOXFILTER=FOLDER parameter with the /MAILBOXRESTOREDESTINATION=UNICODEPST parameter. Specify the full directory path to the folder. For example, to restore a folder that is named "SubFolder" under "ParentFolder", specify "ParentFolder/SubFolder" as the folder path. To restore all folders in a parent folder, use *ParentFolder/**.

- To restore only the mail items in the Deletions subfolder of the Recoverable Items/ folder, specify the /MAILBOXFILTER=FOLDER parameter with the correct folder value for the target destination.

As shown in the following example, if you are restoring mail items to the original mailbox, specify the Deletions folder.

```
tdpexcc restoremailbox "george clark" /MailboxFilter=folder,  
"Deletions"
```

If you are restoring mail items to a Unicode .pst file, specify the full folder path to the Deletions folder.

```
tdpexcc restoremailbox "george clark" /MailboxFilter=folder,  
"Recoverable Items/Deletions" /KEEPREDB=NO /USEExistingrdb=NO  
/MAILBOXRESTOREDESTINATION=UNICODEPST,c:\gclark.pst
```

MESSAGEBODY,*messagebody-search-text*

Use /MAILBOXFILTER=messagebody,,*messagebody-search-text* to restore only the mailbox messages that contain a match of the specified text within the message body. The match is not case-sensitive. For example, a *messagebody-search-text* of *Rob* matches the message body text: *Rob*, *robert*, *PROBE*, and *prObe*.

Enclose the *messagebody-search-text* variable in double quotation marks.

The MESSAGEBODY filter does not match the message body of encrypted mailbox messages. If a mailbox message is encrypted, it is skipped by the MESSAGEBODY filter.

SENDER,*sender-name*

Use /MAILBOXFILTER=sender,,*sender-name* to restore only the mailbox messages that are received from the specified message sender.

Enclose the *sender-name* variable in double quotation marks.

STARTDATETIME,*start-date*[,*start-time*]

Use /MAILBOXFILTER=startdatetime,*start-date*[,*start-time*] to restore only the mailbox messages that are sent or received after the specified date and time.

The *start-date* variable is required. Use the same date format for the *start-date* that you selected with the DATEFORMAT option in the Tivoli Storage FlashCopy Manager options file.

The *start-time* variable is optional. Use the same time format for the *start-time* variable that you selected with the TIMEFORMAT option in the Tivoli Storage FlashCopy Manager options file.

The STARTDATETIME filter date and time must be earlier than the ENDDATETIME filter date and time. If no time is specified, all messages that are sent or received on that date is restored.

SUBJECT,*subject-search-text*

Use /MAILBOXFILTER=subject,,*subject-search-text* to restore only the mailbox messages that contain a match of the specified text within the message subject line. The match is not case-sensitive. For example, a *subject-search-text* of *Rob* matches the subject text: *Rob*, *robert*, *PROBE*, and *prObe*.

Enclose the *subject-search-text* variable in double quotation marks.

ALLCONTENT,*allcontent-search-text*

Use /MAILBOXFILTER=allcontent,*allcontent-search-text* to restore only the mailbox messages that contain a match of the specified text that is contained within the message sender, the message subject line, or the message body. The match is not case-sensitive. For example, an *allcontent-search-text* of *Rob* matches *Rob*, *robert*, *PROBE*, and *prObe* contained within the attachment name, message sender, the subject line, or the message body.

Enclose the *allcontent-search-text* variable in double quotation marks.

The ALLCONTENT filter does not match the message body of encrypted mailbox messages. If a mailbox message is encrypted,

the ALLCONTENT filter matches only text that is contained within the message sender or the subject line.

/MAILBOXORIGLOCATION=server-name,db-name

Use the **/MAILBOXORIGLOCATION** parameter to specify the Exchange Server and the database where the mailbox is at the time of backup.

If you do not specify the **/MAILBOXORIGLOCATION** parameter, the default value is the location (found in the mailbox location history) of the mailbox to restore from, for the backup time specified. If no mailbox location history is available, the default value is the current active location of the mailbox.

server-name

The name of the Exchange Server where the mailbox is at the time of backup.

db-name

The name of the database where the mailbox is at the time of backup.

The **/MAILBOXORIGLOCATION** parameter is only necessary if the mailbox to be restored from is moved or deleted after the time of the backup, and no mailbox location history is available.

A **restoremailbox** operation from a backup that is selected with FlashCopy Manager for Microsoft Exchange Server before version 6.1 fails if the **/MAILBOXORIGLOCATION** parameter is not specified for mailboxes that meet one or both of the following conditions:

- The mailbox to be restored is moved. (The mailbox is not in the same server and the same database where the mailbox is at the time of backup).
- The mailbox to be restored is deleted and the restore destination is to an alternate mailbox or to a .pst file.

For example:

```
TDPEXC RESTOREMAILBOX annjones  
/MAILBOXORIGLOCATION=serv1,mbdb1  
/MAILBOXRESTOREDate=12/31/2013  
/MAILBOXRESTOREDESTination=PST,c:\team99\rcvr.pst
```

/MAILBOXRESTOREDate=restore-date

Use the **/MAILBOXRESTOREDate** parameter with or without the **/mailboxrestoretime** parameter to establish a date and time to restore mailbox data from. A mailbox is restored from the earliest backup that is selected after the date and time that is established by the **/MAILBOXRESTOREDate** and the **/mailboxrestoretime** parameters. Specify the appropriate date in the *restore-date* variable; use the same format that you selected with the DATEFORMAT option in the FlashCopy Manager for Microsoft Exchange Server options file.

If *restore-date* or *restore-time* values are not specified, no date and time is established. By default the mailbox is restored from the most recent available backup.

If either *restore-date* or *restore-time* is specified, then the mailbox is restored from the earliest backup that is selected after the established restoration date and time. If no backup of the mailbox after the established date and time is found, by default the mailbox will be restored from the most recent available backup.

- If you specify both *restore-date* or *restore-time*, this action establishes the mailbox restoration period.
- If you specify *restore-date* and you do not specify *restore-time*, *restore-time* defaults to a value of 23:59:59. This action establishes the *restore-date* at the specified date.
- If you specify *restore-time* without *restore-date*, then *restore-date* defaults to the current date. This setting establishes the restoration date and time as the current date at the specified *restore-time*.

/MAILBOXRESTORETime=restore-time

Use the **/MAILBOXRESTORETime** parameter with or without the **/MAILBOXRESTOREDate** parameter to establish a date and time to restore a mailbox from. A mailbox is restored from the earliest backup that is selected after the date and time that is established by the **/MAILBOXRESTOREDate** and the **/MAILBOXRESTORETime** parameters. Specify the appropriate time in the *restore-time* variable; use the same format that you selected with the TIMEFORMAT option in the FlashCopy Manager for Microsoft Exchange Server options file.

If *restore-date* and *restore-time* values are not specified, no date and time is established. By default the mailbox is restored from the most recent available backup.

If either *restore-date* or *restore-time* is specified, the mailbox is restored from the earliest backup that is selected after the established date and time. If no backup of the mailbox after the established date and time is found, by default the mailbox is restored from the most recent available backup.

- If you specify both *restore-date* and *restore-time*, this function establishes the mailbox restoration period.
- If you specify *restore-date* and you do not specify *restore-time*, *restore-time* defaults to a value of 23:59:59. This function establishes the *restore-date* at the specified date.
- If you specify *restore-time* without *restore-date*, the *restore-date* variable defaults to the current date. This function establishes the restoration date and time as the current date at the specified *restore-time*.

/MAILBOXRESTOREDESTination=EXCHANGE | PST | UNICODEPST | ARCHIVEMAILBOX

Use the **/mailboxrestoredestination** parameter to specify the destination to restore the mailbox data to.

If you do not specify the **/mailboxrestoredestination** parameter, by default, the EXCHANGE option is used and the **/mailboxrestoredestination** is not required. The default system behavior is to restore mailbox data to the original location in the original active mailbox. When you restore multiple mailboxes with the same **restoremailbox** command, the default system behavior is to restore mailbox data into each original active mailbox.

Mailbox items are merged into the mailbox destination. If a mailbox item exists in the mailbox destination, that item is not restored.

You must specify one of the following values when you use this parameter:

EXCHANGE,[target-mailboxname,target-foldername]

Use the **/mailboxrestoredestination=EXCHANGE** option to restore mailbox messages into a live Exchange Server.

The EXCHANGE option is the default option. If you specify the **/mailboxrestoredestination=EXCHANGE** option without specifying

any variables, the result is the same as not specifying the **/mailboxrestoredestination** parameter. The mailbox data is restored to the original location in the original active mailbox.

Use **/mailboxrestoredestination=EXCHANGE,target-mailboxname,target-foldername** to restore mailbox messages into a destination other than the original location in the original active mailbox. The mailbox messages are restored into a subfolder of the specified folder within the target mailbox. The target mailbox can be the original mailbox or an alternate mailbox.

When you restore multiple mailboxes with the same **restoremailbox** command, this option restores the mailbox data into a subfolder (designated by each original mailbox-alias) of the specified target folder in the active mailbox. The folders from the corresponding original mailbox, which contain the restored mailbox messages, are in each subfolder. The specified folder in the target mailbox contains a subfolder that is designated by the original mailbox alias name. Subfolders that contain the restored mailbox messages are in each parent subfolder. These child subfolders have the folder structure of the original mailbox.

target-mailboxname

Specify the target mailbox-alias or the target mailbox-display name. The target mailbox must be an active mailbox.

If the *target-mailboxname* variable includes spaces, enclose the entry in double quotation marks.

To restore a specific public folder to an alternate public folder mailbox, specify both the **/MAILBOXFILTER=folder,original-folder-name** parameter and the **/MAILBOXRESTOREDESTINATION=EXCHANGE,target-publicfolder-mailboxname** parameter. For example:

```
tdpexcc restoremailbox "OriginalPublicFolderMailbox"  
/MailboxFilter=folder,"folderA" /MAILBOXRESTOREDESTINATION=  
EXCHANGE,"TargetPublicFolderMailbox"
```

You can restore a public folder only to an existing public folder on the Exchange server. If the public folder is relocated to an alternate mailbox destination after the time of the backup, ensure that it exists in the alternate mailbox location with the same folder path as the folder to be restored. The restore operation does not automatically re-create the public folder in the destination mailbox.

target-foldername

The *target-foldername* variable specifies the mailbox folder in the target mailbox to restore mailbox messages to.

If you restore a mailbox to a different destination than the original mailbox, the mailbox folders are restored in the destination mailbox under a folder that is named *original-mailbox_mailbox-GUID*. In the process, the Recoverable Items folders are restored.

If you specify the *target-mailboxname* variable and the target mailbox is not the original mailbox, you must specify a folder name. However, when you restore to a mailbox in a

target public folder, do not specify a target folder name. A folder name is not required for public folder restore operations.

If the mailbox folder specified by the *target-foldername* variable does not exist in the target mailbox, a folder with the target folder name is created in the target mailbox except for public folder mailboxes.

The target folder contains one subfolder for each original-mailbox that is restored (designated by each original-mailbox alias). The folders from the corresponding original mailbox, which contain the restored mailbox messages, are in each subfolder. If you did not specify the **/mailboxfilter** parameter, the target folder that you specified contains, within the subfolder that is designated by the original mailbox alias, all the folders that are in the mailbox that you are restoring from. If you specified the **/mailboxfilter** parameter, the subfolder within the folder that you specified contains only the folders with messages that match the filter criteria.

If the *target-foldername* variable includes spaces, enclose the entire *target-foldername* variable entry in double quotation marks. For example:

```
/MAILBOXRESTOREDESTINATION=EXCHANGE,Kerry,"temp folder"
```

When you restore multiple mailboxes with the same **restoremailbox** command, and you specify a target folder, each original-mailbox is restored to the target folder in the target mailbox. The target folder contains one subfolder for each original-mailbox that is restored (designated by each original mailbox alias). The folders from the corresponding original mailbox, which contain the restored mailbox messages, are in each subfolder.

For example, this **restoremailbox** operation restores mailboxes "andrew baker" and "sally wood" to the folder "previous_acctmng" in the target mailbox "mary brown":

```
restoremailbox "andrew baker","sally wood"  
/mailboxrestoredest=exchange,"mary brown",previous_acctmng
```

The restored mailbox messages are placed in folders that are copied from the original mailboxes that use the following folder structure:

```
mary brown (target mailbox)  
  >-previous_acctmng (specified folder)  
    >-abaker (original-mailbox1 alias)  
      >-Inbox (restored folder from mailbox1)  
      >-Outbox (restored folder from mailbox1)  
      >-My Accts (restored folder from mailbox1)  
    >-swood (original-mailbox2 alias)  
      >-Inbox (restored folder from mailbox2)  
      >-Outbox (restored folder from mailbox2)  
      >-New Accts (restored folder from mailbox2)
```

PST,non-Unicode-pst-filename-path

Use /mailboxrestoredestination=PST,non-Unicode-pst-filename-

path to restore mailbox data to an Exchange Server personal folders (.pst) file. The mailbox data that is restored is in non-Unicode format.

You can include the *non-Unicode-pst-filename-path* variable to specify the destination where the **restoremailbox** operation writes the .pst file. The *non-Unicode-pst-filename-path* can be either a fully qualified path to a .pst file or a directory path. If you do not specify a path, the .pst file is written to the current directory.

- You can specify *non-Unicode-pst-filename-path* as a fully qualified path to a .pst file to restore all mail to that .pst file.

```
TDPEXCC RESTOREMAILBOX gclark  
/mailboxrestoredestination=PST,c:\mb\dept54\vpo.pst
```

Note: The .pst directory must exist before you use the **restoremailbox** command. The .pst file is created if it does not exist.

If you are restoring more than one mailbox and you specify a fully qualified path to a .pst file, all the mailbox data is restored to the one .pst file specified. Inside the .pst file, the parent-level folder name is the mailbox-alias-name, followed by the rest of the mailbox folders.

- You can specify *non-Unicode-pst-filename-path* as a directory path to have FlashCopy Manager for Microsoft Exchange Server create a .pst file by using the mailbox-alias-name of the mailbox that is being restored, and store the .pst file in the specified directory. For example, the .pst file name of the restored mailbox "George Clark" (gclark) is gclark.pst.

```
TDPEXCC RESTOREMAILBOX "george clark"  
/mailboxrestoredestination=PST,c:\mb\dept54\
```

The .pst directory must exist before you use the **restoremailbox** command. If the .pst file does not exist, the file is created.

If you restore multiple mailboxes with the same **restoremailbox** command, and you specify a directory path, each mailbox is restored into a separate .pst file. For example, if mailboxes John (john1), John Oblong (oblong), and Barney Olef (barneyo) are restored and the specified directory path is c:\finance, all mailboxes are restored into the c:\finance directory as shown:

```
c:\finance\john1.pst  
c:\finance\oblong.pst  
c:\finance\barneyo.pst
```

The .pst directory must exist before you use the **restoremailbox** command. The mailbox data that is restored by using */mailboxrestoredestination=PST,non-Unicode-pst-filename-path* must be less than 2 GB.

If the *non-Unicode-pst-filename-path* variable includes spaces, enclose the entire *non-Unicode-pst-filename-path* variable entry in double quotation marks and do not append a backslash character (\) at the end of folder path. For example:

```
TDPEXCC RESTOREMAILBOX "george clark"  
/mailboxrestoredestination=PST,"c:\mb\dept54\access group"
```

UNICODEPST,Unicode-pst-filename-path

Use */mailboxrestoredestination=UNICODEPST,Unicode-pst-*

filename-path to restore mailbox data to an Exchange Server personal folders (.pst) file. The mailbox data that is restored is in Unicode format.

You can include the *Unicode-pst-filename-path* variable to specify where the **restoremailbox** operation locates the .pst file. The *Unicode-pst-filename-path* can be either a fully qualified UNC path to a .pst file or a directory path. If you do not specify a path, the .pst file is written to the current directory. If you specify a non-UNC path (such as c:\dir\mailbox.pst), FlashCopy Manager for Microsoft Exchange Server tries to convert it to a UNC path for you, but it might not work for custom UNC paths or shares.

- To restore all mail to a .pst file, specify *Unicode-pst-filename-path* as a fully qualified path to the .pst file.

```
TDPEXCC RESTOREMAILBOX gclark  
/mailboxrestoredestination=UNICODEPST,c:\mb\dept54\vpo.pst
```

If the *Unicode-pst-filename-path* variable includes spaces, enclose the entire *Unicode-pst-filename-path* variable entry in double quotation marks and do not append a backslash character (\) at the end of folder path. For example:

```
TDPEXCC RESTOREMAILBOX "george clark"  
/mailboxrestoredestination=UNICODEPST,"c:\mb\dept54\access group"
```

The .pst directory must exist before you issue the **restoremailbox** command. If the .pst file does not exist, the file is created. If you are restoring more than one mailbox and you specify a fully qualified path to a .pst file, all the mailbox data is restored to the .pst file that you specify. The parent-level folder name in the .pst file is the mailbox-alias-name. The remaining mailbox folders follow the parent-level folder.

- Specify *Unicode-pst-filename-path* as a directory path if you want FlashCopy Manager for Microsoft Exchange Server to create a .pst file by using the mailbox-alias-name of the mailbox that is being restored, and to store the .pst file in the specified directory. For example, the .pst file name of the restored mailbox "George Clark" (gclark) is gclark.pst.

```
TDPEXCC RESTOREMAILBOX "george clark"  
/mailboxrestoredestination=UNICODEPST,c:\mb\dept54
```

The .pst directory must exist before you issue the **restoremailbox** command. If the .pst file does not exist, the file is created.

If you restore multiple mailboxes with the same **restoremailbox** command, and you specify a directory path, each mailbox is restored into a separate .pst file. For example, if mailboxes John (john1), John Oblong (oblong), and Barney Olef (barneyo) are restored and the specified directory path is c:\finance, all mailboxes are restored into the c:\finance directory as shown:

```
c:\finance\john1.pst  
c:\finance\oblong.pst  
c:\finance\barneyo.pst
```

- To restore only the mail items in the Deletions subfolder of the Recoverable Items/ folder, specify the /MAILBOXFILTER=FOLDER parameter with the correct folder value for the target destination. As shown in the following example, if you are restoring mail items to a Unicode .pst file, specify the full folder path to the Deletions folder.

```
tdpexcc restoremailbox "george clark" /MailboxFilter=folder,
"Recoverable Items/Deletions" /KEEPDB=NO /USEExistingrdb=NO
/MAILBOXRESTOREDESTINATION=UNICODEPST,c:\gclark.pst
```

ARCHIVEMAILBOX,[*target-mailboxname,target-foldername*]

Use **/MAILBOXRESTOREDESTINATION** with the ARCHIVEMAILBOX and **/FROMARCHIVE** parameters to restore archive mailbox messages to its original archive mailbox or to an alternate archive mailbox.

Use **/MAILBOXRESTOREDESTINATION=ARCHIVEMAILBOX,*target-mailboxname*** to specify the archive mailbox destination that you want to restore to. You can also specify a target folder name in the archive mailbox.

To restore an archive mailbox into a specific folder of an archive mailbox, specify both the **/FROMArchive** parameter and the **/MAILBOXRESTOREDESTINATION=ARCHIVEMAILBOX,*target-mailboxname,target-foldername*** parameters. For example:

```
tdpexcc restoremailbox "OriginalFolderName" /FROMArchive
/MAILBOXRESTOREDESTINATION=ARCHIVEMAILBOX,"TargetFolderName"
"folderA"
```

If you specify the **/MAILBOXRESTOREDESTINATION=ARCHIVEMAILBOX** parameter without specifying a target mailbox destination, the mailbox messages are restored to the original location in the original archive mailbox.

/MAILBOXRestoreunread=Yes | No

Use the **/MAILBOXRestoreunread** parameter to specify whether FlashCopy Manager for Microsoft Exchange Server marks restored mail messages as unread.

You can specify the following values:

Yes Mark restored mail messages as unread. This option is the default.

No Do not mark restored mail messages as unread.

/Quiet This parameter prevents the display of status information but does not affect the level of information that is written to the activity log.

/TEMPDBRESTorepath=*path-name*

Use the **/TEMPDBRESTorepath** parameter to specify the default temporary path to use when you restore mailbox database files.

If you do not specify the **/TEMPDBRESTorepath** parameter, the default value is the value that is specified by the **/TEMPDBRESTorepath** option in the Tivoli Storage FlashCopy Manager configuration file. The default FlashCopy Manager for Microsoft Exchange Server configuration file is `tdpexc.cfg`. If the **/TEMPDBRESTorepath** value does not exist in the FlashCopy Manager for Microsoft Exchange Server configuration file, the TEMP environment variable value is used.

If the *path-name* variable includes spaces, enclose the entire **/TEMPDBRESTorepath** parameter entry in double quotation marks. For example:

```
TDPEXCC RESTOREMAILBOX richgreene
/tempdbrestorepath="h:\Exchange Restore Directory"
```

- Do not specify a value of **/TEMPDBRESTorepath** that is the same value as the location of the active database. If the value is the same, the database might become corrupted.

- Choose a temporary database-restore location that has enough space to hold the entire restore for the database.

For better performance, the current active-transaction logger is to be on a different physical device from the paths that are specified by the values of the **/TEMPDBRESTorepath** parameter and the **/TEMPLOGRESTorepath** parameter. The paths that are specified by the values of the **/TEMPDBRESTorepath** parameter and the **/TEMPLOGRESTorepath** parameter can be on the same or separate physical devices from each other.

Do not specify double-byte characters (DBCS) within the temporary database-restore path.

/TEMPLOGRESTorepath=path-name

Use the **/TEMPLOGRESTorepath** parameter to specify the default temporary path to use when you restore logs and patch files.

If you do not specify the **/TEMPLOGRESTorepath** parameter, the default value is the value that is specified by the **/TEMPLOGRESTorepath** option in the Tivoli Storage FlashCopy Manager configuration file. The default FlashCopy Manager for Microsoft Exchange Server configuration file is `tdpexc.cfg`. If you do not specify the **/TEMPLOGRESTorepath** parameter and the **/TEMPLOGRESTorepath** value does not exist in the FlashCopy Manager for Microsoft Exchange Server configuration file, the TEMP environment variable value is used.

- Do not specify a value of **/TEMPLOGRESTorepath** that is the same value as the current location for the database that is used for recovery. If the value is the same, the database might become corrupted.
- Choose a temporary log-restore location that has enough space to hold all the log and patch files.

For better performance, the current active-transaction logger is to be on a different physical device from the paths that are specified by the values of the **/TEMPLOGRESTorepath** parameter and the **/TEMPLOGRESTorepath** parameter. The paths that are specified by the values of the **/TEMPLOGRESTorepath** parameter and the **/TEMPLOGRESTorepath** parameter can be on the same or separate physical devices from each other.

Do not specify double-byte characters (DBCS) within the temporary log-restore path.

/TEMPMAILBOXAlias=tempmailbox-alias

Use the **/TEMPMAILBOXAlias** parameter to specify the mailbox-alias of a temporary mailbox to use. A temporary mailbox is used when you run mailbox restore operations on mailboxes that are deleted or re-created after the time of the backup you are restoring from. A temporary mailbox is used by the mailbox restore operations to store mailbox messages during intermediate processing. The mailbox messages are deleted from the temporary mailbox when processing is complete.

If you do not specify the **/TEMPMAILBOXAlias** parameter, the default value is the value that is specified by the **/TEMPMAILBOXAlias** option in the Tivoli Storage FlashCopy Manager configuration file. The default FlashCopy Manager for Microsoft Exchange Server configuration file is `tdpexc.cfg`. If the **/TEMPMAILBOXAlias** value does not exist in the FlashCopy Manager for Microsoft Exchange Server configuration file, the mailbox of the currently logged on user is used as the temporary mailbox.

Specify the following value when you use this parameter:

tempmailbox-alias

Specify the mailbox-alias of the temporary mailbox to use for recovery of mailboxes that are deleted or re-created after the time of the backup you are restoring from.

Ensure that the temporary mailbox is active and has enough storage capacity to accommodate all items of the mailboxes that are being restored.

If the *tempmailbox-alias* variable includes spaces, enclose the entry in double quotation marks.

/USEEXISTINGRDB=Yes|No

Use the **/USEEXISTINGRDB** parameter to specify whether FlashCopy Manager for Microsoft Exchange Server restores mailboxes from an existing recovery database, or automatically removes an existing recovery database during mailbox restore operations.

You can specify the following values:

- Yes** Use an existing recovery database for mailbox restore operations. This option is the default.
- No** Do not use an existing recovery database for mailbox restore operations. Remove the recovery database during mailbox restore processing.

Examples: restoremailbox command

You can combine the use of the **/KEEPRDB** and **/USEEXISTINGRDB** parameter options with the **restoremailbox** command.

Example: Use an existing recovery database for mailbox operations

Use an existing recovery database for restore mailbox operations so that you do not have to restore the recovery database again.

```
tdpexcc restoremailbox <MB> /USEEXISTINGRDB=Yes
```

Example: Retain a recovery database for mailbox operations

Retain a recovery database after a mailbox restore operation so that you can use the recovery database for other restore operations.

```
tdpexcc restoremailbox <MB> /KEEPRDB=YES
```

Example: Retain a recovery database for multiple mailbox restore operations, and then remove it

Because you restore multiple mailboxes at different times, you want to retain the recovery database after the first mailbox restore operation and use it for subsequent restore operations. When you restore the final mailbox, you remove the recovery database.

```
tdpexcc restoremailbox <MB_1> /KEEPRDB=YES
```

```
tdpexcc restoremailbox <MB_2> /USEEXISTINGRDB=YES
```

```
tdpexcc restoremailbox <MB_n> /KEEPRDB=NO
```

Example: Restore multiple mailboxes simultaneously

Simultaneously restore multiple mailboxes and ensure that the recovery database is automatically removed after each mailbox is restored.

```
tdpexcc restoremailbox <MB_1>,<MB_2> /KEEPRDB=NO
```

Example: Restore multiple mailboxes from an existing recovery database

Simultaneously restore multiple mailboxes from an existing recovery database.

Tip: Mailboxes that are not in the recovery database are bypassed during restore processing, and are indicated in the console output.
Restore the remaining mailboxes that are not in the recovery database.

```
tdpexcc restoremailbox <MB_1>,<MB_2>...<MB_n> /USEEXISTINGRDB=YES
/KEEPRDB=NO
tdpexcc restoremailbox <MB_1>,<MB_2>...<MB_n> /USEEXISTINGRDB=NO
/KEEPRDB=NO
```

Set command

Use the **set** command to set the Tivoli Storage FlashCopy Manager for Exchange Server configuration parameters in a configuration file.


The values that you set are saved in a Tivoli Storage FlashCopy Manager for Exchange Server configuration file. The default file is `tdpexc.cfg`. Configuration values can also be set in the Data Protection Properties window in Microsoft Management Console (MMC).


For command invocations other than this command, the value of a configuration parameter that is specified in a command overrides the value of the configuration parameter that is specified in the Tivoli Storage FlashCopy Manager for Exchange Server configuration file. If, when you use this command, you do not override a value for the configuration file parameter, the values in the default configuration file are used.

Set syntax

Use the **set** command syntax diagrams as a reference to view available options and truncation requirements.

TDPEXCC command





Set positional parameters

Positional parameters immediately follow the **set** command and precede the optional parameters.

The following positional parameters specify the values in the Tivoli Storage FlashCopy Manager for Exchange Server configuration file. You can set only one value for each **tdpexcc set** command run:

BACKUPDESTination=TSM|LOCAL|BOTH

Use the **BACKUPDESTination** positional parameter to specify the storage location for your backup. You can specify:

- TSM** The backup is stored on Tivoli Storage Manager server storage only. This option is the default.
- LOCAL** The backup is stored on local shadow volumes only.
- BOTH** The backup is stored on both Tivoli Storage Manager server storage and local shadow volumes.

CAPACITYINFOInterval=numdays

Use the **CAPACITYINFOInterval** positional parameter to specify how often you want the capacity metrics report to be generated. The report, in an XML file format, is generated automatically at the end of a backup operation. The valid value range is 1 - 365 and the default value is 7 days, which means the report is generated once every 7 days.

CAPACITYINFOLOcation=pathname

Use the **CAPACITYINFOLOcation** positional parameter to specify the location where the capacity metrics report is to be created. If you do not specify a location, the report is not generated.

CLIENTAccessserver=servername

The *servername* variable refers to the name of the server you use to access the client.

DATEformat=dateformatnum

Use the **DATEformat** positional parameter to select the format you want to use to display dates.

The *dateformatnum* variable displays the date in one of the following formats. Select the format number that corresponds to the format you want to use.

- 1 (Default) *MM/DD/YYYY*
- 2 *DD-MM-YYYY*
- 3 *YYYY-MM-DD*
- 4 *DD.MM.YYYY*
- 5 *YYYY.MM.DD*
- 6 *YYYY/MM/DD*
- 7 *DD/MM/YYYY*

Changes to the value of the **DATEformat** parameter can result in an undesired pruning of the Tivoli Storage FlashCopy Manager for Exchange Server log file (*tdpexc.log* by default). You can avoid losing existing log file data by doing one of the following choices:

- After you change the value of the **DATEformat** parameter, make a copy of the existing log file before you run Tivoli Storage FlashCopy Manager for Exchange Server.
- Specify a new log file with the **LOGFile** parameter.

IMPORTVSSSNAPSHOTSONLYWhenneeded

Use the **/IMPORTVSSSNAPSHOTSONLYWhenneeded** parameter to specify whether Tivoli Storage FlashCopy Manager automatically imports VSS snapshots to the Windows system where the snapshots are created.

Specify one of the following values:

Yes Import VSS snapshots to the Windows system where the snapshots are created. The option is the default. During backup processing, transportable snapshots are automatically created and imported to storage systems when the snapshots are required. This option is the default.

Tip: For instant restore processing on IBM and non-IBM storage systems, you must specify the Yes option to enable the storage system to create transportable snapshots during backups.

No Do not create transportable VSS snapshots during backup processing, and do not automatically import the snapshot to storage systems after the backup is completed.

LOCALDSMAgentnode=nodename

Specify the node name of the local system that runs the VSS backups. This positional parameter must be specified for VSS operations to run.

LOGFile=logfilename

Use the **LOGFile** positional parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager for Exchange Server. The Tivoli Storage FlashCopy Manager for Exchange Server activity log records significant events, such as completed commands and error messages.

The *logfilename* variable identifies the name of the activity log file. If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified,

the log file is assigned to the Tivoli Storage FlashCopy Manager for Exchange Server installation directory.

/LOGPrune=*numdays* | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, some days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

MOUNTWait=Yes | No

Use the **MOUNTWait** positional parameter to specify whether Tivoli Storage FlashCopy Manager for Exchange Server waits for removable media to mount (such as tapes or DVDs) or to stop the current operation. This situation occurs when the Tivoli Storage Manager server is configured to store backup data on removable media and waits for a required storage volume to be mounted.

Specify **Yes** for Tivoli Storage FlashCopy Manager for Exchange Server to wait until all initial volumes of any required removable media are made available to the Tivoli Storage Manager server before you complete the command.

Specify **No** for Tivoli Storage FlashCopy Manager for Exchange Server to end the command (if removable media are required). An error message is displayed.

NUMBERformat=*fmtnum*

Use the **NUMBERformat** positional parameter to specify the format you want to use to display numbers.

The *fmtnum* variable displays numbers by using one of the following formats. Select the format number that corresponds to the format you want to use.

- 1 (Default) *n,nnn.dd*
- 2 *n,nnn,dd*
- 3 *n nnn,dd*
- 4 *n nnn.dd*
- 5 *n.nnn,dd*
- 6 *n'nnn,dd*

STOREMAILBOXInfo=Yes|No

The **STOREMAILBOXInfo** parameter is used to track mailbox history for moved and deleted mailboxes. By default, this parameter is set to Yes. If you do not plan to use mailbox restore, you can set this option to No. When the option is set to No, Tivoli Storage FlashCopy Manager for Exchange Server does not back up the mailbox history.

In large or geographically dispersed domains, more time is required to complete the backup mailbox history task. In this scenario, you can reduce the amount of time that is required to complete the backup mailbox history task by setting the option for **STOREMAILBOXInfo** to No. When you set the option for **STOREMAILBOXInfo** to No, mailboxes that are not moved or are not deleted can be restored normally. Moved and deleted mailbox restores can use the **MAILBOXORIGLOCATION** parameter (of the **restoremailbox** command) to specify the mailbox location at the time of the backup.

TEMPDBRESTorepath=pathname

For mailbox restore operations, use the **TEMPDBRESTorepath** positional parameter to specify the default temporary path to use when you restore mailbox database files.

If you do not enter a path, the default value is the value of the TEMP environment variable.

If the path name includes spaces, you must enclose the entire **TEMPDBRESTorepath** positional parameter entry in double quotation marks. For example:

```
TDPEXCC SET TEMPDBRESTorepath="h:\Exchange Restore Directory"
```

Do not specify a value of **TEMPDBRESTorepath** that is the same value as the location of the active database. If the value is the same, the database might become corrupted. Choose a temporary database-restore location that has enough space to hold the entire restore.

For better performance, the current active-transaction logger must be on a different physical device from the paths that are specified by the values of the **TEMPDBRESTorepath** parameter setting and the **TEMPDBRESTorepath** parameter setting. The paths that are specified by the values of the **TEMPDBRESTorepath** parameter setting and the **TEMPDBRESTorepath** parameter setting can be on the same or separate physical devices from each other.

Do not specify double-byte characters (DBCS) within the temporary database-restore path.

TIMEformat=formatnumber

Use the **TIMEformat** positional parameter to specify the format in which you want system time that is displayed.

The *formatnumber* variable displays time in one of the following formats. Select the format number that corresponds to the format you want to use.

- 1 (Default) *HH:MM:SS*

- 2 *HH,MM,SS*
- 3 *HH.MM.SS*
- 4 *HH:MM:SSA/P*

Set optional parameters

Optional parameters follow the **set** command and positional parameters.

/CONFIGfile=*configfilename*

Use the **/CONFIGfile** parameter to specify the name of the FlashCopy Manager for Microsoft Exchange Server configuration file in which these values are set.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the FlashCopy Manager for Microsoft Exchange Server installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is *tdpexc.cfg*.

If the *configfilename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\file.cfg"
```

Set example

The **tdpexcc set localdsmagentnode=mean** command sets the node *mean* as the node name of the local system that processes the backups.

Specify the node name of the local system that processes the VSS backups. When the command completes, the following message is displayed:

FMX5054I The preference has been set successfully.


Unmount backup command


Use the **unmount backup** command to unmount backups that were previously mounted, and are managed by Tivoli Storage FlashCopy Manager for Exchange Server.

Unmount backup syntax

Use the **unmount backup** command syntax diagrams as a reference to view available options and truncation requirements.

TDPEXCC command





Unmount backup positional parameter

The positional parameter immediately follows the **unmount backup** command and precedes the optional parameters.

mount points root directory

Absolute path to the directory where the snapshots are displayed as mount point directories.

Unmount backup optional parameters

Optional parameters follow the **unmount backup** command and positional parameters.

/CONFIGfile=*configfilename*

Use the **/CONFIGfile** parameter to specify the name (*configfilename*) of the configuration file that contains the values to use for an **unmount backup** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpexc.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\tdpexc.cfg"
```

/LOGFile=*logfilename*

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager for Exchange Server.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager for Exchange Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/LOGFile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\tdpexc.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, `tdpexc.log`.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

/LOGPrune=*numdays* | **No**

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/REMOTECOMPUTER=computername

Enter the computer name or IP address of the remote system where the backup was created.

/REMOTECOMPUTERUser=user

Enter the user name that is used to log on to the server specified with the **REMOTECOMPUTER** parameter. If a domain is required to log on with the domain account, enter *Domain\User*. To log on to the local account, the domain is not required. There is no default value.

/REMOTECOMPUTERPassword=password

Enter the password for the user name that is specified with the **REMOTECOMPUTERUser** parameter. There is no default value.

/TSMNODE=tsmnode name

Use the *tsmnode name* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (*dsm.opt*). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to **PROMPT**. This parameter is not valid when **PASSWORDACCESS** is set to **GENERATE** in the options file.

/TSMOPTFile=tsmoptfilename

Use the *tsmoptfilename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *tsmoptfilename* variable includes spaces, enclose the entire **/TSMOPTFile** parameter entry in double quotation marks. For example:
/TSMOPTFile="c:\Program Files\file.opt"

The default is **dsm.opt**.

/TSMPassword=tsmpassword

Use the *tsmpassword* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified **PASSWORDACCESS GENERATE** in the Tivoli Storage FlashCopy Manager options file (**dsm.opt**), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time that Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when **PASSWORDACCESS GENERATE** is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If **PASSWORDACCESS PROMPT** is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Unmount backup example

This output example provides a sample of the text, messages, and process status that displays when you use the **unmount backup** command.

For a local backup, enter the following command:

```
tdpexcc unmount backup C:\mount-points-root-dir
```

For a remote backup, enter the following command:

```
tdpexcc unmount backup C:\mount-points-root-dir /remotecomputer=computer-name  
/remotecomputeruser=userID /remotecomputerpassword=user password
```

Command-line overview: Tivoli Storage FlashCopy Manager for SQL Server

The name of the Tivoli Storage FlashCopy Manager for SQL Server command-line interface is **tdpsqlc.exe**. If you installed the **TDPSQL** package, or you configured the Microsoft SQL Server in Microsoft Management Console (MMC), the program is located (by default) in the Tivoli Storage FlashCopy Manager installation directory (**C:\Program Files\Tivoli\tsm\TDPSQL**).

Command-line parameter characteristics

The command-line parameters have the following characteristics:

- Positional parameters do not include a leading slash (/) or dash (-).
- Optional parameters can display in any order after the required parameters.
- Optional parameters begin with a forward slash (/) or a dash (-).
- Minimum abbreviations for keywords are indicated in uppercase text.
- Some keyword parameters require a value.
- For those keyword parameters that require a value, the value is separated from the keyword with an equal sign (=).
- If a parameter requires more than one value after the equal sign, the values are separated with commas.
- Each parameter is separated from the others by using spaces.
- If a parameter value includes spaces, the value must be enclosed in double quotation marks.
- A positional parameter can display only once per command invocation.

Where repeatable syntax displays, separate multiple values with commas as indicated in the following example:

TDPSQLC command



To select all instances on the server of database names or file names, specify the asterisk (*) wildcard character following the command.

Command-line interface help

Issue the `tdpsqlc ?` or `tdpsqlc help` command to display help for the command-line interface. You can see more specific help for commands by entering a command like the following example: **`tdpsqlc help backup`**, where **backup** is an example of a command.

Related tasks:

“Protecting SQL Server data” on page 128

Backup command

Use the **backup** command to back up all or part of one or more SQL databases from the SQL Server to Tivoli Storage FlashCopy Manager.

You can enter the asterisk (*) wildcard character to back up all databases. You can specify more than one database for multiple database and transaction log backups.

When you use the **backup** command, remember the following facts:


- You cannot back up or restore the tempdb database because this database is created by the SQL Server each time the server is started.
- The user ID that is used by Tivoli Storage FlashCopy Manager to log on to the SQL Server must have the SQL Server SYSADMIN fixed server role.

- You can use the TRANSACT-SQL database consistency checker statement DBCC CHECKDB ('DBNAME') to verify the integrity of the SQL databases before you back them up.


Backup syntax


Use the **backup** command syntax diagrams as a reference to view available options and truncation requirements.

TDPSQLC command




Backup optional parameters





Log Options:



Notes:

- 1 For the optional parameters, the **/BACKUPMETHod=** is only valid when using the **full** or **copyfull** positional parameters. The **full** and **copyfull** backups can be performed using VSS or legacy operations. The **/BACKUPMETHod=** parameter is used to choose between the options. The **log**, **diff**, **file**, and **group** backups can be performed only when using legacy operations. You cannot specify the **/BACKUPMETHod=** parameter with these types of backups because only legacy backups are viable.
- 2 The **/BACKUPDESTination** parameter is valid only when using the **full** or **copyfull** positional parameters. The **full** and **copyfull** backups can be saved to local storage, TSM server storage, or both. The **/BACKUPDESTination** parameter is used to choose among the options.

Backup positional parameters

Positional parameters immediately follow the **backup** command and precede the optional parameters.

The following positional parameters specify the object to back up:

*** | dbname**

- *** Back up all databases. Use caution when you specify the wildcard character (*) as Microsoft warns not to back up more than a few dozen databases in a single command because of SQL Server limitations.

dbname

Back up the specified database. Multiple entries are separated by commas. If separated by commas, ensure that there is no space between the comma and the database name. If any database name contains blanks, enclose the database name in double quotation marks.

The following positional parameter specifies the type of backup to run:

FULL A **full** VSS database backup contains all of the contents of a SQL Server database, such as database files, log files, full-text index files, and FILESTREAM files (SQL Server 2008 or later versions).

COPYFull

A copy-only full backup contains a copy-only version of a full backup. These backups are considered out of the regular sequence of conventional SQL Server backups. The backups do not affect the transaction logs or any sequence of backups, such as differential backups or full backups. Use this option to create copy-only full backups periodically for long-term retention without affecting existing backup schedules or retention policies for disaster recovery.

Backup optional parameters

Optional parameters follow the **backup** command and positional parameters.

/AAGName=AlwaysOn Availability Group name

When you back up a database list or all databases by specifying the asterisk (*) wildcard character, and you specify the **/AAGName** parameter, only databases from the availability group that you specify are backed up.

/ALWAYSONPriority

Use this parameter to specify that a local availability database is backed up only if it has the highest backup priority among the availability replicas that are working properly on SQL Server 2012 and later versions. You can use this parameter at the command-line interface or as part of a scheduled backup.

/BACKUPDESTination= LOCAL | TSM | BOTH

Use the **/BACKUPDESTination** parameter to specify the location where the backup is stored.

You can specify:

TSM The backup is stored on Tivoli Storage Manager server storage only. This option is the default.

LOCAL

The backup is stored on local shadow volumes only. This option is only valid when the **/BACKUPMETHod** parameter specifies VSS.

BOTH The backup is stored on Tivoli Storage Manager server storage and local shadow volumes. This option is valid only when the **/BACKUPMETHod** parameter specifies VSS.

The **/BACKUPDESTination** parameter is valid only when the **full** or **copyfull** positional parameters are used. The **full** and **copyfull** backups can be saved to Tivoli Storage Manager server storage, local storage, or both. The **/BACKUPDESTination** parameter is used to choose among options. The **log**, **diff**, **file**, and **group** backups can be stored only to Tivoli Storage Manager server storage. In this scenario, you cannot specify the **/BACKUPDESTination** parameter because Tivoli Storage Manager is the only viable option.

/BACKUPMETHod=LEGACY|VSS

Use the **/BACKUPMETHod** parameter to specify the manner in which the backup is completed.

You can specify:

LEGACY

The backup is completed with the legacy API. This backup is the SQL streaming backup and restore API as used in previous versions of Tivoli Storage FlashCopy Manager for SQL. This option is the default value.

VSS The backup is completed with VSS.

The **/BACKUPMETHod** parameter is valid only when the **full** or **copyfull** positional parameters are used. The **full** and **copyfull** backups can be completed by using VSS or legacy operations. The **/BACKUPMETHod** parameter is used to choose between the options. The **log**, **diff**, **file**, and **group** backups can be completed only by using legacy operations. In this scenario, you cannot specify the **/BACKUPMETHod** parameter because the legacy method is the only viable option.

/CONFIGfile=configfilename

The **/CONFIGfile** parameter specifies the name of the Tivoli Storage FlashCopy Manager configuration file. The configuration file contains the values for the Tivoli Storage FlashCopy Manager configurable options. When you use this parameter, review the following information:

- *configfilename* can include a fully qualified path. If *configfilename* does not include a path, it uses the directory where Tivoli Storage FlashCopy Manager is installed.
- If *configfilename* includes spaces, place the space character in double quotation marks.
- If you do not specify **/CONFIGfile**, the default value is `tdpsql.cfg`.

/ENABLEREPlacementchars=No|Yes

The **/ENABLEREPlacementchars** parameter enables SQL Server databases that have backslash (\) or colon (:) characters in the database name to be backed up. The maximum length of the database name is 128 characters. This parameter applies only to FlashCopy Manager for Microsoft SQL Server version 7.1.1 and later versions.

You can specify the following values:

- Yes** Enable FlashCopy Manager for Microsoft SQL Server to process backslash (\) or colon (:) characters in a database name, and back up the database to Tivoli Storage Manager. This value is the default.
- No** Prevent database backups to Tivoli Storage Manager if a user-defined string is substituted for a backslash (\) or colon (:) character in the database name.

/EXCLUDEdb=dblist

The **/EXCLUDEdb** parameter specifies the name of the databases to exclude from the backup operation.

/EXCLUDEAlwaysondbs

Use this parameter to exclude all AlwaysOn Availability Databases from the backup operation. If you want to exclude specific databases, use the **/EXCLUDEdb** parameter.

/EXCLUDEStandarddbs

Use this parameter to exclude all standard databases from the backup operation. If you want to exclude specific databases, use the **/EXCLUDEdb** parameter.

/FCOPTFile=dsmoptfilename

The **/FCOPTFile** parameter specifies the Tivoli Storage FlashCopy Manager options file to use.

Considerations:

- The *dsmoptfilename* variable can include a fully qualified path. If you do not include a path, the Tivoli Storage FlashCopy Manager installation directory is used.
- If the *dsmoptfilename* variable spaces, enclose it in double quotation marks.
- If you do not specify **/FCOPTFile**, the default value is *dsm.opt*.
- If you specify **/FCOPTFile** but not *dsmoptfilename*, the default is also *dsm.opt*.

/LOGFile=logfilename

The **/LOGFile** parameter specifies the name of the activity log that is generated by Tivoli Storage FlashCopy Manager. This activity log records significant events such as completed commands and error messages. The Tivoli Storage FlashCopy Manager activity log is distinct from the SQL Server error log. The *logfilename* variable identifies the name to be used for the activity log generated by Tivoli Storage FlashCopy Manager.

Considerations:

- If the specified file does not exist, it is created. If it does exist, new log entries are appended to the file.
- The file name can include a fully qualified path; however, if you specify no path, the file is written to the directory where Tivoli Storage FlashCopy Manager is installed.
- You cannot turn off Tivoli Storage FlashCopy Manager logging activity. If you do not specify **/LOGFile**, log records are written to the default log file. The default log file is *tdpsql.log*.
- When you use multiple simultaneous instances of Tivoli Storage FlashCopy Manager to run operations, use the **/LOGFile** parameter to specify a different log file for each instance used. This function directs

logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=*numdays* | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/OFFLOAD

Specify this option if, after the VSS snapshot is complete, you want to offload the transfer of the data from the Tivoli Storage Manager server to the system specified by the **REMOTEDSMAGENTNODE** parameter. This option is only valid when the **BACKUPDESTINATION** parameter is set to either TSM or BOTH. The default is to not offload data.

/Quiet This parameter prevents status information from being displayed. This function does not affect the level of information that is written to the activity log.

/SQLAUTHentication=INTEgrated | SQLuserid

This parameter specifies the authorization mode that is used when you log on to the SQL Server. The **integrated** value specifies Windows authentication. The user ID you use to log on to Windows is the same ID you use to log on to the SQL Server. This option is the default value.

Use the **sqluserid** value to specify SQL Server user ID authorization. The user ID specified by the **/sqluserid** parameter is the ID you use to log on to the SQL Server. Any SQL user ID must have the SQL Server SYSADMIN fixed server role.

/SQLCHECKSum=No|Yes

The **/SQLCHECKSum** parameter is used to verify the integrity of a legacy database backup. Integrity checking is a process that validates the values in a file or configuration for unexpected changes. Values are verified between the current state and the baseline state.

You can specify the following values:

No Do not enable integrity checking for a legacy database backup.
This value is the default.

Yes Enable integrity checking for a legacy database backup.

In the Performance Properties window of Microsoft Management Console, you can enable or disable the checksum option for all your legacy databases at once. You can override the global setting, and temporarily enable or disable the checksum option for a database backup, by setting this **SQLCHECKSum** parameter value to **Yes** or **No**.

/SQLPassword=*sqlpasswordname*

This parameter specifies the SQL password that Tivoli Storage FlashCopy Manager uses to log on to the SQL Server that objects are backed up from or restored to.

Considerations:

- Using this parameter means that you are using SQL Server authentication. The SQL Server and the SQL user ID for this password must both be configured for SQL Server authentication.
- If you do not specify **/SQLPassword**, the default value is blank (" ").
- If you specify **/SQLPassword**, but not *sqlpasswordname*, the default is also blank (" ").
- This parameter is ignored if you use the **/SQLAUTH=INTEgrated** parameter with it.

/SQLSERVER=*sqlprotocol:sqlservername*

The **/SQLSERVER** parameter specifies the SQL Server that Tivoli Storage FlashCopy Manager logs on to. The *sqlprotocol* variable specifies the communication protocol to use. You can specify one of the following protocols:

- *lpc*: Use Shared Memory protocol.
- *np*: Use Named Pipes protocol.
- *tcp*: Use Transmission Control protocol.
- *via*: Use Virtual Interface Architecture protocol.

If no protocol is specified, Tivoli Storage FlashCopy Manager logs on to the SQL Server according to the first protocol that becomes available.

Considerations:

- The default value is the value that is specified by the SQL Server configurable option in the Tivoli Storage FlashCopy Manager configuration file. This option is initially the local computer name.
- If you specify **/SQLSERVER** but not *sqlservername*, the local computer name is used.
- The following two shortcuts are accepted as the local computer name: .
(local) These shortcuts are a period and the word *local* within parentheses.

- You must specify the name if the SQL Server is not the default instance or is a member of a failover cluster.
- The format of *sqlservername* depends on what type of instance it is and whether it is clustered or not:

Format	Instance?	Clustered?	Name required?
<i>local-computername</i>	default	no	no
<i>local-computername\instancename</i>	named	no	yes
<i>virtualservername</i>	default	yes	yes
<i>virtualservername\instancename</i>	named	yes	yes

localcomputername

The network computer name of the computer the SQL Server and Tivoli Storage FlashCopy Manager are on. The TCP/IP host name might not always be the same.

instancename

The name that is given to the named instance of SQL Server that is specified during installation of the instance.

virtualservername

The name that is given to the clustered SQL Server specified during clustering service setup. This name is not the cluster or node name.

/SQLUser=sqlusername

The **/SQLUser** parameter specifies the name that Tivoli Storage FlashCopy Manager uses to log on to the SQL Server.

Considerations:

- Using this parameter means that you are using SQL Server authentication. The SQL Server and the SQL user ID for this password must both be configured for SQL Server authentication.
- The SQL user ID must have the SQL Server SYSADMIN fixed server role.
- If you do not specify **/SQLUser**, the default is *sa*.
- If you specify **/SQLUser** but not *sqlusername*, the default is also *sa*.
- This parameter is ignored if you use the **/SQLAUTH=integrated** parameter with it.

/USEALWAYSOnnode

Specify this parameter to back up standard databases on SQL Server 2012 and later versions by using the AlwaysOn node. By setting this parameter, you can back up all availability databases and standard databases under a single node to help you to manage your database backups more easily. By default, SQL Server 2012 and later version availability databases are backed up to the AlwaysOn node.

Backup examples

The following examples are provided to show how the **backup** command can be entered with various parameters and options.

If you want to use the **backup** command from the command-line interface, the following examples are provided to help model the command syntax:

- To complete a full backup of a database, enter the following command:
`tdpsqlc backup`
- To complete a full backup of all standard databases, enter the following command:
`tdpsqlc backup * full /EXCLUDEAlwaysonddb`
- To complete a log backup of all availability databases, enter the following command:
`tdpsqlc backup * log /EXCLUDEStandardddb`
- For a more complex example, consider the following scenario: There are three AlwaysOn Availability Groups. The first availability group is called *AG01* with the following databases:

- AlwaysOn Availability Database called *AlwaysOnLegacyDB1*
- AlwaysOn Availability Database called *AlwaysOnLegacyDB3*

The second availability group is called *AG03* with the following AlwaysOn Availability Database: *AlwaysOnLegacyDB2*. The third availability group is called *AG04* with the following databases:

- AlwaysOn Availability Database called *AlwaysOnLegacyDB5*
- AlwaysOn Availability Database called *AlwaysOnLegacyDB6*
- Standard database that is called *SQL_DB1*
- Standard database that is called *SQL_DB2*

To complete a full backup with a database list that matches both standard and availability databases, but excluding standard databases, enter the following command:

```
C:\Program Files\tivoli\tsm\TDPSql>tdpsqlc backup AlwaysOnLegacy*,SQL*  
full /backupdest=TSM /backupmeth=legacy /EXCLUDEStandardddb
```

- When you use the **/AAGName** parameter to filter the databases that are backed up, refer to the following scenario with the examples: There are two AlwaysOn Availability Groups. The first availability group is called *AG01* with the following databases:

- AlwaysOn Availability Database called *AlwaysOnLegacyDB1*
- AlwaysOn Availability Database called *AlwaysOnLegacyDB3*

The second availability group is called *AG04* with the following databases:

- AlwaysOn Availability Database called *AlwaysOnLegacyDB5*
- AlwaysOn Availability Database called *AlwaysOnLegacyDB6*

When you enter a **backup** command for all databases, but use the **/AAGName** parameter to include only databases from *AG01* in the backup, enter the following command:

```
C:\Program Files\tivoli\tsm\TDPSql>tdpsqlc backup * full /backupdest=TSM  
/backupmeth=legacy /AAGName=AG01
```

When you enter a **backup** command for a database list with wildcards, but use the **/AAGName** parameter to include only databases from *AG04* in the backup, enter the following command:


```
C:\Program Files\tivoli\tsm\TDPSql>tdpsqlc backup AlwaysOn*,SQL* full
/backupdest=TSM /backupmeth=legacy /AAGName=AG04
```

When you enter a **backup** command for a database list with wildcards, but do not match all databases from the specified AlwaysOn Availability Group, enter the following command:

```
C:\Program Files\tivoli\tsm\TDPSql>tdpsqlc back *DB5 full /backupdest=TSM
/backupmeth=legacy /AAGName=AG04
```

- To complete a differential backup with a database list that matches both standard and availability databases, but excluding availability databases, enter the following command:

```
C:\Program Files\tivoli\tsm\TDPSql>tdpsqlc backup AlwaysOnLegacy*,SQL*
diff /EXCLUDEAlwaysondb
```

Delete backup command

Use the **delete backup** command to delete a VSS backup of a SQL Server database.


You must have local registry rights (for all versions of SQL Server) to run a Tivoli Storage FlashCopy Manager for SQL Server delete backup.


If you delete multiple LOCAL snapshots that are stored on SAN Volume Controller or Storwize family Space Efficient volumes (SEV), you must do so in the same order in which you created the snapshots. That is, you must delete the oldest one first, followed by the second oldest. Failure to delete them in this order can cause removal of other snapshots of the same source.

Delete Backup syntax

Use the **delete backup** command syntax diagrams as a reference to view available options and truncation requirements.

TDPSQLC command





Delete Backup positional parameters

Positional parameters immediately follow the **delete backup** command and precede the optional parameters.

The following positional parameters specify the backup to delete:

* | *dbname*

- * Delete the active backups of all databases.

dbname

Delete a backup of the specified database. The active backup is deleted unless you specify a different backup with the **/object** optional parameter.

Multiple entries are separated by commas. If separated by commas, make sure that there is no space between the comma and the database name. If any database name contains blanks, enclose the database name in double quotation marks.

The following positional parameter specifies the type of delete backup to run:

FULL Delete full database backups.

COPYFULL

Delete copy-only full database backups.

Delete Backup optional parameters

Optional parameters follow the **delete backup** command and positional parameters.

/CONFIGfile=*configfilename*

Use the **/configfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager for SQL Server configuration file that contains the values to use for a **delete backup** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager for SQL Server installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpsql.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\file.cfg"
```

See "Set positional parameters" on page 261 for descriptions of available configuration parameters.

/FROMSQLSERVER=*server-name*

Use the **/fromsqlserver** parameter to specify the name of the SQL Server where the original backup was done. This parameter is necessary only when the name of the SQL Server to delete from, as determined by the **/sqlserver** parameter, is different from the name of the SQL Server that

the backup objects were created from. The default value is the **/sqlserver** value or the value that is set in the Tivoli Storage FlashCopy Manager configuration file.

Considerations:

- If the two SQL Server names are different, you must use this parameter even if **/fromsqlserver** was a non-clustered default instance.

/LOGFile=logfilename

Use the **/logfile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager for SQL Server.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager for SQL Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\mytdpsql.log"
```

If the **/logfile** parameter is not specified, log records are written to the default log file, *tdpsql.log*.

The **/logfile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of Tivoli Storage FlashCopy Manager for SQL Server to run operations, use the **/logfile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.

- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/Object=objectname,...

Use the **/object** parameter to specify the names of backup objects you want to delete. The object name uniquely identifies each backup object and is created by Tivoli Storage FlashCopy Manager for SQL Server.

Use the Tivoli Storage FlashCopy Manager for SQL Server query `fcv * /all` command to view the names of all available backup objects. This parameter specifies that only particular backup objects for the specified SQL databases and backup object type is to be deleted. The *objectname* variable specifies the names of the backup objects you want to delete. The object name uniquely identifies each backup object and is created by Tivoli Storage FlashCopy Manager for SQL Server.

/QUERYNode=DP | ALWAYSON

Specify whether you want to query standard databases from SQL Server 2012 that were backed up from a standard Data Protection for SQL node or the AlwaysOn node. This parameter is ignored for availability databases because the availability databases are always backed up under the AlwaysOn node.

/Quiet This parameter prevents status information from being displayed. This function does not affect the level of information that is written to the activity log.

Delete backup example

This output example provides a sample of the text, messages, and process status that displays when you use the **delete backup** command.

In this example, the `tdpsqlc delete backup xivdb1 full` command deletes a full backup of database *xivdb1*. The following output is displayed:

```
Connecting to SQL Server, please wait...

Querying for Backups ....

Backup(s) to be deleted:
xivdb1 : VSS : full : 02/10/2014 10:03:29
VSS Delete backup operation completed with rc = 0
Files Examined      : 1
Files Completed     : 1
Files Failed        : 0
Total Bytes         : 0
```

Help command


Use the **tdpsqlc help** command to display help for Tivoli Storage FlashCopy Manager for SQL Server commands.

This command lists one or more commands and their parameters. When you use a language that is not English, you might be required to set the width of your screen display to a value greater than 80 characters. The wider setting displays the entire help description in one screen. For example, set the screen width to 100 characters.

Help syntax

Use the **help** command syntax diagrams as a reference to view available options and truncation requirements.

TDPSQLC command



Help positional parameters

Positional parameters immediately follow the **help** command. There are no optional parameters with this command.

Use the help command to display the syntax of all or selected Tivoli Storage FlashCopy Manager commands by using a textual notation.

Help uses the following notation:

[*a*] *a* is optional; *a* might occur zero or one time

{*a* | *b*} Select either *a* or *b*, but not both

{*a* } + *a* must occur at least one time

{*a* } * *a* might occur zero or more times

(*a*) Comments that are not part of the command

UPPERCASE

Minimum abbreviation (which you can also enter in lowercase)


Mount Backup command


Use the **mount backup** command to mount backups that are managed by Tivoli Storage FlashCopy Manager for SQL Server.

Mount Backup syntax

Use the **mount backup** command syntax diagrams as a reference to view available options and truncation requirements.

TDPSQLC command





Mount backup positional parameter

The positional parameters immediately follow the **mount backup** command and precede the optional parameters.

The following positional parameters specify the objects to mount:

component name[(object-id)]=mount point root dir[,component name=mount point root dir]

component name[(object-id)]

Specify the backup of a local SQL Server database or storage group.

mount point root dir

Specify the absolute path to the directory where the snapshots are going to be displayed as mount point directories. The directory must be empty. If not empty, an error is reported.

The list must contain all non-qualified objects or all qualified objects. The list cannot contain a combination of non-qualified objects and qualified objects. Specify the list by using the following syntax:

```
mount backup object-1[(object-1-id)] = mount-point-1[,object-2[(object-2-id)]
=mount-point-2...]
```

Mount Backup optional parameters

Optional parameters follow the **mount backup** command and positional parameters.

/CONFIGfile=*configfilename*

Use the **/configfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager for SQL Server configuration file that contains the values to use for a **mount backup** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager for SQL Server installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpsql.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\tdpsql.cfg"
```

/FROMSQLSERVER=*server-name*

Use the **/fromsqlserver** parameter to specify the name of the server where the original backup was done. The default is the local server.

/LOGFile=*logfilename*

Use the **/logfile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager. The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager for SQL Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\tdpsql.log"
```

If the **/logfile** parameter is not specified, log records are written to the default log file, `tdpsql.log`.

The **/logfile** parameter cannot be turned off, logging always occurs.

/LOGPrune=*numdays* | **No**

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.

- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/PITDate=*date*

Use the **/pitdate** parameter with the **/pittime** parameter to establish a point in time for which you want to mount the latest version of your backups. Backups that were backed up on or before the date and time you specified, and that were not deleted before the date and time you specified, are processed. Backup versions that you create after this date and time are ignored. Specify the appropriate date in the *date* variable; use the same format that you selected with the DATEFORMAT option in the Tivoli Storage FlashCopy Manager for SQL Server options file.

If the *date* or the *time* is not specified, then no date and time are established. By default the backup is mounted from the most recent available backup.

If either *date* or *time* is specified, then the backup is mounted from the earliest backup that is selected after the established mount date and time. If no backup after the established date and time is found, by default the backup is mounted from the most recent available backup.

Notes:

- If you specify both *date* and *time*, this selection establishes the mount backup period.
- If you specify *date* and you do not specify *time*, *time* defaults to a value of 23:59:59. This selection establishes the *date* at the specified date.
- If you specify *time* without *date*, then *date* defaults to the current date. This selection establishes the mount date and time as the current date at the specified *time*.

/PITTime=*time*

Use the **/pittime** parameter with the **/pitdate** option to establish a point in time for which you want to mount the latest version of your backups. Files or images that were backed up on or before the date and time you specify, and that were not deleted before the date and time you specify, are processed. Backup versions that you create after this date and time are ignored. This option is ignored if you do not specify the **/pitdate** parameter. Specify the appropriate time in the *time* variable; use the same format that you selected with the TIMEFORMAT option in the Tivoli Storage FlashCopy Manager for SQL Server options file.

If the *date* or the *time* is not specified, then no date and time are established. By default the backup is mounted from the most recent available backup.

If either *date* or *time* is specified, then the backup is mounted from the earliest backup that is selected after the established mount date and time. If no backup after the established date and time is found, by default the backup is mounted from the most recent available backup.

Notes:

- If you specify both *date* and *time*, this selection establishes the mount backup period.
- If you specify *date* and you do not specify *time*, *time* defaults to a value of 23:59:59. This selection establishes the *date* at the specified date.
- If you specify *time* without *date*, then *date* defaults to the current date. This selection establishes the mount date and time as the current date at the specified *time*.

/QUERYNode=DP | ALWAYSON | BOTH

Specify whether you want to query standard databases from SQL Server 2012 that were backed up from a standard Data Protection for SQL Server node, the AlwaysOn node, or both nodes. To mount a backup that is using the AlwaysOn node (for AlwaysOn Availability databases), specify `/QUERYNode = ALWAYSON`.

/REMOTECOMPUTER=computername

Enter the IP address or host name for the remote system where you want to mount the data.

/REMOTECOMPUTERUser=user

Enter the user name that is used to log on to the server specified with the **REMOTECOMPUTER** parameter. If a domain is required to log on with the domain account, enter *Domain\User*. To log on to the local account, the domain is not required. There is no default value.

/REMOTECOMPUTERPassword=password

Enter the password for the user name that is specified with the **REMOTECOMPUTERUser** parameter. There is no default value.

/TSMNODE=tsmnodename

Use the *tsmnodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (*dsm.opt*). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to **PROMPT**. This parameter is not valid when **PASSWORDACCESS** is set to **GENERATE** in the options file.

/TSMOPTFile=tsmoptfilename

Use the *tsmoptfilename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *tsmoptfilename* variable includes spaces, enclose the entire **/tsmoptfile** parameter entry in double quotation marks. For example:

```
/TSMOPTFile="c:\Program Files\dsm.opt"
```

The default is dsm.opt.

/TSMPassword=*tsmpassword*

Use the *tsmpassword* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified PASSWORDACCESS GENERATE in the Tivoli Storage FlashCopy Manager options file (dsm.opt), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time that Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when PASSWORDACCESS GENERATE is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If PASSWORDACCESS PROMPT is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Mount backup examples

These output examples provide a sample of the text, messages, and process status that displays when you use the **mount backup** command.

Examples:

```
TDPSQLC MOUNT BACKUp SQL-DB-1=K:\MP-dir
```


```
TDPSQLC MOUNT BACKUp SQL-DB-1(20120523070512)=L:\MP-dir
```

Policy commands for Tivoli Storage FlashCopy Manager for SQL

Create Policy

This command is used to create a policy.

TDPSQLC command: CREATE POLIcy




Parameters:

- *policy_name* (required): Specifies the name of the policy that is being created. To create a policy, the policy name must be unique.
- **VERSretain**: Specifies the number of snapshot versions to retain (1 - 9999). You can also specify **NOLimit** to represent an unlimited number of snapshot versions to retain.
- **DAYSretain**: Specifies the number of days to retain a snapshot (0 - 9999). You can also specify **NOLimit** to represent an unlimited number of days to retain snapshot versions.

Update Policy

This command is used to update or modify the retention parameters of an existing policy.

TDPSQLC command: UPDATE POLIcy




Parameters:

- **NEWname**: Specifies the new name of the policy, if the name is being updated. The policy name must be unique.
- *policy_name* (required): Specifies the name of the policy that is being updated.
- **VERSretain**: Specifies the number of snapshot versions to retain (1 - 9999). You can also specify **NOLimit** to represent an unlimited number of snapshot versions to retain.
- **DAYSretain**: Specifies the number of days to retain a snapshot (0 - 9999). You can also specify **NOLimit** to represent an unlimited number of days to retain snapshot versions.

Copy Policy

This command is used to copy an existing policy to a new policy.

TDPSQLC command: COPY POLIcy



Parameters:

- *existing_policy_name* (required): Specifies the name of the policy that is being copied.
- *new_policy_name* (required): Specifies the name of the new policy. The policy name must be unique.

Query Policy

This command is used to list the attributes of a policy.

TDPSQLC command: Query POLIcy

►►TDPSQLC—Query POLIcy—*—————►►

Parameters: * (required) Specifies all policies are to be queried. The results of the query are displayed as follows:


Connecting to SQL Server, please wait...		
Policy	Number of snapshots to keep	Days to keep a snapshot
-----	-----	-----
FCMPOL	3	60
STANDARD	2	30

Delete Policy

This command is used to delete a policy.

TDPSQLC command: DELeTe POLIcy

►►TDPSQLC—DELeTe POLIcy—*policy_name*—————►►



Parameter:

- *policy_name* (required): Specifies the name of the policy that is being deleted.

Query FCM command

Use the **query fcm** command to display Tivoli Storage FlashCopy Manager information.

This command displays the following information:

- Compression mode
- Active policy set
- Default management class

This command can also display a list of backups that match the databases that are entered.

Active and inactive objects can be displayed. However, only the active backup objects are displayed by default. To include inactive backup versions in the list, use the **/all** optional parameter.

Query FCM example

Use the **query fcm** command to return output about the server and other information:

Tivoli Storage Manager Server Connection Information

```

-----
Nodename ..... MALTA_EXC
Network Host Name of Server ..... FVTSERIES10
TSM API Version ..... Version 7, Release 1, Level 3.0


Server Name ..... FVTSERIES10_SERVER1_622GA
Server Type ..... Windows
Server Version ..... Version 7, Release 1, Level 3.0
Compression Mode ..... Client Determined
Domain Name ..... FCM_PDEXC
Active Policy Set ..... STANDARD
Default Management Class ..... STANDARD

Completed
  
```

Query FCM syntax

Use the **query FCM** command syntax diagrams as a reference to view available options and truncation requirements.

TDPSQLC command



Query FCM positional parameters

Positional parameters immediately follow the **query FCM** command and precede the optional parameters.

The following positional parameters specify the object to query. If none of these positional parameters are specified, only the Tivoli Storage FlashCopy Manager API and Tivoli Storage FlashCopy Manager information is displayed:

* | *dbname*

dbname1, ..., dbnameN

Query all backup objects for the specified database. Multiple entries are separated by commas.

where *dbname* can be a database name.

The following positional parameters specify the type of backup to query. If this parameter is not specified, all backup types are displayed:

FULL Query only full backup types.

COPY Query only copy backup types.

INCR Query only incremental backup types.

DIFF Query only differential backup types.

Query FCM optional parameters

Optional parameters follow the **query FCM** command and positional parameters.

/Active

Use the **/active** parameter to display active backup objects only. This parameter is the default.

/All Use the **/all** parameter to display both active and inactive backup objects. If the **/all** parameter is not specified, only active backup objects are displayed.

/CONFIGfile=configfilename

The **/configfile** parameter specifies the name of the FlashCopy Manager for Microsoft SQL Server configuration file, which contains the values for the Tivoli Storage FlashCopy Manager configurable options. See "Set command" on page 316 for details on the content of the file.

Considerations:

- The *configfilename* variable can include a fully qualified path. If *configfilename* does not include a path, it uses the directory where FlashCopy Manager for Microsoft SQL Server is installed.
- If *configfilename* includes spaces, enclose it in double quotation marks.
- If you do not specify **/configfile**, the default value is `tdpsql.cfg`.
- If you specify **/configfile** but not *configfilename*, the default value `tdpsql.cfg` is used.

/FCMOPTfile=dsmoptfilename

The **/fcmoptfile** parameter specifies the Tivoli Storage FlashCopy Manager options file to use.

Considerations:

- The *dsmoptfilename* variable can include a fully qualified path. If you do not include a path, the Tivoli Storage FlashCopy Manager installation directory is used.

- If the *dsmoptfilename* variable spaces, enclose it in double quotation marks.
- If you do not specify **/fcmoptfile**, the default value is *dsm.opt*.
- If you specify **/fcmoptfile** but not *dsmoptfilename*, the default is also *dsm.opt*.

/FROMSQLSERVER=sqlservername

For **query FCM**, the **/fromsqlserver** parameter specifies the SQL Server that backup objects were backed up from. This parameter is necessary only when the name of the SQL Server to query, as determined by the **/sqlserver** parameter, is different from the name of the SQL Server that the backup objects were created from. The default value is the **/sqlserver** value or the value that is set in the FlashCopy Manager for Microsoft SQL Server configuration file.

Considerations:

- If the two SQL Server names are different, you must use this parameter even if **/fromsqlserver** was a non-clustered default instance.
- After you restore a SQL database to a different SQL Server, the logins of the SQL database might not match the logins for the different SQL Server. If appropriate, you can use the SQL stored procedure `SP_CHANGE_USERS_LOGIN` to find and correct such SQL login mismatches.

/LOGFile=logfilename

Use the **/logfile** parameter to specify the name of the activity log file that is generated by FlashCopy Manager for Microsoft SQL Server.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the FlashCopy Manager for Microsoft SQL Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\mytdpsql.log"
```

You cannot turn FlashCopy Manager for Microsoft SQL Server logging activity off. If you do not specify **/logfile**, log records are written to the default log file. The default log file is *tdpsql.log*.

Attention: When you use multiple simultaneous instances of FlashCopy Manager for Microsoft SQL Server to run operations, use the **/logfile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify *no*, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/OBJECT=* | objectname,...

For **restore** and **inactivate** operations, **/object** specifies that only particular backup objects for the specified SQL databases and backup object type (if specified) be restored or deactivated. For **query** operations, **/object** includes particular objects and object types in the display. The *objectname* variable specifies the names of the backup objects you want to restore or deactivate. The object name uniquely identifies each backup object and is created by Tivoli Storage FlashCopy Manager. Use **query** to view the names of backup objects. You can specify the asterisk (*) wildcard character in *objectname* to replace zero or more characters for each occurrence. Specifying only the wildcard character indicates all backup objects of the specified SQL databases and backup object type.

/QUERYNode=DP | ALWAYSOn | BOTH

Specify whether you want to query standard databases from SQL Server 2012 and later versions that are backed up from a standard FlashCopy Manager for Microsoft SQL Server node, the AlwaysOn node, or both nodes. This parameter is ignored for availability databases because the availability databases are always backed up under the AlwaysOn node.

/REMOTECOMPUTER=computername

Enter the IP address or host name for the remote system where you want to query the data that is backed up.

/REMOTECOMPUTERUser=user

Enter the user name that is used to log on to the server specified with the **REMOTECOMPUTER** parameter. If a domain is required to log on with the domain account, enter *Domain\User*. To log on to the local account, the domain is not required. There is no default value.

/REMOTECOMPUTERPassword=password

Enter the password for the user name that is specified with the **REMOTECOMPUTERUser** parameter. There is no default value.

Query Managedcapacity command

Use the **Query Managedcapacity** command to assist with storage planning by determining the amount of managed capacity in use.

Purpose

The **query managedcapacity** command displays capacity that is related information about the volumes that are represented in local inventory that is managed by Tivoli Storage FlashCopy Manager. This command is valid for all Windows operating systems that are supported by Tivoli Storage FlashCopy Manager.

TDPSQLC command

►►TDPSQLC—Query MANAGEDCAPacity—

Parameters

/DETAILED

Results in a detailed listing of snapped volumes. If this option is not specified, then only the total capacity is displayed.

SQL Server 2008 example

Query the total managed capacity of SQL Server 2008 data that is represented in the local inventory with a detailed listing of snapped volumes.

Command: `tdpsqlc query managedcapacity /detailed`

```
Total Managed Capacity : 63.99 GB (68,706,877,440 bytes)

Volume      : H:
Managed Capacity : 16.00 GB (17,176,719,360 bytes)

Volume      : I:
Managed Capacity : 16.00 GB (17,176,719,360 bytes)

Volume      : Q:
Managed Capacity : 16.00 GB (17,176,719,360 bytes)

Volume      : N:
Managed Capacity : 16.00 GB (17,176,719,360 bytes)
```

Query SQL command

The **query sql** command queries the local SQL Server to return general information and status about the SQL Server, databases, and VSS components.

Use the **query sql** command to return the following information:


- SQL Server information:
 - SQL Server name and version
 - Database name
 - Database data space allocated
 - Database space that is used
 - Database log space allocated
 - Database log space used

- Database options that are set (SELECT INTO / BULK COPY, TRUNCATE LOG ON CHECKPOINT, and other options.)
- VSS information:
 - Writer Name
 - Local DSMAgent Node
 - Remote DSMAgent Node
 - Writer Status (online, offline)
 - Number of selectable components
- If you specify **/compatibilityinfo**:
 - Server clustering state
 - Database compatibility level

Query SQL syntax

Use the **query sql** command syntax diagrams as a reference to view available options and truncation requirements.

TDPSQLC command



Query SQL positional parameters

Positional parameters immediately follow the **query** command and precede the optional parameters.

Specify one of the following when you issue a Tivoli Storage FlashCopy Manager for SQL Server **query** command:

Query SQL * | dbname,...

This displays information about the current SQL Server. The *dbname* variable specifies databases on the current SQL Server to display information about.

Query SQL optional parameters

Optional parameters follow the **query sql** command and positional parameters.

/COMPATibilityinfo

For **query** operations, this parameter displays information that is related to the compatibility of a backup object with a SQL Server. Certain SQL Server configuration options must be compatible before you can restore a backup object to a SQL Server. When you specify this parameter, SQL and Tivoli Storage FlashCopy Manager for SQL Server configuration information is listed to help you determine whether a backup object is correct for a SQL Server.

Considerations:

- Compatible generally means identical. However, if you use a binary sort order for both the SQL Server and the backup object, the code pages might be different, although the interpretation of individual character values might result in different characters that are displayed or printed.

/CONFIGfile=configfilename

Use the **/configfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager for SQL Server configuration file that contains the values to use for a **query sql** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager for SQL Server installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpsql.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\file.cfg"
```

See Set positional parameters for descriptions of available configuration parameters.

/LOGfile=logfilename

Use the **/logfile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager for SQL Server. The *logfilename* variable identifies the name of the activity log file. If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager for SQL Server installation directory. If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

`/LOGFile="c:\Program Files\mytdpsql.log"`

If the **/logfile** parameter is not specified, log records are written to the default log file, `tdpsql.log`. The **/logfile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of Tivoli Storage FlashCopy Manager for SQL Server to run operations, use the **/logfile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

`/LOGPrune=numdays | No`

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

`/SQLAUTHentication=INTEgrated | SQLuserid`

This parameter specifies the authorization mode that is used when you log on to the SQL Server. The **integrated** value specifies Windows authentication. The user ID you use to log on to Windows is the same ID you use to log on to the SQL Server. This option is the default value. Use the *sqluserid* value to specify SQL Server user ID authorization. The user ID specified by the **/sqluserid** parameter is the ID you use to log on to the SQL Server. Any SQL user ID must have the SQL Server SYSADMIN fixed server role.

`/SQLCHECKSum=No | Yes`

Use the **SQLCHECKSum** parameter to verify the integrity of a legacy database backup.

You can specify the following values:

- No** Do not enable the checksum option for a legacy database backup. This option is the default option.
- Yes** Enable the checksum option to verify that a legacy database backup is consistent and correct.

/SQLPassword=sqlpasswordname

This parameter specifies the SQL password that Tivoli Storage FlashCopy Manager uses to log on to the SQL Server that objects are backed up from or restored to.

Considerations:

- Using this parameter means that you are using SQL Server authentication. The SQL Server and the SQL user ID for this password must both be configured for SQL Server authentication.
- If you do not specify **/sqlpassword**, the default value is blank (" ").
- If you specify **/sqlpassword** but not *sqlpasswordname*, the default is also blank (" ").
- This parameter is ignored if you use the **/sqlauth=integrated** parameter with it.

/SQLSERVER=sqlprotocol:sqlservername

The **/sqlserver** parameter specifies the SQL Server that Tivoli Storage FlashCopy Manager logs on to. The *sqlprotocol* variable specifies the communication protocol to use. You can specify one of the following protocols:

- *lpc*: Use Shared Memory protocol.
- *np*: Use Named Pipes protocol.
- *tcp*: Use Transmission Control protocol.
- *via*: Use Virtual Interface Architecture protocol.

If no protocol is specified, Tivoli Storage FlashCopy Manager logs on to the SQL Server according to the first protocol that becomes available.

Considerations:

- The default value is the value that is specified by the SQL Server configurable option in the Tivoli Storage FlashCopy Manager configuration file. This value is initially the local computer name.
- If you specify **/sqlserver** but not *sqlservername*, the local computer name is used.
- The following two shortcuts are accepted as the local computer name:
 . (local) These shortcuts are a period or the word *local* within parentheses.
- You must specify the name if the SQL Server is not the default instance or is a member of a failover cluster.
- The format of *sqlservername* depends on what type of instance it is and whether it is clustered or not:

Format	Instance?	Clustered?	Name required?
<i>local-computername</i>	default	no	no
<i>local-computername\ instancename</i>	named	no	yes
<i>virtualservername</i>	default	yes	yes

Format	Instance?	Clustered?	Name required?
<i>virtualservername\ instancename</i>	named	yes	yes

localcomputername

The network computer name of the computer the SQL Server and Tivoli Storage FlashCopy Manager are on. The TCP/IP host name might not always be the same.

instancename

The name that is given to the named instance of SQL Server that is specified during installation of the instance.

virtualservername

The name that is given to the clustered SQL Server specified during clustering service setup. This name is not the cluster or node name.

/SQLUser=sqlusername

The **/sqluser** parameter specifies the name that Tivoli Storage FlashCopy Manager uses to log on to the SQL Server.

Considerations:

- Using this parameter means that you are using SQL Server authentication. The SQL Server and the SQL user ID for this password must both be configured for SQL Server authentication.
- The SQL user ID must have the SQL Server SYSADMIN fixed server role.
- If you do not specify **/sqluser**, the default is sa.
- If you specify **/sqluser** but not *sqlusername*, the default is also sa.
- This parameter is ignored if you use the **/sqlauth=integrated** parameter with it.

Query SQL example

This output example provides a sample of the text, messages, and process status that displays when you use the **query SQL** command.

In this example, the **tdpsqlc query sql** command queried the local SQL Server to return general information and status about the SQL Server, databases, and VSS components. The following output is displayed:

```
Connecting to SQL Server, please wait...

SQL Server Information
-----

SQL Server Name      ..... VADER
SQL Server Version   ..... 10.0.1600 (SQL Server 2008)

Volume Shadow Copy Service (VSS) Information
-----

Writer Name          : SqlServerWriter
Local DSMAgent Node  : VADER
Remote DSMAgent Node :
Writer Status        : Online
Selectable Components : 13
```


Query TDP command

Use the **query tdp** command to query a list of the current values set in the configuration file for Tivoli Storage FlashCopy Manager for SQL Server.

Query TDP syntax

Use the **query TDP** command syntax diagrams as a reference to view available options and truncation requirements.

TDPSQLC command



Query TDP optional parameters

Optional parameters follow the **query TDP** command.

/CONFIGfile=configfilename

Use the **/configfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager for SQL Server configuration file that contains the values to use for a **query tdp** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager for SQL Server installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpsql.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\file.cfg"
```

See “Set positional parameters” on page 317 for descriptions of available configuration parameters.

/LOGFile=logfilename

Use the **/logfile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager for SQL Server.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager for SQL Server installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\mytdpsql.log"
```

If the **/logfile** parameter is not specified, log records are written to the default log file, `tdpsql.log`.

The **/logfile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of Tivoli Storage FlashCopy Manager for SQL Server to run operations, use the **/logfile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

Query TDP example

This output example provides a sample of the text, messages, and process status that displays when you use the **query TDP** command.

In this example, the **tdpsqlc query tdp** command queried a list of the current values that are set in the configuration file for Tivoli Storage FlashCopy Manager. The following output is displayed:

```
IBM Tivoli Storage FlashCopy Manager configuration settings
-----
CONFIGfile..... tdpsql.cfg
LOGFile ..... tdpsql.log
LOGPrune ..... 60
```


Restore command

Use this command to restore one (or more) SQL databases from storage that is managed by Tivoli Storage FlashCopy Manager to a SQL Server.

Considerations:

- You cannot restore SQL databases currently in use. By placing SQL databases to be restored in single-user mode, you can avoid attempting such restores. If you are restoring the master database, you must start the SQL Server in single-user mode by using the `-m SQL SERVER` startup option.

Note:


1. The single user of the SQL databases or server must be the same user that Tivoli Storage FlashCopy Manager uses to log on to the SQL Server for the restore.
 2. SQL Enterprise Manager, SQL Server Application Client, and other SQL Server services can be users of databases and the SQL Server.
- The user that is used by Tivoli Storage FlashCopy Manager to log on to the SQL Server must have the SQL Server SYSADMIN fixed server role.
 - You can use the TRANSACT-SQL database consistency checker statement DBCC CHECKDB ('DBNAME') to verify the integrity of the restored SQL databases.


Restore syntax

Use the **restore** command syntax diagrams as a reference to view available options and truncation requirements.

Syntax

TDPSQLC command





Restore positional parameters

Positional parameters immediately follow the **restore** command and precede the optional parameters.

FULL This option restores all full database backup objects for the SQL databases that you specify.

Restore optional parameters

Optional parameters are used with the **restore** command and positional parameters.

The following are detailed descriptions of each of the optional parameters:

/CONFIGfile=configfilename

The **/CONFIGfile** parameter specifies the name of the Tivoli Storage FlashCopy Manager configuration file, which contains the values for the Tivoli Storage FlashCopy Manager configurable options. See “Set command” on page 316 for details on the contents of the file.

Considerations:

- configfilename can include a fully qualified path. If configfilename does not include a path, it uses the directory where Tivoli Storage FlashCopy Manager is installed.
- If configfilename includes spaces, place it in double quotation marks.
- If you do not specify **/CONFIGfile**, the default value is `tdpsql.cfg`.
- If you specify **/CONFIGfile** but not configfilename, the default value `tdpsql.cfg` is used.

/FCMPTFile=dsmoptfilename

The **/FCMPTFile** parameter specifies the Tivoli Storage FlashCopy Manager options file to use. Considerations:

- The *dsmoptfilename* variable can include a fully qualified path. If you do not include a path, the Tivoli Storage FlashCopy Manager installation directory is used.
- If the *dsmoptfilename* variable spaces, enclose it in double quotation marks.
- If you do not specify **/FCMPTFile**, the default value is `dsm.opt`.
- If you specify **/FCMPTFile** but not dsmoptfilename, the default is also `dsm.opt`.

/FROMSQLSERVER=sqlservername

For **restore**, the **/fromsqlserver** parameter specifies the SQL server that backup objects were backed up from. This parameter is necessary only when the name of the SQL Server to restore to, as determined by the **/sqlserver** parameter, is different from the name of the SQL Server that the backup objects were created from. Use **/fromsqlserver** for **query FCM** commands, but use **/sqlserver** for **query SQL** commands. The default value is the **/sqlserver** value or the value that is set in the Tivoli Storage FlashCopy Manager configuration file. If the two SQL Server names are different, you must use this parameter even if **/fromsqlserver** was a non-clustered default instance.

/INSTANTRestore=Yes|No

Use the **/INSTANTRestore** parameter to specify whether to use volume level snapshot or file level copy to restore a VSS backup that is stored on local shadow volumes. An IBM Systems Storage SAN Volume Controller, DS8000, the XIV system, and IBM Storwize V7000 storage subsystem is required to run VSS instant restores.

You can specify:

- Yes** Use volume level snapshot restore for a VSS backup that is stored on local shadow volumes if the backup exists on volumes that support it. This option is the default.

- No** Use file-level copy to restore the files from a VSS backup that is stored on local shadow volumes. Bypassing volume-level copy means that SQL database files and log files are the only data overwritten on the source volumes.

When you are running VSS instant restore on DS8000 and Storwize family, ensure that any previous background copies that involve the volumes you are restoring, complete before you initiate the VSS instant restore operation.

/INTO=dbname

For **restore** operations, **/INTO** specifies the SQL Server database that you want a backup object that is restored into. This parameter is necessary only when the name of the SQL Server database to restore into is different from the backup object database name. Considerations:

- When you specify **/INTO**, the asterisk (*) wildcard character might not be used in either the command *dbname* variable or the **/INTO dbname** variable.
- There must be exactly one item in the **/INTO dbname** variable list in addition to in the command *dbname* list.
- Make sure to use the **/relocatedir** parameter when you specify **/INTO dbname**.

/LOGFile=logfilename

The **/LOGFile** parameter specifies the name of the activity log that is generated by Tivoli Storage FlashCopy Manager. This activity log records significant events such as completed commands and error messages. The Tivoli Storage FlashCopy Manager activity log is distinct from the SQL Server error log. The **/LOGFile=** variable identifies the name to be used for the activity log generated by Tivoli Storage FlashCopy Manager.

Considerations:

- If the specified file does not exist, it is created. If it does exist, new log entries are appended to the file.
- The file name can include a fully qualified path; however, if you specify no path, the file is written to the directory where Tivoli Storage FlashCopy Manager is installed.
- You cannot turn off Tivoli Storage FlashCopy Manager logging activity. If you do not specify **/LOGFile**, log records are written to the default log file. The default log file is *tdpsql.log*.
- When you use multiple simultaneous instances of Tivoli Storage FlashCopy Manager for operations, use the **/LOGFile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify *no*, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/Object=* | *objectname*,...

For restore and deactivate operations, **/Object** specifies that only particular backup objects for the specified SQL databases and backup object type if specified are restored. For query operations, **/Object** includes particular objects and object types in the display. The *objectname* variable specifies the names of the backup objects you want to restore or deactivate. The object name uniquely identifies each backup object and is created by Tivoli Storage FlashCopy Manager. Use **query** to view the names of backup objects. Considerations:

- If you do not specify restore, only the active backup object is included in the restore.
- You can specify the asterisk (*) wildcard character in *objectname* to replace zero or more characters for each occurrence. Specifying only the wildcard character indicates all backup objects of the specified SQL databases and backup object type.

/QUERYNode=DP | **ALWAYSON**

Specify whether you want to query standard databases from SQL Server 2012 that were backed up from a standard FlashCopy Manager for Microsoft SQL Server node or the AlwaysOn node. This parameter is ignored for availability databases because the availability databases are always backed up under the AlwaysOn node. The default value is DP. To query backups of AlwaysOn Availability databases, specify **/QUERYNode = ALWAYSON**.

/Quiet The **/Quiet** parameter omits displaying status information from the command. However, the information is appended to the Tivoli Storage FlashCopy Manager activity log.

/RECOVery=Yes | **No**

For restore operations, **/RECOVery** specifies whether you want to restore more to a SQL database that is not on a standby SQL Server. A restored database cannot be used until the **/RECOVery=yes** parameter is administered to the database. You can specify:

Yes (default)

Use when you make a sequence of restores to a SQL database and the current restore is the final in the sequence. Also, use this option when the restore operation is the only restore operation to a SQL database. This option informs the SQL Server that the restore is complete and ready for incompleted transactions to be rolled back.

No Whenever you make a sequence of restores to a SQL database and the current restore is not the final restore in the sequence.

Not specifying this option automatically rolls back incomplete transactions for the database.

Tivoli Storage FlashCopy Manager sorts the restore objects by database name, and, within database name, by backup time from earliest to latest time. A **query FCM** command also displays this order.

/RELOCATEDir=dbfiledir [,logfiledir [,otherfiledir] [,filestream files]]

The **/RELOCATEDir** parameter specifies the new destination locations in which to restore the backed up SQL databases, logs, and SQL Server full-text index files. FILESTREAM files are included for SQL Server 2008 or later versions.

The *dbfiledir* variable specifies the directory location of the SQL database you want to relocate. Note, if the *logfiledir* and *otherfiledir* variables are not specified, the logs and SQL Server full-text index files are restored to the directory specified by *dbfiledir*.

The *logfiledir* variable specifies the directory location of the SQL log files you want to relocate. Note, if the *logfiledir* variable is not specified, the SQL log files are restored to the directory specified by *dbfiledir*.

The *otherfiledir* variable specifies the directory location of the SQL Server full-text index files you want to relocate. Note, that if the *otherfiledir* variable is not specified, the SQL Server full-text index files are restored to the directory specified by *dbfiledir*.

The *filestream files* variable specifies the directory location of the SQL Server FILESTREAM data files (SQL Server 2008 or later versions) you want to relocate. Note, if the *filestream files* variable is not specified, the SQL Server FILESTREAM data files are restored to the directory specified by *dbfiledir*. *Filestream files* is available for SQL Server 2008 only.

/RESTOREDate=date

The **/RESTOREDate** parameter specifies a date to which the database identified by *dbname* is to be recovered. The date value must be specified in the same date format that is defined in the Tivoli Storage FlashCopy Manager preferences file. If **/RESTOREDate** is not specified but **/RESTORETime** is specified, the **/RESTOREDate** value is the current date. It can be specified only when you restore a full database backup. The **/RESTORETime** parameter cannot be used to restore file, group, and set backups.

/RESTORETime=time

The **/RESTORETime** parameter specifies the time of day to which the database identified by *dbname* is to be recovered. The time value must be specified in the same time format that is defined in the Tivoli Storage FlashCopy Manager preferences file. If **/RESTORETime** is not specified but **/RESTOREDate** is specified, the **/RESTORETime** is the current time. It can be specified only when you restore a full database backup. The **/RESTORETime** parameter cannot be used to restore file, group, and set backups.

/SQLAUTHentication=INTEgrated | SQLuserid

This parameter specifies the authorization mode that is used when you log on to the SQL Server. The integrated value specifies Windows authentication. The user ID you use to log on to Windows is the same id you use to log on to the SQL Server. This option is the default value. Use the `sqluserid` value to specify SQL Server user ID authorization. The user ID specified by the `/sqluserid` parameter is the id that you use to log on to the SQL Server. Any SQL user ID must have the SQL Server SYSADMIN fixed server role.

/SQLPassword=sqlpasswordname

This parameter specifies the SQL password that Tivoli Storage FlashCopy Manager uses to log on to the SQL Server that objects are backed up from or restored to. Considerations:

- Using this parameter means that you are using SQL Server authentication. The SQL Server and the SQL user ID for this password must both be configured for SQL Server authentication.
- If you do not specify **/SQLPassword**, the default value is blank (" ").
- If you specify **/SQLPassword** but not **sqlpasswordname**, the default is also blank (" ").

This parameter is ignored if you use the **/sqlauth=integrated** parameter with it.

/SQLSERVER=sqlprotocol:sqlservername

The **/SQLSERVER=** parameter specifies the SQL Server that Tivoli Storage FlashCopy Manager logs on to. For restore operations, this SQL Server is the one that backup objects are restored to. However, if the backup objects were created from a different SQL Server name, you must use the **/fromsqlserver** parameter. Use **/sqlserver** for the **query SQL** and **backup** commands, but use **/fromsqlserver** for **query FCM** commands. The *sqlprotocol* variable specifies the communication protocol to use. You can specify one of the following protocols:

- `lpc`: Use Shared Memory protocol.
- `np`: Use Named Pipes protocol.
- `tcp`: Use Transmission Control protocol.
- `via`: Use Virtual Interface Architecture protocol.

If no protocol is specified, Tivoli Storage FlashCopy Manager logs on to the SQL Server according to the first protocol that becomes available.

Considerations:

- The default value is the value that is specified by the SQL Server configurable option in the Tivoli Storage FlashCopy Manager configuration file. This value is initially the local computer name.
- If you specify **/sqlserver** but not **sqlservername**, the local computer name is used.
- The following two shortcuts are accepted as the local computer name:
.
(local) These shortcuts are a period or the word `local` within parentheses.
- You must specify the name if the SQL Server is not the default instance or is a member of a failover cluster.
- The format of **sqlservername** depends on what type of instance it is and whether it is clustered or not:

Format	Instance?	Clustered?	Name required?
<i>local-computername</i>	default	no	no
<i>local-computername\instancename</i>	named	no	yes
<i>virtualservername</i>	default	yes	yes
<i>virtualservername\instancename</i>	named	yes	yes

localcomputername

The network computer name of the computer the SQL Server and Tivoli Storage FlashCopy Manager are stored. The TCP/IP host name might not always be the same.

instancename

The name that is given to the named instance of SQL Server that is specified during installation of the instance.

virtualservername

The name that is given to the clustered SQL Server specified during clustering service setup. This name is not the cluster or node name.

/SQLUser=sqlusername

The **/SQLUser** parameter specifies the name that Tivoli Storage FlashCopy Manager uses to log on to the SQL Server. Considerations:

- Using this parameter means that you are using SQL Server authentication. The SQL Server and the SQL user ID for this password must both be configured for SQL Server authentication.
- The SQL user ID must have the SQL Server SYSADMIN fixed server role.
- If you do not specify **/SQLUser**, the default is sa.
- If you specify **/SQLUser** but not **sqlusername**, the default is also sa.
- This parameter is ignored if you use the **/sqlauth=integrated** parameter with it.

/VerifyOnly

The **/VerifyOnly** parameter specifies whether the integrity of a legacy database backup is verified. Before you restore a backup, you can use this parameter to evaluate whether the backup is complete and can be read. By default, the integrity of a legacy database backup is not verified.

Restriction: The **/VerifyOnly** parameter is available only for legacy database backups. This parameter is only a command optional parameter, and it cannot be set as a configuration option.

Restore output examples

These output examples provide a sample of the text, messages, and process status that displays when you use the **restore** command.

In this example, the **tdpsqlc restore db1 full** command restores a full backup of database *db1*. The following output is displayed:

```
IBM FlashCopy Manager for Databases:
FlashCopy Manager for Microsoft SQL Server
Version 7, Release 1, Level 3.0
(C) Copyright IBM Corporation 1997, 2015. All rights reserved.

Connecting to SQL Server, please wait...

Querying Virtual Server for Backups ....

Starting Sql database restore...

Beginning VSS restore of 'db1'...

Files Examined/Completed/Failed: [ 3 / 3 / 0 ] Total Bytes: 6029825

VSS Restore operation completed with rc = 0
Files Examined : 3
Files Completed : 3
Files Failed : 0
Total Bytes : 6029825
```

Restorefiles command

Use the **restorefiles** command to restore VSS-based backups on the Tivoli Storage Manager (/BACKUPDESTINATION=TSM), or stored locally (/BACKUPDESTINATION=LOCAL).

Considerations


- The **restorefiles** command restores .mdf, ldf, and other flat files from a specified Tivoli Storage Manager VSS-based backup into a specified directory.
- A destination directory can be specified as a directory on a fixed file system such as C:\temp, or on a network share that is accessible to the Tivoli Storage FlashCopy Manager Remote Agent (VSS Requestor)
- The **restorefiles** command does not restore the data to the SQL Server.
- This command does not require the SQL Server to be installed on the system where the **restorefiles** command is run.
- A restore continues until it is completed unless the destination volume does not have enough space to fulfill the restore operation.
- VSS-based backups that are on the Tivoli Storage FlashCopy Manager (/BACKUPDESTINATION=TSM) can be restored by using **restorefiles** on the same system that ran the VSS-based backup, or by running the command on a system that installed and configured the Tivoli Storage FlashCopy Manager client.
- The directory that is specified in the **restorefiles** command appended the VSS component name so that multiple databases can be restored to the same target directory.
- VSS-based backups that are stored on the local system by using a persistent snapshot (/BACKUPDESTINATION=LOCAL), can be restored only by running the **restorefiles** command on the same system that ran the VSS-based backup, and has access to the persistent snapshot.
- To run a full restore: **tdpsqlc restorefiles DBName1 FULL /backupmethod=vss /relocatedir=d:\temprestore**

- Use /RELOCATEDIR to specify the destination directory for the flat files. If this option is not specified, the destination directory defaults to the current working directory.
- If you are in a non-clustered environment, you can restore only a local snapshot to the system that generated the snapshot. Or for cluster environments, you can run a **restorefiles** command from any of the systems in the cluster.

Restorefiles syntax

Use the **restorefiles** command syntax diagram as a reference for available options and truncation requirements.

TDPSQLC command



Restorefiles positional parameters

Positional parameters immediately follow the **restorefiles** command and precede the optional parameters.

The following positional parameters specify the object to restore:

TDPSQLC * | componentname1, ..., componentnameN FULL

- * Sequentially restore all flat files for the database.

The following positional parameter specifies the type of backup from which the files are restored:

FULL Restore the files from a full type backup for VSS.

Restorefiles optional parameters

Optional parameters follow the **restorefiles** command and positional parameters.

/BACKUPDESTINATION

VSS backups that are on the Tivoli Storage Manager server are restored by using the **restorefiles** command with /BACKUPDESTINATION=TSM. VSS backups that are running on a local system that uses a persistent snapshot are restored by using the **restorefiles** command with /BACKUPDESTINATION=LOCAL. TSM is the default destination for **restorefiles**.

/CONFIGfile=configfilename

Use the /**configfile** parameter to specify the name of the Tivoli Storage FlashCopy Manager configuration file that contains the values for the Tivoli Storage FlashCopy Manager configuration options.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage

FlashCopy Manager installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpsql.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\file.cfg"
```

/FROMSQLserver=sqlservername

Use the **/FROMSQLserver** parameter to specify the name of the SQL Server where the original backup was completed. The default is the local SQL Server name. To restore availability databases, specify the AlwaysOn Availability group.

/LOGFile=logfilename

Use the **/logfile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager.

The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\mytdpsqlserver.log"
```

If the **/logfile** parameter is not specified, log records are written to the default log file, `tdpsqlserver.log`.

The **/logfile** parameter cannot be turned off, logging always occurs.

When you use multiple simultaneous instances of Tivoli Storage FlashCopy Manager to run operations, use the **/logfile** parameter to specify a different log file for each instance used. This function directs logging for each instance to a different log file and prevents interspersed log file records. Failure to specify a different log file for each instance can result in unreadable log files.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.

- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, *60*, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/MOUNTWait=Yes | No

The **/MOUNTWait** parameter is used to specify whether Tivoli Storage FlashCopy Manager waits for removable media to mount, such as tapes or CDs, or stops the operation. This situation occurs when the Tivoli Storage FlashCopy Manager is configured to store backup data on removable media and waits for a required storage volume to be mounted. This parameter is not valid for all backup types; the parameter does not work with DIFFFULL or LOG backup types.

You can specify these options:

Yes Wait for tape mounts. This option is the default.

No Do not wait for tape mounts.

/Object=object name

Use the **/object** parameter to specify the name of the backup object files that you want to restore. The object name uniquely identifies each backup object and is created by Tivoli Storage FlashCopy Manager.

Use the Tivoli Storage FlashCopy Manager **query tsm** command to view the names of the backup objects.

/Quiet This parameter prevents status information from being displayed. This function does not affect the level of information that is written to the activity log.

/RELOCATEDir=dbfiledir[,logfiledir [,otherfiledir] [,filestream files]]

The **/relocatedir** parameter specifies the destination locations in which to restore the flat files. This restore includes databases, logs, and FILESTREAM files.

The *dbfiledir* variable specifies the directory location of the SQL database you want to relocate. If the *logfiledir* or *otherfiledir* variables are not specified, the logs and SQL Server full-text index files are restored to the directory specified by *dbfiledir*.

The *logfiledir* variable specifies the directory location of the SQL log files you want to relocate. If the *logfiledir* variable is not specified, the SQL log files are restored to the directory specified by *dbfiledir*.

The *otherfiledir* variable specifies the directory location of the SQL Server full-text index files you want to relocate. If the *otherfiledir* variable is not specified, the SQL Server full-text index files are restored to the directory specified by *dbfiledir*. The **restorefiles** operation creates a subdirectory under the root directory that contains the name of the database name. Restored files are placed in that subdirectory. If the **/relocatedir**

parameter is not specified, the files are restored into the directory where the **restorefiles** command is issued. For example, if Tivoli Storage FlashCopy Manager is installed in the c:\Program Files\Tivoli\TSM\TDPSQLC directory and the following command is issued from E:\Somedir:

```
e:\Somedir> c:\Program Files\Tivoli\TSM\TDPSQLC\tdpsqlc restorefiles  
db1 full
```

then the files are restored to the subdirectories in the e:\Somedir location:

```
e:\Somedir\db1\db1.mdf  
e:\Somedir\db1\db1.ldf
```

/TSMNODE=*tsmnodename*

Use the *tsmnodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager. You can store the node name in the Tivoli Storage Manager options file (dsm.opt). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to PROMPT. This parameter is not valid when **PASSWORDACCESS** is set to GENERATE in the options file.

/TSMOPTFile=*tsmoptfilename*

Use the *tsmoptfilename* variable to identify the Tivoli Storage FlashCopy Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *tsmoptfilename* variable includes spaces, enclose the entire **/tsmoptfile** parameter entry in double quotation marks. For example:

```
/TSMOPTFile="c:\Program Files\file.opt"
```

The default is dsm.opt.

/TSMPassword=*tsmpassword*

Use the *tsmpassword* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager. If you specified **PASSWORDACCESS GENERATE** in the Tivoli Storage FlashCopy Manager options file (dsm.opt), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager.

If you do specify a password with this parameter when **PASSWORDACCESS GENERATE** is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If **PASSWORDACCESS PROMPT** is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager can be up to 63 characters in length.

Restorefiles examples

This output example provides a sample of the text, messages, and process status that displays when you use the **restorefiles** command.

This command, `tdpsqlc restorefiles Finance FULL /backupdestination=local /RELOCATEDir=e:\test /FROMSQLServer=sqlsrv12`, restores VSS files from a FULL type backup of the *Finance* database from the SQL Server named *sqlsrv12* into the `e:\test` directory. The restored files are displayed:

```
e:\test\Finance\finance.mdf  
e:\test\Finance\finance_log.ldf
```

Set command

Use the **set** command to set the Tivoli Storage FlashCopy Manager for SQL Server configuration parameters that are defined in the Tivoli Storage FlashCopy Manager for SQL Server configuration file, `tdpsql.cfg` by default.


Use the **set** command to change the values for the Tivoli Storage FlashCopy Manager configurable parameters and options. The values are saved in a configuration file. The default file is `tdpsql.cfg`. Configuration values can also be set from the **Edit** menu in the GUI.

Note: If a configuration file is not specified, the `tdpsql.cfg` values are used, and a default configuration file is created with just the *lastprunedate* value. If an invalid or non-existent file is specified, the default values are used.


Set syntax

Use the **set** command syntax diagrams as a reference to view available options and truncation requirements.

TDPSQLC command



Set Optional Parameters



Set positional parameters

Positional parameters immediately follow the **set** command and precede the optional parameters.

To set default values in the Tivoli Storage FlashCopy Manager configuration file, specify one of the following when you issue a **set** command.

ALWAYSOnNode=nodename

Specify the Tivoli Storage Manager node name that is used to back up AlwaysOn availability databases with SQL Server 2012 and later versions. This parameter is required when you are configuring Tivoli Storage FlashCopy Manager with SQL Server 2012 and later versions. All availability databases in an availability group are backed up under this node name, regardless of which availability replica they are from. The databases that are not in an availability group are backed up under the standard Tivoli Storage FlashCopy Manager node name unless you specify the **USEALWAYSOnNode** parameter.

CAPACITYINFOInterval=numdays

Use the **CAPACITYINFOInterval** positional parameter to specify how often you want the capacity metrics report to be generated. The report, in an XML file format, is generated automatically at the end of a backup operation. The valid value range is 1 - 365 and the default value is 7 days, which means the report is generated once every 7 days.

CAPACITYINFOLOCation=pathname

Use the **CAPACITYINFOLOCation** positional parameter to specify the location where the capacity metrics report is to be created. If you do not specify a location, the report is not generated.

DATEformat=dateformatnum

The **DATEformat** parameter selects the format that you want to use to display dates.

The *dateformatnum* variable can range 1 - 7. The initial value is 1. The number values specify the following formats:

- 1 MM/DD/YYYY.
- 2 DD-MM-YYYY.
- 3 YYYY-MM-DD.
- 4 DD.MM.YYYY.
- 5 YYYY.MM.DD.
- 6 YYYY/MM/DD.
- 7 DD/MM/YYYY.

Changes to the value of the **dateformat** parameter can result in an undesired pruning of the Tivoli Storage FlashCopy Manager log file (tdpsql.log by default). You can avoid losing existing log file data by running one of the following tasks:

- After you change the value of the **dateformat** parameter, make a copy of the existing log file before you run Tivoli Storage FlashCopy Manager.
- Specify a new log file with the **/logfile** parameter.

FROMSQLSERVER=sqlservername

The **fromsqlserver** parameter specifies the SQL Server that backup objects were backed up from. This parameter is necessary only when the name of the SQL Server to restore to, as determined by the **sqlserver** parameter, is different from the name of the SQL Server that the backup objects were created from. Use **fromsqlserver** for **query FCM**, but use **sqlserver** for **query SQL** commands. The default value is the *sqlserver* value or the value that is set in the Tivoli Storage FlashCopy Manager configuration file.

IMPORTVSSSNAPSHOTSONLYWhenneeded

Use the **/IMPORTVSSSNAPSHOTSONLYWhenneeded** parameter to specify whether Tivoli Storage FlashCopy Manager automatically imports VSS snapshots to the Windows system where the snapshots are created.

Specify one of the following values:

Yes Import VSS snapshots to the Windows system where the snapshots are created. The option is the default. During backup processing, transportable snapshots are automatically created and imported to storage systems when the snapshots are required.

Tip: For instant restore processing on IBM and non-IBM storage systems, you must specify the **Yes** option to enable the storage system to create transportable snapshots during backups.

No Do not create transportable VSS snapshots during backup processing, and do not automatically import the snapshot to storage systems after the backup is completed.

LOCALDSMAgentnode=nodename

Specify the node name of the local system that runs the VSS backups. This positional parameter must be specified for VSS operations to be done.

LOGFile=logfilename

The **logfile** parameter specifies the name of the activity log that is generated by Tivoli Storage FlashCopy Manager. The activity log records significant events such as completed commands and error messages. This log is distinct from the SQL Server error log. The *logfilename* variable identifies the name to be used for the activity log generated by Tivoli Storage FlashCopy Manager.

Considerations:

- If the specified file does not exist, it is created. If it does exist, new log entries are appended to the file.
- The file name can include a fully qualified path; however, if you specify no path, the file is written to the directory where Tivoli Storage FlashCopy Manager is installed.
- You cannot turn off Tivoli Storage FlashCopy Manager logging activity. If you do not specify **/logfile**, log records are written to the default log file. The default log file is *tdpsql.log*.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, some days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

NUMBERformat=numberformatnum

The **numberformat** parameter specifies the format of the numbers that are displayed by Tivoli Storage FlashCopy Manager. The *numberformatnum* variable can range 1 - 6. The initial value is 1. The number values specify the following formats:

1	1,000.00
2	1,000,00
3	1 000,00
4	1 000.00
5	1.000,00
6	1'000,00

SQLAUTHentication=INTEgrated | SQLuserid

This parameter specifies the authorization mode that is used when you log on to the SQL Server. The **integrated** value specifies Windows authentication. The user ID that you use to log on to Windows is the same ID you use to log on to the SQL Server. This option is the default value. Use the **sqluserid** value to specify SQL Server user ID authorization. The user ID specified by the **sqluserid** parameter is the ID you use to log on to the SQL Server. That user ID must have the SQL Server **SYSADMIN** fixed server role.

SQLSERVER=sqlprotocol:sqlservername

The **SQLSERVER** parameter specifies the SQL Server that Tivoli Storage FlashCopy Manager logs on to. This SQL Server is the one that backup objects are restored to. However, if the backup objects were created from a different SQL Server name, you must use the **fromsqlserver** parameter. Use **sqlserver** for the **query SQL** command. The *sqlprotocol* variable specifies the communication protocol to use. You can specify one of the following protocols:

- *lpc*: Use Shared Memory protocol.
- *np*: Use Named Pipes protocol.
- *tcp*: Use Transmission Control protocol.
- *via*: Use Virtual Interface Architecture protocol.

If no protocol is specified, Tivoli Storage FlashCopy Manager logs on to the SQL Server according to the first protocol that becomes available.

TIMEformat=timeformatnum

The **timeformat** parameter specifies the format of the times that are displayed by Tivoli Storage FlashCopy Manager. The *timeformatnum* variable can range 1 - 4. The initial value is 1. The number values specify the following formats:

- | | |
|---|-------------|
| 1 | 23:00:00 |
| 2 | 23,00,00 |
| 3 | 23.00.00 |
| 4 | 11:00:00A/P |

Changes to the value of the **timeformat** parameter can result in an undesired pruning of the Tivoli Storage FlashCopy Manager log file (tdpsql.log by default). You can avoid losing existing log file data by doing one of the following choices:

- After you change the value of the **timeformat** parameter, make a copy of the existing log file before you run Tivoli Storage FlashCopy Manager.
- Specify a new log file with the **/logfile** parameter.

USEALWAYSOnnode

Specify this parameter to back up standard databases on SQL Server 2012 and later versions by using the AlwaysOn node. By setting this parameter, you can back up all availability databases and standard databases under a single node to help you to manage your database backups more easily. By default, SQL Server 2012 and later version availability databases are backed up to the AlwaysOn node.

Set optional parameters

Optional parameters follow the **set** command and positional parameters.

/CONFIGfile=configfilename

The **/configfile** parameter specifies the name of the Tivoli Storage FlashCopy Manager configuration file, which contains the values for the Tivoli Storage FlashCopy Manager configurable options.

Considerations:

- *configfilename* can include a fully qualified path. If *configfilename* does not include a path, it uses the directory where Tivoli Storage FlashCopy Manager is installed.
- If *configfilename* includes spaces, place it in double quotation marks.

- If you do not specify **/configfile**, the default value is `tdpsql.cfg`.
- If you specify **/configfile** but not *configfilename*, the default value `tdpsql.cfg` is used.

SQLCHECKSum=Yes | No

The **SQLCHECKSum** parameter specifies whether SQL checksum processing is set for all legacy database backups. If you do not specify a value of **Yes** for this parameter, the value that is specified in the `tdpsql.cfg` file is used. If no value is specified in the `tdpsql.cfg` file, the default value of **No** is used.

The **SQLCHECKSum** parameter is only available with legacy backups.

/SQLCOMPression=Yes | No

The **/sqlcompression** parameter specifies whether SQL compression is applied. If you do not specify **/sqlcompression**, the default value **No** is used.

This parameter is only applicable on systems that run SQL Server 2008 or later versions. For SQL Server 2008, you can run backup compression only on Enterprise Edition. For SQL Server 2008 R2, backup compression is supported on Standard, Enterprise, and Datacenter editions.

Set output example

These output examples provide a sample of the text, messages, and process status that displays when you use the **set** command.

The following specifies the *mutalisk* server as the default SQL server in the configuration file.

Command:

```
tdpsqlc set sqlserver=mutalisk
```

Output:

```
FMY5054I The configuration option was set successfully.
```

Unmount Backup command


Use the **unmount backup** command to unmount backups that are previously mounted, and are managed by Tivoli Storage FlashCopy Manager for SQL Server.


Unmount Backup syntax

Use the **unmount backup** command syntax diagrams as a reference to view available options and truncation requirements.

TDPSQLC command

►► TDPSQLC—UNMOUNT BACKUp—*mount point root directory*—►





Unmount Backup positional parameter

The positional parameter immediately follows the **unmount backup** command and precedes the optional parameters.

mount points root directory

Unmount Backup optional parameters

Optional parameters follow the **unmount backup** command and positional parameters.

/CONFIGfile=*configfilename*

Use the **/configfile** parameter to specify the name (*configfilename*) of the configuration file that contains the values to use for an **unmount backup** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `tdpsql.cfg`.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\tdpsql.cfg"
```

/LOGFile=*logfile*

Use the **/logfile** parameter to specify the name of the activity log file. The *logfile* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfile* variable can include a fully qualified path. However, if no path is specified, the log file is written to the installation directory.

If the *logfile* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\tdpsql.log"
```

If the **/logfile** parameter is not specified, log records are written to the default log file, `tdpsql.log`.

The **/logfile** parameter cannot be turned off, logging always occurs.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/QUERYNode=DP | ALWAYSOn | BOTH

Specify whether you want to query standard databases from SQL Server 2012 and later database versions that were backed up from a standard Data Protection for SQL Server node, the AlwaysOn node, or both nodes. This parameter is ignored for availability databases because the availability databases are always backed up under the AlwaysOn node.

/REMOTECOMPUTER=computername

Enter the IP address or host name for the remote system where you want to unmount the data.

/REMOTECOMPUTERUser=user

Enter the user name that is used to log on to the server specified with the **REMOTECOMPUTER** parameter. If a domain is required to log on with the domain account, enter *Domain\User*. To log on to the local account, the domain is not required. There is no default value.

/REMOTECOMPUTERPassword=password

Enter the password for the user name that is specified with the **REMOTECOMPUTERUser** parameter. There is no default value.

/TSMNode=tsmnodename

Use the *tsmnodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (dsm.opt). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to PROMPT. This parameter is not valid when **PASSWORDACCESS** is set to GENERATE in the options file.

/TSMOPTFile=tsmoptfilename

Use the *tsmoptfilename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *tsmoptfilename* variable includes spaces, enclose the entire **/tsmoptfile** parameter entry in double quotation marks. For example:

```
/TSMOPTFile="c:\Program Files\dsm.opt"
```

The default is dsm.opt.

/TSMPassword=tsmpassword

Use the *tsmpassword* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified **PASSWORDACCESS GENERATE** in the Tivoli Storage FlashCopy Manager options file (dsm.opt), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when **PASSWORDACCESS GENERATE** is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If **PASSWORDACCESS PROMPT** is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Unmount backup example

An example of how to use the **UNMOUNT BACKUP** command is provided.

```
TDPSQLC UNMOUNT BACKUP K:\MP-dir
```

Tivoli Storage FlashCopy Manager commands for custom applications and file systems

The name of the Tivoli Storage FlashCopy Manager for custom applications and file systems command-line interface is **fcmccli.exe**. By default, this program is in the Tivoli Storage FlashCopy Manager installation directory (C:\Program Files\Tivoli\FlashCopyManager\).

Command-line parameter characteristics

Review these parameter characteristics before you attempt a command-line operation.

- Positional parameters do not include a leading slash (/) or dash (-)
- Optional parameters can display in any order after the required parameters
- Optional parameters begin with a forward slash (/) or a dash (-)
- Minimum abbreviations for keywords are indicated in uppercase text
- Some keyword parameters require a value
- For those keyword parameters that require a value, the value is separated from the keyword with an equal sign (=)
- If a parameter requires more than one value after the equal sign, the values are separated with commas
- Each parameter is separated from the others by using spaces
- If a parameter's value includes spaces, the value must be enclosed in double quotation marks
- A positional parameter can display only one time per command invocation

For help in reading syntax diagrams, see “Reading syntax diagrams” on page xi.

Command-line interface help

Issue the `fccli ?` or `fccli help` command to display help for the command-line interface.

Related tasks:

“Protecting custom application and file system data” on page 153

Backup command


Use the **backup** command to create a VSS snapshot backup of volumes and mount points to local shadow volumes.


The VSS snapshot is managed by Tivoli Storage FlashCopy Manager or Tivoli Storage Manager.

Backup syntax

Use the **backup** command syntax diagrams as a reference to view available options and truncation requirements.

FCMCLI command





Backup positional parameter

The positional parameter immediately follows the **backup** command and precedes the optional parameters.

Specify the following positional parameter with the **backup** command:

component name list

Specify a list, of volume or mount points that are separated by commas to back up.

Backup optional parameters

Optional parameters follow the **backup** command and positional parameters.

/CONFIGfile=filename

Use the **/CONFIGfile** parameter to specify the name (*filename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use for a **backup** operation.

The *filename* variable can include a fully qualified path. If the *filename* variable does not include a path, the Tivoli Storage FlashCopy Manager installation directory is used. If the **/configfile** parameter is not specified, or if the *filename* variable is not specified, the default value is `fcmcfg.xml`.

If the *filename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\fcmcfg.xml"
```

/FCMOPTfile=filename

Use the *filename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *filename* variable includes spaces, enclose the entire **/FCMOPTfile** parameter entry in double quotation marks. For example:

```
/FCMOPTfile="c:\Program Files\file.opt"
```

The default is `dsm.opt`.

/LOGFile=filename

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager. The *filename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The

filename variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager installation directory.

If the *filename* variable includes spaces, enclose the entire **/LOGFile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\myfcm.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, *fcm.log*.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

/LOGPrune=*numdays* | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option No can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify no, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/OFFLOAD

Specify this option if, after the VSS snapshot is complete, you want to offload the transfer of the data from the Tivoli Storage Manager server to the system specified by the **REMOTEDSMAGENTNODE** parameter. This option is only valid when the **BACKUPDESTination** parameter is set to either TSM or BOTH. The default is to not offload data.

/PRESNapshotcmd=*cmdstring*

The **/PRESNapshotcmd** parameter runs a command or script before a snapshot operation begins. You can use this optional parameter to quiesce an application before a snapshot is created. You can then restart the application after the snapshot is started by using the **/POSTSNapshotcmd**

optional parameter. The *cmdstring* variable specifies the command to run before the snapshot operation begins. You must specify the fully qualified path name for the command script.

/POSTSnapshotcmd=cmdstring

The ***/POSTSnapshotcmd*** parameter runs a command or script after a snapshot operation ends. You can use this optional parameter to resume the application after the snapshot is created. This parameter is used with the ***/PRESnapshotcmd*** parameter. The *cmdstring* variable must be a fully qualified path.

/TSMNode=nodename

Use the *nodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (*dsm.opt*). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to PROMPT. This parameter is not valid when **PASSWORDACCESS** is set to GENERATE in the options file.

/TSMPassword=password

Use the *password* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified **PASSWORDACCESS GENERATE** in the Tivoli Storage FlashCopy Manager options file (*dsm.opt*), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when **PASSWORDACCESS GENERATE** is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If **PASSWORDACCESS PROMPT** is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Backup examples

These output examples provide a sample of the text, messages, and process status that displays when you use the **backup** command.

In this example, the backup *c:d:* command is run from the Automate tab integrated command line.

The following output is displayed:

Elapsed Processing Time: 118.52 seconds
Completed


Elapsed Processing Time: 130.16 seconds

FCMCLI—DELeTe BACKUp—*component name list*

/CONFIGfile= *fcmcfg.xml* *filename*

/FCMOPTFile= *dsm.opt* *filename*

/FROMSERVER= *server name* *current server*



Delete backup positional parameter

The positional parameter immediately follows the **delete backup** command and precedes the optional parameters.

Specify the following positional parameter with the **delete backup** command:

component name list

Specify a list of volume or mount points to delete. The list must contain all non-qualified objects or all qualified objects. The list cannot contain a combination of non-qualified objects and qualified objects.

Specify the component name list by using the following syntax:

object-1[(object-1-id)][,object-2[(object-2-id)]...]

For example:

```
fcmccli delete backup g:(20110311124516),h:(20110211034512),r:(20101114164310)
```

The following example is for a non-qualified object object-1:

```
delete backup g:
```

The following example is for a qualified object object-1 (object-1-id):

```
delete backup g:(20110815064316)
```

Use the **query backup** command to find the Object Name identifier.

```

Backups for Volume/Mount Point: 'D:'
=====
Volume/Mount Point      : D:
Volume GUID             : 3487bc7e-4465-11dc-81cc-001a640a19f2
Server                  : MALTA
Volume Occupancy        : 17.40GB
Backup Date/Time        : 08/30/2011 04:07:04
Backup State            : Active
Management Class        : DEFAULT
Mounted as              :
Object Name             : 20110830040704
Instant Restore Supported : No
Completed

```

Delete backup optional parameters

Optional parameters follow the **delete backup** command and positional parameter.

/CONFIGfile=*configfilename*

Use the **/configfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use for a **delete backup** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `fcmcfg.xml`.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\fcmcfg.xml"
```

/FCMOPTFile=*filename*

Use the *filename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *filename* variable includes spaces, enclose the entire **/FCMOPTFile** parameter entry in double quotation marks. For example:

```
/FCMOPTFile="c:\Program Files\file.opt"
```

The default is `dsm.opt`.

/FROMSERVER=*server-name*

Use the **/fromserver** parameter to specify the name of the server where the original backup was done. The default is the local server.

/LOGFile=*logfilename*

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager. The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/LOGFile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\myfcm.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, `fcm.log`.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

/LOGPrune=*numdays* | **No**

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify *no*, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/TSMNode=nodename

Use the *nodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (*dsm.opt*). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to PROMPT. This parameter is not valid when **PASSWORDACCESS** is set to GENERATE in the options file.

/TSMPassword=password

Use the *password* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified **PASSWORDACCESS GENERATE** in the Tivoli Storage FlashCopy Manager options file (*dsm.opt*), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when **PASSWORDACCESS GENERATE** is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If **PASSWORDACCESS PROMPT** is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Delete backup example

This output example provides a sample of the text, messages, and process status that displays when you use the **delete backup** command.

In this example, the `fccli delete backup G:,H:` command deletes the backups of volumes G and H. The following output is displayed:

```
Backup(s) to be deleted:
G: and H: : VSS : full : 03/12/2014 12:04:33
VSS Delete backup operation completed with rc = 0
Files Examined    : 2
Files Completed   : 2
Files Failed      : 0
Total Bytes       : 0
```

Help command


Use the **fccli help** command to display help for Tivoli Storage FlashCopy Manager commands.

This command lists one or more commands and their parameters. For a language other than English, you might be required to set the width of your screen display. Choose a value greater than 80 characters to view the entire help description in a screen. For example, set the screen width to 100 characters.

Help syntax

Use the **help** command syntax diagrams as a reference to view available options and truncation requirements.

FCMCLI command



Help positional parameters

Positional parameters follow the Tivoli Storage FlashCopy Manager **help** command.

The following positional parameters specify the help to be displayed:

* | *command*

Identifies the specific Tivoli Storage FlashCopy Manager command that is to be displayed. If you specify the asterisk (*) wildcard character, help for all Tivoli Storage FlashCopy Manager commands is displayed.

* | *subcommand*


Help can be displayed for commands that have several subcommands, for example, the **query components** command. If you do not specify a subcommand or asterisk (*) wildcard character, help for all Tivoli Storage FlashCopy Manager **query components** commands is displayed.

Policy commands for Tivoli Storage FlashCopy Manager

Create Policy

This command is used to create a policy.

FCMCLI command




Parameters:


- *policy_name* (required): Specifies the name of the policy that is being created. To create a policy, the policy name must be unique.
- **/DAYSretain**: Specifies the number of days to retain a snapshot (0 - 9999). You can also specify `NOLimit` to represent an unlimited number of days to retain snapshot versions.
- **/VERSretain**: Specifies the number of snapshot versions to retain (1 - 9999). You can also specify `NOLimit` to represent an unlimited number of snapshot versions to retain.

Copy Policy

This command is used to copy an existing policy to a new policy.

FCMCLI command






Parameters:

- **NEWname:** Specifies the new name of the policy, if the name is being updated. The policy name must be unique.
- *policy_name* (required): Specifies the name of the policy that is being updated.
- **VERSretain:** Specifies the number of snapshot versions to retain (1 - 9999). You can also specify **NOLimit** to represent an unlimited number of snapshot versions to retain.
- **DAYSretain:** Specifies the number of days to retain a snapshot (0 - 9999). You can also specify **NOLimit** to represent an unlimited number of days to retain snapshot versions.

Delete Policy

This command is used to delete a policy.

FCMCLI command



The required parameter is *policy_name*. The parameter specifies the name of the policy that is being deleted.

Tivoli Storage FlashCopy Manager policy examples

These output examples provide a sample of the text, messages, and process status that displays when you use the **create policy** and **delete policy** commands.

In this example, the `fcmcli create policy FCMPOL1` command creates the *FCMPOL1* policy. The following output is displayed:

```
Policy 'FCMPOL1' was created.

The operation completed successfully. (rc = 0)

Completed
```

In this example, the `fcmcli delete policy FCMPOL1` command deletes the *FCMPOL1* policy. The following output is displayed:

Policy 'FCMPOL1' was deleted.

The operation completed successfully. (rc = 0)

Completed


Mount backup command

Use the **mount backup** command to mount backups that are managed by Tivoli Storage FlashCopy Manager or Tivoli Storage Manager.

Mount backup syntax

Use the **mount backup** command syntax diagrams as a reference to view available options and truncation requirements.

FCMCLI command



Mount backup positional parameter

The positional parameters immediately follow the **mount backup** command and precede the optional parameters.

The following positional parameters specify the objects to mount:

component name=mount point[,component name=mount point]

component name

Specify the volume or drive name of the component.

mount point

Specify an unused drive letter or absolute path to the directory where the snapshots are going to be displayed as mount point directories. The directory must be empty. If not empty, an error is reported.

The list must contain all non-qualified objects or all qualified objects. The list cannot contain a combination of non-qualified objects and qualified objects. Specify the list by using the following syntax:

```
mount backup object-1[(object-1-id)] = mount-point-1[,object-2[(object-2-id)]
=mount-point-2...]
```

For example:

```
fcmlcli mount backup L:=X:
```

```
fcmlcli mount backup g:(2011031112451)=x:
```

The following example is for a non-qualified object object-1:

```
fcmlcli mount backup g:=x:
```

The following example is for a qualified object object-1 (object-1-id):

```
fcmlcli mount backup g:(20110815064316)=x:
```

Mount backup optional parameters

Optional parameters follow the **mount backup** command and positional parameters.

/CONFIGfile=filename

Use the **/configfile** parameter to specify the name (*filename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use for a **mount backup** operation.

The *filename* variable can include a fully qualified path. If the *filename* variable does not include a path, the Tivoli Storage FlashCopy Manager installation directory is used. If the **/configfile** parameter is not specified, or if the *filename* variable is not specified, the default value is `fcmcfg.xml`.

If the *filename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\fcmcfg.xml"
```

See "Update config positional parameters" on page 370 for descriptions of available configuration parameters.

/FCMPTFile=filename

Use the *filename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *filename* variable includes spaces, enclose the entire **/FCMOPTFile** parameter entry in double quotation marks. For example:

```
/FCMOPTFile="c:\Program Files\file.opt"
```

The default is dsm.opt.

/FROMServer=server-name

Use the **/fromserver** parameter to specify the name of the server where the original backup was done. The default is the local server.

/LOGFile=logfilename

Use the **/logfile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager. The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\myfcm.log"
```

If the **/logfile** parameter is not specified, log records are written to the default log file, fcm.log.

The **/logfile** parameter cannot be turned off, logging always occurs.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option No can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify no, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat**

or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:

- Make a copy of the existing log file.
- Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/PITDate=*date*

Use the **/pitdate** parameter with the **/pittime** parameter to establish a point in time for which you want to mount the latest version of your backups. Backups that were backed up on or before the date and time you specified, and, which were not deleted before the date and time you specified, are processed. Backup versions that you create after this date and time are ignored. Specify the appropriate date in the *date* variable; use the same format that you selected with the DATEFORMAT option in the Tivoli Storage FlashCopy Manager options file.

If neither *date* nor *time* is specified, then no date and time are established. By default the backup is mounted from the most recent available backup.

If either *date* or *time* is specified, then the backup is mounted from the earliest backup that is selected after the established mount date and time. If no backup after the established date and time is found, by default the backup is mounted from the most recent available backup.

Notes:

- If you specify both *date* and *time*, this selection establishes the mount backup period.
- If you specify *date* and you do not specify *time*, *time* defaults to a value of 23:59:59. This selection establishes the *date* at the specified date.
- If you specify *time* without *date*, then *date* defaults to the current date. This selection establishes the mount date and time as the current date at the specified *time*.

/PITTime=*time*

Use the **/pittime** parameter with the **/pitdate** option to establish a point in time for which you want to mount the latest version of your backups. Files or images that were backed up on or before the date and time you specify, and that were not deleted before the date and time you specify, are processed. Backup versions that you create after this date and time are ignored. This option is ignored if you do not specify the **/pitdate** parameter. Specify the appropriate time in the *time* variable; use the same format that you selected with the TIMEFORMAT option in the Tivoli Storage FlashCopy Manager options file.

If neither *date* nor *time* is specified, then no date and time are established. By default the backup is mounted from the most recent available backup.

If either *date* or *time* is specified, then the backup is mounted from the earliest backup that is selected after the established mount date and time. If no backup after the established date and time is found, by default the backup is mounted from the most recent available backup.

Notes:

- If you specify both *date* and *time*, this selection establishes the mount backup period.
- If you specify *date* and you do not specify *time*, *time* defaults to a value of 23:59:59. This selection establishes the *date* at the specified date.

- If you specify *time* without *date*, then *date* defaults to the current date. This selection establishes the mount date and time as the current date at the specified *time*.

/REMOTECOMPUTER=computername

Enter the IP address or host name for the remote system where you want to mount the data.

/REMOTECOMPUTERUser=user

Enter the user name that is used to log on to the server specified with the **REMOTECOMPUTER** parameter. If a domain is required to log on with the domain account, enter *Domain\User*. To log on to the local account, the domain is not required. There is no default value.

/REMOTECOMPUTERPassword=password

Enter the password for the user name that is specified with the **REMOTECOMPUTERUser** parameter. There is no default value.

/TSMNODE=tsmnodename

Use the *tsmnodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (*dsm.opt*). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to **PROMPT**. This parameter is not valid when **PASSWORDACCESS** is set to **GENERATE** in the options file.

/TSMOPTFile=tsmoptfilename

Use the *tsmoptfilename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *tsmoptfilename* variable includes spaces, enclose the entire **/tsmoptfile** parameter entry in double quotation marks. For example:

```
/TSMOPTFile="c:\Program Files\file.opt"
```

The default is *dsm.opt*.

/TSMPassword=tsmpassword

Use the *tsmpassword* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified **PASSWORDACCESS GENERATE** in the Tivoli Storage FlashCopy Manager options file (*dsm.opt*), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when **PASSWORDACCESS GENERATE** is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If PASSWORDACCESS PROMPT is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Mount backup examples

These output examples provide a sample of the text, messages, and process status that displays when you use the **mount backup** command.

In this example, the `fcmdi mount backup C:=X:` command mounts volume C:. The following output is displayed:

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 3.0
(C) Copyright IBM Corporation 2009, 2015. All rights reserved.

Preparing for a MOUNT BACKUP operation, please wait...

Connecting to TSM Server as node 'STRINGVM1_FS'...
Connecting to Local DSM Agent 'STRINGVM1'...

Backup(s) to be mounted:
C: = X: : VSS : full : 08/04/2014 13:08:50

The operation completed successfully. (rc = 0)
```

In this example, the `fcmdi mount backup D:\mnt\mp1=M:,D:\mnt\mp2=N: /PITDATE=08/07/2014 /PITTIME=08:53:36` command mounts multiple volumes. The following output is displayed:

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 3.0
(C) Copyright IBM Corporation 2009, 2015. All rights reserved.

Preparing for a MOUNT BACKUP operation, please wait...

Connecting to FCM Server as node 'TROYVM1_FS'...
Connecting to Local DSM Agent 'TROYVM1'...

Backup(s) to be mounted:

d:\mnt\mp1 = M: : VSS : full : 08/07/2014 08:53:35
d:\mnt\mp2 = N: : VSS : full : 08/07/2014 08:53:36
```

Query component command


Use the **query component** command to query the VSS components available on the system.

The **query component** command returns a list of the volume and mount points available for backup.

Query component syntax

Use the **query component** command syntax diagrams as a reference to view available options and truncation requirements.

FCMCLI command



Query component optional parameters

Optional parameters follow the **query component** command.

/CONFIGfile=filename

Use the **/configfile** parameter to specify the name (*filename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use for a **query component** operation.

The *filename* variable can include a fully qualified path. If the *filename* variable does not include a path, the Tivoli Storage FlashCopy Manager installation directory is used. If the **/configfile** parameter is not specified, or if the *filename* variable is not specified, the default value is `fcmcfg.xml`.

If the *filename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\fcmcfg.xml"
```

/FCMOPTFile=filename

Use the *filename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *filename* variable includes spaces, enclose the entire **/FCMOPTFile** parameter entry in double quotation marks. For example:

```
/FCMOPTFile="c:\Program Files\file.opt"
```

The default is `dsm.opt`.

/LOGFile=filename

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager. The *filename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *filename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager installation directory.

If the *filename* variable includes spaces, enclose the entire **/LOGFile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\myfcm.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, *fcm.log*.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/TSMNODE=nodename

Use the *nodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (*dsm.opt*). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to **PROMPT**. This parameter is not valid when **PASSWORDACCESS** is set to **GENERATE** in the options file.

/TSMPassword=*password*

Use the *password* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified PASSWORDACCESS GENERATE in the Tivoli Storage FlashCopy Manager options file (dsm.opt), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when PASSWORDACCESS GENERATE is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If PASSWORDACCESS PROMPT is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Query component examples

Examples of how to use the **query component** command are provided.

To query components that are associated with a configuration file, for example, customconfig.xml, enter the following command:

```
fcmdi query component /configfile=customconfig.xml
```

To query components for a list of the volume and mount points that are available for backup, enter the following command:

```
fcmdi query component
```

Query config command

Use the **query config** command to display Tivoli Storage FlashCopy Manager configuration information.


The **query config** command displays the following information:


- The value of each **configuration parameters** parameter
- Tivoli Storage FlashCopy Manager connection and configuration information
- Tivoli Storage Manager server connection and configuration information

Query config syntax

Use the **query config** command syntax diagrams as a reference to view available options and truncation requirements.

FCMCLI command





Query config optional parameters

Optional parameters follow the **query config** command.

/CONFIGfile=filename

Use the **/CONFIGfile** parameter to specify the name (*filename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use for a **query config** operation.

The *filename* variable can include a fully qualified path. If the *filename* variable does not include a path, the Tivoli Storage FlashCopy Manager installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *filename* variable is not specified, the default value is fcmcfg.xml.

If the *filename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\fcmcfg.xml"
```

/FCMOPTFile=filename

Use the *filename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *filename* variable includes spaces, enclose the entire **/FCMOPTFile** parameter entry in double quotation marks. For example:

```
/FCMOPTFile="c:\Program Files\file.opt"
```

The default is dsm.opt.

/LOGFile=filename

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager. The *filename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *filename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager installation directory.

If the *filename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\myfcm.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, fcm.log.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

/LOGPrune=*numdays* | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/TSMNode=*nodename*

Use the *nodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (*dsm.opt*). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to **PROMPT**. This parameter is not valid when **PASSWORDACCESS** is set to **GENERATE** in the options file.

/TSMPassword=*password*

Use the *password* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified **PASSWORDACCESS GENERATE** in the Tivoli Storage FlashCopy Manager options file (*dsm.opt*), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when **PASSWORDACCESS GENERATE** is in effect, the command-line value is ignored unless the

password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If PASSWORDACCESS PROMPT is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.


Query backup command

Use the **query backup** command to query a list of the backups that are being managed by Tivoli Storage FlashCopy Manager and the Tivoli Storage Manager server.

Query backup syntax

Use the **query backup** command syntax diagrams as a reference to view available options and truncation requirements.

FCMCLI command



Query backup positional parameter

The positional parameter immediately follows the **query backup** command and precedes the optional parameters.

Specify the following positional parameters with the **query backup** command:

component name list | *

component name list

Specify a list of volume or mount points to query.

- * All backups are queried and shown in the command output. This option is the default value.

Query backup optional parameters

Optional parameters follow the **query backup** command and positional parameter.

/ALL Use the **/all** parameter to display both active and inactive backup objects. If the **/all** parameter is not specified, only active backup objects are displayed.

/CONFIGfile=configfilename

Use the **/configfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use for a **query backup** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `fcmcfg.xml`.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\fcmcfg.xml"
```

/FCMOPTFile=filename

Use the *filename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *filename* variable includes spaces, enclose the entire **/FCMOPTFile** parameter entry in double quotation marks. For example:

```
/FCMOPTFile="c:\Program Files\file.opt"
```

The default is `dsm.opt`.

/FROMSERVER=server name

Use the **/fromserver** parameter to specify the name of the server where the original backup was done. The default is the current server.

/LOGFile=logfilename

Use the **/logfile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager. The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\myfcm.log"
```

If the **/logfile** parameter is not specified, log records are written to the default log file, `fcm.log`.

The **/logfile** parameter cannot be turned off, logging always occurs.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/REMOTECOMPUTER=computername

Enter the IP address or host name for the remote system where you want to query the data that is backed up.

/REMOTECOMPUTERUser=user

Enter the user name that is used to log on to the server specified with the **REMOTECOMPUTER** parameter. If a domain is required to log on with the domain account, enter *Domain\User*. To log on to the local account, the domain is not required. There is no default value.

/REMOTECOMPUTERPassword=password

Enter the password for the user name that is specified with the **REMOTECOMPUTERUser** parameter. There is no default value.

/TSMNODE=nodename

Use the *nodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (*dsm.opt*). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to **PROMPT**. This parameter is not valid when **PASSWORDACCESS** is set to **GENERATE** in the options file.

/TSMPassword=password

Use the *password* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified `PASSWORDACCESS GENERATE` in the Tivoli Storage FlashCopy Manager options file (`dsm.opt`), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when `PASSWORDACCESS GENERATE` is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If `PASSWORDACCESS PROMPT` is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Query backup example

This output example provides a sample of the text, messages, and process status that displays when you use the **query backup** command.

The **fcmlcli query backup * /all** command displays information about all active and inactive backups that are managed by Tivoli Storage FlashCopy Manager. An example of the output is provided.

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 3.0
(C) Copyright IBM Corporation 2009, 2015. All rights reserved.
```

```
Querying backups, please wait...
```

```
Connecting to FCM Server as node 'JUNE_FS'...
Connecting to Local DSM Agent 'JUNE'...
```

```
Backups for Volume/Mount Point: 'F:'
```

```
=====
Volume/Mount Point      : F:
Volume GUID             : aa3683af-4bdc-11de-b146-001a6499a400
Server                  : JUNE
Volume Occupancy        : 10.13MB
Backup Date/Time        : 03/31/2014 07:35:11
Backup State            : Active
Management Class        : DEFAULT
Mounted as              :
Object Name             : 20140331073511
Instant Restore Supported : No
```

```
Volume/Mount Point      : F:
Volume GUID             : aa3683af-4bdc-11de-b146-001a6499a400
Server                  : JUNE
Volume Occupancy        : 10.13MB
Backup Date/Time        : 03/30/2014 13:50:44
Backup State            : Inactive
Management Class        : DEFAULT
Mounted as              :
Object Name             : 20140330135044
Instant Restore Supported : No
```

```
Backups for Volume/Mount Point: 'O:'
```

```
=====
Volume/Mount Point      : O:
Volume GUID             : aa3683b2-4bdc-11de-b146-001a6499a400
Server                  : JUNE
Volume Occupancy        : 10.12MB
Backup Date/Time        : 03/31/2014 07:35:50
Backup State            : Active
Management Class        : DEFAULT
Mounted as              :
Object Name             : 20140331073550
Instant Restore Supported : No
```

```
Volume/Mount Point      : O:
Volume GUID             : aa3683b2-4bdc-11de-b146-001a6499a400
Server                  : JUNE
Volume Occupancy        : 10.12MB
Backup Date/Time        : 03/31/2014 07:24:44
Backup State            : Inactive
Management Class        : DEFAULT
Mounted as              :
Object Name             : 20140331072444
Instant Restore Supported : No
```

The **fcmlcli query backup** command displays information about backups that are managed by Tivoli Storage FlashCopy Manager. An example of the output is provided.

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 3.0
(C) Copyright IBM Corporation 2009, 2015. All rights reserved.

Querying backups, please wait...

Connecting to FCM Server as node 'JUNE_FS'...
Connecting to Local DSM Agent 'JUNE'...

Backups for Volume/Mount Point: 'F:'
=====
Volume/Mount Point      : F:
Volume GUID             : aa3683af-4bdc-11de-b146-001a6499a400
Server                  : JUNE
Volume Occupancy        : 10.13MB
Backup Date/Time        : 03/31/2014 07:35:11
Backup State            : Active
Management Class        : DEFAULT
Mounted as              :
Object Name             : 20140331073511
Instant Restore Supported : No

Backups for Volume/Mount Point: 'O:'
=====
Volume/Mount Point      : O:
Volume GUID             : aa3683b2-4bdc-11de-b146-001a6499a400
Server                  : JUNE
Volume Occupancy        : 10.12MB
Backup Date/Time        : 03/31/2014 07:35:50
Backup State            : Active
Management Class        : DEFAULT
Mounted as              :
Object Name             : 20140331073550
Instant Restore Supported : No
```

The **fcmlcli query backup** command displays information about backups that are managed by Tivoli Storage FlashCopy Manager. An example of the output is provided.

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 3.0
(C) Copyright IBM Corporation 2009, 2015. All rights reserved.
```

```
Querying backups, please wait...
```

```
Connecting to FCM Server as node 'JUNE_FS'...
Connecting to Local DSM Agent 'JUNE'...
```

```
Backups for Volume/Mount Point: 'F:'
```

```
=====
Volume/Mount Point      : F:
Volume GUID             : aa3683af-4bdc-11de-b146-001a6499a400
Server                  : JUNE
Volume Occupancy        : 10.13MB
Backup Date/Time        : 03/31/2014 07:35:11
Backup State            : Active
Management Class        : DEFAULT
Mounted as              :
Object Name             : 20140331073511
Instant Restore Supported : No
```

```
Backups for Volume/Mount Point: 'O:'
```


```
=====
Volume/Mount Point      : O:
Volume GUID             : aa3683b2-4bdc-11de-b146-001a6499a400
Server                  : JUNE
Volume Occupancy        : 10.12MB
Backup Date/Time        : 03/31/2014 07:35:50
Backup State            : Active
Management Class        : DEFAULT
Mounted as              :
Object Name             : 20140331073550
Instant Restore Supported : No
```


Query managedcapacity command

When you plan for storage, if you want to determine the amount of managed capacity in use, use the **query managedcapacity** command.

The **query managedcapacity** command displays capacity that is related information about the volumes that are represented in local inventory that is managed by Tivoli Storage FlashCopy Manager. You can run this command on all Windows operating systems that are supported by Tivoli Storage FlashCopy Manager.

FCMCLI command





Parameters

/CONFIGfile=*configfilename*

Use the **/CONFIGfile** parameter to specify the name (*configfilename*) of the configuration file that contains the values to use for a **query managedcapacity** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager installation directory is used. If the **/CONFIGfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `fcmcfg.xml`.

If the *configfilename* variable includes spaces, enclose the entire **/CONFIGfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\fcmcfg.xml"
```

/Detailed

Results in a detailed listing of snapped volumes. If this option is not specified, only the total capacity is displayed.

/LOGFile=*logfilename*

Use the **/LOGFile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager. The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/LOGFile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\myfcm.log"
```

If the **/LOGFile** parameter is not specified, log records are written to the default log file, `fcm.log`.

The **/LOGFile** parameter cannot be turned off, logging always occurs.

/LOGPrune=*numdays* | **No**

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify *no*, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/TSMNODE=tsmnodename

Use the *tsmnodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (*dsm.opt*). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to PROMPT. This parameter is not valid when **PASSWORDACCESS** is set to GENERATE in the options file.

/TSMOPTFile=tsmoptfilename

Use the *tsmoptfilename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *tsmoptfilename* variable includes spaces, enclose the entire **/tsmoptfile** parameter entry in double quotation marks. For example:

```
/TSMOPTFile="c:\Program Files\file.opt"
```

The default is *dsm.opt*.

/TSMPassword=tsmpassword

Use the *tsmpassword* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified **PASSWORDACCESS** GENERATE in the Tivoli Storage FlashCopy Manager options file (*dsm.opt*), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when **PASSWORDACCESS** GENERATE is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If **PASSWORDACCESS** PROMPT is in effect, and you do not specify a password value on the command line, you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

For examples of how to use the **query managedcapacity** command, use the following list:

- To display the total amount of managed capacity in use in the local inventory, enter the **fcmdi query managedcapacity** command.

If there are local backups, the following code sample can be used as a reference:

```
c:\Program Files\Tivoli\FlashCopyManager>fcmdi query managedcapacity
```

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 1.0
(C) Copyright IBM Corporation 2009, 2014. All rights reserved.
```

```
Preparing for a QUERY MANAGEDCAPACITY operation, please wait...
```

```
Total Managed Capacity : 84.26 GB (90,476,371,968 bytes)
```

If there are no local backups, the following code sample can be used as a reference:

```
c:\Program Files\Tivoli\FlashCopyManager>fcmdi query managedcapacity
```

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 1.0
(C) Copyright IBM Corporation 2009, 2014. All rights reserved.
```

```
Preparing for a QUERY MANAGEDCAPACITY operation, please wait...
```

```
Total Managed Capacity : 0
```

- To display a detailed listing of total amount of managed capacity and the snapped volumes in use, enter the **fcmdi query managedcapacity /detailed** command.

If there are local backups, the following code sample can be used as a reference:

```
c:\Program Files\Tivoli\FlashCopyManager>fcmdi query managedcapacity /detail
```

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 1.0
(C) Copyright IBM Corporation 2009, 2014. All rights reserved.
```

```
Preparing for a QUERY MANAGEDCAPACITY operation, please wait...
```

```
Total Managed Capacity : 84.26 GB (90,476,371,968 bytes)
```

```
Volume          : C:
Managed Capacity : 68.27 GB (73,299,652,608 bytes)
```

```
Volume          : c:\mp
Managed Capacity : 16.00 GB (17,176,719,360 bytes)
```

If there are no local backups, the following code sample can be used as a reference:

```
c:\Program Files\Tivoli\FlashCopyManager>fcmcli query managedcapacity /detail
```

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 1.0
(C) Copyright IBM Corporation 2009, 2014. All rights reserved.
```

```
Preparing for a QUERY MANAGEDCAPACITY operation, please wait...
```

```
Total Managed Capacity : 0
```

Restore command

Use the **restore** command to restore a Tivoli Storage FlashCopy Manager backup.

You must have local registry rights to run a Tivoli Storage FlashCopy Manager for Exchange Server restore.

VSS operations require special considerations that must be reviewed before you attempt a VSS Restore. See these two sections for important guidelines:


- “VSS restore characteristics” on page 4
- “VSS backups that are restored to alternate databases” on page 23


The GUI provides an easy-to-use, flexible interface to help you run a restore operation. The interface presents information in a way that allows multiple selection and, in some cases, automatic operation.

Restore syntax

Use the **restore** command syntax diagrams as a reference to view available options and truncation requirements.

FCMCLI command





Restore positional parameter

The positional parameter immediately follows the **restore** command and precedes the optional parameters.

Specify the following positional parameter with the **restore** command:

component name list

Specify a list of volume or mount points to restore. The list must contain all non-qualified objects or all qualified objects. The list cannot contain a combination of non-qualified objects and qualified objects.

Specify the component name list by using the following syntax:

```
comp-1[(object-1-id)][,comp-2[(object-2-id)]...]
```

where *comp-n* is the component to restore, and *obj-id-n* is the object ID of the specific backup to restore. The object ID can be obtained through the **query backup** command.

For example:

```
fcmccli restore g:(20110311124516),h:(20110211034512),r:(20101114164310)
```

Restore optional parameters

Optional parameters follow the **restore** command and positional parameters.

/CONFIGfile=*configfilename*

Use the **/configfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use for a **restore** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `fcmcfg.xml`.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\fcmcfg.xml"
```

See “Update config positional parameters” on page 370 for descriptions of available configuration parameters.

/FROMSERVER=*server-name*

Use the **/fromserver** parameter to specify the name of the server where the original backup was done. The default is the local server.

/INSTANTRestore=Yes | No

Use the **/instantrestore** parameter to specify whether to use volume level snapshot or file level copy to restore a VSS backup that are on local shadow volumes. An IBM Systems Storage SAN Volume Controller, DS8000, the XIV system, and IBM Storwize V7000 storage subsystem is required to perform VSS instant restores.

You can specify:

- Yes** Use volume level snapshot restore for a VSS backup on local shadow volumes if the backup exists on volumes that support it. This option is the default.
- No** Use file level copy to restore the files from a VSS backup on local shadow volumes. Bypassing volume-level copy means that Exchange log files and the checkpoint file are the only data overwritten on the source volumes.

When you complete VSS instant restores with DS8000, make sure that any previous background copies (that involve the volumes that are being restored) are completed before you initiate the VSS instant restore. The **/instantrestore** parameter is ignored and VSS instant restore capabilities are automatically disabled when performing any type of VSS restore into operation. You cannot run VSS instant restore of differential and incremental backups.

/INTO=volume-drive | mount-point-dir

Use the **/into** parameter to restore the backup that is stored on Tivoli Storage Manager server to an alternate destination.

You can specify either *volume-drive* or *mount-point-dir*. The *volume-drive* or *mount-point-dir* location that you specify must be present on the server; the location is not dynamically created.

You can issue the **/into** parameter for one restore operation per command. You cannot use multiple restore specifications with the **/into** parameter.

The following sample provides an example of how to use the parameter:

```
FCMCLI RESTORE M: /INTO=P:
```

/LOGFile=logfilename

Use the **/logfile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager. The *logfilename* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager installation directory.

If the *logfilename* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\myfcm.log"
```

If the **/logfile** parameter is not specified, log records are written to the default log file, *fcm.log*.

The **/logfile** parameter cannot be turned off, logging always occurs.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/NOPROMPT

When the **restore** command is issued, you are prompted to confirm whether to overwrite the volumes you specified for restore. Use the **/noprompt** parameter to bypass this prompt and proceed with the restore operation.

/PITDate=date

Use the **/pitdate** parameter with the **/pittime** parameter to establish a point in time for which you want to restore the latest version of your backups. Backups that were backed up on or before the date and time you specified, and, which were not deleted before the date and time you specified, are processed. Backup versions that you create after this date and time are ignored. Specify the appropriate date in the *date* variable; use the same format that you selected with the **DATEFORMAT** option in the Tivoli Storage FlashCopy Manager options file.

If neither *date* nor *time* is specified, then no date and time are established. By default the backup is restored from the most recent available backup.

If either *date* or *time* is specified, then the backup is restored from the earliest backup that is selected after the established restore date and time. If no backup after the established date and time is found, by default the backup is restored from the most recent available backup.

Notes:

- If you specify both *date* and *time*, this selection establishes the restore period.

- If you specify *date* and you do not specify *time*, *time* defaults to a value of 23:59:59. This selection establishes the *date* at the specified date.
- If you specify *time* without *date*, then *date* defaults to the current date. This selection establishes the restore date and time as the current date at the specified *time*.

/PITTime=*time*

Use the **/pittime** parameter with the **/pitdate** option to establish a point in time for which you want to restore the latest version of your backups. Files or images that were backed up on or before the date and time you specify, and that were not deleted before the date and time you specify, are processed. Backup versions that you create after this date and time are ignored. This option is ignored if you do not specify the **/pitdate** parameter. Specify the appropriate time in the *time* variable; use the same format that you selected with the TIMEFORMAT option in the Tivoli Storage FlashCopy Manager options file.

If neither *date* nor *time* is specified, then no date and time are established. By default the backup is restored from the most recent available backup.

If either *date* or *time* is specified, then the backup is restored from the earliest backup that is selected after the established restore date and time. If no backup after the established date and time is found, by default the backup is restored from the most recent available backup.

Notes:

- If you specify both *date* and *time*, this selection establishes the restore period.
- If you specify *date* and you do not specify *time*, *time* defaults to a value of 23:59:59. This selection establishes the *date* at the specified date.
- If you specify *time* without *date*, then *date* defaults to the current date. This selection establishes the restore date and time as the current date at the specified *time*.

/TSMNODE=*tsmnodename*

Use the *tsmnodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (dsm.opt). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to PROMPT. This parameter is not valid when **PASSWORDACCESS** is set to GENERATE in the options file.

/TSMOPTFile=*tsmoptfilename*

Use the *tsmoptfilename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *tsmoptfilename* variable includes spaces, enclose the entire **/tsmoptfile** parameter entry in double quotation marks. For example:

```
/TSMOPTFile="c:\Program Files\file.opt"
```

The default is dsm.opt.

/TSMPassword=tsmpassword

Use the *tsmpassword* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified PASSWORDACCESS GENERATE in the Tivoli Storage FlashCopy Manager options file (dsm.opt), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when PASSWORDACCESS GENERATE is in effect, the command-line value is ignored unless the password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If PASSWORDACCESS PROMPT is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Restore examples

These output examples provide a sample of the text, messages, and process status that displays when you use the **restore** command.

In this example, the `fcmlcli restore K:,L: /INSTANTRestore=No` command restores volumes K: and L:. The following output is displayed:

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 3.0
(C) Copyright IBM Corporation 2009, 2015. All rights reserved.

You have selected a full filesystem RESTORE operation. Performing this restore
will overwrite the volumes that you have specified for restore.

Do you want to continue with the RESTORE operation? (Yes (Y)/No (N)) y

Preparing for a RESTORE operation, please wait...

Starting restore of volume...

Beginning VSS restore of 'K:', 'L:'. This operation could take a while, please wait...

Restoring 'K:', 'L:' via file-level copy from snapshot(s). This process may take
some time. Please wait.

VSS Restore operation completed with rc = 0.

Elapsed Processing Time: 385.23 seconds
```

In this example, the `fcmlcli restore D:\mnt\mp1,D:\mnt\mp2 /PITDATE=10/07/2014 /PITTIME=08:53:36` command restores mount points D:\mnt\mp1 and D:\mnt\mp2. The following output is displayed:

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 3.0
(C) Copyright IBM Corporation 2009, 2015. All rights reserved.
```

You have selected a full filesystem RESTORE operation. Performing this restore will overwrite the volumes that you have specified for restore.

Do you want to continue with the RESTORE operation? (Yes (Y)/No (N)) y

Preparing for a RESTORE operation, please wait...

Starting restore of volume...

Beginning VSS restore of 'd:\mnt\mp1', 'd:\mnt\mp2'. This operation could take a while, please wait...

Restoring 'd:\mnt\mp1', 'd:\mnt\mp2' via volume-level copy from snapshot(s). This process may take some time. Please wait.

VSS Restore operation completed with rc = 0.

Elapsed Processing Time: 162.23 seconds

In this example, the `fccli restore K:,L: /FROMSERVER=troyvm1` command restores volumes K: and L: from server troyvm1. The following output is displayed:

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 3.0
(C) Copyright IBM Corporation 2009, 2015. All rights reserved.
```

You have selected a full filesystem RESTORE operation. Performing this restore will overwrite the volumes that you have specified for restore.

Do you want to continue with the RESTORE operation? (Yes (Y)/No (N)) y

Preparing for a RESTORE operation, please wait...

Starting restore of volume...

Beginning VSS restore of 'K:', 'L:'. This operation could take a while, please wait...

Restoring 'K:', 'L:' via volume-level copy from snapshot(s). This process may take some time. Please wait.

VSS Restore operation completed with rc = 0.

Elapsed Processing Time: 161.57 seconds

Unmount backup command

Use the **unmount backup** command to unmount backups that were previously mounted, and are managed by Tivoli Storage FlashCopy Manager or Tivoli Storage Manager.

Unmount backup syntax

Use the **unmount backup** command syntax diagrams as a reference to view available options and truncation requirements.

FCMCLI command



Unmount backup positional parameter

The positional parameter immediately follows the **unmount backup** command and precedes the optional parameters.

volume name list

Use this parameter to specify a drive letter (for example, a:) or list of mount point directories to unmount. The *volume name list* parameter is required.

To specify more than one name, separate them by commas.

Unmount backup optional parameters

Optional parameters follow the **unmount backup** command and positional parameters.

/CONFIGfile=*configfilename*

Use the **/configfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use for an **unmount backup** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is `fcmcfg.xml`.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\fcmcfg.xml"
```

/LOGFile=*logfile*

Use the **/logfile** parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager. The *logfile* variable identifies the name of the activity log file.

If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfile* variable can include a fully qualified path. However, if no path is specified, the log file is written to the Tivoli Storage FlashCopy Manager installation directory.

If the *logfile* variable includes spaces, enclose the entire **/logfile** parameter entry in double quotation marks. For example:

```
/LOGFile="c:\Program Files\myfcm.log"
```

If the **/logfile** parameter is not specified, log records are written to the default log file, `fcm.log`.

The **/logfile** parameter cannot be turned off, logging always occurs.

/LOGPrune=*numdays* | **No**

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, a certain number of days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.

- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, *60*, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

/PITDate=*date*

Use the **/pitdate** parameter with the **/pittime** parameter to establish a point in time for which you want to mount the latest version of your backups. Backups that were backed up on or before the date and time you specified, and, which were not deleted before the date and time you specified, are processed. Backup versions that you create after this date and time are ignored. Specify the appropriate date in the *date* variable; use the same format that you selected with the DATEFORMAT option in the Tivoli Storage FlashCopy Manager options file.

If neither *date* nor *time* is specified, then no date and time are established. By default the backup is mounted from the most recent available backup.

If either *date* or *time* is specified, then the backup is mounted from the earliest backup that is selected after the established mount date and time. If no backup after the established date and time is found, by default the backup is mounted from the most recent available backup.

Notes:

- If you specify both *date* and *time*, this selection establishes the mount backup period.
- If you specify *date* and you do not specify *time*, *time* defaults to a value of 23:59:59. This selection establishes the *date* at the specified date.
- If you specify *time* without *date*, then *date* defaults to the current date. This selection establishes the mount date and time as the current date at the specified *time*.

/PITTime=*time*

Use the **/pittime** parameter with the **/pitdate** option to establish a point in time for which you want to mount the latest version of your backups. Files or images that were backed up on or before the date and time you specify, and that were not deleted before the date and time you specify, are processed. Backup versions that you create after this date and time are ignored. This option is ignored if you do not specify the **/pitdate** parameter. Specify the appropriate time in the *time* variable; use the same format that you selected with the TIMEFORMAT option in the Tivoli Storage FlashCopy Manager options file.

If neither *date* nor *time* is specified, then no date and time are established. By default the backup is mounted from the most recent available backup.

If either *date* or *time* is specified, then the backup is mounted from the earliest backup that is selected after the established mount date and time. If no backup after the established date and time is found, by default the backup is mounted from the most recent available backup.

Notes:

- If you specify both *date* and *time*, this selection establishes the mount backup period.
- If you specify *date* and you do not specify *time*, *time* defaults to a value of 23:59:59. This selection establishes the *date* at the specified date.
- If you specify *time* without *date*, then *date* defaults to the current date. This selection establishes the mount date and time as the current date at the specified *time*.

/REMOTECOMPUTER=computername

Enter the computer name or IP address of the remote system where the backup was created.

/REMOTECOMPUTERUser=user

Enter the user name that is used to log on to the server specified with the **REMOTECOMPUTER** parameter. If a domain is required to log on with the domain account, enter *Domain\User*. To log on to the local account, the domain is not required. There is no default value.

/REMOTECOMPUTERPassword=password

Enter the password for the user name that is specified with the **REMOTECOMPUTERUser** parameter. There is no default value.

/TSMNODE=tsmnodename

Use the *tsmnodename* variable to refer to the Tivoli Storage Manager node name that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

You can store the node name in the Tivoli Storage Manager options file (dsm.opt). This parameter overrides the value in the Tivoli Storage Manager options file if **PASSWORDACCESS** is set to PROMPT. This parameter is not valid when **PASSWORDACCESS** is set to GENERATE in the options file.

/TSMOPTFile=tsmoptfilename

Use the *tsmoptfilename* variable to identify the Tivoli Storage Manager options file.

The file name can include a fully qualified path name. If no path is specified, the directory where Tivoli Storage FlashCopy Manager is installed is searched.

If the *tsmoptfilename* variable includes spaces, enclose the entire **/tsmoptfile** parameter entry in double quotation marks. For example:

```
/TSMOPTFile="c:\Program Files\file.opt"
```

The default is dsm.opt.

/TSMPassword=tsmpassword

Use the *tsmpassword* variable to refer to the Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server.

If you specified **PASSWORDACCESS GENERATE** in the Tivoli Storage FlashCopy Manager options file (dsm.opt), supplying the password is not necessary here because the one that is stored in the registry is used. However, to store the password in the registry, you must specify the Tivoli Storage Manager password the first time Tivoli Storage FlashCopy Manager connects to the Tivoli Storage Manager server.

If you do specify a password with this parameter when **PASSWORDACCESS GENERATE** is in effect, the command-line value is ignored unless the

password for this node is not yet stored in the registry. In that case, the specified password is stored in the registry and used when you run this command.

If PASSWORDACCESS PROMPT is in effect, and you do not specify a password value on the command line, then you are prompted for a password.

The Tivoli Storage Manager password that Tivoli Storage FlashCopy Manager uses to log on to the Tivoli Storage Manager server can be up to 63 characters in length.

Unmount backup example

This output example provides a sample of the text, messages, and process status that displays when you use the **unmount backup** command.

In this example, the `fccli unmount backup M:,N:` command unmounts mount points M: and N: The following output is displayed:

```
FlashCopy Manager for Windows:
IBM Tivoli Storage FlashCopy Manager
Version 4, Release 1, Level 3.0
(C) Copyright IBM Corporation 2009, 2015. All rights reserved.

Preparing for a UNMOUNT BACKUP operation, please wait...

Connecting to FCM Server as node 'TROYVM1_FS'...
Connecting to Local DSM Agent 'TROYVM1'...

Backup(s) to be unmounted:
M:
N:

The operation completed successfully. (rc = 0)
```

Update config command

Use the **update config** command to set the Tivoli Storage FlashCopy Manager or Tivoli Storage Manager configuration parameters in a configuration file.


The values that you set are saved in a Tivoli Storage FlashCopy Manager configuration file. The default configuration file is `fcmcfg.xml`. Configuration values can also be set in the Properties window in Microsoft Management Console (MMC).

For command invocations other than this command, the value of a configuration parameter that is specified in a command overrides the value of the configuration parameter that is specified in the Tivoli Storage FlashCopy Manager configuration file. If, when you use this command, you do not override a value for the configuration file parameter, the values in the default configuration file are used.

Update config syntax

Use the **update config** command syntax diagrams as a reference to view available options and truncation requirements.

FCMCLI command



Update config positional parameters

Positional parameters immediately follow the **update config** command and precede the optional parameters.

The following positional parameters specify the values in the Tivoli Storage FlashCopy Manager configuration file. You can set only one value for each **update config** command run:

CAPACITYINFOInterval=numdays

Use the **CAPACITYINFOInterval** positional parameter to specify how often you want the capacity metrics report to be generated.

The report, in an XML file format, is generated automatically at the end of a backup operation. The valid value range is 1 - 365 and the default value is 7 days, which means the report is generated once every 7 days.

CAPACITYINFOLOcation=pathname

Use the **CAPACITYINFOLOcation** positional parameter to specify the location where you want the capacity metrics report to be created. If you do not specify a location, the report is not generated.

DATEformat=dateformatnum

Use the **DATEformat** positional parameter to select the format you want to use to display dates.

The *dateformatnum* variable displays the date in one of the following formats. Select the format number that corresponds to the format you want to use.

- 1 MM/DD/YYYY. This format is the default.

- 2 DD-MM-YYYY
- 3 YYYY-MM-DD
- 4 DD.MM.YYYY
- 5 YYYY.MM.DD
- 6 YYYY/MM/DD
- 7 DD/MM/YYYY

Changes to the value of the **dateformat** parameter can result in an undesired pruning of the Tivoli Storage FlashCopy Manager log file (fcm.log by default). You can avoid losing existing log file data by doing one of the following actions:

- After you change the value of the **dateformat** parameter, make a copy of the existing log file before you run Tivoli Storage FlashCopy Manager.
- Specify a new log file with the **/logfile** parameter.

IMPORTVSSSNAPSHOTSONLYWhenneeded

Use the **/IMPORTVSSSNAPSHOTSONLYWhenneeded** parameter to specify whether Tivoli Storage FlashCopy Manager automatically imports VSS snapshots to the Windows system where the snapshots are created.

Specify one of the following values:

Yes Import VSS snapshots to the Windows system where the snapshots are created. The option is the default. During backup processing, transportable snapshots are automatically created and imported to storage systems when the snapshots are required. This option is the default.

Restriction: For instant restore processing on third-party storage systems, you must specify the Yes option to enable the storage system to create transportable snapshots during backups.

No Do not create transportable VSS snapshots during backup processing, and do not automatically import the snapshot to storage systems after the backup is completed.

LANGuage=*language*

Specify the three-character code of the language you want to use to display messages:

- CHS** Simplified Chinese
- CHT** Traditional Chinese
- DEU** Standard German
- ENU** American English (This option is the default.)
- ESP** Standard Spanish
- FRA** Standard French
- ITA** Standard Italian
- JPN** Japanese
- KOR** Korean
- PTB** Brazilian Portuguese

LOCALDSMAgentnode=nodename

Specify the node name of the local system that runs the VSS backups. This positional parameter must be specified for VSS operations to be completed.

LOGFile=logfilename

Use the **LOGFile** positional parameter to specify the name of the activity log file that is generated by Tivoli Storage FlashCopy Manager. The Tivoli Storage FlashCopy Manager activity log records significant events, such as completed commands and error messages.

The *logfilename* variable identifies the name of the activity log file. If the specified log file does not exist, a new log file is created. If the specified log file exists, new log entries are appended to the file. The *logfilename* variable can include a fully qualified path. However, if no path is specified, the log file is assigned to the Tivoli Storage FlashCopy Manager installation directory.

/LOGPrune=numdays | No

When you prune log data, you can discard some of the generated logs according to detailed filtering criteria that you set. Depending on the option that you set for the **/LOGPrune** parameter, some days of data are saved. By default, 60 days of log entries are saved. The option **No** can be entered to disable log pruning.

Regardless of the option that you set for this parameter, you can explicitly request log pruning at any time.

Considerations:

- For *numdays*, the range is 0 to 9999. A value of 0 deletes all entries in the activity log file except for the current command entries.
- If you specify **no**, the log file is not pruned.
- If you do not specify **/LOGPrune**, the default value is that specified by the **logprune** configurable option in the configuration file. The default value is 60.
- If you specify **/LOGPrune**, its value is used instead of the value that is stored in the configuration file. Specifying this parameter does not change the value in the configuration file.
- You can specify **/LOGPrune** without specifying *numdays* or *no*; in this case, the default value, 60, is used.
- Changes to the value of the **TIMEformat** or **DATEformat** parameter can result in an unwanted pruning of the log file. If you are running a command that might prune the log file, and the value of the **TIMEformat** or **DATEformat** parameter is changed, complete one of the following to prevent unintentional pruning of the log file:
 - Make a copy of the existing log file.
 - Specify a new log file with the **/LOGFile** parameter or **logfile** setting.

NUMBERformat=fmtnum

Use the **NUMBERformat** positional parameter to specify the format you want to use to display numbers.

The *fmtnum* variable displays numbers by using one of the following formats. Select the format number that corresponds to the format you want to use.

- 1 n,nnn.dd. This format is the default.
- 2 n,nnn,dd.

- 3 n nnn,dd
- 4 n nnn.dd
- 5 n.nnn,dd
- 6 n'nnn,dd

REMOTESMAgentnode=remote_node

Specifies the remote client node that runs the VSS offloaded backups on a remote computer.

TIMEformat=formatnumber

Use the **TIMEformat** positional parameter to specify the format in which you want to display the system time.

The *formatnumber* variable displays time in one of the following formats. Select the format number that corresponds to the format you want to use.

- 1 HH:MM:SS This is the default.
- 2 HH,MM,SS
- 3 HH.MM.SS
- 4 HH:MM:SSA/P

Update config optional parameters

Optional parameters follow the **update config** command and positional parameters.

/CONFIGfile=configfilename

Use the **/configfile** parameter to specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use for an **update config** operation.

The *configfilename* variable can include a fully qualified path. If the *configfilename* variable does not include a path, the Tivoli Storage FlashCopy Manager installation directory is used. If the **/configfile** parameter is not specified, or if the *configfilename* variable is not specified, the default value is *fcmcfg.xml*.

If the *configfilename* variable includes spaces, enclose the entire **/configfile** parameter entry in double quotation marks. For example:

```
/CONFIGfile="c:\Program Files\fcmcfg.xml"
```

/PRESnapshotcmd=cmdstring

The **/presnapshotcmd** parameter runs a command or script before a snapshot operation begins. You can use this optional parameter to quiesce an application before a snapshot is created. You can then restart the application after the snapshot is started by using the **/postsnapshotcmd** optional parameter. The *cmdstring* variable specifies the command to run before the snapshot operation begins. You must specify the fully qualified path name for the command script.

/POSTSnapshotcmd=cmdstring

The **/postsnapshotcmd** parameter runs a command or script after a snapshot operation ends. You can use this optional parameter to resume the application after the snapshot is created. This parameter is used with the **/presnapshotcmd** parameter. The *cmdstring* variable must be a fully qualified path.

Update config example

This output example provides a sample of the text, messages, and process status that displays when you use the **update config** command.

The **fccli update config localdsmagentnode=server12** command sets the node name server12 as the local system that performs the VSS backups. An example of the output is provided:

FMX5054I The preference has been set successfully.

The **fccli update config numberformat=2** command specifies that the 2 format is used to display numbers (n,nnn,dd.). An example of the output is provided:

FMX5054I The preference has been set successfully.

The **fccli update config localdsmagentnode=server44 /configfile=fcmcfg_server44.xml** command sets the node name server44 as the local system that performs the VSS backups. This command also specifies that Tivoli Storage FlashCopy Manager operations use the settings in the fcmcfg_server44.xml configuration file. An example of the output is provided:

FMX5054I The preference has been set successfully.


VSS policy commands

Use VSS policy commands to manage VSS policy binding statements.

UPDATE VSSPolicy

This command is used to update an existing VSS policy binding statement.

FCMCLI command: UPDATE VSSpolicy



Parameters:


- **policy_definition**: Specifies the name of the VSS policy binding statement that is being updated.
- **SEQnumber**: Specifies the sequence priority for the updated policy binding statement.

- **CONFIGfile:** Specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use with the **update vsspolicy** command.
- **LOGFile:** Specify the name (*logfilename*) of the activity log file to use with the **update vsspolicy** command.
- **LOGPrune:** Specify whether to disable log pruning or to prune the log for one command run. By default, log pruning occurs daily. The *numdays* variable represents the number of days to save log entries. By default, 60 days of log entries are saved in the pruning process.

INSert VSSpolicy

This command inserts a new VSS policy binding statement at the position that is specified by the **/SEQnumber** parameter.

FCMCLI command: INSert VSSpolicy




Parameters:

- *policy_definition*: Specifies the name of the VSS policy binding statement that is being updated.
- **SEQnumber**: Specifies the sequence priority of the inserted policy binding statement.
The default value is the sequence value of the highest prioritized VSS policy in the Tivoli Storage FlashCopy Manager configuration file (*fcmcfg.xml*).
- **CONFIGfile**: Specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use with the **insert vsspolicy** command.
- **LOGFile**: Specify the name (*logfilename*) of the activity log file to use with the **insert vsspolicy** command.
- **LOGPrune**: Specify whether to disable log pruning or to prune the log for one command run. By default, log pruning occurs daily. The *numdays* variable represents the number of days to save log entries. By default, 60 days of log entries are saved in the pruning process.

DELeTe VSSpolicy

This command is used to delete a VSS policy binding statement at the position that is specified by the **/SEQnumber** parameter.

FCMCLI command: DELeTe VSSpolicy




Parameters:

- **SEQnumber:** Specifies the sequence priority for the policy binding statement to delete.
- **CONFIGfile:** Specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager configuration file that contains the values to use with the **delete vsspolicy** command.
- **LOGFile:** Specify the name (*logfilename*) of the activity log file to use with the **delete vsspolicy** command.
- **LOGPrune** Specify whether to disable log pruning or to prune the log for one command run. By default, log pruning occurs daily. The *numdays* variable represents the number of days to save log entries. By default, 60 days of log entries are saved in the pruning process.

Query VSSpolicy

This command is used to show the VSS policy binding statements in the configuration file.

FCMCLI command: Query VSSpolicy



Parameters:

- **CONFIGfile:** Specify the name (*configfilename*) of the Tivoli Storage FlashCopy Manager configuration file to show.

- **LOGFile:** Specify the name (*logfile*) of the activity log file to use with the **query vsspolicy** command.
- **LOGPrune:** Specify whether to disable log pruning or to prune the log for one command run. By default, log pruning occurs daily. The *numdays* variable represents the number of days to save log entries. By default, 60 days of log entries are saved in the pruning process.

VSS policy command examples

The following output examples provide a sample of the text, messages, and process status that displays when you use the VSS policy commands.

In this example, the **fcmlcli update vsspolicy "* * FULL LOCAL STANDARD" /SEQnumber=2** command updates the default VSS policy binding statement at sequence priority 2. The following output is displayed:

UPDATE VSSpolicy was successful.

In this example, the **fcmlcli insert vsspolicy "* * FULL LOCAL STANDARD" /SEQnumber=2** command inserts the default VSS policy binding statement at sequence priority 2. The following output is displayed:

INSERT VSSpolicy was successful.

In this example, the **fcmlcli delete vsspolicy /SEQnumber=1** command deletes the VSS policy binding statement at sequence priority 1. The following output is displayed:

DELETE VSSpolicy was successful.

In this example, the **fcmlcli query vsspolicy /configfile=fcmcfg_server44.xml** command queries the VSS policy binding statements in the *fcmcfg_server44.xml* configuration file. The following output is displayed:

FCM for Windows VSS Policy

VSS policy statements are processed from the bottom up and processing stops at the first match. To ensure that more specific specifications are processed at all, the more general specification should be listed before the more specific ones, so as to be processed after the more specific specifications. Otherwise, the more general specification will match the target before the more specific specifications are seen.

```
-----
Sequence Number ..... 1
Server ..... SERVER44
Component ..... C:
Backup Type ..... FULL
Backup Destination ..... LOCAL
Management Class ..... STANDARD
```

Appendix. Accessibility features for the Tivoli Storage Manager product family

Accessibility features help users who have a disability, such as restricted mobility or limited vision to use information technology products successfully.

Accessibility features

The IBM Tivoli Storage Manager family of products includes the following accessibility features:

- Keyboard-only operation using standard operating-system conventions
- Interfaces that support assistive technology such as screen readers

The command-line interfaces of all products in the product family are accessible.

Tivoli Storage Manager Operations Center provides the following additional accessibility features when you use it with a Mozilla Firefox browser on a Microsoft Windows system:

- Screen magnifiers and content zooming
- High contrast mode

The Operations Center and the Tivoli Storage Manager server can be installed in console mode, which is accessible.

The Operations Center help system is enabled for accessibility. For more information, click the question mark icon on the help system menu bar.

Vendor software

The Tivoli Storage Manager product family includes certain vendor software that is not covered under the IBM license agreement. IBM makes no representation about the accessibility features of these products. Contact the vendor for the accessibility information about its products.

IBM and accessibility

See the IBM Human Ability and Accessibility Center (<http://www.ibm.com/able>) for information about the commitment that IBM has to accessibility.

Notices

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
United States of America*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan*

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law:

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who want to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

*IBM Corporation
2Z4A/101
11400 Burnet Road
Austin, TX 78758
US*

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrate programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. The sample programs are provided "AS IS", without warranty of any kind. IBM shall not be liable for any damages arising out of your use of the sample programs.

Each copy or any portion of these sample programs or any derivative work, must include a copyright notice as follows:

Portions of this code are derived from IBM® Corp. Sample Programs.

© Copyright IBM® Corp. _enter the year or years_. All rights reserved.

Trademarks

IBM, the IBM logo, and ibm.com® are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at www.ibm.com/legal/copytrade.shtml.

Adobe is a registered trademark of Adobe Systems Incorporated in the United States, and/or other countries.

Linear Tape-Open, LTO, and Ultrium are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Intel and Itanium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, and Windows NT are trademarks of Microsoft Corporation in the United States, other countries, or both.

Java™ and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Terms and conditions for product documentation

Permissions for the use of these publications are granted subject to the following terms and conditions.

Applicability

These terms and conditions are in addition to any terms of use for the IBM website.

Personal use

You may reproduce these publications for your personal, noncommercial use provided that all proprietary notices are preserved. You may not distribute, display or make derivative work of these publications, or any portion thereof, without the express consent of IBM.

Commercial use

You may reproduce, distribute and display these publications solely within your enterprise provided that all proprietary notices are preserved. You may not make derivative works of these publications, or reproduce, distribute or display these publications or any portion thereof outside your enterprise, without the express consent of IBM.

Rights Except as expressly granted in this permission, no other permissions,

licenses or rights are granted, either express or implied, to the publications or any information, data, software or other intellectual property contained therein.

IBM reserves the right to withdraw the permissions granted herein whenever, in its discretion, the use of the publications is detrimental to its interest or, as determined by IBM, the above instructions are not being properly followed.

You may not download, export or re-export this information except in full compliance with all applicable laws and regulations, including all United States export laws and regulations.

IBM MAKES NO GUARANTEE ABOUT THE CONTENT OF THESE PUBLICATIONS. THE PUBLICATIONS ARE PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT, AND FITNESS FOR A PARTICULAR PURPOSE.

Privacy policy considerations

IBM Software products, including software as a service solutions, ("Software Offerings") may use cookies or other technologies to collect product usage information, to help improve the end user experience, to tailor interactions with the end user, or for other purposes. In many cases no personally identifiable information is collected by the Software Offerings. Some of our Software Offerings can help enable you to collect personally identifiable information. If this Software Offering uses cookies to collect personally identifiable information, specific information about this offering's use of cookies is set forth below.

This Software Offering does not use cookies or other technologies to collect personally identifiable information.

If the configurations deployed for this Software Offering provide you as customer the ability to collect personally identifiable information from end users via cookies and other technologies, you should seek your own legal advice about any laws applicable to such data collection, including any requirements for notice and consent.

For more information about the use of various technologies, including cookies, for these purposes, see IBM's Privacy Policy at <http://www.ibm.com/privacy> and IBM's Online Privacy Statement at <http://www.ibm.com/privacy/details> in the section entitled "Cookies, Web Beacons and Other Technologies," and the "IBM Software Products and Software-as-a-Service Privacy Statement" at <http://www.ibm.com/software/info/product-privacy>.

Glossary

A glossary is available with terms and definitions for the IBM Tivoli Storage Manager family of products.

See Tivoli Storage Manager glossary.

To view glossaries for other IBM products, see <http://www.ibm.com/software/globalization/terminology/>.

Index

Special characters

- /alwaysonpriority parameter
 - and backup command 272
- /POSTSNAPSHOTcmd parameter 328
- /PRESNAPSHOTcmd parameter 327
- /usealwaysonnode parameter
 - and backup command 277
- backup** command
 - and /SKIPINTEGRITYCHECK parameter 205
 - and /UpdateMailboxInfoOnly parameter 206
- set** command
 - and /IMPORTVSSSNAPSHOTSONLYWhenneeded parameter 262, 318, 371
- SQLCHECKSum** parameter 321

A

- accessibility features 379
- active parameter
 - and query fcm command 224, 292
- active/inactive state
 - in restore operations 307
- all parameter
 - and query backup command 349
 - and query fcm command 224, 292
- AlwaysOn node
 - transitioning standard databases to 82
- APAR 197
- authorization mode, setting
 - using the CLI 275, 276, 277, 298, 299, 300, 309, 310, 319
- auto select option, GUI 110, 142
- automated failover
 - overview 29
- automated processing
 - scripts 154
- automating
 - custom applications and file system tasks tasks 175
 - Data Protection for Microsoft Exchange Server tasks 173
 - Data Protection for SQL Server tasks 174
 - tasks 173, 174, 175
- availability database restores
 - overview 29, 131

B

- backing up custom application and file system data 155, 156, 157
- backing up data 155, 156, 157
- backing up Exchange Server data 107
- backing up Exchange Server data in a DAG environment 107
- backing up SQL availability databases
 - by using the legacy method 136
 - by using the VSS method 134
- backing up SQL databases
 - by using the legacy method 136
- backing up SQL databases with Tivoli Storage FlashCopy Manager
 - on Windows Server Core 151
- backing up SQL Server data
 - by using the VSS method 134

- backup
 - command line 208, 326, 359
 - copy-only full 129
 - file backup 129
 - full 100, 129
 - full plus differential plug log 129
 - full plus differentials 100, 129
 - full plus incremental 100
 - full plus log 129
 - Legacy 13
- backup command
 - and /alwaysonpriority parameter 272
 - and /BACKUPDESTination parameter 202, 272
 - and /backupmethod parameter 273
 - and /configfile parameter 202
 - and /CONFIGfile parameter 326
 - and /EXCLUDEDAGACTive parameter 203
 - and /EXCLUDEDAGPASSive parameter 203
 - and /EXCLUDEDDB parameter 203
 - and /EXCLUDENONDAGDBs parameter 203
 - and /FCMOPtFile parameter 326, 331, 349
 - and /logfile parameter 209, 281, 349, 360
 - and /LOGFile parameter 203, 326, 331
 - and /MINimumbackupinterval parameter 204
 - and /mountwait parameter 204, 235, 240
 - and /OFFLOAD parameter 204, 275, 327
 - and /preferdagpassive parameter 205
 - and /quiet parameter 210, 282
 - and /Quiet parameter 205, 275
 - and /tsmnode parameter 350
 - and /TSMNODE parameter 328, 332
 - and /tsmoptfile parameter 362
 - and /tsmpassword parameter 350, 363
 - and /TSMPassword parameter 328, 332
 - and /usealwaysonnode parameter 277
- DAG backup
 - and /MINimumbackupinterval parameter 204
 - and /preferdagpassive parameter 205
- overview 200, 325
- scheduling backup command
 - and /MINimumbackupinterval parameter 204
 - and /preferdagpassive parameter 205
- syntax diagram 201, 325

- backup methods 10
- backup object types
 - copyfull 272
 - full 272, 304
- backup objects
 - compatibility with server 297
- backup operations
 - time-saving strategy 129
 - using the GUI
 - backup databases tab 134
- backup processing 6
- backup strategy 100
 - copy-only full 129
 - file backup 129
 - full backup 100, 129
 - full plus differential plug log 129
 - full plus differentials 100, 129
 - full plus incremental 100

- backup strategy (*continued*)
 - full plus log 129
 - group backup 129
 - Tivoli Storage Manager versus local shadow volumes 100, 129
- BACKUPDESTination parameter
 - and backup command 202, 272
 - and set command 261
- backupmethod parameter
 - and backup command 273
 - and restorefiles command 312
- backups of availability databases
 - overview 28
- binary sort order 297

C

- capacity
 - determining managed storage 97
- capacity planning 31
- changing configuration values
 - on Windows Server Core 152
- checksum
 - SQL Server 133
- CHECKSum
 - SQL Server 133
- CLIENTACcessserver parameter
 - and restoremailbox command 245
- cluster 27
- clustering
 - strategy 27
- clustering state
 - querying 296
- command line parameters
 - /all
 - and query backup 349
 - and query fcm 224, 292
 - /alwaysonpriority
 - and backup 272, 277
 - /backupmethod
 - and backup 273
 - /configfile
 - and query exchange 220
 - and query fcm 224
 - and query sql 297
 - and set 265
 - /FROMArchive
 - and restoremailbox 246
 - /instantrestore
 - and restore 305
 - /language
 - and update config 371
 - /localdsmagentnode
 - and set 318
 - and update config 372
 - /logfile
 - and update config 372
 - /mailboxoriglocation
 - and restoremailbox 251
 - /mailboxrestoredate
 - and restoremailbox 251
 - /mailboxrestoredestination
 - and restoremailbox 252
 - /mailboxrestoretime
 - and restoremailbox 252
 - /OFFLOAD
 - and backup 275
- command line parameters (*continued*)
 - /pitdate
 - and mount backup 286, 340, 367
 - and restore 361
 - /pittime
 - and mount backup 286, 340, 367
 - and restore 362
 - /quiet
 - and backup 210, 282
 - and restore 235
 - and restoremailbox 257
 - /Quiet
 - and backup 205, 275
 - /tempdbrestorepath
 - and restoremailbox 257
 - /templogrestorepath
 - and restoremailbox 258
 - /tempmailboxalias
 - and restoremailbox 258
 - BACKUPDESTination
 - and set 261
 - LOCALDSMAgentnode
 - and set 262
 - LOGFile
 - and set 262
 - MOUNTWait
 - and set 263
 - TEMPDBRESTorepath
 - and set 264
- command line parameters, Tivoli Storage FlashCopy Manager for Exchange Server
 - /configfile
 - and query tdp 228
- command line parameters, Tivoli Storage FlashCopy Manager for SQL Server
 - /configfile
 - and query tdp 301
- command-line interface, Tivoli Storage FlashCopy Manager
 - overview 269
- command-line interface, Tivoli Storage FlashCopy Manager for custom applications
 - overview 324
- command-line interface, Tivoli Storage FlashCopy Manager for Exchange Server
 - overview 199
- command-line parameters
 - /active
 - and query fcm 224, 292
 - /backupdestination
 - and restorefiles 312
 - /BACKUPDESTination
 - and backup 202, 272
 - /CLIENTACcessserver
 - and restoremailbox 245
 - /configfile
 - and backup 202
 - and delete backup 208, 280, 331
 - and mount backup 214, 285, 338
 - and query backup 349
 - and query component 343
 - and restore 232, 359
 - and restorefiles 239, 312
 - and unmount backup 266, 322, 366
 - and update config 373
 - /CONFIGfile
 - and backup 326
 - and query config 346

command-line parameters (*continued*)

- /CONFIGfile (*continued*)
 - and restoremailbox 245
- /dateformat
 - and update config 370
- /EXCLUDEDAGACTive
 - and backup 203
- /EXCLUDEDAGPASsive
 - and backup 203
- /EXCLUDEDDB
 - and backup 203
- /EXCLUDEDUMPster
 - and restoremailbox 246
- /EXCLUDENONDAGDBs
 - and backup 203
- /FCMOPTFile
 - and backup 326, 331, 349
 - and mount backup 338
 - and query component 343
 - and query config 346
- /fromexcserver
 - and delete backup 209, 214, 225, 233, 239
 - and mount backup 209, 214, 225, 233, 239
 - and restore 209, 214, 225, 233, 239
 - and restorefiles 209, 214, 225, 233, 239
- /fromserver
 - and delete backup 331
 - and mount backup 339
 - and query backup 349
 - and restore 359
- /fromsqlserver
 - and delete backup 280
 - and mount backup 285
 - and restorefiles 313
- /instantrestore
 - and restore 233, 360
- /into
 - and restore 360
 - and restorefiles 239, 314
- /intodb
 - and restore 233
- /KEEPRDB
 - and restoremailbox 247
- /logfile
 - and backup 281, 349, 360
 - and mount backup 214, 285, 339
 - and query config 346
 - and query exchange 220
 - and query sql 297
 - and query tdp 229
 - and restore 234
 - and restorefiles 239, 313
 - and unmount backup 266, 322, 366
- /LOGFile
 - and backup 203, 326, 331
 - and query component 343
 - and restoremailbox 247
- /mailboxfilter
 - and restoremailbox 248
- /MAILBOXRestoreunread
 - and restoremailbox 257
- /MINimumbackupinterval
 - and backup 204
- /mountdatabases
 - and restore 235
- /mountwait
 - and backup 204, 235, 240

command-line parameters (*continued*)

- /mountwait (*continued*)
 - and restorefiles 204, 235, 240, 314
 - and restoremailbox 204, 235, 240
- /noprompt
 - and restore 361
- /numberformat
 - and update config 372
- /object
 - and delete backup 210, 282
 - and restore 235
 - and restorefiles 241, 314
- /OFFLOAD
 - and backup 204, 327
- /preferdagpassive
 - and backup 205
- /quiet
 - and restorefiles 241, 314
- /recover
 - and restore 235
- /SHOWMAILBOXInfo
 - and query fcm 226
- /templogrestorepath
 - and restore 236
- /timeformat
 - and update config 373
- /tsmnode
 - and backup 350
 - and mount backup 215, 287, 341
 - and query component 344
 - and query config 347
 - and restore 362
 - and restorefiles 315
 - and unmount backup 267, 323, 368
- /TSMNODE
 - and backup 328, 332
- /tsmoptfile
 - and mount backup 215, 287, 341
 - and restore 362
 - and restorefiles 241, 315
 - and unmount backup 267, 324, 368
- /TSMOPTFile
 - and backup 205
- /tsmpassword
 - and backup 350
 - and mount backup 216, 288, 341
 - and query component 345
 - and query config 347
 - and restore 363
 - and restorefiles 315
 - and unmount backup 268, 324, 368
- /TSMPassword
 - and backup 328, 332
- /USEEXISTINGRDB
 - and restoremailbox 259
- /BACKUPDEStination**
 - and **delete backup** 208
- /IMPORTVSSSNAPSHOTSONLYWhenneeded**
 - and **set** 262, 318, 371
- /logfile**
 - and backup 209
- /SKIPINTEGRITYCHECK**
 - and **backup** 205
- /UpdateMailboxInfoOnly**
 - and **backup** 206
- and local 312
- and tsm 312

- command-line parameters *(continued)*
 - and vss 312
 - dagnode 202, 209, 232, 239, 246
 - DATEformat
 - and set 261
 - NUMberformat
 - and set 263
 - olderthan
 - and delete backup 210
 - TIMEformat
 - and set 264
- command-line parameters, Tivoli Storage FlashCopy Manager for SQL Server
 - /logfile
 - and query tdp 301
- commands
 - capacity
 - management 227, 295, 354
 - usage reports 227, 295, 354
 - query config 345
 - query fcm 223, 290
 - query managedcapacity 227, 295, 354
 - set 260
 - update config 369
- commands, Tivoli Storage FlashCopy Manager
 - query backup 348
 - query component 342
 - tdpsqlc set 317
- commands, Tivoli Storage FlashCopy Manager for Exchange Server
 - query exchange 219
 - query tdp 228
- commands, Tivoli Storage FlashCopy Manager for SQL Server
 - query sql 295
 - query tdp 301
 - tdpsqlc help 283
- communication protocol option 48
- compatibility level
 - querying 296
- compatibilityinfo parameter 297
- compression option 49
- configfile parameter 292, 305, 320
 - and backup command 202
 - and delete backup command 208, 280, 331
 - and mount backup command 214, 285, 338
 - and query backup command 349
 - and query component command 343
 - and query config command 346
 - and query exchange command 220
 - and query fcm command 224
 - and query sql command 297
 - and restore command 232, 359
 - and restorefiles command 239, 312
 - and restoremailbox command 245
 - and set command 265
 - and unmount backup command 266, 322, 366
 - and update config command 373
- CONFIGfile parameter 273
 - and backup command 326
- configfile parameter, Tivoli Storage FlashCopy Manager for Exchange Server
 - and query tdp command 228
- configfile parameter, Tivoli Storage FlashCopy Manager for SQL Server
 - and query tdp command 301
- configuration
 - Mailbox Restore 72
- configuration *(continued)*
 - options 48
 - procedure
 - offloaded backups 76
 - stand-alone snapshot support 64, 66
 - wizard 64, 66, 67, 71, 72
- configuration file, Tivoli Storage FlashCopy Manager
 - setting values, CLI 292, 305, 317, 320, 321
- configuration file, Tivoli Storage FlashCopy Manager for SQL
 - setting values, CLI 273
- configuration files
 - non-default locations 50
- configuration information, listing 297
- configuration preferences 51
- configuration settings 51
- configuration tasks
 - Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core 83
- configure Data Protection for Exchange Server with DAG node 67, 71
- configuring
 - backup priority of SQL replicas 82
 - binding
 - policy 17
 - policy 17
 - SQL Server clustered environments 77
 - SQL Server environments 76
 - Tivoli Storage FlashCopy Manager 47
 - Tivoli Storage FlashCopy Manager with Tivoli Storage Manager 67, 71
 - where scheduled backups are run on SQL replicas 82
- configuring the backup-archive client
 - for Windows Server configuration on Tivoli Storage FlashCopy Manager 86
- configuring Tivoli Storage FlashCopy Manager for SQL Server for Windows Server configuration 87
- consistency checker 134
- continuous replication 11, 102
- copyfull parameter
 - described 272
- custom application and file system backups
 - deleting 158
- custom application and file system data
 - overview 154
 - planning 153
 - restore considerations 5
 - restoring 158
 - custom application and file system data 158
- custom applications and file system tasks
 - automating 175
- custom settings 61

D

- DAG 20, 97, 111
- DAG node 111
 - configuration 67, 71
- dagnode parameter 202, 209, 232, 239, 246
- data protection
 - Exchange with VSS backup-restore support
 - gathering information before calling IBM 195
 - Exchange with VSS backup/restore support
 - general help 179
 - general help 182
 - troubleshooting 190
- Data Protection for Microsoft Exchange Server
 - overview 97

- Data Protection for Microsoft Exchange Server *(continued)*
 - restore types 21
- Data Protection for Microsoft Exchange Server tasks
 - automating 173
- Data Protection for SQL
 - options file
 - clusternode 27
- Data Protection for SQL Server
 - overview 128
 - restore types 21
 - security 128
 - VSS instant restore 133
- Data Protection for SQL Server tasks
 - automating 174
- database
 - restoring master 149
 - restoring to alternate 147
 - restoring with full-text catalogs and indexes 150
- Database Availability Group
 - backup and restore 11, 102
 - deployment example 91
- database availability groups 97, 203
- database backups, verifying 310
- database integrity checking 310
- database name
 - restorefiles
 - command line 312
- database owner option, GUI 142
- dateformat parameter 317
 - and update config command 370
- DATEformat parameter
 - and set command 261
- dbcc check options 134
- deactivate operations
 - using the GUI 140
- delete backup
 - storage group
 - command line 280
- delete backup command
 - and /configfile parameter 208, 280, 331
 - and /fromexcsrv parameter 209, 214, 225, 233, 239
 - and /fromserver parameter 331
 - and /fromsqlserver parameter 280
 - and /object parameter 210, 282
 - and /olderthan parameter 210
 - overview 206, 279, 329
 - syntax diagram 207, 279, 329
- deleting custom application and file system backups 158
- deleting Exchange Server VSS backups 109
- deleting SQL Server VSS backups 140
- detail parameter 224
- developerWorks wiki 197
- diagnosing VSS issues 181
- diagnostics properties 54, 193
- differential restore
 - using the GUI 144
- differential versus log backup strategy 129
- disability 379
- dsm.opt file 48
 - clusternode 48
 - communication protocol 48
 - compression 49
 - enableclientencryptkey 50
 - enablelanfree 49
 - encryptiontype 50
 - include.encrypt 50
 - nodename 48

E

- email support files 197
- enableclientencryptkey option 50
- enablelanfree option 49
- ENABLEREplacementchars parameter 273
- encryption 50
- encryptiontype option 50
- error log files 179, 180
- example
 - query exchange command 222
 - query fcm command 227
 - query tdp command 230
 - restorefiles command 316
 - restoremailbox command 259
 - set command 265
 - update config command 374
- Exchange backup
 - DAG environment 107
 - VSS
 - GUI 107
- Exchange Database Availability Group
 - managing with single policy 20
- Exchange Server 2010 and 2013
 - requirements 99
- Exchange Server VSS backup
 - deleting 109
 - mounting 109
- EXCLUDEDAGActive parameter
 - and backup command 203
- EXCLUDEDAGPassive parameter
 - and backup command 203
- EXCLUDEdb parameter 274
- EXCLUDEDB parameter
 - and backup command 203
- excludedumpster parameter 232
- EXCLUDEDUMPster parameter
 - and restoremailbox command 246
- EXCLUDENONDAGDBs parameter
 - and backup command 203
- expiring VSS backup s
 - policy 13

F

- failover
 - overview 29
- fcm.log file
 - and backup command 326
 - and delete backup command 331
 - and mount backup command 339
 - and query backup command 349
 - and query component command 343
 - and query config command 346
 - and restore command 360
 - and unmount backup command 366
 - and update config command 372
- fcmcfg.xml file
 - and backup command 326
 - and delete backup command 331
 - and mount backup command 338
 - and query backup command 349
 - and query component command 343
 - and query config command 346
 - and restore command 359
 - and unmount backup command 366
 - and update config command 373

- fcmdi.exe
 - overview 324
- fcmoptfile parameter 220, 225, 232, 246, 292, 305
- FCMOPTFile parameter 274
 - and backup command 326, 349
 - and mount backup command 338
 - and query component command 343
 - and query config command 346
- file backup
 - strategy 129
- file restore
 - using the GUI 144
- files
 - Data Protection for Exchange Server options 315
 - dsm.opt 48
 - fcml.log
 - and backup command 326
 - and delete backup command 331
 - and mount backup command 339
 - and query backup command 349
 - and query component command 343
 - and query config command 346
 - and restore command 360
 - and unmount backup command 366
 - and update config command 372
 - fcmcfg.xml
 - and backup command 326
 - and delete backup command 331
 - and mount backup command 338
 - and query backup command 349
 - and query component command 343
 - and query config command 346
 - and restore command 359
 - and unmount backup command 366
 - and update config command 373
 - fcmdi.exe 324
 - tdpexc.cfg
 - and backup command 202
 - and delete backup command 208, 280
 - and mount backup command 214
 - and query exchange command 220
 - and query fcm command 224
 - and query sql command 297
 - and query tdp command 228
 - and restore command 232, 236
 - and restorefiles command 239
 - and restoremailbox command 245, 257, 258
 - and set command 265
 - and unmount backup command 266
 - tdpexc.log
 - and backup command 203
 - and delete backup command 209, 281
 - and mount backup command 214
 - and query exchange command 220
 - and query fcm command 225, 293
 - and query sql command 297
 - and query tdp command 229
 - and restore command 234
 - and restorefiles command 239
 - and restoremailbox command 247
 - and set command 262
 - and unmount backup command 266
 - tdpexcc.exe 199
 - tdpsql.cfg
 - and mount backup command 285
 - and query tdp command 301
 - and restorefiles command 312

- files (*continued*)
 - tdpsql.cfg (*continued*)
 - and unmount backup command 322
 - tdpsql.log
 - and mount backup command 285
 - and query tdp command 301
 - and restorefiles command 313
 - and unmount backup command 322
 - tdpsqlc.exe 269
 - Tivoli Storage FlashCopy Manager options 216, 268, 288, 324, 328, 332, 341, 345, 347, 350, 363, 368
- FlashCopy Manager for Microsoft Exchange ServerFlashCopy Manager for Microsoft SQL Server
 - policy settings 14
- from server option, GUI 110
- from SQL Server option, GUI 143
- FROMArchive parameter
 - and restoremailbox command 246
- fromexcserver parameter
 - and delete backup command 209, 214, 225, 233, 239
 - and mount backup command 209, 214, 225, 233, 239
 - and query fcm command 209, 214, 225, 233, 239
 - and restore command 209, 214, 225, 233, 239
 - and restorefiles command 209, 214, 225, 233, 239
- fromserver parameter
 - and delete backup command 331
 - and mount backup command 339
 - and query backup command 349
 - and restore command 359
- fromsqlserver parameter 293, 305, 318
 - and delete backup command 280
 - and mount backup command 285
 - and restorefiles command 313
- full backup
 - strategy 100, 129
- full parameter
 - described 272, 304
- full plus differential backup
 - strategy 100, 129
- full plus differential plus log backup
 - strategy 129
- full plus incremental backup
 - strategy 100
- full plus log backup
 - strategy 129
- full restore
 - using the GUI 144

G

- general properties for Exchange Server 57
- general properties for SQL Server 56
- graphical user interface (GUI)
 - backup databases tab 134
 - inactivating SQL databases 140
 - restore options 110, 142
- group backup
 - strategy 129
- group restore
 - using the GUI 144
- GUI
 - DAG Exchange backup 107
 - Exchange VSS backup 107
 - individual mailbox restore 115
 - restore options 111
- guidelines
 - VSS restore 5

H

- help command
 - syntax diagram 212, 283, 333
- help command, Tivoli Storage FlashCopy Manager for SQL Server
 - described 283

I

- IBM Knowledge Center xi
- IBM SAN Volume Controller and IBM Storwize V7000
 - using Tivoli Storage FlashCopy Manager 25, 92, 182
- IBM System Storage DS8000 series
 - requirements 26
- include.encrypt option 50
- IncludeTsmVm 143
- indexes and tables
 - backing up 129
- individual mailbox
 - restoremailbox
 - command line 245
- individual mailbox restore
 - GUI 115
- install
 - Tivoli Storage FlashCopy Manager 36
- install prerequisites
 - Tivoli Storage FlashCopy Manager 35
- install, upgrade, migrate
 - Tivoli Storage FlashCopy Manager 35
- installation
 - configuring options 48
- installing
 - silently with msixec.exe 42
 - Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core 40
- installing Tivoli Storage FlashCopy Manager
 - on multiple servers (silent) 39
 - unattended (silent) 39
- instantrestore parameter
 - and restore command 233, 305, 360
- integrated user id mode 309, 319
- integrated user ID mode 275, 298
- integrity checking, database backups 310
- into parameter 306
 - and restore command 360
 - and restorefiles command 239, 314
- intodb parameter
 - and restore command 233

K

- KEEPRDB parameter
 - and restoremailbox command 247
- keyboard 379
- Knowledge Center xi

L

- language parameter
 - and update config command 371
- Legacy backup
 - overview 13
- local backup policy
 - setting 16

- localdsmagentnode parameter
 - and set command 318
 - and update config command 372
- LOCALDSMAgentnode parameter
 - and set command 262
- log backup
 - strategy 134
- log files
 - using for problem determination 179, 180
- log restore
 - using the GUI 144
- logfile parameter 306, 318
 - and delete backup command 209, 281, 331
 - and mount backup command 214, 285, 339
 - and query backup command 349
 - and query config command 346
 - and query exchange command 220
 - and query fcm command 225, 293
 - and query sql command 297
 - and query tdp command 229
 - and restore command 234, 360
 - and restorefiles command 239, 313
 - and restoremailbox command 247
 - and unmount backup command 266, 322, 366
 - and update config command 372
- LOGFile parameter 274
 - and backup command 203, 326
 - and query component command 343
 - and set command 262
- logfile parameter, Tivoli Storage FlashCopy Manager for SQL Server
 - and query tdp command 301
- logging properties 58
- login settings
 - using the CLI 275, 298, 309, 319
- logprune parameter 203, 209, 214, 221, 226, 229, 234, 240, 247, 263, 267, 275, 281, 285, 293, 298, 302, 306, 313, 319, 323, 327, 331, 339, 344, 347, 350, 361, 366, 372

M

- mailbox
 - restoremailbox
 - command line 245
- mailbox history handling 188
- mailbox restore
 - guidelines 99
 - overview 23
 - requirements 99
- Mailbox Restore Only Configuration wizard 72
- mailbox restore operations
 - permissions 98
 - security 98
- mailboxfilter parameter
 - and restoremailbox command 248
- mailboxoriglocation parameter
 - and restoremailbox command 251
- mailboxrestoredate parameter
 - and restoremailbox command 251
- mailboxrestoredestination parameter
 - and restoremailbox command 252
- mailboxrestorettime parameter
 - and restoremailbox command 252
- MAILBOXRestoreunread parameter
 - and restoremailbox command 257

- managed storage
 - determining capacity 97
- managing with single policy
 - Exchange Database Availability Group 20
- MAPI
 - ensuring successful connections 105
- MAPI settings for Exchange Server 62, 105
- master database, restoring 149
- migrate
 - DAG backups 44
 - Tivoli Storage FlashCopy Manager 44
- migration
 - mailbox history handling 188
- MINimumbackupinterval parameter
 - and backup command 204
- MMC GUI
 - starting 95
- mount backup command
 - and /configfile parameter 214, 285, 338
 - and /FCMOPTFile parameter 338
 - and /fromexcsrv parameter 209, 214, 225, 233, 239
 - and /fromserver parameter 339
 - and /fromsqlserver parameter 285
 - and /logfile parameter 214, 285, 339
 - and /pitdate parameter 286, 340, 367
 - and /pittime parameter 286, 340, 367
 - and /tsmnode parameter 215, 287, 341
 - and /tsmoptfile parameter 215, 287, 341
 - and /tsmpassword parameter 216, 288, 341
 - overview 212, 283, 337
 - syntax diagram 212, 283, 337
- mountdatabases parameter
 - and restore command 235
- mounting Exchange Server VSS backups 109
- mountwait parameter
 - and backup command 204, 235, 240
 - and restorefiles command 204, 235, 240, 314
 - and restoremailbox command 204, 235, 240
- MOUNTWait parameter
 - and set command 263
- msiexec.exe
 - used for silent installation 42
- multiple SQL Servers
 - strategy 144
- multiple-user mode 141

N

- New in Tivoli Storage FlashCopy Manager Version 4.1.4 on
 - Windows xv
- node name
 - offloaded backup 74
 - proxy nodes 73
 - VSS 74
- nodename option 48
- noprompt parameter
 - and restore command 361
- numberformat parameter 319
 - and update config command 372
- NUMberformat parameter
 - and set command 263

O

- object parameter 294, 307
 - and delete backup command 210, 282

- object parameter (*continued*)
 - and restore command 235
 - and restorefiles command 241, 314
- offload parameter
 - and backup command 204, 327
- OFFLOAD parameter
 - and backup command 275
- offloaded backup
 - configuration procedure 76
 - node names 74
- offloaded VSS backup
 - overview 10
- optional parameters 239, 305, 312
- options
 - GUI restore
 - mountdatabases 111
 - run recovery 111
- options file, Data Protection for SQL
 - cluster 27
- options files
 - non-default locations 50
- overview 1, 97, 128
 - availability database restores 29, 131
 - backups of availability databases 28
 - Legacy backup 13
 - offloaded VSS backup 10
 - Tivoli Storage FlashCopy Manager for SQL Server on
 - Windows Server Core 151
 - VSS backup 10

P

- parameters
 - /active
 - and query fcm command 224, 292
 - /all
 - and query backup command 349
 - and query fcm command 224, 292
 - /alwaysonpriority
 - and backup command 272
 - /backupdestination
 - and restorefiles command 312
 - /BACKUPDESTination
 - and backup command 202, 272
 - /backupmethod
 - and backup command 273
 - /CLIENTACcessserver
 - and restoremailbox command 245
 - /configfile
 - and backup command 202
 - and delete backup command 280, 331
 - and mount backup command 214, 285, 338
 - and query backup command 349
 - and query component command 343
 - and query exchange command 220
 - and query fcm command 224
 - and query sql command 297
 - and restore command 232, 359
 - and restorefiles command 239, 312
 - and set command 265
 - and unmount backup command 266, 322, 366
 - and update config command 373
 - /CONFIGfile
 - and backup command 326
 - and query config command 346
 - and restoremailbox command 245

parameters (*continued*)

- /dateformat
 - and update config command 370
- /EXCLUDEDAGACTive
 - and backup command 203
- /EXCLUDEDAGPASSive
 - and backup command 203
- /EXCLUDEDDB
 - and backup command 203
- /EXCLUDEDUMPster
 - and restoremailbox command 246
- /EXCLUDENONDAGDBs
 - and backup command 203
- /FCMOPTFile
 - and backup command 326, 331, 349
 - and mount backup command 338
 - and query component command 343
 - and query config command 346
- /FROMArchive
 - and restoremailbox command 246
- /fromexcserver
 - and delete backup command 209, 214, 225, 233, 239
 - and mount backup command 209, 214, 225, 233, 239
 - and query fcm command 209, 214, 225, 233, 239
 - and restore command 209, 214, 225, 233, 239
 - and restorefiles command 209, 214, 225, 233, 239
- /fromserver
 - and delete backup command 331
 - and mount backup command 339
 - and query backup command 349
 - and restore command 359
- /fromsqlserver
 - and delete backup command 280
 - and mount backup command 285
 - and restorefiles command 313
- /instantrestore
 - and restore command 233, 305, 360
- /into
 - and restore command 360
 - and restorefiles command 239, 314
- /intodb
 - and restore command 233
- /KEEPRDB
 - and restoremailbox command 247
- /language
 - and update config command 371
- /localdsmagentnode
 - and set command 318
 - and update config command 372
- /logfile
 - and delete backup command 281
 - and mount backup command 214, 285, 339
 - and query backup command 349
 - and query config command 346
 - and query exchange command 220
 - and query fcm command 225, 293
 - and query sql command 297
 - and query tdp command 229
 - and restore command 234, 360
 - and restorefiles command 239, 313
 - and unmount backup command 266, 322, 366
 - and update config command 372
- /LOGFile
 - and backup command 203, 326
 - and delete backup command 331
 - and query component command 343
 - and restoremailbox command 247

parameters (*continued*)

- /mailboxfilter
 - and restoremailbox command 248
- /mailboxoriglocation
 - and restoremailbox command 251
- /mailboxrestoredate
 - and restoremailbox command 251
- /mailboxrestoredestination
 - and restoremailbox command 252
- /mailboxrestoretime
 - and restoremailbox command 252
- /MAILBOXRestoreunread
 - and restoremailbox command 257
- /MINimumbackupinterval
 - and backup command 204
- /mountdatabases
 - and restore command 235
- /mountwait
 - and backup command 204, 235, 240
 - and restorefiles command 204, 235, 240, 314
 - and restoremailbox command 204, 235, 240
- /noprompt
 - and restore command 361
- /numberformat
 - and update config command 372
- /object
 - and delete backup command 210, 282
 - and restore command 235
 - and restorefiles command 241, 314
- /OFFLOAD
 - and backup command 204, 275, 327
- /olderthan
 - and delete backup command 210
- /pitdate
 - and mount backup command 286, 340, 367
 - and restore command 361
- /pittime
 - and mount backup command 286, 340, 367
 - and restore command 362
- /preferdagpassive
 - and backup command 205
- /quiet
 - and delete backup command 210, 282
 - and restore command 235
 - and restorefiles command 241, 314
 - and restoremailbox command 257
- /Quiet
 - and backup command 205
 - and delete backup command 275
- /recover
 - and restore command 235
- /SHOWMAILBOXInfo
 - and query fcm command 226
- /tempdbrestorepath
 - and restoremailbox command 257
- /templogrestorepath
 - and restore parameter 236
 - and restoremailbox command 258
- /tempmailboxalias
 - and restoremailbox command 258
- /timeformat
 - and update config command 373
- /tsmnode
 - and backup command 350
 - and delete backup command 210
 - and mount backup command 215, 287, 341
 - and query component command 344

parameters (*continued*)

/tsmnode (*continued*)

- and query config command 347
- and restore command 362
- and restorefiles command 315
- and unmount backup command 267, 323, 368

/TSMNODE

- and backup command 328, 332

/tsmoptfile

- and mount backup command 215, 287, 341
- and restore command 362
- and restorefiles command 241, 315
- and unmount backup command 267, 324, 368

/tsmpassword

- and backup command 350
- and mount backup command 216, 288, 341
- and query component command 345
- and query config command 347
- and restore command 363
- and restorefiles command 315
- and unmount backup command 268, 324, 368

/TSMPassword

- and backup command 328, 332

/usealwaysnode

- and backup command 277

/USEEXISTINGRDB

- and restoremailbox command 259

/BACKUPDESTINATION

- and **delete backup** command 208

/CONFIGfile

- and **delete backup** command 208

/IMPORTVSSSNAPSHOTSONLYWhenneeded

- and **set** command 262, 318, 371

/logfile

- and delete backup command 209

/SKIPINTEGRITYCHECK

- and **backup** command 205

/UpdateMailboxInfoOnly

- and **backup** command 206

BACKUPDESTINATION

- and set command 261

dagnode 202, 209, 232, 239, 246

DATEformat

- and set command 261

LOCALDSMAgentnode

- and set command 262

LOGFile

- and set command 262

MOUNTWait

- and set command 263

NUMBERformat

- and set command 263

TEMPDBRESTorepath

- and set command 264

TIMEformat

- and set command 264

parameters, described

optional

- /compatibilityinfo 297
- /configfile 292, 305, 320
- /CONFIGfile 273
- /detail 224
- /EXCLUDEDdb 274
- /EXCLUDEDUMPster 232
- /fcmoptfile 220, 232, 292, 305
- /FCMOPTFfile 225, 246, 274
- /fromsqlserver 293, 305

parameters, described (*continued*)

optional (*continued*)

- /into 306
- /logfile 306
- /LOGFile 274
- /logprune 203, 209, 214, 221, 226, 229, 234, 240, 247, 263, 267, 275, 281, 285, 293, 298, 302, 306, 313, 319, 323, 327, 331, 339, 344, 347, 350, 361, 366, 372
- /object 294, 307
- /postsnapshotcmd 373
- /POSTSNAPSHOTcmd 328
- /presnapshotcmd 373
- /PRESNAPSHOTcmd 327
- /quiet 307
- /recovery 307
- /relocatedir 308
- /restoredate 308
- /restoretime 308
- /sqlauthentication 298, 309
- /SQLAUTHentication 275
- /sqlcompression 321
- /sqlpassword 299, 309
- /SQLPassword 276
- /sqlserver 299, 309
- /SQLSERVer 276
- /sqluser 300, 310
- /SQLUSeR 277
- /TSMOPTFile 205
- /VerifyOnly 310
- ENABLEREplacementchars 273
- SQLCHECKSum 276, 298

positional

- copyfull 272
- for set command 317
- full 272, 304

parameters, Tivoli Storage FlashCopy Manager for Exchange Server

/configfile

- and query tdp command 228

parameters, Tivoli Storage FlashCopy Manager for SQL Server

/configfile

- and query tdp command 301

/logfile

- and query tdp command 301

performance properties 62

pitdate parameter

- and mount backup command 286, 340, 367
- and restore command 361

pittime parameter

- and mount backup command 286, 340, 367
- and restore command 362

planning 31

policy 13, 18

- binding 17
- binding Tivoli Storage FlashCopy Manager VSS backups 18
- configuring 17
- expiring VSS backup s 13
- setting local policy 16

policy management properties 53

policy settings

- FlashCopy Manager for Microsoft Exchange ServerFlashCopy Manager for Microsoft SQL Server and Tivoli Storage Manager 14

postsnapshot command 58

postsnapshotcmd 155, 156, 157

postsnapshotcmd parameter 373

- pre/post snapshot properties 58
- preferdagspassive parameter
 - and backup command 205
- preferences 52
- presnapshot command 58
- presnapshotcmd 155, 156, 157
- presnapshotcmd parameter 373
- printing reports 165
- problem determination 179, 180, 297
- product support 197
- properties
 - custom settings 61
 - diagnostics 54, 193
 - general Exchange Server 57
 - general SQL Server 56
 - logging 58
 - MAPI settings 62, 105
 - performance 62
 - policy management 53
 - pre/post snapshot 58
 - regional settings 59
 - SQL login 56
 - VSS 59
- property pages 52
- protecting
 - Tivoli Storage FlashCopy Manager GUI 95
- protecting SQL Server data with Tivoli Storage FlashCopy Manager
 - on Windows Server Core 151
 - Windows Sever Core
 - protecting SQL Server data with Tivoli Storage FlashCopy Manager 151
- proxy nodes 73
- publications xi

Q

- query backup command
 - and /all parameter 349
 - and /configfile parameter 349
 - and /fromserver parameter 349
- query backup command, Tivoli Storage FlashCopy Manager
 - overview 348
 - syntax diagram 348
- query component command
 - and /configfile parameter 343
 - and /FCMOPTFile parameter 343
 - and /LOGFile parameter 343
 - and /tsmnode parameter 344
 - and /tsmpassword parameter 345
 - syntax diagram 343
- query component command, Tivoli Storage FlashCopy Manager
 - overview 342
- query config command
 - and /CONFIGfile parameter 346
 - and /FCMOPTFile parameter 346
 - and /logfile parameter 346
 - and /tsmnode parameter 347
 - and /tsmpassword parameter 347
 - overview 345
 - syntax diagram 345
- query exchange command
 - and /configfile parameter 220
 - and /logfile parameter 220
 - example 222
 - syntax diagram 220, 296

- query exchange command, Tivoli Storage FlashCopy Manager for Exchange Server
 - overview 219
- query fcm command
 - and /active parameter 224, 292
 - and /all parameter 224, 292
 - and /configfile parameter 224
 - and /fromxcserver parameter 209, 214, 225, 233, 239
 - and /logfile parameter 225, 293
 - and /SHOWMAILBOXInfo parameter 226
 - example 227
 - overview 223, 290
 - syntax diagram 223
- query fcm command, Tivoli Storage FlashCopy Manager for SQL Server
 - syntax diagram 291
- query operations
 - query SQL 297
- query sql command
 - and /configfile parameter 297
 - and /logfile parameter 297
- query sql command, Tivoli Storage FlashCopy Manager for SQL Server
 - overview 295
- query tdp command
 - and /logfile parameter 229
 - example 230
- query tdp command, Tivoli Storage FlashCopy Manager for Exchange Server
 - and /configfile parameter 228
 - overview 228
 - syntax diagram 228, 301
- query tdp command, Tivoli Storage FlashCopy Manager for SQL Server
 - and /configfile parameter 301
 - and /logfile parameter 301
 - overview 301
- quiet parameter 307
 - and delete backup command 210, 282
 - and restore command 235
 - and restorefiles command 241, 314
 - and restoremailbox command 257
- Quiet parameter
 - and backup command 205
 - and delete backup command 275

R

- RBAC
 - permissions 98
- reconciliation 153
- recover parameter
 - and restore command 235
- recovery option, GUI 143
- recovery parameter 307
- reference
 - Tivoli Storage FlashCopy Manager 199
- regional properties 59
- registering a client node
 - for Windows Server Core configuration on Tivoli Storage FlashCopy Manager 84
- relocatedir parameter 308
- remote diagnostics 193
- remote system
 - stand-alone snapshot support 66
- remote system configuration 71
- replace option, GUI 142

- replay option, GUI 111
- replication copies 11, 102
- reports
 - viewing, printing, and saving 165
- requirements 26
 - IBM System Storage DS8000 series 26
 - SAN Volume Controller 26
 - Storwize V7000 26
 - XIV 26
- restore 21
 - database 21
 - mailbox 23
 - restorefiles command 21
 - transaction log 21
 - types 21
- restore command
 - and /configfile parameter 232, 359
 - and /fromexcsrv parameter 209, 214, 225, 233, 239
 - and /fromserver parameter 359
 - and /instantrestore parameter 233, 305, 360
 - and /into parameter 360
 - and /intodb parameter 233
 - and /logfile parameter 234
 - and /mountdatabases parameter 235
 - and /noprompt parameter 361
 - and /object parameter 235
 - and /pitdate parameter 361
 - and /pittime parameter 362
 - and /quiet parameter 235
 - and /recover parameter 235
 - and /templogrestorepath parameter 236
 - and /tsmnode parameter 362
 - overview 230, 358
 - syntax diagram 231, 358
- Restore command 305
- restore considerations
 - custom application and file system data 5
- restore guidelines
 - SQL VSS 5
- restore operations
 - master database 149
 - of inactive objects 307
 - SQL databases with full-text catalogs and indexes 150
 - to a different SQL Server 144
 - to alternate instance 147
 - using the GUI
 - auto select option 110, 142
 - database owner option 142
 - from server option 110
 - from SQL Server option 143
 - instant restore 111, 144
 - recovery option 143
 - replace option 142
 - replay option 111
 - restore options 110, 142
 - standby server undo file option 143
 - stripes option 142
 - verify only option 143
 - Wait for Tape Mounts for File Information 144
 - wait for tape mounts options 143
- restore options
 - GUI
 - mountdatabases 111
 - run recovery 111
- restoredate parameter 308
- restorefiles 239, 312
 - command 238
- restorefiles (*continued*)
 - parameters 238
- restorefiles command
 - and /backupmethod parameter 312
 - and /configfile parameter 239, 312
 - and /fromexcsrv parameter 209, 214, 225, 233, 239
 - and /fromsqlserver parameter 313
 - and /into parameter 239, 314
 - and /logfile parameter 239, 313
 - and /mountwait parameter 204, 235, 240, 314
 - and /object parameter 241, 314
 - and /quiet parameter 241, 314
 - and /tsmnode parameter 315
 - and /tsmoptfile parameter 241, 315
 - and /tsmpassword parameter 315
 - backups 237
 - example 316
 - overview 237
 - syntax diagram 238
 - VSS 237
- restoremailbox
 - individual mailbox
 - command line 245
 - mailbox
 - command line 245
- restoremailbox command
 - and /CLIENTAccessserver parameter 245
 - and /CONFIGfile parameter 245
 - and /EXCLUDEDUMPster parameter 246
 - and /FROMArchive parameter 246
 - and /KEEPRDB parameter 247
 - and /LOGFile parameter 247
 - and /mailboxfilter parameter 248
 - and /mailboxoriglocation parameter 251
 - and /mailboxrestoredate parameter 251
 - and /mailboxrestoredestination parameter 252
 - and /mailboxrestoretime parameter 252
 - and /MAILBOXRestoreunread parameter 257
 - and /mountwait parameter 204, 235, 240
 - and /quiet parameter 257
 - and /tempdbrestorepath parameter 257
 - and /templogrestorepath parameter 258
 - and /tempmailboxalias parameter 258
 - and /USEEXISTINGRDB parameter 259
 - example 259
 - overview 241
 - syntax diagram 243
- restoretime parameter 308
- restoring data 111, 160
 - Exchange Server 2010 121
 - Exchange Server 2013 121
 - mailbox 115
 - Mailbox Restore Browser 121
- restoring SQL availability databases 144
- restoring SQL databases with Tivoli Storage FlashCopy Manager
 - on Windows Server Core 152
- restoring VE databases 144
- restoringcustom application and file system data 160
- Role Based Access Control
 - permissions 98

S

- sample output
 - set command 321
- saving reports 165

- scheduling backups 27
- scheduling tasks 176
- scripts for automated processing 154
- security 128
- security requirements 98
- sending support files by using email 197
- server, SQL
 - querying 297
- Service Management Console 197
- set command
 - and /configfile parameter 265
 - and /localdsmagentnode parameter 318
 - and BACKUPDESTINATION parameter 261
 - and DATEFORMAT parameter 261
 - and LOCALDSMAGENTNODE parameter 262
 - and LOGFILE parameter 262
 - and MOUNTWAIT parameter 263
 - and NUMBERFORMAT parameter 263
 - and TEMPDBRESTOREPATH parameter 264
 - and TIMEFORMAT parameter 264
 - example 265
 - overview 260
 - positional parameters 317
 - sample output 321
 - syntax diagram 260
- set restore
 - using the GUI 144
- setting up a proxy node for offloaded VSS backups
 - for Windows Server configuration on Tivoli Storage FlashCopy Manager 85
- setup.exe
 - used for silent installation 39
- SHOWMAILBOXINFO parameter
 - and query fcm command 226
- silent installation
 - Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core 40
- silent installation (MSI)
 - Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core 42
- silent installation (setup.exe)
 - Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core 41
- silent installation of Tivoli Storage FlashCopy Manager 39
- silent installtion
 - with setup.exe 39
- single-user mode 141
- space, saving
 - strategy 129
- SQL 2012 Server
 - running in cluster environment 27
- SQL availability databases
 - backing up with the legacy method 136
 - backing up with VSS 134
 - restoring 144
- SQL databases with full-text catalogs and indexes,
 - restoring 150
- SQL login properties 56
- SQL server
 - user id 309
 - user ID 275
- SQL Server
 - user id 319
 - user ID 298
- SQL Server 2000
 - differential strategy 129
- SQL Server 2012 services 27

- SQL Server integrity checking
 - checksum 133
- SQL Server VSS backup
 - deleting 140
- SQL VSS restore considerations 5
- sqlauthentication parameter 298, 309, 319
- SQLAUTHENTICATION parameter 275
- SQLCHECKSUM parameter 276, 298
- sqlcompression parameter 321
- sqlpassword parameter 299, 309
- SQLPassword parameter 276
- sqlserver parameter 299, 309, 320
- SQLSERVER parameter 276
- sqluser parameter 300, 310
- SQLUSER parameter 277
- sqluserid parameter 319
- Standalone Configuration
 - wizard 64, 66
- standby server undo file option, GUI 143
- starting
 - MMC GUI 95
 - Tivoli Storage FlashCopy Manager GUI 95
- storage
 - determining managed capacity 97
- storage group
 - delete backup
 - command line 280
 - restorefiles
 - command line 238
 - VSS backup
 - GUI 107
- storage management, policy 13
- Storwize V7000
 - requirements 26
- stripes option, GUI 142
- syntax diagrams
 - backup command 201, 325
 - delete backup command 207, 279, 329
 - help command 212, 283, 333
 - mount backup command 212, 283, 337
 - query backup command, Tivoli Storage FlashCopy Manager 348
 - query component command 343
 - query config command 345
 - query exchange command 220, 296
 - query fcm command 223
 - query tdp command, Tivoli Storage FlashCopy Manager for Exchange Server 228
 - query tdp command, Tivoli Storage FlashCopy Manager for SQL Server 301
 - restore command 231, 358
 - restorefiles command 238
 - restoremailbox command 243
 - set command 260
 - unmount backup command 265, 321, 365
 - update config command 370
- syntax diagrams, Tivoli Storage FlashCopy Manager for SQL Server
 - query fcm command 291
- sysadmin fixed server role 303, 319

T

- tables and indexes
 - backing up 129
- tasks
 - automating 173, 174, 175

- tdpexc.cfg file
 - and backup command 202
 - and delete backup command 208, 280
 - and mount backup command 214
 - and query fcm command 224
 - and query tdp command 228
 - and restore command 232, 236
 - and restorefiles command 239
 - and restoremailbox command 245, 257, 258
 - and set command 265
 - and unmount backup command 266
 - query exchange 220
 - query sql 297
- tdpexc.log file
 - and backup command 203
 - and delete backup command 209, 281
 - and mount backup command 214
 - and query exchange command 220
 - and query fcm command 225, 293
 - and query sql command 297
 - and query tdp command 229
 - and restore command 234
 - and restorefiles command 239
 - and restoremailbox command 247
 - and set command 262
 - and unmount backup command 266
- tdpexcc.exe
 - overview 199
- tdpsql.cfg file
 - and mount backup command 285
 - and query tdp command 301
 - and restorefiles command 312
 - and unmount backup command 322
- tdpsql.cfg, setting values
 - using the CLI 273, 292, 305, 320, 321
- tdpsql.log file
 - and mount backup command 285
 - and query tdp command 301
 - and restorefiles command 313
 - and unmount backup command 322
- tdpsqlc.exe
 - overview 269
- tempdb 134
- tempdbrestorepath parameter
 - and restoremailbox command 257
- TEMPDBRESTorepath parameter
 - and set command 264
- templogrestorepath parameter
 - and restore command 236
 - and restoremailbox command 258
- tempmailboxalias parameter
 - and restoremailbox command 258
- timeformat parameter 320
 - and update config command 373
- TIMEformat parameter
 - and set command 264
- Tivoli Storage FlashCopy Manager
 - backups 6, 10
 - commands 269
 - commands for custom applications 324
 - configuration file, setting
 - using the CLI 292, 305, 320, 321
 - configuring 47
 - install 36
 - install prerequisites 35
 - install, upgrade, migrate 35
 - migrate 44
- Tivoli Storage FlashCopy Manager *(continued)*
 - migrate DAG backups 44
 - overview 1
 - planning 31
 - reference 199
 - silent installation 39
 - upgrade 43
 - VSS configuring 73
 - VSS planning 3
- Tivoli Storage FlashCopy Manager for Exchange Server
 - commands 199
- Tivoli Storage FlashCopy Manager for SQL
 - configuration file, setting
 - using the CLI 273
- Tivoli Storage FlashCopy Manager for SQL Server
 - running on Windows Failover Cluster 27
 - silent installation on Windows Server Core (MSI) 42
 - silent installation on Windows Server Core (setup.exe) 41
- Tivoli Storage FlashCopy Manager for SQL Server on Windows Serer Core
 - overview 151
- Tivoli Storage FlashCopy Manager for SQL Server on Windows Server Core
 - configuration tasks 83
 - installing 40
 - silent installation 40
- Tivoli Storage FlashCopy Manager GUI
 - protecting 95
 - starting 95
- Tivoli Storage FlashCopy Manager scripts
 - adding 196
 - editing 196
 - viewing 196
- Tivoli Storage FlashCopy Manager trace and log files
 - gathering 192, 193
- Tivoli Storage FlashCopy ManagerVSS backup
 - policy binding 18
- Tivoli Storage Manager
 - configuring options 48
 - policy settings 14
- Tivoli Storage Manager server scheduler 27
- trace and log files
 - gathering 192
- transact-SQL command 141
- transaction log
 - restore 21, 230
- transitioning standard SQL databases to the AlwaysOn
 - node 82
- troubleshooting
 - VSS issues 181
- TSM Configuration
 - wizard 67, 71
- tsmnode parameter
 - and backup command 332, 350
 - and delete backup command 210
 - and mount backup command 215, 287, 341
 - and query component command 344
 - and query config command 347
 - and restore command 362
 - and restorefiles command 315
 - and unmount backup command 267, 323, 368
- TSMNODE parameter
 - and backup command 328
- tsmoptfile parameter
 - and backup command 331
 - and mount backup command 215, 287, 341
 - and restore command 362

- tsmoptfile parameter (*continued*)
 - and restorefiles command 241, 315
 - and unmount backup command 267, 324, 368
- TSMOPTFile parameter 205
- tsmpassword parameter
 - and backup command 328, 332, 350
 - and mount backup command 216, 288, 341
 - and query component command 345
 - and query config command 347
 - and restore command 363
 - and restorefiles command 315
 - and unmount backup command 268, 324, 368
- TSMVM 143

U

- uninstalling Tivoli Storage FlashCopy Manager 45
- unmount backup command
 - and /configfile parameter 266, 322, 366
 - and /logfile parameter 266, 322, 366
 - and /tsmnode parameter 267, 323, 368
 - and /tsmoptfile parameter 267, 324, 368
 - and /tsmpassword parameter 268, 324, 368
 - overview 265, 321, 365
 - syntax diagram 265, 321, 365
- update config command
 - and /configfile parameter 373
 - and /dateformat parameter 370
 - and /language parameter 371
 - and /localdsmagentnode parameter 372
 - and /logfile parameter 372
 - and /numberformat parameter 372
 - and /timeformat parameter 373
 - example 374
 - overview 369
 - syntax diagram 370
- upgrade
 - Tivoli Storage FlashCopy Manager 43
- USEEXISTINGRDB parameter
 - and restoremailbox command 259
- user mode, setting 141
- using command-line help
 - on Windows Server Core 96
- using the **backup** command
 - on Windows Server Core 151
- using the **help** command
 - on Windows Server Core 96
- using the **restore** command
 - on Windows Server Core 152
- using the **set** command
 - on Windows Server Core 152
- using Tivoli Storage FlashCopy Manager
 - with IBM SAN Volume Controller and IBM Storwize V7000 25, 92, 182

V

- Verify Only option, GUI 143
- verifyonly parameter 310
- viewing reports 165
- viewing system information for Tivoli Storage FlashCopy Manager for Windows 196
- VSS 237
 - node names 74
 - overview 2
 - proxy nodes 73

- VSS (*continued*)
 - restore into alternate locations 23
- VSS backup
 - characteristics 3
 - overview 10
 - planning requirements 4
 - policy binding 18
- VSS configuring 73
- VSS fast restore
 - method 22
- VSS instant restore 133
 - method 22
- VSS planning 3
- VSS properties 59
- VSS provider 2
- VSS Requestor 2
- VSS restore
 - characteristics 4
- VSS writer 2
- VSSPOLICY, statements 18

W

- wait for tape mounts for file information, GUI 144
- wait for tape mounts options, GUI 143
- Windows authentication mode, setting
 - using the CLI 275, 298, 309, 319
- Windows Failover Cluster environment
 - converting to 27
 - supported 27
- Windows Server Core
 - backing up SQL databases with Tivoli Storage FlashCopy Manager 151
 - changing configuration values 152
 - restoring SQL databases with Tivoli Storage FlashCopy Manager 152
 - using command-line help 96
 - using the **backup** command 151
 - using the **help** command 96
 - using the **restore** command 152
 - using the **set** command 152
- Windows Server Core configuration
 - configuring Tivoli Storage FlashCopy Manager for SQL Server 87
- Windows Server Core configuration on Tivoli Storage FlashCopy Manager
 - configuring the backup-archive client 86
 - registering a client node 84
 - setting up a proxy node for offloaded backups 85

X

- XIV
 - requirements 26



Product Number: 5608-W07
5724-X94

Printed in USA