Jakob®
Rope Systems

WEBNET MODULAR RAILING SYSTEM




Jakob Rope Systems
2665 NW 1st Ave, Boca Raton, FL 33431
(561) 330-6502
www.jakob-usa.com



JAKOB ROPE SYSTEMS
IS NOW OFFERING A TURN-KEY SOLUTION

Our Webnet Frames are now available with floor mounting hardware and integrated handrail in standard 4 feet length.

© Copyright by
Jakob Rope Systems USA
2019




Jakob®
Rope Systems

- Webnet stainless steel frames are a high-quality product individually configured and compatible with all type of railings to meet your unique architectural needs.
- Designed for easy assembly, Webnet frames offer remarkable flexibility and are an excellent turnkey solution for your rope system requirements.
- Apart from timeless design and unobstructed views, all Webnet frames have built-in safety certified features.
- All components are made from high-grade Stainless Steel (AISI 316) for indoor and outdoor applications.
- Jakob Rope System's Webnet frames are multifunctional and designed for a wide range of protective applications with visually stunning appeal.
- Our years of experience and countless numbers of installations allows us to create a unique solution for you.


Jakob Rope Systems • 2665 NW 1st Ave, Boca Raton, FL 33431 • (561) 330-6502 • www.jakob-usa.com

WEBNET MODULAR RAILING SYSTEM ROUND




For your peace of mind, Jakob Webnet Modular Railing System is international Code Compliant.

- Unique and unmatched price/performance ratio
- Small quantities without price penalty
- Longevity thanks to superb craftmanship
- Maintenance-free due to high-quality materials



WEBNET MODULAR RAILING SYSTEM ROUND














- Webnet Rope
- Rope ∅ 1.5 mm
(construction 6 x 7 + WC)



- Mesh apertures (W)
60°= Standard mesh angle
W= Mesh aperture 2⅜”
H= Mesh aperture height 4”

WEBNET MODULAR RAILING SYSTEM SQUARE







- Optionally, we can deliver Webnet Modular Railing System with paint coating based on the **RAL-Classic color palette**



WEBNET MODULAR RAILING SYSTEM SQUARE










■ Frames have a bore (Ø 10 mm) on the outside of the frame.



■ Webnet Rope
● Rope ∅ 1.5 mm
(construction 6 x 7 + WC)





■ Mesh apertures (W)
60°= Standard mesh angle
W= Mesh aperture 2⅜”
H= Mesh aperture height 4”




Jakob Webnet Modular Railing System
are optionally available with:


- **Welded brackets** crafted to your specifications














CORNER










STAIRS





A FASCIA MOUNT






B TOP MOUNT






C CORE DRILL









- Visit us online and let our globally implemented applications inspire you.

Jakob®
Rope Systems

- Our documentation is available as downloadable PDFs or in printed form

Jakob Rope Systems • 2665 NW 1st Ave, Boca Raton, FL 33431 • (561) 330-6502 • www.jakob-usa.com