



micron 2.0

INDICAZIONI D'USO indications for use instructions d'utilisation anwendungsbereich indicaciones de uso указания по использованию upute o korištenju 使用说明	PAVIMENTO floor tiles sol boden piso Пол Podovi 地板 RIVESTIMENTO wall tiles revêtement wand revestimiento облицовка zidovi 墙面
DESTINAZIONI D'USO suggested applications destination anwendungsbereich lugar de empleo предназначение krajinja namijena 用途	ABITAZIONE dometisc purpose habitation wohnbereich habitación жилое помещение stanovanje 住宅 ESTERNI outdoor floor extérieur ausenbereich exterior Наружные части Vanjski prostori 户外 COMMERCIALE LEGGERO tiles for light commercial traffic area passage léger gewerblichen bereich pequeña superficie comercial Торговое помещение с легкой нагрузкой Male trgovine 低流量商业 COMMERCIALE PESANTE tiles for heavy traffic area passage intense gewerblichen bereich mit hoher beanspruchung grande superficie comercial Торговое помещение с высокой нагрузкой Trgovine s velikim prometom 高流量商业
FINITURA finish finition Oberfläche acabado отделка obrađenost 终加工	NATURALE natural naturel natur matt Природный Prirodne 自然式 LEVIGATO polished poli poliert pulido полированный izglađeno 磨光
STRUTTURA structure structuré Struktur estructura структура struktura 结构	LISCIO smooth lisse glatt liso гладкий glatko 光滑 BOCCIARDATO bush-hammered rustic rustique bouchardé rustikal scharriert rústico bujardado рустикальный обтесанный бучардой rustične govašene 乡村亚光式
ASPETTO SUPERFICIALE surface look aspect superficiel Aussehen der Oberfläche aspecto superficial внешний вид izgled površine 表面外观	OPACO matt mat matt opaco матовый mat 亚光 LUCIDO glossy brillant glänzend brillante глянцевый sjajno 抛光
BORDO edge bord rand borde кромка rub 边缘	RETTIFICATO MONOCALIBRO monocaliber, rectified rectifié monocalibre rettifiziert monokaliber rectificado monocalibre Ректифицированный монокалибр Rettificirane monokalibarske 单尺寸研磨式 MODULARE modular modulaire modul modular Модульный Modulame 模块式 MODULARE 2MM modular 2 mm modulaire 2 mm modul 2 mm modular 2 mm Модульный 2 mm Modulame 2 mm 模块式 2 mm
STONALIZZAZIONE shade variation variation de nuances schattierung destonalización Разброс цветового тона Gradacija 石质化	V2 LEED CREDITS 4-12 ECOLABEL GREEN SQUARED

micron 2.0



30x60 12"x24"	60x60 24"x24"	60x120 24"x48"	120x120 48"x48"
-------------------------	-------------------------	--------------------------	---------------------------



GRES PORCELLANATO A TUTTO SPESSORE

Full body porcelain tiles
Grès cérame pleine masse
Durchgefärbtes Feinsteinzeug
Gres Porcelánico a toda masa
Керамогранит полнотелый
Porculansko-kamene pločice
各种厚度的仿石瓷砖

MADE IN ITALY
PRODOTTO ESCLUSIVAMENTE IN ITALIA



micron 2.0

M2.0 120T

M2.0 12GL





M2.0 120T

M2.0 12GL



micron 2.0

micron 2.0

MUD.M2.0 36DG

M2.0 G120W

M2.0 12WL





MUD.M2.0 36DG

M2.0 12WL



micron 2.0

micron 2.0

M2.0 12A

M2.0 120A









M2.0 120DGL



micron 2.0

Floor tiles and Wall tiles
Sol et Revêtement
Bodenfliese und Wandfliese
Pavimento y Revestimiento
Напольная и облицовочная
плитка
Podovi i zidovi
地面与墙面



M2.0 36W	≠ 10,5 - R10 - A	
M2.0 36WL	≠ 10,5	
M2.0 RB36W	≠ 10,5 - R11 - B+C	

M2.0 60W	≠ 10,5 - R10 - A	N	LI	
M2.0 60WL	≠ 10,5	L	LI	
M2.0 RB60W	≠ 10,5 - R11 - B+C	N	RB	

M2.0 12W	± 10,5 - R10 - A	
M2.0 12WL	± 10,5	

M2.0 120W	≡ 10,5 - R10 - A	
M2.0 120WL	≡ 10,5	

M2.0 36GH	≠ 10,5 - R10 - A	
M2.0 36GHL	≠ 10,5	
M2.0 RB36GH	≠ 10,5 - R11 - B+C	

M2.0 60GH	≠ 10,5 - R10 - A	N	LI	
M2.0 60GHL	≠ 10,5	L	LI	
M2.0 RB60GH	≠ 10,5 - R11 - B+C	N	RB	

M2.0 12GH	± 10,5 - R10 - A	
M2.0 12GHL	± 10,5	

M2.0 120GH	≡ 10,5 - R10 - A	
M2.0 120GHL	≡ 10,5	

M2.0 36G	≠ 10,5 - R10 - A	☐	☐	☒
M2.0 36GL	≠ 10,5	☐	☐	☒
M2.0 RB36G	≠ 10,5 - R11 - B+C	☐	☒	☒

M2.0 60G	≠ 10,5 - R10 - A	
M2.0 60GL	≠ 10,5	
M2.0 RB60G	≠ 10,5 - R11 - B+C	

M2.0 12G	± 10,5 - R10 - A	
M2.0 12GL	± 10,5	

M2.0 120G	≡ 10,5 - R10 - A	
M2.0 120GL	≡ 10,5	

M2.0 36DG	≠ 10,5 - R10 - A			
M2.0 36DGL	≠ 10,5			
M2.0 RB36DG	≠ 10,5 - R11 - B+C			

M2.0 60DG	≠ 10,5 - R10 - A	
M2.0 60DGL	≠ 10,5	
M2.0 RB60DG	≠ 10,5 - R11 - B+C	

M2.0 12DG	☒ 10,5 - R10 - A	
M2.0 12DGL	☒ 10,5	

M2.0 120DG	☒ 10,5 - R10 - A	
M2.0 120DGL	☒ 10,5	

M2.0 36N	≠ 10,5 - R10 - A			
M2.0 36NL	≠ 10,5			
M2.0 RB36N	≠ 10,5 - R11 - B+C			

M2.0 60N	≡ 10,5 - R10 - A	N	LI	
M2.0 60NL	≡ 10,5	L	LI	
M2.0 RB60N	≡ 10,5 - R11 - B+C	N	RB	

M2.0 12N	± 10,5 - R10 - A	
M2.0 12NL	± 10,5	

M2.0 120N	⌘ 10,5 - R10 - A	
M2.0 120NL	⌘ 10,5	

PAVIMENTI
E RIVESTIMENTI

Floor tiles and Wall tiles
Sol et Revêtement
Bodenfliese und Wandfliese
Pavimento y Revestimiento
Напольная и облицовочная
плитна
Podovi i zidovi
地面与墙面




30x60 12"x24"			
M2.0 36A	± 10,5 - R10 - A	N L U 4+	
M2.0 36AL	± 10,5	L U 4+	
M2.0 RB36A	± 10,5 - R11 - B+C	N RE U 4+	
60x60 24"x24"			
M2.0 60A	± 10,5 - R10 - A	N L U 4+	
M2.0 60AL	± 10,5	L U 4+	
M2.0 RB60A	± 10,5 - R11 - B+C	N RE U 4+	
60x120 24"x48"			
M2.0 12A	± 10,5 - R10 - A	N L U 4+	
M2.0 12AL	± 10,5	L U 4+	
120x120 48"x48"			
M2.0 120A	± 10,5 - R10 - A	N L U 4+	
M2.0 120AL	± 10,5	L U 4+	

30x60 12"x24"			
M2.0 36B	± 10,5 - R10 - A	N L U 4+	
M2.0 36BL	± 10,5	L U 4+	
M2.0 RB36B	± 10,5 - R11 - B+C	N RE U 4+	
60x60 24"x24"			
M2.0 60B	± 10,5 - R10 - A	N L U 4+	
M2.0 60BL	± 10,5	L U 4+	
M2.0 RB60B	± 10,5 - R11 - B+C	N RE U 4+	
60x120 24"x48"			
M2.0 12B	± 10,5 - R10 - A	N L U 4+	
M2.0 12BL	± 10,5	L U 4+	
120x120 48"x48"			
M2.0 120B	± 10,5 - R10 - A	N L U 4+	
M2.0 120BL	± 10,5	L U 4+	

30x60 12"x24"			
M2.0 36T	± 10,5 - R10 - A	N L U 4+	
M2.0 36TL	± 10,5	L U 4+	
M2.0 RB36T	± 10,5 - R11 - B+C	N RE U 4+	
60x60 24"x24"			
M2.0 60T	± 10,5 - R10 - A	N L U 4+	
M2.0 60TL	± 10,5	L U 4+	
M2.0 RB60T	± 10,5 - R11 - B+C	N RE U 4+	
60x120 24"x48"			
M2.0 12T	± 10,5 - R10 - A	N L U 4+	
M2.0 12TL	± 10,5	L U 4+	
120x120 48"x48"			
M2.0 120T	± 10,5 - R10 - A	N L U 4+	
M2.0 120TL	± 10,5	L U 4+	

DECORI

Decors
Decors
Dekore
Decoros
Декоры
Dekoracije
装饰



M2.0 120DGL



CARATTERISTICHE TECNICHE SPECIFICHE







Technical features specifications - Caractéristiques techniques spécifique - Technische Eigenschaften - Características técnicas específicas
Требуемые технические характеристики - Specifická technická svojstva - 特殊技术规格

P = Gres porcellanato a tutto spessore - Full body porcelain tiles - Grès cérame pleine masse - Durchgefärbtes Feinsteinzeug - Gres Porcelánico a toda masa - Керамогранит полнотелый - Porculansko-kamene pločice - 各种厚度的仿石瓷砖

PROGETTO	TIP	ARTICOLO	DIN 51130 (R)	DIN 51097 (A+B+C)	ASTM C1028/96		BCR Rep.CEC 6/81		DM 14/6/89 n.236	
					n.a.	n.b.	g.a.	g.b.	c.a.	g.b.
MICRON 2.0	P	M2.0	R10	A	> 0,6	> 0,6	> 0,4	> 0,4	> 0,4	> 0,4
		M2.0 RB	R11	B+C	> 0,7	> 0,7	> 0,4	> 0,4	> 0,4	> 0,4
		M2.0 L	-	-	-	-	-	-	-	-

PEZZI SPECIALI

Special pieces
Pièces spéciales
Sonderpreise
Piezas especiales
Специальные элементы
Naročiti dijelovi
特制件

	 9.5x60 3.7"x24"	 60x120 24"x48"	 30x60 12"x24"	 15x30x3 6"x12"x1.2"	 120x32.5 48"x13.1"	 120x32.5 48"x13.1"
	M2.0 BT 60W M2.0 BT RB60W M2.0 BT 60WL	M2.0 KIT 12WL	M2.0 S RB60W	M2.0 E RB30W	M2.0 G120W	M2.0 A120W DX M2.0 A120W SX
	M2.0 BT 60GH M2.0 BT RB60GH M2.0 BT 60GHL	M2.0 KIT 12GHL	M2.0 S RB60GH	M2.0 E RB30GH	M2.0 G120GH	M2.0 A120GH DX M2.0 A120GH SX
	M2.0 BT 60G M2.0 BT RB60G M2.0 BT 60GL	M2.0 KIT 12GL	M2.0 S RB60G	M2.0 E RB30G	M2.0 G120G	M2.0 A120G DX M2.0 A120G SX
	M2.0 BT 60DG M2.0 BT RB60DG M2.0 BT 60DGL	M2.0 KIT 12DGL	M2.0 S RB60DG	M2.0 E RB30DG	M2.0 G120DG	M2.0 A120DG DX M2.0 A120DG SX
	M2.0 BT 60N M2.0 BT RB60N M2.0 BT 60NL	M2.0 KIT 12NL	M2.0 S RB60N	M2.0 E RB30N	M2.0 G120N	M2.0 A120N DX M2.0 A120N SX
	M2.0 BT 60A M2.0 BT RB60A M2.0 BT 60AL	M2.0 KIT 12AL	M2.0 S RB60A	M2.0 E RB30A	M2.0 G120A	M2.0 A120A DX M2.0 A120A SX
	M2.0 BT 60B M2.0 BT RB60B M2.0 BT 60BL	M2.0 KIT 12BL	M2.0 S RB60B	M2.0 E RB30B	M2.0 G120B	M2.0 A120B DX M2.0 A120B SX
	M2.0 BT 60T M2.0 BT RB60T M2.0 BT 60TL	M2.0 KIT 12TL	M2.0 S RB60T	M2.0 E RB30T	M2.0 G120T	M2.0 A120T DX M2.0 A120T SX

micron 2.0