ADD 6.5%
TO PRICES SHOWN,
EFFECTIVE
NOV 1, 2021

TWO4SIX™

Planning Guide + Price List

QUICK LINKS

PLANNING GUIDE

MEETING TABLES

MEDIA TABLES

FREESTANDING TABLES

ADJUSTABLE HEIGHT TABLES

POWER AND DATA OPTIONS

GENERAL INFORMATION

FINISH INFORMATION


SURFACE MATERIALS


NUCRAFT | August 2021


TABLE OF CONTENTS

Click the shortcuts below to jump to each section.

General Information	ii-iii
Finish Information	iv-v
Surface Materials	vi-vii
Statement of Line	3
Specification Overview	4
MEETING TABLES	
Round / Square / Soft Square Tops	50-56
Rectangle / Soft Rectangle Tops	57-74
MEDIA TABLES	
60" Credenza Base	75-80
72" Credenza Base	81-86
Slab Base	87-104
FREESTANDING TABLES	
Rectangle / Soft Rectangle Tops	105-122
CONFERENCE TABLES	123
POWER AND DATA OPTIONS	124-134
ACCESSORIES	135-136







STATEMENT OF LINE

MEETING TABLES


Pages 50-74


Round


Square



Soft Square



Rectangle


Soft Rectangle


RECTANGLE AND SOFT RECTANGLE BASES


Pages 57-74



Open Frame



Open Frame Standing


Post Leg


Racetrack Base



Rectangle Center Base


X Center Base



Adjustable Height Base

ROUND, SQUARE AND SOFT SQUARE BASES

Page 50-56


Open Frame Square


Post Leg


Cylinder Base

STATEMENT OF LINE

MEDIA TABLES


Pages 75-104




D-Shape

BASES


Pages 75-104




Slab



Credenza




Open Frame



Open Frame Standing



Post Leg




Racetrack Base

STATEMENT OF LINE


CADDY

Page 135




CONSOLE

Page 136




CREDENZA

Page 136



MARKER BOARD

Page 135



SPECIFICATION OVERVIEW

1. Select the Table Type
Options include Meeting Tables, Media Tables and Freestanding Tables.

2. Select the Top Surface Material
Choose between standard veneer with hardwood edge, inset laminate with hardwood edge, laminate with cutback ABS edge, laminate with square ABS edge, glass, solid surface or stone/quartz.

3. Select the Top Size and Shape
Two4Six tables are available in round, square, soft square, rectangle, soft rectangle and D-shapes. Sizes range from 30"- to 72"-wide and from 48"- to 240"-long.

4. Select the Base Style and Finish
Two4Six tables are available with Metal Post Legs, Open Frame, and Racetrack base styles, as well as a Height Adjustable base option. Metal Post Leg and Open Frame bases are offered with powder coated paint or polished chrome finishes. In addition, the Metal Post Leg is available with a clear anodized finish. The Racetrack base is offered in laminate, painted, or veneer. Media tables include a Slab Base (available in both painted and veneered surfaces) or a Credenza Base (available in veneer only).

5. Select the Power/AV Option (if desired)
Options for power and AV connectivity include:
- Table Top: Tech Node, Power Cap or Power Matrix (Small or Medium)
- Sub-Top: Power Rail

MEETING TABLES

Meeting tables are offered in round, square, soft square, rectangle and soft rectangle shapes at a seated height (29.5"). A standing height (42") option is also available for rectangle and soft rectangle tables. Meeting table base options include 2"-square Metal Post Legs, an Open Frame base (made from 1.25" square metal tube), Racetrack base, and Cylinder base (for round tables only).


BASE MATERIAL OPTIONS

	VENEER	PAINTED	LAMINATE	POWDER COAT	POLISHED CHROME	CLEAR ANODIZED
Racetrack	X	X	X			
2" Post Metal Leg				X	X	X
Open Frame				X	X	
Adjustable Height				X		
TABLES 156" & LONGER						
Rectangle Center	X	X				
X Center				X	X	
MEDIA TABLES ONLY						
Wall-mounted Slab	X	X				
Credenza	X					
ROUND TABLES ONLY						
Cylinder	X	X				


TOP MATERIAL OPTIONS

	VENEER	LAMINATE (ALL EDGES)	GLASS	SOLID SURFACE	STONE
Round, Square & Soft Square	X	X	X	X	X
Rectangle & Soft Rectangle	X	X	X	X	
D-Shape	X	X	X	X	


Soft Rectangle Meeting Table with Open Frame Base




Rectangle Meeting Table with Metal Post Legs and Rectangle Center Base




Rectangle Meeting Table with Metal Post Legs




Rectangle Meeting Table with Open Frame Base and X Center Base



Soft Rectangle Meeting Table with Racetrack Base



Rectangle Meeting Table with Racetrack Base




MEDIA TABLES


Media tables feature a combination of bases. One end will have either a Slab base available in veneer or painted finishes, or a Credenza base available in veneer. Tables with Slab bases must be anchored to a wall and are offered in three heights: seated (29.5"), counter (36") and standing (42") heights. Tables with the Credenza base are offered at a seated height only. At the opposite end, the options include 2"-square Metal Post Legs, an Open Frame base (made from 1.25" square metal tube) or a Racetrack base. Racetrack base available in seated and standing heights.

Please see finish matrix for finishing information on page 7.

D-Shape Media Table with Open Frame Base and Slab Base




D-Shape Media Table with Ractrack Base and Slab Base




CREDENZA BASE


The credenza base option available on Media tables is an ideal solution for storage in small meeting spaces. It is available in two sizes (60" and 72") and features a door at each end with adjustable shelf. Behind the door on the left end are optional pull-out waste/recycle bins. Behind the door on the right end is an optional pull-out equipment rack (available on the 72" version only). A hinged access panel in the front center of the credenza base and an open back section provide access through the case to wall outlets and AV connections. This base also includes an option for a monitor panel for mounting flat panel monitors. A video conferencing camera shelf is also available as an option. The credenza base and optional monitor panel are available with veneer only.

D-Shape Media Table with Credenza Base







Optional Pull-Out Waste/Recycle Bins




Optional Pull-Out Equipment Rack



D-Shape Media Table with Credenza Base and Optional Monitor Panel






ADJUSTABLE HEIGHT TABLE

The adjustable height table promotes wellness and can be used to imply meeting duration or encourage impromptu collaboration. Offering a height adjustment range from 28" to 42".


ADJUSTABLE HEIGHT TABLE

This rectangular desk features a metal column base.

- Adjustment range is from 28" to 42"
- Controller features digital height readout and four programmable stops
- Features a metal column base
- Available with Power Rail




Wire Management for Adjustable Height Table



PROGRAMMABLE CONTROLLER


The programmable controller features up/down buttons, four programmable preset stops, and a digital readout that displays the worksurface height.



CADDY

CADDY

This small but hard-working piece is designed for all those little items typically found in a conference room (markers, erasers, pens, Post-It notes, phone lists, etc.), but for which there is often not a home. It features a storage box on top of an Open Frame base. The front features a drawer with integrated pull. The box is available with either a veneer or painted finish.







TABLE TOP POWER OPTION: POWER MATRIX


Available in a variety of sizes, styles and connectivity options, Power Matrix is Nucraft's most versatile power option. Power Matrix incorporates a broad array of scalable features and is available across multiple product lines, making it the "go to" solution for power and AV connectivity needs.

Offered in a Small and Medium size, Power Matrix can handle any power and AV connectivity need, from the simplest to the most demanding.


Small



Close-Up




In Table




Standard Configuration


Medium



Close-Up



In Table



Standard Configuration

TABLE TOP POWER OPTION: POWER MATRIX

Power Matrix is filled with a broad array of high performance features and refined aesthetic elements.

POWER

Power Matrix features simplex receptacles for power connectivity, the quantity of which is pre-determined based on the size of the unit. An optional dual USB charger can also be specified in place of one of the simplex receptacles when desired. Corded or hardwired Infeed options add flexibility.

DATA/AV FACEPLATES

Power Matrix accommodates Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity.

DESIGN

Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate, glass or stone/quartz table tops include a bezel, available in powder coat, polished chrome or clear anodized finish options.

PERFORMANCE

Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic. Cable storage is both concealed and ample.


DOORS

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.

FIELD-WIRED

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, each Power Matrix unit will be supplied with a 6' flexible metal conduit with hot, ground and neutral wires.

(Medium size shown)







TABLE TOP POWER OPTION: POWER MATRIX

STANDARD CONFIGURATIONS

Power Matrix is available in two sizes for Two4Six, each with a pre-determined quantity of simplex outlets and AV faceplates. With each size, an optional dual 2 amp USB charger (1 amp per port) replaces one of the simplex outlets.


Small

- Single door design
- 5.375" x 6" cutout
- Two simplex outlets
- Three AV faceplates. Standard configuration includes two blank faceplates & one faceplate with two RJ-45 (data) connectors.



Medium


- Single door design
- 5.375" x 8.25" cutout
- Four simplex outlets
- Four AV faceplates. Standard configuration includes three blank faceplates & one faceplate with two RJ-45 (data) connectors.




DIMENSIONS


Each Power Matrix unit includes a low-profile pan beneath the work surface to conceal the unit and provide ample storage capacity for excess cables. The size of the cutout in the table top varies with each size of Power Matrix unit.

Small





Medium






TABLE TOP POWER OPTION: POWER MATRIX


POWER PLANNING

Power Matrix is available with two options for connection with building power:

DIRECT PLUG-IN

The 15-amp power cord from each Power Matrix unit is plugged into a floor monument. The floor monument must have at least one power outlet per small or medium Power Matrix unit in the table (e.g., a table with four small or medium Power Matrix units would need four power outlets in the floor monument).


Direct Plug-In



SINGLE INFEED

Each Power Matrix unit is plugged into a two-circuit modular electrical system in the table from which a single connection is made to a floor monument. This connection can be either hardwired (to utilize both of the circuits in the modular electrical system) or corded (which requires a 20-amp power outlet in the floor monument and reduces the modular electrical system in the table to a single circuit).

Single Infeed



Two-Circuit Modular Electrical System

- 4-wire, 20-amp, 2-circuit modular electrical system
- Only present on tables specified with the Single In-Feed option
- Hardwire or corded (20-amp) in-feed options. A licensed electrician is required to complete hardwire connections to building's power source.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed

Electrical Diagram — Hardwire Power Infeed Only




TABLE TOP POWER OPTION: POWER MATRIX

LOCATION CODES

Power Matrix is offered in a variety of locations and quantities per table size, offering a broad range of performance and pricing options.

POWER MATRIX SMALL	POWER MATRIX MEDIUM	LOCATION	QUANTITY OF UNITS TO ORDER
PS-1	PM-1	One at center	1
PS-1W	PM-1W	One at wall end (Media Table only)	1
PS-2*	PM-2*	One at each end	2
PS-3*	PM-3*	One at center and one at each end	3
PS-4*	PM-4*	Four equally spaced	4

*Not offered on Media Tables, Standing Height Tables, or Counter Height Tables

DOOR MATERIAL AND LOCATION AVAILABILITY BY TABLE SIZE

W = Wood Door G = Glass Door M = Metal Door


		Power Matrix Small					Power Matrix Medium				
Length	Top Sections	PS-1	PS-1W†	PS-2*	PS-3*	PS-4*	PM-1	PM-1W†	PM-2*	PM-3*	PM-4*
48	1	W/G/M	-	-	-	-	-	-	-	-	-
54	1	W/G/M	-	-	-	-	-	-	-	-	-
60	1	W/G/M	W/G/M	-	-	-	-	W/G/M	-	-	-
66	1	W/G/M	W/G/M	-	-	-	W/G/M	W/G/M	-	-	-
72	1	W/G/M	W/G/M	-	-	-	W/G/M	W/G/M	-	-	-
84	1	W/G/M	W/G/M	-	-	-	W/G/M	W/G/M	-	-	-
90	1	W/G/M	W/G/M	-	-	-	W/G/M	W/G/M	-	-	-
96	1	W/G/M	W/G/M	-	-	-	W/G/M	W/G/M	-	-	-
102	1	W/G/M	-	W/G/M	W/G/M	-	W/G/M	-	W/G/M	W/G/M	-
102	2	-	-	W/G/M	-	-	-	-	W/G/M	-	-
108	1	W/G/M	-	W/G/M	W/G/M	-	W/G/M	-	W/G/M	W/G/M	-
108	2	-	-	W/G/M	-	-	-	-	W/G/M	-	-
114	1	W/G/M	-	W/G/M	W/G/M	-	W/G/M	-	W/G/M	W/G/M	-
114	2	-	-	W/G/M	-	-	-	-	W/G/M	-	-
120	1	W/G/M	-	W/G/M	W/G/M	-	W/G/M	-	W/G/M	W/G/M	-
120	2	-	-	W/G/M	-	-	-	-	W/G/M	-	-
132	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
144	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
156	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
168	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
180	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
192	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
192	4	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
204	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
204	4	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
216	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
216	4	-		W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
228	2	-		W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
228	4	-		W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
240	2	-		W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
240	4	-		W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M

†Available on Media Tables only
*Not offered on Media Tables, Standing Height Tables, or Counter Height Tables

TABLE TOP POWER OPTION: POWER MATRIX


POWER MATRIX SMALL OR MEDIUM LOCATION OPTIONS

Please Note: For floor core placement, please reference base location information on pages 41-49.




PS-1 or PM-1

PS-1 or PM-1	
Diameter	Center of Power Matrix
48	24
54	27
60	30




PS-1 or PM-1

PS-1 or PM-1	
Length	Center of Power Matrix
60	30
66	33
72	36
84	42
90	45
96	48
102	51
108	54
114	57
120	60



PS-1 or PM-1

PS-1 or PM-1	
Length	Center of Power Matrix
60	30
66	33
72	36
78	39
84	42
90	45
96	48



PS-1W or PM-1W*


***Available on Media Tables only**

PS-1W or PM-1W*	
Length	Center of Power Matrix
60	7.5
66	7.5
72	7.5
78	7.5
84	7.5
90	7.5
96	7.5

TABLE TOP POWER OPTION: POWER MATRIX

POWER MATRIX SMALL OR MEDIUM LOCATION OPTIONS


Please Note: For floor core placement, please reference base location information on pages 41-49.



PS-2 or PM-2*

*Not offered on Media Tables, Standing Height Tables, or Counter Height Tables


PS-2 or PM-2*		
Length	Center of 1st Power Matrix	Center of 2nd Power Matrix
102	26	76
108	26	82
114	26	88
120	26	94
132	26	106
144	26	118
156	26	130
168	26	142
180	26	154
192	26	166
204	26	178
216	26	190
228	26	202
240	26	214



PS-3 or PM-3*

*Not offered on Media Tables, Standing Height Tables, or Counter Height Tables

PS-3 or PM-3*			
Length	Center of 1st Power Matrix	Center of 2nd Power Matrix	Center of 3rd Power Matrix
102	26	51	76
108	26	54	82
114	26	57	88
120	26	60	94



PS-4 or PM-4*


*Not offered on Media Tables, Standing Height Tables, or Counter Height Tables

PS-4 or PM-4*				
Length	Center of 1st Power Matrix	Center of 2nd Power Matrix	Center of 3rd Power Matrix	Center of 4th Power Matrix
132	26	53	79	106
144	26	57	87	118
156	26	61	95	130
168	26	65	103	142
180	26	69	111	154
192	26	73	119	166
204	26	77	127	178
216	26	81	135	190
228	26	85	143	202
240	26	89	151	214

RETRACTORS FOR POWER MATRIX

RETRACTORS


Cable retractors, for use with Power Matrix Small and Medium only, mount directly to the underside of conference room tables using the included mounting bracket. Loaded with 12' of cable that extends out 5' from the retractor. Retractors have a female input from the building infrastructure and a male connector on the output side. Not available on square, round or soft square tables.




RETRACTOR AVAILABILITY ON TWO4SIX TABLES
X = AVAILABLE AS STANDARD

Length	PS-1/ PM-1	PS-2/ PM-2	PS-3/ PM-3	PS-4/ PM-4
72	X			
78	X			
84	X			
90	X			
96	X			
102	X	X		
108	X	X		
114	X	X	X	
120	X	X	X	
132		X		
144		X		X
156		X		X
168		X		X
180		X		X
192		X		X
204		X		X
216		X		X
228		X		X
240		X		X


Retractor Wire Management



CAT6 Retractor



HDMI Retractor



Data USB Retractor




TABLE TOP POWER OPTION: POWER CAP

POWER CAP

Power Cap offers low profile yet robust power and data connectivity on the table surface. Power Cap is available in two sizes: Four Port and Two Port.

Four Port Power Cap configuration options:
- Two simplex receptacles and two dual USB-A chargers (Default Configuration)
- One simplex receptacle, one dual USB-A charger, and two blank Extron Architectural Adaptor Plates (AAPs)
- Two simplex receptacles and two blank AAPs


Two Port Power Cap configuration options:
- One simplex receptacle and one dual USB-A charger (Default Configuration)
- Two simplex receptacles

Intended for high use and quick access, Power Cap's low-profile aesthetic is non-lidded for ample space for plug heads of all sizes. The Power Cap metal faceplate is available in powder coat and polished chrome finish.

DIMENSIONS

- Four Port Power Cap: 2" x 9"
- Two Port Power Cap: 2" x 5.5"
- Power Caps are 3/16" in height


Four Port Power Cap




Four Port Default Configuration



Four Port Optional Configurations



Two Port Power Cap



Two Port Default Configuration



Two Port Optional Configuration




TABLE TOP POWER OPTION: POWER CAP

POWER CAP FOR ROUND, SQUARE AND SOFT SQUARE TABLES

For round, square and soft square Meeting tables, Power Cap is available in the corresponding shape.


Two Port Power Cap configuration options:

- One simplex receptacle and one dual USB-A charger (Default Configuration)
- Two simplex receptacles


DIMENSIONS

- Two Port Round Power Cap: 5" x 5"
- Two Port Square Power Cap: 5" x 5"
- Two Port Soft Square Power Cap: 5" x 5"
- Power Caps are 3/16" in height


Two Port Power Cap for Round Tables




Two Port Round Default Configuration




Two Port Round Optional Configuration




Two Port Power Cap for Square Tables




Two Port Square Default Configuration



Two Port Square Optional Configuration



Two Port Power Cap for Soft Square Tables



Two Port Soft Square Default Configuration



Two Port Soft Square Optional Configuration




TABLE TOP POWER OPTION: POWER CAP


LOCATION CODES

Power Cap is offered in a variety of locations and quantities per table size, offering a broad range of performance and pricing options.

POWER CAP	DESCRIPTION	LOCATION	QUANTITY OF UNITS TO ORDER
CP4-1	Power Cap 4 Port Racetrack Shape	One at Center	1
CP4-1W	Power Cap 4 Port Racetrack Shape (Media Table)	One at End (Media Table Only)	1
CP4-2	Power Cap 4 Port Racetrack Shape	One at Each End	2
CP4-3	Power Cap 4 Port Racetrack Shape	3 Equally Spaced (starting at 96")	3
CP4-4	Power Cap 4 Port Racetrack Shape	4 Equally Spaced (starting at 132")	4
CP2-1	Power Cap 2 Port Racetrack Shape	One at Center	1
CP2-1W	Power Cap 2 Port Racetrack Shape (Media Table)	One at End (Media Table Only)	1
CP2-2	Power Cap 2 Port Racetrack Shape	One at Each End	2
CP2-3	Power Cap 2 Port Racetrack Shape	3 Equally Spaced (starting at 96")	3
CP2-4	Power Cap 2 Port Racetrack Shape	4 Equally Spaced (starting at 132")	4
CPS2-1	Power Cap 2 Port Soft Square Shape (Soft Square Tables only)	One at Center	1
CPR2-1	Power Cap 2 Port Round Shape (Round Tables Only)	One at Center	1
CPQ2-1	Power Cap 2 Port Square Shape (Square Tables Only)	One at Center	1

POWER CAP LOCATION OPTIONS


Please Note: For floor core placement, please reference base location information on pages 41-49.



CPS2-1, CPR2-1 or CPQ2-1

CPS2-1, CPR2-1 or CPQ2-1


Diameter	Center of Power Cap
48	24
54	27
60	30



CP4-1 or CP2-1

CP4-1 or CP2-1

Length	Center of Power Cap
60	30
66	33
72	36
84	42
90	45
96	48
102	51
108	54
114	57
120	60



CP4-1 or CP2-1


CP4-1 or CP2-1

Length	Center of Power Cap
60	30
66	33
72	36
78	39
84	42
90	45
96	48

TABLE TOP POWER OPTION: POWER CAP

POWER CAP LOCATION OPTIONS


Please Note: For floor core placement, please reference base location information on pages 41-49.



CP4-1W or CP2-1W*

***Available on Media Tables only**


CP4-1W or CP2-1W*	
Length	**Center of Power Cap**
60	7.5
66	7.5
72	7.5
78	7.5
84	7.5
90	7.5
96	7.5



CP4-2 or CP2-2*

*Not offered on Media Tables, Standing Height Tables, or Counter Height Tables


CP4-2 or CP2-2*		
Length	**Center of 1st Power Cap**	**Center of 2nd Power Cap**
102	26	76
108	26	82
114	26	88
120	26	94
132	26	106
144	26	118
156	26	130
168	26	142
180	26	154
192	26	166
204	26	178
216	26	190
228	26	202
240	26	214



CP4-3 or CP2-3*

*Not offered on Media Tables, Standing Height Tables, or Counter Height Tables

CP4-3 or CP2-3*			
Length	**Center of 1st Power Cap**	**Center of 2nd Power Cap**	**Center of 3rd Power Cap**
102	26	51	76
108	26	54	82
114	26	57	88
120	26	60	94



CP4-4 or CP2-4*

*Not offered on Media Tables, Standing Height Tables, or Counter Height Tables

CP4-4 or CP2-4*				
Length	**Center of 1st Power Cap**	**Center of 2nd Power Cap**	**Center of 3rd Power Cap**	**Center of 4th Power Cap**
132	26	53	79	106
144	26	57	87	118
156	26	61	95	130
168	26	65	103	142
180	26	69	111	154
192	26	73	119	166
204	26	77	127	178
216	26	81	135	190
228	26	85	143	202
240	26	89	151	214

TABLE TOP POWER OPTION: TECH NODE


Tech Node offers convenient access to power and voice/data connections. Tech Node features include a push/push open design that conceals internal components.

Tech Node components:


- Clear or Black Anodized Aluminum
- Fluid one touch accessibility
- Two (2) Simplexes
- Up to two voice/data ports
- 12' 15-Amp cord
- Voice/Data Adapter Kit p/n BE01421 to accept couplers & jacks
- UL Listed
- Overall dimensions - *4-7/16" x 8-5/16"*
- Optional powered USB
- Optional Bluetooth speaker

All electrical components are UL listed.


Tech Node - Cover Open




Tech Node - Cover Open with Optional USB




Tech Node - Cover Closed




Tech Node - Cover Open with Optional Bluetooth Speaker



Tech Node - Open Front View



Tech Node - Open Side View



VOICE/DATA PLANNING

Two (2) simplex voice/data cutouts accept customer supplied, field-installed snap-in connectors.

Nucraft recommends consulting an audio/visual (AV) integrator for assistance with voice/data planning.

Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com


LOCATION CODES

TECH NODE	LOCATION	QUANTITY OF UNITS TO ORDER
TN-1	One at center	1
TN-1W	One at wall end (Media Table only)	1
TN-2*	One at each end	2
TN-3*	One at center and one at each end	3
TN-4*	Four equally spaced	4

*TN-2, TN-3 and TN-4 not offered on Media Tables, Standing Height Tables, or Counter Height Tables


TABLE TOP POWER OPTION: TECH NODE

TECH NODE LOCATION OPTIONS




TN-1

TN-1	
Length	Center of Tech Node
48	24
54	27
60	30
66	33




TN-1

TN-1	
Length	Center of Tech Node
72	36
84	42
90	45
96	48
102	51
108	54
114	57
120	60



TN-1

TN-1	
Length	Center of Tech Node
60	30
66	33
72	36
78	39
84	42
90	45
96	48




TN-1W*

***Available on Media Tables only**

TN-1W*	
Length	Center of Tech Node
60	7.5
66	7.5
72	7.5
78	7.5
84	7.5
90	7.5
96	7.5


TABLE TOP POWER OPTION: TECH NODE

TECH NODE LOCATION OPTIONS




TN-2

TN-2		
Length	Center of 1st Tech Node	Center of 2nd Tech Node
102	26	76
108	26	82
114	26	88
120	26	94
132	26	106
144	26	118
156	26	130
168	26	142
180	26	154
192	26	166
204	26	178
216	26	190
228	26	202
240	26	214



TN-3

TN-3			
Length	Center of 1st Tech Node	Center of 2nd Tech Node	Center of 3rd Tech Node
102	26	51	76
108	26	54	82
114	26	57	88
120	26	60	94



TN-4

TN-4				
Length	Center of 1st Tech Node	Center of 2nd Tech Node	Center of 3rd Tech Node	Center of 4th Tech Node
132	26	53	79	106
144	26	57	87	118
156	26	61	95	130
168	26	65	103	142
180	26	69	111	154
192	26	73	119	166
204	26	77	127	178
216	26	81	135	190
228	26	85	143	202
240	26	89	151	214

TABLE TOP POWER OPTION: POWER SPEC AND USB SPEC


POWER SPEC AND USB SPEC

This compact unit allows for the addition of power or data to a work surface in a discreet way. Available in round or square shapes, and multiple finish options.

Power Spec

- Spill-proof power simplex
- Compact design
- 1-3/4" cutout for installation
- UL Listed

Power Spec



USB Spec

- Used to charge devices or transfer data
- Compact design
- Offered with USB
- 1-3/4" cutout for installation
- UL Listed

USB Spec




TABLE TOP POWER OPTION: POWER RAIL

POWER RAIL

This low-profile option addresses the need for power & data connectivity just below the table top. This is an ideal choice for those who desire a visually uninterrupted table top and appreciate the inherent flexibility of the Power Rail to be removed at a later date as they transition to a truly wireless environment.


Held in place with screws, Power Rail units can be placed anywhere along the perimeter of the table. This flexible mounting design allows for additional units to be added as necessary, or to be removed when no longer needed.

Power Rails are available in three configurations:

- Two simplex receptacles (UL Listed)
- One simplex receptacle and one dual powered USB connector (UL Listed)
- Two single space A/V faceplates designed for use with Extron Architectural Adaptor Plates (AAPs)

When Power Rails are specified on a Two4Six table, a direct plug-in infeed or hardwired option is available. The direct plug-in infeed option has a single circuit electrical system and the hardwire option requires a two-circuit electrical system. Maximum of 12 Power Rails per table.

Front Elevation



Side Elevation





TABLE TOP POWER OPTION: CHARGING TRAC


CHARGING TRAC

Charging Trac is a low voltage, under surface power system with 2 USB ports per unit. It's modular configuration provides a customizable solution. Offered in a 2 or 4 unit kit of parts with a plug-in infeed. USB-A compatible.


Charging Trac Wire Management
(Flow table with rectangle bases shown)



Front Elevation




Side Elevation



Two-Unit Configuration includes:

- 2 Brackets, each bracket offers 2 USB-A ports
- 1 Puck
- 1 Plug-in infeed


Two-Unit Configuration



Four-Unit Configuration includes:

- 4 Brackets, each bracket offers 2 USB-A ports
- 2 Pucks
- Jumpers
- 1 Plug-in infeed

Four-Unit Configuration




FREESTANDING POWER: CHARGING CUBE AND TECH ZONE

CHARGING CUBE


Charging Cube addresses the need for portable power. The ability to take this device anywhere for collaboration and easy connectivity makes the Charging Cube ideal for those who appreciate flexibility in their workspace.

The Charging Cube can be placed anywhere, and allow up to three devices to be charged at once.

- Three 2 amp USB charging ports
- 11,600 mAh battery capacity
- Charges completely in 4.5 hours



Charging Cube - Top View



Charging Cube - Side View




TECH ZONE


Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.

Available in three configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.


- ZONE-SPEAKER includes one simplex receptacle, one dual charging USB-A charging port and a Bluetooth speaker
- ZONE-DATA includes two simplex receptacles and two open data ports
- ZONE-USB includes two simplex receptacles, one data port and one dual charging USB-A charging port



Tech Zone - Side View




ZONE-SPEAKER



ZONE-DATA



ZONE-USB




FREESTANDING POWER: CHARGING STAND


BATTERY-POWERED CHARGING STAND

At table height, this battery-powered unit provides multiple charging options for collaboration anywhere with cordless power.


- Three 2 amp USB-A charging ports
- One USB-C (18W) charging port



Battery-Powered Charging Stand Side View



Battery-Powered Charging Stand Top View



CORDED CHARGING STAND


The corded unit offers various configurations to fit your needs, while still offering easy mobility. Includes a 10'-long plug-in infeed cord.

Three configurations to choose from:


STAND-1C
One simplex receptacle and two USB-A ports, and one USB-C port

STAND-3C
Three simplex receptacles, two USB-A ports, and one USB-C port


STAND-4C
Four simplex receptacles, two USB-A ports and one USB-C port




Corded Charging Stand Side View



Corded Charging Stand Top View



Base Plate Configuration Options



STAND-1C



STAND-3C



STAND-4C



POWER PLANNING

WIRE MANAGEMENT


An aluminum wire management channel, included with each Two4Six table specified with the Post Leg or Open Frame base, can be adhered to the base and can accommodate power and data cables. The wire management channel comes in the same finishes as the Post Leg or Open Frame base.

For more robust needs, a 6"-square Power Pole with metal shrouds, available in any of the powder coat colors, can be specified separately and placed anywhere along the centerline of the table to manage and conceal cables as well as cover a floor monument.


Wire Management Channel



Top View Post Leg with Wire Management Channel




Power Pole




WIRE MANAGEMENT OPENINGS

Cylinder Base




Hinged Access Door
7.5"W x 24.875"H

18"




48" Diameter Tops

20"



54" Diameter Tops

24"




60" Diameter Tops


Slab Base




Must be anchored
to a wall, with or
without Slab Base




30"-Wide Tops



36"-Wide Tops




42"-Wide Tops




48"-Wide Tops

WIRE MANAGEMENT OPENINGS

Credenza Base




60" - Top Panel Cutout




30" - 48"-Wide Tops

60" - Back Panel Cutout




30" - 48"-Wide Tops

72" - Top Panel Cutout




30" - 48"-Wide Tops

72" - Back Panel Cutout




30" - 48"-Wide Tops


Adjustable Height Base




WIRE MANAGEMENT OPENINGS

Rectangle Center Base







42"-Wide Tops



48"-Wide Tops




54"-Wide Tops




60"-Wide Tops


Racetrack and Center Racetrack Bases

The Racetrack base has a removable access door on the inside of the base and is available on all powered tables (non-powered tables will not have an access door). The center Racetrack base on tables that require three bases has a removable access door on one side of the base.






42"-Wide Tops




48", 54" & 60"-Wide Tops


WIRE MANAGEMENT OPENINGS

X Center Base







42"-Wide Tops



48"-Wide Tops




54"-Wide Tops





60"-Wide Tops

BASE DIMENSIONS


Open Frame Seated Height Base









30"-Wide Tops




36"-Wide Tops




42"-Wide Tops



48"-Wide Tops





54"-Wide Tops




60"-Wide Tops

Open Frame Standing Height Base (for use with Slab Base)









30"- 48"-Wide Tops


BASE DIMENSIONS


Open Frame Square Base






48"-Wide Tops







54"-Wide Tops




60"-Wide Tops

Adjustable Height Base










BASE DIMENSIONS

Rectangle Center Base







42"-Wide Tops



48"-Wide Tops





54"-Wide Tops




60"-Wide Tops

Racetrack and Center Racetrack Bases







42"-Wide Tops



48"-Wide Tops




54"-Wide Tops




60"-Wide Tops


BASE DIMENSIONS

X Center Base







42"-Wide Tops



48"-Wide Tops



54"-Wide Tops



60"-Wide Tops

BASE LOCATIONS

ROUND, SQUARE AND SOFT SQUARE TABLES WITH POST LEGS

Two4Six tables in Round, Square, and Rectangle shapes include two leg mounting locations for Post Legs; the standard location (where the bottom of each leg is close to the edge of the table) and an inset position (where the leg is inset slightly for an alternate aesthetic). The inset position on the Rectangle table is ideal if the meeting table is going to be used as a desk. The charts on the following pages indicate the positioning of the Post Legs (in this inset position) as well as the Open Frame bases on Two4Six Meeting tables to assist with floor monument locations.

Inset Leg Dimensions
(as measured from the edge of the table top to the center of the glide)

Round




Table Size	Base	A
48"	Post Leg	3.6"
54"	Post Leg	3.6"
60"	Post Leg	3.6"

Note: This is the only Post Leg position.

Square




Table Size	Base	A
48"	Post Leg	3.2"
54"	Post Leg	3.2"
60"	Post Leg	3.2"

Note: This is the only Post Leg position.

Soft Square




Table Size	Base	A
48"	Post Leg	8.1"
54"	Post Leg	8.8"
60"	Post Leg	9.5"

Note: This is the only Post Leg position.

BASE LOCATIONS

ROUND, SQUARE AND SOFT SQUARE TABLES WITH OPEN FRAME SQUARE BASE

Open Frame Square Base Dimensions
(as measured from the edge of the table top to the center of the glide)

Round




Table Size	Base	A
48"	Open Frame	7.6
54"	Open Frame	7.7
60"	Open Frame	7.9

Square




Table Size	Base	A
48"	Open Frame	12.5
54"	Open Frame	13.5
60"	Open Frame	14.5

Soft Square





Table Size	Base	A
48"	Open Frame	12.5
54"	Open Frame	13.5
60"	Open Frame	14.5

BASE LOCATIONS

RECTANGLE TABLE WITH POST LEGS


Rectangle-shaped tables have two mounting location options for Metal Post Legs: inset, where the legs are mounted inset of the edge of the table, and outset, where the legs are mounted at the corners of the table. The outset option is available on tables from 60" to 96"-long.

Outset Leg Dimensions




Note: Outset Leg option available on tables between 60" to 96"L.

Inset Leg Dimensions



Sizes 60" to 96"L



Sizes 102" to 144"L


Table Size	Base	A (End)	B (Side)
60 x 30	Post Leg	12.4	4.4
66 x 30	Post Leg	12.4	4.4
72 x 30	Post Leg	12.4	4.4
78 x 30	Post Leg	15.9	4.4
84 x 30	Post Leg	15.9	4.4
90 x 30	Post Leg	15.9	4.4
96 x 30	Post Leg	15.9	4.4
60 x 36	Post Leg	12.4	7.4
66 x 36	Post Leg	12.4	7.4
72 x 36	Post Leg	12.4	7.4
78 x 36	Post Leg	15.9	7.4
84 x 36	Post Leg	15.9	7.4
90 x 36	Post Leg	15.9	7.4
96 x 36	Post Leg	15.9	7.4
60 x 42	Post Leg	12.4	10.4
66 x 42	Post Leg	12.4	10.4
72 x 42	Post Leg	12.4	10.4
78 x 42	Post Leg	15.9	10.4
84 x 42	Post Leg	15.9	10.4
90 x 42	Post Leg	15.9	10.4
96 x 42	Post Leg	15.9	10.4
60 x 48	Post Leg	12.4	12.1
66 x 48	Post Leg	12.4	12.1
72 x 48	Post Leg	12.4	12.1
78 x 48	Post Leg	15.9	12.1
84 x 48	Post Leg	15.9	12.1
90 x 48	Post Leg	15.9	12.1
96 x 48	Post Leg	15.9	12.1
102 x 42	Post Leg	20.5	10.4
102 x 48	Post Leg	20.5	12.2
108 x 42	Post Leg	20.5	10.4
108 x 48	Post Leg	20.5	12.2
108 x 54	Post Leg	20.5	14.1
114 x 42	Post Leg	20.5	10.4
114 x 48	Post Leg	20.5	12.2
114 x 54	Post Leg	20.5	14.1
120 x 42	Post Leg	20.5	10.4
120 x 48	Post Leg	20.5	12.2
120 x 54	Post Leg	20.5	14.1
132 x 42	Post Leg	20.5	10.4
132 x 48	Post Leg	20.5	12.2
132 x 54	Post Leg	20.5	14.1
144 x 48	Post Leg	20.5	12.2
144 x 54	Post Leg	20.5	14.1
144 x 60	Post Leg	20.5	16.1

BASE LOCATIONS


SOFT RECTANGLE TABLE WITH POST LEGS

Inset Leg Dimensions

Note: This is the only Post Leg position on Soft Rectangle tables.



Sizes 60" to 96"L




Sizes 102" to 144"L

Table Size	Base	A (End)	B (Side)
60 x 30	Post Leg	12.2	4.4
66 x 30	Post Leg	12.2	4.4
72 x 30	Post Leg	12.2	4.4
78 x 30	Post Leg	15.7	4.4
84 x 30	Post Leg	15.7	4.4
90 x 30	Post Leg	15.7	4.4
96 x 30	Post Leg	15.7	4.4
60 x 36	Post Leg	12.2	7.4
66 x 36	Post Leg	12.2	7.4
72 x 36	Post Leg	12.2	7.4
78 x 36	Post Leg	15.7	7.4
84 x 36	Post Leg	15.7	7.4
90 x 36	Post Leg	15.7	7.4
96 x 36	Post Leg	15.7	7.4
60 x 42	Post Leg	12.2	10.4
66 x 42	Post Leg	12.2	10.4
72 x 42	Post Leg	12.2	10.4
78 x 42	Post Leg	15.7	10.4
84 x 42	Post Leg	15.7	10.4
90 x 42	Post Leg	15.7	10.4
96 x 42	Post Leg	15.7	10.4
60 x 48	Post Leg	12.2	12.1
66 x 48	Post Leg	12.2	12.1
72 x 48	Post Leg	12.2	12.1
78 x 48	Post Leg	15.7	12.1
84 x 48	Post Leg	15.7	12.1
90 x 48	Post Leg	15.7	12.1
96 x 48	Post Leg	15.7	12.1
102 x 42	Post Leg	20.5	10.4
102 x 48	Post Leg	20.5	12.2
108 x 42	Post Leg	20.5	10.4
108 x 48	Post Leg	20.5	12.2
108 x 54	Post Leg	20.5	14.1
114 x 42	Post Leg	20.5	10.4
114 x 48	Post Leg	20.5	12.2
114 x 54	Post Leg	20.5	14.1
120 x 42	Post Leg	20.5	10.4
120 x 48	Post Leg	20.5	12.2
120 x 54	Post Leg	20.5	14.1
132 x 42	Post Leg	20.5	10.4
132 x 48	Post Leg	20.5	12.2
132 x 54	Post Leg	20.5	14.1
144 x 48	Post Leg	20.5	12.2
144 x 54	Post Leg	20.5	14.1
144 x 60	Post Leg	20.5	16.1

BASE LOCATIONS

RECTANGLE AND SOFT RECTANGLE TABLES WITH POST LEGS AND RECTANGLE CENTER BASE







Table Size	Base	A (End)	B (Side)	C (Center)
156 x 48	Post Leg	20.5	12.2	78
156 x 54	Post Leg	20.5	14.1	78
156 x 60	Post Leg	20.5	16.1	78
168 x 54	Post Leg	20.5	14.1	84
168 x 60	Post Leg	20.5	16.1	84
180 x 54	Post Leg	20.5	14.1	90
180 x 60	Post Leg	20.5	16.1	90
192 x 54	Post Leg	20.5	14.1	96
192 x 60	Post Leg	20.5	16.1	96
204 x 54	Post Leg	20.5	14.1	102
204 x 60	Post Leg	20.5	16.1	102
216 x 54	Post Leg	20.5	14.1	108
216 x 60	Post Leg	20.5	16.1	108
228 x 54	Post Leg	20.5	14.1	114
228 x 60	Post Leg	20.5	16.1	114
240 x 54	Post Leg	20.5	14.1	120
240 x 60	Post Leg	20.5	16.1	120

BASE LOCATIONS

RECTANGLE AND SOFT RECTANGLE TABLES WITH OPEN FRAME






Table Size	Base	A (End)	B (Side)
60 x 30	Open Frame	12.0	6.8
66 x 30	Open Frame	12.0	6.8
72 x 30	Open Frame	12.0	6.8
78 x 30	Open Frame	15.5	6.8
84 x 30	Open Frame	15.5	6.8
90 x 30	Open Frame	15.5	6.8
96 x 30	Open Frame	15.5	6.8
60 x 36	Open Frame	12.0	8.6
66 x 36	Open Frame	12.0	8.6
72 x 36	Open Frame	12.0	8.6
78 x 36	Open Frame	15.5	8.6
84 x 36	Open Frame	15.5	8.6
90 x 36	Open Frame	15.5	8.6
96 x 36	Open Frame	15.5	8.6
60 x 42	Open Frame	12.0	10.4
66 x 42	Open Frame	12.0	10.4
72 x 42	Open Frame	12.0	10.4
78 x 42	Open Frame	15.5	10.4
84 x 42	Open Frame	15.5	10.4
90 x 42	Open Frame	15.5	10.4
96 x 42	Open Frame	15.5	10.4
60 x 48	Open Frame	12.0	12.1
66 x 48	Open Frame	12.0	12.1
72 x 48	Open Frame	12.0	12.1
78 x 48	Open Frame	15.5	12.1
84 x 48	Open Frame	15.5	12.1
90 x 48	Open Frame	15.5	12.1
96 x 48	Open Frame	15.5	12.1
102 x 42	Open Frame	20.5	10.4
102 x 48	Open Frame	20.5	12.1
108 x 42	Open Frame	20.5	10.4
108 x 48	Open Frame	20.5	12.1
108 x 54	Open Frame	20.5	14.1
114 x 42	Open Frame	20.5	10.4
114 x 48	Open Frame	20.5	12.1
114 x 54	Open Frame	20.5	14.0
120 x 42	Open Frame	20.5	10.4
120 x 48	Open Frame	20.5	12.1
120 x 54	Open Frame	20.5	14.0
132 x 42	Open Frame	20.5	10.4
132 x 48	Open Frame	20.5	12.1
132 x 54	Open Frame	20.5	14.0
144 x 48	Open Frame	20.5	12.1
144 x 54	Open Frame	20.5	14.0
144 x 60	Open Frame	20.5	16.0

BASE LOCATIONS

RECTANGLE AND SOFT RECTANGLE TABLES WITH OPEN FRAME AND X CENTER BASE






Table Size	Base	A (End)	B (Side)	C (Center)
156 x 48	Open Frame	20.5	12.1	78
156 x 54	Open Frame	20.5	14.0	78
156 x 60	Open Frame	20.5	16.0	78
168 x 54	Open Frame	20.5	14.0	84
168 x 60	Open Frame	20.5	16.0	84
180 x 54	Open Frame	20.5	14.0	90
180 x 60	Open Frame	20.5	16.0	90
192 x 54	Open Frame	20.5	14.0	96
192 x 60	Open Frame	20.5	16.0	96
204 x 54	Open Frame	20.5	14.0	102
204 x 60	Open Frame	20.5	16.0	102
216 x 54	Open Frame	20.5	14.0	108
216 x 60	Open Frame	20.5	16.0	108
228 x 54	Open Frame	20.5	14.0	114
228 x 60	Open Frame	20.5	16.0	114
240 x 54	Open Frame	20.5	14.0	120
240 x 60	Open Frame	20.5	16.0	120



BASE LOCATIONS

RECTANGLE AND SOFT RECTANGLE TABLES WITH RACETRACK BASE






Table Size	Base	A (End)	B (Side)
72 x 42	Racetrack	21.0	10.38
78 x 42	Racetrack	21.0	10.38
84 x 42	Racetrack	21.0	10.38
90 x 42	Racetrack	21.0	10.38
96 x 42	Racetrack	21.0	10.38
72 x 48	Racetrack	21.0	12.63
78 x 48	Racetrack	21.0	12.63
84 x 48	Racetrack	21.0	12.63
90 x 48	Racetrack	21.0	12.63
96 x 48	Racetrack	21.0	12.63
102 x 42	Racetrack	26.0	10.38
102 x 48	Racetrack	26.0	12.63
108 x 42	Racetrack	26.0	10.38
108 x 48	Racetrack	26.0	12.63
108 x 54	Racetrack	26.0	14.56
114 x 42	Racetrack	26.0	10.38
114 x 48	Racetrack	26.0	12.63
114 x 54	Racetrack	26.0	14.56
120 x 42	Racetrack	26.0	10.38
120 x 48	Racetrack	26.0	12.63
120 x 54	Racetrack	26.0	14.56
132 x 42	Racetrack	26.0	10.38
132 x 48	Racetrack	26.0	12.63
132 x 54	Racetrack	26.0	14.56
144 x 48	Racetrack	26.0	12.63
144 x 54	Racetrack	26.0	14.56
144 x 60	Racetrack	26.0	16.56

BASE LOCATIONS

RECTANGLE AND SOFT RECTANGLE TABLES WITH RACETRACK BASE





Table Size	Base	A (End)	B (Side)	C (Center)
156 x 48	Racetrack	26	12.63	78.0
156 x 54	Racetrack	26	14.56	78
156 x 60	Racetrack	26	16.56	78
168 x 54	Racetrack	26	14.56	84
168 x 60	Racetrack	26	16.56	84
180 x 54	Racetrack	26	14.56	90
180 x 60	Racetrack	26	16.56	90
192 x 54	Racetrack	26	14.56	96
192 x 60	Racetrack	26	16.56	96
204 x 54	Racetrack	26	14.56	102
204 x 60	Racetrack	26	16.56	102
216 x 54	Racetrack	26	14.56	108
216 x 60	Racetrack	26	16.56	108
228 x 54	Racetrack	26	14.56	114
228 x 60	Racetrack	26	16.56	114
240 x 54	Racetrack	26	14.56	120
240 x 60	Racetrack	26	16.56	120



VENEER TOP WITH HARDWOOD EDGE


ROUND TOP


SQUARE TOP


SOFT SQUARE TOP

BASE KEY

PC	Painted Cylinder
VY	Veneer Cylinder
OS	Open Frame Square
ML	Post Metal Leg

ROUND TABLES

MODEL #	DIAMETER	SEATING CAPACITY	-PC	-VY	-OS	-ML
TFR-48-V	48	4	3,536	3,695	2,579	2,326
TFR-54-V	54	6	4,303	4,478	3,219	2,851
TFR-60-V	60	6	5,034	5,219	3,854	3,360

SQUARE TABLES


MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS	-ML
TFS-4848-V	48	48	4	2,579	2,326
TFS-5454-V	54	54	6	3,219	2,851
TFS-6060-V	60	60	6	3,854	3,360

SOFT SQUARE TABLES

MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS	-ML
TFQ-4848-V	48	48	4	2,579	2,326
TFQ-5454-V	54	54	6	3,219	2,851
TFQ-6060-V	60	60	6	3,854	3,360

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Square	Add **-PCOS**	$854	
Polished Chrome Post Metal Legs	Add **-PCML-TWB**	$925	

EDGE PROFILE


Two4Six Cutback Edge

GENERAL INFORMATION

- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Base

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Species & Finish
- Choose Paint Finish, if -PC base is specified
- Choose Metal Finish only if -OS or -ML bases specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

INSET LAMINATE TOP WITH HARDWOOD EDGE


ROUND TOP


SQUARE TOP


SOFT SQUARE TOP

BASE KEY

PC	Painted Cylinder
VY	Veneer Cylinder
OS	Open Frame Square
ML	Post Metal Leg

ROUND TABLES

MODEL #	DIAMETER	SEATING CAPACITY	-PC	-VY	-OS	-ML
TFR-48-P	48	4	3,341	3,490	2,437	2,198
TFR-54-P	54	6	4,065	4,231	3,041	2,694
TFR-60-P	60	6	4,756	4,931	3,641	3,174

SQUARE TABLES


MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS	-ML
TFS-4848-P	48	48	4	2,437	2,198
TFS-5454-P	54	54	6	3,041	2,694
TFS-6060-P	60	60	6	3,641	3,174

SOFT SQUARE TABLES

MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS	-ML
TFQ-4848-P	48	48	4	2,437	2,198
TFQ-5454-P	54	54	6	3,041	2,694
TFQ-6060-P	60	60	6	3,641	3,174

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Square	Add **-PCOS**	$854	
Polished Chrome Post Metal Legs	Add **-PCML-TWB**	$925	

EDGE PROFILE


Two4Six Cutback Edge

GENERAL INFORMATION

- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Paint Finish, if -PC base is specified
- Choose Veneer Finish, if -VY base is specified
- Choose Metal Finish, if -OS or -ML base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)-

LAMINATE TOP WITH ABS CUTBACK EDGE



ROUND TOP



SQUARE TOP



SOFT SQUARE TOP

BASE KEY

PC	Painted Cylinder
VY	Veneer Cylinder
OS	Open Frame Square
ML	Post Metal Leg

ROUND TABLES

MODEL #	DIAMETER	SEATING CAPACITY	-PC	-VY	-OS	-ML
TFR-48-PA	48	4	3,341	3,490	2,437	2,198
TFR-54-PA	54	6	4,065	4,231	3,041	2,694
TFR-60-PA	60	6	4,756	4,931	3,641	3,174

SQUARE TABLES


MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS	-ML
TFS-4848-PA	48	48	4	2,437	2,198
TFS-5454-PA	54	54	6	3,041	2,694
TFS-6060-PA	60	60	6	3,641	3,174

SOFT SQUARE TABLES

MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS	-ML
TFQ-4848-PA	48	48	4	2,437	2,198
TFQ-5454-PA	54	54	6	3,041	2,694
TFQ-6060-PA	60	60	6	3,641	3,174

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Square	Add **-PCOS**	$854	
Polished Chrome Post Metal Legs	Add **-PCML-TWB**	$925	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION

- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Paint Finish, if -PC base is specified
- Choose Veneer Finish, if -VY base is specified
- Choose Metal Finish, if -OS or -ML base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

LAMINATE TOP WITH ABS SQUARE EDGE


ROUND TOP


SQUARE TOP


SOFT SQUARE TOP

BASE KEY

PC	Painted Cylinder
VY	Veneer Cylinder
OS	Open Frame Square
ML	Post Metal Leg

ROUND TABLES

MODEL #	DIAMETER	SEATING CAPACITY	-PC	-VY	-OS	-ML
TFR-48-PE	48	4	3,145	3,286	2,294	2,069
TFR-54-PE	54	6	3,827	3,983	2,863	2,536
TFR-60-PE	60	6	4,478	4,642	3,428	2,988

SQUARE TABLES

MODEL #	LENGTH	WIDTH	SEATING CAPECITY	-OS	-ML
TFS-4848-PE	48	48	4	1,887	1,692
TFS-5454-PE	54	54	6	2,229	1,965
TFS-6060-PE	60	60	6	2,653	2,301

SOFT SQUARE TABLES

MODEL #	LENGTH	WIDTH	SEATING CAPECITY	-OS	-ML
TFQ-4848-PE	48	48	4	1,739	1,568
TFQ-5454-PE	54	54	6	2,052	1,817
TFQ-6060-PE	60	60	6	2,438	2,124

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Square	Add **-PCOS**	$854	
Polished Chrome Post Metal Legs	Add **-PCML-TWB**	$925	

EDGE PROFILE


Two4Six Square Edge

GENERAL INFORMATION

- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Paint Finish, if -PC base is specified
- Choose Veneer Finish, if -VY base is specified
- Choose Metal Finish, if -OS or -ML base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

GLASS TOP


ROUND TOP


SQUARE TOP


SOFT SQUARE TOP

BASE KEY

PC	Painted Cylinder
VY	Veneer Cylinder
OS	Open Frame Square

ROUND TABLES

MODEL #	DIAMETER	SEATING CAPACITY	-PC	-VY	-OS
TFR-48-G	48	4	6,490	6,780	4,734
TFR-54-G	54	6	7,897	8,219	5,908
TFR-60-G	60	6	9,239	9,579	7,074

SQUARE TABLES


MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS
TFS-4848-G	48	48	4	4,734
TFS-5454-G	54	54	6	5,908
TFS-6060-G	60	60	6	7,074

SOFT SQUARE TABLES

MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS
TFQ-4848-G	48	48	4	4,734
TFQ-5454-G	54	54	6	5,908
TFQ-6060-G	60	60	6	7,074

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Square	Add **-PCOS**	$854	
Polished Chrome Post Metal Legs	Add **-PCML-TWB**	$925	

EDGE PROFILE


Two4Six Glass Edge

GENERAL INFORMATION

- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Glass Finish
- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Sub-Top Finish: Paint Finish or Wood Species & Finish

SOLID SURFACE TOP



ROUND TOP



SQUARE TOP



SOFT SQUARE TOP

BASE KEY

PC	Painted Cylinder
VY	Veneer Cylinder
OS	Open Frame Square

ROUND TABLES

MODEL #	DIAMETER	SEATING CAPACITY	-PC	-VY	-OS
TFR-48-SS	48	4	6,781	7,084	4,946
TFR-54-SS	54	6	8,252	8,587	6,173
TFR-60-SS	60	6	9,653	10,009	7,391

SQUARE TABLES


MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS
TFS-4848-SS	48	48	4	4,946
TFS-5454-SS	54	54	6	6,173
TFS-6060-SS	60	60	6	7,391

SOFT SQUARE TABLES

MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS
TFQ-4848-SS	48	48	4	4,946
TFQ-5454-SS	54	54	6	6,173
TFQ-6060-SS	60	60	6	7,391

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Square	Add **-PCOS**	$854	

EDGE PROFILE



Two4Six Solid Surface Edge

GENERAL INFORMATION

- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Solid Surface Finish
- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable

STONE / QUARTZ TOP



ROUND TOP



SQUARE TOP



SOFT SQUARE TOP

BASE KEY

PC	Painted Cylinder
VY	Veneer Cylinder
OS	Open Frame Square

ROUND TABLES

MODEL #	DIAMETER	SEATING CAPACITY	-PC	-VY	-OS
TFR-48-S	48	4	8,029	8,388	5,856
TFR-54-S	54	6	9,770	10,168	7,309

SQUARE TABLES


MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS
TFS-4848-S	48	48	4	5,856
TFS-5454-S	54	54	6	7,309

SOFT SQUARE TABLES

MODEL #	LENGTH	WIDTH	SEATING CAPACITY	-OS
TFQ-4848-S	48	48	4	5,856
TFQ-5454-S	54	54	6	7,309

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Square	Add **-PCOS**	$854	

EDGE PROFILE



Two4Six Stone / Quartz Edge

GENERAL INFORMATION

- Seating capacity based on 27" per person
- Overall table height 29.5"
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Stone/Quartz Finish
- Choose Veneer Finish, if applicable
- Choose Metal Finish
- Choose Paint Finish, if applicable

VENEER TOP WITH HARDWOOD EDGE



RECTANGLE TOP


BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base
ML	Post Metal Leg
MLX	Post Metal Leg with X Center Base
MLRP	Post Metal Leg with Painted Rectangle Center Base
MLRV	Post Metal Leg with Veneer Rectangle Center Base

RECTANGLE TABLES

MODEL #	L x W	BASE QTY	TOP SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV	-ML	-MLX	-MLRP	-MLRV
TFT-6030-V	60 x 30	2	1	4	3,026	-	-	-	-	-	-	2,257	-	-	-
TFT-6036-V	60 x 36	2	1	4	3,182	-	-	-	-	-	-	2,375	-	-	-
TFT-6042-V	60 x 42	2	1	4	3,630	-	-	-	-	-	-	2,712	-	-	-
TFT-6048-V	60 x 48	2	1	4	3,931	-	-	-	-	-	-	2,938	-	-	-
TFT-6630-V	66 x 30	2	1	4	3,297	-	-	-	-	-	-	2,464	-	-	-
TFT-6636-V	66 x 36	2	1	4	3,478	-	-	-	-	-	-	2,602	-	-	-
TFT-6642-V	66 x 42	2	1	4	3,979	-	-	-	-	-	-	2,980	-	-	-
TFT-6648-V	66 x 48	2	1	4	4,320	-	-	-	-	-	-	3,237	-	-	-
TFT-7230-V	72 x 30	2	1	6	3,400	-	-	-	-	-	-	2,548	-	-	-
TFT-7236-V	72 x 36	2	1	6	3,597	-	-	-	-	-	-	2,698	-	-	-
TFT-7242-V	72 x 42	2	1	6	4,126	-	-	-	4,126	4,324	4,521	3,097	-	-	-
TFT-7248-V	72 x 48	2	1	6	4,490	-	-	-	4,490	4,695	4,899	3,372	-	-	-
TFT-7830-V	78 x 30	2	1	6	3,745	-	-	-	-	-	-	2,812	-	-	-
TFT-7836-V	78 x 36	2	1	6	3,973	-	-	-	-	-	-	2,986	-	-	-
TFT-7842-V	78 x 42	2	1	6	4,570	-	-	-	4,570	4,781	4,992	3,437	-	-	-
TFT-7848-V	78 x 48	2	1	6	4,985	-	-	-	4,985	5,204	5,422	3,751	-	-	-
TFT-8430-V	84 x 30	2	1	8	3,855	-	-	-	-	-	-	2,901	-	-	-
TFT-8436-V	84 x 36	2	1	8	4,101	-	-	-	-	-	-	3,089	-	-	-
TFT-8442-V	84 x 42	2	1	8	4,727	-	-	-	4,727	4,939	5,149	3,562	-	-	-
TFT-8448-V	84 x 48	2	1	8	5,167	-	-	-	5,167	5,386	5,604	3,896	-	-	-
TFT-9030-V	90 x 30	2	1	8	4,170	-	-	-	-	-	-	3,144	-	-	-
TFT-9036-V	90 x 36	2	1	8	4,447	-	-	-	-	-	-	3,356	-	-	-
TFT-9042-V	90 x 42	2	1	8	5,138	-	-	-	5,138	5,361	5,582	3,879	-	-	-
TFT-9048-V	90 x 48	2	1	8	5,627	-	-	-	5,627	5,858	6,086	4,250	-	-	-
TFT-9630-V	96 x 30	2	1	8	4,285	-	-	-	-	-	-	3,238	-	-	-
TFT-9636-V	96 x 36	2	1	8	4,581	-	-	-	-	-	-	3,463	-	-	-
TFT-9642-V	96 x 42	2	1	8	5,304	-	-	-	5,304	5,526	5,747	4,011	-	-	-
TFT-9648-V	96 x 48	2	1	8	5,820	-	-	-	5,820	6,050	6,279	4,403	-	-	-
TFT-10242-V	102 x 42	2	1	8	5,773	-	-	-	5,773	6,008	6,241	4,373	-	-	-
TFT-10248-V	102 x 48	2	1	8	6,346	-	-	-	6,346	6,589	6,831	4,807	-	-	-
TFT-10842-V	108 x 42	2	1	10	5,948	-	-	-	5,948	6,183	6,416	4,512	-	-	-
TFT-10848-V	108 x 48	2	1	10	6,548	-	-	-	6,548	6,791	7,033	4,968	-	-	-
TFT-10854-V	108 x 54	2	1	10	7,252	-	-	-	7,252	7,506	7,758	5,503	-	-	-
TFT-11442-V	114 x 42	2	1	10	6,444	-	-	-	6,444	6,692	6,938	4,895	-	-	-
TFT-11448-V	114 x 48	2	1	10	7,106	-	-	-	7,106	7,362	7,617	5,398	-	-	-
TFT-11454-V	114 x 54	2	1	12	7,880	-	-	-	7,880	8,147	8,413	5,988	-	-	-
TFT-12042-V	120 x 42	2	1	10	6,629	-	-	-	6,629	6,876	7,122	5,042	-	-	-
TFT-12048-V	120 x 48	2	1	10	7,320	-	-	-	7,320	7,576	7,830	5,568	-	-	-
TFT-12054-V	120 x 54	2	1	12	8,128	-	-	-	8,128	8,395	8,661	6,183	-	-	-
TFT-13242-V	132 x 42	2	2	10	7,287	-	-	-	7,287	7,545	7,801	5,558	-	-	-
TFT-13248-V	132 x 48	2	2	10	8,069	-	-	-	8,069	8,335	8,600	6,152	-	-	-
TFT-13254-V	132 x 54	2	2	12	8,981	-	-	-	8,981	9,259	9,536	6,847	-	-	-
TFT-14448-V	144 x 48	2	2	12	8,853	-	-	-	8,853	9,131	9,406	6,764	-	-	-
TFT-14454-V	144 x 54	2	2	14	9,874	-	-	-	9,874	10,164	10,452	7,543	-	-	-
TFT-14460-V	144 x 60	2	2	14	11,061	-	-	-	11,061	11,366	11,669	8,446	-	-	-
TFT-15648-V	156 x 48	3	2	14	-	11,286	11,286	11,286	11,286	11,706	12,124	-	8,635	8,635	8,635
TFT-15654-V	156 x 54	3	2	14	-	12,475	12,475	12,475	12,475	12,914	13,350	-	9,542	9,542	9,542
TFT-15660-V	156 x 60	3	2	14	-	13,862	13,862	13,862	13,862	14,324	14,783	-	10,600	10,600	10,600
TFT-16854-V	168 x 54	3	2	16	-	13,081	13,081	13,081	13,081	13,519	13,956	-	10,034	10,034	10,034
TFT-16860-V	168 x 60	3	2	16	-	14,555	14,555	14,555	14,555	15,017	15,477	-	11,160	11,160	11,160
TFT-18054-V	180 x 54	3	2	16	-	13,685	13,685	13,685	13,685	14,124	14,560	-	10,525	10,525	10,525
TFT-18060-V	180 x 60	3	2	16	-	15,249	15,249	15,249	15,249	15,711	16,170	-	11,720	11,720	11,720
TFT-19254-V	192 x 54	3	2	18	-	14,291	14,291	14,291	14,291	14,730	15,166	-	11,017	11,017	11,017
TFT-19260-V	192 x 60	3	2	18	-	15,941	15,941	15,941	15,941	16,403	16,863	-	12,281	12,281	12,281
TFT-20454-V	204 x 54	3	2	18	-	15,501	15,501	15,501	15,501	15,958	16,411	-	11,976	11,976	11,976
TFT-20460-V	204 x 60	3	2	18	-	17,310	17,310	17,310	17,310	17,791	18,269	-	13,361	13,361	13,361
TFT-21654-V	216 x 54	3	2	20	-	16,524	16,524	16,524	16,524	16,992	17,457	-	12,792	12,792	12,792
TFT-21660-V	216 x 60	3	2	20	-	18,471	18,471	18,471	18,471	18,964	19,453	-	14,285	14,285	14,285
TFT-22854-V	228 x 54	3	2	20	-	17,333	17,333	17,333	17,333	17,806	18,275	-	13,443	13,443	13,443
TFT-22860-V	228 x 60	3	2	20	-	19,394	19,394	19,394	19,394	19,891	20,385	-	15,023	15,023	15,023
TFT-24054-V	240 x 54	3	2	20	-	18,188	18,188	18,188	18,188	18,666	19,140	-	14,130	14,130	14,130
TFT-24060-V	240 x 60	3	2	20	-	20,367	20,367	20,367	20,367	20,870	21,370	-	15,803	15,803	15,803

VENEER TOP WITH HARDWOOD EDGE



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base
ML	Post Metal Leg
MLX	Post Metal Leg with X Center Base
MLRP	Post Metal Leg with Painted Rectangle Center Base
MLRV	Post Metal Leg with Veneer Rectangle Center Base


SOFT RECTANGLE TABLES

MODEL #	L x W	BASE QTY	TOP SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV	-ML	-MLX	-MLRP	-MLRV
TFF-6030-V	60 x 30	2	1	4	3,026	-	-	-	-	-	-	2,257	-	-	-
TFF-6036-V	60 x 36	2	1	4	3,182	-	-	-	-	-	-	2,375	-	-	-
TFF-6042-V	60 x 42	2	1	4	3,630	-	-	-	-	-	-	2,712	-	-	-
TFF-6048-V	60 x 48	2	1	4	3,931	-	-	-	-	-	-	2,938	-	-	-
TFF-6630-V	66 x 30	2	1	4	3,297	-	-	-	-	-	-	2,464	-	-	-
TFF-6636-V	66 x 36	2	1	4	3,478	-	-	-	-	-	-	2,602	-	-	-
TFF-6642-V	66 x 42	2	1	4	3,979	-	-	-	-	-	-	2,980	-	-	-
TFF-6648-V	66 x 48	2	1	4	4,320	-	-	-	-	-	-	3,237	-	-	-
TFF-7230-V	72 x 30	2	1	6	3,400	-	-	-	-	-	-	2,548	-	-	-
TFF-7236-V	72 x 36	2	1	6	3,597	-	-	-	-	-	-	2,698	-	-	-
TFF-7242-V	72 x 42	2	1	6	4,126	-	-	-	4,126	4,324	4,521	3,097	-	-	-
TFF-7248-V	72 x 48	2	1	6	4,490	-	-	-	4,490	4,695	4,899	3,372	-	-	-
TFF-7830-V	78 x 30	2	1	6	3,745	-	-	-	-	-	-	2,812	-	-	-
TFF-7836-V	78 x 36	2	1	6	3,973	-	-	-	-	-	-	2,986	-	-	-
TFF-7842-V	78 x 42	2	1	6	4,570	-	-	-	4,570	4,781	4,992	3,437	-	-	-
TFF-7848-V	78 x 48	2	1	6	4,985	-	-	-	4,985	5,204	5,422	3,751	-	-	-
TFF-8430-V	84 x 30	2	1	8	3,855	-	-	-	-	-	-	2,901	-	-	-
TFF-8436-V	84 x 36	2	1	8	4,101	-	-	-	-	-	-	3,089	-	-	-
TFF-8442-V	84 x 42	2	1	8	4,727	-	-	-	4,727	4,939	5,149	3,562	-	-	-
TFF-8448-V	84 x 48	2	1	8	5,167	-	-	-	5,167	5,386	5,604	3,896	-	-	-
TFF-9030-V	90 x 30	2	1	8	4,170	-	-	-	-	-	-	3,144	-	-	-
TFF-9036-V	90 x 36	2	1	8	4,447	-	-	-	-	-	-	3,356	-	-	-
TFF-9042-V	90 x 42	2	1	8	5,138	-	-	-	5,138	5,361	5,582	3,879	-	-	-
TFF-9048-V	90 x 48	2	1	8	5,627	-	-	-	5,627	5,858	6,086	4,250	-	-	-
TFF-9630-V	96 x 30	2	1	8	4,285	-	-	-	-	-	-	3,238	-	-	-
TFF-9636-V	96 x 36	2	1	8	4,581	-	-	-	-	-	-	3,463	-	-	-
TFF-9642-V	96 x 42	2	1	8	5,304	-	-	-	5,304	5,526	5,747	4,011	-	-	-
TFF-9648-V	96 x 48	2	1	8	5,820	-	-	-	5,820	6,050	6,279	4,403	-	-	-
TFF-10242-V	102 x 42	2	1	8	5,773	-	-	-	5,773	6,008	6,241	4,373	-	-	-
TFF-10248-V	102 x 48	2	1	8	6,346	-	-	-	6,346	6,589	6,831	4,807	-	-	-
TFF-10842-V	108 x 42	2	1	10	5,948	-	-	-	5,948	6,183	6,416	4,512	-	-	-
TFF-10848-V	108 x 48	2	1	10	6,548	-	-	-	6,548	6,791	7,033	4,968	-	-	-
TFF-10854-V	108 x 54	2	1	10	7,252	-	-	-	7,252	7,506	7,758	5,503	-	-	-
TFF-11442-V	114 x 42	2	1	10	6,444	-	-	-	6,444	6,692	6,938	4,895	-	-	-
TFF-11448-V	114 x 48	2	1	10	7,106	-	-	-	7,106	7,362	7,617	5,398	-	-	-
TFF-11454-V	114 x 54	2	1	12	7,880	-	-	-	7,880	8,147	8,413	5,988	-	-	-
TFF-12042-V	120 x 42	2	1	10	6,629	-	-	-	6,629	6,876	7,122	5,042	-	-	-
TFF-12048-V	120 x 48	2	1	10	7,320	-	-	-	7,320	7,576	7,830	5,568	-	-	-
TFF-12054-V	120 x 54	2	1	12	8,128	-	-	-	8,128	8,395	8,661	6,183	-	-	-
TFF-13242-V	132 x 42	2	2	10	7,287	-	-	-	7,287	7,545	7,801	5,558	-	-	-
TFF-13248-V	132 x 48	2	2	10	8,069	-	-	-	8,069	8,335	8,600	6,152	-	-	-
TFF-13254-V	132 x 54	2	2	12	8,981	-	-	-	8,981	9,259	9,536	6,847	-	-	-
TFF-14448-V	144 x 48	2	2	12	8,853	-	-	-	8,853	9,131	9,406	6,764	-	-	-
TFF-14454-V	144 x 54	2	2	14	9,874	-	-	-	9,874	10,164	10,452	7,543	-	-	-
TFF-14460-V	144 x 60	2	2	14	11,061	-	-	-	11,061	11,366	11,669	8,446	-	-	-
TFF-15648-V	156 x 48	3	2	14	-	11,286	11,286	11,286	11,286	11,706	12,124	-	8,635	8,635	8,635
TFF-15654-V	156 x 54	3	2	14	-	12,475	12,475	12,475	12,475	12,914	13,350	-	9,542	9,542	9,542
TFF-15660-V	156 x 60	3	2	14	-	13,862	13,862	13,862	13,862	14,324	14,783	-	10,600	10,600	10,600
TFF-16854-V	168 x 54	3	2	16	-	13,081	13,081	13,081	13,081	13,519	13,956	-	10,034	10,034	10,034
TFF-16860-V	168 x 60	3	2	16	-	14,555	14,555	14,555	14,555	15,017	15,477	-	11,160	11,160	11,160
TFF-18054-V	180 x 54	3	2	16	-	13,685	13,685	13,685	13,685	14,124	14,560	-	10,525	10,525	10,525
TFF-18060-V	180 x 60	3	2	16	-	15,249	15,249	15,249	15,249	15,711	16,170	-	11,720	11,720	11,720
TFF-19254-V	192 x 54	3	2	18	-	14,291	14,291	14,291	14,291	14,730	15,166	-	11,017	11,017	11,017
TFF-19260-V	192 x 60	3	2	18	-	15,941	15,941	15,941	15,941	16,403	16,863	-	12,281	12,281	12,281
TFF-20454-V	204 x 54	3	2	18	-	15,501	15,501	15,501	15,501	15,958	16,411	-	11,976	11,976	11,976
TFF-20460-V	204 x 60	3	2	18	-	17,310	17,310	17,310	17,310	17,791	18,269	-	13,361	13,361	13,361
TFF-21654-V	216 x 54	3	2	20	-	16,524	16,524	16,524	16,524	16,992	17,457	-	12,792	12,792	12,792
TFF-21660-V	216 x 60	3	2	20	-	18,471	18,471	18,471	18,471	18,964	19,453	-	14,285	14,285	14,285
TFF-22854-V	228 x 54	3	2	20	-	17,333	17,333	17,333	17,333	17,806	18,275	-	13,443	13,443	13,443
TFF-22860-V	228 x 60	3	2	20	-	19,394	19,394	19,394	19,394	19,891	20,385	-	15,023	15,023	15,023
TFF-24054-V	240 x 54	3	2	20	-	18,188	18,188	18,188	18,188	18,666	19,140	-	14,130	14,130	14,130
TFF-24060-V	240 x 60	3	2	20	-	20,367	20,367	20,367	20,367	20,870	21,370	-	15,803	15,803	15,803

VENEER TOP WITH HARDWOOD EDGE

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWB**	$1,725	
Polished Chrome Post Metal Legs	Add **-PCML-TWB**	$925	
Polished Chrome Open Frame with X-Center Base	Add **-PCOFX-TWB**	$2,588	
Polished Chrome Post Metal Legs with X-Center Base	Add **-PCMLX-TWB**	$1,788	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION

- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Species & Finish
- Choose Metal Finish only if -OF or -ML bases specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

INSET LAMINATE TOP WITH HARDWOOD EDGE



RECTANGLE TOP


BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base
ML	Post Metal Leg
MLX	Post Metal Leg with X Center Base
MLRP	Post Metal Leg with Painted Rectangle Center Base
MLRV	Post Metal Leg with Veneer Rectangle Center Base

RECTANGLE TABLES

MODEL #	L x W	BASE QTY	TOP SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV	-ML	-MLX	-MLRP	-MLRV
TFT-6030-P	60 x 30	2	1	4	2,860	-	-	-	-	-	-	2,133	-	-	-
TFT-6036-P	60 x 36	2	1	4	3,007	-	-	-	-	-	-	2,245	-	-	-
TFT-6042-P	60 x 42	2	1	4	3,431	-	-	-	-	-	-	2,563	-	-	-
TFT-6048-P	60 x 48	2	1	4	3,715	-	-	-	-	-	-	2,777	-	-	-
TFT-6630-P	66 x 30	2	1	4	3,116	-	-	-	-	-	-	2,329	-	-	-
TFT-6636-P	66 x 36	2	1	4	3,287	-	-	-	-	-	-	2,459	-	-	-
TFT-6642-P	66 x 42	2	1	4	3,761	-	-	-	-	-	-	2,817	-	-	-
TFT-6648-P	66 x 48	2	1	4	4,083	-	-	-	-	-	-	3,059	-	-	-
TFT-7230-P	72 x 30	2	1	6	3,213	-	-	-	-	-	-	2,408	-	-	-
TFT-7236-P	72 x 36	2	1	6	3,400	-	-	-	-	-	-	2,550	-	-	-
TFT-7242-P	72 x 42	2	1	6	3,900	-	-	-	3,900	4,087	4,273	2,927	-	-	-
TFT-7248-P	72 x 48	2	1	6	4,244	-	-	-	4,244	4,437	4,630	3,187	-	-	-
TFT-7830-P	78 x 30	2	1	6	3,540	-	-	-	-	-	-	2,658	-	-	-
TFT-7836-P	78 x 36	2	1	6	3,755	-	-	-	-	-	-	2,822	-	-	-
TFT-7842-P	78 x 42	2	1	6	4,319	-	-	-	4,319	4,519	4,718	3,248	-	-	-
TFT-7848-P	78 x 48	2	1	6	4,711	-	-	-	4,711	4,918	5,124	3,545	-	-	-
TFT-8430-P	84 x 30	2	1	8	3,643	-	-	-	-	-	-	2,742	-	-	-
TFT-8436-P	84 x 36	2	1	8	3,876	-	-	-	-	-	-	2,920	-	-	-
TFT-8442-P	84 x 42	2	1	8	4,468	-	-	-	4,468	4,668	4,866	3,367	-	-	-
TFT-8448-P	84 x 48	2	1	8	4,883	-	-	-	4,883	5,090	5,296	3,682	-	-	-
TFT-9030-P	90 x 30	2	1	8	3,941	-	-	-	-	-	-	2,972	-	-	-
TFT-9036-P	90 x 36	2	1	8	4,203	-	-	-	-	-	-	3,172	-	-	-
TFT-9042-P	90 x 42	2	1	8	4,856	-	-	-	4,856	5,067	5,275	3,666	-	-	-
TFT-9048-P	90 x 48	2	1	8	5,318	-	-	-	5,318	5,536	5,752	4,017	-	-	-
TFT-9630-P	96 x 30	2	1	8	4,050	-	-	-	-	-	-	3,060	-	-	-
TFT-9636-P	96 x 36	2	1	8	4,330	-	-	-	-	-	-	3,273	-	-	-
TFT-9642-P	96 x 42	2	1	8	5,013	-	-	-	5,013	5,223	5,431	3,791	-	-	-
TFT-9648-P	96 x 48	2	1	8	5,500	-	-	-	5,500	5,718	5,934	4,161	-	-	-
TFT-10242-P	102 x 42	2	1	8	5,456	-	-	-	5,456	5,678	5,898	4,133	-	-	-
TFT-10248-P	102 x 48	2	1	8	5,997	-	-	-	5,997	6,227	6,456	4,543	-	-	-
TFT-10842-P	108 x 42	2	1	10	5,621	-	-	-	5,621	5,843	6,064	4,264	-	-	-
TFT-10848-P	108 x 48	2	1	10	6,188	-	-	-	6,188	6,418	6,647	4,695	-	-	-
TFT-10854-P	108 x 54	2	1	10	6,854	-	-	-	6,854	7,094	7,332	5,201	-	-	-
TFT-11442-P	114 x 42	2	1	10	6,090	-	-	-	6,090	6,324	6,557	4,626	-	-	-
TFT-11448-P	114 x 48	2	1	10	6,716	-	-	-	6,716	6,958	7,199	5,102	-	-	-
TFT-11454-P	114 x 54	2	1	12	7,447	-	-	-	7,447	7,699	7,951	5,659	-	-	-
TFT-12042-P	120 x 42	2	1	10	6,265	-	-	-	6,265	6,498	6,731	4,765	-	-	-
TFT-12048-P	120 x 48	2	1	10	6,918	-	-	-	6,918	7,160	7,400	5,262	-	-	-
TFT-12054-P	120 x 54	2	1	12	7,681	-	-	-	7,681	7,934	8,185	5,843	-	-	-
TFT-13242-P	132 x 42	2	2	10	6,887	-	-	-	6,887	7,131	7,372	5,253	-	-	-
TFT-13248-P	132 x 48	2	2	10	7,626	-	-	-	7,626	7,877	8,127	5,814	-	-	-
TFT-13254-P	132 x 54	2	2	12	8,488	-	-	-	8,488	8,750	9,012	6,471	-	-	-
TFT-14448-P	144 x 48	2	2	12	8,367	-	-	-	8,367	8,629	8,889	6,392	-	-	-
TFT-14454-P	144 x 54	2	2	14	9,331	-	-	-	9,331	9,605	9,878	7,129	-	-	-
TFT-14460-P	144 x 60	2	2	14	10,453	-	-	-	10,453	10,741	11,028	7,982	-	-	-
TFT-15648-P	156 x 48	3	2	14	-	10,666	9,594	9,594	10,666	11,063	11,458	-	8,161	8,161	8,161
TFT-15654-P	156 x 54	3	2	14	-	11,789	10,604	10,604	11,789	12,204	12,616	-	9,018	9,018	9,018
TFT-15660-P	156 x 60	3	2	14	-	13,100	11,783	11,783	13,100	13,537	13,970	-	10,017	10,017	10,017
TFT-16854-P	168 x 54	3	2	16	-	12,362	11,119	11,119	12,362	12,776	13,189	-	9,483	9,483	9,483
TFT-16860-P	168 x 60	3	2	16	-	13,755	12,372	12,372	13,755	14,192	14,626	-	10,547	10,547	10,547
TFT-18054-P	180 x 54	3	2	16	-	12,933	11,633	11,633	12,933	13,348	13,760	-	9,947	9,947	9,947
TFT-18060-P	180 x 60	3	2	16	-	14,411	12,962	12,962	14,411	14,847	15,281	-	11,076	11,076	11,076
TFT-19254-P	192 x 54	3	2	18	-	13,505	12,148	12,148	13,505	13,920	14,332	-	10,412	10,412	10,412
TFT-19260-P	192 x 60	3	2	18	-	15,065	13,550	13,550	15,065	15,501	15,936	-	11,606	11,606	11,606
TFT-20454-P	204 x 54	3	2	18	-	14,649	13,176	13,176	14,649	15,081	15,509	-	11,318	11,318	11,318
TFT-20460-P	204 x 60	3	2	18	-	16,358	14,714	14,714	16,358	16,813	17,265	-	12,627	12,627	12,627
TFT-21654-P	216 x 54	3	2	20	-	15,616	14,046	14,046	15,616	16,058	16,497	-	12,089	12,089	12,089
TFT-21660-P	216 x 60	3	2	20	-	17,456	15,701	15,701	17,456	17,921	18,384	-	13,500	13,500	13,500
TFT-22854-P	228 x 54	3	2	20	-	16,380	14,734	14,734	16,380	16,827	17,270	-	12,704	12,704	12,704
TFT-22860-P	228 x 60	3	2	20	-	18,328	16,485	16,485	18,328	18,797	19,264	-	14,197	14,197	14,197
TFT-24054-P	240 x 54	3	2	20	-	17,188	15,460	15,460	17,188	17,640	18,088	-	13,353	13,353	13,353
TFT-24060-P	240 x 60	3	2	20	-	19,247	17,312	17,312	19,247	19,723	20,195	-	14,934	14,934	14,934

INSET LAMINATE TOP WITH HARDWOOD EDGE



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base
ML	Post Metal Leg
MLX	Post Metal Leg with X Center Base
MLRP	Post Metal Leg with Painted Rectangle Center Base
MLRV	Post Metal Leg with Veneer Rectangle Center Base


SOFT RECTANGLE TABLES

MODEL #	L x W	BASE QTY	TOP SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV	-ML	-MLX	-MLRP	-MLRV
TFF-6030-P	60 x 30	2	1	4	2,860	-	-	-	-	-	-	2,133	-	-	-
TFF-6036-P	60 x 36	2	1	4	3,007	-	-	-	-	-	-	2,245	-	-	-
TFF-6042-P	60 x 42	2	1	4	3,431	-	-	-	-	-	-	2,563	-	-	-
TFF-6048-P	60 x 48	2	1	4	3,715	-	-	-	-	-	-	2,777	-	-	-
TFF-6630-P	66 x 30	2	1	4	3,116	-	-	-	-	-	-	2,329	-	-	-
TFF-6636-P	66 x 36	2	1	4	3,287	-	-	-	-	-	-	2,459	-	-	-
TFF-6642-P	66 x 42	2	1	4	3,761	-	-	-	-	-	-	2,817	-	-	-
TFF-6648-P	66 x 48	2	1	4	4,083	-	-	-	-	-	-	3,059	-	-	-
TFF-7230-P	72 x 30	2	1	6	3,213	-	-	-	-	-	-	2,408	-	-	-
TFF-7236-P	72 x 36	2	1	6	3,400	-	-	-	-	-	-	2,550	-	-	-
TFF-7242-P	72 x 42	2	1	6	3,900	-	-	-	3,900	4,087	4,273	2,927	-	-	-
TFF-7248-P	72 x 48	2	1	6	4,244	-	-	-	4,244	4,437	4,630	3,187	-	-	-
TFF-7830-P	78 x 30	2	1	6	3,540	-	-	-	-	-	-	2,658	-	-	-
TFF-7836-P	78 x 36	2	1	6	3,755	-	-	-	-	-	-	2,822	-	-	-
TFF-7842-P	78 x 42	2	1	6	4,319	-	-	-	4,319	4,519	4,718	3,248	-	-	-
TFF-7848-P	78 x 48	2	1	6	4,711	-	-	-	4,711	4,918	5,124	3,545	-	-	-
TFF-8430-P	84 x 30	2	1	8	3,643	-	-	-	-	-	-	2,742	-	-	-
TFF-8436-P	84 x 36	2	1	8	3,876	-	-	-	-	-	-	2,920	-	-	-
TFF-8442-P	84 x 42	2	1	8	4,468	-	-	-	4,468	4,668	4,866	3,367	-	-	-
TFF-8448-P	84 x 48	2	1	8	4,883	-	-	-	4,883	5,090	5,296	3,682	-	-	-
TFF-9030-P	90 x 30	2	1	8	3,941	-	-	-	-	-	-	2,972	-	-	-
TFF-9036-P	90 x 36	2	1	8	4,203	-	-	-	-	-	-	3,172	-	-	-
TFF-9042-P	90 x 42	2	1	8	4,856	-	-	-	4,856	5,067	5,275	3,666	-	-	-
TFF-9048-P	90 x 48	2	1	8	5,318	-	-	-	5,318	5,536	5,752	4,017	-	-	-
TFF-9630-P	96 x 30	2	1	8	4,050	-	-	-	-	-	-	3,060	-	-	-
TFF-9636-P	96 x 36	2	1	8	4,330	-	-	-	-	-	-	3,273	-	-	-
TFF-9642-P	96 x 42	2	1	8	5,013	-	-	-	5,013	5,223	5,431	3,791	-	-	-
TFF-9648-P	96 x 48	2	1	8	5,500	-	-	-	5,500	5,718	5,934	4,161	-	-	-
TFF-10242-P	102 x 42	2	1	8	5,456	-	-	-	5,456	5,678	5,898	4,133	-	-	-
TFF-10248-P	102 x 48	2	1	8	5,997	-	-	-	5,997	6,227	6,456	4,543	-	-	-
TFF-10842-P	108 x 42	2	1	10	5,621	-	-	-	5,621	5,843	6,064	4,264	-	-	-
TFF-10848-P	108 x 48	2	1	10	6,188	-	-	-	6,188	6,418	6,647	4,695	-	-	-
TFF-10854-P	108 x 54	2	1	10	6,854	-	-	-	6,854	7,094	7,332	5,201	-	-	-
TFF-11442-P	114 x 42	2	1	10	6,090	-	-	-	6,090	6,324	6,557	4,626	-	-	-
TFF-11448-P	114 x 48	2	1	10	6,716	-	-	-	6,716	6,958	7,199	5,102	-	-	-
TFF-11454-P	114 x 54	2	1	12	7,447	-	-	-	7,447	7,699	7,951	5,659	-	-	-
TFF-12042-P	120 x 42	2	1	10	6,265	-	-	-	6,265	6,498	6,731	4,765	-	-	-
TFF-12048-P	120 x 48	2	1	10	6,918	-	-	-	6,918	7,160	7,400	5,262	-	-	-
TFF-12054-P	120 x 54	2	1	12	7,681	-	-	-	7,681	7,934	8,185	5,843	-	-	-
TFF-13242-P	132 x 42	2	2	10	6,887	-	-	-	6,887	7,131	7,372	5,253	-	-	-
TFF-13248-P	132 x 48	2	2	10	7,626	-	-	-	7,626	7,877	8,127	5,814	-	-	-
TFF-13254-P	132 x 54	2	2	12	8,488	-	-	-	8,488	8,750	9,012	6,471	-	-	-
TFF-14448-P	144 x 48	2	2	12	8,367	-	-	-	8,367	8,629	8,889	6,392	-	-	-
TFF-14454-P	144 x 54	2	2	14	9,331	-	-	-	9,331	9,605	9,878	7,129	-	-	-
TFF-14460-P	144 x 60	2	2	14	10,453	-	-	-	10,453	10,741	11,028	7,982	-	-	-
TFF-15648-P	156 x 48	3	2	14	-	10,666	9,594	9,594	10,666	11,063	11,458	-	8,161	8,161	8,161
TFF-15654-P	156 x 54	3	2	14	-	11,789	10,604	10,604	11,789	12,204	12,616	-	9,018	9,018	9,018
TFF-15660-P	156 x 60	3	2	14	-	13,100	11,783	11,783	13,100	13,537	13,970	-	10,017	10,017	10,017
TFF-16854-P	168 x 54	3	2	16	-	12,362	11,119	11,119	12,362	12,776	13,189	-	9,483	9,483	9,483
TFF-16860-P	168 x 60	3	2	16	-	13,755	12,372	12,372	13,755	14,192	14,626	-	10,547	10,547	10,547
TFF-18054-P	180 x 54	3	2	16	-	12,933	11,633	11,633	12,933	13,348	13,760	-	9,947	9,947	9,947
TFF-18060-P	180 x 60	3	2	16	-	14,411	12,962	12,962	14,411	14,847	15,281	-	11,076	11,076	11,076
TFF-19254-P	192 x 54	3	2	18	-	13,505	12,148	12,148	13,505	13,920	14,332	-	10,412	10,412	10,412
TFF-19260-P	192 x 60	3	2	18	-	15,065	13,550	13,550	15,065	15,501	15,936	-	11,606	11,606	11,606
TFF-20454-P	204 x 54	3	2	18	-	14,649	13,176	13,176	14,649	15,081	15,509	-	11,318	11,318	11,318
TFF-20460-P	204 x 60	3	2	18	-	16,358	14,714	14,714	16,358	16,813	17,265	-	12,627	12,627	12,627
TFF-21654-P	216 x 54	3	2	20	-	15,616	14,046	14,046	15,616	16,058	16,497	-	12,089	12,089	12,089
TFF-21660-P	216 x 60	3	2	20	-	17,456	15,701	15,701	17,456	17,921	18,384	-	13,500	13,500	13,500
TFF-22854-P	228 x 54	3	2	20	-	16,380	14,734	14,734	16,380	16,827	17,270	-	12,704	12,704	12,704
TFF-22860-P	228 x 60	3	2	20	-	18,328	16,485	16,485	18,328	18,797	19,264	-	14,197	14,197	14,197
TFF-24054-P	240 x 54	3	2	20	-	17,188	15,460	15,460	17,188	17,640	18,088	-	13,353	13,353	13,353
TFF-24060-P	240 x 60	3	2	20	-	19,247	17,312	17,312	19,247	19,723	20,195	-	14,934	14,934	14,934

INSET LAMINATE TOP WITH HARDWOOD EDGE

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWB**	$1,725	
Polished Chrome Post Metal Legs	Add **-PCML-TWB**	$925	
Polished Chrome Open Frame with X-Center Base	Add **-PCOFX-TWB**	$2,588	
Polished Chrome Post Metal Legs with X-Center Base	Add **-PCMLX-TWB**	$1,788	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION

- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Metal Finish only if -OF or -ML bases specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

LAMINATE TOP WITH ABS CUTBACK EDGE



RECTANGLE TOP


BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base
ML	Post Metal Leg
MLX	Post Metal Leg with X Center Base
MLRP	Post Metal Leg with Painted Rectangle Center Base
MLRV	Post Metal Leg with Veneer Rectangle Center Base

RECTANGLE TABLES

MODEL #	L x W	BASE QTY	TOP SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV	-ML	-MLX	-MLRP	-MLRV
TFT-6030-PA	60 x 30	2	1	4	2,860	-	-	-	-	-	-	2,133	-	-	-
TFT-6036-PA	60 x 36	2	1	4	3,007	-	-	-	-	-	-	2,245	-	-	-
TFT-6042-PA	60 x 42	2	1	4	3,431	-	-	-	-	-	-	2,563	-	-	-
TFT-6048-PA	60 x 48	2	1	4	3,715	-	-	-	-	-	-	2,777	-	-	-
TFT-6630-PA	66 x 30	2	1	4	3,116	-	-	-	-	-	-	2,329	-	-	-
TFT-6636-PA	66 x 36	2	1	4	3,287	-	-	-	-	-	-	2,459	-	-	-
TFT-6642-PA	66 x 42	2	1	4	3,761	-	-	-	-	-	-	2,817	-	-	-
TFT-6648-PA	66 x 48	2	1	4	4,083	-	-	-	-	-	-	3,059	-	-	-
TFT-7230-PA	72 x 30	2	1	6	3,213	-	-	-	-	-	-	2,408	-	-	-
TFT-7236-PA	72 x 36	2	1	6	3,400	-	-	-	-	-	-	2,550	-	-	-
TFT-7242-PA	72 x 42	2	1	6	3,900	-	-	-	3,900	4,087	4,273	2,927	-	-	-
TFT-7248-PA	72 x 48	2	1	6	4,244	-	-	-	4,244	4,437	4,630	3,187	-	-	-
TFT-7830-PA	78 x 30	2	1	6	3,540	-	-	-	-	-	-	2,658	-	-	-
TFT-7836-PA	78 x 36	2	1	6	3,755	-	-	-	-	-	-	2,822	-	-	-
TFT-7842-PA	78 x 42	2	1	6	4,319	-	-	-	4,319	4,519	4,718	3,248	-	-	-
TFT-7848-PA	78 x 48	2	1	6	4,711	-	-	-	4,711	4,918	5,124	3,545	-	-	-
TFT-8430-PA	84 x 30	2	1	8	3,643	-	-	-	-	-	-	2,742	-	-	-
TFT-8436-PA	84 x 36	2	1	8	3,876	-	-	-	-	-	-	2,920	-	-	-
TFT-8442-PA	84 x 42	2	1	8	4,468	-	-	-	4,468	4,668	4,866	3,367	-	-	-
TFT-8448-PA	84 x 48	2	1	8	4,883	-	-	-	4,883	5,090	5,296	3,682	-	-	-
TFT-9030-PA	90 x 30	2	1	8	3,941	-	-	-	-	-	-	2,972	-	-	-
TFT-9036-PA	90 x 36	2	1	8	4,203	-	-	-	-	-	-	3,172	-	-	-
TFT-9042-PA	90 x 42	2	1	8	4,856	-	-	-	4,856	5,067	5,275	3,666	-	-	-
TFT-9048-PA	90 x 48	2	1	8	5,318	-	-	-	5,318	5,536	5,752	4,017	-	-	-
TFT-9630-PA	96 x 30	2	1	8	4,050	-	-	-	-	-	-	3,060	-	-	-
TFT-9636-PA	96 x 36	2	1	8	4,330	-	-	-	-	-	-	3,273	-	-	-
TFT-9642-PA	96 x 42	2	1	8	5,013	-	-	-	5,013	5,223	5,431	3,791	-	-	-
TFT-9648-PA	96 x 48	2	1	8	5,500	-	-	-	5,500	5,718	5,934	4,161	-	-	-
TFT-10242-PA	102 x 42	2	1	8	5,456	-	-	-	5,456	5,678	5,898	4,133	-	-	-
TFT-10248-PA	102 x 48	2	1	8	5,997	-	-	-	5,997	6,227	6,456	4,543	-	-	-
TFT-10842-PA	108 x 42	2	1	10	5,621	-	-	-	5,621	5,843	6,064	4,264	-	-	-
TFT-10848-PA	108 x 48	2	1	10	6,188	-	-	-	6,188	6,418	6,647	4,695	-	-	-
TFT-10854-PA	108 x 54	2	1	10	6,854	-	-	-	6,854	7,094	7,332	5,201	-	-	-
TFT-11442-PA	114 x 42	2	1	10	6,090	-	-	-	6,090	6,324	6,557	4,626	-	-	-
TFT-11448-PA	114 x 48	2	1	10	6,716	-	-	-	6,716	6,958	7,199	5,102	-	-	-
TFT-11454-PA	114 x 54	2	1	12	7,447	-	-	-	7,447	7,699	7,951	5,659	-	-	-
TFT-12042-PA	120 x 42	2	1	10	6,265	-	-	-	6,265	6,498	6,731	4,765	-	-	-
TFT-12048-PA	120 x 48	2	1	10	6,918	-	-	-	6,918	7,160	7,400	5,262	-	-	-
TFT-12054-PA	120 x 54	2	1	12	7,681	-	-	-	7,681	7,934	8,185	5,843	-	-	-
TFT-13242-PA	132 x 42	2	2	10	6,887	-	-	-	6,887	7,131	7,372	5,253	-	-	-
TFT-13248-PA	132 x 48	2	2	10	7,626	-	-	-	7,626	7,877	8,127	5,814	-	-	-
TFT-13254-PA	132 x 54	2	2	12	8,488	-	-	-	8,488	8,750	9,012	6,471	-	-	-
TFT-14448-PA	144 x 48	2	2	12	8,367	-	-	-	8,367	8,629	8,889	6,392	-	-	-
TFT-14454-PA	144 x 54	2	2	14	9,331	-	-	-	9,331	9,605	9,878	7,129	-	-	-
TFT-14460-PA	144 x 60	2	2	14	10,453	-	-	-	10,453	10,741	11,028	7,982	-	-	-
TFT-15648-PA	156 x 48	3	2	14	-	10,666	9,594	9,594	10,666	11,063	11,458	-	8,161	8,161	8,161
TFT-15654-PA	156 x 54	3	2	14	-	11,789	10,604	10,604	11,789	12,204	12,616	-	9,018	9,018	9,018
TFT-15660-PA	156 x 60	3	2	14	-	13,100	11,783	11,783	13,100	13,537	13,970	-	10,017	10,017	10,017
TFT-16854-PA	168 x 54	3	2	16	-	12,362	11,119	11,119	12,362	12,776	13,189	-	9,483	9,483	9,483
TFT-16860-PA	168 x 60	3	2	16	-	13,755	12,372	12,372	13,755	14,192	14,626	-	10,547	10,547	10,547
TFT-18054-PA	180 x 54	3	2	16	-	12,933	11,633	11,633	12,933	13,348	13,760	-	9,947	9,947	9,947
TFT-18060-PA	180 x 60	3	2	16	-	14,411	12,962	12,962	14,411	14,847	15,281	-	11,076	11,076	11,076
TFT-19254-PA	192 x 54	3	2	18	-	13,505	12,148	12,148	13,505	13,920	14,332	-	10,412	10,412	10,412
TFT-19260-PA	192 x 60	3	2	18	-	15,065	13,550	13,550	15,065	15,501	15,936	-	11,606	11,606	11,606
TFT-20454-PA	204 x 54	3	2	18	-	14,649	13,176	13,176	14,649	15,081	15,509	-	11,318	11,318	11,318
TFT-20460-PA	204 x 60	3	2	18	-	16,358	14,714	14,714	16,358	16,813	17,265	-	12,627	12,627	12,627
TFT-21654-PA	216 x 54	3	2	20	-	15,616	14,046	14,046	15,616	16,058	16,497	-	12,089	12,089	12,089
TFT-21660-PA	216 x 60	3	2	20	-	17,456	15,701	15,701	17,456	17,921	18,384	-	13,500	13,500	13,500
TFT-22854-PA	228 x 54	3	2	20	-	16,380	14,734	14,734	16,380	16,827	17,270	-	12,704	12,704	12,704
TFT-22860-PA	228 x 60	3	2	20	-	18,328	16,485	16,485	18,328	18,797	19,264	-	14,197	14,197	14,197
TFT-24054-PA	240 x 54	3	2	20	-	17,188	15,460	15,460	17,188	17,640	18,088	-	13,353	13,353	13,353
TFT-24060-PA	240 x 60	3	2	20	-	19,247	17,312	17,312	19,247	19,723	20,195	-	14,934	14,934	14,934

LAMINATE TOP WITH ABS CUTBACK EDGE



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base
ML	Post Metal Leg
MLX	Post Metal Leg with X Center Base
MLRP	Post Metal Leg with Painted Rectangle Center Base
MLRV	Post Metal Leg with Veneer Rectangle Center Base


SOFT RECTANGLE TABLES

MODEL #	L x W	BASE QTY	TOP SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV	-ML	-MLX	-MLRP	-MLRV
TFF-6030-PA	60 x 30	2	1	4	2,860	-	-	-	-	-	-	2,133	-	-	-
TFF-6036-PA	60 x 36	2	1	4	3,007	-	-	-	-	-	-	2,245	-	-	-
TFF-6042-PA	60 x 42	2	1	4	3,431	-	-	-	-	-	-	2,563	-	-	-
TFF-6048-PA	60 x 48	2	1	4	3,715	-	-	-	-	-	-	2,777	-	-	-
TFF-6630-PA	66 x 30	2	1	4	3,116	-	-	-	-	-	-	2,329	-	-	-
TFF-6636-PA	66 x 36	2	1	4	3,287	-	-	-	-	-	-	2,459	-	-	-
TFF-6642-PA	66 x 42	2	1	4	3,761	-	-	-	-	-	-	2,817	-	-	-
TFF-6648-PA	66 x 48	2	1	4	4,083	-	-	-	-	-	-	3,059	-	-	-
TFF-7230-PA	72 x 30	2	1	6	3,213	-	-	-	-	-	-	2,408	-	-	-
TFF-7236-PA	72 x 36	2	1	6	3,400	-	-	-	-	-	-	2,550	-	-	-
TFF-7242-PA	72 x 42	2	1	6	3,900	-	-	-	3,900	4,087	4,273	2,927	-	-	-
TFF-7248-PA	72 x 48	2	1	6	4,244	-	-	-	4,244	4,437	4,630	3,187	-	-	-
TFF-7830-PA	78 x 30	2	1	6	3,540	-	-	-	-	-	-	2,658	-	-	-
TFF-7836-PA	78 x 36	2	1	6	3,755	-	-	-	-	-	-	2,822	-	-	-
TFF-7842-PA	78 x 42	2	1	6	4,319	-	-	-	4,319	4,519	4,718	3,248	-	-	-
TFF-7848-PA	78 x 48	2	1	6	4,711	-	-	-	4,711	4,918	5,124	3,545	-	-	-
TFF-8430-PA	84 x 30	2	1	8	3,643	-	-	-	-	-	-	2,742	-	-	-
TFF-8436-PA	84 x 36	2	1	8	3,876	-	-	-	-	-	-	2,920	-	-	-
TFF-8442-PA	84 x 42	2	1	8	4,468	-	-	-	4,468	4,668	4,866	3,367	-	-	-
TFF-8448-PA	84 x 48	2	1	8	4,883	-	-	-	4,883	5,090	5,296	3,682	-	-	-
TFF-9030-PA	90 x 30	2	1	8	3,941	-	-	-	-	-	-	2,972	-	-	-
TFF-9036-PA	90 x 36	2	1	8	4,203	-	-	-	-	-	-	3,172	-	-	-
TFF-9042-PA	90 x 42	2	1	8	4,856	-	-	-	4,856	5,067	5,275	3,666	-	-	-
TFF-9048-PA	90 x 48	2	1	8	5,318	-	-	-	5,318	5,536	5,752	4,017	-	-	-
TFF-9630-PA	96 x 30	2	1	8	4,050	-	-	-	-	-	-	3,060	-	-	-
TFF-9636-PA	96 x 36	2	1	8	4,330	-	-	-	-	-	-	3,273	-	-	-
TFF-9642-PA	96 x 42	2	1	8	5,013	-	-	-	5,013	5,223	5,431	3,791	-	-	-
TFF-9648-PA	96 x 48	2	1	8	5,500	-	-	-	5,500	5,718	5,934	4,161	-	-	-
TFF-10242-PA	102 x 42	2	1	8	5,456	-	-	-	5,456	5,678	5,898	4,133	-	-	-
TFF-10248-PA	102 x 48	2	1	8	5,997	-	-	-	5,997	6,227	6,456	4,543	-	-	-
TFF-10842-PA	108 x 42	2	1	10	5,621	-	-	-	5,621	5,843	6,064	4,264	-	-	-
TFF-10848-PA	108 x 48	2	1	10	6,188	-	-	-	6,188	6,418	6,647	4,695	-	-	-
TFF-10854-PA	108 x 54	2	1	10	6,854	-	-	-	6,854	7,094	7,332	5,201	-	-	-
TFF-11442-PA	114 x 42	2	1	10	6,090	-	-	-	6,090	6,324	6,557	4,626	-	-	-
TFF-11448-PA	114 x 48	2	1	10	6,716	-	-	-	6,716	6,958	7,199	5,102	-	-	-
TFF-11454-PA	114 x 54	2	1	12	7,447	-	-	-	7,447	7,699	7,951	5,659	-	-	-
TFF-12042-PA	120 x 42	2	1	10	6,265	-	-	-	6,265	6,498	6,731	4,765	-	-	-
TFF-12048-PA	120 x 48	2	1	10	6,918	-	-	-	6,918	7,160	7,400	5,262	-	-	-
TFF-12054-PA	120 x 54	2	1	12	7,681	-	-	-	7,681	7,934	8,185	5,843	-	-	-
TFF-13242-PA	132 x 42	2	2	10	6,887	-	-	-	6,887	7,131	7,372	5,253	-	-	-
TFF-13248-PA	132 x 48	2	2	10	7,626	-	-	-	7,626	7,877	8,127	5,814	-	-	-
TFF-13254-PA	132 x 54	2	2	12	8,488	-	-	-	8,488	8,750	9,012	6,471	-	-	-
TFF-14448-PA	144 x 48	2	2	12	8,367	-	-	-	8,367	8,629	8,889	6,392	-	-	-
TFF-14454-PA	144 x 54	2	2	14	9,331	-	-	-	9,331	9,605	9,878	7,129	-	-	-
TFF-14460-PA	144 x 60	2	2	14	10,453	-	-	-	10,453	10,741	11,028	7,982	-	-	-
TFF-15648-PA	156 x 48	3	2	14	-	10,666	9,594	9,594	10,666	11,063	11,458	-	8,161	8,161	8,161
TFF-15654-PA	156 x 54	3	2	14	-	11,789	10,604	10,604	11,789	12,204	12,616	-	9,018	9,018	9,018
TFF-15660-PA	156 x 60	3	2	14	-	13,100	11,783	11,783	13,100	13,537	13,970	-	10,017	10,017	10,017
TFF-16854-PA	168 x 54	3	2	16	-	12,362	11,119	11,119	12,362	12,776	13,189	-	9,483	9,483	9,483
TFF-16860-PA	168 x 60	3	2	16	-	13,755	12,372	12,372	13,755	14,192	14,626	-	10,547	10,547	10,547
TFF-18054-PA	180 x 54	3	2	16	-	12,933	11,633	11,633	12,933	13,348	13,760	-	9,947	9,947	9,947
TFF-18060-PA	180 x 60	3	2	16	-	14,411	12,962	12,962	14,411	14,847	15,281	-	11,076	11,076	11,076
TFF-19254-PA	192 x 54	3	2	18	-	13,505	12,148	12,148	13,505	13,920	14,332	-	10,412	10,412	10,412
TFF-19260-PA	192 x 60	3	2	18	-	15,065	13,550	13,550	15,065	15,501	15,936	-	11,606	11,606	11,606
TFF-20454-PA	204 x 54	3	2	18	-	14,649	13,176	13,176	14,649	15,081	15,509	-	11,318	11,318	11,318
TFF-20460-PA	204 x 60	3	2	18	-	16,358	14,714	14,714	16,358	16,813	17,265	-	12,627	12,627	12,627
TFF-21654-PA	216 x 54	3	2	20	-	15,616	14,046	14,046	15,616	16,058	16,497	-	12,089	12,089	12,089
TFF-21660-PA	216 x 60	3	2	20	-	17,456	15,701	15,701	17,456	17,921	18,384	-	13,500	13,500	13,500
TFF-22854-PA	228 x 54	3	2	20	-	16,380	14,734	14,734	16,380	16,827	17,270	-	12,704	12,704	12,704
TFF-22860-PA	228 x 60	3	2	20	-	18,328	16,485	16,485	18,328	18,797	19,264	-	14,197	14,197	14,197
TFF-24054-PA	240 x 54	3	2	20	-	17,188	15,460	15,460	17,188	17,640	18,088	-	13,353	13,353	13,353
TFF-24060-PA	240 x 60	3	2	20	-	19,247	17,312	17,312	19,247	19,723	20,195	-	14,934	14,934	14,934

LAMINATE TOP WITH ABS CUTBACK EDGE

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWB**	$1,725	
Polished Chrome Post Metal Legs	Add **-PCML-TWB**	$925	
Polished Chrome Open Frame with X-Center Base	Add **-PCOFX-TWB**	$2,588	
Polished Chrome Post Metal Legs with X-Center Base	Add **-PCMLX-TWB**	$1,788	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION

- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Metal Finish only if -OF or -ML bases specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

LAMINATE TOP WITH ABS SQUARE EDGE



RECTANGLE TOP


BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base
ML	Post Metal Leg
MLX	Post Metal Leg with X Center Base
MLRP	Post Metal Leg with Painted Rectangle Center Base
MLRV	Post Metal Leg with Veneer Rectangle Center Base

RECTANGLE TABLES

MODEL #	L x W	BASE QTY	TOP SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV	-ML	-MLX	-MLRP	-MLRV
TFT-6030-PE	60 x 30	2	1	4	2,573	-	-	-	-	-	-	1,567	-	-	-
TFT-6036-PE	60 x 36	2	1	4	2,705	-	-	-	-	-	-	1,649	-	-	-
TFT-6042-PE	60 x 42	2	1	4	3,086	-	-	-	-	-	-	1,883	-	-	-
TFT-6048-PE	60 x 48	2	1	4	3,342	-	-	-	-	-	-	2,039	-	-	-
TFT-6630-PE	66 x 30	2	1	4	2,803	-	-	-	-	-	-	1,711	-	-	-
TFT-6636-PE	66 x 36	2	1	4	2,957	-	-	-	-	-	-	1,806	-	-	-
TFT-6642-PE	66 x 42	2	1	4	3,383	-	-	-	-	-	-	2,069	-	-	-
TFT-6648-PE	66 x 48	2	1	4	3,672	-	-	-	-	-	-	2,247	-	-	-
TFT-7230-PE	72 x 30	2	1	6	2,890	-	-	-	-	-	-	1,769	-	-	-
TFT-7236-PE	72 x 36	2	1	6	3,058	-	-	-	-	-	-	1,873	-	-	-
TFT-7242-PE	72 x 42	2	1	6	3,508	-	-	-	3,508	3,676	3,843	2,150	-	-	-
TFT-7248-PE	72 x 48	2	1	6	3,817	-	-	-	3,817	3,991	4,165	2,341	-	-	-
TFT-7830-PE	78 x 30	2	1	6	3,184	-	-	-	-	-	-	1,952	-	-	-
TFT-7836-PE	78 x 36	2	1	6	3,378	-	-	-	-	-	-	2,073	-	-	-
TFT-7842-PE	78 x 42	2	1	6	3,885	-	-	-	3,885	4,064	4,244	2,386	-	-	-
TFT-7848-PE	78 x 48	2	1	6	4,238	-	-	-	4,238	4,424	4,609	2,604	-	-	-
TFT-8430-PE	84 x 30	2	1	8	3,277	-	-	-	-	-	-	2,014	-	-	-
TFT-8436-PE	84 x 36	2	1	8	3,486	-	-	-	-	-	-	2,144	-	-	-
TFT-8442-PE	84 x 42	2	1	8	4,018	-	-	-	4,018	4,199	4,377	2,473	-	-	-
TFT-8448-PE	84 x 48	2	1	8	4,392	-	-	-	4,392	4,579	4,764	2,704	-	-	-
TFT-9030-PE	90 x 30	2	1	8	3,545	-	-	-	-	-	-	2,182	-	-	-
TFT-9036-PE	90 x 36	2	1	8	3,780	-	-	-	-	-	-	2,330	-	-	-
TFT-9042-PE	90 x 42	2	1	8	4,368	-	-	-	4,368	4,557	4,745	2,693	-	-	-
TFT-9048-PE	90 x 48	2	1	8	4,783	-	-	-	4,783	4,980	5,174	2,950	-	-	-
TFT-9630-PE	96 x 30	2	1	8	3,643	-	-	-	-	-	-	2,248	-	-	-
TFT-9636-PE	96 x 36	2	1	8	3,894	-	-	-	-	-	-	2,404	-	-	-
TFT-9642-PE	96 x 42	2	1	8	4,509	-	-	-	4,509	4,698	4,885	2,784	-	-	-
TFT-9648-PE	96 x 48	2	1	8	4,947	-	-	-	4,947	5,143	5,338	3,056	-	-	-
TFT-10242-PE	102 x 42	2	1	8	4,908	-	-	-	4,908	5,107	5,305	3,035	-	-	-
TFT-10248-PE	102 x 48	2	1	8	5,395	-	-	-	5,395	5,601	5,807	3,337	-	-	-
TFT-10842-PE	108 x 42	2	1	10	5,056	-	-	-	5,056	5,256	5,454	3,132	-	-	-
TFT-10848-PE	108 x 48	2	1	10	5,566	-	-	-	5,566	5,773	5,979	3,448	-	-	-
TFT-10854-PE	108 x 54	2	1	10	6,165	-	-	-	6,165	6,381	6,595	4,678	-	-	-
TFT-11442-PE	114 x 42	2	1	10	5,478	-	-	-	5,478	5,689	5,898	3,398	-	-	-
TFT-11448-PE	114 x 48	2	1	10	6,041	-	-	-	6,041	6,258	6,475	3,747	-	-	-
TFT-11454-PE	114 x 54	2	1	12	6,698	-	-	-	6,698	6,925	7,152	4,156	-	-	-
TFT-12042-PE	120 x 42	2	1	10	5,635	-	-	-	5,635	5,845	6,054	3,500	-	-	-
TFT-12048-PE	120 x 48	2	1	10	6,222	-	-	-	6,222	6,440	6,656	3,865	-	-	-
TFT-12054-PE	120 x 54	2	1	12	6,909	-	-	-	6,909	7,136	7,362	4,292	-	-	-
TFT-13242-PE	132 x 42	2	2	10	6,194	-	-	-	6,194	6,414	6,631	3,858	-	-	-
TFT-13248-PE	132 x 48	2	2	10	6,859	-	-	-	6,859	7,085	7,310	4,270	-	-	-
TFT-13254-PE	132 x 54	2	2	12	7,634	-	-	-	7,634	7,871	8,106	4,752	-	-	-
TFT-14448-PE	144 x 48	2	2	12	7,526	-	-	-	7,526	7,762	7,996	4,695	-	-	-
TFT-14454-PE	144 x 54	2	2	14	8,393	-	-	-	8,393	8,640	8,885	5,235	-	-	-
TFT-14460-PE	144 x 60	2	2	14	9,402	-	-	-	9,402	9,662	9,919	5,862	-	-	-
TFT-15648-PE	156 x 48	3	2	14	-	9,594	9,594	9,594	9,594	9,951	10,306	-	5,993	5,993	5,993
TFT-15654-PE	156 x 54	3	2	14	-	10,604	10,604	10,604	10,604	10,977	11,348	-	6,623	6,623	6,623
TFT-15660-PE	156 x 60	3	2	14	-	11,783	11,783	11,783	11,783	12,176	12,566	-	7,357	7,357	7,357
TFT-16854-PE	168 x 54	3	2	16	-	11,119	11,119	11,119	11,119	11,492	11,863	-	6,964	6,964	6,964
TFT-16860-PE	168 x 60	3	2	16	-	12,372	12,372	12,372	12,372	12,765	13,156	-	7,746	7,746	7,746
TFT-18054-PE	180 x 54	3	2	16	-	11,633	11,633	11,633	11,633	12,006	12,376	-	7,305	7,305	7,305
TFT-18060-PE	180 x 60	3	2	16	-	12,962	12,962	12,962	12,962	13,355	13,745	-	8,134	8,134	8,134
TFT-19254-PE	192 x 54	3	2	18	-	12,148	12,148	12,148	12,148	12,521	12,892	-	7,646	7,646	7,646
TFT-19260-PE	192 x 60	3	2	18	-	13,550	13,550	13,550	13,550	13,943	14,334	-	8,524	8,524	8,524
TFT-20454-PE	204 x 54	3	2	18	-	13,176	13,176	13,176	13,176	13,565	13,950	-	8,312	8,312	8,312
TFT-20460-PE	204 x 60	3	2	18	-	14,714	14,714	14,714	14,714	15,123	15,529	-	9,273	9,273	9,273
TFT-21654-PE	216 x 54	3	2	20	-	14,046	14,046	14,046	14,046	14,444	14,839	-	8,878	8,878	8,878
TFT-21660-PE	216 x 60	3	2	20	-	15,701	15,701	15,701	15,701	16,120	16,536	-	9,914	9,914	9,914
TFT-22854-PE	228 x 54	3	2	20	-	14,734	14,734	14,734	14,734	15,136	15,534	-	9,330	9,330	9,330
TFT-22860-PE	228 x 60	3	2	20	-	16,485	16,485	16,485	16,485	16,908	17,328	-	10,426	10,426	10,426
TFT-24054-PE	240 x 54	3	2	20	-	15,460	15,460	15,460	15,460	15,867	16,269	-	9,807	9,807	9,807
TFT-24060-PE	240 x 60	3	2	20	-	17,312	17,312	17,312	17,312	17,740	18,165	-	10,968	10,968	10,968

LAMINATE TOP WITH ABS SQUARE EDGE



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base
ML	Post Metal Leg
MLX	Post Metal Leg with X Center Base
MLRP	Post Metal Leg with Painted Rectangle Center Base
MLRV	Post Metal Leg with Veneer Rectangle Center Base

SOFT RECTANGLE TABLES

MODEL #	L x W	BASE QTY	TOP SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV	-ML	-MLX	-MLRP	-MLRV
TFF-6030-PE	60 x 30	2	1	4	2,573	-	-	-	-	-	-	1,567	-	-	-
TFF-6036-PE	60 x 36	2	1	4	2,705	-	-	-	-	-	-	1,649	-	-	-
TFF-6042-PE	60 x 42	2	1	4	3,086	-	-	-	-	-	-	1,883	-	-	-
TFF-6048-PE	60 x 48	2	1	4	3,342	-	-	-	-	-	-	2,039	-	-	-
TFF-6630-PE	66 x 30	2	1	4	2,803	-	-	-	-	-	-	1,711	-	-	-
TFF-6636-PE	66 x 36	2	1	4	2,957	-	-	-	-	-	-	1,806	-	-	-
TFF-6642-PE	66 x 42	2	1	4	3,383	-	-	-	-	-	-	2,069	-	-	-
TFF-6648-PE	66 x 48	2	1	4	3,672	-	-	-	-	-	-	2,247	-	-	-
TFF-7230-PE	72 x 30	2	1	6	2,890	-	-	-	-	-	-	1,769	-	-	-
TFF-7236-PE	72 x 36	2	1	6	3,058	-	-	-	-	-	-	1,873	-	-	-
TFF-7242-PE	72 x 42	2	1	6	3,508	-	-	-	3,508	3,676	3,843	2,150	-	-	-
TFF-7248-PE	72 x 48	2	1	6	3,817	-	-	-	3,817	3,991	4,165	2,341	-	-	-
TFF-7830-PE	78 x 30	2	1	6	3,184	-	-	-	-	-	-	1,952	-	-	-
TFF-7836-PE	78 x 36	2	1	6	3,378	-	-	-	-	-	-	2,073	-	-	-
TFF-7842-PE	78 x 42	2	1	6	3,885	-	-	-	3,885	4,064	4,244	2,386	-	-	-
TFF-7848-PE	78 x 48	2	1	6	4,238	-	-	-	4,238	4,424	4,609	2,604	-	-	-
TFF-8430-PE	84 x 30	2	1	8	3,277	-	-	-	-	-	-	2,014	-	-	-
TFF-8436-PE	84 x 36	2	1	8	3,486	-	-	-	-	-	-	2,144	-	-	-
TFF-8442-PE	84 x 42	2	1	8	4,018	-	-	-	4,018	4,199	4,377	2,473	-	-	-
TFF-8448-PE	84 x 48	2	1	8	4,392	-	-	-	4,392	4,579	4,764	2,704	-	-	-
TFF-9030-PE	90 x 30	2	1	8	3,545	-	-	-	-	-	-	2,182	-	-	-
TFF-9036-PE	90 x 36	2	1	8	3,780	-	-	-	-	-	-	2,330	-	-	-
TFF-9042-PE	90 x 42	2	1	8	4,368	-	-	-	4,368	4,557	4,745	2,693	-	-	-
TFF-9048-PE	90 x 48	2	1	8	4,783	-	-	-	4,783	4,980	5,174	2,950	-	-	-
TFF-9630-PE	96 x 30	2	1	8	3,643	-	-	-	-	-	-	2,248	-	-	-
TFF-9636-PE	96 x 36	2	1	8	3,894	-	-	-	-	-	-	2,404	-	-	-
TFF-9642-PE	96 x 42	2	1	8	4,509	-	-	-	4,509	4,698	4,885	2,784	-	-	-
TFF-9648-PE	96 x 48	2	1	8	4,947	-	-	-	4,947	5,143	5,338	3,056	-	-	-
TFF-10242-PE	102 x 42	2	1	8	4,908	-	-	-	4,908	5,107	5,305	3,035	-	-	-
TFF-10248-PE	102 x 48	2	1	8	5,395	-	-	-	5,395	5,601	5,807	3,337	-	-	-
TFF-10842-PE	108 x 42	2	1	10	5,056	-	-	-	5,056	5,256	5,454	3,132	-	-	-
TFF-10848-PE	108 x 48	2	1	10	5,566	-	-	-	5,566	5,773	5,979	3,448	-	-	-
TFF-10854-PE	108 x 54	2	1	10	6,165	-	-	-	6,165	6,381	6,595	4,678	-	-	-
TFF-11442-PE	114 x 42	2	1	10	5,478	-	-	-	5,478	5,689	5,898	3,398	-	-	-
TFF-11448-PE	114 x 48	2	1	10	6,041	-	-	-	6,041	6,258	6,475	3,747	-	-	-
TFF-11454-PE	114 x 54	2	1	12	6,698	-	-	-	6,698	6,925	7,152	4,156	-	-	-
TFF-12042-PE	120 x 42	2	1	10	5,635	-	-	-	5,635	5,845	6,054	3,500	-	-	-
TFF-12048-PE	120 x 48	2	1	10	6,222	-	-	-	6,222	6,440	6,656	3,865	-	-	-
TFF-12054-PE	120 x 54	2	1	12	6,909	-	-	-	6,909	7,136	7,362	4,292	-	-	-
TFF-13242-PE	132 x 42	2	2	10	6,194	-	-	-	6,194	6,414	6,631	3,858	-	-	-
TFF-13248-PE	132 x 48	2	2	10	6,859	-	-	-	6,859	7,085	7,310	4,270	-	-	-
TFF-13254-PE	132 x 54	2	2	12	7,634	-	-	-	7,634	7,871	8,106	4,752	-	-	-
TFF-14448-PE	144 x 48	2	2	12	7,526	-	-	-	7,526	7,762	7,996	4,695	-	-	-
TFF-14454-PE	144 x 54	2	2	14	8,393	-	-	-	8,393	8,640	8,885	5,235	-	-	-
TFF-14460-PE	144 x 60	2	2	14	9,402	-	-	-	9,402	9,662	9,919	5,862	-	-	-
TFF-15648-PE	156 x 48	3	2	14	-	9,594	9,594	9,594	9,594	9,951	10,306	-	5,993	5,993	5,993
TFF-15654-PE	156 x 54	3	2	14	-	10,604	10,604	10,604	10,604	10,977	11,348	-	6,623	6,623	6,623
TFF-15660-PE	156 x 60	3	2	14	-	11,783	11,783	11,783	11,783	12,176	12,566	-	7,357	7,357	7,357
TFF-16854-PE	168 x 54	3	2	16	-	11,119	11,119	11,119	11,119	11,492	11,863	-	6,964	6,964	6,964
TFF-16860-PE	168 x 60	3	2	16	-	12,372	12,372	12,372	12,372	12,765	13,156	-	7,746	7,746	7,746
TFF-18054-PE	180 x 54	3	2	16	-	11,633	11,633	11,633	11,633	12,006	12,376	-	7,305	7,305	7,305
TFF-18060-PE	180 x 60	3	2	16	-	12,962	12,962	12,962	12,962	13,355	13,745	-	8,134	8,134	8,134
TFF-19254-PE	192 x 54	3	2	18	-	12,148	12,148	12,148	12,148	12,521	12,892	-	7,646	7,646	7,646
TFF-19260-PE	192 x 60	3	2	18	-	13,550	13,550	13,550	13,550	13,943	14,334	-	8,524	8,524	8,524
TFF-20454-PE	204 x 54	3	2	18	-	13,176	13,176	13,176	13,176	13,565	13,950	-	8,312	8,312	8,312
TFF-20460-PE	204 x 60	3	2	18	-	14,714	14,714	14,714	14,714	15,123	15,529	-	9,273	9,273	9,273
TFF-21654-PE	216 x 54	3	2	20	-	14,046	14,046	14,046	14,046	14,444	14,839	-	8,878	8,878	8,878
TFF-21660-PE	216 x 60	3	2	20	-	15,701	15,701	15,701	15,701	16,120	16,536	-	9,914	9,914	9,914
TFF-22854-PE	228 x 54	3	2	20	-	14,734	14,734	14,734	14,734	15,136	15,534	-	9,330	9,330	9,330
TFF-22860-PE	228 x 60	3	2	20	-	16,485	16,485	16,485	16,485	16,908	17,328	-	10,426	10,426	10,426
TFF-24054-PE	240 x 54	3	2	20	-	15,460	15,460	15,460	15,460	15,867	16,269	-	9,807	9,807	9,807
TFF-24060-PE	240 x 60	3	2	20	-	17,312	17,312	17,312	17,312	17,740	18,165	-	10,968	10,968	10,968

LAMINATE TOP WITH ABS SQUARE EDGE

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWB**	$1,725	
Polished Chrome Post Metal Legs	Add **-PCML-TWB**	$925	
Polished Chrome Open Frame with X-Center Base	Add **-PCOFX-TWB**	$2,588	
Polished Chrome Post Metal Legs with X-Center Base	Add **-PCMLX-TWB**	$1,788	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Square Edge

GENERAL INFORMATION

- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Metal Finish only if -OF or -ML bases specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

GLASS TOP



RECTANGLE TOP


BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base

RECTANGLE TABLES

MODEL #	L x W	BASE QTY	GLASS SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV
TFT-6030-G	60 x 30	2	1	4	4,721	-	-	-	-	-	-
TFT-6036-G	60 x 36	2	1	4	4,964	-	-	-	-	-	-
TFT-6042-G	60 x 42	2	1	4	5,663	-	-	-	-	-	-
TFT-6048-G	60 x 48	2	1	4	6,133	-	-	-	-	-	-
TFT-6630-G	66 x 30	2	1	4	5,144	-	-	-	-	-	-
TFT-6636-G	66 x 36	2	1	4	5,426	-	-	-	-	-	-
TFT-6642-G	66 x 42	2	1	4	6,208	-	-	-	-	-	-
TFT-6648-G	66 x 48	2	1	4	6,740	-	-	-	-	-	-
TFT-7230-G	72 x 30	2	1	6	5,304	-	-	-	-	-	-
TFT-7236-G	72 x 36	2	1	6	5,612	-	-	-	-	-	-
TFT-7242-G	72 x 42	2	1	6	6,437	-	-	-	6,437	6,746	7,053
TFT-7248-G	72 x 48	2	1	6	7,005	-	-	-	7,005	7,325	7,643
TFT-7830-G	78 x 30	2	1	6	5,843	-	-	-	-	-	-
TFT-7836-G	78 x 36	2	1	6	6,198	-	-	-	-	-	-
TFT-7842-G	78 x 42	2	1	6	7,130	-	-	-	7,130	7,459	7,788
TFT-7848-G	78 x 48	2	1	6	7,777	-	-	-	7,777	8,119	8,459
TFT-8430-G	84 x 30	2	1	8	6,014	-	-	-	-	-	-
TFT-8436-G	84 x 36	2	1	8	6,398	-	-	-	-	-	-
TFT-8442-G	84 x 42	2	1	8	7,375	-	-	-	7,375	7,705	8,033
TFT-8448-G	84 x 48	2	1	8	8,061	-	-	-	8,061	8,403	8,743
TFT-9030-G	90 x 30	2	1	8	6,506	-	-	-	-	-	-
TFT-9036-G	90 x 36	2	1	8	6,938	-	-	-	-	-	-
TFT-9042-G	90 x 42	2	1	8	8,016	-	-	-	8,016	8,364	8,708
TFT-9048-G	90 x 48	2	1	8	8,779	-	-	-	8,779	9,139	9,495
TFT-9630-G	96 x 30	2	1	8	6,685	-	-	-	-	-	-
TFT-9636-G	96 x 36	2	1	8	7,147	-	-	-	-	-	-
TFT-9642-G	96 x 42	2	1	8	8,275	-	-	-	8,275	8,621	8,966
TFT-9648-G	96 x 48	2	1	8	9,080	-	-	-	9,080	9,438	9,796
TFT-10242-G	102 x 42	2	2	8	9,006	-	-	-	9,006	9,373	9,736
TFT-10248-G	102 x 48	2	2	8	9,900	-	-	-	9,900	10,279	10,657
TFT-10842-G	108 x 42	2	2	10	9,279	-	-	-	9,279	9,646	10,009
TFT-10848-G	108 x 48	2	2	10	10,215	-	-	-	10,215	10,594	10,972
TFT-10854-G	108 x 54	2	2	10	11,314	-	-	-	11,314	11,710	12,103
TFT-11442-G	114 x 42	2	2	10	10,053	-	-	-	10,053	10,440	10,824
TFT-11448-G	114 x 48	2	2	10	11,086	-	-	-	11,086	11,485	11,883
TFT-11454-G	114 x 54	2	2	12	12,293	-	-	-	12,293	12,710	13,125
TFT-12042-G	120 x 42	2	2	10	10,342	-	-	-	10,342	10,727	11,111
TFT-12048-G	120 x 48	2	2	10	11,420	-	-	-	11,420	11,819	12,215
TFT-12054-G	120 x 54	2	2	12	12,680	-	-	-	12,680	13,097	13,512
TFT-13242-G	132 x 42	2	3	10	11,368	-	-	-	11,368	11,771	12,170
TFT-13248-G	132 x 48	2	3	10	12,588	-	-	-	12,588	13,003	13,416
TFT-13254-G	132 x 54	2	3	12	14,011	-	-	-	14,011	14,445	14,877
TFT-14448-G	144 x 48	2	3	12	13,811	-	-	-	13,811	14,245	14,674
TFT-14454-G	144 x 54	2	2	14	15,404	-	-	-	15,404	15,856	16,306
TFT-14460-G	144 x 60	2	3	14	17,256	-	-	-	17,256	17,731	18,204
TFT-15648-G	156 x 48	3	3	14	-	17,607	17,607	17,607	17,607	18,262	18,914
TFT-15654-G	156 x 54	3	3	14	-	19,461	19,461	19,461	19,461	20,146	20,826
TFT-15660-G	156 x 60	3	3	14	-	21,625	21,625	21,625	21,625	22,346	23,062
TFT-16854-G	168 x 54	3	3	16	-	20,407	20,407	20,407	20,407	21,090	21,772
TFT-16860-G	168 x 60	3	3	16	-	22,706	22,706	22,706	22,706	23,427	24,145
TFT-18054-G	180 x 54	3	3	16	-	21,349	21,349	21,349	21,349	22,034	22,714
TFT-18060-G	180 x 60	3	3	16	-	23,789	23,789	23,789	23,789	24,510	25,226
TFT-19254-G	192 x 54	3	4	18	-	22,294	22,294	22,294	22,294	22,979	23,659
TFT-19260-G	192 x 60	3	4	18	-	24,868	24,868	24,868	24,868	25,589	26,307
TFT-20454-G	204 x 54	3	4	18	-	24,182	24,182	24,182	24,182	24,895	25,602
TFT-20460-G	204 x 60	3	4	18	-	27,004	27,004	27,004	27,004	27,754	28,500
TFT-21654-G	216 x 54	3	4	20	-	25,778	25,778	25,778	25,778	26,508	27,233
TFT-21660-G	216 x 60	3	4	20	-	28,815	28,815	28,815	28,815	29,584	30,347
TFT-22854-G	228 x 54	3	4	20	-	27,040	27,040	27,040	27,040	27,778	28,509
TFT-22860-G	228 x 60	3	4	20	-	30,255	30,255	30,255	30,255	31,030	31,801
TFT-24054-G	240 x 54	3	4	20	-	28,374	28,374	28,374	28,374	29,119	29,859
TFT-24060-G	240 x 60	3	4	20	-	31,773	31,773	31,773	31,773	32,558	33,338

GLASS TOP



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base


SOFT RECTANGLE TABLES

MODEL #	L x W	BASE QTY	GLASS SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV
TFF-6030-G	60 x 30	2	1	4	4,721	-	-	-	-	-	-
TFF-6036-G	60 x 36	2	1	4	4,964	-	-	-	-	-	-
TFF-6042-G	60 x 42	2	1	4	5,663	-	-	-	-	-	-
TFF-6048-G	60 x 48	2	1	4	6,133	-	-	-	-	-	-
TFF-6630-G	66 x 30	2	1	4	5,144	-	-	-	-	-	-
TFF-6636-G	66 x 36	2	1	4	5,426	-	-	-	-	-	-
TFF-6642-G	66 x 42	2	1	4	6,208	-	-	-	-	-	-
TFF-6648-G	66 x 48	2	1	4	6,740	-	-	-	-	-	-
TFF-7230-G	72 x 30	2	1	6	5,304	-	-	-	-	-	-
TFF-7236-G	72 x 36	2	1	6	5,612	-	-	-	-	-	-
TFF-7242-G	72 x 42	2	1	6	6,437	-	-	-	6,437	6,746	7,053
TFF-7248-G	72 x 48	2	1	6	7,005	-	-	-	7,005	7,325	7,643
TFF-7830-G	78 x 30	2	1	6	5,843	-	-	-	-	-	-
TFF-7836-G	78 x 36	2	1	6	6,198	-	-	-	-	-	-
TFF-7842-G	78 x 42	2	1	6	7,130	-	-	-	7,130	7,459	7,788
TFF-7848-G	78 x 48	2	1	6	7,777	-	-	-	7,777	8,119	8,459
TFF-8430-G	84 x 30	2	1	8	6,014	-	-	-	-	-	-
TFF-8436-G	84 x 36	2	1	8	6,398	-	-	-	-	-	-
TFF-8442-G	84 x 42	2	1	8	7,375	-	-	-	7,375	7,705	8,033
TFF-8448-G	84 x 48	2	1	8	8,061	-	-	-	8,061	8,403	8,743
TFF-9030-G	90 x 30	2	1	8	6,506	-	-	-	-	-	-
TFF-9036-G	90 x 36	2	1	8	6,938	-	-	-	-	-	-
TFF-9042-G	90 x 42	2	1	8	8,016	-	-	-	8,016	8,364	8,708
TFF-9048-G	90 x 48	2	1	8	8,779	-	-	-	8,779	9,139	9,495
TFF-9630-G	96 x 30	2	1	8	6,685	-	-	-	-	-	-
TFF-9636-G	96 x 36	2	1	8	7,147	-	-	-	-	-	-
TFF-9642-G	96 x 42	2	1	8	8,275	-	-	-	8,275	8,621	8,966
TFF-9648-G	96 x 48	2	1	8	9,080	-	-	-	9,080	9,438	9,796
TFF-10242-G	102 x 42	2	2	8	9,006	-	-	-	9,006	9,373	9,736
TFF-10248-G	102 x 48	2	2	8	9,900	-	-	-	9,900	10,279	10,657
TFF-10842-G	108 x 42	2	2	10	9,279	-	-	-	9,279	9,646	10,009
TFF-10848-G	108 x 48	2	2	10	10,215	-	-	-	10,215	10,594	10,972
TFF-10854-G	108 x 54	2	2	10	11,314	-	-	-	11,314	11,710	12,103
TFF-11442-G	114 x 42	2	2	10	10,053	-	-	-	10,053	10,440	10,824
TFF-11448-G	114 x 48	2	2	10	11,086	-	-	-	11,086	11,485	11,883
TFF-11454-G	114 x 54	2	2	12	12,293	-	-	-	12,293	12,710	13,125
TFF-12042-G	120 x 42	2	2	10	10,342	-	-	-	10,342	10,727	11,111
TFF-12048-G	120 x 48	2	2	10	11,420	-	-	-	11,420	11,819	12,215
TFF-12054-G	120 x 54	2	2	12	12,680	-	-	-	12,680	13,097	13,512
TFF-13242-G	132 x 42	2	3	10	11,368	-	-	-	11,368	11,771	12,170
TFF-13248-G	132 x 48	2	3	10	12,588	-	-	-	12,588	13,003	13,416
TFF-13254-G	132 x 54	2	3	12	14,011	-	-	-	14,011	14,445	14,877
TFF-14448-G	144 x 48	2	3	12	13,811	-	-	-	13,811	14,245	14,674
TFF-14454-G	144 x 54	2	2	14	15,404	-	-	-	15,404	15,856	16,306
TFF-14460-G	144 x 60	2	3	14	17,256	-	-	-	17,256	17,731	18,204
TFF-15648-G	156 x 48	3	3	14	-	17,607	17,607	17,607	17,607	18,262	18,914
TFF-15654-G	156 x 54	3	3	14	-	19,461	19,461	19,461	19,461	20,146	20,826
TFF-15660-G	156 x 60	3	3	14	-	21,625	21,625	21,625	21,625	22,346	23,062
TFF-16854-G	168 x 54	3	3	16	-	20,407	20,407	20,407	20,407	21,090	21,772
TFF-16860-G	168 x 60	3	3	16	-	22,706	22,706	22,706	22,706	23,427	24,145
TFF-18054-G	180 x 54	3	3	16	-	21,349	21,349	21,349	21,349	22,034	22,714
TFF-18060-G	180 x 60	3	3	16	-	23,789	23,789	23,789	23,789	24,510	25,226
TFF-19254-G	192 x 54	3	4	18	-	22,294	22,294	22,294	22,294	22,979	23,659
TFF-19260-G	192 x 60	3	4	18	-	24,868	24,868	24,868	24,868	25,589	26,307
TFF-20454-G	204 x 54	3	4	18	-	24,182	24,182	24,182	24,182	24,895	25,602
TFF-20460-G	204 x 60	3	4	18	-	27,004	27,004	27,004	27,004	27,754	28,500
TFF-21654-G	216 x 54	3	4	20	-	25,778	25,778	25,778	25,778	26,508	27,233
TFF-21660-G	216 x 60	3	4	20	-	28,815	28,815	28,815	28,815	29,584	30,347
TFF-22854-G	228 x 54	3	4	20	-	27,040	27,040	27,040	27,040	27,778	28,509
TFF-22860-G	228 x 60	3	4	20	-	30,255	30,255	30,255	30,255	31,030	31,801
TFF-24054-G	240 x 54	3	4	20	-	28,374	28,374	28,374	28,374	29,119	29,859
TFF-24060-G	240 x 60	3	4	20	-	31,773	31,773	31,773	31,773	32,558	33,338

GLASS TOP

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWB**	$1,725	
Polished Chrome Open Frame with X-Center Base	Add **-PCOFX-TWB**	$2,588	
Satin Glass Options:			
Satin Glass	Add **-TFSG**	$505	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Glass Edge

GENERAL INFORMATION

- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Glass Finish
- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Sub-Top Finish: Paint Finish or Wood Species & Finish

SOLID SURFACE TOP



RECTANGLE TOP


BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base

RECTANGLE TABLES

MODEL #	L x W	BASE QTY	GLASS SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV
TFT-6030-SS	60 x 30	2	1	4	4,933	-	-	-	-	-	-
TFT-6036-SS	60 x 36	2	1	4	5,187	-	-	-	-	-	-
TFT-6042-SS	60 x 42	2	1	4	5,917	-	-	-	-	-	-
TFT-6048-SS	60 x 48	2	1	4	6,408	-	-	-	-	-	-
TFT-6630-SS	66 x 30	2	1	4	5,375	-	-	-	-	-	-
TFT-6636-SS	66 x 36	2	1	4	5,670	-	-	-	-	-	-
TFT-6642-SS	66 x 42	2	1	4	6,486	-	-	-	-	-	-
TFT-6648-SS	66 x 48	2	1	4	7,042	-	-	-	-	-	-
TFT-7230-SS	72 x 30	2	1	6	5,542	-	-	-	-	-	-
TFT-7236-SS	72 x 36	2	1	6	5,864	-	-	-	-	-	-
TFT-7242-SS	72 x 42	2	1	6	6,726	-	-	-	6,726	7,049	7,370
TFT-7248-SS	72 x 48	2	1	6	7,319	-	-	-	7,319	7,653	7,986
TFT-7830-SS	78 x 30	2	1	6	6,105	-	-	-	-	-	-
TFT-7836-SS	78 x 36	2	1	6	6,476	-	-	-	-	-	-
TFT-7842-SS	78 x 42	2	1	6	7,450	-	-	-	7,450	7,794	8,137
TFT-7848-SS	78 x 48	2	1	6	8,126	-	-	-	8,126	8,483	8,838
TFT-8430-SS	84 x 30	2	1	8	6,284	-	-	-	-	-	-
TFT-8436-SS	84 x 36	2	1	8	6,685	-	-	-	-	-	-
TFT-8442-SS	84 x 42	2	1	8	7,706	-	-	-	7,706	8,051	8,393
TFT-8448-SS	84 x 48	2	1	8	8,423	-	-	-	8,423	8,780	9,135
TFT-9030-SS	90 x 30	2	1	8	6,798	-	-	-	-	-	-
TFT-9036-SS	90 x 36	2	1	8	7,249	-	-	-	-	-	-
TFT-9042-SS	90 x 42	2	1	8	8,375	-	-	-	8,375	8,739	9,099
TFT-9048-SS	90 x 48	2	1	8	9,173	-	-	-	9,173	9,549	9,921
TFT-9630-SS	96 x 30	2	1	8	6,985	-	-	-	-	-	-
TFT-9636-SS	96 x 36	2	1	8	7,468	-	-	-	-	-	-
TFT-9642-SS	96 x 42	2	1	8	8,646	-	-	-	8,646	9,008	9,368
TFT-9648-SS	96 x 48	2	1	8	9,487	-	-	-	9,487	9,862	10,235
TFT-10242-SS	102 x 42	2	2	8	9,410	-	-	-	9,410	9,794	10,173
TFT-10248-SS	102 x 48	2	2	8	10,344	-	-	-	10,344	10,741	11,135
TFT-10842-SS	108 x 42	2	2	10	9,696	-	-	-	9,696	10,079	10,459
TFT-10848-SS	108 x 48	2	2	10	10,674	-	-	-	10,674	11,070	11,464
TFT-10854-SS	108 x 54	2	2	10	11,821	-	-	-	11,821	12,235	12,646
TFT-11442-SS	114 x 42	2	2	10	10,504	-	-	-	10,504	10,908	11,309
TFT-11448-SS	114 x 48	2	2	10	11,583	-	-	-	11,583	12,001	12,416
TFT-11454-SS	114 x 54	2	2	12	12,845	-	-	-	12,845	13,280	13,714
TFT-12042-SS	120 x 42	2	2	10	10,806	-	-	-	10,806	11,208	11,609
TFT-12048-SS	120 x 48	2	2	10	11,932	-	-	-	11,932	12,349	12,763
TFT-12054-SS	120 x 54	2	2	12	13,249	-	-	-	13,249	13,684	14,118
TFT-13242-SS	132 x 42	2	3	10	11,878	-	-	-	11,878	12,299	12,716
TFT-13248-SS	132 x 48	2	3	10	13,153	-	-	-	13,153	13,587	14,018
TFT-13254-SS	132 x 54	2	3	12	14,640	-	-	-	14,640	15,093	15,544
TFT-14448-SS	144 x 48	2	3	12	14,431	-	-	-	14,431	14,884	15,332
TFT-14454-SS	144 x 54	2	2	14	16,095	-	-	-	16,095	16,568	17,037
TFT-14460-SS	144 x 60	2	3	14	18,030	-	-	-	18,030	18,527	19,021
TFT-15648-SS	156 x 48	3	3	14	-	18,397	18,397	18,397	18,397	19,081	19,763
TFT-15654-SS	156 x 54	3	3	14	-	20,335	20,335	20,335	20,335	21,050	21,761
TFT-15660-SS	156 x 60	3	3	14	-	22,596	22,596	22,596	22,596	23,349	24,097
TFT-16854-SS	168 x 54	3	3	16	-	21,323	21,323	21,323	21,323	22,036	22,749
TFT-16860-SS	168 x 60	3	3	16	-	23,725	23,725	23,725	23,725	24,478	25,228
TFT-18054-SS	180 x 54	3	3	16	-	22,307	22,307	22,307	22,307	23,023	23,733
TFT-18060-SS	180 x 60	3	3	16	-	24,856	24,856	24,856	24,856	25,609	26,358
TFT-19254-SS	192 x 54	3	4	18	-	23,295	23,295	23,295	23,295	24,010	24,721
TFT-19260-SS	192 x 60	3	4	18	-	25,984	25,984	25,984	25,984	26,737	27,487
TFT-20454-SS	204 x 54	3	4	18	-	25,267	25,267	25,267	25,267	26,012	26,750
TFT-20460-SS	204 x 60	3	4	18	-	28,216	28,216	28,216	28,216	29,000	29,779
TFT-21654-SS	216 x 54	3	4	20	-	26,935	26,935	26,935	26,935	27,697	28,455
TFT-21660-SS	216 x 60	3	4	20	-	30,108	30,108	30,108	30,108	30,912	31,709
TFT-22854-SS	228 x 54	3	4	20	-	28,253	28,253	28,253	28,253	29,024	29,789
TFT-22860-SS	228 x 60	3	4	20	-	31,613	31,613	31,613	31,613	32,423	33,228
TFT-24054-SS	240 x 54	3	4	20	-	29,647	29,647	29,647	29,647	30,426	31,199
TFT-24060-SS	240 x 60	3	4	20	-	33,199	33,199	33,199	33,199	34,019	34,834

SOLID SURFACE TOP



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame
OFX	Open Frame with X Center Base
OFRP	Open Frame with Painted Rectangle Center Base
OFRV	Open Frame with Veneer Rectangle Center Base
RCL	Laminate Racetrack Base
RCP	Painted Racetrack Base
RCV	Veneer Racetrack Base


SOFT RECTANGLE TABLES

MODEL #	L x W	BASE QTY	GLASS SECTIONS	SEATING CAPACITY	-OF	-OFX	-OFRP	-OFRV	-RCL	-RCP	-RCV
TFF-6030-SS	60 x 30	2	1	4	4,933	-	-	-	-	-	-
TFF-6036-SS	60 x 36	2	1	4	5,187	-	-	-	-	-	-
TFF-6042-SS	60 x 42	2	1	4	5,917	-	-	-	-	-	-
TFF-6048-SS	60 x 48	2	1	4	6,408	-	-	-	-	-	-
TFF-6630-SS	66 x 30	2	1	4	5,375	-	-	-	-	-	-
TFF-6636-SS	66 x 36	2	1	4	5,670	-	-	-	-	-	-
TFF-6642-SS	66 x 42	2	1	4	6,486	-	-	-	-	-	-
TFF-6648-SS	66 x 48	2	1	4	7,042	-	-	-	-	-	-
TFF-7230-SS	72 x 30	2	1	6	5,542	-	-	-	-	-	-
TFF-7236-SS	72 x 36	2	1	6	5,864	-	-	-	-	-	-
TFF-7242-SS	72 x 42	2	1	6	6,726	-	-	-	6,726	7,049	7,370
TFF-7248-SS	72 x 48	2	1	6	7,319	-	-	-	7,319	7,653	7,986
TFF-7830-SS	78 x 30	2	1	6	6,105	-	-	-	-	-	-
TFF-7836-SS	78 x 36	2	1	6	6,476	-	-	-	-	-	-
TFF-7842-SS	78 x 42	2	1	6	7,450	-	-	-	7,450	7,794	8,137
TFF-7848-SS	78 x 48	2	1	6	8,126	-	-	-	8,126	8,483	8,838
TFF-8430-SS	84 x 30	2	1	8	6,284	-	-	-	-	-	-
TFF-8436-SS	84 x 36	2	1	8	6,685	-	-	-	-	-	-
TFF-8442-SS	84 x 42	2	1	8	7,706	-	-	-	7,706	8,051	8,393
TFF-8448-SS	84 x 48	2	1	8	8,423	-	-	-	8,423	8,780	9,135
TFF-9030-SS	90 x 30	2	1	8	6,798	-	-	-	-	-	-
TFF-9036-SS	90 x 36	2	1	8	7,249	-	-	-	-	-	-
TFF-9042-SS	90 x 42	2	1	8	8,375	-	-	-	8,375	8,739	9,099
TFF-9048-SS	90 x 48	2	1	8	9,173	-	-	-	9,173	9,549	9,921
TFF-9630-SS	96 x 30	2	1	8	6,985	-	-	-	-	-	-
TFF-9636-SS	96 x 36	2	1	8	7,468	-	-	-	-	-	-
TFF-9642-SS	96 x 42	2	1	8	8,646	-	-	-	8,646	9,008	9,368
TFF-9648-SS	96 x 48	2	1	8	9,487	-	-	-	9,487	9,862	10,235
TFF-10242-SS	102 x 42	2	2	8	9,410	-	-	-	9,410	9,794	10,173
TFF-10248-SS	102 x 48	2	2	8	10,344	-	-	-	10,344	10,741	11,135
TFF-10842-SS	108 x 42	2	2	10	9,696	-	-	-	9,696	10,079	10,459
TFF-10848-SS	108 x 48	2	2	10	10,674	-	-	-	10,674	11,070	11,464
TFF-10854-SS	108 x 54	2	2	10	11,821	-	-	-	11,821	12,235	12,646
TFF-11442-SS	114 x 42	2	2	10	10,504	-	-	-	10,504	10,908	11,309
TFF-11448-SS	114 x 48	2	2	10	11,583	-	-	-	11,583	12,001	12,416
TFF-11454-SS	114 x 54	2	2	12	12,845	-	-	-	12,845	13,280	13,714
TFF-12042-SS	120 x 42	2	2	10	10,806	-	-	-	10,806	11,208	11,609
TFF-12048-SS	120 x 48	2	2	10	11,932	-	-	-	11,932	12,349	12,763
TFF-12054-SS	120 x 54	2	2	12	13,249	-	-	-	13,249	13,684	14,118
TFF-13242-SS	132 x 42	2	3	10	11,878	-	-	-	11,878	12,299	12,716
TFF-13248-SS	132 x 48	2	3	10	13,153	-	-	-	13,153	13,587	14,018
TFF-13254-SS	132 x 54	2	3	12	14,640	-	-	-	14,640	15,093	15,544
TFF-14448-SS	144 x 48	2	3	12	14,431	-	-	-	14,431	14,884	15,332
TFF-14454-SS	144 x 54	2	2	14	16,095	-	-	-	16,095	16,568	17,037
TFF-14460-SS	144 x 60	2	3	14	18,030	-	-	-	18,030	18,527	19,021
TFF-15648-SS	156 x 48	3	3	14	-	18,397	18,397	18,397	18,397	19,081	19,763
TFF-15654-SS	156 x 54	3	3	14	-	20,335	20,335	20,335	20,335	21,050	21,761
TFF-15660-SS	156 x 60	3	3	14	-	22,596	22,596	22,596	22,596	23,349	24,097
TFF-16854-SS	168 x 54	3	3	16	-	21,323	21,323	21,323	21,323	22,036	22,749
TFF-16860-SS	168 x 60	3	3	16	-	23,725	23,725	23,725	23,725	24,478	25,228
TFF-18054-SS	180 x 54	3	3	16	-	22,307	22,307	22,307	22,307	23,023	23,733
TFF-18060-SS	180 x 60	3	3	16	-	24,856	24,856	24,856	24,856	25,609	26,358
TFF-19254-SS	192 x 54	3	4	18	-	23,295	23,295	23,295	23,295	24,010	24,721
TFF-19260-SS	192 x 60	3	4	18	-	25,984	25,984	25,984	25,984	26,737	27,487
TFF-20454-SS	204 x 54	3	4	18	-	25,267	25,267	25,267	25,267	26,012	26,750
TFF-20460-SS	204 x 60	3	4	18	-	28,216	28,216	28,216	28,216	29,000	29,779
TFF-21654-SS	216 x 54	3	4	20	-	26,935	26,935	26,935	26,935	27,697	28,455
TFF-21660-SS	216 x 60	3	4	20	-	30,108	30,108	30,108	30,108	30,912	31,709
TFF-22854-SS	228 x 54	3	4	20	-	28,253	28,253	28,253	28,253	29,024	29,789
TFF-22860-SS	228 x 60	3	4	20	-	31,613	31,613	31,613	31,613	32,423	33,228
TFF-24054-SS	240 x 54	3	4	20	-	29,647	29,647	29,647	29,647	30,426	31,199
TFF-24060-SS	240 x 60	3	4	20	-	33,199	33,199	33,199	33,199	34,019	34,834

SOLID SURFACE TOP

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWB**	$1,725	
Polished Chrome Open Frame with X-Center Base	Add **-PCOFX-TWB**	$2,588	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Solid Surface Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 29.5"
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Solid Surface Finish
- Choose Metal Finish

VENEER TOP WITH HARDWOOD EDGE / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

60" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP


MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFL-3060-V	60	30	29-1/2	60	3	6,862	6,862	-	-	-
TFL-3660-V	60	36	29-1/2	60	3	7,018	7,018	-	-	-
TFL-4260-V	60	42	29-1/2	60	3	7,801	7,801	-	-	-
TFL-4860-V	60	48	29-1/2	60	3	8,246	8,246	-	-	-
TFL-3066-V	66	30	29-1/2	60	3	7,347	7,347	-	-	-
TFL-3666-V	66	36	29-1/2	60	3	7,528	7,528	-	-	-
TFL-4266-V	66	42	29-1/2	60	3	8,383	8,383	-	-	-
TFL-4866-V	66	48	29-1/2	60	3	8,875	8,875	-	-	-
TFL-3072-V	72	30	29-1/2	60	3	7,449	7,449	-	-	-
TFL-3672-V	72	36	29-1/2	60	3	7,646	7,646	-	-	-
TFL-4272-V	72	42	29-1/2	60	3	8,530	8,530	8,530	8,943	9,382
TFL-4872-V	72	48	29-1/2	60	3	9,046	9,046	9,046	9,473	9,927
TFL-3078-V	78	30	29-1/2	60	5	8,076	8,076	-	-	-
TFL-3678-V	78	36	29-1/2	60	5	8,304	8,304	-	-	-
TFL-4278-V	78	42	29-1/2	60	5	9,279	9,279	9,279	9,721	10,190
TFL-4878-V	78	48	29-1/2	60	5	9,857	9,857	9,857	10,314	10,799
TFL-3084-V	84	30	29-1/2	60	5	8,185	8,185	-	-	-
TFL-3684-V	84	36	29-1/2	60	5	8,431	8,431	-	-	-
TFL-4284-V	84	42	29-1/2	60	5	9,437	9,437	9,437	9,879	10,348
TFL-4884-V	84	48	29-1/2	60	5	10,039	10,039	10,039	10,496	10,982
TFL-3090-V	90	30	29-1/2	60	5	8,726	8,726	-	-	-
TFL-3690-V	90	36	29-1/2	60	5	9,003	9,003	-	-	-
TFL-4290-V	90	42	29-1/2	60	5	10,092	10,092	10,092	10,557	11,050
TFL-4890-V	90	48	29-1/2	60	5	10,752	10,752	10,752	11,233	11,743
TFL-3096-V	96	30	29-1/2	60	5	8,841	8,841	-	-	-
TFL-3696-V	96	36	29-1/2	60	5	9,137	9,137	-	-	-
TFL-4296-V	96	42	29-1/2	60	5	10,258	10,258	10,258	10,723	11,216
TFL-4896-V	96	48	29-1/2	60	5	10,945	10,945	10,945	11,426	11,936



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Credenza Base Options:			
60"-wide Monitor Panel	Add **-MP**	$2,077	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Species & Finish
- Choose Metal Finish, if -OF or - ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

INSET LAMINATE TOP WITH HARDWOOD EDGE / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

60" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP


MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFL-3060-P	60	30	29-1/2	60	3	6,485	6,485	-	-	-
TFL-3660-P	60	36	29-1/2	60	3	6,633	6,633	-	-	-
TFL-4260-P	60	42	29-1/2	60	3	7,372	7,372	-	-	-
TFL-4860-P	60	48	29-1/2	60	3	7,793	7,793	-	-	-
TFL-3066-P	66	30	29-1/2	60	3	6,943	6,943	-	-	-
TFL-3666-P	66	36	29-1/2	60	3	7,114	7,114	-	-	-
TFL-4266-P	66	42	29-1/2	60	3	7,922	7,922	-	-	-
TFL-4866-P	66	48	29-1/2	60	3	8,387	8,387	-	-	-
TFL-3072-P	72	30	29-1/2	60	3	7,040	7,040	-	-	-
TFL-3672-P	72	36	29-1/2	60	3	7,226	7,226	-	-	-
TFL-4272-P	72	42	29-1/2	60	3	8,061	8,061	8,061	8,452	8,866
TFL-4872-P	72	48	29-1/2	60	3	8,549	8,549	8,549	8,952	9,382
TFL-3078-P	78	30	29-1/2	60	5	7,632	7,632	-	-	-
TFL-3678-P	78	36	29-1/2	60	5	7,848	7,848	-	-	-
TFL-4278-P	78	42	29-1/2	60	5	8,769	8,769	8,769	9,187	9,630
TFL-4878-P	78	48	29-1/2	60	5	9,315	9,315	9,315	9,747	10,206
TFL-3084-P	84	30	29-1/2	60	5	7,735	7,735	-	-	-
TFL-3684-P	84	36	29-1/2	60	5	7,968	7,968	-	-	-
TFL-4284-P	84	42	29-1/2	60	5	8,918	8,918	8,918	9,336	9,779
TFL-4884-P	84	48	29-1/2	60	5	9,487	9,487	9,487	9,919	10,378
TFL-3090-P	90	30	29-1/2	60	5	8,247	8,247	-	-	-
TFL-3690-P	90	36	29-1/2	60	5	8,508	8,508	-	-	-
TFL-4290-P	90	42	29-1/2	60	5	9,537	9,537	9,537	9,977	10,443
TFL-4890-P	90	48	29-1/2	60	5	10,161	10,161	10,161	10,616	11,098
TFL-3096-P	96	30	29-1/2	60	5	8,355	8,355	-	-	-
TFL-3696-P	96	36	29-1/2	60	5	8,635	8,635	-	-	-
TFL-4296-P	96	42	29-1/2	60	5	9,694	9,694	9,694	10,134	10,600
TFL-4896-P	96	48	29-1/2	60	5	10,344	10,344	10,344	10,798	11,280



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Credenza Base Options:			
60"-wide Monitor Panel	Add **-MP**	$2,077	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

LAMINATE TOP WITH ABS CUTBACK EDGE / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

60" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP


MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFL-3060-PA	60	30	29-1/2	60	3	6,485	6,485	-	-	-
TFL-3660-PA	60	36	29-1/2	60	3	6,633	6,633	-	-	-
TFL-4260-PA	60	42	29-1/2	60	3	7,372	7,372	-	-	-
TFL-4860-PA	60	48	29-1/2	60	3	7,793	7,793	-	-	-
TFL-3066-PA	66	30	29-1/2	60	3	6,943	6,943	-	-	-
TFL-3666-PA	66	36	29-1/2	60	3	7,114	7,114	-	-	-
TFL-4266-PA	66	42	29-1/2	60	3	7,922	7,922	-	-	-
TFL-4866-PA	66	48	29-1/2	60	3	8,387	8,387	-	-	-
TFL-3072-PA	72	30	29-1/2	60	3	7,040	7,040	-	-	-
TFL-3672-PA	72	36	29-1/2	60	3	7,226	7,226	-	-	-
TFL-4272-PA	72	42	29-1/2	60	3	8,061	8,061	8,061	8,452	8,866
TFL-4872-PA	72	48	29-1/2	60	3	8,549	8,549	8,549	8,952	9,382
TFL-3078-PA	78	30	29-1/2	60	5	7,632	7,632	-	-	-
TFL-3678-PA	78	36	29-1/2	60	5	7,848	7,848	-	-	-
TFL-4278-PA	78	42	29-1/2	60	5	8,769	8,769	8,769	9,187	9,630
TFL-4878-PA	78	48	29-1/2	60	5	9,315	9,315	9,315	9,747	10,206
TFL-3084-PA	84	30	29-1/2	60	5	7,735	7,735	-	-	-
TFL-3684-PA	84	36	29-1/2	60	5	7,968	7,968	-	-	-
TFL-4284-PA	84	42	29-1/2	60	5	8,918	8,918	8,918	9,336	9,779
TFL-4884-PA	84	48	29-1/2	60	5	9,487	9,487	9,487	9,919	10,378
TFL-3090-PA	90	30	29-1/2	60	5	8,247	8,247	-	-	-
TFL-3690-PA	90	36	29-1/2	60	5	8,508	8,508	-	-	-
TFL-4290-PA	90	42	29-1/2	60	5	9,537	9,537	9,537	9,977	10,443
TFL-4890-PA	90	48	29-1/2	60	5	10,161	10,161	10,161	10,616	11,098
TFL-3096-PA	96	30	29-1/2	60	5	8,355	8,355	-	-	-
TFL-3696-PA	96	36	29-1/2	60	5	8,635	8,635	-	-	-
TFL-4296-PA	96	42	29-1/2	60	5	9,694	9,694	9,694	10,134	10,600
TFL-4896-PA	96	48	29-1/2	60	5	10,344	10,344	10,344	10,798	11,280



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Credenza Base Options:			
60"-wide Monitor Panel	Add **-MP**	$2,077	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

LAMINATE TOP WITH ABS SQUARE EDGE / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

60" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFL-3060-PE	60	30	29-1/2	60	3	6,163	6,163	-	-	-
TFL-3660-PE	60	36	29-1/2	60	3	6,303	6,303	-	-	-
TFL-4260-PE	60	42	29-1/2	60	3	7,006	7,006	-	-	-
TFL-4860-PE	60	48	29-1/2	60	3	7,405	7,405	-	-	-
TFL-3066-PE	66	30	29-1/2	60	3	6,598	6,598	-	-	-
TFL-3666-PE	66	36	29-1/2	60	3	6,761	6,761	-	-	-
TFL-4266-PE	66	42	29-1/2	60	3	7,528	7,528	-	-	-
TFL-4866-PE	66	48	29-1/2	60	3	7,970	7,970	-	-	-
TFL-3072-PE	72	30	29-1/2	60	3	6,690	6,690	-	-	-
TFL-3672-PE	72	36	29-1/2	60	3	6,867	6,867	-	-	-
TFL-4272-PE	72	42	29-1/2	60	3	7,660	7,660	7,660	8,031	8,426
TFL-4872-PE	72	48	29-1/2	60	3	8,124	8,124	8,124	8,507	8,915
TFL-3078-PE	78	30	29-1/2	60	5	7,253	7,253	-	-	-
TFL-3678-PE	78	36	29-1/2	60	5	7,457	7,457	-	-	-
TFL-4278-PE	78	42	29-1/2	60	5	8,333	8,333	8,333	8,730	9,151
TFL-4878-PE	78	48	29-1/2	60	5	8,852	8,852	8,852	9,262	9,698
TFL-3084-PE	84	30	29-1/2	60	5	7,351	7,351	-	-	-
TFL-3684-PE	84	36	29-1/2	60	5	7,572	7,572	-	-	-
TFL-4284-PE	84	42	29-1/2	60	5	8,475	8,475	8,475	8,872	9,293
TFL-4884-PE	84	48	29-1/2	60	5	9,016	9,016	9,016	9,426	9,862
TFL-3090-PE	90	30	29-1/2	60	5	7,836	7,836	-	-	-
TFL-3690-PE	90	36	29-1/2	60	5	8,085	8,085	-	-	-
TFL-4290-PE	90	42	29-1/2	60	5	9,063	9,063	9,063	9,481	9,923
TFL-4890-PE	90	48	29-1/2	60	5	9,656	9,656	9,656	10,088	10,546
TFL-3096-PE	96	30	29-1/2	60	5	7,940	7,940	-	-	-
TFL-3696-PE	96	36	29-1/2	60	5	8,206	8,206	-	-	-
TFL-4296-PE	96	42	29-1/2	60	5	9,212	9,212	9,212	9,630	10,072
TFL-4896-PE	96	48	29-1/2	60	5	9,829	9,829	9,829	10,261	10,719



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Credenza Base Options:			
60"-wide Monitor Panel	Add **-MP**	$2,077	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Square Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

GLASS TOP / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

60" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP


MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFL-3060-G	60	30	29-1/2	60	3	10,705	-	-	-
TFL-3660-G	60	36	29-1/2	60	3	10,949	-	-	-
TFL-4260-G	60	42	29-1/2	60	3	12,170	-	-	-
TFL-4860-G	60	48	29-1/2	60	3	12,864	-	-	-
TFL-3066-G	66	30	29-1/2	60	3	11,462	-	-	-
TFL-3666-G	66	36	29-1/2	60	3	11,744	-	-	-
TFL-4266-G	66	42	29-1/2	60	3	13,078	-	-	-
TFL-4866-G	66	48	29-1/2	60	3	13,845	-	-	-
TFL-3072-G	72	30	29-1/2	60	3	11,621	-	-	-
TFL-3672-G	72	36	29-1/2	60	3	11,928	-	-	-
TFL-4272-G	72	42	29-1/2	60	3	13,307	13,307	13,952	14,636
TFL-4872-G	72	48	29-1/2	60	3	14,112	14,112	14,778	15,487
TFL-3078-G	78	30	29-1/2	60	5	12,599	-	-	-
TFL-3678-G	78	36	29-1/2	60	5	12,955	-	-	-
TFL-4278-G	78	42	29-1/2	60	5	14,476	14,476	15,165	15,897
TFL-4878-G	78	48	29-1/2	60	5	15,377	15,377	16,090	16,847
TFL-3084-G	84	30	29-1/2	60	5	12,769	-	-	-
TFL-3684-G	84	36	29-1/2	60	5	13,153	-	-	-
TFL-4284-G	84	42	29-1/2	60	5	14,722	14,722	15,412	16,143
TFL-4884-G	84	48	29-1/2	60	5	15,661	15,661	16,374	17,132
TFL-3090-G	90	30	29-1/2	60	5	13,613	-	-	-
TFL-3690-G	90	36	29-1/2	60	5	14,045	-	-	-
TFL-4290-G	90	42	29-1/2	60	5	15,744	15,744	16,469	17,238
TFL-4890-G	90	48	29-1/2	60	5	16,774	16,774	17,524	18,320
TFL-3096-G	96	30	29-1/2	60	5	13,792	-	-	-
TFL-3696-G	96	36	29-1/2	60	5	14,254	-	-	-
TFL-4296-G	96	42	29-1/2	60	5	16,003	16,003	16,728	17,497
TFL-4896-G	96	48	29-1/2	60	5	17,075	17,075	17,825	18,621



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Satin Glass Options:			
Satin Glass	Add **-TFSG**	$505	
Credenza Base Options:			
60"-wide Monitor Panel	Add **-MP**	$2,077	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Glass Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- All doors will be keyed alike if locks are specified
- Lock color will default to metal color
- Access door on the credenza base standard with a lock
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Glass Finish
- Choose Veneer Finish, if applicable
- Choose Paint Finish if -PA is specified
- Choose Metal Finish
- Choose Sub-Top Finish: Paint Finish or Wood Species & Finish

SOLID SURFACE TOP / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

60" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP


MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFL-3060-SS	60	30	29-1/2	60	3	11,186	-	-	-
TFL-3660-SS	60	36	29-1/2	60	3	11,440	-	-	-
TFL-4260-SS	60	42	29-1/2	60	3	12,716	-	-	-
TFL-4860-SS	60	48	29-1/2	60	3	13,441	-	-	-
TFL-3066-SS	66	30	29-1/2	60	3	11,976	-	-	-
TFL-3666-SS	66	36	29-1/2	60	3	12,271	-	-	-
TFL-4266-SS	66	42	29-1/2	60	3	13,665	-	-	-
TFL-4866-SS	66	48	29-1/2	60	3	14,467	-	-	-
TFL-3072-SS	72	30	29-1/2	60	3	12,142	-	-	-
TFL-3672-SS	72	36	29-1/2	60	3	12,463	-	-	-
TFL-4272-SS	72	42	29-1/2	60	3	13,904	13,904	14,578	15,293
TFL-4872-SS	72	48	29-1/2	60	3	14,745	14,745	15,441	16,182
TFL-3078-SS	78	30	29-1/2	60	5	13,164	-	-	-
TFL-3678-SS	78	36	29-1/2	60	5	13,536	-	-	-
TFL-4278-SS	78	42	29-1/2	60	5	15,125	15,125	15,846	16,610
TFL-4878-SS	78	48	29-1/2	60	5	16,067	16,067	16,812	17,603
TFL-3084-SS	84	30	29-1/2	60	5	13,342	-	-	-
TFL-3684-SS	84	36	29-1/2	60	5	13,743	-	-	-
TFL-4284-SS	84	42	29-1/2	60	5	15,383	15,383	16,103	16,868
TFL-4884-SS	84	48	29-1/2	60	5	16,364	16,364	17,109	17,901
TFL-3090-SS	90	30	29-1/2	60	5	14,224	-	-	-
TFL-3690-SS	90	36	29-1/2	60	5	14,675	-	-	-
TFL-4290-SS	90	42	29-1/2	60	5	16,450	16,450	17,208	18,012
TFL-4890-SS	90	48	29-1/2	60	5	17,526	17,526	18,310	19,142
TFL-3096-SS	96	30	29-1/2	60	5	14,411	-	-	-
TFL-3696-SS	96	36	29-1/2	60	5	14,894	-	-	-
TFL-4296-SS	96	42	29-1/2	60	5	16,721	16,721	17,479	18,283
TFL-4896-SS	96	48	29-1/2	60	5	17,841	17,841	18,625	19,456



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Credenza Base Options:			
60"-wide Monitor Panel	Add **-MP**	$2,077	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Solid Surface Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- All doors will be keyed alike if locks are specified
- Lock color will default to metal color
- Access door on the credenza base standard with a lock
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Solid Surface Finish
- Choose Veneer Finish, if applicable
- Choose Paint Finish if -PA is specified
- Choose Metal Finish

VENEER TOP WITH HARDWOOD EDGE / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

72" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP


MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFX-3060-V	60	30	29-1/2	72	3	7,173	7,173	-	-	-
TFX-3660-V	60	36	29-1/2	72	3	7,329	7,329	-	-	-
TFX-4260-V	60	42	29-1/2	72	3	8,140	8,140	-	-	-
TFX-4860-V	60	48	29-1/2	72	3	8,595	8,595	-	-	-
TFX-3066-V	66	30	29-1/2	72	3	7,675	7,675	-	-	-
TFX-3666-V	66	36	29-1/2	72	3	7,856	7,856	-	-	-
TFX-4266-V	66	42	29-1/2	72	3	8,740	8,740	-	-	-
TFX-4866-V	66	48	29-1/2	72	3	9,244	9,244	-	-	-
TFX-3072-V	72	30	29-1/2	72	3	7,777	7,777	-	-	-
TFX-3672-V	72	36	29-1/2	72	3	7,974	7,974	-	-	-
TFX-4272-V	72	42	29-1/2	72	3	8,887	8,887	8,887	9,319	9,820
TFX-4872-V	72	48	29-1/2	72	3	9,415	9,415	9,415	9,862	10,381
TFX-3078-V	78	30	29-1/2	72	5	8,427	8,427	-	-	-
TFX-3678-V	78	36	29-1/2	72	5	8,655	8,655	-	-	-
TFX-4278-V	78	42	29-1/2	72	5	9,661	9,661	9,661	10,123	10,659
TFX-4878-V	78	48	29-1/2	72	5	10,252	10,252	10,252	10,730	11,284
TFX-3084-V	84	30	29-1/2	72	5	8,537	8,537	-	-	-
TFX-3684-V	84	36	29-1/2	72	5	8,783	8,783	-	-	-
TFX-4284-V	84	42	29-1/2	72	5	9,818	9,818	9,818	10,281	10,817
TFX-4884-V	84	48	29-1/2	72	5	10,434	10,434	10,434	10,912	11,467
TFX-3090-V	90	30	29-1/2	72	5	9,095	9,095	-	-	-
TFX-3690-V	90	36	29-1/2	72	5	9,372	9,372	-	-	-
TFX-4290-V	90	42	29-1/2	72	5	10,494	10,494	10,494	10,980	11,544
TFX-4890-V	90	48	29-1/2	72	5	11,168	11,168	11,168	11,671	12,254
TFX-3096-V	96	30	29-1/2	72	5	9,210	9,210	-	-	-
TFX-3696-V	96	36	29-1/2	72	5	9,506	9,506	-	-	-
TFX-4296-V	96	42	29-1/2	72	5	10,659	10,659	10,659	11,145	11,709
TFX-4896-V	96	48	29-1/2	72	5	11,360	11,360	11,360	11,863	12,446



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Credenza Base Options:			
72"-wide Monitor Panel	Add **-MP**	$2,241	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Sliding Equipment Rack (Right End Opening)	Add **-R1**	$2,643	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Sliding Equiptment Rack is located on the right end of the unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock
- All doors will be keyed alike if locks are specified
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically-controlled fan activates automatically at 87° F and turns off at 85° F
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Species & Finish
- Choose Metal Finish, if -OF or - ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

INSET LAMINATE TOP WITH HARDWOOD EDGE / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

72" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP


MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFX-3060-P	60	30	29-1/2	72	3	6,779	6,779	-	-	-
TFX-3660-P	60	36	29-1/2	72	3	6,926	6,926	-	-	-
TFX-4260-P	60	42	29-1/2	72	3	7,693	7,693	-	-	-
TFX-4860-P	60	48	29-1/2	72	3	8,123	8,123	-	-	-
TFX-3066-P	66	30	29-1/2	72	3	7,253	7,253	-	-	-
TFX-3666-P	66	36	29-1/2	72	3	7,424	7,424	-	-	-
TFX-4266-P	66	42	29-1/2	72	3	8,260	8,260	-	-	-
TFX-4866-P	66	48	29-1/2	72	3	8,736	8,736	-	-	-
TFX-3072-P	72	30	29-1/2	72	3	7,350	7,350	-	-	-
TFX-3672-P	72	36	29-1/2	72	3	7,536	7,536	-	-	-
TFX-4272-P	72	42	29-1/2	72	3	8,399	8,399	8,399	8,807	9,280
TFX-4872-P	72	48	29-1/2	72	3	8,898	8,898	8,898	9,320	9,811
TFX-3078-P	78	30	29-1/2	72	5	7,964	7,964	-	-	-
TFX-3678-P	78	36	29-1/2	72	5	8,179	8,179	-	-	-
TFX-4278-P	78	42	29-1/2	72	5	9,130	9,130	9,130	9,567	10,073
TFX-4878-P	78	48	29-1/2	72	5	9,689	9,689	9,689	10,140	10,664
TFX-3084-P	84	30	29-1/2	72	5	8,068	8,068	-	-	-
TFX-3684-P	84	36	29-1/2	72	5	8,300	8,300	-	-	-
TFX-4284-P	84	42	29-1/2	72	5	9,279	9,279	9,279	9,716	10,223
TFX-4884-P	84	48	29-1/2	72	5	9,861	9,861	9,861	10,312	10,837
TFX-3090-P	90	30	29-1/2	72	5	8,595	8,595	-	-	-
TFX-3690-P	90	36	29-1/2	72	5	8,857	8,857	-	-	-
TFX-4290-P	90	42	29-1/2	72	5	9,917	9,917	9,917	10,377	10,910
TFX-4890-P	90	48	29-1/2	72	5	10,554	10,554	10,554	11,030	11,581
TFX-3096-P	96	30	29-1/2	72	5	8,704	8,704	-	-	-
TFX-3696-P	96	36	29-1/2	72	5	8,984	8,984	-	-	-
TFX-4296-P	96	42	29-1/2	72	5	10,073	10,073	10,073	10,533	11,066
TFX-4896-P	96	48	29-1/2	72	5	10,736	10,736	10,736	11,211	11,762



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Credenza Base Options:			
72"-wide Monitor Panel	Add **-MP**	$2,241	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Sliding Equipment Rack (Right End Opening)	Add **-R1**	$2,643	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Sliding Equiptment Rack is located on the right end of the unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock
- All doors will be keyed alike if locks are specified
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically-controlled fan activates automatically at 87° F and turns off at 85° F
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

LAMINATE TOP WITH ABS CUTBACK EDGE / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

72" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP


MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFX-3060-PA	60	30	29-1/2	72	3	6,779	6,779	-	-	-
TFX-3660-PA	60	36	29-1/2	72	3	6,926	6,926	-	-	-
TFX-4260-PA	60	42	29-1/2	72	3	7,693	7,693	-	-	-
TFX-4860-PA	60	48	29-1/2	72	3	8,123	8,123	-	-	-
TFX-3066-PA	66	30	29-1/2	72	3	7,253	7,253	-	-	-
TFX-3666-PA	66	36	29-1/2	72	3	7,424	7,424	-	-	-
TFX-4266-PA	66	42	29-1/2	72	3	8,260	8,260	-	-	-
TFX-4866-PA	66	48	29-1/2	72	3	8,736	8,736	-	-	-
TFX-3072-PA	72	30	29-1/2	72	3	7,350	7,350	-	-	-
TFX-3672-PA	72	36	29-1/2	72	3	7,536	7,536	-	-	-
TFX-4272-PA	72	42	29-1/2	72	3	8,399	8,399	8,399	8,807	9,280
TFX-4872-PA	72	48	29-1/2	72	3	8,898	8,898	8,898	9,320	9,811
TFX-3078-PA	78	30	29-1/2	72	5	7,964	7,964	-	-	-
TFX-3678-PA	78	36	29-1/2	72	5	8,179	8,179	-	-	-
TFX-4278-PA	78	42	29-1/2	72	5	9,130	9,130	9,130	9,567	10,073
TFX-4878-PA	78	48	29-1/2	72	5	9,689	9,689	9,689	10,140	10,664
TFX-3084-PA	84	30	29-1/2	72	5	8,068	8,068	-	-	-
TFX-3684-PA	84	36	29-1/2	72	5	8,300	8,300	-	-	-
TFX-4284-PA	84	42	29-1/2	72	5	9,279	9,279	9,279	9,716	10,223
TFX-4884-PA	84	48	29-1/2	72	5	9,861	9,861	9,861	10,312	10,837
TFX-3090-PA	90	30	29-1/2	72	5	8,595	8,595	-	-	-
TFX-3690-PA	90	36	29-1/2	72	5	8,857	8,857	-	-	-
TFX-4290-PA	90	42	29-1/2	72	5	9,917	9,917	9,917	10,377	10,910
TFX-4890-PA	90	48	29-1/2	72	5	10,554	10,554	10,554	11,030	11,581
TFX-3096-PA	96	30	29-1/2	72	5	8,704	8,704	-	-	-
TFX-3696-PA	96	36	29-1/2	72	5	8,984	8,984	-	-	-
TFX-4296-PA	96	42	29-1/2	72	5	10,073	10,073	10,073	10,533	11,066
TFX-4896-PA	96	48	29-1/2	72	5	10,736	10,736	10,736	11,211	11,762



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Credenza Base Options:			
72"-wide Monitor Panel	Add **-MP**	$2,241	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Sliding Equipment Rack (Right End Opening)	Add **-R1**	$2,643	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Sliding Equiptment Rack is located on the right end of the unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock
- All doors will be keyed alike if locks are specified
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically-controlled fan activates automatically at 87° F and turns off at 85° F
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

LAMINATE TOP WITH ABS SQUARE EDGE / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

72" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFX-3060-PE	60	30	29-1/2	72	3	6,442	6,442	-	-	-
TFX-3660-PE	60	36	29-1/2	72	3	6,582	6,582	-	-	-
TFX-4260-PE	60	42	29-1/2	72	3	7,310	7,310	-	-	-
TFX-4860-PE	60	48	29-1/2	72	3	7,719	7,719	-	-	-
TFX-3066-PE	66	30	29-1/2	72	3	6,893	6,893	-	-	-
TFX-3666-PE	66	36	29-1/2	72	3	7,055	7,055	-	-	-
TFX-4266-PE	66	42	29-1/2	72	3	7,849	7,849	-	-	-
TFX-4866-PE	66	48	29-1/2	72	3	8,302	8,302	-	-	-
TFX-3072-PE	72	30	29-1/2	72	3	6,984	6,984	-	-	-
TFX-3672-PE	72	36	29-1/2	72	3	7,161	7,161	-	-	-
TFX-4272-PE	72	42	29-1/2	72	3	7,981	7,981	7,981	8,369	8,819
TFX-4872-PE	72	48	29-1/2	72	3	8,455	8,455	8,455	8,857	9,323
TFX-3078-PE	78	30	29-1/2	72	5	7,568	7,568	-	-	-
TFX-3678-PE	78	36	29-1/2	72	5	7,773	7,773	-	-	-
TFX-4278-PE	78	42	29-1/2	72	5	8,676	8,676	8,676	9,091	9,572
TFX-4878-PE	78	48	29-1/2	72	5	9,207	9,207	9,207	9,636	10,134
TFX-3084-PE	84	30	29-1/2	72	5	7,667	7,667	-	-	-
TFX-3684-PE	84	36	29-1/2	72	5	7,888	7,888	-	-	-
TFX-4284-PE	84	42	29-1/2	72	5	8,817	8,817	8,817	9,233	9,714
TFX-4884-PE	84	48	29-1/2	72	5	9,370	9,370	9,370	9,799	10,298
TFX-3090-PE	90	30	29-1/2	72	5	8,168	8,168	-	-	-
TFX-3690-PE	90	36	29-1/2	72	5	8,417	8,417	-	-	-
TFX-4290-PE	90	42	29-1/2	72	5	9,424	9,424	9,424	9,861	10,367
TFX-4890-PE	90	48	29-1/2	72	5	10,029	10,029	10,029	10,481	11,005
TFX-3096-PE	96	30	29-1/2	72	5	8,271	8,271	-	-	-
TFX-3696-PE	96	36	29-1/2	72	5	8,537	8,537	-	-	-
TFX-4296-PE	96	42	29-1/2	72	5	9,572	9,572	9,572	10,009	10,515
TFX-4896-PE	96	48	29-1/2	72	5	10,202	10,202	10,202	10,653	11,177



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Credenza Base Options:			
72"-wide Monitor Panel	Add **-MP**	$2,241	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Sliding Equipment Rack (Right End Opening)	Add **-R1**	$2,643	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Square Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Sliding Equiptment Rack is located on the right end of the unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock
- All doors will be keyed alike if locks are specified
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically-controlled fan activates automatically at 87° F and turns off at 85° F
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

GLASS TOP / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

72" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP


MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFX-3060-G	60	30	29-1/2	72	3	11,190	-	-	-
TFX-3660-G	60	36	29-1/2	72	3	11,434	-	-	-
TFX-4260-G	60	42	29-1/2	72	3	12,699	-	-	-
TFX-4860-G	60	48	29-1/2	72	3	13,409	-	-	-
TFX-3066-G	66	30	29-1/2	72	3	11,973	-	-	-
TFX-3666-G	66	36	29-1/2	72	3	12,256	-	-	-
TFX-4266-G	66	42	29-1/2	72	3	13,635	-	-	-
TFX-4866-G	66	48	29-1/2	72	3	14,421	-	-	-
TFX-3072-G	72	30	29-1/2	72	3	12,133	-	-	-
TFX-3672-G	72	36	29-1/2	72	3	12,440	-	-	-
TFX-4272-G	72	42	29-1/2	72	3	13,864	13,864	14,538	15,320
TFX-4872-G	72	48	29-1/2	72	3	14,688	14,688	15,385	16,195
TFX-3078-G	78	30	29-1/2	72	5	13,147	-	-	-
TFX-3678-G	78	36	29-1/2	72	5	13,502	-	-	-
TFX-4278-G	78	42	29-1/2	72	5	15,072	15,072	15,792	16,629
TFX-4878-G	78	48	29-1/2	72	5	15,994	15,994	16,739	17,604
TFX-3084-G	84	30	29-1/2	72	5	13,318	-	-	-
TFX-3684-G	84	36	29-1/2	72	5	13,702	-	-	-
TFX-4284-G	84	42	29-1/2	72	5	15,317	15,317	16,039	16,875
TFX-4884-G	84	48	29-1/2	72	5	16,278	16,278	17,023	17,889
TFX-3090-G	90	30	29-1/2	72	5	14,189	-	-	-
TFX-3690-G	90	36	29-1/2	72	5	14,621	-	-	-
TFX-4290-G	90	42	29-1/2	72	5	16,371	16,371	17,129	18,009
TFX-4890-G	90	48	29-1/2	72	5	17,423	17,423	18,207	19,117
TFX-3096-G	96	30	29-1/2	72	5	14,368	-	-	-
TFX-3696-G	96	36	29-1/2	72	5	14,830	-	-	-
TFX-4296-G	96	42	29-1/2	72	5	16,629	16,629	17,387	18,267
TFX-4896-G	96	48	29-1/2	72	5	17,722	17,722	18,507	19,416



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Satin Glass Options:			
Satin Glass	Add **-TFSG**	$505	
Credenza Base Options:			
72"-wide Monitor Panel	Add **-MP**	$2,241	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Sliding Equipment Rack (Right End Opening)	Add **-R1**	$2,643	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Glass Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Sliding Equiptment Rack is located on the right end of the unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock
- All doors will be keyed alike if locks are specified
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically-controlled fan activates automatically at 87° F and turns off at 85° F
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Glass Finish
- Choose Veneer Finish, if applicable
- Choose Paint Finish if -PA is specified
- Choose Metal Finish
- Choose Sub-Top Finish: Paint Finish or Wood Species & Finish

SOLID SURFACE TOP / VENEER CASE




D-SHAPE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

72" CREDENZA BASE / SEATED HEIGHT / D-SHAPE TOP


MODEL #	LENGTH	WIDTH	HEIGHT	CREDENZA BASE	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFX-3060-SS	60	30	29-1/2	72	3	11,692	-	-	-
TFX-3660-SS	60	36	29-1/2	72	3	11,947	-	-	-
TFX-4260-SS	60	42	29-1/2	72	3	13,269	-	-	-
TFX-4860-SS	60	48	29-1/2	72	3	14,010	-	-	-
TFX-3066-SS	66	30	29-1/2	72	3	12,511	-	-	-
TFX-3666-SS	66	36	29-1/2	72	3	12,806	-	-	-
TFX-4266-SS	66	42	29-1/2	72	3	14,247	-	-	-
TFX-4866-SS	66	48	29-1/2	72	3	15,068	-	-	-
TFX-3072-SS	72	30	29-1/2	72	3	12,677	-	-	-
TFX-3672-SS	72	36	29-1/2	72	3	12,998	-	-	-
TFX-4272-SS	72	42	29-1/2	72	3	14,486	14,486	15,190	16,007
TFX-4872-SS	72	48	29-1/2	72	3	15,347	15,347	16,076	16,922
TFX-3078-SS	78	30	29-1/2	72	5	13,737	-	-	-
TFX-3678-SS	78	36	29-1/2	72	5	14,108	-	-	-
TFX-4278-SS	78	42	29-1/2	72	5	15,748	15,748	16,501	17,375
TFX-4878-SS	78	48	29-1/2	72	5	16,711	16,711	17,490	18,393
TFX-3084-SS	84	30	29-1/2	72	5	13,916	-	-	-
TFX-3684-SS	84	36	29-1/2	72	5	14,317	-	-	-
TFX-4284-SS	84	42	29-1/2	72	5	16,004	16,004	16,759	17,632
TFX-4884-SS	84	48	29-1/2	72	5	17,008	17,008	17,787	18,692
TFX-3090-SS	90	30	29-1/2	72	5	14,825	-	-	-
TFX-3690-SS	90	36	29-1/2	72	5	15,277	-	-	-
TFX-4290-SS	90	42	29-1/2	72	5	17,106	17,106	17,898	18,817
TFX-4890-SS	90	48	29-1/2	72	5	18,204	18,204	19,024	19,975
TFX-3096-SS	96	30	29-1/2	72	5	15,013	-	-	-
TFX-3696-SS	96	36	29-1/2	72	5	15,495	-	-	-
TFX-4296-SS	96	42	29-1/2	72	5	17,375	17,375	18,167	19,086
TFX-4896-SS	96	48	29-1/2	72	5	18,517	18,517	19,337	20,287



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Credenza Base Options:			
72"-wide Monitor Panel	Add **-MP**	$2,241	
Pull-out Waste/Recycling Unit (Left End Opening)	Add **-TE**	$348	
Sliding Equipment Rack (Right End Opening)	Add **-R1**	$2,643	
Locks	Add **-L**	$184	

EDGE PROFILE



Two4Six Solid Surface Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" if Monitor Panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Sliding Equiptment Rack is located on the right end of the unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock.
- All doors will be keyed alike if locks are specified.
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically-controlled fan activates automatically at 87° F and turns off at 85° F
- Credenza base is 22"-deep, the Monitor Panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Solid Surface Finish
- Choose Veneer Finish, if applicable
- Choose Paint Finish if -PA is specified
- Choose Metal Finish

VENEER TOP WITH HARDWOOD EDGE



D-SHAPE TOP


BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / SEATED HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFE-3060-V [ ]	60	30	29-1/2	5	3,018	3,018	-	-	-
TFE-3660-V [ ]	60	36	29-1/2	5	3,174	3,174	-	-	-
TFE-4260-V [ ]	60	42	29-1/2	5	3,621	3,621	-	-	-
TFE-4860-V [ ]	60	48	29-1/2	5	3,921	3,921	-	-	-
TFE-3066-V [ ]	66	30	29-1/2	5	3,289	3,289	-	-	-
TFE-3666-V [ ]	66	36	29-1/2	5	3,470	3,470	-	-	-
TFE-4266-V [ ]	66	42	29-1/2	5	3,970	3,970	-	-	-
TFE-4866-V [ ]	66	48	29-1/2	5	4,310	4,310	-	-	-
TFE-3072-V [ ]	72	30	29-1/2	5	3,391	3,391	-	-	-
TFE-3672-V [ ]	72	36	29-1/2	5	3,588	3,588	-	-	-
TFE-4272-V [ ]	72	42	29-1/2	5	4,117	4,117	4,117	4,308	4,527
TFE-4872-V [ ]	72	48	29-1/2	5	4,481	4,481	4,481	4,678	4,905
TFE-3078-V [ ]	78	30	29-1/2	5	3,736	3,736	-	-	-
TFE-3678-V [ ]	78	36	29-1/2	5	3,964	3,964	-	-	-
TFE-4278-V [ ]	78	42	29-1/2	5	4,560	4,560	4,560	4,764	4,999
TFE-4878-V [ ]	78	48	29-1/2	5	4,975	4,975	4,975	5,186	5,429
TFE-3084-V [ ]	84	30	29-1/2	7	3,846	3,846	-	-	-
TFE-3684-V [ ]	84	36	29-1/2	7	4,092	4,092	-	-	-
TFE-4284-V [ ]	84	42	29-1/2	7	4,717	4,717	4,717	4,922	5,156
TFE-4884-V [ ]	84	48	29-1/2	7	5,157	5,157	5,157	5,368	5,611
TFE-3090-V [ ]	90	30	29-1/2	7	4,161	4,161	-	-	-
TFE-3690-V [ ]	90	36	29-1/2	7	4,438	4,438	-	-	-
TFE-4290-V [ ]	90	42	29-1/2	7	5,127	5,127	5,127	5,342	5,589
TFE-4890-V [ ]	90	48	29-1/2	7	5,616	5,616	5,616	5,839	6,094
TFE-3096-V [ ]	96	30	29-1/2	7	4,275	4,275	-	-	-
TFE-3696-V [ ]	96	36	29-1/2	7	4,571	4,571	-	-	-
TFE-4296-V [ ]	96	42	29-1/2	7	5,293	5,293	5,293	5,508	5,755
TFE-4896-V [ ]	96	48	29-1/2	7	5,809	5,809	5,809	6,031	6,286


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Species & Finish, if -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

INSET LAMINATE TOP WITH HARDWOOD EDGE



D-SHAPE TOP


BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / SEATED HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFE-3060-P [ ]	60	30	29-1/2	5	3,018	3,018	-	-	-
TFE-3660-P [ ]	60	36	29-1/2	5	3,174	3,174	-	-	-
TFE-4260-P [ ]	60	42	29-1/2	5	3,621	3,621	-	-	-
TFE-4860-P [ ]	60	48	29-1/2	5	3,921	3,921	-	-	-
TFE-3066-P [ ]	66	30	29-1/2	5	3,289	3,289	-	-	-
TFE-3666-P [ ]	66	36	29-1/2	5	3,470	3,470	-	-	-
TFE-4266-P [ ]	66	42	29-1/2	5	3,970	3,970	-	-	-
TFE-4866-P [ ]	66	48	29-1/2	5	4,310	4,310	-	-	-
TFE-3072-P [ ]	72	30	29-1/2	5	3,391	3,391	-	-	-
TFE-3672-P [ ]	72	36	29-1/2	5	3,588	3,588	-	-	-
TFE-4272-P [ ]	72	42	29-1/2	5	4,117	4,117	3,891	4,072	4,279
TFE-4872-P [ ]	72	48	29-1/2	5	4,481	4,481	4,235	4,421	4,636
TFE-3078-P [ ]	78	30	29-1/2	5	3,736	3,736	-	-	-
TFE-3678-P [ ]	78	36	29-1/2	5	3,964	3,964	-	-	-
TFE-4278-P [ ]	78	42	29-1/2	5	4,560	4,560	4,310	4,502	4,725
TFE-4878-P [ ]	78	48	29-1/2	5	4,975	4,975	4,702	4,901	5,131
TFE-3084-P [ ]	84	30	29-1/2	7	3,846	3,846	-	-	-
TFE-3684-P [ ]	84	36	29-1/2	7	4,092	4,092	-	-	-
TFE-4284-P [ ]	84	42	29-1/2	7	4,717	4,717	4,458	4,652	4,873
TFE-4884-P [ ]	84	48	29-1/2	7	5,157	5,157	4,874	5,073	5,303
TFE-3090-P [ ]	90	30	29-1/2	7	4,161	4,161	-	-	-
TFE-3690-P [ ]	90	36	29-1/2	7	4,438	4,438	-	-	-
TFE-4290-P [ ]	90	42	29-1/2	7	5,127	5,127	4,846	5,049	5,282
TFE-4890-P [ ]	90	48	29-1/2	7	5,616	5,616	5,308	5,518	5,759
TFE-3096-P [ ]	96	30	29-1/2	7	4,275	4,275	-	-	-
TFE-3696-P [ ]	96	36	29-1/2	7	4,571	4,571	-	-	-
TFE-4296-P [ ]	96	42	29-1/2	7	5,293	5,293	5,002	5,206	5,439
TFE-4896-P [ ]	96	48	29-1/2	7	5,809	5,809	5,490	5,700	5,941


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Veneer Species & Finish, if -V base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

LAMINATE TOP WITH ABS CUTBACK EDGE



D-SHAPE TOP


BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / SEATED HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFE-3060-PA [ ]	60	30	29-1/2	5	2,853	2,853	-	-	-
TFE-3660-PA [ ]	60	36	29-1/2	5	3,000	3,000	-	-	-
TFE-4260-PA [ ]	60	42	29-1/2	5	3,422	3,422	-	-	-
TFE-4860-PA [ ]	60	48	29-1/2	5	3,706	3,706	-	-	-
TFE-3066-PA [ ]	66	30	29-1/2	5	3,109	3,109	-	-	-
TFE-3666-PA [ ]	66	36	29-1/2	5	3,280	3,280	-	-	-
TFE-4266-PA [ ]	66	42	29-1/2	5	3,752	3,752	-	-	-
TFE-4866-PA [ ]	66	48	29-1/2	5	4,073	4,073	-	-	-
TFE-3072-PA [ ]	72	30	29-1/2	5	3,205	3,205	-	-	-
TFE-3672-PA [ ]	72	36	29-1/2	5	3,391	3,391	-	-	-
TFE-4272-PA [ ]	72	42	29-1/2	5	3,891	3,891	3,891	4,072	4,279
TFE-4872-PA [ ]	72	48	29-1/2	5	4,235	4,235	4,235	4,421	4,636
TFE-3078-PA [ ]	78	30	29-1/2	5	3,531	3,531	-	-	-
TFE-3678-PA [ ]	78	36	29-1/2	5	3,746	3,746	-	-	-
TFE-4278-PA [ ]	78	42	29-1/2	5	4,310	4,310	4,310	4,502	4,725
TFE-4878-PA [ ]	78	48	29-1/2	5	4,702	4,702	4,702	4,901	5,131
TFE-3084-PA [ ]	84	30	29-1/2	7	3,635	3,635	-	-	-
TFE-3684-PA [ ]	84	36	29-1/2	7	3,867	3,867	-	-	-
TFE-4284-PA [ ]	84	42	29-1/2	7	4,458	4,458	4,458	4,652	4,873
TFE-4884-PA [ ]	84	48	29-1/2	7	4,874	4,874	4,874	5,073	5,303
TFE-3090-PA [ ]	90	30	29-1/2	7	3,933	3,933	-	-	-
TFE-3690-PA [ ]	90	36	29-1/2	7	4,194	4,194	-	-	-
TFE-4290-PA [ ]	90	42	29-1/2	7	4,846	4,846	4,846	5,049	5,282
TFE-4890-PA [ ]	90	48	29-1/2	7	5,308	5,308	5,308	5,518	5,759
TFE-3096-PA [ ]	96	30	29-1/2	7	4,040	4,040	-	-	-
TFE-3696-PA [ ]	96	36	29-1/2	7	4,320	4,320	-	-	-
TFE-4296-PA [ ]	96	42	29-1/2	7	5,002	5,002	5,002	5,206	5,439
TFE-4896-PA [ ]	96	48	29-1/2	7	5,490	5,490	5,490	5,700	5,941


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Veneer Species & Finish, if -V base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

LAMINATE TOP WITH ABS SQUARE EDGE



D-SHAPE TOP


BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
ML	Post Metal Leg	RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / SEATED HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-ML	-RCL	-RCP	-RCV
TFE-3060-PE [ ]	60	30	29-1/2	5	2,711	2,711	-	-	-
TFE-3660-PE [ ]	60	36	29-1/2	5	2,851	2,851	-	-	-
TFE-4260-PE [ ]	60	42	29-1/2	5	3,252	3,252	-	-	-
TFE-4860-PE [ ]	60	48	29-1/2	5	3,522	3,522	-	-	-
TFE-3066-PE [ ]	66	30	29-1/2	5	2,954	2,954	-	-	-
TFE-3666-PE [ ]	66	36	29-1/2	5	3,117	3,117	-	-	-
TFE-4266-PE [ ]	66	42	29-1/2	5	3,566	3,566	-	-	-
TFE-4866-PE [ ]	66	48	29-1/2	5	3,871	3,871	-	-	-
TFE-3072-PE [ ]	72	30	29-1/2	5	3,046	3,046	-	-	-
TFE-3672-PE [ ]	72	36	29-1/2	5	3,223	3,223	-	-	-
TFE-4272-PE [ ]	72	42	29-1/2	5	3,698	3,698	3,698	3,869	4,066
TFE-4872-PE [ ]	72	48	29-1/2	5	4,024	4,024	4,024	4,201	4,405
TFE-3078-PE [ ]	78	30	29-1/2	5	3,355	3,355	-	-	-
TFE-3678-PE [ ]	78	36	29-1/2	5	3,560	3,560	-	-	-
TFE-4278-PE [ ]	78	42	29-1/2	5	4,095	4,095	4,095	4,279	4,490
TFE-4878-PE [ ]	78	48	29-1/2	5	4,468	4,468	4,468	4,658	4,876
TFE-3084-PE [ ]	84	30	29-1/2	7	3,454	3,454	-	-	-
TFE-3684-PE [ ]	84	36	29-1/2	7	3,675	3,675	-	-	-
TFE-4284-PE [ ]	84	42	29-1/2	7	4,236	4,236	4,236	4,420	4,631
TFE-4884-PE [ ]	84	48	29-1/2	7	4,631	4,631	4,631	4,821	5,039
TFE-3090-PE [ ]	90	30	29-1/2	7	3,737	3,737	-	-	-
TFE-3690-PE [ ]	90	36	29-1/2	7	3,986	3,986	-	-	-
TFE-4290-PE [ ]	90	42	29-1/2	7	4,605	4,605	4,605	4,798	5,019
TFE-4890-PE [ ]	90	48	29-1/2	7	5,044	5,044	5,044	5,244	5,473
TFE-3096-PE [ ]	96	30	29-1/2	7	3,839	3,839	-	-	-
TFE-3696-PE [ ]	96	36	29-1/2	7	4,105	4,105	-	-	-
TFE-4296-PE [ ]	96	42	29-1/2	7	4,754	4,754	4,754	4,947	5,168
TFE-4896-PE [ ]	96	48	29-1/2	7	5,217	5,217	5,217	5,416	5,645

[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Polished Chrome Post Metal Legs	Add **-PCML-TWA**	$450	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Square Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Veneer Species & Finish, if -V base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

GLASS TOP



D-SHAPE TOP


BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / SEATED HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFE-3060-G [ ]	60	30	29-1/2	5	4,709	-	-	-
TFE-3660-G [ ]	60	36	29-1/2	5	4,952	-	-	-
TFE-4260-G [ ]	60	42	29-1/2	5	5,649	-	-	-
TFE-4860-G [ ]	60	48	29-1/2	5	6,117	-	-	-
TFE-3066-G [ ]	66	30	29-1/2	5	5,131	-	-	-
TFE-3666-G [ ]	66	36	29-1/2	5	5,414	-	-	-
TFE-4266-G [ ]	66	42	29-1/2	5	6,194	-	-	-
TFE-4866-G [ ]	66	48	29-1/2	5	6,724	-	-	-
TFE-3072-G [ ]	72	30	29-1/2	5	5,290	-	-	-
TFE-3672-G [ ]	72	36	29-1/2	5	5,598	-	-	-
TFE-4272-G [ ]	72	42	29-1/2	5	6,423	6,423	6,721	7,063
TFE-4872-G [ ]	72	48	29-1/2	5	6,991	6,991	7,298	7,652
TFE-3078-G [ ]	78	30	29-1/2	5	5,829	-	-	-
TFE-3678-G [ ]	78	36	29-1/2	5	6,184	-	-	-
TFE-4278-G [ ]	78	42	29-1/2	5	7,114	7,114	7,432	7,799
TFE-4878-G [ ]	78	48	29-1/2	5	7,761	7,761	8,091	8,470
TFE-3084-G [ ]	84	30	29-1/2	7	6,000	-	-	-
TFE-3684-G [ ]	84	36	29-1/2	7	6,384	-	-	-
TFE-4284-G [ ]	84	42	29-1/2	7	7,359	7,359	7,679	8,044
TFE-4884-G [ ]	84	48	29-1/2	7	8,045	8,045	8,375	8,754
TFE-3090-G [ ]	90	30	29-1/2	7	6,492	-	-	-
TFE-3690-G [ ]	90	36	29-1/2	7	6,924	-	-	-
TFE-4290-G [ ]	90	42	29-1/2	7	7,999	7,999	8,334	8,719
TFE-4890-G [ ]	90	48	29-1/2	7	8,761	8,761	9,109	9,507
TFE-3096-G [ ]	96	30	29-1/2	7	6,669	-	-	-
TFE-3696-G [ ]	96	36	29-1/2	7	7,131	-	-	-
TFE-4296-G [ ]	96	42	29-1/2	7	8,258	8,258	8,593	8,978
TFE-4896-G [ ]	96	48	29-1/2	7	9,063	9,063	9,409	9,807


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Satin Glass Options:			
Satin Glass	Add **-TFSG**	$505	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Glass Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Glass Finish
- Choose Veneer Finish, if applicable
- Choose Paint Finish if -PS Base is specified
- Choose Metal Finish
- Choose Sub-Top Finish: Paint Finish or Wood Species & Finish

SOLID SURFACE TOP



D-SHAPE TOP


BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / SEATED HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFE-3060-SS [ ]	60	30	29-1/2	5	4,920	-	-	-
TFE-3660-SS [ ]	60	36	29-1/2	5	5,174	-	-	-
TFE-4260-SS [ ]	60	42	29-1/2	5	5,903	-	-	-
TFE-4860-SS [ ]	60	48	29-1/2	5	6,392	-	-	-
TFE-3066-SS [ ]	66	30	29-1/2	5	5,362	-	-	-
TFE-3666-SS [ ]	66	36	29-1/2	5	5,657	-	-	-
TFE-4266-SS [ ]	66	42	29-1/2	5	6,472	-	-	-
TFE-4866-SS [ ]	66	48	29-1/2	5	7,026	-	-	-
TFE-3072-SS [ ]	72	30	29-1/2	5	5,528	-	-	-
TFE-3672-SS [ ]	72	36	29-1/2	5	5,849	-	-	-
TFE-4272-SS [ ]	72	42	29-1/2	5	6,711	6,711	7,023	7,380
TFE-4872-SS [ ]	72	48	29-1/2	5	7,305	7,305	7,626	7,996
TFE-3078-SS [ ]	78	30	29-1/2	5	6,090	-	-	-
TFE-3678-SS [ ]	78	36	29-1/2	5	6,462	-	-	-
TFE-4278-SS [ ]	78	42	29-1/2	5	7,433	7,433	7,766	8,149
TFE-4878-SS [ ]	78	48	29-1/2	5	8,110	8,110	8,454	8,850
TFE-3084-SS [ ]	84	30	29-1/2	7	6,269	-	-	-
TFE-3684-SS [ ]	84	36	29-1/2	7	6,670	-	-	-
TFE-4284-SS [ ]	84	42	29-1/2	7	7,689	7,689	8,023	8,405
TFE-4884-SS [ ]	84	48	29-1/2	7	8,406	8,406	8,750	9,146
TFE-3090-SS [ ]	90	30	29-1/2	7	6,783	-	-	-
TFE-3690-SS [ ]	90	36	29-1/2	7	7,234	-	-	-
TFE-4290-SS [ ]	90	42	29-1/2	7	8,358	8,358	8,708	9,111
TFE-4890-SS [ ]	90	48	29-1/2	7	9,155	9,155	9,518	9,934
TFE-3096-SS [ ]	96	30	29-1/2	7	6,969	-	-	-
TFE-3696-SS [ ]	96	36	29-1/2	7	7,451	-	-	-
TFE-4296-SS [ ]	96	42	29-1/2	7	8,628	8,628	8,979	9,381
TFE-4896-SS [ ]	96	48	29-1/2	7	9,469	9,469	9,831	10,247


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWA**	$977	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Solid Surface Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Solid Surface Finish
- Choose Veneer Finish, if applicable
- Choose Paint Finish if -PS Base is specified
- Choose Metal Finish

VENEER TOP WITH HARDWOOD EDGE




BASE KEY

OF Open Frame

SLAB BASE / COUNTER HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF
TFH-3060-V [ ]	60	30	36	5	3,097
TFH-3660-V [ ]	60	36	36	5	3,253
TFH-4260-V [ ]	60	42	36	5	3,707
TFH-4860-V [ ]	60	48	36	5	4,010
TFH-3066-V [ ]	66	30	36	5	3,372
TFH-3666-V [ ]	66	36	36	5	3,553
TFH-4266-V [ ]	66	42	36	5	4,061
TFH-4866-V [ ]	66	48	36	5	4,404
TFH-3072-V [ ]	72	30	36	5	3,474
TFH-3672-V [ ]	72	36	36	5	3,671
TFH-4272-V [ ]	72	42	36	5	4,208
TFH-4872-V [ ]	72	48	36	5	4,575
TFH-3078-V [ ]	78	30	36	5	3,825
TFH-3678-V [ ]	78	36	36	5	4,053
TFH-4278-V [ ]	78	42	36	5	4,657
TFH-4878-V [ ]	78	48	36	5	5,075
TFH-3084-V [ ]	84	30	36	7	3,935
TFH-3684-V [ ]	84	36	36	7	4,181
TFH-4284-V [ ]	84	42	36	7	4,814
TFH-4884-V [ ]	84	48	36	7	5,257
TFH-3090-V [ ]	90	30	36	7	4,255
TFH-3690-V [ ]	90	36	36	7	4,532
TFH-4290-V [ ]	90	42	36	7	5,229
TFH-4890-V [ ]	90	48	36	7	5,722
TFH-3096-V [ ]	96	30	36	7	4,369
TFH-3696-V [ ]	96	36	36	7	4,665
TFH-4296-V [ ]	96	42	36	7	5,395
TFH-4896-V [ ]	96	48	36	7	5,914


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWC**	$1,119	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Species & Finish, if -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish

INSET LAMINATE TOP WITH HARDWOOD EDGE




BASE KEY

OF Open Frame

SLAB BASE / COUNTER HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF
TFH-3060-P [ ]	60	30	36	5	2,927
TFH-3660-P [ ]	60	36	36	5	3,075
TFH-4260-P [ ]	60	42	36	5	3,504
TFH-4860-P [ ]	60	48	36	5	3,790
TFH-3066-P [ ]	66	30	36	5	3,187
TFH-3666-P [ ]	66	36	36	5	3,358
TFH-4266-P [ ]	66	42	36	5	3,838
TFH-4866-P [ ]	66	48	36	5	4,162
TFH-3072-P [ ]	72	30	36	5	3,283
TFH-3672-P [ ]	72	36	36	5	3,470
TFH-4272-P [ ]	72	42	36	5	3,977
TFH-4872-P [ ]	72	48	36	5	4,324
TFH-3078-P [ ]	78	30	36	5	3,615
TFH-3678-P [ ]	78	36	36	5	3,831
TFH-4278-P [ ]	78	42	36	5	4,401
TFH-4878-P [ ]	78	48	36	5	4,796
TFH-3084-P [ ]	84	30	36	7	3,719
TFH-3684-P [ ]	84	36	36	7	3,952
TFH-4284-P [ ]	84	42	36	7	4,550
TFH-4884-P [ ]	84	48	36	7	4,968
TFH-3090-P [ ]	90	30	36	7	4,021
TFH-3690-P [ ]	90	36	36	7	4,283
TFH-4290-P [ ]	90	42	36	7	4,942
TFH-4890-P [ ]	90	48	36	7	5,408
TFH-3096-P [ ]	96	30	36	7	4,129
TFH-3696-P [ ]	96	36	36	7	4,409
TFH-4296-P [ ]	96	42	36	7	5,099
TFH-4896-P [ ]	96	48	36	7	5,589


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWC**	$1,119	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Veneer Finish, if -V Slab Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.

LAMINATE TOP WITH ABS CUTBACK EDGE




BASE KEY

OF Open Frame

SLAB BASE / COUNTER HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF
TFH-3060-PA [ ]	60	30	36	5	2,927
TFH-3660-PA [ ]	60	36	36	5	3,075
TFH-4260-PA [ ]	60	42	36	5	3,504
TFH-4860-PA [ ]	60	48	36	5	3,790
TFH-3066-PA [ ]	66	30	36	5	3,187
TFH-3666-PA [ ]	66	36	36	5	3,358
TFH-4266-PA [ ]	66	42	36	5	3,838
TFH-4866-PA [ ]	66	48	36	5	4,162
TFH-3072-PA [ ]	72	30	36	5	3,283
TFH-3672-PA [ ]	72	36	36	5	3,470
TFH-4272-PA [ ]	72	42	36	5	3,977
TFH-4872-PA [ ]	72	48	36	5	4,324
TFH-3078-PA [ ]	78	30	36	5	3,615
TFH-3678-PA [ ]	78	36	36	5	3,831
TFH-4278-PA [ ]	78	42	36	5	4,401
TFH-4878-PA [ ]	78	48	36	5	4,796
TFH-3084-PA [ ]	84	30	36	7	3,719
TFH-3684-PA [ ]	84	36	36	7	3,952
TFH-4284-PA [ ]	84	42	36	7	4,550
TFH-4884-PA [ ]	84	48	36	7	4,968
TFH-3090-PA [ ]	90	30	36	7	4,021
TFH-3690-PA [ ]	90	36	36	7	4,283
TFH-4290-PA [ ]	90	42	36	7	4,942
TFH-4890-PA [ ]	90	48	36	7	5,408
TFH-3096-PA [ ]	96	30	36	7	4,129
TFH-3696-PA [ ]	96	36	36	7	4,409
TFH-4296-PA [ ]	96	42	36	7	5,099
TFH-4896-PA [ ]	96	48	36	7	5,589


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWC**	$1,119	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Veneer Finish, if -V Slab Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.

LAMINATE TOP WITH ABS SQUARE EDGE




BASE KEY

OF Open Frame

SLAB BASE / COUNTER HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF
TFH-3060-PE [ ]	60	30	36	5	2,782
TFH-3660-PE [ ]	60	36	36	5	2,922
TFH-4260-PE [ ]	60	42	36	5	3,329
TFH-4860-PE [ ]	60	48	36	5	3,601
TFH-3066-PE [ ]	66	30	36	5	3,029
TFH-3666-PE [ ]	66	36	36	5	3,191
TFH-4266-PE [ ]	66	42	36	5	3,647
TFH-4866-PE [ ]	66	48	36	5	3,955
TFH-3072-PE [ ]	72	30	36	5	3,120
TFH-3672-PE [ ]	72	36	36	5	3,297
TFH-4272-PE [ ]	72	42	36	5	3,779
TFH-4872-PE [ ]	72	48	36	5	4,109
TFH-3078-PE [ ]	78	30	36	5	3,435
TFH-3678-PE [ ]	78	36	36	5	3,640
TFH-4278-PE [ ]	78	42	36	5	4,182
TFH-4878-PE [ ]	78	48	36	5	4,558
TFH-3084-PE [ ]	84	30	36	7	3,534
TFH-3684-PE [ ]	84	36	36	7	3,755
TFH-4284-PE [ ]	84	42	36	7	4,323
TFH-4884-PE [ ]	84	48	36	7	4,721
TFH-3090-PE [ ]	90	30	36	7	3,821
TFH-3690-PE [ ]	90	36	36	7	4,070
TFH-4290-PE [ ]	90	42	36	7	4,696
TFH-4890-PE [ ]	90	48	36	7	5,139
TFH-3096-PE [ ]	96	30	36	7	3,924
TFH-3696-PE [ ]	96	36	36	7	4,190
TFH-4296-PE [ ]	96	42	36	7	4,845
TFH-4896-PE [ ]	96	48	36	7	5,311


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWC**	$1,119	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Square Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Veneer Finish, if -V Slab Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.

GLASS TOP




BASE KEY

OF Open Frame

SLAB BASE / COUNTER HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF
TFH-3060-G [ ]	60	30	36	5	4,832
TFH-3660-G [ ]	60	36	36	5	5,075
TFH-4260-G [ ]	60	42	36	5	5,783
TFH-4860-G [ ]	60	48	36	5	6,256
TFH-3066-G [ ]	66	30	36	5	5,261
TFH-3666-G [ ]	66	36	36	5	5,543
TFH-4266-G [ ]	66	42	36	5	6,336
TFH-4866-G [ ]	66	48	36	5	6,871
TFH-3072-G [ ]	72	30	36	5	5,420
TFH-3672-G [ ]	72	36	36	5	5,727
TFH-4272-G [ ]	72	42	36	5	6,565
TFH-4872-G [ ]	72	48	36	5	7,137
TFH-3078-G [ ]	78	30	36	5	5,967
TFH-3678-G [ ]	78	36	36	5	6,323
TFH-4278-G [ ]	78	42	36	5	7,265
TFH-4878-G [ ]	78	48	36	5	7,917
TFH-3084-G [ ]	84	30	36	7	6,139
TFH-3684-G [ ]	84	36	36	7	6,523
TFH-4284-G [ ]	84	42	36	7	7,510
TFH-4884-G [ ]	84	48	36	7	8,201
TFH-3090-G [ ]	90	30	36	7	6,638
TFH-3690-G [ ]	90	36	36	7	7,070
TFH-4290-G [ ]	90	42	36	7	8,158
TFH-4890-G [ ]	90	48	36	7	8,927
TFH-3096-G [ ]	96	30	36	7	6,816
TFH-3696-G [ ]	96	36	36	7	7,278
TFH-4296-G [ ]	96	42	36	7	8,417
TFH-4896-G [ ]	96	48	36	7	9,226


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWC**	$1,119	
Satin Glass Options:			
Satin Glass	Add **-TFSG**	$505	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Glass Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Glass Finish
- Choose Veneer Species & Finish
- Choose Paint Finish if -PS Base is specified
- Choose Metal Finish
- Choose Sub-Top Finish: Paint Finish or Wood Species & Finish

SOLID SURFACE TOP




BASE KEY

OF Open Frame

SLAB BASE / COUNTER HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF
TFH-3060-SS [ ]	60	30	36	5	5,049
TFH-3660-SS [ ]	60	36	36	5	5,303
TFH-4260-SS [ ]	60	42	36	5	6,043
TFH-4860-SS [ ]	60	48	36	5	6,537
TFH-3066-SS [ ]	66	30	36	5	5,497
TFH-3666-SS [ ]	66	36	36	5	5,792
TFH-4266-SS [ ]	66	42	36	5	6,620
TFH-4866-SS [ ]	66	48	36	5	7,179
TFH-3072-SS [ ]	72	30	36	5	5,663
TFH-3672-SS [ ]	72	36	36	5	5,984
TFH-4272-SS [ ]	72	42	36	5	6,860
TFH-4872-SS [ ]	72	48	36	5	7,458
TFH-3078-SS [ ]	78	30	36	5	6,235
TFH-3678-SS [ ]	78	36	36	5	6,607
TFH-4278-SS [ ]	78	42	36	5	7,591
TFH-4878-SS [ ]	78	48	36	5	8,273
TFH-3084-SS [ ]	84	30	36	7	6,415
TFH-3684-SS [ ]	84	36	36	7	6,816
TFH-4284-SS [ ]	84	42	36	7	7,847
TFH-4884-SS [ ]	84	48	36	7	8,569
TFH-3090-SS [ ]	90	30	36	7	6,936
TFH-3690-SS [ ]	90	36	36	7	7,388
TFH-4290-SS [ ]	90	42	36	7	8,524
TFH-4890-SS [ ]	90	48	36	7	9,327
TFH-3096-SS [ ]	96	30	36	7	7,122
TFH-3696-SS [ ]	96	36	36	7	7,604
TFH-4296-SS [ ]	96	42	36	7	8,794
TFH-4896-SS [ ]	96	48	36	7	9,640


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWC**	$1,119	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Solid Surface Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Solid Surface Finish
- Choose Veneer Finish, if applicable
- Choose Paint Finish if -PS Base is specified
- Choose Metal Finish

VENEER TOP WITH HARDWOOD EDGE




BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / STANDING HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFN-3060-V [ ]	60	30	42	5	3,176	-	-	-
TFN-3660-V [ ]	60	36	42	5	3,332	-	-	-
TFN-4260-V [ ]	60	42	42	5	3,793	-	-	-
TFN-4860-V [ ]	60	48	42	5	4,099	-	-	-
TFN-3066-V [ ]	66	30	42	5	3,456	-	-	-
TFN-3666-V [ ]	66	36	42	5	3,637	-	-	-
TFN-4266-V [ ]	66	42	42	5	4,152	-	-	-
TFN-4866-V [ ]	66	48	42	5	4,498	-	-	-
TFN-3072-V [ ]	72	30	42	5	3,558	-	-	-
TFN-3672-V [ ]	72	36	42	5	3,755	-	-	-
TFN-4272-V [ ]	72	42	42	5	4,299	4,299	4,621	4,903
TFN-4872-V [ ]	72	48	42	5	4,669	4,669	5,002	5,294
TFN-3078-V [ ]	78	30	42	5	3,915	-	-	-
TFN-3678-V [ ]	78	36	42	5	4,143	-	-	-
TFN-4278-V [ ]	78	42	42	5	4,754	4,754	5,099	5,400
TFN-4878-V [ ]	78	48	42	5	5,176	5,176	5,532	5,844
TFN-3084-V [ ]	84	30	42	7	4,024	-	-	-
TFN-3684-V [ ]	84	36	42	7	4,270	-	-	-
TFN-4284-V [ ]	84	42	42	7	4,911	4,911	5,256	5,558
TFN-4884-V [ ]	84	48	42	7	5,358	5,358	5,715	6,027
TFN-3090-V [ ]	90	30	42	7	4,349	-	-	-
TFN-3690-V [ ]	90	36	42	7	4,626	-	-	-
TFN-4290-V [ ]	90	42	42	7	5,332	5,332	5,695	6,012
TFN-4890-V [ ]	90	48	42	7	5,828	5,828	6,203	6,531
TFN-3096-V [ ]	96	30	42	7	4,463	-	-	-
TFN-3696-V [ ]	96	36	42	7	4,759	-	-	-
TFN-4296-V [ ]	96	42	42	7	5,497	5,497	5,860	6,177
TFN-4896-V [ ]	96	48	42	7	6,020	6,020	6,396	6,724


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWD**	$1,264	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" higH
- Not available with Power Matrix

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Species & Finish, if -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish

INSET LAMINATE TOP WITH HARDWOOD EDGE




BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / STANDING HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFN-3060-P [ ]	60	30	42	5	3,002	-	-	-
TFN-3660-P [ ]	60	36	42	5	3,149	-	-	-
TFN-4260-P [ ]	60	42	42	5	3,585	-	-	-
TFN-4860-P [ ]	60	48	42	5	3,874	-	-	-
TFN-3066-P [ ]	66	30	42	5	3,266	-	-	-
TFN-3666-P [ ]	66	36	42	5	3,437	-	-	-
TFN-4266-P [ ]	66	42	42	5	3,924	-	-	-
TFN-4866-P [ ]	66	48	42	5	4,251	-	-	-
TFN-3072-P [ ]	72	30	42	5	3,363	-	-	-
TFN-3672-P [ ]	72	36	42	5	3,549	-	-	-
TFN-4272-P [ ]	72	42	42	5	4,063	4,063	4,367	4,634
TFN-4872-P [ ]	72	48	42	5	4,413	4,413	4,727	5,003
TFN-3078-P [ ]	78	30	42	5	3,700	-	-	-
TFN-3678-P [ ]	78	36	42	5	3,916	-	-	-
TFN-4278-P [ ]	78	42	42	5	4,493	4,493	4,819	5,103
TFN-4878-P [ ]	78	48	42	5	4,892	4,892	5,228	5,523
TFN-3084-P [ ]	84	30	42	7	3,803	-	-	-
TFN-3684-P [ ]	84	36	42	7	4,036	-	-	-
TFN-4284-P [ ]	84	42	42	7	4,641	4,641	4,967	5,253
TFN-4884-P [ ]	84	48	42	7	5,064	5,064	5,401	5,696
TFN-3090-P [ ]	90	30	42	7	4,110	-	-	-
TFN-3690-P [ ]	90	36	42	7	4,372	-	-	-
TFN-4290-P [ ]	90	42	42	7	5,039	5,039	5,382	5,682
TFN-4890-P [ ]	90	48	42	7	5,508	5,508	5,862	6,172
TFN-3096-P [ ]	96	30	42	7	4,218	-	-	-
TFN-3696-P [ ]	96	36	42	7	4,498	-	-	-
TFN-4296-P [ ]	96	42	42	7	5,195	5,195	5,538	5,838
TFN-4896-P [ ]	96	48	42	7	5,689	5,689	6,045	6,355


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWD**	$1,264	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only
- Not available with Power Matrix

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Veneer Finish, if -V Slab Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.

LAMINATE TOP WITH ABS CUTBACK EDGE




BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / STANDING HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFN-3060-PA [ ]	60	30	42	5	3,002	-	-	-
TFN-3660-PA [ ]	60	36	42	5	3,149	-	-	-
TFN-4260-PA [ ]	60	42	42	5	3,585	-	-	-
TFN-4860-PA [ ]	60	48	42	5	3,874	-	-	-
TFN-3066-PA [ ]	66	30	42	5	3,266	-	-	-
TFN-3666-PA [ ]	66	36	42	5	3,437	-	-	-
TFN-4266-PA [ ]	66	42	42	5	3,924	-	-	-
TFN-4866-PA [ ]	66	48	42	5	4,251	-	-	-
TFN-3072-PA [ ]	72	30	42	5	3,363	-	-	-
TFN-3672-PA [ ]	72	36	42	5	3,549	-	-	-
TFN-4272-PA [ ]	72	42	42	5	4,063	4,063	4,367	4,634
TFN-4872-PA [ ]	72	48	42	5	4,413	4,413	4,727	5,003
TFN-3078-PA [ ]	78	30	42	5	3,700	-	-	-
TFN-3678-PA [ ]	78	36	42	5	3,916	-	-	-
TFN-4278-PA [ ]	78	42	42	5	4,493	4,493	4,819	5,103
TFN-4878-PA [ ]	78	48	42	5	4,892	4,892	5,228	5,523
TFN-3084-PA [ ]	84	30	42	7	3,803	-	-	-
TFN-3684-PA [ ]	84	36	42	7	4,036	-	-	-
TFN-4284-PA [ ]	84	42	42	7	4,641	4,641	4,967	5,253
TFN-4884-PA [ ]	84	48	42	7	5,064	5,064	5,401	5,696
TFN-3090-PA [ ]	90	30	42	7	4,110	-	-	-
TFN-3690-PA [ ]	90	36	42	7	4,372	-	-	-
TFN-4290-PA [ ]	90	42	42	7	5,039	5,039	5,382	5,682
TFN-4890-PA [ ]	90	48	42	7	5,508	5,508	5,862	6,172
TFN-3096-PA [ ]	96	30	42	7	4,218	-	-	-
TFN-3696-PA [ ]	96	36	42	7	4,498	-	-	-
TFN-4296-PA [ ]	96	42	42	7	5,195	5,195	5,538	5,838
TFN-4896-PA [ ]	96	48	42	7	5,689	5,689	6,045	6,355


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWD**	$1,264	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only
- Not available with Power Matrix

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Veneer Finish, if -V Slab Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.

LAMINATE TOP WITH ABS SQUARE EDGE




BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / STANDING HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFN-3060-PE [ ]	60	30	42	5	2,853	-	-	-
TFN-3660-PE [ ]	60	36	42	5	2,993	-	-	-
TFN-4260-PE [ ]	60	42	42	5	3,407	-	-	-
TFN-4860-PE [ ]	60	48	42	5	3,681	-	-	-
TFN-3066-PE [ ]	66	30	42	5	3,104	-	-	-
TFN-3666-PE [ ]	66	36	42	5	3,267	-	-	-
TFN-4266-PE [ ]	66	42	42	5	3,729	-	-	-
TFN-4866-PE [ ]	66	48	42	5	4,040	-	-	-
TFN-3072-PE [ ]	72	30	42	5	3,196	-	-	-
TFN-3672-PE [ ]	72	36	42	5	3,372	-	-	-
TFN-4272-PE [ ]	72	42	42	5	3,861	3,861	4,150	4,403
TFN-4872-PE [ ]	72	48	42	5	4,193	4,193	4,492	4,755
TFN-3078-PE [ ]	78	30	42	5	3,516	-	-	-
TFN-3678-PE [ ]	78	36	42	5	3,721	-	-	-
TFN-4278-PE [ ]	78	42	42	5	4,270	4,270	4,579	4,850
TFN-4878-PE [ ]	78	48	42	5	4,649	4,649	4,968	5,248
TFN-3084-PE [ ]	84	30	42	7	3,614	-	-	-
TFN-3684-PE [ ]	84	36	42	7	3,835	-	-	-
TFN-4284-PE [ ]	84	42	42	7	4,411	4,411	4,720	4,992
TFN-4884-PE [ ]	84	48	42	7	4,812	4,812	5,133	5,413
TFN-3090-PE [ ]	90	30	42	7	3,906	-	-	-
TFN-3690-PE [ ]	90	36	42	7	4,155	-	-	-
TFN-4290-PE [ ]	90	42	42	7	4,789	4,789	5,115	5,399
TFN-4890-PE [ ]	90	48	42	7	5,234	5,234	5,571	5,865
TFN-3096-PE [ ]	96	30	42	7	4,008	-	-	-
TFN-3696-PE [ ]	96	36	42	7	4,274	-	-	-
TFN-4296-PE [ ]	96	42	42	7	4,937	4,937	5,263	5,547
TFN-4896-PE [ ]	96	48	42	7	5,406	5,406	5,744	6,039

[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWD**	$1,264	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Square Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only
- Not available with Power Matrix

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Veneer Finish, if -V Slab Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.

GLASS TOP




BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / STANDING HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFN-3060-G [ ]	60	30	42	5	4,955	-	-	-
TFN-3660-G [ ]	60	36	42	5	5,198	-	-	-
TFN-4260-G [ ]	60	42	42	5	5,918	-	-	-
TFN-4860-G [ ]	60	48	42	5	6,395	-	-	-
TFN-3066-G [ ]	66	30	42	5	5,392	-	-	-
TFN-3666-G [ ]	66	36	42	5	5,674	-	-	-
TFN-4266-G [ ]	66	42	42	5	6,478	-	-	-
TFN-4866-G [ ]	66	48	42	5	7,017	-	-	-
TFN-3072-G [ ]	72	30	42	5	5,551	-	-	-
TFN-3672-G [ ]	72	36	42	5	5,858	-	-	-
TFN-4272-G [ ]	72	42	42	5	6,707	6,707	7,209	7,649
TFN-4872-G [ ]	72	48	42	5	7,284	7,284	7,804	8,259
TFN-3078-G [ ]	78	30	42	5	6,108	-	-	-
TFN-3678-G [ ]	78	36	42	5	6,464	-	-	-
TFN-4278-G [ ]	78	42	42	5	7,417	7,417	7,955	8,424
TFN-4878-G [ ]	78	48	42	5	8,075	8,075	8,630	9,117
TFN-3084-G [ ]	84	30	42	7	6,278	-	-	-
TFN-3684-G [ ]	84	36	42	7	6,662	-	-	-
TFN-4284-G [ ]	84	42	42	7	7,662	7,662	8,200	8,671
TFN-4884-G [ ]	84	48	42	7	8,359	8,359	8,916	9,403
TFN-3090-G [ ]	90	30	42	7	6,785	-	-	-
TFN-3690-G [ ]	90	36	42	7	7,217	-	-	-
TFN-4290-G [ ]	90	42	42	7	8,318	8,318	8,885	9,379
TFN-4890-G [ ]	90	48	42	7	9,092	9,092	9,677	10,189
TFN-3096-G [ ]	96	30	42	7	6,963	-	-	-
TFN-3696-G [ ]	96	36	42	7	7,425	-	-	-
TFN-4296-G [ ]	96	42	42	7	8,576	8,576	9,142	9,637
TFN-4896-G [ ]	96	48	42	7	9,392	9,392	9,978	10,490


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWD**	$1,264	
Satin Glass Options:			
Satin Glass	Add **-TFSG**	$505	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Glass Edge

GENERAL INFORMATION


- Tops are 1-1/8"-thick with 3/16"-deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only
- Not available with Power Matrix

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Glass Finish
- Choose Veneer Species & Finish
- Choose Paint Finish if -PS Base is specified
- Choose Metal Finish
- Choose Sub-Top Finish: Paint Finish or Wood Species & Finish

SOLID SURFACE TOP




BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SLAB BASE / STANDING HEIGHT / D-SHAPE TOP

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFN-3060-SS [ ]	60	30	42	5	5,177	-	-	-
TFN-3660-SS [ ]	60	36	42	5	5,432	-	-	-
TFN-4260-SS [ ]	60	42	42	5	6,183	-	-	-
TFN-4860-SS [ ]	60	48	42	5	6,682	-	-	-
TFN-3066-SS [ ]	66	30	42	5	5,634	-	-	-
TFN-3666-SS [ ]	66	36	42	5	5,929	-	-	-
TFN-4266-SS [ ]	66	42	42	5	6,768	-	-	-
TFN-4866-SS [ ]	66	48	42	5	7,332	-	-	-
TFN-3072-SS [ ]	72	30	42	5	5,800	-	-	-
TFN-3672-SS [ ]	72	36	42	5	6,121	-	-	-
TFN-4272-SS [ ]	72	42	42	5	7,008	7,008	7,533	7,992
TFN-4872-SS [ ]	72	48	42	5	7,611	7,611	8,154	8,630
TFN-3078-SS [ ]	78	30	42	5	6,382	-	-	-
TFN-3678-SS [ ]	78	36	42	5	6,754	-	-	-
TFN-4278-SS [ ]	78	42	42	5	7,750	7,750	8,312	8,802
TFN-4878-SS [ ]	78	48	42	5	8,437	8,437	9,018	9,526
TFN-3084-SS [ ]	84	30	42	7	6,560	-	-	-
TFN-3684-SS [ ]	84	36	42	7	6,961	-	-	-
TFN-4284-SS [ ]	84	42	42	7	8,005	8,005	8,568	9,060
TFN-4884-SS [ ]	84	48	42	7	8,734	8,734	9,316	9,825
TFN-3090-SS [ ]	90	30	42	7	7,089	-	-	-
TFN-3690-SS [ ]	90	36	42	7	7,541	-	-	-
TFN-4290-SS [ ]	90	42	42	7	8,692	8,692	9,283	9,800
TFN-4890-SS [ ]	90	48	42	7	9,500	9,500	10,111	10,646
TFN-3096-SS [ ]	96	30	42	7	7,275	-	-	-
TFN-3696-SS [ ]	96	36	42	7	7,758	-	-	-
TFN-4296-SS [ ]	96	42	42	7	8,961	8,961	9,552	10,069
TFN-4896-SS [ ]	96	48	42	7	9,813	9,813	10,426	10,961


[ ] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel (-MP)

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Remove Slab Base	Add **-WM**	Deduct $534	Mounted directly to wall
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWD**	$1,264	
Monitor Panel Options:			
42"-Wide Monitor Panel	Add **-MP30**	$1,587	For use with 30"-Wide Tables
48"-Wide Monitor Panel	Add **-MP36**	$1,750	For use with 36"-Wide Tables
54"-Wide Monitor Panel	Add **-MP42**	$1,913	For use with 42"-Wide Tables
60"-Wide Monitor Panel	Add **-MP48**	$2,077	For use with 48"-Wide Tables

EDGE PROFILE



Two4Six Solid Surface Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, with or without Slab Base
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only
- Not available with Power Matrix

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Solid Surface Finish
- Choose Veneer Finish, if applicable
- Choose Paint Finish if -PS Base is specified
- Choose Metal Finish

VENEER TOP WITH HARDWOOD EDGE



RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFP-3060-V	60	30	42	4	3,337	-	-	-
TFP-3660-V	60	36	42	4	3,493	-	-	-
TFP-4260-V	60	42	42	4	3,968	-	-	-
TFP-4860-V	60	48	42	4	4,280	-	-	-
TFP-3066-V	66	30	42	4	3,626	-	-	-
TFP-3666-V	66	36	42	4	3,807	-	-	-
TFP-4266-V	66	42	42	4	4,336	-	-	-
TFP-4866-V	66	48	42	4	4,689	-	-	-
TFP-3072-V	72	30	42	6	3,728	-	-	-
TFP-3672-V	72	36	42	6	3,925	-	-	-
TFP-4272-V	72	42	42	6	4,483	4,483	4,791	5,100
TFP-4872-V	72	48	42	6	4,860	4,860	5,179	5,497
TFP-3078-V	78	30	42	6	4,096	-	-	-
TFP-3678-V	78	36	42	6	4,324	-	-	-
TFP-4278-V	78	42	42	6	4,952	4,952	5,281	5,611
TFP-4878-V	78	48	42	6	5,380	5,380	5,721	6,062
TFP-3084-V	84	30	42	8	4,206	-	-	-
TFP-3684-V	84	36	42	8	4,452	-	-	-
TFP-4284-V	84	42	42	8	5,109	5,109	5,439	5,768
TFP-4884-V	84	48	42	8	5,562	5,562	5,903	6,244
TFP-3090-V	90	30	42	8	4,540	-	-	-
TFP-3690-V	90	36	42	8	4,817	-	-	-
TFP-4290-V	90	42	42	8	5,540	5,540	5,886	6,233
TFP-4890-V	90	48	42	8	6,043	6,043	6,401	6,760
TFP-3096-V	96	30	42	8	4,654	-	-	-
TFP-3696-V	96	36	42	8	4,950	-	-	-
TFP-4296-V	96	42	42	8	5,705	5,705	6,052	6,399
TFP-4896-V	96	48	42	8	6,235	6,235	6,594	6,953
TFP-42102-V	102	42	42		-	6,197	6,563	6,929
TFP-48102-V	102	48	42		-	6,785	7,163	7,542
TFP-42108-V	108	42	42		-	6,372	6,738	7,104
TFP-48108-V	108	48	42		-	6,986	7,365	7,744
TFP-42114-V	114	42	42		-	6,891	7,276	7,661
TFP-48114-V	114	48	42		-	7,568	7,967	8,365
TFP-42120-V	120	42	42		-	7,075	7,460	7,845
TFP-48120-V	120	48	42		-	7,781	8,180	8,578
TFP-42132-V	132	42	42		-	7,752	8,153	8,555
TFP-48132-V	132	48	42		-	8,550	8,965	9,380
TFP-42144-V	144	42	42		-	8,461	8,878	9,296
TFP-48144-V	144	48	42		-	9,354	9,785	10,217

VENEER TOP WITH HARDWOOD EDGE



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base


SOFT RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFV-3060-V	60	30	42	4	3,337	-	-	-
TFV-3660-V	60	36	42	4	3,493	-	-	-
TFV-4260-V	60	42	42	4	3,968	-	-	-
TFV-4860-V	60	48	42	4	4,280	-	-	-
TFV-3066-V	66	30	42	4	3,626	-	-	-
TFV-3666-V	66	36	42	4	3,807	-	-	-
TFV-4266-V	66	42	42	4	4,336	-	-	-
TFV-4866-V	66	48	42	4	4,689	-	-	-
TFV-3072-V	72	30	42	6	3,728	-	-	-
TFV-3672-V	72	36	42	6	3,925	-	-	-
TFV-4272-V	72	42	42	6	4,483	4,483	4,791	5,100
TFV-4872-V	72	48	42	6	4,860	4,860	5,179	5,497
TFV-3078-V	78	30	42	6	4,096	-	-	-
TFV-3678-V	78	36	42	6	4,324	-	-	-
TFV-4278-V	78	42	42	6	4,952	4,952	5,281	5,611
TFV-4878-V	78	48	42	6	5,380	5,380	5,721	6,062
TFV-3084-V	84	30	42	8	4,206	-	-	-
TFV-3684-V	84	36	42	8	4,452	-	-	-
TFV-4284-V	84	42	42	8	5,109	5,109	5,439	5,768
TFV-4884-V	84	48	42	8	5,562	5,562	5,903	6,244
TFV-3090-V	90	30	42	8	4,540	-	-	-
TFV-3690-V	90	36	42	8	4,817	-	-	-
TFV-4290-V	90	42	42	8	5,540	5,540	5,886	6,233
TFV-4890-V	90	48	42	8	6,043	6,043	6,401	6,760
TFV-3096-V	96	30	42	8	4,654	-	-	-
TFV-3696-V	96	36	42	8	4,950	-	-	-
TFV-4296-V	96	42	42	8	5,705	5,705	6,052	6,399
TFV-4896-V	96	48	42	8	6,235	6,235	6,594	6,953
TFV-42102-V	102	42	42		-	6,197	6,563	6,929
TFV-48102-V	102	48	42		-	6,785	7,163	7,542
TFV-42108-V	108	42	42		-	6,372	6,738	7,104
TFV-48108-V	108	48	42		-	6,986	7,365	7,744
TFV-42114-V	114	42	42		-	6,891	7,276	7,661
TFV-48114-V	114	48	42		-	7,568	7,967	8,365
TFV-42120-V	120	42	42		-	7,075	7,460	7,845
TFV-48120-V	120	48	42		-	7,781	8,180	8,578
TFV-42132-V	132	42	42		-	7,752	8,153	8,555
TFV-48132-V	132	48	42		-	8,550	8,965	9,380
TFV-42144-V	144	42	42		-	8,461	8,878	9,296
TFV-48144-V	144	48	42		-	9,354	9,785	10,217

VENEER TOP WITH HARDWOOD EDGE

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWE**	$2,077	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- One section of wire management channel provided per table

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Veneer Species & Finish
- Choose Metal Finish

INSET LAMINATE TOP WITH HARDWOOD EDGE



RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFP-3060-P	60	30	42	4	3,154	-	-	-
TFP-3660-P	60	36	42	4	3,301	-	-	-
TFP-4260-P	60	42	42	4	3,750	-	-	-
TFP-4860-P	60	48	42	4	4,045	-	-	-
TFP-3066-P	66	30	42	4	3,427	-	-	-
TFP-3666-P	66	36	42	4	3,598	-	-	-
TFP-4266-P	66	42	42	4	4,098	-	-	-
TFP-4866-P	66	48	42	4	4,432	-	-	-
TFP-3072-P	72	30	42	6	3,523	-	-	-
TFP-3672-P	72	36	42	6	3,710	-	-	-
TFP-4272-P	72	42	42	6	4,237	4,237	4,528	4,820
TFP-4872-P	72	48	42	6	4,593	4,593	4,895	5,195
TFP-3078-P	78	30	42	6	3,871	-	-	-
TFP-3678-P	78	36	42	6	4,087	-	-	-
TFP-4278-P	78	42	42	6	4,680	4,680	4,991	5,303
TFP-4878-P	78	48	42	6	5,085	5,085	5,407	5,729
TFP-3084-P	84	30	42	8	3,975	-	-	-
TFP-3684-P	84	36	42	8	4,208	-	-	-
TFP-4284-P	84	42	42	8	4,829	4,829	5,140	5,451
TFP-4884-P	84	48	42	8	5,257	5,257	5,579	5,901
TFP-3090-P	90	30	42	8	4,291	-	-	-
TFP-3690-P	90	36	42	8	4,553	-	-	-
TFP-4290-P	90	42	42	8	5,236	5,236	5,563	5,891
TFP-4890-P	90	48	42	8	5,711	5,711	6,049	6,389
TFP-3096-P	96	30	42	8	4,399	-	-	-
TFP-3696-P	96	36	42	8	4,678	-	-	-
TFP-4296-P	96	42	42	8	5,392	5,392	5,720	6,048
TFP-4896-P	96	48	42	8	5,893	5,893	6,232	6,571
TFP-42102-P	102	42	42		-	5,857	6,203	6,548
TFP-48102-P	102	48	42		-	6,412	6,770	7,128
TFP-42108-P	108	42	42		-	6,022	6,368	6,714
TFP-48108-P	108	48	42		-	6,602	6,960	7,319
TFP-42114-P	114	42	42		-	6,512	6,876	7,240
TFP-48114-P	114	48	42		-	7,152	7,529	7,905
TFP-42120-P	120	42	42		-	6,686	7,050	7,414
TFP-48120-P	120	48	42		-	7,354	7,731	8,107
TFP-42132-P	132	42	42		-	7,326	7,705	8,085
TFP-48132-P	132	48	42		-	8,080	8,472	8,865
TFP-42144-P	144	42	42		-	7,996	8,390	8,785
TFP-48144-P	144	48	42		-	8,840	9,247	9,656

INSET LAMINATE TOP WITH HARDWOOD EDGE



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base


SOFT RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFV-3060-P	60	30	42	4	3,154	-	-	-
TFV-3660-P	60	36	42	4	3,301	-	-	-
TFV-4260-P	60	42	42	4	3,750	-	-	-
TFV-4860-P	60	48	42	4	4,045	-	-	-
TFV-3066-P	66	30	42	4	3,427	-	-	-
TFV-3666-P	66	36	42	4	3,598	-	-	-
TFV-4266-P	66	42	42	4	4,098	-	-	-
TFV-4866-P	66	48	42	4	4,432	-	-	-
TFV-3072-P	72	30	42	6	3,523	-	-	-
TFV-3672-P	72	36	42	6	3,710	-	-	-
TFV-4272-P	72	42	42	6	4,237	4,237	4,528	4,820
TFV-4872-P	72	48	42	6	4,593	4,593	4,895	5,195
TFV-3078-P	78	30	42	6	3,871	-	-	-
TFV-3678-P	78	36	42	6	4,087	-	-	-
TFV-4278-P	78	42	42	6	4,680	4,680	4,991	5,303
TFV-4878-P	78	48	42	6	5,085	5,085	5,407	5,729
TFV-3084-P	84	30	42	8	3,975	-	-	-
TFV-3684-P	84	36	42	8	4,208	-	-	-
TFV-4284-P	84	42	42	8	4,829	4,829	5,140	5,451
TFV-4884-P	84	48	42	8	5,257	5,257	5,579	5,901
TFV-3090-P	90	30	42	8	4,291	-	-	-
TFV-3690-P	90	36	42	8	4,553	-	-	-
TFV-4290-P	90	42	42	8	5,236	5,236	5,563	5,891
TFV-4890-P	90	48	42	8	5,711	5,711	6,049	6,389
TFV-3096-P	96	30	42	8	4,399	-	-	-
TFV-3696-P	96	36	42	8	4,678	-	-	-
TFV-4296-P	96	42	42	8	5,392	5,392	5,720	6,048
TFV-4896-P	96	48	42	8	5,893	5,893	6,232	6,571
TFV-42102-P	102	42	42		-	5,857	6,203	6,548
TFV-48102-P	102	48	42		-	6,412	6,770	7,128
TFV-42108-P	108	42	42		-	6,022	6,368	6,714
TFV-48108-P	108	48	42		-	6,602	6,960	7,319
TFV-42114-P	114	42	42		-	6,512	6,876	7,240
TFV-48114-P	114	48	42		-	7,152	7,529	7,905
TFV-42120-P	120	42	42		-	6,686	7,050	7,414
TFV-48120-P	120	48	42		-	7,354	7,731	8,107
TFV-42132-P	132	42	42		-	7,326	7,705	8,085
TFV-48132-P	132	48	42		-	8,080	8,472	8,865
TFV-42144-P	144	42	42		-	7,996	8,390	8,785
TFV-48144-P	144	48	42		-	8,840	9,247	9,656

INSET LAMINATE TOP WITH HARDWOOD EDGE

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWE**	$2,077	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- One section of wire management channel provided per table

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Metal Finish

LAMINATE TOP WITH ABS CUTBACK EDGE



RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFP-3060-PA	60	30	42	4	3,154	-	-	-
TFP-3660-PA	60	36	42	4	3,301	-	-	-
TFP-4260-PA	60	42	42	4	3,750	-	-	-
TFP-4860-PA	60	48	42	4	4,045	-	-	-
TFP-3066-PA	66	30	42	4	3,427	-	-	-
TFP-3666-PA	66	36	42	4	3,598	-	-	-
TFP-4266-PA	66	42	42	4	4,098	-	-	-
TFP-4866-PA	66	48	42	4	4,432	-	-	-
TFP-3072-PA	72	30	42	6	3,523	-	-	-
TFP-3672-PA	72	36	42	6	3,710	-	-	-
TFP-4272-PA	72	42	42	6	4,237	4,237	4,528	4,820
TFP-4872-PA	72	48	42	6	4,593	4,593	4,895	5,195
TFP-3078-PA	78	30	42	6	3,871	-	-	-
TFP-3678-PA	78	36	42	6	4,087	-	-	-
TFP-4278-PA	78	42	42	6	4,680	4,680	4,991	5,303
TFP-4878-PA	78	48	42	6	5,085	5,085	5,407	5,729
TFP-3084-PA	84	30	42	8	3,975	-	-	-
TFP-3684-PA	84	36	42	8	4,208	-	-	-
TFP-4284-PA	84	42	42	8	4,829	4,829	5,140	5,451
TFP-4884-PA	84	48	42	8	5,257	5,257	5,579	5,901
TFP-3090-PA	90	30	42	8	4,291	-	-	-
TFP-3690-PA	90	36	42	8	4,553	-	-	-
TFP-4290-PA	90	42	42	8	5,236	5,236	5,563	5,891
TFP-4890-PA	90	48	42	8	5,711	5,711	6,049	6,389
TFP-3096-PA	96	30	42	8	4,399	-	-	-
TFP-3696-PA	96	36	42	8	4,678	-	-	-
TFP-4296-PA	96	42	42	8	5,392	5,392	5,720	6,048
TFP-4896-PA	96	48	42	8	5,893	5,893	6,232	6,571
TFP-42102-PA	102	42	42		-	5,857	6,203	6,548
TFP-48102-PA	102	48	42		-	6,412	6,770	7,128
TFP-42108-PA	108	42	42		-	6,022	6,368	6,714
TFP-48108-PA	108	48	42		-	6,602	6,960	7,319
TFP-42114-PA	114	42	42		-	6,512	6,876	7,240
TFP-48114-PA	114	48	42		-	7,152	7,529	7,905
TFP-42120-PA	120	42	42		-	6,686	7,050	7,414
TFP-48120-PA	120	48	42		-	7,354	7,731	8,107
TFP-42132-PA	132	42	42		-	7,326	7,705	8,085
TFP-48132-PA	132	48	42		-	8,080	8,472	8,865
TFP-42144-PA	144	42	42		-	7,996	8,390	8,785
TFP-48144-PA	144	48	42		-	8,840	9,247	9,656

LAMINATE TOP WITH ABS CUTBACK EDGE



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base


SOFT RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFV-3060-PA	60	30	42	4	3,154	-	-	-
TFV-3660-PA	60	36	42	4	3,301	-	-	-
TFV-4260-PA	60	42	42	4	3,750	-	-	-
TFV-4860-PA	60	48	42	4	4,045	-	-	-
TFV-3066-PA	66	30	42	4	3,427	-	-	-
TFV-3666-PA	66	36	42	4	3,598	-	-	-
TFV-4266-PA	66	42	42	4	4,098	-	-	-
TFV-4866-PA	66	48	42	4	4,432	-	-	-
TFV-3072-PA	72	30	42	6	3,523	-	-	-
TFV-3672-PA	72	36	42	6	3,710	-	-	-
TFV-4272-PA	72	42	42	6	4,237	4,237	4,528	4,820
TFV-4872-PA	72	48	42	6	4,593	4,593	4,895	5,195
TFV-3078-PA	78	30	42	6	3,871	-	-	-
TFV-3678-PA	78	36	42	6	4,087	-	-	-
TFV-4278-PA	78	42	42	6	4,680	4,680	4,991	5,303
TFV-4878-PA	78	48	42	6	5,085	5,085	5,407	5,729
TFV-3084-PA	84	30	42	8	3,975	-	-	-
TFV-3684-PA	84	36	42	8	4,208	-	-	-
TFV-4284-PA	84	42	42	8	4,829	4,829	5,140	5,451
TFV-4884-PA	84	48	42	8	5,257	5,257	5,579	5,901
TFV-3090-PA	90	30	42	8	4,291	-	-	-
TFV-3690-PA	90	36	42	8	4,553	-	-	-
TFV-4290-PA	90	42	42	8	5,236	5,236	5,563	5,891
TFV-4890-PA	90	48	42	8	5,711	5,711	6,049	6,389
TFV-3096-PA	96	30	42	8	4,399	-	-	-
TFV-3696-PA	96	36	42	8	4,678	-	-	-
TFV-4296-PA	96	42	42	8	5,392	5,392	5,720	6,048
TFV-4896-PA	96	48	42	8	5,893	5,893	6,232	6,571
TFV-42102-PA	102	42	42		-	5,857	6,203	6,548
TFV-48102-PA	102	48	42		-	6,412	6,770	7,128
TFV-42108-PA	108	42	42		-	6,022	6,368	6,714
TFV-48108-PA	108	48	42		-	6,602	6,960	7,319
TFV-42114-PA	114	42	42		-	6,512	6,876	7,240
TFV-48114-PA	114	48	42		-	7,152	7,529	7,905
TFV-42120-PA	120	42	42		-	6,686	7,050	7,414
TFV-48120-PA	120	48	42		-	7,354	7,731	8,107
TFV-42132-PA	132	42	42		-	7,326	7,705	8,085
TFV-48132-PA	132	48	42		-	8,080	8,472	8,865
TFV-42144-PA	144	42	42		-	7,996	8,390	8,785
TFV-48144-PA	144	48	42		-	8,840	9,247	9,656

LAMINATE TOP WITH ABS CUTBACK EDGE

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWE**	$2,077	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- One section of wire management channel provided per table

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Metal Finish

LAMINATE TOP WITH ABS SQUARE EDGE



RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFP-3060-PE	60	30	42	4	2,837	-	-	-
TFP-3660-PE	60	36	42	4	2,970	-	-	-
TFP-4260-PE	60	42	42	4	3,373	-	-	-
TFP-4860-PE	60	48	42	4	3,638	-	-	-
TFP-3066-PE	66	30	42	4	3,083	-	-	-
TFP-3666-PE	66	36	42	4	3,236	-	-	-
TFP-4266-PE	66	42	42	4	3,686	-	-	-
TFP-4866-PE	66	48	42	4	3,986	-	-	-
TFP-3072-PE	72	30	42	6	3,169	-	-	-
TFP-3672-PE	72	36	42	6	3,337	-	-	-
TFP-4272-PE	72	42	42	6	3,811	3,811	4,073	4,335
TFP-4872-PE	72	48	42	6	4,131	4,131	4,403	4,673
TFP-3078-PE	78	30	42	6	3,482	-	-	-
TFP-3678-PE	78	36	42	6	3,676	-	-	-
TFP-4278-PE	78	42	42	6	4,210	4,210	4,489	4,770
TFP-4878-PE	78	48	42	6	4,573	4,573	4,863	5,153
TFP-3084-PE	84	30	42	8	3,576	-	-	-
TFP-3684-PE	84	36	42	8	3,785	-	-	-
TFP-4284-PE	84	42	42	8	4,343	4,343	4,624	4,903
TFP-4884-PE	84	48	42	8	4,728	4,728	5,018	5,308
TFP-3090-PE	90	30	42	8	3,859	-	-	-
TFP-3690-PE	90	36	42	8	4,095	-	-	-
TFP-4290-PE	90	42	42	8	4,709	4,709	5,004	5,299
TFP-4890-PE	90	48	42	8	5,137	5,137	5,441	5,746
TFP-3096-PE	96	30	42	8	3,956	-	-	-
TFP-3696-PE	96	36	42	8	4,208	-	-	-
TFP-4296-PE	96	42	42	8	4,850	4,850	5,145	5,440
TFP-4896-PE	96	48	42	8	5,300	5,300	5,605	5,911
TFP-42102-PE	102	42	42		-	5,268	5,579	5,890
TFP-48102-PE	102	48	42		-	5,768	6,089	6,411
TFP-42108-PE	108	42	42		-	5,417	5,728	6,039
TFP-48108-PE	108	48	42		-	5,939	6,261	6,583
TFP-42114-PE	114	42	42		-	5,858	6,185	6,512
TFP-48114-PE	114	48	42		-	6,433	6,772	7,111
TFP-42120-PE	120	42	42		-	6,014	6,341	6,669
TFP-48120-PE	120	48	42		-	6,614	6,953	7,292
TFP-42132-PE	132	42	42		-	6,590	6,931	7,272
TFP-48132-PE	132	48	42		-	7,268	7,621	7,973
TFP-42144-PE	144	42	42		-	7,192	7,547	7,902
TFP-48144-PE	144	48	42		-	7,951	8,318	8,685

LAMINATE TOP WITH ABS SQUARE EDGE



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

SOFT RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFV-3060-PE	60	30	42	4	2,837	-	-	-
TFV-3660-PE	60	36	42	4	2,970	-	-	-
TFV-4260-PE	60	42	42	4	3,373	-	-	-
TFV-4860-PE	60	48	42	4	3,638	-	-	-
TFV-3066-PE	66	30	42	4	3,083	-	-	-
TFV-3666-PE	66	36	42	4	3,236	-	-	-
TFV-4266-PE	66	42	42	4	3,686	-	-	-
TFV-4866-PE	66	48	42	4	3,986	-	-	-
TFV-3072-PE	72	30	42	6	3,169	-	-	-
TFV-3672-PE	72	36	42	6	3,337	-	-	-
TFV-4272-PE	72	42	42	6	3,811	3,811	4,073	4,335
TFV-4872-PE	72	48	42	6	4,131	4,131	4,403	4,673
TFV-3078-PE	78	30	42	6	3,482	-	-	-
TFV-3678-PE	78	36	42	6	3,676	-	-	-
TFV-4278-PE	78	42	42	6	4,210	4,210	4,489	4,770
TFV-4878-PE	78	48	42	6	4,573	4,573	4,863	5,153
TFV-3084-PE	84	30	42	8	3,576	-	-	-
TFV-3684-PE	84	36	42	8	3,785	-	-	-
TFV-4284-PE	84	42	42	8	4,343	4,343	4,624	4,903
TFV-4884-PE	84	48	42	8	4,728	4,728	5,018	5,308
TFV-3090-PE	90	30	42	8	3,859	-	-	-
TFV-3690-PE	90	36	42	8	4,095	-	-	-
TFV-4290-PE	90	42	42	8	4,709	4,709	5,004	5,299
TFV-4890-PE	90	48	42	8	5,137	5,137	5,441	5,746
TFV-3096-PE	96	30	42	8	3,956	-	-	-
TFV-3696-PE	96	36	42	8	4,208	-	-	-
TFV-4296-PE	96	42	42	8	4,850	4,850	5,145	5,440
TFV-4896-PE	96	48	42	8	5,300	5,300	5,605	5,911
TFV-42102-PE	102	42	42		-	5,268	5,579	5,890
TFV-48102-PE	102	48	42		-	5,768	6,089	6,411
TFV-42108-PE	108	42	42		-	5,417	5,728	6,039
TFV-48108-PE	108	48	42		-	5,939	6,261	6,583
TFV-42114-PE	114	42	42		-	5,858	6,185	6,512
TFV-48114-PE	114	48	42		-	6,433	6,772	7,111
TFV-42120-PE	120	42	42		-	6,014	6,341	6,669
TFV-48120-PE	120	48	42		-	6,614	6,953	7,292
TFV-42132-PE	132	42	42		-	6,590	6,931	7,272
TFV-48132-PE	132	48	42		-	7,268	7,621	7,973
TFV-42144-PE	144	42	42		-	7,192	7,547	7,902
TFV-48144-PE	144	48	42		-	7,951	8,318	8,685

LAMINATE TOP WITH ABS SQUARE EDGE

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWE**	$2,077	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Square Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- One section of wire management channel provided per table

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Metal Finish

GLASS TOP



RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFP-3060-G	60	30	42	4	5,206	-	-	-
TFP-3660-G	60	36	42	4	5,450	-	-	-
TFP-4260-G	60	42	42	4	6,191	-	-	-
TFP-4860-G	60	48	42	4	6,677	-	-	-
TFP-3066-G	66	30	42	4	5,657	-	-	-
TFP-3666-G	66	36	42	4	5,939	-	-	-
TFP-4266-G	66	42	42	4	6,765	-	-	-
TFP-4866-G	66	48	42	4	7,315	-	-	-
TFP-3072-G	72	30	42	6	5,816	-	-	-
TFP-3672-G	72	36	42	6	6,123	-	-	-
TFP-4272-G	72	42	42	6	6,994	6,994	7,474	7,956
TFP-4872-G	72	48	42	6	7,582	7,582	8,080	8,576
TFP-3078-G	78	30	42	6	6,390	-	-	-
TFP-3678-G	78	36	42	6	6,746	-	-	-
TFP-4278-G	78	42	42	6	7,726	7,726	8,239	8,754
TFP-4878-G	78	48	42	6	8,393	8,393	8,925	9,457
TFP-3084-G	84	30	42	8	6,562	-	-	-
TFP-3684-G	84	36	42	8	6,946	-	-	-
TFP-4284-G	84	42	42	8	7,971	7,971	8,485	8,999
TFP-4884-G	84	48	42	8	8,677	8,677	9,209	9,741
TFP-3090-G	90	30	42	8	7,083	-	-	-
TFP-3690-G	90	36	42	8	7,515	-	-	-
TFP-4290-G	90	42	42	8	8,643	8,643	9,183	9,724
TFP-4890-G	90	48	42	8	9,428	9,428	9,986	10,546
TFP-3096-G	96	30	42	8	7,261	-	-	-
TFP-3696-G	96	36	42	8	7,722	-	-	-
TFP-4296-G	96	42	42	8	8,900	8,900	9,442	9,983
TFP-4896-G	96	48	42	8	9,727	9,727	10,287	10,847
TFP-42102-G	102	42	42		-	9,668	10,239	10,810
TFP-48102-G	102	48	42		-	10,585	11,175	11,766
TFP-42108-G	108	42	42		-	9,941	10,512	11,083
TFP-48108-G	108	48	42		-	10,899	11,490	12,081
TFP-42114-G	114	42	42		-	10,750	11,351	11,952
TFP-48114-G	114	48	42		-	11,807	12,429	13,050
TFP-42120-G	120	42	42		-	11,037	11,638	12,239
TFP-48120-G	120	48	42		-	12,139	12,761	13,382
TFP-42132-G	132	42	42		-	12,094	12,719	13,346
TFP-48132-G	132	48	42		-	13,338	13,986	14,633
TFP-42144-G	144	42	42		-	13,200	13,850	14,502
TFP-48144-G	144	48	42		-	14,593	15,265	15,939

GLASS TOP



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base


SOFT RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFV-3060-G	60	30	42	4	5,206	-	-	-
TFV-3660-G	60	36	42	4	5,450	-	-	-
TFV-4260-G	60	42	42	4	6,191	-	-	-
TFV-4860-G	60	48	42	4	6,677	-	-	-
TFV-3066-G	66	30	42	4	5,657	-	-	-
TFV-3666-G	66	36	42	4	5,939	-	-	-
TFV-4266-G	66	42	42	4	6,765	-	-	-
TFV-4866-G	66	48	42	4	7,315	-	-	-
TFV-3072-G	72	30	42	6	5,816	-	-	-
TFV-3672-G	72	36	42	6	6,123	-	-	-
TFV-4272-G	72	42	42	6	6,994	6,994	7,474	7,956
TFV-4872-G	72	48	42	6	7,582	7,582	8,080	8,576
TFV-3078-G	78	30	42	6	6,390	-	-	-
TFV-3678-G	78	36	42	6	6,746	-	-	-
TFV-4278-G	78	42	42	6	7,726	7,726	8,239	8,754
TFV-4878-G	78	48	42	6	8,393	8,393	8,925	9,457
TFV-3084-G	84	30	42	8	6,562	-	-	-
TFV-3684-G	84	36	42	8	6,946	-	-	-
TFV-4284-G	84	42	42	8	7,971	7,971	8,485	8,999
TFV-4884-G	84	48	42	8	8,677	8,677	9,209	9,741
TFV-3090-G	90	30	42	8	7,083	-	-	-
TFV-3690-G	90	36	42	8	7,515	-	-	-
TFV-4290-G	90	42	42	8	8,643	8,643	9,183	9,724
TFV-4890-G	90	48	42	8	9,428	9,428	9,986	10,546
TFV-3096-G	96	30	42	8	7,261	-	-	-
TFV-3696-G	96	36	42	8	7,722	-	-	-
TFV-4296-G	96	42	42	8	8,900	8,900	9,442	9,983
TFV-4896-G	96	48	42	8	9,727	9,727	10,287	10,847
TFV-42102-G	102	42	42		-	9,668	10,239	10,810
TFV-48102-G	102	48	42		-	10,585	11,175	11,766
TFV-42108-G	108	42	42		-	9,941	10,512	11,083
TFV-48108-G	108	48	42		-	10,899	11,490	12,081
TFV-42114-G	114	42	42		-	10,750	11,351	11,952
TFV-48114-G	114	48	42		-	11,807	12,429	13,050
TFV-42120-G	120	42	42		-	11,037	11,638	12,239
TFV-48120-G	120	48	42		-	12,139	12,761	13,382
TFV-42132-G	132	42	42		-	12,094	12,719	13,346
TFV-48132-G	132	48	42		-	13,338	13,986	14,633
TFV-42144-G	144	42	42		-	13,200	13,850	14,502
TFV-48144-G	144	48	42		-	14,593	15,265	15,939

GLASS TOP

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWE**	$2,077	
Satin Glass Options:			
Satin Glass	Add **-TFSG**	$505	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Glass Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- One section of wire management channel provided per table

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See appendix pages vi-vii for surface material options.

- Choose Glass Finish
- Choose Metal Finish
- Choose Sub-Top Finish:
  - Paint Finish, or
  - Wood Species & Finish

SOLID SURFACE TOP



RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base

RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFP-3060-SS	60	30	42	4	5,440	-	-	-
TFP-3660-SS	60	36	42	4	5,694	-	-	-
TFP-4260-SS	60	42	42	4	6,468	-	-	-
TFP-4860-SS	60	48	42	4	6,977	-	-	-
TFP-3066-SS	66	30	42	4	5,911	-	-	-
TFP-3666-SS	66	36	42	4	6,206	-	-	-
TFP-4266-SS	66	42	42	4	7,068	-	-	-
TFP-4866-SS	66	48	42	4	7,644	-	-	-
TFP-3072-SS	72	30	42	6	6,077	-	-	-
TFP-3672-SS	72	36	42	6	6,398	-	-	-
TFP-4272-SS	72	42	42	6	7,308	7,308	7,810	8,313
TFP-4872-SS	72	48	42	6	7,922	7,922	8,442	8,961
TFP-3078-SS	78	30	42	6	6,677	-	-	-
TFP-3678-SS	78	36	42	6	7,049	-	-	-
TFP-4278-SS	78	42	42	6	8,072	8,072	8,609	9,146
TFP-4878-SS	78	48	42	6	8,770	8,770	9,326	9,882
TFP-3084-SS	84	30	42	8	6,856	-	-	-
TFP-3684-SS	84	36	42	8	7,257	-	-	-
TFP-4284-SS	84	42	42	8	8,328	8,328	8,866	9,402
TFP-4884-SS	84	48	42	8	9,067	9,067	9,622	10,178
TFP-3090-SS	90	30	42	8	7,401	-	-	-
TFP-3690-SS	90	36	42	8	7,852	-	-	-
TFP-4290-SS	90	42	42	8	9,031	9,031	9,595	10,160
TFP-4890-SS	90	48	42	8	9,851	9,851	10,434	11,019
TFP-3096-SS	96	30	42	8	7,587	-	-	-
TFP-3696-SS	96	36	42	8	8,069	-	-	-
TFP-4296-SS	96	42	42	8	9,300	9,300	9,865	10,431
TFP-4896-SS	96	48	42	8	10,164	10,164	10,749	11,334
TFP-42102-SS	102	42	42		-	10,102	10,698	11,295
TFP-48102-SS	102	48	42		-	11,060	11,676	12,294
TFP-42108-SS	108	42	42		-	10,387	10,983	11,580
TFP-48108-SS	108	48	42		-	11,388	12,005	12,623
TFP-42114-SS	114	42	42		-	11,233	11,860	12,488
TFP-48114-SS	114	48	42		-	12,336	12,987	13,635
TFP-42120-SS	120	42	42		-	11,533	12,160	12,788
TFP-48120-SS	120	48	42		-	12,684	13,334	13,983
TFP-42132-SS	132	42	42		-	12,636	13,290	13,945
TFP-48132-SS	132	48	42		-	13,937	14,613	15,290
TFP-42144-SS	144	42	42		-	13,792	14,472	15,153
TFP-48144-SS	144	48	42		-	15,248	15,950	16,654

SOLID SURFACE TOP



SOFT RECTANGLE TOP

BASE KEY

OF	Open Frame	RCL	Laminate Racetrack Base
		RCP	Painted Racetrack Base
		RCV	Veneer Racetrack Base


SOFT RECTANGLE TOP TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	SEATING CAPACITY	-OF	-RCL	-RCP	-RCV
TFV-3060-SS	60	30	42	4	5,440	-	-	-
TFV-3660-SS	60	36	42	4	5,694	-	-	-
TFV-4260-SS	60	42	42	4	6,468	-	-	-
TFV-4860-SS	60	48	42	4	6,977	-	-	-
TFV-3066-SS	66	30	42	4	5,911	-	-	-
TFV-3666-SS	66	36	42	4	6,206	-	-	-
TFV-4266-SS	66	42	42	4	7,068	-	-	-
TFV-4866-SS	66	48	42	4	7,644	-	-	-
TFV-3072-SS	72	30	42	6	6,077	-	-	-
TFV-3672-SS	72	36	42	6	6,398	-	-	-
TFV-4272-SS	72	42	42	6	7,308	7,308	7,810	8,313
TFV-4872-SS	72	48	42	6	7,922	7,922	8,442	8,961
TFV-3078-SS	78	30	42	6	6,677	-	-	-
TFV-3678-SS	78	36	42	6	7,049	-	-	-
TFV-4278-SS	78	42	42	6	8,072	8,072	8,609	9,146
TFV-4878-SS	78	48	42	6	8,770	8,770	9,326	9,882
TFV-3084-SS	84	30	42	8	6,856	-	-	-
TFV-3684-SS	84	36	42	8	7,257	-	-	-
TFV-4284-SS	84	42	42	8	8,328	8,328	8,866	9,402
TFV-4884-SS	84	48	42	8	9,067	9,067	9,622	10,178
TFV-3090-SS	90	30	42	8	7,401	-	-	-
TFV-3690-SS	90	36	42	8	7,852	-	-	-
TFV-4290-SS	90	42	42	8	9,031	9,031	9,595	10,160
TFV-4890-SS	90	48	42	8	9,851	9,851	10,434	11,019
TFV-3096-SS	96	30	42	8	7,587	-	-	-
TFV-3696-SS	96	36	42	8	8,069	-	-	-
TFV-4296-SS	96	42	42	8	9,300	9,300	9,865	10,431
TFV-4896-SS	96	48	42	8	10,164	10,164	10,749	11,334
TFV-42102-SS	102	42	42		-	10,102	10,698	11,295
TFV-48102-SS	102	48	42		-	11,060	11,676	12,294
TFV-42108-SS	108	42	42		-	10,387	10,983	11,580
TFV-48108-SS	108	48	42		-	11,388	12,005	12,623
TFV-42114-SS	114	42	42		-	11,233	11,860	12,488
TFV-48114-SS	114	48	42		-	12,336	12,987	13,635
TFV-42120-SS	120	42	42		-	11,533	12,160	12,788
TFV-48120-SS	120	48	42		-	12,684	13,334	13,983
TFV-42132-SS	132	42	42		-	12,636	13,290	13,945
TFV-48132-SS	132	48	42		-	13,937	14,613	15,290
TFV-42144-SS	144	42	42		-	13,792	14,472	15,153
TFV-48144-SS	144	48	42		-	15,248	15,950	16,654

SOLID SURFACE TOP

OPTIONS	CODE	PRICE	NOTES
Power & Data Options			See pages 124-134
Polished Chrome Finish Options:			
Polished Chrome Open Frame Base	Add **-PCOF-TWE**	$2,077	
Multi-Section Tops:			
102", 108", 114" and 120" one-piece tops split into two sections	Specify -2	$607	Note: Power Matrix (center of table location only) cannot be specified when this option is selected
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	$1,212	

EDGE PROFILE



Two4Six Solid Surface Edge

GENERAL INFORMATION


- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- One section of wire management channel provided per table

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


See appendix pages vi-vii for surface material options.

- Choose Solid Surface Finish
- Choose Metal Finish

VENEER TOP WITH HARDWOOD EDGE



STATIONARY



HEIGHT ADJUSTABLE

SURFACE MATERIAL KEY


V Veneer with Hardwood Edge

STATIONARY TABLES

MODEL #	LENGTH	WIDTH	HEIGHT	-V
TFD-3672	72	36	29-1/2	6,786
TFD-3684	84	36	29-1/2	7,654
TFD-4284	84	42	29-1/2	9,047

HEIGHT ADJUSTABLE TABLES

MODEL #	LENGTH	WIDTH	-V
TFAD-3672	72	36	9,152
TFAD-3684	84	36	10,021
TFAD-4284	84	42	11,413




-CV

OPTIONS

OPTIONS	CODE	PRICE	NOTES
Chevron Veneer Pattern (Available in Walnut or Cherry Veneer only)	Add **-CV**	$1,325	

EDGE PROFILE



Two4Six Cutback Edge

GENERAL INFORMATION


- Features a cutback hardwood edge profile with 5/8" vertical edge
- Adjustable table height range: 28"-42"
- Standard with quarter cut veneer
- Tops are 1-1/8"-thick
- Available with Power Rail only

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


See appendix pages vi-vii for surface material options.


- Choose Veneer Species
- Choose Metal Finish


POWER AND DATA OPTIONS

POWER MATRIX SMALL	MODEL #	DESCRIPTION	W x D	SIMPLEX OUTLETS	BLANK	DATA*	PRICE
	PM-SM-G	Small - Glass Door	6 x 5.375	2	2	1	1,130
	PM-SM-M	Small - Metal Door	6 x 5.375	2	2	1	1,130
	PM-SM-W	Small - Wood Door	6 x 5.375	2	2	1	1,426

*Each data faceplate includes two RJ-45 (Data) connectors


-FOUR


-THREE


-USB


OPTIONS	CODE	PRICE	NOTES
4 Simplex Receptacles	Add **-FOUR**	No Charge	Replace AAP's with 2 additional simplex receptacles
3 Simplex Receptacles/Dual Charging USB	Add **-THREE**	No Charge	Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB
USB Charging	Add **-USB**	$87 per unit	Dual USB charger, replaces one of the simplex outlets
Polished Chrome Door	Add **-PD**	$169 per unit	Only available with metal door option
Polished Chrome Bezel	Add **-PB**	$240 per unit	Only available on glass, stone/quartz and laminate top tables
Field-Wired	Add **-FW**	Deduct $31 per unit	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.
Single Infeed Option Available	See page 127		

GENERAL INFORMATION

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4"-thick, metal doors are 1/8"-thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only)
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: Two simplex receptacles, two RJ-45 data connectors and two single blank faceplates
- When specified on tables with laminate, glass or stone/quartz tops, each Power Matrix unit will include a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Not available on Counter and Standing Height Media Tables
- Additional data/AV faceplate options are on page 127

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose location code & quantity from the chart on page 126
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate, glass and stone/quartz tables

POWER AND DATA OPTIONS



POWER MATRIX MEDIUM	MODEL #	DESCRIPTION	W x D	SIMPLEX OUTLETS	BLANK	DATA*	PRICE
	PM-MD-G	Medium - Glass Door	6 x 8.25	4	3	1	1,783
	PM-MD-M	Medium - Glass Metal	6 x 8.25	4	3	1	1,781
	PM-MD-W	Medium - Wood Door	6 x 8.25	4	3	1	2,079

*Each data faceplate includes two RJ-45 (Data) connectors

OPTIONS	CODE	PRICE	NOTES
USB Charging	Add **-USB**	$87 per unit	Dual USB charger, replaces one of the simplex outlets
Polished Chrome Door	Add **-PD**	$227 per unit	Only available with metal door option
Polished Chrome Bezel	Add **-PB**	$268 per unit	Only available on glass, stone/quartz and laminate top tables
Field-Wired	Add **-FW**	Deduct $31 per unit	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.
Single Infeed Option Available	See page 127		

GENERAL INFORMATION

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4"-thick, metal doors are 1/8"-thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only)
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: Two simplex receptacles, two RJ-45 data connectors and two single blank faceplates
- When specified on tables with laminate, glass or stone/quartz tops, each Power Matrix unit will include a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Not available on Counter and Standing Height Media Tables
- Additional data/AV faceplate options are on page 127

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose location code & quantity from the chart on page 126
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate, glass and stone/quartz tables

POWER AND DATA OPTIONS

LOCATION CODES	POWER MATRIX SMALL	POWER MATRIX MEDIUM	LOCATION	QUANTITY OF UNITS TO ORDER
	PS-1	PM-1	One at center	1
	PS-1W	PM-1W	One at wall end (Media Table only)	1
	PS-2*	PM-2*	One at each end	2
	PS-3*	PM-3*	One at center and one at each end	3
	PS-4*	PM-4*	Four equally spaced	4

*Not offered on Media Tables, Standing Height Tables, or Counter Height Tables

DOOR MATERIAL AND LOCATION AVAILABILITY BY TABLE SIZE

W = Wood Door G = Glass Door M = Metal Door

		Power Matrix Small					Power Matrix Medium				
Length	Top Sections	PS-1	PS-1W†	PS-2*	PS-3*	PS-4*	PM-1	PM-1W†	PM-2*	PM-3*	PM-4*
48	1	W/G/M	-	-	-	-	-	-	-	-	-
54	1	W/G/M	-	-	-	-	-	-	-	-	-
60	1	W/G/M	W/G/M	-	-	-	-	W/G/M	-	-	-
66	1	W/G/M	W/G/M	-	-	-	W/G/M	W/G/M	-	-	-
72	1	W/G/M	W/G/M	-	-	-	W/G/M	W/G/M		-	-
84	1	W/G/M	W/G/M	-	-	-	W/G/M	W/G/M		-	-
90	1	W/G/M	W/G/M	-	-	-	W/G/M	W/G/M		-	-
96	1	W/G/M	W/G/M	-	-	-	W/G/M	W/G/M			-
102	1	W/G/M	-	W/G/M	W/G/M	-	W/G/M	-	W/G/M	W/G/M	-
102	2	-	-	W/G/M	-	-	-	-	W/G/M	-	-
108	1	W/G/M	-	W/G/M	W/G/M	-	W/G/M	-	W/G/M	W/G/M	-
108	2	-	-	W/G/M	-	-	-	-	W/G/M	-	-
114	1	W/G/M	-	W/G/M	W/G/M	-	W/G/M	-	W/G/M	W/G/M	-
114	2	-	-	W/G/M	-	-	-	-	W/G/M	-	-
120	1	W/G/M	-	W/G/M	W/G/M	-	W/G/M	-	W/G/M	W/G/M	-
120	2	-	-	W/G/M	-	-	-	-	W/G/M	-	-
132	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
144	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
156	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
168	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
180	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
192	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
192	4	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
204	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
204	4	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
216	2	-	-	W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
216	4	-		W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
228	2	-		W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
228	4	-		W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
240	2	-		W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M
240	4	-		W/G/M	-	W/G/M	-	-	W/G/M	-	W/G/M


†Available on Media Tables only
*Not offered on Media Tables, Standing Height Tables, or Counter Height Tables

POWER AND DATA OPTIONS

SINGLE INFEED OPTION	MODEL #	DESCRIPTION	PRICE
	SI-H	Single In-Feed Option, Hard-wired	419
	SI-C	Single In-Feed Option, Corded (Plug-in)	507

GENERAL INFORMATION

- Tables 72"-120" in length include 2 duplex receptacles with the modular power system
- Tables 132"-240" in length include 3 duplex receptacles with the modular power system
- Hardwired and Corded Single In-Feed options are 7' long
- Single In-Feed option cannot be specified in conjunction with the Field-Wired (-FW) option
- Corded Single In-Feed option will require a 20-amp power outlet in the floor monument and reduces the modular electrical system in the table to a single circuit

RETRACTORS	MODEL #	DESCRIPTION	PRICE
 CR-HDMI	CR-CAT6	CAT6 Retractor	688
	CR-HDMI	HDMI Retractor	688
	CR-DISPLAY	Display Port Retractor	688
	CR-USB	Data USB Retractor	688

GENERAL INFORMATION



- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- Not available on square, round or soft square tables
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- See page 19 for availability by table size

DATA FACEPLATES	MODEL #	DESCRIPTION	STYLE	W x H	PRICE
	FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	55
	FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	196
	FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	153
	FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	153
	FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	125
	FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	169
	FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	238
	FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	238
	FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	238
	FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtails	Single	3-1/2 x 5/8	266
	FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	68
	FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	169
	FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	294
	FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	196

GENERAL INFORMATION

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Each TW-RAIL-DATA unit holds two Single Space faceplates
- Faceplates are black

POWER AND DATA OPTIONS

FOUR PORT POWER CAP	MODEL #	SHAPE	DESCRIPTION	L x W	SIMPLEX OUTLETS	DUAL USB-A	DATA	ONE AT CENTER OR END -1	ONE AT EACH END -2	EQUALLY SPACED STARTING AT 96" -3	EQUALLY SPACED STARTING AT 132" -4
 CAP-SUUS	CAP-SUUS-B	Racetrack	Black Simplex	9 x 2	2	2	-	1,182	2,364	3,546	4,728
	CAP-SUUS-W	Racetrack	White Simplex	9 x 2	2	2	-	1,182	2,364	3,546	4,728
 CAP-SUAA	CAP-SUAA-B	Racetrack	Black Simplex/AAP	9 x 2	1	1	2	981	1,962	2,943	3,924
	CAP-SUAA-W	Racetrack	White Simplex/Black AAP	9 x 2	1	1	2	981	1,962	2,943	3,924
 CAP-SSAA	CAP-SSAA-B	Racetrack	Black Simplex/AAP	9 x 2	2	-	2	861	1,722	2,583	3,444
	CAP-SSAA-W	Racetrack	White Simplex/Black AAP	9 x 2	2	-	2	861	1,722	2,583	3,444

OPTIONS	CODE	PRICE	NOTES
Polished Chrome Plate	Add **-PCP**	$52 per unit	
Field-Wired	Add **-FW**	Add $73 per unit	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.

GENERAL INFORMATION

- Data includes two single space Extron Architectural Adapter Plates (AAP's)
- Reference location chart

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish (unless Polished Chrome has been specified)

TWO PORT POWER CAP	MODEL #	SHAPE	DESCRIPTION	L x W	SIMPLEX OUTLETS	DUAL USB-A	DATA	ONE AT CENTER OR END -1	ONE AT EACH END -2	EQUALLY SPACED STARTING AT 96" -3	EQUALLY SPACED STARTING AT 132" -4
 CAP-SU	CAP-SU-B	Racetrack	Black Simplex	5.5 x 2	1	1	-	862	1,724	2,586	3,448
	CAP-SU-W	Racetrack	White Simplex	5.5 x 2	1	1	-	862	1,724	2,586	3,448
 CAP-SS	CAP-SS-B	Racetrack	Black Simplex	5.5 x 2	2	-	-	740	1,480	2,220	2,960
	CAP-SS-W	Racetrack	White Simplex	5.5 x 2	2	-	-	740	1,480	2,220	2,960





OPTIONS	CODE	PRICE	NOTES
Polished Chrome Plate	Add **-PCP**	$52 per unit	
Field-Wired	Add **-FW**	Add $73 per unit	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.

GENERAL INFORMATION

- Data includes two single space Extron Architectural Adapter Plates (AAP's).
- Reference location chart

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish (unless Polished Chrome has been specified)

POWER AND DATA OPTIONS

TWO PORT SOFT SQUARE, ROUND OR SQUARE POWER CAP	MODEL #	SHAPE	DESCRIPTION	L x W	SIMPLEX OUTLETS	DUAL USB-A	PRICE
 CAPS-SU	CAPS-SU-B-	Soft Square	Black Simplex	5x5	1	1	862
	CAPS-SU-W-	Soft Square	White Simplex	5x5	1	1	862
	CAPR-SU-B-	Round	Black Simplex	5x5	1	1	862
	CAPR-SU-W-	Round	White Simplex	5x5	1	1	862
	CAPQ-SU-B-	Square	Black Simplex	5x5	1	1	862
	CAPQ-SU-W-	Square	White Simplex	5x5	1	1	862
 CAPR-SU	CAPS-SS-B-	Soft Square	Black Simplex	5x5	2	-	740
	CAPS-SS-W-	Soft Square	White Simplex	5x5	2	-	740
	CAPR-SS-B-	Round	Black Simplex	5x5	2	-	740
	CAPR-SS-W-	Round	White Simplex	5x5	2	-	740
	CAPQ-SS-B-	Square	Black Simplex	5x5	2	-	740
	CAPQ-SS-W-	Square	White Simplex	5x5	2	-	740
 CAPQ-SU							
 CAPS-SS							
 CAPR-SS							
 CAPQ-SS							

OPTIONS	CODE	PRICE	NOTES
Polished Chrome Plate	Add **-PCP**	$52 per unit	
Field-Wired	Add **-FW**	Add $73 per unit	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.

GENERAL INFORMATION


- Available on Radius Square & Round Tops only
- Available at center location only


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish (unless Polished Chrome has been specified)


LOCATION CODES	POWER CAP	DESCRIPTION	LOCATION	QUANTITY OF UNITS TO ORDER
	CP4-1	Power Cap 4 Port Racetrack Shape	One at Center	1
	CP4-1W	Power Cap 4 Port Racetrack Shape (Media Table)	One at End (Media Table Only)	1
	CP4-2	Power Cap 4 Port Racetrack Shape	One at Each End	2
	CP4-3	Power Cap 4 Port Racetrack Shape	3 Equally Spaced (starting at 96")	3
	CP4-4	Power Cap 4 Port Racetrack Shape	4 Equally Spaced (starting at 132")	4
	CP2-1	Power Cap 2 Port Racetrack Shape	One at Center	1
	CP2-1W	Power Cap 2 Port Racetrack Shape (Media Table)	One at End (Media Table Only)	1
	CP2-2	Power Cap 2 Port Racetrack Shape	One at Each End	2
	CP2-3	Power Cap 2 Port Racetrack Shape	3 Equally Spaced (starting at 96")	3
	CP2-4	Power Cap 2 Port Racetrack Shape	4 Equally Spaced (starting at 132")	4
	CPS2-1	Power Cap 2 Port Soft Square Shape (Soft Square Tables only)	One at Center	1
	CPR2-1	Power Cap 2 Port Round Shape (Round Tables Only)	One at Center	1
	CPQ2-1	Power Cap 2 Port Square Shape (Square Tables Only)	One at Center	1

POWER AND DATA OPTIONS

TECH NODE	MODEL #	W X D	SIMPLEX RECEPTACLES	OPEN DATA PORTS	DUAL CHARGING USB	BLUETOOTH SPEAKER	PRICE
	PUP	8 x 4	2	2	-	-	412
	PUP-USB	8 x 4	2	1	1	-	491
	PUP-SPEAKER	8 x 4	1	-	-	1	630


PUP


PUP-USB


PUP-SPEAKER

OPTIONS	CODE	PRICE	NOTES
Field-Wired	Add **-FW**	No Charge	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.

GENERAL INFORMATION

- PUP option includes two simplex receptacles and two voice/data openings
- PUP-USB option includes two simplex receptacles, one dual USB charger and one voice/data opening
- 12' cord and a 15 amp plug-in power Infeed
- Voice/data modules must be ordered separately; contact your local AV integrator
- Default color to metal finish specified on tables (Shadow, Storm, Black, Aged Bronze, Satin Bronze and Galaxy receive Black Anodized Tech Node; Cloud, Burnished and Foil receive Clear Anodized Tech Node)
- UL Listed
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose location code and quantity from chart on page 131

POWER SPEC	MODEL #	DESCRIPTION	PRICE
	PWR-R-B	Round Power Spec with Black Faceplate	87
	PWR-R-W	Round Power Spec with White Faceplate	87
	PWR-SQ-B	Square Power Spec with Black Faceplate	87
	PWR-SQ-W	Square Power Spec with Faceplate	87


PWR-R-W


PWR-SQ-W

GENERAL INFORMATION

- Includes one simplex receptable
- 12' cord

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)

USB SPEC	MODEL #	DESCRIPTION	PRICE
	USB-R-B	Round Data Spec with Black Faceplate	184
	USB-R-W	Round Data Spec with White Faceplate	184
	USB-SQ-B	Square Data Spec with Black Faceplate	184
	USB-SQ-W	Square Data Spec with Faceplate	184


USB-R-W


USB-SQ-W

GENERAL INFORMATION

- Includes one 2-port charging USB
- 6' cord

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)

POWER AND DATA OPTIONS

GROMMET	MODEL #	DESCRIPTION	DIAMETER	PRICE
	GR	Round Grommet	2" Dia	156




OPTIONS	CODE	PRICE	NOTES
Polished Chrome Grommet	Add **-PCG**	$64 per unit	

GENERAL INFORMATION

- Available at center location only

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish: Cloud (A8004), Burnished (A8009), Foil (A8006), Shadow (A8005), Galaxy (A8007) or Clear Anodized (CA)

POWER POLE	MODEL #	DESCRIPTION	PRICE
	TF-PP	Power Pole	701




REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish (Clear Anodized -CA not available)

LOCATION CODES	TECH NODE	POWER SPEC	USB SPEC	ROUND GROMMET	LOCATION	QUANTITY OF UNITS TO ORDER
	TN-1	SP-1	SP-1	G-1	One at center	1
	TN-1W	SP-1W	SP-1W	G-1W	One at wall end	1
	TN-2*	SP-2	SP-2		One at each end	2
	TN-3*	SP-3	SP-3		One at center and one at each end	3
	TN-4*	SP-4	SP-4		Four equally spaced	4


*TN-2, TN-3 and TN-4 not offered on Media Tables, Standing Height Tables, or Counter Height Tables

POWER AND DATA OPTIONS

HARDWIRE INFEED POWER RAIL KIT	MODEL #	TOTAL # OF RAILS	ELECTRICAL OUTLETS	(2) SIMPLEX -S2	ELECTRICAL OUTLETS	(1) SIMPLEX / (1) CHARGING USB -S1
(Includes Power Rails, Hardwire Infeed and Modular Power Components)	TF-RAIL-1-H	1	2	1,010	1	1,010
	TF-RAIL-2-H	2	4	1,605	2	1,605
	TF-RAIL-3-H	3	6	2,199	3	2,199
	TF-RAIL-4-H	4	8	2,792	4	2,792
	TF-RAIL-5-H	5	10	3,386	5	3,386
	TF-RAIL-6-H	6	12	3,980	6	3,980
	TF-RAIL-7-H	7	14	4,572	7	4,572
	TF-RAIL-8-H	8	16	5,165	8	5,165



-S2




-S1

GENERAL INFORMATION


- Includes modular power electrical system
- Hardwire infeed is 7' long
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish

CORDED INFEED POWER RAIL KIT	MODEL #	TOTAL # OF RAILS	ELECTRICAL OUTLETS	(2) SIMPLEX -S2	ELECTRICAL OUTLETS	(1) SIMPLEX / (1) CHARGING USB -S1
(Includes Power Rails, Corded Infeed and Modular Power Components)	TF-RAIL-1-C	1	2	1,099	1	1,099
	TF-RAIL-2-C	2	4	1,694	2	1,694
	TF-RAIL-3-C	3	6	2,287	3	2,287
	TF-RAIL-4-C	4	8	2,880	4	2,880
	TF-RAIL-5-C	5	10	3,474	5	3,474
	TF-RAIL-6-C	6	12	4,068	6	4,068
	TF-RAIL-7-C	7	14	4,662	7	4,662
	TF-RAIL-8-C	8	16	5,255	8	5,255



-S2




-S1

GENERAL INFORMATION

- Includes modular power electrical system
- Corded single infeed is 7' long
- Corded Single Infeed option will require a 20amp outlet in the floor monument and reduces the modular electrical system in the table to a single circuit
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish

DATA RAIL	MODEL #	DESCRIPTION	PRICE
	TF-RAIL-DATA	Data Rail includes (1) blank faceplate and (1) dual RJ-45 faceplate	458



FW-RAIL-DATA

GENERAL INFORMATION

- Data Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish



POWER AND DATA OPTIONS

FIELD-WIRED	MODEL #	DESCRIPTION	(2) SIMPLEX -S2	(1) SIMPLEX / (1) CHARGING USB -S1
	TF-RAIL-FW	Field-Wired Power Rail	527	527

GENERAL INFORMATION

- Includes 6' flexible metal conduit and required a hardwire connection
- May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. A junction box will be provided when ordering the TW-RAIL-FW option.
- Power Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish

INDIVIDUAL POWER RAIL	MODEL #	DESCRIPTION	(2) SIMPLEX -S2	(1) SIMPLEX / (1) CHARGING USB -S1
 -S2	TF-RAIL	Power Rail	594	594
 -S1				

GENERAL INFORMATION

- Individual power rails do not include a modular power system. Each Power Rail must directly plug into a floor core with a 6'-corded15-amp plug-in infeed. (Typically used with smaller tables, rounds, squares, soft squares, where a modular power system is not required.)
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish


CHARGING TRAC	MODEL #	TOTAL BRACKETS	# OF USB PORTS	PRICE
	TRAC-2	2	4	1,532
	TRAC-4	4	8	2,586

GENERAL INFORMATION

- Plug-in Infeed only
- Field Installed
- 15 amp

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish

FREESTANDING POWER OPTIONS

CHARGING STAND (BATTERY-POWERED)	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	USB-A PORTS	USB-C PORTS	PRICE
	STAND-B-W	Battery-Powered White Unit	-	3	1	1,751
	STAND-B-B	Battery-Powered Black Unit	-	3	1	1,751




GENERAL INFORMATION

- Three ports for USB-A and one 18 Watt USB-C
- Charging cord included
- LED lights on top of the unit indicate charge level of the battery. When all 4 lights are on, the battery is fully charged.
- Uses a 40 Amp Hour battery with a 128 Watt Hour capacity. For optimal use, it should be charged every night.
- Charging capacities are estimated, based on charging from no power to full power.
  - 10-12 smart phones
  - 8-10 small tablets (5-7" in size)
  - 4 large tablets (9-11" in size)
- White unit is a combination of White aluminum on the base and neck area, and plastic in the Fog color for the trim inserts
- Weight: 12lbs

CHARGING STAND (CORDED)	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	USB-A PORTS	USB-C PORTS	PRICE
	STAND-1C-W	Corded White Unit	1	2	1	770
	STAND-3C-W	Corded White Unit	3	2	1	778
	STAND-4C-W	Corded White Unit	4	2	1	794
	STAND-1C-B	Corded Black Unit	1	2	1	770
	STAND-3C-B	Corded Black Unit	3	2	1	778
	STAND-4C-B	Corded Black Unit	4	2	1	794


GENERAL INFORMATION

- 10' Plug-In Infeed Cord
- Capable of charging laptops, tablets and mobile phones simultaneously
- STAND-4C version includes a circuit breaker in the base
- Weight: 10lbs

TECH ZONE	MODEL #	DESCRIPTION	SIMPLEX OUTLETS	OPEN DATA PORTS	DUAL CHARGING USB	BLUETOOTH SPEAKER	PRICE
 ZONE-SPEAKER	ZONE-DATA	(2) Simplex receptacles (2) Open data ports	2	2	-	-	258
 ZONE-DATA	ZONE-USB	(2) Simplex receptacles (1) Dual charging USB (1) Open data port	2	1	1	-	309
 ZONE-USB	ZONE-SPEAKER	(1) Simplex receptacle (1) Dual charging USB (1) Bluetooth speaker	1	-	1	1	628
 ZONE-SPEAKER							

GENERAL INFORMATION


- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required

CHARGING CUBE	MODEL #	DESCRIPTION	PRICE
	CUBE-W	White Power Cube	301
	CUBE-B	Black Power Cube	301

GENERAL INFORMATION

- Includes (3) 2 Amp USB charging ports
- The Cube can be recharged completely in 4.5 hours

ACCESSORIES


MARKER BOARD	MODEL #	WIDTH	LENGTH	PRICE
	TFMB-3642	36	42	1,500
	TFMB-7242	72	42	2,884

OPTIONS	CODE	PRICE	NOTES
Polished Chrome Grommet Finish Option for Marker Tray	Add **-PCMT**	$221	

GENERAL INFORMATION

- 3/16" white gloss back-painted glass
- Magnetic backer
- Marker tray always located on left side
- Marker Board includes (6) magnets, eraser and markers

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Metal Finish for Marker Tray (Clear Anodized (-CA) metal finish not available)


CADDY	MODEL #	W x D	DESCRIPTION	PAINTED -PS	VENEER -V
	TFCA-1820	18 x 20	Caddy	1,039	1,572

OPTIONS	CODE	PRICE	NOTES
Polished Chrome Grommet Finish on Base	Add **-PCBF**	$834	

GENERAL INFORMATION

- Box height 5.125"
- Total height 26"
- Drawer has integrated pull
- Standard with quarter cut veneer
- White painted drawer box with undermount self soft close slides


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Veneer Species & Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Metal Finish (Clear Anodized (-CA) metal finish not available)

VIDEO CONFERENCE CAMERA SHELF	MODEL #	W x D	PRICE
	NEVC-1407	14 x 7	350


GENERAL INFORMATION

- Shelf is 1/4" thick Foil powder coated aluminum and can be positioned at any height
- Field installed

VENEER TOP WITH HARDWOOD EDGE



CONSOLE
TFDC-8430



CREDENZA
TFCC-8430

SURFACE MATERIAL KEY

V Veneer

CONSOLE

MODEL #	WIDTH	LENGTH	HEIGHT	# OF DRAWERS	-V
TFDC-5626	56	19	26	4 Drawers	2,941
TFDC-7026	70	19	26	5 Drawers	3,324
TFDC-8426	84	19	26	6 Drawers	3,707
TFDC-5630	56	19	30	4 Drawers	3,382
TFDC-7030	70	19	30	5 Drawers	3,822
TFDC-8430	84	19	30	6 Drawers	4,264

GENERAL INFORMATION

- White drawer boxes with under-mount self soft-closing slides
- Overall drawer dimensions are 15" x 12.5" x 3.25". Interior drawer box dimensions are 14" x 11.5" x 2.5".
- Standard with quarter cut veneer

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Veneer Species & Finish

CREDENZA

MODEL #	WIDTH	LENGTH	HEIGHT	-V
TFCC-6030	60	22	30	7,924
TFCC-7230	72	22	30	8,818
TFCC-8430	84	22	30	9,713

OPTIONS	CODE	PRICE	NOTES
No Locks	Add **-NL**	No Charge	


GENERAL INFORMATION


- Credenza standard with locks
- Standard with quarter cut veneer
- White drawer boxes with under-mount self soft-closing slides
- 60" and 72" wide credenzas include 4 lateral files. 84" wide credenza will include 4 lateral files and center doors

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
See appendix pages vi-vii for surface material options.
- Choose Veneer Species & Finish


File Placement Options:


30"-wide Drawer (60"-wide Credenza)





36"-wide Drawer (72" and 84"-wide Credenza)





Appendix

GENERAL INFORMATION

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information
We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact Nucraft Customer Service. Nucraft can also help arrange to have products blanket wrapped for an additional charge. Contact the Nucraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below $2,100 net will be assessed a $285 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

Nucraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under $50,000 net)
- Specific time of day, morning or afternoon (for orders under $50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the Nucraft Customer Service team for availability and pricing on these services.

Freight Terms
Shipping charges for Nucraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify Nucraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by Nucraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from Nucraft's facilities.

Storage
Nucraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, Nucraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. Nucraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays
Third party carriers that Nucraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. Nucraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). Nucraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims
Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against Nucraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations
Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy
Nucraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. Nucraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. Nucraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be Charged $200 net to cover print and administrative costs.
- Special Orders: Change orders received prior to production will be charged $200 net to cover print and administrative costs. There may be additional Costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by Nucraft. If approved, the charge will be $200 net plus any restocking charges accumulated. There may be additional costs associated with engineering labor required for the change order.

GENERAL INFORMATION

Repair Authorization
Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

Payment Terms
Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@Nucraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@Nucraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

Warranty
Nucraft Furniture is warranted to be free from defects in materials and workmanship for a period of ten years of single shift use. Limitations include:

- Mechanical Devices such as latches, casters, and other moving components are warranted for five years of the date of original delivery.
- Height adjustable components are warranted for two years of the date of original delivery.
- The following are warranted for one year of the date of original delivery:
  - Textiles
  - Electrical Components
  - Refrigeration Units
  - Custom Products not described in Nucraft's Catalogue

This warranty is applicable only if furniture is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft product through authorized dealers or approved sellers.

During this warranty period, Nucraft's sole obligation is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period.

This warranty does not cover:

- Damage caused by a carrier.
- Damage from user modification, misuse, abuse, accident, or negligence.
- Customer's Own Material (COM) specified by the customer that is not a standard product offering.
- Color, grain, or texture of wood and other covering material.

Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement
Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning
Nucraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®
Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.

FINISH INFORMATION

Surface Materials Palette
We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by Nucraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materails comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in Nucraft's rich heritage. Other's are new materials and refelct current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes
Nucraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For orders over $5050 list, a finish sample will automatically be sent for approval prior to entering the order. Additionally, for finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will also be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard leadtime. Nucraft's standard black finish (G82) can be applied to all Nucraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Custom finishes carry a 10% upcharge per item, per finish.

Do not add the finish upcharge to any item that is not wood. Example: casters, ganging connectors.

Treatments
Note: Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded on pages vi-vii. If no direction is provided on incoming orders, default sheen will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood
All Nucraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

Nucraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact Nucraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes
Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

Nucraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage Nucraft's finish, but will leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naptha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All Nucraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.

FINISH INFORMATION

Laminates
Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates
To order a color other than those on our list (see pages vi-vii), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering).

- For approved non-standard laminates with a hardwood edge, the upcharge is 10% of the base price per laminate color with a minimum of $505 and capped at $1500.
- For approved non-standard laminate with a standard ABS edge, the upcharge is $150 per laminate color.
- For approved non-standard laminates with a non standard ABS edge, please contact customer service.

To ensure your non standard laminate is on our approved list, please contact customer service. Add one week to the lead-time for all non-standard laminate and linoleum orders. Call the Nucraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate and Novawrap
Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal
Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass
Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass
Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material
Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite
Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather
Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abbrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION:
(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
- Kit model number
- Quantity of kits
- Specify finish (See pages vi-vii)

General Information:
- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping

TWO4SIX™ SURFACE MATERIALS

WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Ash		
Blanco	**M44**	G44
Char	**M50**	G50
Rift Cut Oak		
Carbon	M03	**G03**
Flat Cut Oak		
Dune	**M05**	G05
Portobello	**M7413**	G7413
Flaky Oak		
Sahara	**M61**	G61
Cherry		
Cognac	M21	**G21**
Auburn	M93	**G93**
Walnut		
Marron	**M35**	G35
Mocha	**M33**	G33
Zinc	M30	**G30**
Onyx	M82	**G82**
Otter	M31	**G31**
Maple		
Natural Maple	M60	**G60**
Linea		
Oak Linea	**M08**	G08
Walnut Linea	**M27**	G27
Euro Birch Linea	**M09**	G09
Silver Birch Linea	M10	**G10**
Paldao		
Thicket	**M75**	G75
Paldao	**M76**	G76
Canyon	M77	**G77**

STONE TOPS

Stone orders may affect lead times. Please contact Nucraft Customer Service for details.

Stone	
Absolute Black Honed Granite	ST01
Carrara Marble	ST16
Quartz | Wilsonart	
Haida	ST14
Lazio	ST18
Serene	ST17
Grey Lake	ST20

SOLID SURFACE TOPS

Wilsonart Designer White	ST11

TWO4SIX™ SURFACE MATERIALS

METAL FINISHES

Aged Bronze	A8010
Black	A44
Burnished	A8009
Clear Anodized*	CA
Cloud	A8004
Foil	A8006
Galaxy	A8007
Polished Chrome**	PC
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

* Not available on Open Frame Base

**Up-Charge applies. See specific product line pages for availability and details.

PAINTS

Burnished	S88
Cloud	S8004
Foil	S8006
Galaxy	S8007
Moonlight	S87
Oyster	-
Shadow	S8005
Storm	S8012

Paint to Match

To request a custom paint color, contact Nucraft Customer Service. A paint sample must be matched and approved prior to order.

GLASS (SATIN OR GLOSS)

	Satin	Gloss
Black	BS	-
Clove	VS	VG
Meringue	MS	MG
Quill	QS	QG
White	WS	WG

LAMINATES

	Code	Coordinating Wood Finish	Suggested ABS Edgeband Coordinate
Wood Grain Laminates			
Formica White Ash	8841-58	M8841	R02, R01
Formica Natural Ash	8843-58	M8843	R02
Formica Aged Ash	8844-58	M8844	R04
Formica Weathered Ash	8842-58	M8842	R05
Formica Oiled Legno	8846-58	M8846	R05
Formica Bleached Legno	8845-58	M8845	R04
Formica Blackened Legno	8848-58	M8848	R05
Formica Chestnut Woodline	5884-58	M5884	R05
Formica Urban Planked Oak	9312-58	M9312	R04
Formica Thermo Walnut	6402-58	M6402	R04
Formica Smoky Brown Pear	5488-58	M5488	R05
Formica Espresso Pear	5489-58	M5489	R05
Formica Smoky Walnut Woodline	6926-58	M6926	R05
Formica White Knotty Maple	7410-58	M7410	R02
Formica Sand Maple	9237-58	G60	R02
Formica Planked Coffee Oak	7413-58	M7413	R05
Solid Laminates			
Formica Brite White	459-58		R01
Formica Dover White	7197-58		R01
Formica Pearl	934-58		R02
Formica Graystone	464-58		R02
Formica Folkstone	927-58		R03
Formica Graphite	837-58		R05
Patterned Laminates			
Nevamar Cool Chic	VA7002T		R02
Nevamar Serene Stardom	VA5001T		R05
Nevamar Calm Distinction	VA6001T		R05
Nevamar Easy Elegance	VA5002T		R05
Wilsonart Sheer Mesh	4876-38		R02
Wilsonart Grey Mesh	4877-38		R02
Wilsonart Pewter Mesh	4878-38		R05

ABS FINISHES

Ashen	R04
Parchment	R02
Shale	R05
Stone	R03
Whitecap	R01