MEASURING & SITE LAYOUT
(INSTRUMENTS)

STABILA® ...sets standards



48" Box Frame Level 37448

- Removable endcaps for scribing in corners
- Rubber endcaps grip walls & do not leave marks
- Crystal clear vials readable in any direction





TECH Level IP-65 37924 - 24"

- TECH level that combines a Stabila spirit level and a dual display electronic level
- Vial accuracy guaranteed for life; digital displays are located on the top edge and the front face for easier and faster reads
- Permanently calibrated, epoxy locked vials
- Dust/water sealed

36548	48" Tech Level IP-65

R-Series 41024 - 24"



- Increased strength
- 3 straight edges
- Continuous comfortable grip

41048	48" R-Series
41072	72" R-Series

78" TECH Level IP-65 37978

- Offers both a Stabila spirit level with patented vial system that are guaranteed accurate for life, and a dual display electronic level
- The two digital displays are located on the top edge and the front face for easier and faster reads
- The frame is 30% stronger than previous electronic levels and all four corners have been retained on the new frame



Laser Kit with Tripod LAPR-150



- Set includes: LAPR 150 rotating laser, receiver with clamp, 42" - 72" heavy-duty tripod, Hi/Lo elevation rod, target plate, hard shell carrying case, 2 "D" batteries.

*No Minimum Order - No Freight Charges

Jobsite Supply is a Certified Full Line Distributor of Stabila Products

STANLEY®

Tape Measures

35' Powerlock® Tape Rule with Blade Armor® Coating 33-835



35' x 1-1/4" Fatmax™ Tape Rule 33-735



35' x 1-1/4" Fatmax™ Xtreme Tape Rule with BladeArmor Coating 33-900



33-725	Stanley Fatmax™ 1-1/4-inch by 25-foot Tape Rule
33730	Stanley Fatmax™ 1-1/4-inch by 25-foot Tape Rule
34106	Stanley 3/8" to 100-foot Steel Tape

Tape Measures

Jobsite Supply Tape Measure JS25FT

- Cushioned case
- 7/8" wide, yellow coated blade
- Reinforced tip
- 7ft. standout





Inverted Spray Paint

S03601	Clear Line Saver
AT3701	Flourescent Orange
93900	White Inverted
ETBL2D	Blue Inverted
SO3641	Flourescent Green Inverted
03622	Hot Pink Inverted

www.jobsitesupply.com (317) 684-7474 624 S. Missouri St. Indianapolis, IN 46225

MEASURING & SITE LAYOUT
(INSTRUMENTS)

Flagging



65601	White flagging 1-3/16x100yds.-300 ft.
65602	Red flourescent flagging 1-3/16x50yds. -150ft.
65603	Pink flourescent flagging 1-3/16x50yds.-150ft.
65604	Lime Green flagging 1-3/16x50yds.-150ft.
65903	Blue flagging 1-3/16x100yds.-300ft.
65905	Yellow flagging 1-3/16x100yds.-100ft.

Feathers, Whiskers, Tacks, Flags



15901-25-21	Blue 21" w/ 2-1/2"x3" flag - 10 BDL
15901-79-21	Red 21" w/ 2-1/2"x3" flag - 10 BDL
15901-38-20	Green 21" w/ 2-1/2"x3" flag - 10 BDL
15901-10-21	White 21" w/ 2-1/2"x3" flag - 10 BDL
15901-41-21	Yellow 21" w/ 2-1/2"x3" flag - 10 BDL
15901-45-21	Orange 21" w/ 2-1/2"x3" flag - 10 BDL
15900-41	Yellow 6" Whisker 500/BX
15900-25	Blue 6" Whisker 500/BX
15900-79	Red 6" Whisker 500/BX
15900-39	Green 6" Whisker 500/BX

Pennant Flags



10 - 60ft Rolls Per Box

MI-14991 - Yellow
14991-79 - Red

CST/berger

Tripods



60-ALQC20
- 1/2 x 20 ext leg aluminum tripod with quick clamp
- 5/8-11 THD

BMI TOOLS

Stainless Steel Tapes Available

2473W100	100ft. Steel Tape - White Epoxy
2473W200	200ft. Steel Tape - White Epoxy
2473W330	330ft. Steel Tape - White Epoxy

PLS

Laser Levels



PLS180
- 180 degree fan angle
- Plumb and level line too
- Features new, unique optic technology
- Runs on 3 included AA-batteries

PLS3	Dot Plumb Level Square Laser Tool
PLS5	Laser Level Self Leveling 5 Point System
PLS90	Self-Level Laser

Empire


Accessories



37445N	8 ounce brass plumb bob
37447N	16 ounce brass plumb bob
37448N	24 ounce brass plumb bob
37449N	32 ounce brass plumb bob
14-661	12' gammon reel with power return

SPECTRA PRECISION™

LL100-2
- A tripod & grade rod is included with the laser & HR320 receiver in one hardshelled, portable system carrying case.



GL422 & GL412
- A tripod & grade rod is included with the laser & HR320 receiver in one hardshelled, portable system carrying case.



Spectra Precision® Laser LL300
- The automatic, self-leveling Spectra Precision Laser LL300 from Trimble is the most rugged laser level available, tough enough to handle a wide variety of general and concrete construction applications.



LL400
- Durable, highly accurate Laser Level
- Full automatic, self-leveling
- One button operation



Laserometer Receiver HL700
- 3yr warranty
- Digital readout 2" above & 2" below on-grade reading
- "Anti-strobe filter



CR600
- High, low or on-grade vtt1,500 ft. radius
- Super bright LED display
- 5 on-grade sensitivities to customize for application needs



LL500
- One-person leveling system designed for the most rugged environment. Accurate, stable & reliable.





GR151
- 5 section grade rod
- 10ths
- 15 feet
- Aluminum

GR152
- 5 section grade rod
- Inches
- 15 feet
- Aluminum

Trimble LT56

Bright crisp laser lines - extends the working range and are easy to see. Lithium-Ion batteries provide 25 hour operating time. Rugged and durable - 3 foot (1m) drop specification means the LT56 can keep working even after minor accidents.Versatile mounting accessory - includes ceiling track, magnetic and tripod mounts with rotation and fine vertical adjustment.



MEASURING & SITE LAYOUT
(INSTRUMENTS)

CALCULATED INDUSTRIES
Putting answers at your fingertips since 1978

Concrete Calculators



4225
- Material cost & quantity estimations
- Concrete areas & volumes
- Includes: User's guide, protective case & long life battery

Material Estimator



4019
- Works directly in Yards, Feet, Inches, Fractions and Meters – including Square and Cubic formats
- Quickly and accurately find material requirements
- Unit functions estimate material costs instantly

IRWIN TOOLS

Layout Necessities

Strait-Line®
Marking Chalk - 5LB
65105 Org. Flourescent
65101 Blue
65102 Red
65103 Yellow
65104 White



Strait-Line®
Caution Tape
66231
1000ft x 3"



Safety Fence

SF4100
- 4'x100' orange safety fence
- 30lbs.
- Made of durable polyethylene
- Flexible & reusable



IRWIN Industrial Tools

Lumber Crayons & Markers

66401 (Red)
- Ideal for lumber, concrete, ceramics, and metal
- Waterproof - Non-Toxic



66402	Blue Lumber Crayon
66403	Green Lumber Crayon
66404	Black Lumber Crayon
66405	White Lumber Crayon
66406	Yellow Lumber Crayon
PS100	Crayon Holder

Sharpie



Sharpie markers are fade & water resistant. Permanent on most surfaces. Quick drying ink. AP certified non-toxic formula.

15001SM	Black - #25 Model Chisel Tip
15002-SM	Red - #25 Model Chisel Tip
30101-SH	Black Fine Point
32721-SH	Black Retractable



Spray Paint

AT3701	Flourescent Orange
93900	White Inverted
ETBL2D	Blue Inverted
SO3641	Flourescent Green Inverted
03622	Hot Pink Inverted



Oak Lath Stakes in 36" & 48"

36LATH	36" pine lath stakes
48LATH	48" pine lath stakes

KESON
Tools for the Professional

Chalk Box - Wheel Measures



MP401E
Electronic Counter & 4' Wheel



RR318N
Measuring Wheel, 3 Ft,Spoked, 10000Ft



MP301
Keson 36" Steel Single Wheel w/ Folding Handle

G3X100
Giant Chalk Box
3x1 Fast Retrieve





G110
Little Giant
15oz Giant Chalk Box
G130 Giant

PG1816	16ft Tape Measure
PG1825	25ft Tape Measure
PG1830RG	30ft Tape Measure
TM200	Tally Counter
RRT12	12" Trigger Reset Measuring Wheel

LA-CO Markal

Paint Markers



- New and improved specially formulated paint for industrial applications
- Faster drying paint reduces smears and removes marks while allowing almost immediate handling of marked items

96820	White Paint Marker
96821	Yellow Paint Marker
96822	Red Paint Marker
96823	Black Paint Marker
96827	Gold Paint Marker

www.jobsitesupply.com (317) 684-7474 624 S. Missouri St. Indianapolis, IN 46225