

18

Great offers inside!

1 Nunclon Sphera Coated Products
2 Nunc Cell Culture Plates
3 Nalgene Filterware
4 Nalgene Cryogenic Tubes
5 Nunc Conical Tubes
6 Nunc Serological Pipettes
7 BioLite Cell Culture Products
8 Nalgene General Labware
9 Every Lab, Every Day Products
10 Bio-Tite Specimen Containers
11 Environmental Sample Containers
12 Arktik Thermal Cycler
13 King Fisher Duo
14 ART Reload Tips
15 Automation Pipette Tips
16 F1-ClipTip Pipetting System
17 E1-ClipTip Pipetting System
18 Finntip Flex Pipette Tips

promotions

for improved lab results

Fisher Scientific

Thermo SCIENTIFIC



1

Thermo Scientific Nunclon **Sphera Surface Treated Flasks, Dishes and Plates**

Significant qualities of the Thermo Scientific™ Nunclon™ Sphera culture surface:

- Optimizes spheroid formation
- Allows cells to grow in suspension with virtually no cell attachment
- Supports many different cell types and their ability to generate spheroids
- Enables consistent, repeatable cell growth
- Supports growth of 3D cancer cultures, providing a better model system for studying tumor cell progression and efficacy of anticancer agents in vitro
- Promotes formation of embryoid bodies (EB)
- Demonstrates superior quality for embryoid body formation of pluripotent stem cells with minimal spontaneous differentiation; resultant cells able to differentiate into all three germ layers

Promotional Offer:

Purchase 2 cases of any Nunclon Sphera item and get 1 case of 5 ml serological pipettes for free!

Limit five offers per lab.



consistent growth

of spheroid cells in suspension

Cat. No.	Description	Qty/Pack	Qty/Case
12-566-430	Microwell 96U-Well Plate, Round Bottom, Well Volume 300 µL	1	8
12-566-431	Microwell 96F-Well Plate, Flat Bottom, Well Volume 400 µL	1	8
12-566-432	Microwell 96U-Well Plate, Round Bottom Bulk Pack	5	50
12-566-433	Multidish 24-Well, Culture Area 1.9 cm^2	1	7
12-566-434	Multidish 12-Well, Culture Area 3.8 cm^2	1	7
12-566-435	Multidish 6-Well, Culture Area 9.6 cm^2	1	7
12-566-436	Dish 35 MM, Culture Area 8.8 cm^2	5	20
12-566-437	Dish 60 MM, Culture Area 21.5 cm^2	5	20
12-566-438	Dish 90 MM, Culture Area 56.7 cm^2	5	20
12-566-439	T25 Cell Culture Flask, Culture Area 25 cm^2	6	18
12-566-440	T75 Cell Culture Flask, Culture Area 75 cm^2	4	24

2

Thermo Scientific Nunc **Cell Culture Microplates and Dishes**



Thermo Scientific™ Nunc™ Cell Culture Microplates provide superior performance in virtually every application.

Thermo Scientific™ Nunc™ Glass Bottom Dishes give you the flexibility to convert your culture device into an imaging device.

- Take your cell based assays to the edge with the Thermo Scientific™ Nunc™ Edge™ plate; eliminate evaporation in lengthy incubations
- Nunc 96 Well Microplates are optimized for your cell culture applications
- 96- well Optical Bottom Plates are ideal for microscopic applications
- Nunc Glass Bottom Dishes give you the flexibility to convert your culture device into an imaging device

Cat. No.	Description	Qty/Pack	Qty/Case
12567400	Nunc Glass Bottom Dish, 12mm	1	20
12567401	Nunc Glass Bottom Dish, 27mm	1	20
12565025	96 Well Edge Plate, Nunclon Δ, Sterile without lid	10	160
12565026	96 Well Edge Plate, Nunclon Δ, Sterile with lid	1	50
1256566	96 Well Plate, Clear Polystyrene, Nunclon Δ, Sterile, with lid	1	50
1256600	96 Well Plate, White Polystyrene, Nunclon Δ, Sterile, with lid	1	50
1256607	96 Well Plate, Black Polystyrene, Nunclon Δ, Sterile, with lid	1	50
1256671	96 Well Plate, White Polystyrene, Optical Bottom Polymer Base, Cell Culture, Sterile, with Lid, 400 µl Well	10	30
1256670	96 Well Plate, Black Polystyrene, Optical Bottom Polymer Base, Cell Culture, Sterile, with Lid, 400 µl Well	10	30
12565910	96 Well Plate, White Polystyrene, Collagen I, Non-Sterile, with Clear Lid, 400 µl Well	5	20
12565909	96 Well Plate, Black Polystyrene, Collagen I, Non-Sterile, with Clear Lid, 400 µl Well	5	20
12565903	96 Well Plate, White Polystyrene, Poly-D-Lysine, Non-Sterile, with Clear Lid, 400 µl Well	5	20
12565902	96 Well Plate, Black Polystyrene, Poly-D-Lysine, Non-Sterile, with Clear Lid, 400 µl Well	5	20
1256635	96 Well Plate, Black Polystyrene, Optical Bottom Coverglass, Cell Culture, Sterile, with Clearn Lid, 200 µl Well	6	30
1256637	96 Well Plate, White Polystyrene, Optical Bottom Coverglass, Cell Culture, Sterile, with Clear Lid, 200 µl Well	6	30
12565607	96 Well Plate, Black Polystyrene, Optical Bottom Coverglass, CC2, Sterile, with Clear Lid, 400 µl Well	6	30
1256638	96 Well Plate, Black Polystyrene, Optical Bottom Coverglass, Non-Treated, Non-Sterile, without Lid, 400 µl Well	5	30

Promotional Offer:

Purchase 2 cases of any Nunc Plate or Glass Bottom Dish and receive 1 case of the same product free.

Limit two free cases per lab; see redemption form for a list of eligible products. Free case must be same sku as purchased.



characterization and analysis



Thermo Scientific Nalgene **Filtration**

Thermo Scientific™ Nalgene™ Rapid-Flow™ Filterware features a support system engineered to allow membranes to work at maximum efficiency - providing superior performance and the last line of defense against contamination. Thermo Scientific Nalgene Syringe Filters are ideal for small volume filtration.

- Rapid-Flow design increases flow rate and throughput
- PES membrane is ideal for cell culture media and buffers
- Range in membrane porosity, including 0.1 micron option for Mycoplasma protection
- 0.2 micron aPES Rapid-Flow filters are STEM CELL TESTED for safe use with stem cell media

Promotional Offer:

Buy 2 get 1 free! Purchase any 2 cases of these Nalgene Filter Units, Bottle Top Filters or Syringe Filters and get 1 case free.

Limit four offers per lab.



last line of defense

against cell culture contamination

Cat. No.	Description	Units Per Pack/Case
09-741-200	Filter Unit, 150 mL aPES, 50 mm, 0.1 µm Membrane	12
09-741-201	Filter Unit, 250 mL aPES, 50 mm, 0.1 µm Membrane	12
09-741-202	Filter Unit, 500 mL aPES, 75 mm, 0.1 µm Membrane	12
09-741-203	Filter Unit, 1000 mL aPES, 90 mm, 0.1 µm Membrane	12
09-741-88	Filter Unit, 50 mL aPES, 50 mm, 0.2 µm Membrane	12
09-741-01	Filter Unit, 150 mL aPES, 50 mm, 0.2 µm Membrane	12
09-741-04	Filter Unit, 250 mL aPES, 50 mm, 0.2 µm Membrane	12
09-741-02	Filter Unit, 500 mL aPES, 75 mm, 0.2 µm Membrane	12
09-741-05	Filter Unit, 500 mL aPES, 90 mm, 0.2 µm Membrane	12
09-741-03	Filter Unit, 1000 mL aPES, 90 mm, 0.2 µm Membrane	12
09-741-08	Bottle top Filter, 150 mL aPES, 33 mm Neck, 50 mm, 0.2 µm Membrane	12
09-741-09	Bottle top Filter, 150 mL aPES, 45 mm Neck, 50 mm, 0.2 µm Membrane	12
09-741-06	Bottle top Filter, 500 mL aPES, 33 mm Neck, 75 mm, 0.2 µm Membrane	12
09-741-07	Bottle top Filter, 500 mL aPES, 45 mm Neck, 75 mm, 0.2 µm Membrane	12
09-741-10	Bottle top Filter, 1000 mL aPES, 33 mm Neck, 90 mm, 0.2 µm Membrane	12
09-741-11	Bottle top Filter, 1000 mL aPES, 45 mm Neck, 90 mm, 0.2 µm Membrane	12
09-740-50	Syringe Filter, 13 mm diameter, 0.2 micron PES membrane, acrylic housing, sterile; for 2-10 mL volume	50
09-740-61A	Syringe Filter, 25 mm diameter, 0.2 micron PES membrane, acrylic housing, sterile; for 10-50 mL volume	50
09-740-61B	Syringe Filter, 25 mm diameter, 0.45 micron PES membrane, acrylic housing, sterile; for 10-50 mL volume	50

Thermo Scientific Nalgene **Cryogenic Tubes**

Thermo Scientific™ Nalgene™ Cryogenic Storage Tubes protect samples with secure sealing, virgin class VI resins and sterility assurance level of 10^{-6}.

- Tubes designed for one-handed capping and decapping
- Large writing area and graduations for easy sample identification
- Available with linear barcodes for secure sample traceability
- Compatible with Thermo Scientific™ ID Scribe™ Labware Identifier to ensure clear sample identification

Cat. No.	Product Description	Total Vol., mL	Units per Pack/Case
03-337-7C	Cryogenic Tube, Sterile PP	1.2	25/500
03-337-7D	Cryogenic Tube, Sterile PP	2.0	25/500
03-337-7H	Cryogenic Tube, Sterile PP	5.0	10/250
03-337-7X	System 100 Cryogenic Tube, Sterile PP	1.0	25/500
03-337-7Y	System 100 Cryogenic Tube, Sterile PP	1.5	25/500
03-390-110	Cryogenic Tube with Barcode, Sterile PP	1.2	25/500
03-390-111	Cryogenic Tube with Barcode, Sterile PP	2.0	25/500
03-390-112	Cryogenic Tube with Barcode, Sterile PP	5.0	10/250
03-390-113	System 100 Cryogenic Tube with Barcode, Sterile PP	1.5	25/500
03-337-7N	Cryogenic Tube, Non-sterile, Non-printed, Bulk Pack PP	1.2	1000
03-337-7P	Cryogenic Tube, Non-sterile, Non-printed, Bulk Pack PP	2.0	1000
03-337-7V	Cryogenic Tube, Sterile, Bulk Pack PP	1.2	1000
03-337-7W	Cryogenic Tube, Sterile, Bulk Pack PP	2.0	1000

trust your precious samples

to high quality cryostorage products





Promotional Offer:

Purchase 2 cases of Nalgene Cryogenic Storage tubes and get 1 case free!

Limit two free cases per lab.



5

Thermo Scientific Nunc **Conical Tubes**

High quality Thermo Scientific™ Nunc™ conical tubes offer the reliability, quality and performance your research requires.

- Environmentally friendly recyclable plastic rack
- Plastic rack reduces contamination
- Increased traceability with largest writing area
- Leak proof to protect your samples

Promotional Offer:

Buy 2, get 1 free.
Purchase 2 cases of any Nunc 15 or 50ml Conical tubes, get a third case for free!

Limit five offers per lab.

innovation
at every turn



Cat. No.	Total Vol., mL	Packing Qty/Pk	Units Per Pack/Case
12-565-268	15	Bulk Packaged	50/500
12-565-269	15	Racked	25/500
12-565-270	50	Bulk Packaged	25/500
12-565-271	50	Racked	25/300

Thermo Scientific Nunc **Serological Pipettes**

Our portfolio of Thermo Scientific™ Nunc™ serological pipettes offers a full range of size and packaging options while delivering the quality, accuracy and performance you require during every stage of cell culture research.

- Accurate, disposable plastic pipettes plugged and sterilized
- Sterility assurance level (SAL) of 10^{-6}
- 100% virgin polystyrene for maximum clarity
- Certified non-pyrogenic
- Bold clear graduations with easy-to-read scale markings
- Non-dripping tip for pipette precision
- Color-coded packaging for ease in sorting and selecting the correct size
- Use new sleek shortie pipettes for easy maneuvering when space is tight in your lab or biosafety cabinet

superior precision
and performace

Cat. No.	Total Vol., mL	Description	Units Per Pack/Case
Individually wrapped, paper peel packaging, plugged			
12-567-600	1	Serological Pipette, Individually Wrapped, Paper/Plastic	100/1000
12-567-601	2	Serological Pipette, Individually Wrapped, Paper/Plastic	100/500
12-567-602	5	Serological Pipette, Individually Wrapped, Paper/Plastic	50/200
12-567-603	10	Serological Pipette, Individually Wrapped, Paper/Plastic	50/200
12-567-604	25	Serological Pipette, Individually Wrapped, Paper/Plastic	50/200
12-567-605	50	Serological Pipette, Individually Wrapped, Paper/Plastic	25/100
Shortie, Individually wrapped paper/plastic peel packaging, plugged			
12-567-618	5	Shortie Pipette	50/200
12-567-619	10	Shortie Pipette	50/200
Individually wrapped, plastic film packaging, plugged			
12-567-606	1	Serological Pipette, Individually Wrapped, Plastic	100/1000
12-567-607	2	Serological Pipette, Individually Wrapped, Plastic	100/500
12-567-608	5	Serological Pipette, Individually Wrapped, Plastic	50/200
12-567-609	10	Serological Pipette, Individually Wrapped, Plastic	50/200
12-567-610	25	Serological Pipette, Individually Wrapped, Plastic	50/200
12-567-611	50	Serological Pipette, Individually Wrapped, Plastic	25/100
Bulk Package, plugged			
12-567-612	1	Serological Pipette, Bulk Packed	50/1000
12-567-613	2	Serological Pipette, Bulk Packed	50/500
12-567-614	5	Serological Pipette, Bulk Packed	25/500
12-567-615	10	Serological Pipette, Bulk Packed	25/500
12-567-616	25	Serological Pipette, Bulk Packed	25/200
12-567-617	50	Serological Pipette, Bulk Packed	25/100



Promotional Offer:

Purchase any 2 cases of Nunc Serological Pipettes and receive the 3rd case free.

Limit five offers per lab.



Thermo Scientific **BioLite**

Thermo Scientific™ BioLite products are designed for general cell culture research when value is important.

- Surface treated for cell culture usage
- Sterile to reduce the risk of contamination
- Full range of products including flasks, dishes and plates
- USP Class VI and non-cytotoxic

Cat. No.	Size	Description	Units per Case
12-556-000	35 mm	Tissue Culture Dish	500
12-556-001	60 mm	Tissue Culture Dish	500
12-556-002	100 mm	Tissue Culture Dish	200
12-556-003	150 mm	Tissue Culture Dish	100
12-556-004	6 Well	6 Well Multidish	50
12-556-005	12 Well	12 Well Multidish	50
12-556-006	24 Well	24 Well Multidish	50
12-556-007	48 Well	48 Well Multidish	50
12-556-008	96F Well	96 Well Clear Flat Bottom Plates	50
12-556-009	25 cm^2	25 cm^2 Flask, Vented cap	200
12-556-012	25 cm^2	25 cm^2 Flask, Plug seal cap	200
12-556-010	75 cm^2	75 cm^2 Flask, Vented cap	100
12-556-013	75 cm^2	75 cm^2 Flask, Plug seal cap	100
12-556-011	175 cm^2	175 cm^2 Flask, Vented cap	40
12-556-014	175 cm^2	175 cm^2 Flask, Plug seal cap	40

Promotional Offer:

Purchase 2 cases of any BioLite product and receive 1 case of the same product free.

Limit of four per lab.

for cell culture research

conduct your research with complete confidence



Thermo Scientific Nalgene **General Labware**



Thermo Scientific™ Nalgene™ straight-sided wide mouth jars are extremely versatile for collecting and storing solid and semi-solid lab specimens. Wide mouth and straight sides provide full-access and complete sample retrieval. Excellent for autoclaving and storing small lab supplies.

- Polycarbonate jars have a wide temperature range (-135°C to +135°C) are visually clear and highly impact resistant making them a good choice for cold room and refrigerated use – easy to see contents
- Polypropylene jars are translucent with excellent chemical resistance and hold up well to repeated autoclaving
- Polymethylpentene jars combine good visual clarity with excellent chemical resistance - they make excellent museum jars with only 2% formaldehyde loss per year
- 125 and 250mL sizes fit Osterizer™ and other blenders with mason jar threads
- 125mL to 1L jars have white closures with recessed tops for stacking
- Autoclavable. Completely disengage threads or remove cap before autoclaving

Note: Jars are not liquid leakproof and are not recommended for transporting liquid materials.

not all labware
is created equal

Cat. No.	Capacity, mL	Closure Size, mm	Neck ID, mm	OD, mm	Height with Closure, mm	No per pack/case
Nalgene* Straight-Sided Wide-Mouth Jars; PC, white PP screw closure						
02-925-1D	15	38	29	31	46	4/48
02-925-1A	30	43	33	36	48	4/48
02-925-1B	60	53	43	48	45	4/48
02-925-1C	125	70	64	64	74	4/24
02-925-1G	250	70	64	75	119	4/24
02-925-1H	500	120	112	112	88	4/16
02-925-1J	1000	120	112	112	151	4/16
Nalgene* Straight-Sided Wide-Mouth Jars; PMP, white PP screw closure						
02-925-2B	60	53	43	48	45	4/48
11-823-30	125	70	64	64	74	4/24
11-823-31	250	70	64	75	119	4/24
11-823-32	500	120	112	112	88	4/16
11-823-33	1000	120	112	112	151	4/16
Nalgene* Straight-Sided Wide-Mouth Jars; PPCO, white PP screw closure						
11-815-10G	15	38	29	31	46	12/72
11-815-10A	30	43	33	36	48	12/72
11-815-10B	60	53	43	48	45	12/48
11-815-10C	125	70	64	64	74	12/36
11-815-10D	250	70	64	75	119	6/36
11-815-10E	500	120	112	112	88	6/24
11-815-10F	1000	120	112	112	151	6/24

Promotional Offer:

Buy $300 in Nalgene Jars and get a 4L bottle of environmentally friendly L900 (Cat. No. 04-319B) biodegradable, non-toxic detergent.

Limit five offers per lab.



Specially formulated to safely clean plastic labware without causing crazing, stress cracking or clouding. Helps your Nalgene labware and bottles last even longer!



every lab, every day

from start-up to scale-up

Enhance your lab productivity with Thermo Scientific cell culture and storage solutions.

Thermo Scientific™ Nalgene™ lab essentials, such as bottles, carboys and tanks; tubing and accessories; and shaker flasks take the worry out of your supplies so you can focus on your work… in every lab, every day. All backed by the quality, value and expertise you have come to expect from us.

Promotional Offer:

Buy 2 cases of *any* one **every lab, every day** product and get the 3rd case free!

Limit five offers per lab.

For full list of products download PDF on redemption page.
To redeem visit: **thermoscientific.com/labresults**



Bottles & Carboys

Break the glass habit

- Safer, shatter-resistant alternative to glass containers, including sterile single-use options
- Wide range of volumes and configurations to meet any temperature or application

Cat. No.	Description	Working Capacity	Closure Size, mm	No. Per Case
03-311-1V	Nalgene PETG Sterile Media Bottles with Closures	30 mL	20	96
03-311-1W	Nalgene PETG Sterile Media Bottles with Closures	60 mL	24	96
03-312-1	Nalgene PETG Sterile Media Bottles with Closures	125 mL	38-340	48



Tubing & Accessories

Ready. Set. Connect.

- High-purity tubing for use in transfer applications and with peristaltic pumps
- Flexibility to build your own fluid transfer systems

Cat. No.	Description ID x OD x Wall, in. (mm)	Length
14-179-114	1/4 x 3/8 x 1/16 (6.35 x 9.53 x 1.59)	50 ft
14-179-120	3/8 x 5/8 x 1/8 (9.53 x 15.88 x 3.18)	50 ft
14-179-122	1/2 x 3/4 x 1/8 (12.7 x 19.05 x 3.18)	50 ft

Cat. No.	Description	Fts Tubing ID, in.	No. Per Case
15-320-10E	Nalgene Y-Type PP Tubing Connectors	3/8	48
15-320-10C	Nalgene Y-Type PP Tubing Connectors	1/4	72
15-320-10F	Nalgene Y-Type PP Tubing Connectors	1/2	48



Shaker Flasks

Culture with Confidence

- Ideal for suspension cell culture, media preparation, mixing and storage
- Available vented or non-vented and with plain or baffled bottoms for use on the bench top or shaker table

Cat. No.	Working Capacity	Bottom Style	Neck Finish, mm	No. Per Case
Solid Closures				
10-041-20	125	Plain	38-430	24
10-346-7A	250	Plain	38-430	12
10-346-7B	500	Plain	45-430	12
Vented Closures				
10-524	125	Plain	38-430	24
10-525	250	Plain	38-430	12
10-526	500	Plain	45-430	12



Promotional Offer:

Purchase 5 cases of any Samco Bio-Tite Specimen Containers listed here and receive 1 case of the same product free. See product list.

Limit four offers per lab.

10

Thermo Scientific Samco **Specimen Containers**

Thermo Scientific™ Samco™ Bio-Tite™ Specimen Containers are ideal for the collection and transport of fluids, solids and powders. The unique cap design offers secure leak free performance and superior user handling. Virgin grade high clarity polypropylene provides excellent sample visibility.

- Dual threaded cap for reliable leak-free performance
- Available in both wide and narrow mouth design to suit most user applications
- Positive-grip knurls on both cap and base ensure ease of handling, even when wearing gloves
- Cap design enables containers to be stacked for ease of storage

Cat. No.	Description	Cap Color	Label Style	Sterilty	Qty per pack/case
13-711-56	120ml Wide Mouth Container, 53mm dia; cap and container pre-assembled	Orange	Tabbed	S	75/300
13-711-69	90ml Wide Mouth Container, 53mm dia; cap and container pre-assembled	Orange	Tabbed	S	100/400
13-711-61	90ml Narrow Mouth Container, 48mm dia; cap and container pre-assembled	Orange	Tabbed	S	100/400
13-711-64	60ml Narrow Mouth Container, 48mm dia; cap and container pre-assembled	Orange	Tabbed	S	100/500

comprehensive solutions

for all your sampling requirements



Thermo Scientific **Environmental Sample Containers**

There from the start and still your trusted partner, EP Scientific and I-Chem brands come together to give you the best of both under one new name, Thermo Scientific™.

- Certified vials, bottles and jars meet or exceed EPA performance specifications
- High quality components provide superior application performance
- Broad range of exclusive packaging features meet your needs
- Processed and assembled in our ISO 9001 manufacturing facilities in the US

Get a copy of the new Thermo Scientific Environmental Sample Container catalog at:
www.thermoscientific.com/envsamplecontainers

two great names
one leading brand

Cat. No.	Description	Certification Parameters	Qty/Case
05719104	40 mL Clear Vial, 0.125" unbonded septum, Certified	VOA	72
05719101	40 mL Clear Vial, 0.125" unbonded septum, Processed	VOA	72
0571998	40 mL Clear Vial, 0.125" unbonded septum, Unprocessed	None	72
12100107	40 mL Clear Vial, 0.124" bonded septum, Certified, bulk, no bar codes	VOA	100
12100108	40 mL Amber Vial, 0.124" bonded septum, Certified, bulk, no bar codes	VOA	100
0571991	1L Boston Round Amber Glass Bottle, Certified	Semi-VOA, pest, PCB, metals, inorganics	12
0571957	125 mL, Short Clear Glass Jar, Certified	Semi-VOA, pest, PCB, metals, inorganics	24
0571977	500 mL Wide-mouth Amber Packer, Certified	Semi-VOA, pest, PCB, metals, inorganics	12
05719351	Nalgene 125 mL Natural Wide-mouth Bottle, Certified	Metals, inorganics	72
05719353	Nalgene 250 mL Natural Wide-mouth Bottle, Certified	Metals, inorganics	72
05719359A	Nalgene 125 mL Wide-mouth HDPE Bottle, Sterile	Sterile	48
0571988	1L Cylinder Round, HDPE, Certified	Metals, inorganics	12
5005728130	40 mL Clear Septa Vial, with 0.5 mL 1:1 HCL	VOA	72



Promotional Offer:

Get a free case of Thermo Scientific™ Nalgene™ VersiDry™ Bench Protectors when you purchase $200 of ANY Environmental Sample Containers!

Free case Cat. No. 14-206-28, two 150ft rolls. $165 value. Limit three offers per lab.

Versi-dry surface protectors absorb spills and drips and protect bench-tops from chemical contact and corrosion.



12



Thermo Scientific **Arktik Thermal Cycler**

If you need both flexibility and precision from your PCR instruments, now is the time to take advantage of special pricing on the Thermo Scientific™ Arktik™ Thermal Cycler. Interchangeable blocks allow the Arktik Thermal Cycler to be quickly and easily transformed from a 96-well to a 384-well PCR instrument. With the dual block, the instrument operates as two 48-well units, enabling two independent protocols to be performed simultaneously.

- Interchangeable blocks with excellent thermal precision
- Dual 48-well block for multi-user option
- Reliable and easy to use with low noise level
- Over-tightening protection system in the heated lid
- Accepts almost all standard PCR plastic

Promotional Offer:

Get an Arktik Thermal Cycler for a special price!

Cat. No.	Description	US Promo Price*	Units
TCA0002PROM	Arktik Thermal Cycler, Base without gradient	$3,300.00	1
TCA0096PROM	Arktik Thermal Cycler 96 Well Block	$1,300.00	1
TCA0384PROM	Arktik Thermal Cycler 384 Well Block	$1,400.00	1
TCA4848PROM	Arktik Thermal Cycler 48 Well Dual Block	$1,650.00	1

To request a free demo, visit www.thermofisherscientific.com/labresults
*For Canadian pricing, contact your Fisher Scientific sales representative.

flexibility, precision

and independent protocols all in one

Thermo Scientific **KingFisher Duo**



The Thermo Scientific™ KingFisher™ Duo utilizing new KingFisher Pure magnetic particle kits provides fast and repoducible sample purification without user effort.

- Automate purification steps of binding, washing and elution
- Select best option for your throughput by running 12 samples at a time or 24 samples sequentially

New optimized KingFisher Pure Kits

- Selection of 8 different kits for DNA and RNA purification
- Ready to use purification protocols for different sample materials

Let KingFisher free you from tedious sample purification and proceed to further assays using premium quality nucleic acids. From KingFisher Pure Kit selection, you'll find a solution for a variety of sample types including blood, serum, cells, tissue and plant material.

pure flexibility

with KingFisher purification workflow

Cat. No.	Description	Package size (samples)
22-387-062	KingFisher Pure DNA Blood Kit	96
22-387-064	KingFisher Pure RNA Blood Kit	96
22-387-043	KingFisher Cell and Tissue DNA Kit	96
22-387-065	KingFisher Pure RNA Tissue Kit	96
22-387-067	KingFisher Pure DNA Plant Kit	96
22-387-069	KingFisher Pure RNA Plant Kit	96
22-387-071	KingFisher Pure Viral NA Kit	96
22-387-073	KingFisher Pure Plasmid Kit	96
KingFisher Duo instrument		
14-387-290	KingFisher Duo	
This plastic consumable pack free with every redemption:		
14-387-294	KingFisher Duo Combi pack for Microtier 96 Deepwell Plate (tips combs, plates and elution strips for 96 samples)	96

Promotional Offer:

Purchase KingFisher Duo, get over 500 assays free! This includes 6 free purification kits and 6 free plastic consumable packs.

Choose from available purification kits on this page. The offer includes 6 pcs of 96 samples kit and 6 pcs of KingFisher Duo Combi pack. This promotion is not available in Canada.





Thermo Scientific **ART Reload Tips**

The Thermo Scientific™ ART™ portfolio now offers a complete selection of barrier, non-filtered and specialty tips. It has never been easier to find a pipette tip to fit virtually any pipette and application in your laboratory.From 10 µL to 10 mL barrier and non-filtered tips, to gel loading and wide bore specialty products – every tip is certified to meet the industry's highest standards for molding precision and clarity, and are certified free of RNase, DNase, ATP, and Pyrogens. And each meets the exact specifications of its respective pipette brand manufacturer.

Thermo Scientific ART tips deliver:

- **Maxium Sample Recovery:** Using advanced low-retention technology, the tip's hydrophobic inner surface significantly reduces sample loss to adhesion and maximizes sample recovery.
- **Ultimate Protection:** Researchers have made ART self-sealing barrier tips their first choice in sample protection. ART barrier tips provide 100% security against aerosols and liquid contamination.
- **Multiple Packaing Options:** Choose the packaging option that best meets your needs, including hinged-rack, bulk and our new stackable reload system. Our reload systems not only use recycled components, they require 40% less plastic than comparable products.

Promotional Offer:

Purchase 2 Cases of ART Barrier Reload Towers and get 1 Case of Sterile Non-Filtered Racked Product FREE!

Bonus Gift: Rnase Away Surface Decontaiminant 250 mL bottle! (Cat. No. 21-236-21)

Cat. No.	Description
13811100	ART 10, Barrier Tip, Reload Tower, Sterile, 96 tips/Tray, 10 trays/pack, 5 packs/case
13811101	ART 10 Low Retention, Barrier Tip, Reload Tower, Sterile, 96 tips/Tray, 10 trays/pack, 5 packs/case
13811114	ART 20, Barrier Tip, Reload Tower, Sterile, 96 tips/Tray, 10 trays/pack, 5 packs/case
13811115	ART 20 Low Retention, Barrier Tip, Reload Tower, Sterile, 96 tips/Tray, 10 trays/pack, 5 packs/case
13811124	ART 200, Barrier Tip, Reload Tower, Sterile, 96 tips/Tray, 10 trays/pack, 5 packs/case
13811125	ART 200 Low Retention, Barrier Tip, Reload Tower, Sterile, 96 tips/Tray, 10 trays/pack, 5 packs/case
13811141	ART 300, Barrier Tip, Reload Tower, Sterile, 96 tips/Tray, 10 trays/pack, 5 packs/case
13811143	ART 300 Low Retention, Barrier Tip, Reload Tower, Sterile, 96 tips/Tray, 10 trays/pack, 5 packs/case
13811154	ART 1000, Barrier Tip, Reload Tower, Sterile, 56 tips/Tray, 10 trays/pack, 5 packs/case
13811155	ART 1000 Low Retention, Barrier Tip, Reload Tower, Sterile, 56 tips/Tray, 10 trays/pack, 5 packs/case



superior tips

any application, any pipette

Thermo Scientific
Automation Pipette Tips

Liberate your instrument with a free sample of the new Thermo Scientific™ Automation Pipette Tips made to fit the Eppendorf® epMotion® automated pipetting systems. Each pipette tip undergoes a rigorous 15-point quality control program to ensure consistency thus providing accurate and precise performance achieved by superior tip straightness and a low coefficient of variation. Sterile tips are certified free of RNase, DNase, DNA, endotoxin, bioburden and pyrogen.

- Low percentage Coefficient of Variation (%CV)
- Validated on the actual Eppendorf epMotion instrument
- Available in three sizes and non-sterile, sterile or sterile filtered



Cat. No.	Description	Volume, µl	Qty/Case
14-754-201	Clear, Sterile, Filtered	50	96 Tips/Rack, 10 Racks/Case
14-754-202	Clear, Sterile	50	96 Tips/Rack, 10 Racks/Case
14-754-203	Clear, Non Sterile	50	96 Tips/Rack, 10 Racks/Case
14-754-204	Clear, Sterile, Filtered	300	96 Tips/Rack, 10 Racks/Case
14-754-205	Clear, Sterile	300	96 Tips/Rack, 10 Racks/Case
14-754-206	Clear, Non Sterile	300	96 Tips/Rack, 10 Racks/Case
14-754-207	Clear, Sterile, Filtered	1000	96 Tips/Rack, 10 Racks/Case
14-754-208	Clear, Sterile	1000	96 Tips/Rack, 10 Racks/Case
14-754-209	Clear, Non Sterile	1000	96 Tips/Rack, 10 Racks/Case

Promotional Offer:

Free automation tip sample! See redemption page for details.

accurate and precise
automation tip performance



16

Thermo Scientific
F1-ClipTip Manual Pipetting System

You'll feel the difference the first time you hold the new Thermo Scientific™ F1-ClipTip™ pipetting system. Our innovative interlocking technology lets you actually feel the tips lock firmly in place with just a light touch.

- **Unstoppable Productivity, Outstanding Ease-of-use:** Eliminate the frustration of banging tips on your pipette with the exclusive interlock design that ensure each tip is 'clipped' securely on the F1-ClipTip until, and only until, it is released with a light touch.
- **Secure Seals for Every Sample:** When ClipTip pipette tips are on, they are sealed and will not loosen. The F1-ClipTip pipetting system remains sealed until you decide to eject tips.
- **Feel the Assurance:** Consistent and reproducible pipetting - user to user, for higher quality results and more efficient research.

Cat. No.	Description	Cat. No.	Description
Single Channels		**Multichannels**	
14-488-013TI	F1-ClipTip, 1-10ul	**14-488-031TI**	F1-ClipTip, 8 channel, 1-10ul
14-488-014TI	F1-ClipTip, 2-20ul	**14-488-032TI**	F1-ClipTip, 8 channel, 5-50ul
14-488-015TI	F1-ClipTip, 5-50ul	**14-488-033TI**	F1-ClipTip, 8 channel, 10-100ul
14-488-016TI	F1-ClipTip, 10-100ul	**14-488-034TI**	F1-ClipTip, 8 channel, 30-300ul
14-488-017TI	F1-ClipTip, 20-200ul	**14-488-035TI**	F1-ClipTip, 12 channel, 1-10ul
14-488-018TI	F1-ClipTip, 30-300ul	**14-488-036TI**	F1-ClipTip, 12 channel, 5-50ul
14-488-019TI	F1-ClipTip, 100-1000ul	**14-488-037TI**	F1-ClipTip, 12 channel, 10-100ul
		14-488-038TI	F1-ClipTip, 12 channel, 30-300ul

Find a complete selection of ClipTip pipette tips at:
www.fishersci.com/handleanything

Promotional Offer:

Trade-in any old pipette and get $120 off a NEW single channel pipette or get $200 off a NEW multichannel pipette



transform your laboratory

upgrade to the new F1-ClipTip Pipetting System

17

Thermo Scientific
E1-ClipTip Electronic Pipetting System

When combined with interlocking ClipTip technology, the electronic pipetting action and flexible user interface of the Thermo Scientific™ E1-ClipTip™ System maintains precise sample volumes on every channel with fewer repetitions for multiple applications.

- Electronic operation helps you enjoy pipetting again. Designed for optimum comfort and ease of use, the electronic tip ejection and index finger pipetting action let your thumb relax during pipetting.
- A perfect choice for sample transfers between various labware formats. Adjustable tip spacing allows you to set the distance between tips simply by sliding the scale to expand and contract to your desired setting. This means fewer repetitions for multiple applications.
- Ideal operation for multiple users and environments. Personalized user interface and password protection ensure unified operation among multiple users.

take charge of the lab

and enjoy pipetting again

Cat. No.	Description	Volume Range	Tip Spacing Range (mm)	Increment/ Packaging
0.5-12.5 µl Pipettes				
14-387-950	E1-ClipTip 0.5-12.5 µl	0.5-12.5 µl		0.01 µl
14-387-954	E1-ClipTip 8-ch 0.5-12.5 µl	0.5-12.5 µl		0.01 µl
14-387-958	E1-ClipTip 12-ch 0.5-12.5 µl	0.5-12.5 µl		0.01 µl
384, 0.5-12.5 µl Pipettes				
14-387-962	E1-ClipTip 16-ch 0.5-12.5 µl	0.5-12.5 µl		0.01 µl
14-387-969	E1-ClipTip Equalizer 384 8-ch 0.5-12.5 µl	0.5-12.5 µl	4.5-14.2	0.01 µl
14-387-972	E1-ClipTip Equalizer 384 12-ch 0.5-12.5 µl	0.5-12.5 µl	4.5-9.0	0.01 µl
384, 1-30 µl Pipettes				
14-387-963	E1-ClipTip 16-ch	1-30 µl		0.01 µl
14-387-970	E1-ClipTip Equalizer 384 8-ch	1-30 µl	4.5-14.2	0.01 µl
14-387-973	E1-ClipTip Equalizer 384 12-ch	1-30 µl	4.5-9.0	0.01 µl
2-125 µl Pipettes				
14-387-951	E1-ClipTip 1-ch	2-125 µl		0.1 µl
14-387-955	E1-ClipTip 8-ch	2-125 µl		0.1 µl
14-387-959	E1-ClipTip 12-ch	2-125 µl		0.1 µl
14-387-964	E1-ClipTip 16-ch	2-125 µl		0.1 µl
14-387-966	E1-ClipTip Equalizer 8-ch	2-125 µl	9.0-14.2	0.1 µl
384, 2-125 µl Pipettes				
14-387-971	E1-ClipTip Equalizer 384 8-ch 2-125 µl	2-125 µl	4.5-14.2	0.1 µl
14-387-974	E1-ClipTip Equalizer 384 12-ch 2-125 µl	2-125 µl	4.5-9.0	0.1 µl
10-300 µl Pipettes				
14-387-952	E1-ClipTip 1-ch 10-300 µl	10-300 µl		0.1 µl
14-387-956	E1-ClipTip 8-ch 10-300 µl	10-300 µl		0.1 µl
14-387-960	E1-ClipTip 12-ch 10-300 µl	10-300 µl		0.1 µl
14-387-967	E1-ClipTip Equalizer 8-ch 10-300 µl	10-300 µl	9.0-14.2	0.1 µl
30-850 µl Pipettes				
14-387-961	E1-ClipTip 12-ch 30-850 µl	30-850 µl		1.0 µl
50-1250 µl Pipettes				
14-387-953	E1-ClipTip 50-1250 µl	50-1250 µl		1.0 µl
14-387-957	E1-ClipTip 8-ch 50-1250 µl	50-1250 µl		1.0 µl
14-387-965	E1-ClipTip Equalizer 6-ch 50-1250 µl	50-1250 µl	9.0 - 19.8	1.0 µl
14-387-968	E1-ClipTip Equalizer 8-ch 50-1250 µl	50-1250 µl	9.0-14.2	1.0 µl

* All 96- and 384- format 12.5 µl, and 384 format ClipTips do not have interlock technology



Cool new 'X' Chromosome shape!

Promotional Offer:

Purchase a NEW E1-ClipTip Electronic Pipette, and receive a Single Charging Stand FREE! (Cat. No. 14-387-975)







Thermo Scientific
Finntip Flex Pipette Tips

Thermo Scientific™ Finntip™ Flex™ Pipette Tips are designed, developed and manufactured to fit Thermo Scientific™ Finnpipettes™ models. The performance of your pipette is directly related to the quality of the pipette tip—a pipette is only as good as its tip. This system provides optimal liquid handling results.

- Optimized for use on Finnpipette models, Finntips are CE/IVD Certified as a pipetting system and manufactured according to ISO 9001, ISO 14001 and ISO 13485
- Finntips ensure the precision and accuracy of Finnpipettes while providing an ergonomic solution reducing the tip attachment and tip ejection forces
- All packaging designs color coordinate with Finnpipettes, refill systems are compact saving space and eliminating waste
- Paired with the Finnpipette patented Super Blow-out Technology, the pipetting system is ideal for dispensing small and valuable samples 50 µl and below

Promotional Offer:

Buy 5 packs of Finntip Flex pipette tips and receive a Finnpipette F1 or F2 single channel pipette for FREE!

OR

Buy 10 packs of Finntip Flex pipette tips and receive a Finnpipette F1 or F2 multichannel pipette for FREE!



a complete pipetting system

a pipette is only as good as its tip

Cat. No.	Description
14-387-209	Finntip Flex 10 sterile, 10 x 96/rack
14-387-210	Finntip Flex 10 refill starter kit, 4 x 96/rack + 10 x 192/refill
14-387-211	Finntip Flex 10 refill, 20 x 192/refill
14-387-201	Finntip Flex 200 sterile, 10 x 96/rack
14-387-202	Finntip Flex 200 refill starter kit, 4 x 96/rack + 10 x 96/refill
14-387-203	Finntip Flex 200 universal refill, 20 x 96/refill
14-387-71	Finntip Flex 300 sterile, 10 x 96/rack
14-387-73	Finntip Flex 300 refill, 20 x 96/refill
14-387-85	Finntip Flex 1000 sterile, 10 x 96/rack
14-387-87	Finntip Flex 1000 refill, 10 x 96/refill
21377304	Finntip 5ML, 500/bag
14-487-90	Finntip Flex 10ML, 100/bag
14-387-206	Finntip Flex Filter 10ul sterile, 10 x 96/rack
14-386-205	Finntip Flex Filter 100ul sterile, 10 x 96/rack
14-387-205	Finntip Flex Filter 200ul sterile, 10 x 96/rack
14-386-206	Finntip Flex Filter 300ul sterile, 10 x 96/rack
14-386-207	Finntip Flex Filter 1000ul sterile, 10 x 96/rack

Offers available in US and Canada only. Promotional offer begins April 1, 2014 and ends December 31,2014. Redemptions and proof of purchase must be submitted by January 15, 2015.

© 2014 Thermo Fisher Scientific Inc. All rights reserved. Osterizer is a trademark of Sunbeam Products. Eppendorf and epMotion are registered trademarks of Eppendorf AG. All other trademarks are the property of Thermo Fisher Scientific and its subsidiaries.

BN
PFLCDCCGLABRESULTS 0414

Fisher Scientific

In the United States:
For customer service, call 1-800-766-7000
To fax an order, use 1-800-926-1166
To order online: www.fishersci.com

In Canada:
For customer service, call 1-800-234-7437
To fax an order, use 1-800-463-2996
To order online: www.fishersci.ca

Thermo SCIENTIFIC
Part of Thermo Fisher Scientific