

ERNI 224559 MicroSpeed Male Connector Instructions

224559 MicroSpeed Male Connector Instructions

Contents

1 224559 MicroSpeed Male Connector
2 Documents / Resources
2.1 References
3 Related Posts

224559 MicroSpeed Male Connector



Performance Level 1
Mating Area gold plating
Terminal Area 4-6 jum tin plating
Coplanarity Area of Termination 3 8.1mm
Verpackt im Gurt in Anlehnung an DIN IEC 60286-3
tape on reel packaging according to DIN IEC 60286-3
Verpackungseinheit: 170 Stick
packaging unit: 170 pcs



Abspulrichtung – Reel off Direction



<table>
<tr><td colspan="2" rowspan="2">Information:</td><td rowspan="2">Tolerances</td><td rowspan="2">AU Dimensions in mm</td><td>Scale 5:1</td><td></td></tr>
<tr><td colspan="2"></td></tr>
<tr><td colspan="2" rowspan="3">All rights reserved.
Only for Information.
To ensure that this is the latest version of this drawing. please contact one of the ERNI companies before using.</td><td colspan="2" rowspan="2">Subject to modification without prior notice.
The drawing will not be updated.</td><td colspan="2">Designation
Messerteiste 9mm SMD. 50 potig Male 9mm SAID 50 contacts</td></tr>
<tr><td rowspan="2">www.ERNI.com</td><td rowspan="2">224559</td><td>I</td></tr>
<tr><td>I</td><td></td><td>1.</td><td></td><td>A3</td></tr>
<tr><td>Index</td><td></td><td>Date</td><td></td><td></td><td colspan="2">Class SPEED</td></tr>
</table>

Copyright by ERNI Production GmbH & Co. KG
Proprietary notice pursuant to ISO 16016 to be observed.

Documents / Resources

	ERNI 224559 MicroSpeed Male Connector [pdf] Instructions 224559 MicroSpeed Male Connector, 224559, MicroSpeed Male Connector, Connector

References

Manuals+,