

G-2HT

Galileo®



1564 - 1642

Instructions

G-2HT

FOR ADDITIONAL HELP
PLEASE VISIT:



WWW.COSMOSOPTICS.COM

GALILEO G-2HT OPERATING INSTRUCTIONS

INTRODUCTION

THIS TELESCOPE HAS BEEN CORRECTED AGAINST CHROMATIC ABERRATION AND PRODUCED TO PRECISE SPECIFICATIONS.

PRIOR TO USING YOUR NEW GALILEO TELESCOPE, PLEASE READ THE FOLLOWING SETUP AND USAGE INSTRUCTIONS. IT IS IMPORTANT TO PROPERLY ASSEMBLE YOUR TELESCOPE IN ORDER TO ALLOW IT TO FUNCTION PROPERLY.

CONSIDER USING THE TELESCOPE FOR EARTH (TERRESTRIAL) VIEWING BEFORE ATTEMPTING TO VIEW ASTRONOMICAL OBJECTS. THIS WILL FAMILIARIZE YOU WITH HOW POWERFUL EACH EYEPIECE WILL BE, AS WELL AS INTRODUCING YOU TO THE FUNCTIONS OF YOUR ACCESSORY LENSES.

DUE TO THE MIRROR DIAGONAL POSITIONED IN THE FOCUS HOUSING, THE IMAGE YOU SEE WILL ALWAYS BE RIGHT SIDE UP. BUT LEFT AND RIGHT ARE REVERSED.

WE RECOMMEND YOU BEGIN WITH THE LOWEST POWER EYEPIECE, 20MM, WHEN USING YOUR TELESCOPE. AS YOU INCREASE THE POWER TO 6MM, YOUR POWER WILL BE HIGHER, BUT THE IMAGE WILL APPEAR DARKER; THIS IS DUE TO THE BASIC PHYSICAL PROPERTIES OF THE TELESCOPE. THE HIGHER THE POWER YOU USE THE DARKER THE IMAGE WILL APPEAR AND YOUR VIEWING FIELD WILL BE MORE NARROW.

PLEASE BE PATIENT WHEN USING YOUR TELESCOPE. IT IS A VERY SENSITIVE INSTRUMENT THAT IS CAPABLE OF USING HIGH POWERS. HOWEVER, THE MORE POWER YOU USE, THE MORE SENSITIVE THE TELESCOPE BECOMES. AS A RESULT, THE SLIGHTEST MOVEMENT OF THE TELESCOPE COULD CAUSE YOU TO LOSE THE IMAGE YOU HAVE IN YOUR EYEPIECE. PRACTICE WILL ENABLE YOU TO KNOW HOW MUCH MOVEMENT TO EXPECT WITH EACH EYEPIECE AND IT'S CORRESPONDING POWER.

GETTING THE MOST FROM YOUR TELESCOPE

TAKE THE TIME TO BECOME FAMILIAR WITH YOUR NEW TELESCOPE. LEARN THE NAMES OF THE VARIOUS PARTS, WHERE THEY ARE LOCATED AND THEIR FUNCTION. IT IS THE BEST TO PERFORM THESE FUNCTIONS DURING THE DAY TIME.

WHEN SETTING UP FOR A VIEWING SESSION, PLACE THE TELESCOPE IN AN AREA SHELTERED FROM THE WIND IF POSSIBLE. THE BEST NIGHT TIME VIEWING WILL BE AWAY FROM CITY LIGHT AND WHEN THE ATMOSPHERE IS "STEADY".

WITH A LITTLE PRACTICE YOU WILL LEARN TO JUDGE WHEN VIEWING CONDITIONS ARE GOOD. LOOK FOR THE NIGHTS WHEN THE STARS SHINE BRIGHTLY WITH LITTLE OR NO TWINKLING.

USE LOW POWER TO TAKE ADVANTAGE OF THE WIDER FIELD OF VIEW AND BRIGHTER IMAGE. RESERVE YOUR HIGH POWERS FOR THE NIGHTS WHEN THE VIEWING CONDITIONS ALLOW FOR DETAILED OBSERVATIONS.

ACCESSORIES

A. FULLY ADJUSTABLE TRIPOD



B. EYEPIECES

20MM=35X LOWEST POWER/BRIGHTEST IMAGE
6MM =116X HIGHER POWER/LESS BRIGHTEST



C. 3X BARLOW.

USED TO INCREASE THE POWER OF ANY GIVEN EYEPIECE BY 300%. FOR EXAMPLE THE 20MM IS 35X POWER AND WITH THE 3X BARLOW IT IS 105X POWER.



D. MARS-EYE ELECTRONIC FINDER:

USED TO LOCATE OBJECTS PRIOR TO USING MAIN TELESCOPE. PLEASE NOTE YOU MUST ALIGN THE FINDER WITH THE MAIN TUBE PRIOR TO INITIAL ASTRONOMICAL OR TERRESTRIAL USE.



E. GALILEO CD-ROM
PLANETARIUM

FROM ANY LOCATION YOU CAN SEE THE SKY AS IT APPEARS AT
ANY TIME OF DAY, OR EVEN IN THE FUTURE.
LEARN HOW TO USE YOUR TELESCOPE VIDEO.



GALILEO G-2HT ASSEMBLY INSTRUCTIONS

CAUTION: NEVER POINT YOUR TELESCOPE
AT THE SUN. VIEWING THE SUN WITH
THIS TELESCOPE OR EVEN THE UNAIDED
EYE CAN RESULT IN BLINDNESS OR OTHER
SERIOUS EYE DAMAGE.

1. REMOVE PRE-ASSEMBLED TRIPOD

2. ADJUST TRIPOD TO PROPER HEIGHT BY LOOSENING,
ADJUSTING AND TIGHTENING THE LOCKING KNOBS.



3. REMOVE TELESCOPE AND MOUNT FROM CARTON.
NOTE: THEY COME PRE-ASSEMBLED FROM THE FACTORY.



4. LOOSEN MOUNTING KNOB ON THE TELESCOPE
MOUNT (UNDERNEATH)

5. PLACE THE TELESCOPE AND MOUNT ASSEMBLY
ONTO THE TOP OF THE TRIPOD.




— KNOB

6. TIGHTEN LOCKING KNOB (UNDERNEATH THE TRIPOD TOP) SECURELY.


7. REMOVE ELECTRONIC MARS-EYE FINDER.

8. USE THE TWO THUMB SCREWS TO POSITION THE
ELECTRONIC MARS-EYE FINDER ON THE TELESCOPE
TUBE. FOR ADDITIONAL HELP SEE THE PAGE IN YOUR
INSTRUCTION BOOK FOR ELECTRONIC MARS-EYE FINDER
MOUNTING AND ALIGNMENT.



NOTE: SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

FEATURES OF G-2HT



HOW TO USE EYEPIECES & ACCESSORIES

PROPER PLACEMENT OF THE EYEPIECES AND ACCESSORIES IS IMPORTANT IN ORDER TO ASSURE EASY OPERATIONS AND CLEAR VIEWING.

PLEASE USE THE ACCESSORIES IN THE FOLLOWING ORDER. BY DOING THIS, YOU WILL BETTER UNDERSTAND THE IMPACT EACH INDIVIDUAL ACCESSORY HAS ON THE FUNCTION OF YOUR TELESCOPE.



1) FOCUSING TUBE

TURN FOCUSING WHEELS TOWARD THE TELESCOPE UNTIL IT WILL NOT GO FURTHER. TO FOCUS BEGIN TO TURN THE FOCUSING KNOBS TOWARD YOUR BODY, SLOWLY, UNTIL THE IMAGE IS CLEAR. NOTE: YOU MUST HAVE AN EYEPIECE AND DIAGONAL PRISM INSERTED IN ORDER TO VIEW IMAGE.



2) DIAGONAL PRISM

INSERT THE DIAGONAL PRISM INTO THE FOCUSING HOUSING.



3) EYEPIECE INSERTION

AFTER THE DIAGONAL PRISM IS INSERTED, PLACE THE EYEPIECE (20MM) INTO THE DIAGONAL PRISM. THE LOWER THE NUMBER ON THE EYEPIECE, THE HIGHER THE POWER YOUR TELESCOPE WILL BE USING. PLUS, YOU DECREASE THE FIELD OF VIEW AND THE BRIGHTNESS OF YOUR IMAGE. WHEN USING EYEPIECES, WE SUGGEST ALWAYS STARTING WITH THE LOWEST POWER AND THEN GOING UP.



4) BARLOW LENS

THE BARLOW LENS IS USED TO ACHIEVE THE MAXIMUM POWER FROM YOUR TELESCOPE. FIRST, REMOVE THE DIAGONAL PRISM FROM THE FOCUSING TUBE AND INSERT THE BARLOW LENS DIRECTLY INTO THE FOCUSING TUBE. YOU WILL HAVE TO READJUST YOUR FOCUSING DUE TO THE FACT THAT YOU HAVE INCREASED/DECREASED THE POWER OF YOUR TELESCOPE DRAMATICALLY.

EYEPIECE
20MM
6MM

POWER
35X
116X

POWER W/3X BARLOW
105X
348X

20MM IDEALLY SUITED FOR ALL TERRESTRIAL AND ASTRONOMICAL VIEWING.
6MM EYEPIECE IS RECOMMENDED FOR NIGHTS OF STEADY SEEING.

MARS-EYE ELECTRONIC FINDER MOUNTING & ALIGNMENT

TO MOUNT:

- 1) REMOVE MARS-EYE ELECTRONIC FINDER FROM BOX.
- 2) LOOSEN THUMB SCREWS ON SIDE OF FINDER AND SLIDE FINDER ONTO DOVETAIL MOUNT LOCATED AT TOP OF MAIN TELESCOPE TUBE.
- 3) TIGHTEN THUMB SCREWS.

TO CHECK ALIGNMENT WITH MAIN TELESCOPE:(IMPORTANT!)

- 1) THE MARS-EYE ELECTRONIC FINDER IS NOT PRE-SET AT FACTORY. THE FOLLOWING WILL ALLOW YOU TO ADJUST THE ALIGNMENT.
- 2) DURING THE DAY LIGHT HOURS, AIM THE MAIN TELESCOPE AT AN OBJECT AT LEAST 1/4 MILE OR MORE IN THE DISTANCE AND BRING IT INTO FOCUS.(VERY IMPORTANT)
- 3) ONCE YOU HAVE CENTERED THE REFERENCE ITEM IN THE MAIN TUBE, TIGHTEN ALL KNOBS AND ADJUSTMENTS TO PREVENT ANY MOVEMENT.
- 4) REMOVE CIRCULAR BATTERY SAVER LOCATED BENEATH FRONT OF FINDER (BE SURE TO SAVE AND REPLACE THE BATTERY SAVER WHEN NOT IN USE.)
- 5) TURN FINDER ON BY SLIDING ON/OFF SWITCH FORWARD. ON/OFF SWITCH IS LOCATED ON THE RIGHT SIDE OF THE FINDER.
- 6) LOOK THROUGH THE FINDER AND LOCATE THE RED DOT.



- 7) IF THE OBJECT IN THE MARS-EYE FINDER IS NOT THE OBJECT YOU SEE THROUGH THE MAIN TELESCOPE TUBE, ADJUSTMENT IS REQUIRED.
- 8) TO MOVE THE RED DOT UP AND DOWN, SIMPLY TURN THE ELEVATION SCREW LOCATED ON THE REAR BOTTOM OF THE FINDER TO HEIGHT REQUIRED.
- 9) TO MOVE THE RED DOT LEFT AND RIGHT, SIMPLY TURN THE WINDAGE SCREW LOCATED AT THE FRONT LEFT SIDE OF THE FINDER TO THE PROPER POSITION.
- 10) THESE ADJUSTMENTS WILL ALLOW YOU TO POSITION THE RED DOT ON THE SAME OBJECT CENTERED IN THE MAIN TELESCOPE.

Galileo® Limited One Year Warranty

We guarantee to replace or, at our option, repair any products or parts thereof which are found defective in material or workmanship during the first year from date of purchase. Our obligation with respect to such products or parts shall be limited to replacement or repair. In no event shall we be liable for consequential or special damages or for transportation, installation, adjustment, or other expenses which may arise in connection with such product or parts. The customer shall be responsible for all costs of transportation and insurance, both to and from GALILEO/COSMO BRANDS INC., and shall be required to prepay such costs. No expenses, warranties and implied warranties, whether or not merchantability of fitness for any particular use or otherwise (except as to title) other than these expressly set forth above which are made in writing and signed by executive officer of our corporation.

NO LIABILITY FOR CONSEQUENTIAL DAMAGES, IN NO EVENT SHALL THE MANUFACTURER OR ITS SUPPLIERS BE LIABLE FOR ANY DAMAGES WHATSOEVER. BECAUSE SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF THE POSSIBILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

Galileo®

DIVISION OF COSMO BRANDS INC.

21230 SW 246th ST. HOMESTEAD FL 33031 USA

www.cosmosoptics.com

**IF YOU NEED ANY FURTHER HELP WITH YOUR GALILEO TELESCOPE
PLEASE E-MAIL US AT CUSTOMERSERVICE@COSMOOPTICS.COM**

Galileo®

DIVISION OF COSMO BRANDS INC.

21230 SW 246th ST. HOMESTEAD FL 33031 USA

www.cosmosoptics.com