Product specifications

Eaton EMN25 D30 GSK M15

Catalog Number: EMN25 D30 GSK M15

Eaton Crouse-Hinds series EMN NEMA manual pushbutton starter, With starter, 3 HP/5 HP, Square D starter, Copper-free aluminum, NEMA size 0, Three-pole, Polyphase, 200-230 Vac/380-575 Vac, Gasket, M15 model



General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EMN NEMA manual pushbutton starter	EMN25 D30 GSK M15
	UPC
	662276521377
Product Length/Depth	Product Height
7.94 in	10.44 in
Product Width	Product Weight
7.6 in	14.17 lb

Powering Business Worldwide

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

4

7

9

Product specifications

Enclosure

With starter

Manufacturer

Square D

Number Of Poles

Three-pole

NEMA size

0

Voltage rating

200-230 Vac/380-575 Vac

Phase

Poly-phase

Horsepower

3 hp/5 hp

Material

Copper-free aluminum

Special features

Gasket

Type

M15 model

Resources

Brochures

EMN NEMA Pushbutton Style Explosionproof Motor Starters Brochure

Catalogs

EMN NEMA Pushbutton Style Explosionproof Motor Starters catalog page

Certification reports

EMN NEMA Pushbutton Style Explosionproof Motor Starters UL certification

Installation instructions

IF 1640 - EMN Series Pushbutton Line Starters and Enclosures

IF 1661 - EMN Series Replacement Pushbuttons

Specifications and datasheets

Eaton Specification Sheet - EMN25 D30 GSK M15



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia