
Heckler AV

MULTI MOUNT

for Kindle Fire HD 8

Assembly & Installation



Compatible with

Kindle Fire HD 8

2-Year Warranty

Heckler Design warrants your product to be free from defect in material and workmanship for a period of two years from the original date of purchase. Electronic components are warranted to be free from defect for a period of one year from the original date of purchase. If you discover a defect, please contact service@hecklerdesign.com. Heckler Design will repair, at our discretion, using new or refurbished components. If repair is not possible, Heckler Design will replace the item.

1x



F628






Ball-head hex assembly tool

2x



F155






Drywall achor

2x



F360





Drywall-mounting screw

2x



F486






Mullion-mounting screws

1x




F639






Flat-head drywall-mounting screw




Phillips
Screwdriver



Power Drill


One Enclosure, Multiple Installations

Install to drywall




Drywall, Angled

ADA-friendly




Drywall, Straight




Drywall, Portrait

Install to door mullions




Mullion, Angled

ADA-friendly




Mullion, Straight


Mullion Install




1 Disassemble Multi Mount




Loosen, do not remove.



2 Mark mounting hole positions



3 Drill mounting + Ethernet cable holes



Screw Selection: You may use any screw you see fit for mounting the product to the mullion.


If you choose to use the self-tapping mounting screws provided, we recommend drilling a pilot hole with a #17 drill bit or a 5/32-inch drill bit.

Ethernet Cable hole: If your Ethernet cable has an RJ45 connector installed, drill a 5/8 inch hole in the position shown. Consider using a step drill bit to drill these larger holes.

If you will install an RJ45 connector after the Ethernet cable is drawn through the mullion, a smaller hole can be created.

4 Form mounting hole threads



F486




The mounting screws provided are thread-forming screws.


5 Remove mounting screws and route Ethernet cable


F486




6 Fasten mounting bracket to mullion






7 Install charge solution


PoE Splitter (power only)




8 Install Kindle HD 8



9 Install front bezel




10 Slide front bezel onto mounting bracket




Use fingers to help tighten screws


11 Tighten assembly screws









Drywall Install




1 Slide front bezel onto mounting bracket





Loosen, do not remove.




2 Install backplate to drywall









15º Angle







Straight Angle








3 Charging options




PoE Splitter (power only)


4 Install Kindle Fire HD 8



5 Charging options



6 Slide front bezel onto mounting bracket



Use fingers to help tighten screws

7 Tighten assembly screws



