KONICA MINOLTA


magicolor 2550 Series



Compact & Versatile

Network

Color Lasers



Compact & Versatile Network Color Lasers



QUICK SPECS

- 20 ppm in black & white, 5 ppm in color
- 300 MHz PowerPC processor
- 9600 x 600 dpi-class Photo ART contone resolution
- magicolor 2550 EN: 128 MB DDR SDRAM std., 640 MB max.
  magicolor 2550 DN: 256 MB DDR SDRAM std., 640 MB max.
- 10/100BaseTX Ethernet®, USB 2.0, and parallel interfaces
- First page out in 13 seconds (b&w), 22 seconds (color)
- PostScript® 3 (144 fonts) and PCL® 6 (93 fonts) printer emulations
- Windows®, Macintosh®, and Linux® compatible
- Automatic two-sided printing (magicolor 2550 DN)
- 35,000 page-per-month duty cycle
- 1-year exchange warranty

The compact and affordable magicolor 2550 Series printers boast the enhanced graphics quality and high-end printing features typically found in larger, more expensive models.

Compact and Affordable

These little powerhouses are the perfect fit for any desktop and budget.

- Though they're small enough to fit into any workspace, the magicolor 2550 printers have the power to handle the demanding requirements of both small offices and large workgroups.
- Full front access means reloading supplies and clearing media jams is a snap.
- Long-lasting toner yields 1,500 (standard capacity) or 4,500 (high capacity) prints for low cost-per-page printing.
- Technical support is US-based and toll-free for 5 years. Answer times consistently average under 1 minute.

Printing Power & Performance


The magicolor 2550 Series provides the speed needed to satisfy demanding job requirements.

- Emperon technology boosts printer performance and enhances image quality in Windows, Macintosh, and Linux environments while simplifying the entire printing process.
- The 300 MHz PowerPC CPU quickly processes even the most complex files.
- DDR SDRAM doubles file data throughput and swiftly delivers print jobs.

Ease of Use

Easy setup and operation are built into the magicolor 2550 Series.

- Pre-installed high-capacity toner cartridges and auto-installation software mean the magicolor 2550 printers are ready to print in just minutes.
- Print jobs can be customized easily with comprehensive printer drivers that offer collation, fit-to-page scaling, separation pages, watermarks, tray selection, secure printing, and many other features.
- The PageScope™ suite of printer utilities allows network administrators to configure and manage printers remotely.
- PageScope Web Connection provides instant access to print job status and supply levels.
- The 10/100BaseTX Fast Ethernet® interface provides high-speed network printing for busy workgroups. USB 2.0 and parallel ports are also available for local operation.



Brilliant, Consistent Color

A legacy of innovative color technology ensures outstanding image quality.

- Enhanced Automatic Image Density Control (eAIDC) ensures consistent, accurate color from the first page to the last and from one document to the next.
- 9600 x 600 dpi-class Photo ART quality and contone screening deliver amazing photographic detail, smooth color gradients, and crisp text.
- Industry-standard ICC-based color matching provides automatic or single-button controls for automatic color correction of print files.



- KONICA MINOLTA Simitri® Polymerized Toner produces sharper output, finer text, and smoother halftones than conventional toner on all common media types. This state-of-the-art toner technology also reduces toner and engery usage.





basics

options

Control Panel

- Intuitive display and menu
- At-a-glance toner gauges

Print Speed

- Color: Up to 5 ppm
- B&W: Up to 20 ppm

Interfaces

- Fast Ethernet (10/100BaseTX), Hi-Speed USB 2.0, Parallel

Memory

- magicolor 2550 EN: 128 MB DDR SDRAM
- magicolor 2550 DN: 256 MB DDR SDRAM

Compatibility

- Windows Vista/Server 2003/XP/2000/NT4/Me/98SE
- Macintosh OS X (v10.2+)/OS 9 (v9.1+)
- Linux Red Hat 9/SuSE 8.2
- PostScript 3, PCL 6 emulations

Resolution

- 9600 x 600 dpi-class with Photo ART
- eAIDC and ICC-based color matching

Document Handling

- Automatic duplexer for two-sided printing (magicolor 2550 DN)

Paper Input

- Up to legal (8.5" x 14")
- Adjustable 200-sheet multipurpose tray



Hard Disk

- For downloaded fonts, forms, and profiles; electronic collation; Job Accounting; direct PDF printing; Proof then Print, Secured Job, Print & Hold, and Stored Job functions

Memory

- Upgrade to 640 MB

Document Handling

- Automatic duplexer for two-sided printing (magicolor 2550 EN); additional memory required for 9600 x 600 dpi-class full-color prints: 128 MB (letter) or 256 MB (legal)

Paper Input

- 500-sheet cassette (letter or A4)
- 700-sheet maximum input capacity



Cross-Platform Compatibility

The magicolor 2550 Series is the ideal printing solution for diverse office workgroups.

- PostScript 3 and PCL 6 emulations support most popular software applications, providing seamless creation and processing of all your color documents.
- With Windows, Macintosh, and Linux system compatibility, the magicolor 2550 Series is at home in any workgroup.
- Support for NetWare®, TCP/IP, EtherTalk®, and NetBIOS/NetBEUI ensures smooth integration into mixed network configurations.



magicolor 2550 Series — Technical

Printing Process

Print Method: Electrophotographic laser
Print Speed*:
Color: Up to 5 ppm
Monochrome: Up to 20 ppm
Warm-Up Time: 52 seconds average
First-Page-Output Time*:
Color: 22 seconds from an idle, ready state
Monochrome: 13 seconds from an idle, ready state
Resolution: Up to 9600 x 600 dpi-class with Photo ART
Recommended Duty Cycle: Up to 35,000 prints/month

Hardware and Software Capabilities

Processor Type: PowerPC, 300 MHz
Memory: 128 MB (magicolor 2550 EN)/256 MB (magicolor 2550 DN) DDR SDRAM on board, upgradable to 640 MB (one slot) using 100-pin DIMMs
Internal Hard Disk (optional): For downloaded fonts, forms, and profiles; electronic collation; Job Accounting; direct PDF printing; Proof then Print, Secured Job, Print & Hold, and Stored Job functions (40 GB)
Operating System Compatibility: Windows Vista/Server 2003/XP (SP1+)/2000 (SP4+)/NT4 (SP6+)/Me/98SE; Macintosh OS X (v10.2+)/OS 9 (v9.1+); Linux Red Hat 9/SuSE 8.2
Printer Emulations: PostScript 3, PCL 6; PDF 1.4 (hard disk required)
Printer Management: PageScope Net Care, PageScope Web Connection, PageScope Network Setup, PageScope Peer-to-Peer Printing Tool, PageScope EMS Plug-in, HP Web JetAdmin Plug-in, PageScope Plug and Print, PageScope NDPS Gateway, PageScope Direct Print, Print Monitor, Status Monitor
Color Support: Enhanced Automatic Image Density Control (eAIDC); ICC device profiles; Automatic ICC-based color matching; Dynamic Contone Screening; SWOP, Commercial, EuroColor, TOYO, and DIC press emulations

Interface Support

Standard: Ethernet 10/100BaseTX, USB 2.0 (supports Microsoft 'Plug and Play'), IEEE 1284 parallel (supports Microsoft 'Plug and Play')
Ethernet Protocols: TCP/IP, EtherTalk, IPX/SPX (NetWare 4/5/6), NDS Bindery, NDPS, NetBIOS,NetBEUI, SMB, HTTP, HTTPS, IPP1.1, SNMP, LPD, FTP, DHCP, BootP, ARP, Auto IP, Ping/ARP, SMTP, SLP, TCP/IP socket,Telnet, UPnP 2.0

Media Handling

Standard Paper Input: 200-sheet multipurpose tray
Optional Paper Input: 500-sheet cassette
Standard Paper Output: 200-sheet face-down output tray
Duplex Printing: magicolor 2550 DN: standard; magicolor 2550 EN; manual** (automatic optional)
Standard Automatic Duplexer (magicolor 2550 DN): For two-sided printing
Optional Automatic Duplexer (magicolor 2550 EN): For two-sided printing; additional memory required for full-color 9600 x 600 dpi-class prints: 128 MB (letter size) or 256 MB (legal size)
Paper Sizes Supported:
Multipurpose Tray: Letter, Legal, A4, Executive, Statement, Folio, Foolscap, UK Quarto, Letter Plus, Govt. Letter, Govt. Legal, A5, B5, B5 (ISO), Kai 16; Photo Print 4x6; Japanese Postcard, Double Postcard; Monarch, Com 10, DL, C6, C5, Chou #3, Chou #4, You #4, 16K, 32K Envelopes; Custom sizes (W) 3.6" - 8.5" (92 - 216 mm), (L) 5.8" - 14" (148 - 356 mm)
500-Sheet Cassette (optional): Letter, A4
Printable Area: 0.16" (4 mm) from all edges; 13.2" (335.6 mm) color and 13.7" (347.6 mm) monochrome guaranteed print length
Paper Weights:
Plain paper: 16 - 24 lb. Bond (60 - 90 g/m²)
Thick stock: 24 - 80 lb. Cover (90 - 220 g/m²)
Print Media: Plain paper, letterhead, thick stock, glossy stock, transparencies, laser-quality labels, postcards, and envelopes

Physical

Type: Laser printer with internal controller
Dimensions (WxDxH): magicolor 2550 EN: w/ tray cover 16.9" x 19.8" x 13.4" (430 x 502 x 341 mm); w/ tray closed 16.9" x 15.6" x13.4" (430 x 395 x 341 mm)
magicolor 2550 DN: w/ tray cover 16.9" x 22.2" x 13.4" (430 x 564 x 341 mm); w/ tray closed 16.9" x 18.0" x13.4" (430 x 457 x 341 mm)
Weight: magicolor 2550 EN: w/o consumables 38.2 lbs. (17.4 kg); w/ consumables 45.8 lbs. (20.8 kg); as shipped 55.2 lbs. (25.1 kg)
magicolor 2550 DN: w/o consumables 42.3 lbs. (19.2 kg); w/ consumables 49.3 lbs. (22.6 kg); as shipped 70.1 lbs. (31.8 kg)

Electrical

Power Requirements:
120V Model: 120 VAC ± 10%; 50/60 Hz ± 3%
220/240V Model: 220/240 VAC ± 10%, 50/60 Hz ± 3%
Power Consumption:
Operating: 450 W or less (color), 600 W or less (black & white), 1,100 W maximum
Standby: 250 W or less
Energy Star* Compliant:** 15 W or less

Environmental

Temperature Requirements: Operating: 50° to 95° F (10° to 35° C)
Non-operating: 32° to 95° F (0° to 35° C)
Humidity: Operating: 15% to 85% RH
Non-operating: 10% to 85% RH
Noise Levels: Operating: <52 dB(A); Standby: <35 dB(A)

Regulatory/Safety Conformity

UL, cUL, CSA, FCC-B, CDRH, DOC, SASO, RPC

Consumables****

In-Box Cartridges: Printer ships with one each Cyan, Magenta, Yellow, and Black Toner Cartridges (yield up to 4,500 letter/A4 pages @ 5% coverage); Drum Cartridge
Replacement Cartridges: Cyan, Magenta, and Yellow Toner Cartridges (yield up to 1,500 or 4,500 letter/A4 pages @ 5% coverage); Black Toner Cartridge (yields up to 4,500 letter/A4 pages @ 5% coverage)

Typefaces

144 resident PostScript fonts, 93 PCL fonts, and 10 line printer fonts

Warranty

1-year exchange

Model Comparison

	magicolor 2550 EN	magicolor 2550 DN
Speed	20 ppm b&w / 5 ppm color	20 ppm b&w / 5 ppm color
Resolution	9600 x 600 dpi-class	9600 x 600 dpi-class
Memory	128 MB	256 MB
Interface	Ethernet, USB 2.0, Parallel	Ethernet, USB 2.0, Parallel
Compatibility	Windows, Macintosh, Linux	Windows, Macintosh, Linux
Emulations	PostScript 3, PCL 6	PostScript 3, PCL 6
Automatic Duplex	Optional	Standard

* Exact print speed differs depending on system configuration, software application, driver, and document complexity.

** Application software support required for page reordering.

*** The addition of some options, in some combinations, may cause the product to become non-compliant. Energy Star compliance does not represent an EPA endorsement of any product or service.

**** The stated life expectancy of each consumable in your printer is based on printing under specific operating conditions such as page coverage for a particular page size (5% coverage of letter/A4). The actual consumable's life will vary depending on the use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature, and humidity.

KONICA MINOLTA
BUSINESS SOLUTIONS U.S.A., INC.
(USA, Canada, Latin America)
Tel.: +1 (800) 523 2696
Tel.: +1 (201) 316 8200
Fax: +1 (201) 825 3577

Websites:
buymagicolor.com
printer.konicaminolta.com
q-shop.com

PN: mc2550SeriesSs7_07

Copyright © 2007 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All Rights Reserved. KONICA MINOLTA and the KONICA MINOLTA logo are trademarks or registered trademarks of KONICA MINOLTA HOLDINGS, INC. magicolor and Simitri are registered trademarks of KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. PageScope is a trademark or registered trademark of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. All other trademarks or registered trademarks are the property of their respective owners. Specifications are subject to change without notice.