
Wire Guide

	Model No.	Size (㎜)	Product Name	Position	Machine Model	Spec.	Original P/No.
	F101	0.205	Wire Guide	Upper	O,P,Q,R,T,W	Manual	A290-8021-X765
		0.255					A290-8021-X766
		0.305					A290-8021-X767
	F102	0.205	Wire Guide	Lower	O,P,Q,R,T,W	Manual	A290-8021-X775
		0.255					A290-8021-X776
		0.305					A290-8021-X777
	F102T	0.205	Wire Guide	Lower	O,P,Q,R	Manual For Big Taper	A290-8021-Y775
		0.255					A290-8021-Y776
		0.305					A290-8021-Y777
	F103	0.205	Wire Guide	Upper	T,W	AWF	A290-8032-X775
		0.255					A290-8032-X776
		0.305					A290-8032-X777
	F103T	0.205	Wire Guide	Upper	O,P,Q,R	Manual For Big Taper	A290-8021-Y765
		0.255					A290-8021-Y766
		0.305					A290-8021-Y767
	F104	0.205	Wire Guide	Lower	T,W	AWF	A290-8032-X735
		0.255					A290-8032-X736
		0.305					A290-8032-X737
	F104T	0.205	Wire Guide	Lower	T,W	Manual For 30° Taper	A290-8032-X765
		0.255					A290-8032-X766
		0.305					A290-8032-X767
	F105	0.205	Wire Guide	Lower	K,M,N,L	AWF	A290-8018-X443
		0.255					A290-8018-X444
		0.305					A290-8018-X445
	F106	0.205	Wire Guide	Upper & Lower	K,M,N,L	Manual (300A Power Supply)	A290-8011-X833
		0.255					A290-8011-X834
		0.305					A290-8011-X835
	F107	0.205	Wire Guide	Upper	K,M,N,L	AWF	A290-8018-X463
		0.255					A290-8018-X464
		0.305					A290-8018-X465
	F108	0.205	Wire Guide	Upper & Lower	K,M,N,L	Manual (60C Power Supply)	A290-8011-X753
		0.255					A290-8011-X754
		0.305					A290-8011-X755
	F110	0.205	Wire Guide	Upper	α -A,B,C,iA,iB,iC,iD	Manual	A290-8101-X733
		0.255					A290-8101-X734
		0.305					A290-8101-X735
	F110T	0.205	Wire Guide	Upper	α -A,B,C,iA,iB,iC,iD	Manual For 45° Taper	A290-8103-X705
		0.255					A290-8103-X706
		0.305					A290-8103-X707

お問い合わせ・ご用命は
TAKANO
株式会社 タカノ 〒373-0022 群馬県太田市東金井町 1237
TEL：0276-22-6270 FAX：0276-22-6278
URL：http://www.kk-takano.co.jp/ E-mail：web@kk-takano.co.jp



For FANUC

Wire Guide

	Model No.	Size (㎜)	Product Name	Position	Machine Model	Spec.	Original P/No.
	F111	0.205	Wire Guide	Lower	α -A,B,C,iA,iB,iC,iD	Manual	A290-8101-X743
		0.255					A290-8101-X744
		0.305					A290-8101-X745
	F111T	0.205	Wire Guide	Lower	α -A,B,C,iA,iB,iC,iD	Manual For 45° Taper	A290-8109-X715 (A290-8103-X715)
		0.255					A290-8109-X716 (A290-8103-X716)
		0.305					A290-8109-X717 (A290-8103-X717)
	F112	0.205	Wire Guide	Upper	α -A,B,C,iA,iB,iC,iD	AWF	A290-8092-X705
		0.255					A290-8092-X706
		0.305					A290-8092-X707
	F112T	0.205	Wire Guide	Upper	α -A,B,C,iA,iB,iC,iD	AWF For 45° Taper	A290-8104-X705
		0.255					A290-8104-X706
		0.305					A290-8104-X707
	F113	0.205	Wire Guide	Lower	α -A,B,C,iA,iB,iC,iD	AWF	A290-8110-X715
		0.255					A290-8110-X716
		0.305					A290-8110-X717
	F113T	0.205	Wire Guide	Lower	α -A,B,C,iA,iB,iC,iD	AWF For 45° Taper	A290-8110-Z715 (A290-8104-X715)
		0.255					A290-8110-Z716 (A290-8104-X716)
		0.305					A290-8110-Z717 (A290-8104-X717)
	F113-1	0.205	Wire Guide	Lower	α -iD2,iE	AWF (Double Diamond)	A290-8119-Y715
		0.255					A290-8119-Y716
		0.305					A290-8119-Y717
	F114	0.202	Wire Guide (High Accuracy)	Upper	α -A,B,C,iA,iB,iC,iD	AWF	A290-8104-Y705
		0.252					A290-8104-Y706
		0.302					A290-8104-Y707
	F114/30T	0.205	Wire Guide (For Finishing)	Upper	α -iC,iCp,iD	AWF (Ceramic) For 30° Taper	A290-8112-Z725 (Ruby)
		0.255					A290-8114-Z725 (PCD)
							A290-8112-Z726 (Ruby)
							A290-8114-Z726 (PCD)
	F114/45T	0.205	Wire Guide (For Finishing)	Upper	α -iC,iCp,iD	AWF (Ceramic) For 45° Taper	A290-8112-Z705 (Ruby)
		0.255					A290-8112-Z706 (Ruby)
	F115	0.202	Wire Guide (High Accuracy)	Lower	α -A,B,C,iA,iB,iC,iD	AWF	A290-8110-Y715
		0.252					A290-8110-Y716
		0.302					A290-8110-Y717
	F115/30T	0.21	Wire Guide (For Finishing)	Lower	α -iC,iCp,iD	AWF (Ceramic) For 30° Taper	A290-8112-Z735 (Ruby)
		0.26					A290-8114-Z735 (PCD)
							A290-8112-Z736 (Ruby)
							A290-8114-Z736 (PCD)
	F115/45T	0.21	Wire Guide (For Finishing)	Lower	α -iC,iCp,iD	AWF (Ceramic) For 45° Taper	A290-8112-Z715 (Ruby)
		0.26					A290-8112-Z716 (Ruby)
	F115-1	0.202	Wire Guide (High Accuracy)	Lower	α -iD2,iE	AWF (Double Diamond)	A290-8119-Y705
		0.252					A290-8119-Y706
		0.302					A290-8119-Y707

SUNROX EDM®
お問い合わせ・ご用命は
TAKANO
株式会社 タカノ 〒373-0022 群馬県太田市東金井町 1237
TEL：0276-22-6270 FAX：0276-22-6278
URL：http://www.kk-takano.co.jp/ E-mail：web@kk-takano.co.jp





Wire Guide

	Model No.	Size (㎜)	Product Name	Position	Machine Model	Spec.	Original P/No.
	F120	φ1.0	Sub Die Guide	Upper	α -A,B,C,iA,iB	AWF	A290-8110-Y726
	F121	φ1.0	Sub Die Guide	Lower	α -A,B,C,iA,iB,iC,iD	AWF	A290-8110-X774
	F122	φ0.35	Ruby Guide	Upper	α -A,B,C,iA,iB	AWF	A290-8101-X753
	F123	φ0.4	Die Guide	Upper	W		A290-8037-X645
	F124	φ0.5	Sub Die Guide	Lower	α -A,B,C,iA,iB,iC,iD,iE	AWF	A290-8112-X774
		φ1.0					A290-8110-Y774
	F125 -1	φ1.5	Jet Nozzle	Upper	α -A,B,C,iA,iB,iC,iD,iE	AWF *F125-2 (For Fine Wire)	A290-8102-Y756
	-2	φ0.5*					A290-8102-Y757
	-3	φ1.8					A290-8102-Y754
	-4	φ0.8					A290-8102-Y755
	-5	φ1.0					A290-8102-Y761
	F126	φ58/φ15 T=18.9	Nozzle Base	Upper	α -B	AWF	A290-8102-X723
	F127	φ58/φ15 T=19	Nozzle Base	Upper	α -C,iA,iB,iC,iD,iE	AWF	A290-8110-Y723
	F128	φ0.3	Guide	Upper	α -A,B,C,iA,iB,iC,iD,iE	AWF	A290-8104-X620
		φ0.5					A290-8102-X620
	F129	φ8.0	Jet Nozzle	Upper	α -A,B,C,iA,iB,iC,iD,iE	AWF For 30° Taper	A290-8112-Y759
	F130	φ1.0	Sub Die Guide	Upper	α -iC,iD,iE	AWF	A290-8116-X726

SUNROX EDM®
お問い合わせ・ご用命は
TAKANO
株式会社 タカノ 〒373-0022 群馬県太田市東金井町 1237
TEL：0276-22-6270 FAX：0276-22-6278
URL：http://www.kk-takano.co.jp/ E-mail：web@kk-takano.co.jp

For FANUC

Power Feed Contact


	Model No.	Size (㎜)	Product Name	Position	Machine Model	Spec.	Original P/No.
	F001	ϕ25.4/ϕ9.1 T=9.5	Power Feed Contact	Lower	H,L		A97L-0001-0664/25S1P
	F002	ϕ15.9/ϕ6.3 T=6.3	Power Feed Contact	Upper & Lower	O,P,Q,R,T,W		A97L-0126-0001/15S1P
	F003	ϕ8/ϕ4 T=10	Power Feed Contact	Upper & Lower	K,N,M		A290-8008-X107
	F004	ϕ16/ϕ6.4 T=6	Power Feed Contact	Lower	W-1,2,3,4	AWF	A290-8032-Z882
	F005	23x7.9 T=2.8	Power Feed Contact	Upper & Lower	α -A,B	Manual/AWF	A290-8101-X750
	F006	30x12 T=4	Power Feed Contact	Upper Lower	α -C,iA,iB,iC,iD,iE α -C,iA,iB,iC,iD	Manual/AWF (Long Length)	**Sunrox Original**
	F006-1	23x12 T=4	Power Feed Contact	Upper Lower	α -C,iA,iB,iC,iD,iE α -C,iA,iB,iC,iD	Manual/AWF	A290-8110-X750
	F007	ϕ15/ϕ6.4 T=6	Power Feed Contact	Upper	W0		A290-8048-X759
	F008	26x10 T=4	Power Feed Contact	Lower	α -iD2,iE	AWF	A290-8119-Z780

Water Nozzle

	Model No.	Size (㎜)		Product Name	Position	Machine Model	Spec.	Original P/No.
	F201	ϕ3 ϕ4 ϕ5.5	ϕ25 T=15.9	Water Nozzle	Upper & Lower	O,P,Q,R,T,W	Manual	**Sunrox Original** A290-8021-Y745
	F202	ϕ3 ϕ4 ϕ5.5	ϕ25.2 T=19	Water Nozzle	Lower	O,P,Q,R,T,W	Manual	**Sunrox Original** A290-8021-Y755
	F204	ϕ5.5	ϕ28 T=10.8	Water Nozzle	Lower	W-1,2,3,4	AWF	A290-8037-X879
	F205	ϕ5.5	ϕ28 T=15	Water Nozzle	Upper	W-1,2,3,4	AWF	A290-8032-Y611

お問い合わせ・ご用命は
TAKANO
株式会社 タカノ 〒373-0022 群馬県太田市東金井町 1237
TEL：0276-22-6270 FAX：0276-22-6278
URL：http://www.kk-takano.co.jp/ E-mail：web@kk-takano.co.jp







Water Nozzle

	Model No.	Size (㎜)		Product Name	Position	Machine Model	Spec.	Original P/No.
	F206	ϕ41.5 T=27		Nozzle Cap	Upper & Lower	O,P,Q,R,T,W	For F201/F202	A290-8021-V722
	F206-1	ϕ41.5 T=27		Nozzle Cap	Upper & Lower	O,P,Q,R,T,W	For F201/F202 (SUS)	**Sunrox Original**
	F207	ϕ7	ϕ23.9 T=17	Water Nozzle	Upper	W-0		A290-8048-X771
	F208	ϕ7	ϕ26 T=17	Water Nozzle	Lower	W-0	Manual	A290-8048-X772
	F209	ϕ2	ϕ29.8 T=27.8	Water Nozzle	Upper	α -A,B,C,iA,iB,iC,iD	Manual	A290-8111-X772 (A290-8109-X772)
		ϕ4						A290-8111-X774 (A290-8109-X774 for C) (A290-8101-X775 for A,B)
		ϕ6.5						A290-8111-X776 (A290-8109-X776 for C) (A290-8101-X776)
	F210	ϕ39.2 T=23		Nozzle Holder	Lower	α -A,B,C,iA,iB,iC,iD	Manual	A290-8101-X755
	F211	ϕ2	ϕ27 T=16	Water Nozzle	Lower	α -A,B,C,iA,iB,iC,iD	Manual	A290-8103-X774
		ϕ4						A290-8101-X774 (A290-8101-X756 for A,B,C)
		ϕ6.5						A290-8101-X756
	F212	ϕ2	ϕ39.8 T=23.5	Water Nozzle	Upper	α -A,B,C,iA,iB,iC,iD	AWF	A290-8104-X775
		ϕ4						A290-8102-X775
		ϕ6.5						A290-8102-X751
		ϕ12						A290-8102-X752
	F213	ϕ2	ϕ39.8 T=25	Water Nozzle	Lower	α -A,B,C,iA,iB,iC,iD	AWF	A290-8104-X774
		ϕ4						A290-8102-X774
		ϕ6.5						A290-8102-X771
		ϕ12						A290-8102-X772
	F214	ϕ2	ϕ46 T=23	Water Nozzle	Lower	α -iD2,iE	AWF	A290-8119-Z791
		ϕ4						A290-8119-Z786
		ϕ6.5						A290-8119-Z787
		ϕ12						A290-8119-Z788
	F218	ϕ6.5	ϕ40 T=34	Water Nozzle	Upper	α -C	Manual	A290-8109-X776

SUNROX EDM®
お問い合わせ・ご用命は
TAKANO
株式会社 タカノ 〒373-0022 群馬県太田市東金井町 1237
TEL：0276-22-6270 FAX：0276-22-6278
URL：http://www.kk-takano.co.jp/ E-mail：web@kk-takano.co.jp

For FANUC

Connected Parts

	Model No.	Size (㎜)	Product Name	Position	Machine Model	Spec.	Original P/No.
	F301	92x75 T=10	Isolator Plate	Lower	L	Manual	A290-8005-X722
	F302	75x62 T=10	Isolator Plate	Lower	O,P,Q,R,T		A290-8021-X709
	F303	73.5x39 T=12	Isolator Plate	Lower	W	AWF	A290-8032-X334
	F304	51x33 T=29	Isolator Plate	Upper	O,P,Q,R,W		A290-8021-X602
	F305	40x40 T=34	Isolator Plate	Upper	α -A,B		A290-8101-X509
	F306	ϕ72 T=15	Isolator Plate	Lower	α -A,B,C		A290-8101-X312
	F307	66x56.5 T=75	Guide Base	Lower	α -A,B,C	For F404A	A290-8101-X761
	F308	66x56.5 T=81	Guide Base	Lower	α -iA,iB,iC	For F404	A290-8110-X761
	F309	56x40 T=15	Guide Block	Lower	α -0iD	AWF	A290-8119-X764
	F310	56x40 T=28	Guide Block	Lower	α -1iD	AWF	A290-8120-X764
	F311	70x50 T=19	Isolator Plate	Upper	α -iD		A290-8111-Y526
	F400	ϕ6 ϕ12 T=4	Bearing	Lower		For F401/F402	A97L-0001-0670/1260Z
	F401	ϕ49 T=9.4 T=6(Roller)	Wire Sub Roller	Lower	W	(Plastic+SUS)	A290-8004-X713
	F402	ϕ64 T=9.4 T=6(Roller)	Wire Sub Roller	Lower	W	(Plastic+Brass)	A290-8006-X707

お問い合わせ・ご用命は
TAKANO
株式会社 タカノ 〒373-0022 群馬県太田市東金井町 1237
TEL：0276-22-6270 FAX：0276-22-6278
URL：http://www.kk-takano.co.jp/ E-mail：web@kk-takano.co.jp





Connected Parts

	Model No.	Size (㎜)	Product Name	Position	Machine Model	Spec.	Original P/No.
	F403	40x40 T=25	Guide Base	Lower	α -A,B	(SUS)	A290-8103-X762
	F404	68.5 x 20 T=50.5	Guide Block A	Lower	α -iA,iB,iC	Manual/AWF (SUS) For F308	A290-8102-Y770
	F404A	59.5x20 T=49	Guide Block A	Lower	α -A,B,C	Manual/AWF (SUS) For F307	A290-8110-X770
	F404-1	ϕ38/ϕ22 T=11.9	Lower Roller	Lower	α -A,B,C,iA,iB,iC	Manual/AWF (Ceramic)	A290-8101-X765
	F405	13x19 T=20	Feed Ceramic Guide	Feed Section	α -A,B,C	Manual/AWF (Plastic)	A290-8101-X394
	F406	ϕ40 T=18	Pinch Roller	Feed Section	α -A,B	Manual/AWF (Ceramic)	A290-8101-Z382
	F407	ϕ40 T=19 T=12(Roller)	Feed Roller	Feed Section	α -A,B	Manual/AWF (Ceramic)	A290-8101-Z383
	F408	57x20 T=34.5	Feed Wire Guide	Feed Section	α -A,B,C	Manual/AWF (Plastic)	A290-8102-X393
	F409	ϕ140 T=21.9	Brake Shoe	Upper	α -A,B,C,iA,iB	Manual/AWF	A290-8101-X371
	F410	ϕ40 T=30	Pinch Roller	Feed Section	α -C	Manual/AWF	A290-8110-X382 (A290-8110-V384)
	F411	ϕ40 T=32 T=30(Roller)	Feed Roller	Feed Section	α -C	Manual/AWF	A290-8110-X383
	F412	46x40 T=23	Guide Base	Lower	α -C,iA,iB,iC	Manual/AWF (SUS)	A290-8110-Y762
	F413	ϕ80 T=22	Pinch Roller	Feed Section	α -iA,iB,iC	Manual/AWF (Ceramic)	A290-8112-X382
	F414	ϕ80 T=25	Feed Roller	Feed Section	α -iA,iB,iC	Manual/AWF (Ceramic)	A290-8112-X383

お問い合わせ・ご用命は
TAKANO
株式会社 タカノ 〒373-0022 群馬県太田市東金井町 1237
TEL：0276-22-6270 FAX：0276-22-6278
URL：http://www.kk-takano.co.jp/ E-mail：web@kk-takano.co.jp

For FANUC

Connected Parts

	Model No.	Size (㎜)	Product Name	Position	Machine Model	Spec.	Original P/No.
	F415	ϕ37 L=99	Cam Shaft	Feed Section	α -iA,iB,iC	Manual/AWF For F413	A290-8112-X378
	F416	ϕ17 L=95	Shaft	Feed Section	α -iA,iB,iC	Manual/AWF For F414	A290-8112-X373
	F417	ϕ12 L=85	Shaft	Feed Section	α -C	Manual/AWF For F411	A290-8110-X373
	F418	ϕ10 L=31	Shaft	Feed Section	α -A,B	Manual/AWF For F404-1 + F501	A290-8101-X766
	F419	ϕ10 L=24	Shaft	Feed Section	α -C,iA,iB	Manual/AWF For F404-1 + F501	A290-8110-X766
	F420	ϕ140/ϕ30 T=22	Brake Roller	Upper	α -iA,iB,iC	Manual/AWF	A290-8111-X371
	F421	ϕ80 T=22	Pinch Roller	Feed Section	α -iD,iE	Manual/AWF (Ceramic)	A290-8119-X382
	F422	ϕ80 T=29 T=22(Roller)	Feed Roller	Feed Section	α -iD,iE	Manual/AWF (Ceramic)	A290-8119-X383
	F423	ϕ100/ϕ20 T=22	Brake Roller	Upper	α -iD,iE	Manual/AWF	A290-8119-X618
	F424	ϕ38/ϕ22 T=16	Lower Roller	Lower	α -iD,iD2,iE	AWF (Ceramic)	A290-8119-X766
	F501	ϕ8	ϕ25/ϕ22 (Bearing) T=7	Bearing	Lower	α -A,B,C,iA,iB,iC,iD	Manual/AWF For F404-1	A97L-0001-0670/ DRF2280H
	F502	ϕ12	ϕ28 T=8	Bearing	Lower	α -A,B,C	Manual/AWF For F406/F410	A97L-0201-0369/ 6001LLU
	F503	ϕ17	ϕ40 T=12	Bearing	Lower	α -A,B	Manual/AWF	A97L-0201-0369/ 6203LLU
	F504			Cutter	Upper	W	AWF	A290-8032-X626

お問い合わせ・ご用命は
TAKANO
株式会社 タカノ 〒373-0022 群馬県太田市東金井町 1237
TEL：0276-22-6270 FAX：0276-22-6278
URL：http://www.kk-takano.co.jp/ E-mail：web@kk-takano.co.jp

Connected Parts

	Model No.	Size (㎜)	Product Name	Position	Machine Model	Spec.	Original P/No.
	F505	ϕ11/ϕ5.5 L=34	Screw	Upper	α -iA,iB,iC,iD,iE		A290-8110-X751
	F506	ϕ11/ϕ5.5 L=26	Screw	Lower	α -C		A290-8110-X752
	F507		Cover	Lower	α -C,iA,iB	Manual/AWF For F412	A290-8110-Y767
	F508	ϕ35 ϕ47 T=7	Bearing	Feed Section	α -iA,iB,iC,iD,iE	Manual/AWF For F413/F421	A97L-0201-0911/ 6807
	F509	ϕ17 ϕ35 T=10	Bearing	Feed Section	α -iA,iB,iC,iD,iE	Manual/AWF For Shaft (F413/F414/F421/F422)	A97L-0201-0910/ 6003
	F603		Cutting Electrode	Upper	α -A,B,C,iA,iB,iC		A290-8102-X657
	Z041F		Flow Meter		All Machine		A91L-0001-0066
	Z041F-1		Cylinder		All Machine	For Z041F	
	Z046F		Coupler	Filter	α -iB,iC,iD,iD2,iE,C-iA		A97L-0203-0097

MEMO

SUNROX EDM®
お問い合わせ・ご用命は
TAKANO
株式会社 タカノ 〒373-0022 群馬県太田市東金井町 1237
TEL：0276-22-6270 FAX：0276-22-6278
URL：http://www.kk-takano.co.jp/ E-mail：web@kk-takano.co.jp