

VERO

HANDLELESS RAIL SYSTEM

made easy

TKC

Issue 1 – Oct 2017

Your
**COMPLETE
GUIDE**
to Vero



Stylish

Hugely desirable
minimalist design



Affordable

Surprisingly
low cost



Easy

Pre-routed
carcases & simple
push-in system

CARCASES / RAILS / DOORS




3 EASY STEPS TO A VERO KITCHEN:

1.

Vero Quickcab


Choose your Vero
Quickcab carcases



2.

Vero Handleless Rails


Select your Vero profiles
& accessories



3.

Kitchen Doors *for Vero*

Pick your preferred
door range for Vero



Vero, our true handleless system allows you to create minimalist styling and a hugely desirable look for a surprisingly low cost!

Our new pre-routed Quickcab carcases make installation even easier.




1.

VERO QUICKCAB

Pre-routed carcasses

Available in 3 colours on a 10-15 working day lead time.



SAVE 75%
of kitchen cabinet build time*

*Based on 7 1/2 minute standard cabinet build time
vs 2 minutes build time for Quickcab.

Vivo+ Matt
White

VERO QUICKCAB WHITE

Prefix code: 384
Board: Egger W980



VERO QUICKCAB STONE GREY

Prefix code: 387
Board: Egger U727




VERO QUICKCAB IVORY

Prefix code: 383
Board: Egger U104




VERO QUICKCAB INFORMATION

Base Units




- Top section pre-routed
- Pre-drilled holes for quick fix brackets

2/3 Drawer Units



- Top and mid sections pre-routed
- Pre-drilled holes for quick fix brackets


Wall Units



- Base panel set back & groove routed for profile


Larder & Appliance Units

'Single gable' unit



- Cabinet gable set back on one side for profile

'Double gable' unit



- Cabinet gable set back on both sides for two profiles

Additional Cabinet Features

- Gables marked for hinges, 100mm centres
- Silence hinges included with all cabinets
- All carcasses have 2mm PVC leading edge
- Pre-drilled holes for drawer runners on 2/3 drawer units
- Wall units supplied with concealed hangers and plates

BASE, LARDER & APPLIANCE UNIT SIZES	HEIGHT	BACK (solid MFC)
Standard Base Unit	720mm	18mm
Larder & Appliance Units	1970mm	8mm
Extra Tall Larder & Appliance Units	2150mm	8mm

WALL UNIT SIZES	HEIGHT	BACK (solid MFC)
Bridging Unit	360mm	8mm
Standard Wall Unit	720mm	8mm
Tall Wall Unit	900mm	8mm



VERO QUICKCAB

BASE UNIT	
CODE	DESCRIPTION
XXXVBASE150	150mm Vero base unit
XXXVBASE300	300mm Vero base unit
XXXVBASE350	350mm Vero base unit
XXXVBASE400	400mm Vero base unit
XXXVBASE450	450mm Vero base unit
XXXVBASE500	500mm Vero base unit
XXXVBASE600	600mm Vero base unit
XXXVBASE700	700mm Vero base unit
XXXVBASE800	800mm Vero base unit
XXXVBASE900	900mm Vero base unit
XXXVBASE1000	1000mm Vero base unit
XXXVBLANK	Base blanking panel (720 x 500mm)
XXXVUOH600	600mm under oven housing (same design as standard Quickcab carcases)

L SHAPED CORNER BASE UNIT - 900 x 900mm	
CODE	DESCRIPTION
XXXVCBASE900	900 x 900mm L shaped Vero corner base

2/3 DRAWER BASE UNIT	
CODE	DESCRIPTION
XXXVDBASE500	500mm Vero 2/3 drawer base unit
XXXVDBASE600	600mm Vero 2/3 drawer base unit
XXXVDBASE800	800mm Vero 2/3 drawer base unit
XXXVDBASE900	900mm Vero 2/3 drawer base unit
XXXVDBASE1000	1000mm Vero 2/3 drawer base unit

WALL UNIT - 720mm	
CODE	DESCRIPTION
XXXVWALL300	300mm Vero wall unit (720mm high)
XXXVWALL350	350mm Vero wall unit (720mm high)
XXXVWALL400	400mm Vero wall unit (720mm high)
XXXVWALL450	450mm Vero wall unit (720mm high)
XXXVWALL500	500mm Vero wall unit (720mm high)
XXXVWALL600	600mm Vero wall unit (720mm high)
XXXVWALL700	700mm Vero wall unit (720mm high)
XXXVWALL800	800mm Vero wall unit (720mm high)
XXXVWALL900	900mm Vero wall unit (720mm high)
XXXVWALL1000	1000mm Vero wall unit (720mm high)

TALL WALL UNIT - 900mm	
CODE	DESCRIPTION
XXXVTWALL300	300mm Vero tall wall unit (900mm high)
XXXVTWALL400	400mm Vero tall wall unit (900mm high)
XXXVTWALL450	450mm Vero tall wall unit (900mm high)
XXXVTWALL500	500mm Vero tall wall unit (900mm high)
XXXVTWALL600	600mm Vero tall wall unit (900mm high)
XXXVTWALL800	800mm Vero tall wall unit (900mm high)
XXXVTWALL900	900mm Vero tall wall unit (900mm high)
XXXVTWALL1000	1000mm Vero tall wall unit (900mm high)


BRIDGING UNIT - 360mm	
CODE	DESCRIPTION
XXXVBRIDGE500	500mm Vero bridging unit (360mm high)
XXXVBRIDGE600	600mm Vero bridging unit (360mm high)
XXXVBRIDGE800	800mm Vero bridging unit (360mm high)
XXXVBRIDGE900	900mm Vero bridging unit (360mm high)
XXXVBRIDGE1000	1000mm Vero bridging unit (360mm high)

Prefix codes - please replace XXX with the following prefix codes:


Ivory: 383

Stone Grey: 387


White: 384



Vero base unit



Vero drawer base unit



Vero wall unit

VERO QUICKCAB

LARDER / APPLIANCE ENDS & BACK – SINGLE GABLE	
CODE	DESCRIPTION
XXXVTALLEND300S	300mm Vero larder ends & back - single gable (1970mm high)
XXXVTALLEND400S	400mm Vero larder ends & back - single gable (1970mm high)
XXXVTALLEND500S	500mm Vero larder ends & back - single gable (1970mm high)
XXXVTALLEND600S	600mm Vero larder / appliance ends & back - single gable (1970mm h)
XXXVTTALLEND300S	300mm Vero extra tall larder ends & back - single gable (2150mm high)
XXXVTTALLEND400S	400mm Vero extra tall larder ends & back - single gable (2150mm high)
XXXVTTALLEND500S	500mm Vero extra tall larder ends & back - single gable (2150mm high)
XXXVTTALLEND600S	600mm Vero extra tall larder / appliance ends & back - single gable (2150mm high)

Two ends & one back included in each pack.
Front of cabinet gable set back by 20mm on **ONE** side to accommodate intermediate or lateral vertical profiles.
The single gable larder / appliance ends are universal and can be used for either right hand or left hand units.
Combine with a Shelf Pack to create a complete Larder / Appliance unit.

LARDER / APPLIANCE ENDS & BACK – DOUBLE GABLE	
CODE	DESCRIPTION
XXXVTALLEND300D	300mm Vero larder ends & back - double gable (1970mm high)
XXXVTALLEND400D	400mm Vero larder ends & back - double gable (1970mm high)
XXXVTALLEND500D	500mm Vero larder ends & back - double gable (1970mm high)
XXXVTALLEND600D	600mm Vero larder / appliance ends & back - double gable (1970mm high)
XXXVTTALLEND300D	300mm Vero extra tall larder ends & back - double gable (2150mm high)
XXXVTTALLEND400D	400mm Vero extra tall larder ends & back - double gable (2150mm high)
XXXVTTALLEND500D	500mm Vero extra tall larder ends & back - double gable (2150mm high)
XXXVTTALLEND600D	600mm Vero extra tall larder / appliance ends & back - double gable (2150mm high)


Two ends & one back included in each pack.
Front of cabinet gable set back by 20mm on **BOTH** sides to accommodate intermediate vertical profiles on both sides for a symmetrical look when using 3 larders or more.
Combine with a Shelf Pack to create a complete Larder / Appliance unit.

LARDER / APPLIANCE UNIT – SHELF PACK	
CODE	DESCRIPTION
XXXVTALL300SP	300mm shelf pack for Vero larder unit
XXXVTALL400SP	400mm shelf pack for Vero larder unit
XXXVTALL500SP	500mm shelf pack for Vero larder unit
XXXVTALL600SP	600mm shelf pack for Vero larder / appliance unit


6 shelves included in each pack; 1 x top, 1 x bottom, 3 x fixed shelves & 1 x floating shelf.
Shelf packs are used to create a complete Larder / Appliance unit.



Vero larder & appliance units using: 4 x 600mm larder / appliance ends & back - single gable, 4 x 600mm shelf pack, 2 x vertical profile - intermediate, 2 x spacer for appliance.



Vero larder / appliance unit, single gable




Vero larder / appliance unit, double gable


Technical tips & info




Top profile installation



Step 1.
Attach Vero Quick
Fix bracket to Quickcab
base unit using screws.




Step 2.
Slide connector into
back of top profile
and turn 90 degrees.



Step 3.
Apply top profile to base
unit and push connector
into the bracket.

Larder unit spacing



Remember to **add a 35mm space in between two larder units** to maintain the void created by the vertical profile trim.


Drawer units

Drawer 1 (325mm)	Drawer 1 (160mm)
	Drawer 2 (160mm)
Drawer 2 (325mm)	Drawer 3 (325mm)

Second
drawer on this
combination
opened from
mid profile

2 and 3 drawer combinations are possible
with Vero Quickcab. **Holes are already
pre-drilled** for drawer runners.

Drawer runners



Attach drawer runners using the **bottom row of holes** on the runner, using
either 2 x Euro screws at the pre-drilled holes, or 4 x chip board screws at hole
positions of your choice.


Island unit



Vero Quickcab 1. Vero Quickcab base unit, 1000mm
Vero Handleless Rails 2. Vero ext. corner joint - top 3. Vero top profile 4. Vero mid profile 5. Vero end cap - mid

Vivo+ Door Range 6. Vivo+ end panel, 685 x 1200mm 7. Vivo+ external corner post 8. Vivo+ door, 685 x 496mm 9. Vivo+ drawer front, 325 x 1000mm 10. Vivo+ plinth

Integrated appliances




If installing an integrated under counter appliance,
extend the cabinet legs to a min. height of 160mm,
and ensure appliance height doesn't exceed 820mm,
to ensure the appliance will fit underneath the top rail.

*Pssst!
Vero is suitable
to use with most
integrated
appliances.*

2. VERO HANDLELESS RAILS

*Profiles and accessories for the
ultimate handleless kitchen.*



14 easy-to-install complementary aluminium profiles
and accessories, available from stock.

Installation Guide:
www.tkc.co.uk/vero-techguide

VERO HANDLELESS RAILS



TOP PROFILES - FOR BASE CABINETS	
CODE	DESCRIPTION
100TOP4100	Top profile for doors, 4100 x 56.5 x 27.2mm, aluminium
100TOPENDCAP	End caps for top profile, aluminium - pair (1 LH, 1 RH)
100TOPINT90	Internal corner joint for top profile, 90 degrees, aluminium
100TOPEXT90	External corner joint for top profile, 90 degrees, aluminium
100TOPJOINT	Joint section for top profile, aluminium
100QFIX	Quick fix brackets for top and mid profiles, screw mounted - 1 pair (min. order 25 pairs)

MID PROFILES - FOR DRAWERS	
CODE	DESCRIPTION
100MID4100	Mid profile for drawers, 4100 x 73 x 26mm, aluminium
100MIDENDCAP	End caps for mid profile, aluminium - pair (1 LH, 1 RH)
100MIDINT90	Internal corner joint for mid profile, 90 degrees, aluminium
100MIDEXT90	External corner joint for mid profile, 90 degrees, aluminium
100QFIX	Quick fix brackets for top and mid profiles, screw mounted - 1 pair (min. order 25 pairs)

VERTICAL PROFILES - FOR TALL CABINETS	
CODE	DESCRIPTION
100VERTMID4200	Vertical profile intermediate, 4200 x 71.6 x 41mm, aluminium
100VERTEND4200	Vertical profile lateral, 4200 x 53.3 x 41mm, aluminium
100VERTSPACER	Spacer for appliance, 580mm, aluminium

WALL CABINET PROFILE	
CODE	DESCRIPTION
100WALL3900	Wall cabinet profile, 3900 x 19.6 x 20mm, aluminium

PRODUCT RANGE OVERVIEW

Top Profile & Accessories:

Top Profile
100TOP4100

Used for base units (4100mm length)

End Caps - Top
100TOPENDCAP

Used to finish off top profiles

Int. Corner Joint - Top
100TOPINT90

Connects top profiles at internal corners

Ext. Corner Joint - Top
100TOPEXT90

Connects top profiles at external corners

Joint Section
100TOPJOINT

Connects lengths of top profiles

Quick Fix Brackets
100QFIX

Used to attach profile to cabinet (screw mounted)

Mid Profile & Accessories:

Mid Profile
100MID4100

Used for drawers (4100mm length)

End Caps - Mid
100MIDENDCAP

Used to finish off mid profiles

Int. Corner Joint - Mid
100MIDINT90

Connects mid profiles at internal corners

Ext. Corner Joint - Mid
100MIDEXT90

Connects mid profiles at external corners

Quick Fix Brackets
100QFIX

Used to attach profile to cabinet (screw mounted)

Vertical Profiles & Accessories:

Vertical Profile - Intermediate
100VERTMID4200

Used between two larger units (4200mm length)

Vertical Profile - Lateral
100VERTEND4200

Used with one larger unit (4200mm length)

Spacer for Appliance
100VERTSPACER

Conceals gap behind appliances (580mm length)

Wall Profile:

Wall Cabinet Profile
100WALL3900

Used for wall units (3900mm length)



Vivo+ Gloss
Porcelain

3.

KITCHEN DOORS *for Vero*

Finalise your Vero kitchen by
choosing a door range.



5 door ranges to choose from, with sizes designed
specifically for the Vero handleless rail system.
Available in a multitude of gloss and matt colours.

Vivo+ Gloss | Vivo+ Matt | Coniston Premier | Glacier | Lastra

Door symbols guide:



Doors made
in Italy



Doors made
in the UK



Stock door
range



Doors made on
a lead time

VIVO+ GLOSS for Vero



Description
Slab door for Vero handleless rail system, available from stock


Finish
High gloss

Base Material
18mm MF MDF

Covering Material
Painted



Colours
Vivo+ Gloss is available in 7 colours



Prefix Codes

Anthracite: 225
Cashmere: 222
Ivory: 224
Light Grey: 223
Porcelain: 228
Stone: 226
White: 221

Recommended Quickcab Colour

Anthracite: Stone Grey
Cashmere: Ivory
Ivory: Ivory
Light Grey: White
Porcelain: White
Stone: Ivory
White: White

Please note that the cabinet colours listed above are suggestions only.

VIVO+ GLOSS for Vero

DOORS	
CODE	DESCRIPTION
XXX11059	110 x 596mm oven filler
XXX16049	160 x 496mm door V
XXX16059	160 x 596mm door V
XXX16079	160 x 796mm door V
XXX16089	160 x 896mm door V
XXX16099	160 x 996mm door V
XXX32549	325 x 496mm door V
XXX32559	325 x 596mm door V
XXX32579	325 x 796mm door V
XXX32589	325 x 896mm door V
XXX32599	325 x 996mm door V
XXX35549	355 x 496mm door
XXX35559	355 x 596mm door
XXX35579	355 x 796mm door
XXX35589	355 x 896mm door
XXX35599	355 x 996mm door
XXX45059	450 x 596mm door
XXX49059	490 x 596mm door
XXX57029	570 x 296mm door
XXX57039	570 x 396mm door
XXX57044	570 x 446mm door
XXX57049	570 x 496mm door
XXX57059	570 x 596mm door
XXX64559	645 x 596mm door
XXX68514	685 x 147mm door V
XXX68529	685 x 296mm door V
XXX68531	685 x 313mm door V
XXX68534	685 x 346mm door V
XXX68539	685 x 396mm door V
XXX68544	685 x 446mm door V
XXX68549	685 x 496mm door V
XXX68554	685 x 546mm door V
XXX68559	685 x 596mm door V
XXX71527	715 x 277mm door
XXX71529	715 x 296mm door
XXX71534	715 x 346mm door
XXX71539	715 x 396mm door
XXX71544	715 x 446mm door
XXX71549	715 x 496mm door
XXX71554	715 x 546mm door


DOORS	
CODE	DESCRIPTION
XXX71559	715 x 596mm door
XXX89529	895 x 296mm door
XXX89539	895 x 396mm door
XXX89544	895 x 446mm door
XXX89549	895 x 496mm door
XXX89559	895 x 596mm door
XXX98059	980 x 596mm door
XXX124529	1245 x 296mm door
XXX124539	1245 x 396mm door
XXX124544	1245 x 446mm door
XXX124549	1245 x 496mm door
XXX124559	1245 x 596mm door
XXX196529	1965 x 296mm door
XXX196539	1965 x 396mm door
XXX196549	1965 x 496mm door
XXX196559	1965 x 596mm door

ACCESSORIES	
CODE	DESCRIPTION
XXXE68512	685 x 1200 x 18mm end panel V
XXXE79235	792 x 350 x 18mm end panel
XXXE90065	900 x 650 x 18mm end panel
XXXE240065	2400 x 650 x 18mm end panel
XXXE240090	2400 x 900 x 18mm end panel
XXXPLINTH	3050 x 150mm plinth*
XXXCORNICE	3050 x 50 x 16mm straight cornice / filler piece
XXXCORNICESQ	3050 x 45 x 35mm square end straight cornice / pelmet
XXXCPEXTERNAL325	325 x 46mm external corner post V
XXXCPEXTERNAL900	900 x 46mm external corner post
XXXCPEXTERNAL2.4	2400 x 46mm external corner post
XXXCPSLAB	720 x 70mm internal corner post

* Please note, white and ivory plinths (221PLINTH & 224PLINTH) have white ABS edging which will not match the colour of the face. All other plinth colours have painted edges. If you need a filler piece we recommend using the straight cornice, code XXXCORNICE.

V These sizes are designed specifically for our Vero handleless rail system

Product range



VIVO+ GLOSS *for Vero*



Vivo+ Gloss
Anthracite

VIVO+ GLOSS *for Vero*



Vivo+ Gloss
Light Grey



Vivo+ Gloss
Cashmere



Vivo+ Gloss
Ivory



Vivo+ Gloss
Porcelain



Vivo+ Gloss
Stone

VIVO+ MATT *for Vero*



Description
Slab door for Vero handleless rail system, available from stock

Finish
Matt

Base Material
18mm MF MDF

Covering Material
Painted



Colours
Vivo+ Matt is available in 5 colours



Prefix Codes

Anthracite: 305
Cashmere: 302
Ivory: 304
Light Grey: 303
White: 301

Recommended Quickcab Colour

Anthracite: Stone Grey
Cashmere: Ivory
Ivory: Ivory
Light Grey: White
White: White

Please note that the cabinet colours listed above are suggestions only.

VIVO+ MATT *for Vero*

DOORS	
CODE	DESCRIPTION
XXX11059	110 x 596mm oven filler
XXX16049	160 x 496mm door V
XXX16059	160 x 596mm door V
XXX16079	160 x 796mm door V
XXX16089	160 x 896mm door V
XXX16099	160 x 996mm door V
XXX32549	325 x 496mm door V
XXX32559	325 x 596mm door V
XXX32579	325 x 796mm door V
XXX32589	325 x 896mm door V
XXX32599	325 x 996mm door V
XXX35549	355 x 496mm door
XXX35559	355 x 596mm door
XXX35579	355 x 796mm door
XXX35589	355 x 896mm door
XXX35599	355 x 996mm door
XXX45059	450 x 596mm door
XXX49059	490 x 596mm door
XXX57029	570 x 296mm door
XXX57039	570 x 396mm door
XXX57044	570 x 446mm door
XXX57049	570 x 496mm door
XXX57059	570 x 596mm door
XXX64559	645 x 596mm door
XXX68514	685 x 147mm door V
XXX68529	685 x 296mm door V
XXX68531	685 x 313mm door V
XXX68534	685 x 346mm door V
XXX68539	685 x 396mm door V
XXX68544	685 x 446mm door V
XXX68549	685 x 496mm door V
XXX68554	685 x 546mm door V
XXX68559	685 x 596mm door V
XXX71527	715 x 277mm door
XXX71529	715 x 296mm door
XXX71534	715 x 346mm door
XXX71539	715 x 396mm door
XXX71544	715 x 446mm door
XXX71549	715 x 496mm door
XXX71554	715 x 546mm door


DOORS	
CODE	DESCRIPTION
XXX71559	715 x 596mm door
XXX89529	895 x 296mm door
XXX89539	895 x 396mm door
XXX89544	895 x 446mm door
XXX89549	895 x 496mm door
XXX89559	895 x 596mm door
XXX98059	980 x 596mm door
XXX124529	1245 x 296mm door
XXX124539	1245 x 396mm door
XXX124544	1245 x 446mm door
XXX124549	1245 x 496mm door
XXX124559	1245 x 596mm door
XXX196529	1965 x 296mm door
XXX196539	1965 x 396mm door
XXX196549	1965 x 496mm door
XXX196559	1965 x 596mm door

ACCESSORIES	
CODE	DESCRIPTION
XXXE68512	685 x 1200 x 18mm end panel V
XXXE79235	792 x 350 x 18mm end panel
XXXE90065	900 x 650 x 18mm end panel
XXXE240065	2400 x 650 x 18mm end panel
XXXE240090	2400 x 900 x 18mm end panel
XXXPLINTH	3050 x 150mm plinth*
XXXCORNICE	3050 x 50 x 16mm straight cornice / filler piece
XXXCORNICESQ	3050 x 45 x 35mm square end straight cornice / pelmet
XXXCPEXTERNAL325	325 x 46mm external corner post V
XXXCPEXTERNAL900	900 x 46mm external corner post
XXXCPEXTERNAL2.4	2400 x 46mm external corner post
XXXCPSLAB	720 x 70mm internal corner post

* Please note, white and ivory plinths (301PLINTH & 304PLINTH) have white ABS edging which will not match the colour of the face. All other plinth colours have painted edges. If you need a filler piece we recommend using the straight cornice, code XXXCORNICE.

V These sizes are designed specifically for our Vero handleless rail system

Product range



VIVO+ MATT *for Vero*



Vivo+ Matt
Anthracite

VIVO+ MATT *for Vero*



Vivo+ Matt
Ivory



Vivo+ Matt
Cashmere



Vivo+ Matt
Light Grey

OTHER DOOR RANGES AVAILABLE FOR VERO

CONISTON PREMIER for Vero

Description
Made to order slab door for Vero, available in 26 coloured vinyls.



GLACIER for Vero

Description
Made to order slab door for Vero, available in 13 high gloss colours.



LASTRA for Vero

Description
Made to order slab door for Vero, available in 6 super matt colours.



Please check available accessories in each M2M door range


Contact our Made to Measure department to order or for more information about these doors.
Email: mtm@tkc.co.uk | Phone: 0161 336 36 36 ext. 1102

DOOR COMBINATIONS

Suggested door & drawer combinations for Vero handleless rails.


Base & wall doors

Medium height (1970mm) & tall height (2150mm) installation. Base unit door sizes are designed specifically to suit Vero profiles. All wall unit doors are standard TKC door sizes.



Larder doors

Medium height installation (1970mm). All larder unit doors are standard TKC door sizes.



Nb: This page is to show door combinations and configurations only. Appliance heights will vary and may have an impact on oven filler / door sizes. Please check appliance heights and specifications before purchasing and installing any doors.

* Plinth height may vary. If integrated under counter appliances installed, please raise cabinet legs to a minimum of 160mm to ensure appliance fits easily underneath the top rail.


We've put together an example kitchen design to give you an idea of what's included in a typical Vero kitchen and what you need to order.

Qty	Item	Code
1	Base unit, 600mm	383VBASE600
1	Base unit, 1000mm	383VBASE1000
2	L shaped corner base unit, 900 x 900mm	383VCBASE900
1	2/3 drawer base unit, 900mm	383VDBASE900
1	2/3 drawer base unit, 1000mm	383VDBASE1000
2	Larder ends & back (1970mm tall), 300mm	383VTALLEND300
2	Larder ends & back (1970mm tall), 600mm	383VTALLEND600
2	Shelf pack for larder unit, 300mm	383VTALL300SP
2	Shelf pack for larder unit, 600mm	383VTALL600SP

Qty	Item	Code
2	Top profile (4100mm length)	100TOP4100
2	Internal corner joint - top	100TOPINT90
1	Mid profile (4100mm length)	100MID4100
25	Quick fix brackets	100QFIX
2	Vertical profile intermediate (4200mm length)	100VERTMID4200
2	Spacer for appliance (580mm length)	100VERTSPACER

Qty	Item	Code
2	Drawer front, 325 x 896mm	3032589
2	Drawer front, 325 x 996mm	30332599
4	Door, 685 x 313mm	30368531
2	Door, 685 x 496mm	30368549
1	Door, 685 x 596mm	30368559
1	End panel, 900 x 650mm	303E90065
1	End panel, 2400 x 900mm	303E240090
2	Plinth, 3050 x 150mm	303PLINTH

Qty	Item	Code
2	Door, 645 x 596mm	9365059
2	Door, 715 x 596mm	9371559
2	Door, 1965 x 296mm	93215529
1	End panel, 2400 x 650mm	93240069
1	Plinth, 3050 x 150mm	93PLINTH01



Go to this link to watch:
www.tkc.co.uk/vero-made-easy



Our in depth guide for Vero handleless rail installation is available here:

www.tkc.co.uk/vero-techguide





TKC

Unit 3, Cranberry Drive, Denton, Manchester, M34 3UL
Phone: 0161 336 36 36 | Email: sales@tkc.co.uk | Web: www.tkc.co.uk

TKC is certified in accordance with the rules of The Forest Stewardship Council®.
Published October 2017.