WINTECH®

VERSION 2018









CONTENTS

02 – 13
Company Profile

16 – 28
Standard Storage

29 – 38
W Series Storage

39 - 43
I Series Storage

44 – 59
Mobile Compactor System



INTRODUCTION

Since inception, Wintech has been committed to manufacturing ergonomically designed contemporary steel office furniture. We have been widely recognized for our products of unparalleled quality and precision.

ABOUT US

Great environment nurtures great talents. For this, every product of Wintech emphasizes on the improvement of workplace environment and space optimization. On top of that, our state-of-the-art technology, as well as continuous research and development efforts, fuels our constant success as the manufacturer of metal-fabricated furnishings.



Mission Statement

We at WINTECH®, strives to be a conscientious reliable fabricator achieving the highest standard and excellence in metal fabrication needs, rapid in work nature and timely delivery by understanding and responding to ideas and desires from its clients for competitive products, reduce cost and committing its total resources to the realization and satisfaction without any compromise of quality together with our client supports, confidence and commitment.

Quality Policy

We aim continuously to establish ourselves as a manufacturer recognized for the ability to produce products that are manufactured according to the highest quality standards and precision, with investment in sophisticated machinery to ensure continuously improvement in our ability to meet today's stringent requirement and complying to our client quality requirements.

Mission Statement

After a decade of thriving in the industry, WINTECH is now synonymous for high quality steel office furniture. The key to our success lies in our commitment to consistently invest in clever product designs and development projects, all of which are used to upgrade our sophisticated computerized machineries and nurture human talent.

Besides manufacturing standard office furniture, WINTECH also specializes in customizing metal-fabricated furnishings. Today, WINTECH is not only producing beautiful, high quality furniture but is also doing so at competitive prices.



The external view of
our current factory

OUR FACILITIES

With our full-fledged machineries and technology, we have the capacity to provide all-in-one services encompassing design, development, fabrication, assembly as well as surface finishing of parts and components.





OUR SERVICES

Surface Treatment

Powder Coating





OUR SERVICES

Quality Control and Sophisticated Packing System

CERTIFICATIONS & AWARDS

ISO Certificate

ISO 9001 : 2008



CERTIFICATE

This is to certify that

Wintech Metal Processing Sdn. Bhd.

WINTECH®
180, Jalan 5,
Kompleks Perabot Olak Lempit,
42700 Banting,
Selangor, Malaysia.

has implemented and maintains a **Quality Management System**.

Scope:
Manufacture of Steel Furniture.
Provision of Sheet Metal Fabrication and Assembly Services (Components and Products).

Through an audit, documented in a report, it was verified that the management system fulfills the requirements of the following standard:

ISO 9001 : 2008

Certificate registration no.	438374 QM08
Valid from	2015-09-21
Valid until	2018-09-20
Date of certification	2015-09-21

DAkkS

DQS GmbH

Götz Blechschmidt
Managing Director

Accredited Body: DQS GmbH, August-Schanz-Straße 21, 60433 Frankfurt am Main
Administrative Office: DQS Malaysia, Suite 43-4 Setia Avenue, Jalan Setia Prima S U 13/S, Setia Alam Seksyen U 13, 40170 Shah Alam, Selangor - Malaysia

Test Certificate

Mobile Compactor Mechanical
(BS - 4875 -7 : 2006)
(BS - 4875 -8 : 1998)



PRIVATE AND CONFIDENTIAL

FURNITURE TESTING LABORATORY

FIRA

INSTITUT PENYELIDIKAN PERHUTANAN MALAYSIA
(FOREST RESEARCH INSTITUTE MALAYSIA)

Mobile Pedestal Cabinet
ANSI / BIFMA X 5.9-2012



TÜVRheinland®
Precisely Right.

Industrial Design Certificate for Mobile Compactor

Certificate of Registration of An Industrial Design



PERBADANAN HARTA INTELEK MALAYSIA
INTELLECTUAL PROPERTY CORPORATION OF MALAYSIA

Winner of The Golden Bull Award
15th Golden Bull Awards - 2017 Outstanding SMEs



CERTIFICATE OF
ACHIEVEMENT

WINTECH METAL PROCESSING
SDN BHD

THE GOLDEN BULL AWARD 2017 - OUTSTANDING SMEs

27TH JULY 2017

15

Other Awards

Winner of Product Excellence Award
Malaysian Furniture Leadership Awards (MFLA) 2010



THIS CERTIFICATE IS PRESENTED TO

WINNER OF
PRODUCT EXCELLENCE AWARD

Winner of Rising Star Award
Malaysian Furniture Leadership Awards (MFLA) 2010



THIS CERTIFICATE IS PRESENTED TO

WINNER OF
RISING STAR AWARD

STANDARD STORAGE

Seamless Fusion of Functionality and Design

Wintech's vertical and lateral filing cabinets are highly suitable for personal and business uses. Sleek in design, our filing cabinets are definitely a smart choice for savvy and streamlined businesses.





ST001 STOCK

DESC : VERTICAL FILING CABINET 2 DRAWERS
DIMENSION : 475(W) X 600(D) X 720(H)
PACKING DIM : 100 X 630 X 750
WEIGHT / VOL : 25 KG / 0.05 M³



ST002 STOCK

DESC : VERTICAL FILING CABINET 3 DRAWERS
DIMENSION : 475(W) X 600(D) X 1020(H)
PACKING DIM : 100 X 630 X 1050
WEIGHT / VOL : 35 KG / 0.07 M³



ST005

DESC : VERTICAL FILING CABINET 2 DRAWERS
(ALUMINIUM HANDLE)
DIMENSION : 475(W) X 600(D) X 720(H)
PACKING DIM : 100 X 630 X 750
WEIGHT / VOL : 25 KG / 0.05 M³



ST006

DESC : VERTICAL FILING CABINET 3 DRAWERS
(ALUMINIUM HANDLE)
DIMENSION : 475(W) X 600(D) X 1020(H)
PACKING DIM : 100 X 630 X 1050
WEIGHT / VOL : 35 KG / 0.07 M³





ST003 STOCK

DESC : VERTICAL FILING CABINET 4 DRAWERS
DIMENSION : 475(W) X 600(D) X 1320(H)
PACKING DIM : 100 X 630 X 1350
WEIGHT / VOL : 44 KG / 0.09 M³

FEATURES



Anti-Tilt Mechanism



Full Extension Ball Bearing Slide





ST007

DESC : VERTICAL FILING CABINET 4 DRAWERS
(ALUMINIUM HANDLE)
DIMENSION : 475(W) X 600(D) X 1320(H)
PACKING DIM : 100 X 630 X 1350
WEIGHT / VOL : 44 KG / 0.09 M³

FEATURES



Anti-Tilt Mechanism



Full Extension Ball Bearing Slide

COLORS

STOCK

Grey

LATERAL FILING CABINETS



ST008 STOCK

DESC : LATERAL FILING CABINET 2 DRAWERS
DIMENSION : 915(W) X 460(D) X 720(H)
PACKING DIM : 150 X 530 X 940
WEIGHT / VOL : 34 KG / 0.07 M³



ST009 STOCK

DESC : LATERAL FILING CABINET 3 DRAWERS
DIMENSION : 915(W) X 460(D) X 1020(H)
PACKING DIM : 150 X 510 X 1040
WEIGHT / VOL : 47 KG / 0.08 M³





ST010 STOCK

DESC : LATERAL FILING CABINET 4 DRAWERS
DIMENSION : 915(W) X 460(D) X 1320(H)
PACKING DIM : 180 X 490 X 1340
WEIGHT / VOL : 60 KG / 0.13 M³

FEATURES



Anti-Tilt Mechanism



Full Extension Ball Bearing Slide

COLORS

STOCK

Grey

SWING DOOR CUPBOARDS





ST011 STOCK

DESC : HALF HEIGHT SWING DOOR CUPBOARD
DIMENSION : 916(W) X 460(D) X 915(H)
PACKING DIM : 170 X 520 X 950
WEIGHT / VOL : 25 KG / 0.09 M³





ST012 STOCK

DESC : FULL HEIGHT SWING DOOR CUPBOARD
DIMENSION : 916(W) X 460(D) X 1830(H)
PACKING DIM : 170 X 540 X 1880
WEIGHT / VOL : 49 KG / 0.17 M³

COLORS

STOCK



Grey

SLIDING DOOR CUPBOARDS



ST013 STOCK

DESC : HALF HEIGHT SLIDING DOOR CUPBOARD
DIMENSION : 916(W) X 460(D) X 915(H)
PACKING DIM : 170 X 520 X 950
WEIGHT / VOL : 31 KG / 0.09 M³



ST014 STOCK

DESC : FULL HEIGHT SLIDING DOOR CUPBOARD
DIMENSION : 916(W) X 460(D) X 1830(H)
PACKING DIM : 170 X 520 X 1860
WEIGHT / VOL : 52 KG / 0.17 M³

COLORS

STOCK Grey

GLASS SLIDING DOOR CUPBOARDS



ST015 STOCK

DESC : HALF HEIGHT GLASS SLIDING DOOR CUPBOARD
DIMENSION : 916(W) X 460(D) X 915(H)
PACKING DIM : 170 X 520 X 950
WEIGHT / VOL : 33 KG / 0.09 M³



ST016 STOCK

DESC : FULL HEIGHT GLASS SLIDING DOOR CUPBOARD
DIMENSION : 916(W) X 460(D) X 1830(H)
PACKING DIM : 170 X 520 X 1860
WEIGHT / VOL : 57 KG / 0.17 M³

COLORS

STOCK Grey

OPEN SHELF CUPBOARDS



ST017 STOCK

DESC : HALF HEIGHT OPEN SHELF CUPBOARD
DIMENSION : 916(W) X 460(D) X 915(H)
PACKING DIM : 140 X 520 X 950
WEIGHT / VOL : 21 KG / 0.07 M³



ST018 STOCK

DESC : FULL HEIGHT OPEN SHELF CUPBOARD
DIMENSION : 916(W) X 460(D) X 1830(H)
PACKING DIM : 140 X 520 X 1860
WEIGHT / VOL : 38 KG / 0.14 M³

COLORS

STOCK Grey

TAMBOUR DOOR CUPBOARD



ST019 STOCK

DESC : HALF HEIGHT ABS TAMBOUR DOOR CUPBOARD
DIMENSION : 916(W) X 460(D) X 915(H)
PACKING DIM : 140 X 640 X 950
WEIGHT / VOL : 35 KG / 0.09 M³



ST020 STOCK

DESC : FULL HEIGHT ABS TAMBOUR DOOR CUPBOARD
DIMENSION : 916(W) X 460(D) X 1830(H)
PACKING DIM : 140 X 640 X 1960
WEIGHT / VOL : 61 KG / 0.18 M³

COLORS

STOCK Grey





ST023 STOCK

DESC : PLANTER BOX
DIMENSION : 915(W) X 460(D) X 120(H)
PACKING DIM : 935 X 480 X 140
WEIGHT / VOL : 10 KG / 0.06 M³





ST024 STOCK

DESC : PLANTER BOX FOR VFC
DIMENSION : 475(W) X 600(D) X 120(H)
PACKING DIM : 495 X 640 X 140
WEIGHT / VOL : 7 KG / 0.05 M³

COLORS

STOCK Grey



ST025 STOCK

DESC : 1 COMPARTMENT LOCKER
DIMENSION : 380(W) X 460(D) X 1830(H)
PACKING DIM : 80 X 480 X 1850
WEIGHT / VOL : 25 KG / 0.07 M³



ST027 STOCK

DESC : 4 COMPARTMENTS LOCKER
DIMENSION : 380(W) X 460(D) X 1830(H)
PACKING DIM : 80 X 480 X 1850
WEIGHT / VOL : 27 KG / 0.07 M³



ST026 STOCK

DESC : 2 COMPARTMENTS LOCKER
DIMENSION : 380(W) X 460(D) X 1830(H)
PACKING DIM : 80 X 480 X 1850
WEIGHT / VOL : 28 KG / 0.07 M³



ST028 STOCK

DESC : 6 COMPARTMENTS LOCKER
DIMENSION : 380(W) X 460(D) X 1830(H)
PACKING DIM : 80 X 480 X 1850
WEIGHT / VOL : 28 KG / 0.07 M³

COLORS

STOCK Grey



ST029

DESC : 800 SERIES WARDROBE
DIMENSION : 770(W) X 500(D) X 2030(H)
PACKING DIM : 170 X 500 X 2050
WEIGHT / VOL : 54 KG / 0.17 M³



ST031

DESC : 600 SERIES WARDROBE TYPE A
DIMENSION : 600(W) X 520(D) X 2100(H)
PACKING DIM : 170 X 560 X 2140
WEIGHT / VOL : 44 KG / 0.20 M³

COLORS

Grey



ST030

DESC : 900 SERIES WARDROBE
DIMENSION : 915(W) X 525(D) X 1815(H)
PACKING DIM : 190 X 550 X 1850
WEIGHT / VOL : 57 KG / 0.19 M³



ST032

DESC : 600 SERIES WARDROBE TYPE B
DIMENSION : 600(W) X 600(D) X 1800(H)
PACKING DIM : 170 X 640 X 1840
WEIGHT / VOL : 46 KG / 0.20 M³

LIBRARY RACK



ST033

DESC : LIBRARY SINGLE SIDED RACK
DIMENSION : 930(W) X 290(D) X 1980(H)
PACKING DIM : 100 X 360 X 2020
WEIGHT / VOL : 35 KG / 0.07 M³



ST034

DESC : LIBRARY SINGLE SIDED RACK 2 BAYS
DIMENSION : 1822(W) X 290(D) X 1980(H)
PACKING DIM : 150 X 360 X 2020
WEIGHT / VOL : 64 KG / 0.11 M³

COLORS

Grey



ST035

DESC : LIBRARY DOUBLE SIDED RACK
DIMENSION : 930(W) X 520(D) X 1980(H)
PACKING DIM : 100 X 560 X 2020
WEIGHT / VOL : 55 KG / 0.11 M³



ST036

DESC : LIBRARY DOUBLE SIDED RACK 2 BAYS
DIMENSION : 1822(W) X 520(D) X 1980(H)
PACKING DIM : 150 X 560 X 2020
WEIGHT / VOL : 104 KG / 0.17 M³

CADDY





PM006L STOCK PM006R STOCK

DESC : CADDY WITH OPEN SHELF
DIMENSION : 900(W) X 500(D) X 600(H)
PACKING DIM : 920 X 520 X 620
WEIGHT / VOL : 35 KG / 0.30 M³





PM007L STOCK PM007R STOCK

DESC : CADDY WITH ABS TAMBOUR DOOR
DIMENSION : 900(W) X 500(D) X 600(H)
PACKING DIM : 920 X 520 X 620
WEIGHT / VOL : 35 KG / 0.30 M³

FEATURES



Castor



Full Extension Ball Bearing Slide

COLORS

White STOCK





PM008 STOCK BIFMA

DESC : MOBILE PEDESTAL CABINET - BF
DIMENSION : 400(W) X 500(D) X 485(H)
PACKING DIM : 425 X 525 X 515
WEIGHT / VOL : 16 KG / 0.12 M³





PM001 STOCK BIFMA

DESC : MOBILE PEDESTAL CABINET - BBF - 300WIDE
DIMENSION : 300(W) X 500(D) X 600(H)
PACKING DIM : 325 X 515 X 530
WEIGHT / VOL : 17 KG / 0.11 M³





PM009 STOCK BIFMA

DESC : MOBILE PEDESTAL CABINET - BBF
DIMENSION : 400(W) X 500(D) X 600(H)
PACKING DIM : 425 X 525 X 635
WEIGHT / VOL : 19 KG / 0.14 M³

FEATURES


Castor


Full Extension Ball Bearing Slide


Anti-Tilt Mechanism


Pencil Tray

COLORS

STOCK  White

STOCK  Black

STOCK  Silver





PM040 STOCK BIFMA

DESC : I SERIES MOBILE PEDESTAL CABINET - BBF
DIMENSION : 400(W) X 500(D) X 590(H)
PACKING DIM : 425 X 525 X 630
WEIGHT / VOL : 19 KG / 0.14 M³

FEATURES


Castor


Full Extension Ball Bearing Slide


Anti-Tilt Mechanism


Pencil Tray

COLORS

STOCK  White

 Black

 Silver

MOBLE PEDESTAL CABINETS

MOBILE PEDESTAL CABINET TEST REPORT

TÜVRheinland®
Precisely Right.

Compliance Check Protocol No.: 1613025471 FVN 151607

Client: **WINTECH METAL PROCESSING SDN BHD**
Address: 180, JALAN 5, KOMPLEKS PERABOT OLAK LEMPIT, BANTING 42700, SELANGOR
Article: METAL CABINET STORAGE

Mechanical tests:	Following ANSI/BIFMA X5.9-2012
General information:	
Art. No.:	./.
Project No.:	./.
Delivered on:	10 November 2015
Supplier:	./.
Dimensions (mm):	
Height:	600
Width:	400
Depth: (Closed / Opened)	500
Weight:	17.4 kg



Overall result: Considering remarks, the sample **complied** with the requirements of the test order *(See following page/s for details).*

Sample has been delivered: ☒ assembled ☐ with Assembly instruction
☒ in neutral packaging ☐ with Instruction for use

Ho Chi Minh City, 08 January 2015
TÜV Rheinland Vietnam Co., Ltd.

Checked by:

TÜV RHEINLAND VIETNAM LABORATORIES
QUANG TRUNG SOFTWARE CITY
DIST. 12, HCM CITY

Ngô Vũ Nguyên
Technical Manager – Hardlines

Reviewed by:

Thomas Schultz
Laboratory Manager – Hardlines

This compliance check protocol consists of 6 pages. Except when otherwise approved / licensed by TÜV Rheinland Vietnam this compliance check protocol may only be published and used in unabbreviated original phrasing and form. This compliance check contains the result of one single examination of the individual test sample and does not represent any universally valid evaluation of the qualities of all products from serial production.

This document has been electronically generated and is therefore without signature.
Original stored in TÜV Rheinland Vietnam Co., Ltd.

TÜV Rheinland Vietnam - Hardlines Laboratory
Quang Trung Software City
Ground Floor, Block No.10, Street No.4
Tan Chanh Hiep Ward, District 12
Ho Chi Minh City, Vietnam

Tel: +84 8 3715 4025
Fax: +84 8 3715 4028
Internet: www.tuv.com
Email: hardlines@vn.tuv.com

TÜVRheinland®
Precisely Right.

Compliance Check Protocol No.: 1613025471 FVN 151607

Standard		**P**	**F**	**Note**
Clause 16	Interlock Strength Test	☒	☐	Remark 3
Clause 17	Door Tests	☐	☐	N/A (No door)
Clause 18	Clothes Rail Static Loading Test	☐	☐	N/A (No Clothes rail)
Clause 19	Swivel Cycle Test for Television/Video Display Terminal Surfaces	☐	☐	N/A (No Television/ Video Display Terminal Surfaces)
Clause 20	Pull Force Test	☒	☐	-
Overall result		☒	☐	

Abbreviations: P = passed, F = failed, N/A = not applicable, N/P = not performed, N/R = not requested

Objection:
None

Remarks:

1. After Movement Durability Test for Mobile Storage Units, the plastic castors were found slightly worn (See picture 1). No loss of service ability has been found on the castors.
2. After Extendible Element Retention Impact and Durability (Out Stop) test and Cycle test for Extendible Elements Deeper than Wide that Do Not Swivel, the supporting castor of bottom drawer was found slightly worn (See picture 2). No loss of service ability has been found on the supporting castor.
3. During Force Test for Extendible Element Locks and Interlock Strength Test, when drawers were locked and applied required force, the drawers at left side (without locking mechanism) were out of position around 20 mm, while at right side (with locking mechanism) the drawers still remain in the locked position. After the test, no loss of service ability has been found on the locking mechanism and interlock system, this has been considered accepted.
4. After Locking Mechanism Cycle Test, the key was found slightly stuck when inserted into the lock and locking mechanism was slightly stuck when operating. Main function of the locking mechanism was still maintained and no loss of service ability has been found.
5. The sample has been delivered built-on.

This document has been electronically generated and is therefore without signature.
Original stored in TÜV Rheinland Vietnam Co., Ltd.



PM003 STOCK

DESC : W SERIES LATERAL FILING CABINET 2 DRAWERS
DIMENSION : 900(W) X 480(D) X 700(H)
PACKING DIM : 940 X 520 X 740
WEIGHT / VOL : 44 KG / 0.36 M³



PM004 STOCK

DESC : W SERIES LATERAL FILING CABINET 3 DRAWERS
DIMENSION : 900(W) X 480(D) X 1000(H)
PACKING DIM : 940 X 520 X 1040
WEIGHT / VOL : 59 KG / 0.51 M³



PM005 STOCK

DESC : W SERIES LATERAL FILING CABINET 4 DRAWERS
DIMENSION : 900(W) X 480(D) X 1300(H)
PACKING DIM : 940 X 520 X 1340
WEIGHT / VOL : 80 KG / 0.66 M³

FEATURES



Anti-Tilt Mechanism



Full Extension Ball Bearing Slide

COLORS

STOCK

White





W Series swing door cupboard range is an adaptable and functional storage option for a variety of application, stylish and economical storage solution.

900 WIDE

PM058

DESC : W SERIES SWING DOOR CUPBOARD - 700
DIMENSION : 900(W) X 480(D) X 700(H)
NO OF SHELF : 1
PACKING DIM : 940 X 520 X 740
WEIGHT / VOL : 30 KG / 0.36 M³

PM059

DESC : W SERIES SWING DOOR CUPBOARD - 1000
DIMENSION : 900(W) X 480(D) X 1000(H)
NO OF SHELF : 1
PACKING DIM : 940 X 520 X 1040
WEIGHT / VOL : 42 KG / 0.50 M³

PM060

DESC : W SERIES SWING DOOR CUPBOARD - 1200
DIMENSION : 900(W) X 480(D) X 1200(H)
NO OF SHELF : 1
PACKING DIM : 940 X 520 X 1240
WEIGHT / VOL : 47 KG / 0.58 M³

PM061

DESC : W SERIES SWING DOOR CUPBOARD - 1300
DIMENSION : 900(W) X 480(D) X 1300(H)
NO OF SHELF : 2
PACKING DIM : 940 X 520 X 1340
WEIGHT / VOL : 49 KG / 0.64 M³

PM062

DESC : W SERIES SWING DOOR CUPBOARD - 2000
DIMENSION : 900(W) X 480(D) X 2000(H)
NO OF SHELF : 2
PACKING DIM : 940 X 520 X 2040
WEIGHT / VOL : 68 KG / 0.99 M³

FEATURES



Soft-close Hange

COLORS

White





W Series tambour door cupboard range is an adaptable and functional storage option for a variety of application. With receding doors that leave office walkways unobstructed, this is a clever, stylish and economical storage solution.

The tambour door cupboard comes with standard white ABS slats that are practical, economical, smooth sliding and lockable.

900 WIDE

PM010
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 630
DIMENSION : 900(W) X 480(D) X 630(H)
NO OF SHELF : 1
PACKING DIM : 940 X 520 X 670
WEIGHT / VOL : 25 KG / 0.11 M³

PM011
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 700
DIMENSION : 900(W) X 480(D) X 700(H)
NO OF SHELF : 1
PACKING DIM : 940 X 520 X 740
WEIGHT / VOL : 27 KG / 0.11 M³

PM012
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 900
DIMENSION : 900(W) X 480(D) X 900(H)
NO OF SHELF : 1
PACKING DIM : 940 X 520 X 940
WEIGHT / VOL : 30 KG / 0.11 M³

PM013
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 1000
DIMENSION : 900(W) X 480(D) X 1000(H)
NO OF SHELF : 2
PACKING DIM : 940 X 520 X 1040
WEIGHT / VOL : 33 KG / 0.12 M³

PM014
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 1200
DIMENSION : 900(W) X 480(D) X 1200(H)
NO OF SHELF : 2
PACKING DIM : 940 X 520 X 1240
WEIGHT / VOL : 40 KG / 0.14 M³

PM015
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 1300
DIMENSION : 900(W) X 480(D) X 1300(H)
NO OF SHELF : 2
PACKING DIM : 940 X 520 X 1340
WEIGHT / VOL : 42 KG / 0.15 M³

PM016
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 2000
DIMENSION : 900(W) X 480(D) X 2000(H)
NO OF SHELF : 4
PACKING DIM :
I. BOX 1 : 170 X 500 X 2020
II. BOX 2 : 230 X 500 X 920
WEIGHT / VOL : 74 KG / 0.28 M³

COLORS
White

ABS SLATS
White
Grey

W Series tambour door cupboard is also available in a premium model with Aluminium slats that are not only more rigid and secure than the standard slats, but can be color matched exactly to the body of the unit.





1200 WIDE

PM017
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 630
DIMENSION : 1200(W) X 480(D) X 630(H)
NO OF SHELF : 1
PACKING DIM : 1240 X 520 X 670
WEIGHT / VOL : 30 KG / 0.12 M³

PM018
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 700
DIMENSION : 1200(W) X 480(D) X 700(H)
NO OF SHELF : 1
PACKING DIM : 1240 X 520 X 740
WEIGHT / VOL : 32 KG / 0.13 M³

PM019
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 900
DIMENSION : 1200(W) X 480(D) X 900(H)
NO OF SHELF : 1
PACKING DIM : 1240 X 520 X 940
WEIGHT / VOL : 35 KG / 0.14 M³

PM020
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 1000
DIMENSION : 1200(W) X 480(D) X 1000(H)
NO OF SHELF : 2
PACKING DIM : 1240 X 520 X 1040
WEIGHT / VOL : 38 KG / 0.16 M³

PM021
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 1200
DIMENSION : 1200(W) X 480(D) X 1200(H)
NO OF SHELF : 2
PACKING DIM : 1240 X 520 X 1240
WEIGHT / VOL : 45 KG / 0.18 M³

PM022
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 1300
DIMENSION : 1200(W) X 480(D) X 1300(H)
NO OF SHELF : 2
PACKING DIM : 1240 X 520 X 1340
WEIGHT / VOL : 47 KG / 0.19 M³

PM023
DESC : PREMIUM ABS TAMBOUR DOOR CUPBOARD - 2000
DIMENSION : 1200(W) X 480(D) X 2000(H)
NO OF SHELF : 4
PACKING DIM : 1240 X 520 X 2040
WEIGHT / VOL : 65 KG / 0.29 M³

W SERIES TAMBOUR DOOR CUPBOARD

COLORS
White

ABS SLATS
White
Grey

W Series tambour door cupboard is also available in a premium model with Aluminium slats that are not only more rigid and secure than the standard slats, but can be color matched exactly to the body of the unit.

W Series tambour door cupboard range comes with a great range of durable and innovative accessories, designed to help maximise the efficiency of your storage.



PM024

DESC : SHELF DIVIDER
DIMENSION : 85(W) X 115(D) X 210(H)
PACKING : 10pcs/pack



PM025

DESC : SHELF 900 WIDE
DIMENSION : 747(W) X 419(D) X 25(H)
PACKING : 4pcs/pack

PM026

DESC : SHELF 1200 WIDE
DIMENSION : 1047(W) X 419(D) X 25(H)
PACKING : 4pcs/pack



PM029

DESC : DRAWER 900 WIDE
DIMENSION : 740(W) X 366(D) X 123(H)

PM030

DESC : DRAWER 1200 WIDE
DIMENSION : 1040(W) X 366(D) X 123(H)



PM027

DESC : DESK TOP 900 WIDE
DIMENSION : 706(W) X 366(D) X 50(H)

PM028

DESC : DESK TOP 1200 WIDE
DIMENSION : 1006(W) X 366(D) X 50(H)



PM031

DESC : LATERAL FRAME 900 WIDE
DIMENSION : 744(W) X 420(D) X 106(H)

PM032

DESC : LATERAL FRAME 1200 WIDE
DIMENSION : 1044(W) X 420(D) X 106(H)

COLORS

White





PM041

DESCRIPTION : I SERIES SWING DOOR CUPBOARD - 700
DIMENSION : 900(W) X 480(D) X 700(H) MM
NO OF SHELF : 1
PACKING DIM : 940 X 520 X 740
WEIGHT / VOL : 30 KG / 0.36 M³

PM042

DESCRIPTION : I SERIES SWING DOOR CUPBOARD - 1000
DIMENSION : 900(W) X 480(D) X 1000(H) MM
NO OF SHELF : 2
PACKING DIM : 940 X 520 X 1040
WEIGHT / VOL : 42 KG / 0.50 M³

PM043

DESCRIPTION : I SERIES SWING DOOR CUPBOARD - 1200
DIMENSION : 900(W) X 480(D) X 1200(H) MM
NO OF SHELF : 2
PACKING DIM : 940 X 520 X 1240
WEIGHT / VOL : 47 KG / 0.58 M³

PM044

DESCRIPTION : I SERIES SWING DOOR CUPBOARD - 1300
DIMENSION : 900(W) X 480(D) X 1300(H) MM
NO OF SHELF : 2
PACKING DIM : 940 X 520 X 134
WEIGHT / VOL : 49 KG / 0.64 M³

PM045

DESCRIPTION : I SERIES SWING DOOR CUPBOARD - 2000
DIMENSION : 900(W) X 480(D) X 2000(H) MM
NO OF SHELF : 4
PACKING DIM : 940 X 520 X 2040
WEIGHT / VOL : 68 KG / 0.99 M³

FEATURES



Soft-close Hange

COLORS

White

HANDLE COLOUR

GREEN

BLUE

RED

WHITE

SILVER

I SERIES STORAGE CUPBOARD



PM055

DESCRIPTION : I SERIES PERSONAL STORAGE
1 COMPARTMENT
DIMENSION : 450(W) X 450(D) X 1500(H) MM
PACKING DIM : 490 X 490 X 1540
WEIGHT / VOL : 35 KG / 0.37 M³



PM056

DESCRIPTION : I SERIES PERSONAL STORAGE
2 COMPARTMENTS
DIMENSION : 450(W) X 450(D) X 1500(H) MM
PACKING DIM : 490 X 490 X 1540
WEIGHT / VOL : 37 KG / 0.37 M³



PM075

DESCRIPTION : I SERIES PERSONAL STORAGE
3 COMPARTMENTS
DIMENSION : 450(W) X 450(D) X 1500(H) MM
PACKING DIM : 490 X 490 X 1540
WEIGHT / VOL : 39 KG / 0.37 M³



PM057

DESCRIPTION : I SERIES PERSONAL STORAGE
4 COMPARTMENTS
DIMENSION : 450(W) X 450(D) X 1500(H) MM
PACKING DIM : 490 X 490 X 1540
WEIGHT / VOL : 53 KG / 0.44 M³

FEATURES



Combination Lock



Soft-close Hange

COLORS

White

HANDLE COLOUR

GREEN

BLUE

RED

WHITE

SILVER

TOWER UNIT



PM 033L / PM 033R

DESCRIPTION : TOWER UNIT
DIMENSION : 400(W) X 700(D) X 1300(H) MM
PACKING DIM : 440 X 740 X 1340
WEIGHT / VOL : 53 KG / 0.44 M³



(RIGHT)



PM 072L / PM 072R

DESCRIPTION : I SERIES TOWER UNIT
DIMENSION : 400(W) X 700(D) X 1300(H) MM
PACKING DIM : 440 X 740 X 1340
WEIGHT / VOL : 53 KG / 0.44 M³



(RIGHT)

COLORS

White

HANDLE COLOUR

GREEN

BLUE

RED

WHITE

SILVER





PM073

DESCRIPTION : PERFORATED SLIDING DOOR CUPBOARDS - 1600 WIDE
DIMENSION : 1600(W) X 500(D) X 1200(H) MM
NO OF SHELF : 4
PACKING DIM : 1640 X 540 X 1240
WEIGHT / VOL : 99 KG / 1.1 M³

PM074

DESCRIPTION : PERFORATED SLIDING DOOR CUPBOARDS - 1800 WIDE
DIMENSION : 1800(W) X 500(D) X 1200(H) MM
NO OF SHELF : 4
PACKING DIM : 1840 X 540 X 1240
WEIGHT / VOL : 119 KG / 1.23 M³

COLORS

White

PLANTER BOX

The W Series Planter Box is a stylish and economical way to add greenery to your office, and is a stylish accompaniment to all the other items in the W Series storage range. The planters are supplied with plastic liner trays.





200mm High

PM 063

WIDTH : 900
DEPTH : 480
POT HOLES : 3
HOLE DIA : 196MM
PACKING DIM : 940 X 520 X 240
WEIGHT / VOL : 9 KG / 0.12 M³

PM 064

WIDTH : 1200
DEPTH : 480
POT HOLES : 4
HOLE DIA : 196MM
PACKING DIM : 1240 X 520 X 240
WEIGHT / VOL : 16 KG / 0.16 M³

300mm High

PM 065

WIDTH : 900
DEPTH : 480
POT HOLES : 3
HOLE DIA : 196MM
PACKING DIM : 940 X 520 X 340
WEIGHT / VOL : 12 KG / 0.17 M³

PM 066

WIDTH : 1200
DEPTH : 480
POT HOLES : 4
HOLE DIA : 196MM
PACKING DIM : 1240 X 520 X 340
WEIGHT / VOL : 19 KG / 0.22 M³

PERFORATED PLANTER

The W Series Perforated Planter Box adds an extra element of style to the W Series storage range. The planters are supplied with plastic liner trays.





200mm High

PM 067

WIDTH : 900
DEPTH : 480
POT HOLES : 3
HOLE DIA : 196MM
PACKING DIM : 940 X 520 X 240
WEIGHT / VOL : 9 KG / 0.12 M³

PM 068

WIDTH : 1200
DEPTH : 480
POT HOLES : 4
HOLE DIA : 196MM
PACKING DIM : 1240 X 520 X 240
WEIGHT / VOL : 16 KG / 0.16 M³

300mm High

PM 069

WIDTH : 900
DEPTH : 480
POT HOLES : 3
HOLE DIA : 196MM
PACKING DIM : 940 X 520 X 340
WEIGHT / VOL : 12 KG / 0.17 M³

PM 070

WIDTH : 1200
DEPTH : 480
POT HOLES : 4
HOLE DIA : 196MM
PACKING DIM : 1240 X 520 X 340
WEIGHT / VOL : 19 KG / 0.22 M³

COLORS

White

MOBILE COMPACTOR SYSTEM
- HAND PUSH

Eloquently Maximizing Large Workspaces

Eloquently Maximizing Large Workspaces

Specially made for file organization and space efficiency, Wintech Mobile Compactor maximizes the storage capacity of your current space, creates more "people" space, and helps you focus on your important tasks.

INTRODUCTION

The nearly unlimited storage solutions Wintech Mobile Compactor offers will address your specific storage needs.



FEATURES



Strong & Slick Steel Handle



Adjustable Foot Cap



Smooth Anti-tilt



Central Locking System

IDEAL FOR:

- Office Supplies
- Medical Supplies
- Backroom Inventory
- Sporting Goods
- Law Books
- Media
- Parts
- Tools

OTHER ADVANTAGES

Wintech Mobile Compactor

Adjustable Foot Cap



Adjustable Side



Other Mobile Compactors



Wall Plug Metal Plate





Manual Type

- Platform with adjustable foot caps (no drilling or pre-leveling on the floor is needed)
- Foot cap height adjusts up to 30mm
- Rails are made of 3mm cold rolled steel using laser cut process
- Pre-treatment process which includes deionized water rinse, followed by electrostatic polyester-epoxy powder coating as standard finish
- Industrial wheels – quiet & strong
- Standard in track anti-tilt mechanism

TYPES	SPECIFICATIONS
MATERIAL	Cold Rolled Steel
FINISH	Epoxy Powder Coating
SHELF SIZE	910(W) x 355(D) x 25(H)
WIDTH	980
HEIGHT	2150
NO. OF SHELF	4 pieces per bay
LOADING PER SHELF	40kg UDL
AISLE SIZE	800mm
ANTI TILT MECHANISM	Nylon Guide D40mm
MATERIAL THICKNESS	Base : 1mm, Back Panel : 0.6mm, Rail : 3mm, Platform : 18mm Chipboard, Top Panel : 0.8mm, Side Panel : 0.8mm, Shelf : 0.6mm
RAIL	Made of 3mm Cold Rolled Steel Using Laser Cut Process and with Adjustable Foot Cap
WHEEL	D60mm Bearing with Nylon Coating, Loading : 150kg/ Wheel
MOVEMENT	Left/ Right

STOCK

TECHNICAL INFORMATIONS

STANDARD BAY TYPES



Single Bay
With Lock
(BAY A)



Double bay
(BAY B & C)



Single bay
(BAY B)

BAY DEEP AND LOAD



1 Bay Deep



12 arch files (A4)
per shelf.
1 bay 60 arch files.

BAY CONFIGURATIONS



4 BAY



11 BAY



5 BAY



10 BAY



6 BAY



9 BAY



7 BAY



8 BAY

ACCESSORIES



HMC004 STOCK
DESC : HMC SHELF
DIMENSION : 910(W) X 355(D) X 25(H)
PACKING DIM : 930 X 375 X 40
WEIGHT / VOL : 2.2 KG / 0.01 M³



HMC005 STOCK
DESC : HMC LATERAL FRAME
DIMENSION : 840(W) X 355(D) X 79(H)
PACKING DIM : 860 X 375 X 90
WEIGHT / VOL : 5 KG / 0.03 M³



HMC006 STOCK
DESC : HMC DRAWER
DIMENSION : 840(W) X 355(D) X 150(H)
PACKING DIM : 860 X 375 X 160
WEIGHT / VOL : 6 KG / 0.05 M³



HMC007 STOCK
DESC : HMC SWING DOOR
DIMENSION : 840(W) X 18(D) X 1895(H)
PACKING DIM : 60 X 450 X 1930
WEIGHT / VOL : 15 KG / 0.05 M³







MECHANICAL MOBILE COMPACTOR SYSTEM



228%



228 percent of usage space with 100 percent efficiency!

Optimise your space without expensive remoulding. Because only the access aisle is necessary for sliding shelves, room capacity can be more than doubled in comparison to stationary shelving.

Your Advantages at a Glance:

Optimal surface-use increases storage capacity to 228%

Faster and easier access to archive material

Easy operation with all movable versions:
- manual, with sliding shelf handle
- mechanical, with handwheel or automatic rotary reel

MOBILE COMPACTOR SYSTEM
- MECHANICAL

Eloquently Maximizing Large Workspaces

LINING PLATFORM

Design to Perfection

Thanks to our all-encompassing, extensive market research, we build the mobile compactors tailored to 21st century needs.

Our key strengths are:

i. Platform with adjustable foot caps (no drilling or pre-leveling on the floor is needed)
ii. Easy setup, assembling, leveling, and disassembly

INTRODUCTION

Our mechanical wheel type mobile compactor is designed using different gear ratio so that the cabinet can be moved by generally turning the handwheel. This design minimizes the power to move a large object. Besides, gears and roller chains have been tested for the firmness. This is the reason why we can vouch that our mobile compactor can move much smoother and quieter.



FEATURES


Safety Lock


Adjustable Foot Cap


Smooth Anti-tilt


Central Lock

IDEAL FOR:

- Office Supplies
- Medical Supplies
- Backroom Inventory
- Sporting Goods
- Law Books
- Media
- Parts
- Tools








Mechanical Type

- Platform with adjustable foot caps (no drilling or pre-leveling on the floor is needed)
- Foot cap height adjusts up to 30mm
- Rails are made of 3mm cold rolled steel using laser cut process
- Pretreatment process including deionized water rinse followed by electrostatic polyester- epoxy powder coating as standard finish
- Industrial wheels - quiet & strong
- Standard in track anti-tilt mechanism
- The built-in safety locks for mechanical type cabinets are designed to safeguard users from being accidentally trapped in aisles
- Heavy duty iron die casting wheels with anti-rust zinc coating
- Close type front panel that avoids dust
- Central lock system

TYPES	SPECIFICATIONS
MATERIAL	Cold Rolled Steel
FINISH	Epoxy Powder Coating
SHELF SIZE	897(W) x 361(D) x 25(H)
NO. OF SHELF	4 pieces per bay
LOADING PER SHELF	70kg UDL
AISLE SIZE	780/ 800mm
MATERIAL THICKNESS	Back Panel : 0.7mm, Shelf : 0.7mm, Side Panel : 0.7mm, Base Frame : 2mm, Post : 1.5mm, Top Panel : 1.0mm, Front Panel : 0.8/ 1.0mm
RAIL WITH PLATFORM	Rail : 3mm Cold Rolled Steel with Laser Cut Process/ Complete with Adjustable Foot Cap, Platform : 18mm Chipboard
POST	C-Channel Post with Slots in 25mm increment
ANTI TILT MECHANISM	Nylon Guide D40mm
WHEEL	Iron Die Casting with Anti-rust Zinc Coating, Loading : 1000kg/ Wheel

STOCK

TECHNICAL INFORMATIONS

STANDARD BAY TYPES



Double bay



Double bay
with lock



Single bay
with lock

BAY LOAD



1 Bay Deep



12 arch files (A4)
per shelf.
1 bay 60 arch files.

BAY DEEP CONFIGURATIONS



1 BAY DEEP



8 BAY DEEP



2 BAY DEEP



7 BAY DEEP



3 BAY DEEP



6 BAY DEEP



4 BAY DEEP



5 BAY DEEP

BAY CONFIGURATIONS



4 BAY



15 BAY



5 BAY



14 BAY



6 BAY



13 BAY



7 BAY



12 BAY



8 BAY



11 BAY



9 BAY



10 BAY

ACCESSORIES



MMC001 STOCK

DESC : MMC DESK TOP
DIMENSION : 852(W) X 360(D) X 37(H)
PACKING DIM : 872 X 380 X 47
WEIGHT / VOL : 4 KG / 0.02 M³



MMC002 STOCK

DESC : MMC LATERALFRAME
DIMENSION : 895(W) X 360(D) X 97(H)
PACKING DIM : 915 X 380 X 117
WEIGHT / VOL : 5 KG / 0.04 M³



MMC003 STOCK

DESC : MMC SHELF
DIMENSION : 897(W) X 361(D) X 25(H)
PACKING DIM : 910 X 380 X 40
WEIGHT / VOL : 2.2 KG / 0.01 M³



MMC004 STOCK

DESC : MMC CLOTH HANGING ROD
DIMENSION : 870(W) X 333(D) X 70(H)
PACKING DIM : 890 X 90 X 90
WEIGHT / VOL : 1.5 KG / 0.01 M³



MMC005 STOCK

DESC : MMC DRAWER
DIMENSION : 875(W) X 360(D) X 150(H)
PACKING DIM : 895 X 380 X 170
WEIGHT / VOL : 6 KG / 0.07 M³



MMC006 STOCK

DESC : MMC SWING DOOR
DIMENSION : 895(W) X 20(D) X 1985(H)
PACKING DIM : 70 X 500 X 2000
WEIGHT / VOL : 15 KG / 0.07 M³

COMPACTOR TEST REPORT

PRIVATE AND CONFIDENTIAL

TEST REPORT

ilac-MRA
STANDARDS MS ISO/IEC 17025 TESTING SAMM NO. 483
FIRA International Limited ACCREDITATION NO FIRA 001

FURNITURE TESTING LABORATORY
FOREST RESEARCH INSTITUTE MALAYSIA (FRIM)
52109 KEPONG, SELANGOR DARUL EHSAN
MALAYSIA

Page 1 of 5

COMPACTOR TEST REPORT

FURNITURE TESTING LABORATORY (FTL)
(MAKMAL UJIAN PERABOT)
FOREST RESEARCH INSTITUTE MALAYSIA (FRIM)
52109 KEPONG
SELANGOR DARUL EHSAN, MALAYSIA.
TEL: 03-6279 7381/86/ 83 FAX: 03-62804615
EMAIL: FRIM_ftl@frim.gov.my

ACCREDITATION FIRA 001
MS ISO/IEC 17025 TESTING SAMM NO. 483

CONFIDENTIAL

TEST REPORT

JOB NO: **FRIM/FTL 10/1/17** TEST ITEM RECEIVED: **11/1/2017**	DATE OF REPORT: **15/3/2017**
COMPANY: **WINTECH METAL PROCESSING SDN BHD** ADDRESS: **NO.180, JALAN 5** **KOMPLEKS PERABOT OLAK LEMPIT** **BANTING, SELANGOR D.E** POSTCODE: **42700**	CONTACT PERSON: **MS. TAN** TEL : **03 – 3149 2377** FAX : **03 – 3149 2378** E-MAIL : **tan@wintech.com.my**
ITEM / PRODUCT : **MECHANICAL MOBILE COMPACTOR 4 BAY 1 BAY DEEP** MODEL : **MMC** QUANTITY : **ONE UNIT** DESCRIPTION OF ITEM: **REFER PHOTO 1 AT PAGE 5**	TYPE OF FURNITURE: 1. FULLY ASSEMBLED ☐ 2. KNOCK-DOWN ☑ SAMPLE ASSEMBLED AT: **FACTORY** TYPE OF SAMPLE: **PRODUCTION SAMPLE** ☑ **PROTOTYPE** ☐

TEST REQUIREMENTS:
BS EN 14073-2:2004 – Office Furniture – Storage Furniture – Part 2: Safety requirements

CONFORMANCE TO TEST REQUIREMENTS:
Sample: **MECHANICAL MOBILE COMPACTOR 4 BAY 1 BAY DEEP** model: **MMC** (refers as a **FRIM/FTL 10/1/17**) has been tested according to the test methods of **BS EN 14073-3:2004** and **successfully satisfied** the relevant requirements of **BS EN 14073-2:2004**: Office Furniture – Storage Furniture – Part 2: Safety requirements.

APPROVED SIGNATORY:

(SITI ZALIHA BT. ALI)
Technical Manage

COMPACTOR TEST REPORT

FURNITURE TESTING LABORATORY (FTL)
(MAKMAL UJIAN PERABOT)
FOREST RESEARCH INSTITUTE MALAYSIA (FRIM)
52109 KEPONG
SELANGOR DARUL EHSAN, MALAYSIA.
TEL: 03-6279 7381/86/ 83 FAX: 03-62804615
EMAIL: FRIM_ftl@frim.gov.my

ACCREDITATION FIRA 401

MS ISO/IEC 17025
TESTING
SAMM NO. 483

CONFIDENTIAL

DATE OF TEST	START	: **16/2/2017**
	END	: **20/2/2017**
AVERAGE MOISTURE CONTENT	BEFORE TEST	: **not applicable**
	AFTER TEST	: **not applicable**
TEMPERATURE RANGE DURING TESTING	: **24.1°C – 25.1°C**	
INITIAL INSPECTION	: **NO DEFECT(S) FOUND**	

BS EN 14073-2: 2004
Office Furniture – Storage Furniture – Part 2: Safety requirements

CLAUSE	TEST DESCRIPTION	PARAMETER	RESULT
3.4	**General Safety Requirements**		
	a) Accessible edges & corners are free from burrs and rounded @ chamfered. No open ended tubes	-	**COMPLY**
	b) The safety distance between accessible moveable parts is ≤ 8mm @ ≥ 25mm with exception of doors, flaps & extension element	-	**N.A**
	c) Adjustable parts shall be such as to prevent inadvertent operation @ release	-	**N.A**
	d) All extension elements whose mass including content exceeds 10kg shall have effective open stops (resist being pulled out by force of 200N Vertically sliding roll fronts shall not close by themselves from any position higher than 200mm	-	**N.A**
	e) Extension elements shall have effective open stop	-	**N.A**
3.5.1	**Test Sequence for Floor Standing Units**		
EN 14073-3:2004, **5.3.1**	**Pull out of shelves**	Horizontal Force : 12.8N	**PASS**
EN 14073-3:2004, **5.3.2**	**Strength of shelf supports**	Load: 70 kg[1] 10 times	**PASS**
EN 14073- 3:2004, **5.4**	**Strength of top surfaces**	-	**N.A**
EN 14074:2004, **6.2.1**	**Strength of extension elements**	-	**N.A**
EN 14074:2004, **6.2.3**	**Slam open of extension elements**	-	**N.A**
EN 14074:2004, **6.2.4**	**Interlock test**	-	**N.A**
EN 14073-3:2004, **5.5.1 & 5.5.2**	**Stability of free standing units unloaded/loaded**	Vertical downwards load: 50N	**PASS**

Note(s):
1. [1] – Load as specified by the manufacturer
2. **N.A** – Test not applicable to the sample
3. Test carried out and reported are those relevant to the article submitted for test

COMPACTOR TEST REPORT

FURNITURE TESTING LABORATORY (FTL)
(MAKMAL UJIAN PERABOT)
FOREST RESEARCH INSTITUTE MALAYSIA (FRIM)
52109 KEPONG
SELANGOR DARUL EHSAN, MALAYSIA.
TEL: 03-6279 7381/86/ 83 FAX: 03-62804615
EMAIL: FRIM_ftl@frim.gov.my

ACCREDITATION FIRA 001

MS ISO/IEC 17025
TESTING
SAMM NO. 483

CONFIDENTIAL

NOTE:
Tests carried out according to the requirements of current standards are intended to demonstrate the ability of the item to give satisfactory services in its intended environment. It should be understood that such tests do not ensure that structural failure will not eventually occur as a result of habitual misuse or after an excessive long period of services.

TESTED BY:

1. **ZAWAWI B. KASSIM (DQM)** : .....

ASSISTED BY:

1. **MUHAMMAD TAUFIQ (DTM)** : .....



Photo 1: **Test sample**

Item description:

Material: **Metal**
Dimension: **1090mm (W) X 800mm (D) X 2230 mm (H)**

WINTECH®

Wintech Metal Processing Sdn. Bhd. (560894-T)

180, Jalan 5,
Kompleks Perabot Olak Lempit,
Mukim Tanjung 12,
Daerah Kuala Langat,
42700 Banting,
Selangor Darul Ehsan, Malaysia.

t • +603 3149 2377
f • +603 3149 2378 (General)
• +603 3149 1091 (Sales & Marketing)
e • enquiries@wintech.com.my
w • www.wintech.com.my