Relays

MINI POWER RELAYS FINDER SERIES 40



LF Code	Model	Coil	Contact configuration	Pin pitch
3351085	40.31.7.048.0000	48Vdc	1 CO (SPDT) - 10A	3.5 mm
3351108	40.31.8.024.0000	24Vac 50/60Hz	1 CO (SPDT) - 10A	3.5 mm
3351110	40.31.8.230.0000	230V 50/60Hz	1 CO (SPDT) - 10A	3.5 mm
3351036	40.51.8.230.0000	230V 50/60Hz	1 CO (SPDT) - 10A	5 mm
5026284	40.52.8.024.0000	24Vac 50/60Hz	2 CO (DPDT) - 8A	5 mm
3351124	40.52.8.048.0000	48Vac 50/60Hz	2 CO (DPDT) - 8A	5 mm
3351037	40.52.8.230.0000	230V 50/60Hz	2 CO (DPDT) - 8A	5 mm
5025249	40.61.8.024.0000	24Vac 50/60Hz	1 CO (SPDT) - 16A	5 mm
3351038	40.61.8.230.0000	230V 50/60Hz	1 CO (SPDT) - 16A	5 mm

POWER RELAYS FINDER SERIES 34



LF Code	Model	Coil	Contact configuration	test push-button + mechanical indicator	Type
3351127	34.51.7.060.0010	220/240	---	---	---

POWER RELAYS FINDER SERIES 55



LF Code	Model	Coil	Contact configuration	test push-button + mechanical indicator	Type
9014101	55.13.8.024.0000	24Vac 50/60Hz	3 CO (3PDT) - 10A	---	PCB
3351007	55.32.8.230.0040	230V 50/60Hz	2 CO (DPDT) - 10A	x	Plug-in
3351104	55.34.8.024.0040	24Vac 50/60Hz	4 CO (4PDT) - 7A	x	Plug-in
4002787	55.34.8.230.5000	230V 50/60Hz	4 CO (4PDT) - 7A	---	Plug-in
3351091	55.34.8.230.0040	230V 50/60Hz	4 CO (4PDT) - 7A	x	Plug-in

MACSPRO INTERNATIONAL PVT LTD

Relays

POWER RELAYS FINDER SERIES 56





LF Code	Model	Coil	Contact configuration	test push-button + mechanical indicator	Type
3351004	56.32.8.230.0040	230V 50/60Hz	2 CO (DPDT) - 12A	x	Plug-in
3351005	56.34.8.230.0040	230V 50/60Hz	4 CO (4PDT) - 12A	x	Plug-in
9014100	56.44.8.024.0000	24V 50/60Hz	4 CO (4PDT) - 12A	---	PCB

POWER RELAYS FINDER SERIES 60




LF Code	Model	Coil	Contact configuration	test push-button + mechanical indicator	Type
5078543	60.12.4.101.0040	1.0Aac	2 CO (DPDT - 10A)	x	8 pin plug-in
3351095	60.12.8.024.0040	24Vac 50/60Hz	2 CO (DPDT) - 10A	x	8 pin plug-in
3351151	60.12.8.230.0040	230V 50/60Hz	2 CO (DPDT) - 10A	x	8 pin plug-in
3351156	60.13.8.230.0040	230V 50/60Hz	3 CO (3PDT) - 10A	x	11 pin plug-in
1351008	60.33.8.230.0000	230V 50/60Hz	3 CO (3PDT) - 10A	---	Plug-in
9014108	60.43.8.024.0000	24Vac 50/60Hz	3 CO (3PDT) - 10A	---	PCB
40KQ304	60.61.8.380.0000	380V 50/60Hz	1 CO (SPDT) - 10A	---	Faston (4.8x0.8 mm) with flange mount
3351901	60.62.8.230.0000	230V 50/60Hz	2 CO (DPDT) - 10A	---	Faston (4.8x0.8 mm) with flange mount
3351605	60.63.8.230.0000	230V 50/60Hz	3 CO (3PDT) - 10A	---	Faston (4.8x0.8 mm) with flange mount

POWER RELAYS FINDER SERIES 62



LF Code	Model	Coil	Contact configuration	Type
3351904	62.22.8.230.0000	230V 50/60Hz	2 CO (DPDT) - 16A	PCB
3351010	62.33.8.024.0000	24Vac 50/60Hz	3 CO (3PDT) - 16A	Plug-in
3351021	62.82.8.230.0000	230V 50/60Hz	2 CO (DPDT) - 16A	Faston (6.3x0.8 mm) with flange mount
7102890	62.82.8.230.0040	230V 50/60Hz	2 CO (DPDT) - 16A	Faston (6.3x0.8 mm) with flange mount
3351029	62.82.8.230.0300	230V 50/60Hz	2 NO (DPST) - 16A	Faston (6.3x0.8 mm) with flange mount
3351097	62.82.8.230.0309	230V 50/60Hz	2 NO (DPST) - 16A	Faston (6.3x0.8 mm) without flange mount
1351001	62.83.8.024.0000	24Vac 50/60Hz	3 CO (3PDT) - 16A	Faston (6.3x0.8 mm) with flange mount

MACSPRO INTERNATIONAL PVT LTD

Relays

LF Code	Model	Coil	Contact configuration	Type
3351008	62.83.8.230.0000	230V 50/60Hz	3 CO (3PDT) - 16A	Faston (6.3x0.8 mm) with flange mount
5072234	62.83.8.230.0300	230V 50/60Hz	3 NO (3PST) - 16A	Faston (6.3x0.8 mm) with flange mount
1351010	62.83.8.400.0300	400V 50/60Hz	3 NO (3PST) - 16A	Faston (6.3x0.8 mm) with flange mount

POWER RELAYS FINDER SERIES 65





LF Code	Model	Coil	Contact configuration	Type
3351602	65.31.8.230.0300	230V 50/60Hz	1 NO - 30A	Faston (6.3x0.8 mm) with rear flange mount
5038177	65.31.8.024.0300	24V 50/60Hz	1 NO - 30A	Faston (6.3x0.8 mm) with rear flange mount

POWER RELAYS FINDER SERIES 66



LF Code	Model	Coil	Contact configuration	Type
5029945	66.82.8.230.0000	230V 50/60Hz	2 CO (DPDT) - 30A	Faston (6.3x0.8 mm) with flange mount
3351032	66.82.8.230.0300	230V 50/60Hz	2 NO (DPST) - 30A	Faston (6.3x0.8 mm) with flange mount

POWER RELAYS FINDER SERIES 72



LF Code	Model	Coil	Contact configuration	Type
5025194	72.01.8.240.0000	240V 50/60Hz	1 CO (SPDT) - 16A	---

MACSPRO INTERNATIONAL PVT LTD

Relays

POWER RELAYS ITALIANA RELÉ



LF Code	Model	Coil	Contact configuration	Type
3351603	A2L-FA	230V 50/60Hz	2 NO (DPST) - 16A	faston 6.3x0.8 mm
3351001	B1-2	230V 50/60Hz	2 NO (DPST) - 16A	faston 6.3x0.8 mm
3351601	B1-3	230V 50/60Hz	3 NO (3PST) - 16A	faston 6.3x0.8 mm
3351006	B2-3	24Vac 50/60Hz	3 CO (3PDT) - 16A	faston 6.3x0.8 mm
3351900	B2-3	230V 50/60Hz	3 CO (3PDT) - 16A	faston 6.3x0.8 mm
3351040	F61-24DC-S	24Vdc 50/60Hz	1 CO (SPDT) - 16A	pin pitch 5 mm

POWER RELAYS OMRON SERIES G7L



T TUB

LF Code	Model	Coil	Contact configuration	Type
3351120	G7L-1A-T	230V 50Hz	1 NO (SPST) - 25A	---
3351045	G7L-1A-TUB	120V 50/60Hz	1 NO (SPST) - 25A	with bracket mounting
7112697	G7L-1A-TUB	230V 50Hz	1 NO (SPST) - 25A	with bracket mounting
1351021	G7L-2A-TUB	230V 50Hz	2 NO (DPST) - 25A	with bracket mounting

POWER RELAYS WEIDMÜLLER



LF Code	Model	Coil	Contact configuration	Type
3351035	RPW205730	230V 50/60Hz	2 CO (DPDT) - 16A	Faston (6.3x0.8 mm) with flange mount
7104826	RPW508730	230V 50/60Hz	2 NO (DPST) - 16A	Faston (6.3x0.8 mm) with support for DIN guide
3351094	RPW508730	230V 50/60Hz	2 NO (DPST) - 16A	Faston (6.3x0.8 mm) with support for DIN guide and fixing
5063169	RPW709730	230V 50/60Hz	3 CO (3PDT) - 16A	Faston (6.3x0.8 mm) with support for DIN guide

MACSPRO INTERNATIONAL PVT LTD

Relays

RELAYS BOURGEOIS



1



2

Photo	LF Code	Description	Suitable for
2	3351087	relay Crouzet GN 84134120 - 50A 48-660Vac/4-32Vdc	REL231

RELAYS ELOMA / PALUX



1

Photo	LF Code	Description	Suitable for
1	2111767	relay Crydom H12WD4850PG	752401

RELAYS FRIMA



1



2

Photo	LF Code	Description	Suitable for
1	3351016	relay Crydom SOB667330	4000453P
2	3351101	time limit relay Crouzet 0.7A 230V	30350404

MACSPRO INTERNATIONAL PVT LTD

Relays

RELAYS GIORIK



1



2

Photo	LF Code	Description	Suitable for
1	5072234	relay Finder 62.83.8.230.0300-230V 50/60Hz-3 changeover c	6041008
2	7101522	time limit relay multifunction TM M1-1 changeover contact	6042054

RELAYS HOUNO



1

Photo	LF Code	Description	Suitable for
1	3351125	CELDUC SOB965660 - 50A 24-600Vac 2 fasi 10-30VDC	30820013

RELAYS INOXTREND



1



2



3

Photo	LF Code	Description	Suitable for
1	5027416	kit relay Schrack 8A 230V - with terminal block 2 changeo	AZ004-00
2	5033573	kit relay Schrack 8A 230V - with terminal block 2 changeo	AZ019-00
3	5050720	kit relay Schrack 6A 230V - with terminal block 4 changeo	AZ003-00

MACSPRO INTERNATIONAL PVT LTD

Relays

RELAYS KÜPPERSBUSCH


1


2


3


4

Photo	LF Code	Description	Suitable for
1	3351109	time limit relay 80.41 16A 240V 50/60Hz - 1 control conta	---
2	3351116	time limit relay 83.11 24/240V 50/60Hz - 1 switching cont	---
3	5047903	relay setup kit multifunction MK7850N - adjustment 1"÷300	407270
4	7108361	CELDUC SKA 20460 - input 5-30Vdc - output 600Vac 5A	164889

RELAYS LAINOX


1


2


3



4


5

Photo	LF Code	Description	Suitable for
1	3351026	relay Crouzet MAR1-coil24/240Vac 50/60Hz-1 swit.cont. 8A	R65090450
2	3351029	power relay Finder 62.82.8.230.0300-230V 50/60Hz-2 contac	CR0687240
3	5062078	relay Finder 40.31 10A 230V ON BASIS	R65170190
4	3351037	power relay Finder 40.52.8.230.0000-230V 50/60Hz-2 exchan	R65170050
5	5018678	relay Emer 8 24/240V 50/60Hz-1 cont. in commutation-reg.	R65090480

RELAYS MBM


1



2

Photo	LF Code	Description	Suitable for
1	3351008	power relay Finder 62.83.8.230.0000-230V 50/60Hz-3 exchan	229036
1	3351021	power relay Finder 62.82.8.230.0000-230V 50/60Hz-2 excha	929115
1	3351029	power relay Finder 62.82.8.230.0300-230V 50/60Hz-2 conta	229039
1	3351602	power relay Finder 65.31.8.230.0300-230V 50/60Hz-1 contac	229029
1	3351605	power relay Finder 60.63.8.230.0000-230V 50/60Hz-3 exchan	229024
1	3351901	power relay Finder 60.62.8.230.0000-230V 50/60Hz-2 exchan	229023
1	5072234	power relay Finder 62.83.8.230.0300-230V 50/60Hz-3 change	229040
2	5033532	relay CRYDOM H12D4825K-10	RIC0003591

MACSPRO INTERNATIONAL PVT LTD

Relays

RELAYS MKN



1



2

Photo	LF Code	Description	Suitable for
1	1351009	relay TP3250 16A 230V 50Hz	203219
2	5047612	relay GN Crouzet 84137140 - 100A 48-660Vac/4-32Vdc	203668

RELAYS OZTIRYAKILER



1

Photo	LF Code	Description	Suitable for
1	3446254	TIMER KLEMSAN T1-LR 24..300 VAC/DC	623100019180

RELAYS PRIMAX



1



2

Photo	LF Code	Description	Suitable for
1	3351032	Finder 66.82.8.230.0300 - 230V 50/60Hz - 2 contacts NO 30	4582030
2	5029945	Finder 66.82.8.230.0000 - 230V 50/60Hz - 2 contacts NO 30	4582040

MACSPRO INTERNATIONAL PVT LTD

Relays

RELAYS RATIONAL


1


2

Photo	LF Code	Description	Suitable for
1	3351016	relay Crydom SOB667330	4000453P
2	3351101	time limit relay Crouzet 0.7A 230V	30350404

RELAYS SUITABLE FOR OVENS RATIONAL


1


2


3

Photo	LF Code	Description	Suitable for
1	3351102	time limit relay 80.11 16A 240V 50/60Hz	30350453
2	3351109	time limit relay 80.41 16A 240V 50/60Hz	30350402
3	3351116	time limit relay 83.11 24/240V 50/60Hz	30350401

RELAYS TECNOINOX


1


2

Photo	LF Code	Description	Suitable for
1	7101522	time limit relay multifunction TM M1-1 changeover contact	RCK6042054
2	3351008	power relay Finder 62.83.8.230.0000-230V 50/60Hz-3 exchan	RC00774000

MACSPRO INTERNATIONAL PVT LTD

Relays

TIME LIMIT RELAYS CROUZET



MAR1

LF Code	Model	Coil	Contacts	Timing adjustment
3351026	MAR1 88827115	24-240Vac 50/60Hz	1 CO (SPDT) - 8A	7 - (0.1..1)s - (1...10)s,m,h - (6..60)s,m - (10..100)h

TIME LIMIT RELAYS FINDER



80.11



80.21



80.41



83.01



83.11

LF Code	Model	Coil	Contacts	Timing adjustment	Features
3351102	80.11.0.240.0000	240V - 50/60Hz	1 CO (SPDT) - 16A	6 - (0.1..2)s,m,h - (1...20)s,m,h	on-delay (AI)
3351112	80.21.0.240.0000	240V - 50/60Hz	1 CO (SPDT) - 16A	6 - (0.1..2)s,m,h - (1...20)s,m,h	interval (DI)
3351109	80.41.0.240.0000	240V - 50/60Hz	1 CO (SPDT) - 16A	6 - (0.1..2)s,m,h - (1...20)s,m,h	off-delay with control signal (BE)
3351113	83.01.0.240.0000	240V - 50/60Hz	1 CO (SPDT) - 16A	8 - (0.05..1)s,m,h,d - (0.5...10)s,m,h,d	---
3351116	83.11.0.240.0000	240V - 50/60Hz	1 CO (SPDT) - 16A	8 - (0.05..1)s,m,h,d - (0.5...10)s,m,h,d	on-delay (AI)


MACSPRO INTERNATIONAL PVT LTD

Relays

Suitable for:

3351154 BASE OCTAL ES8 10A 400V


8 poles



ALPENINOX 053912
BONNET 5937E
COVEN EMRGLZX4
ELECTROLUX PROFESSIONAL 053912
ELIWELL CN111114
GICAR 9.9.15.02
MBM 927045
MBM DEZ3
THIRODE 5937E
ZANUSSI 053912

Suitable for:


3351128 RELAY SOCKET GAVAZZI ZD50/2A



OZTIRYAKILER 6231.00023.17

3446057 SOCKET WITH TERMINAL BLOCK FINDER 90.26

10A 250V



BERTO'S 10503
BERTO'S 25998400
EMMEPI 809018
FINDER FIN9026SMA
FOINOX 10503
MARENO 2609500
MARENO MA2609500

3351107 TIMED RELAY 1,5-30 SECONDS 230V



KÜPPERSBUSCH 407271

MACSPRO INTERNATIONAL PVT LTD