SF-ASD 16/CHARGER - Charger

1200296

https://www.phoenixcontact.com/pc/products/1200296

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Charger, for 100 ... 240 V mains voltage, recognition of battery and parameter check, rapid charging, short-circuit resistant, polarized, operating mode display

Your advantages

- 3.6 V
- 100 V ... 240 V
- Diagnostic and status indicators
- Easy operation
- 50 Hz ... 60 Hz
- Rapid battery charging
- Reverse polarity protected

Commercial data

Item number	1200296
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BH324Y
Catalog page	Page 454 (C-3-2019)
GTIN	4055626666440
Weight per piece (including packing)	594 g
Weight per piece (excluding packing)	482.9 g
Customs tariff number	85044060
Country of origin	TW

Technical data

Product properties

Product type	Charger
Type of packaging	packed in cardboard

Electrical properties

Frequency range	50 Hz ... 60 Hz
Power consumption	15 W
Nominal voltage U_N	100 V AC ... 240 V AC

Supply

Supply voltage range	100 V AC ... 240 V AC

Battery

Battery charging	60.00 min
Battery-operated voltage	3.60 V DC
Battery capacity	2.00 Ah

Dimensions

Width	108 mm
Height	55 mm
Length	143 mm

Material specifications

Color	black


Environmental and real-life conditions

Ambient conditions

Degree of protection	IP30
Ambient temperature (operation)	5 °C ... 40 °C
Ambient temperature (storage/transport)	-25 °C ... 50 °C
Permissible humidity (operation)	95 %
Permissible humidity (storage/transport)	95 %

Drawings

Schematic diagram



Classifications

ECLASS

ECLASS-11.0	21052901
ECLASS-12.0	21052901
ECLASS-13.0	21052901

ETIM

ETIM 9.0	EC001184

UNSPSC

UNSPSC 21.0	26111700

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

China RoHS

Environment friendly use period (EFUP)	EFUP-5
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved
https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com