

BenQ

CM3700 Series Multifunction
User Manual

Copyright © Arabic Integrated Services 2006
All Rights Reserved

Welcome

1 Introduction to the MFP

1.1 Features

All-in-one design

Thanks to the all-in-one design you no longer need separate desk space for a scanner and printer. You won't have to rush from one machine to another anymore to get all these jobs done!

Multifunction with one-touch operation

Easily perform scan & print, print, scan, E-mail and OCR (Optical Character Recognition) with one-button operation. You can make high-quality color and black/white duplicates, print from your computer software, scan images for documents and fun. Furthermore, the quick scan buttons allow you to easily and quickly get your scans on the Internet.

USB interface

The hot plug-and-play USB interface allows you to flexibly connect to a PC.

Support PictBridge function and memory cards

PictBridge function provides a direct connect solution for your MFP and camera. It allows you to connect your camera directly to the MFP. The MFP reads the memory card which stored in the camera and you can choose to print your desired photos. Also, you can insert the memory card directly into the MFP to print your desired photos.

Easy on-panel adjustment


The easy on-panel Function Menu system allows you to customize scan & print settings, including scan & print mode, brightness, scale, paper selection and so on.

Minimum System Requirements

IBM PC (compatible)

- Pentium III or Celeron processor, 64MB RAM, available HDD space 100MB (minimum installation)/400MB (normal installation), CD-ROM drive, 800 x 600 SVGA monitor.
- Windows XP/2000/ME/98SE
- USB port

1.2 Package Contents:



1. The parts illustrated may differ slightly in appearance from those supplied.
2. Please make sure that all the components are in the package.
3. Please use the bundled USB cable and power cord for connecting the MFP and your PC. Before you connect the computer and the MFP, make sure the software is installed properly.
4. If you purchase the Single Cartridge model, it will be only bundled with a Color ink cartridge. Please ignore the cartridge unconfiguration message shown on the control panel or PC screen when turning on the power or connecting to your PC.
5. Before installing the print cartridge, be sure to remove both the two cardboards inside the output paper tray and cartridge access door.
6. Optional 6-color printing with purchase of photo Inkjet cartridge. (Sold separately)
7. The availability of Bluetooth function in your MFP may vary depending on the model and country/region of purchase.

CM3700 Series سلسلة طابعات **BenQ**
متعددة الوظائف
دليل الاستخدام

Copyright © Arabic Integrated Services 2006
All Rights Reserved

مرحباً

١-١ الخصائص

تصميم متكامل

يفضل هذا التصميم الفريد الذي يضم كافة الوظائف، فإنك لم تعد بحاجة إلى تخصيص مكانين منفصلين على مكتبك لكي تضع في أحدهما الماسح الضوئي وفي الآخر الطابعة. كذلك لن تجد نفسك مضطراً للتقليل طوال اليوم جينة وذهاباً من جهاز إلى آخر لإنجاز كل هذه الوظائف!

وظائف متعددة بلمسة واحدة

توفر الطابعة الجديدة للمستخدم إنجاز العديد من الوظائف بسهولة ويسر مثل النسخ والطباعة والمسح الضوئي وإرسال البريد الإلكتروني والتعرف الضوئي على الحروف (OCR) من خلال الضغط على زر واحد فقط. ليس هذا فحسب بل إنها تتيح إمكانية عمل نسخ ألوان ونسخ أبيض وأسود إلى جانب الطباعة من برامج الكمبيوتر ومسح الصور بغرض إضافتها إلى المستندات أو الاستمتاع بها، كما أن أزرار المسح الضوئي السريع تمكنك من مسح الصفحات التي ترغب في مسحها أثناء تصفح الإنترنت.

وسيلة الربط لاسلكي

تتيح وسيلة الربط USB سهولة الاستخدام إمكانية توصيل الطابعة بجهاز كمبيوتر شخصي بسهولة ويسر.

دعم وظيفة ثلي مقلد و بطاقات الذاكرة

تتيح وظيفة PictBridge توصيل الطابعة MFP بالكاميرا مباشرة في سهولة متناهية، حيث تقوم الطابعة بقراءة بطاقة الذاكرة المخزنة بالكاميرا ويصبح بإمكانك اختيار طباعة الصور التي ترغبها. كما يمكن إدخال بطاقة الذاكرة في الطابعة مباشرة لطباعة الصور المطلوبة.

سهولة الضبط من خلال لوحة التشغيل

يتيح نظام قائمة الوظائف الذي يظهر على لوحة التشغيل للمستخدم تخصيص إعدادات المسح الضوئي والطباعة، بما في ذلك وضع المسح الضوئي والطباعة واختيار السطوع واختيار مقاس ونوع الورق وغير ذلك في مرونة بالغة.

الحد الأدنى لمتطلبات تشغيل الطابعة


كمبيوتر IBM (متوافق)

• معالج بنتيوم III أو سيلبرون، وذاكرة وصول عشوائي سعة ٦٤ ميجا بايت، ومساحة ١٠٠ ميجا بايت على القرص الثابت (كحد أدنى للتثبيت) / ٤٠٠ ميجا بايت (للتثبيت العادي)، ومحرك أقراص مدمجة وشاشة عرض SVGA ألوان بدقة ٦٠٠×٨٠٠.

• نظم التشغيل Windows XP/2000/ME/98SE

• منفذ USB

٢-١ محتويات العبوة:



١- قد يُلاحظ وجود اختلاف طفيف في شكل الأجزاء الموضحة في هذا الدليل عن تلك المرفقة بالطابعة.

٢- يرجى التأكد من وجود جميع المكونات بالعبوة.

٣- يرجى أيضاً استخدام كبل USB وكبل الطاقة المرفقين لتوصيل الطابعة بجهاز كمبيوتر شخصي. وقبل توصيل الكمبيوتر بالطابعة ينبغي التأكد من أن البرنامج مثبت على نحو سليم.

٤- عند شراء الطراز المزود بخرطوشة واحدة، ستجدون أنها خرطوشة أحبار الألوان فقط. يرجى تجاهل الرسالة التي تشير إلى عدم تهيئة الخرطوشة والتي تظهر على لوحة التحكم أو على شاشة الكمبيوتر عند توصيل الطابعة بالتيار الكهربائي أو بالكمبيوتر.

٥- يرجى التأكد من إزالة لحي الكرتون الموجودين بداخل رف إخراج الورق وباب الوصول إلى خرطوشة الطابعة وذلك قبل تركيب الخرطوشة.

٦- الطابعة الاختيارية بستة ألوان مع شراء خرطوشة نفث الحبر لطباعة الصور. (تباع منفصلة)

٧- قد يختلف توافر وظيفة Bluetooth في الطابعة MFP باختلاف الطراز والبلد/المنطقة التي اشتريتها منها.