



BlackBerry Visor Mount Speakerphone VM-605

Version: 1.0

User Guide

Contents

| | |
|--|----|
| Find safety and product information..... | 2 |
| | 2 |
| Getting started..... | 3 |
| About the BlackBerry Visor Mount Speakerphone VM-605..... | 3 |
| Components..... | 3 |
| Turn on the BlackBerry Visor Mount Speakerphone VM-605..... | 3 |
| Turn off the BlackBerry Visor Mount Speakerphone VM-605..... | 4 |
| Unlock the BlackBerry Visor Mount Speakerphone VM-605..... | 4 |
| Pair and connect your BlackBerry Visor Mount Speakerphone VM-605 with your BlackBerry device..... | 4 |
| Adjust the volume on the BlackBerry Visor Mount Speakerphone VM-605..... | 5 |
| Charge the BlackBerry Visor Mount Speakerphone VM-605 using a vehicle power adapter..... | 5 |
| Charge the BlackBerry Visor Mount Speakerphone VM-605 using a travel charger..... | 5 |
| LED notifications..... | 6 |
| Using the BlackBerry Visor Mount Speakerphone VM-605..... | 7 |
| Connect to your BlackBerry device..... | 7 |
| Make a call using voice dialing..... | 7 |
| Answer or end a call..... | 7 |
| Ignore a call..... | 7 |
| Mute a call..... | 7 |
| Redial the last phone number..... | 8 |
| Move a call to your BlackBerry device..... | 8 |
| Using the BlackBerry Visor Mount Speakerphone VM-605 with your vehicle's stereo system..... | 9 |
| About using the BlackBerry Visor Mount Speakerphone VM-605 with your vehicle's stereo system..... | 9 |
| Tune the BlackBerry Visor Mount Speakerphone VM-605 to your vehicle's radio..... | 9 |
| Listen to audio files through your vehicle's stereo system..... | 10 |
| Language options..... | 11 |
| About the language settings..... | 11 |
| Change the language..... | 11 |
| Troubleshooting..... | 12 |
| I cannot turn on the BlackBerry Visor Mount Speakerphone VM-605..... | 12 |
| I cannot hear anything when I use my BlackBerry Visor Mount Speakerphone VM-605..... | 12 |
| I hear static noise when I use my BlackBerry Visor Mount Speakerphone VM-605 with my vehicle's stereo system..... | 12 |
| My BlackBerry device displays a message that the BlackBerry device and the BlackBerry Visor Mount Speakerphone VM-605 are not connected..... | 13 |
| I cannot pair my BlackBerry Visor Mount Speakerphone VM-605 with more than one BlackBerry device at the same time..... | 13 |

Find safety and product information

Before you use the BlackBerry® Visor Mount Speakerphone VM-605, read the Safety and Product Information guide, located at www.blackberry.com/go/accessories.

Thank you for purchasing an original BlackBerry® accessory. Before you use your BlackBerry accessory, please read the *Safety and Product Information* booklet that came with your BlackBerry device and that is located at www.blackberry.com/go/docs.

Important safety information

This accessory contains either a lithium-polymer or a lithium-ion battery that might present a fire or chemical burn hazard if mistreated. Do not disassemble, attempt to repair, crush, puncture or otherwise misuse the accessory and battery. Keep the accessory and battery away from heat sources. To reduce the risk of fire, electric shock, or malfunction, do not expose this accessory at any time to water, rain, moisture, explosive fumes, or magnets. Keep the accessory out of the reach of children. Follow local regulations for information about the disposal of electronic products and batteries in your area.

This accessory is safe for use with chargers or power adapters that are approved by Research In Motion.

Clean the accessory only with a soft dry cloth.

This accessory transmits radio frequency (RF) signals. RF signals can potentially disrupt medical devices and other equipment. If you have a medical device such as a pacemaker or hearing aid, prior to use of this accessory, consult your physician and the manufacturer of your medical device to determine if this accessory is safe for your use. This accessory has an LED light that flashes as a notifier. If you are susceptible to epileptic seizures or blackouts, consult your physician before using the accessory.

Do not use your BlackBerry device while driving unless you are permitted by law to use the BlackBerry device in hands-free mode. Using your BlackBerry device while driving could put you and others at greater risk of an accident causing serious injury, death, or property loss. Store your BlackBerry device safely before driving your vehicle.

You should not rely on any wireless device for essential communications, including medical emergencies. Emergency numbers may vary by location and emergency calls may be blocked or impeded by network, environmental, or interference issues.

RIM is not responsible for use of this accessory in a manner prohibited by regulations in your area and any consequences arising from misuse. Improper use might invalidate any warranty and might be dangerous.

Caution for the BlackBerry® Visor Mount Speakerphone VM-605: Do not connect this accessory to a computer using a USB cable.

To read more information about your BlackBerry accessory or the *Safety and Product Information* booklet, visit www.blackberry.com/go/accessories.

©2010 Research In Motion Limited. All rights reserved. BlackBerry®, RIM®, Research In Motion®, SureType®, SurePress™ and related trademarks, names, and logos are the property of Research In Motion Limited and are registered and/or used in the U.S. and countries around the world. RIM assumes no responsibility for any typographical, technical, or other inaccuracies, errors or omissions in this documentation.


Getting started

About the BlackBerry Visor Mount Speakerphone VM-605

The BlackBerry® Visor Mount Speakerphone VM-605 is a Bluetooth® enabled device with an integrated speakerphone that you can use to answer incoming calls or make calls using voice dialing, if your BlackBerry device supports voice dialing. You can also use the BlackBerry Visor Mount Speakerphone VM-605 with your vehicle's stereo system to play audio files from your BlackBerry device or to listen to your calls.

If you have a third-party Bluetooth enabled device, you might be able to pair it with the BlackBerry Visor Mount Speakerphone VM-605. For more information, see the documentation for your third-party Bluetooth enabled device. If you have a third-party location-based application on your BlackBerry device that provides driving directions, the BlackBerry Visor Mount Speakerphone VM-605 is designed to announce these driving directions to you.

Components



Turn on the BlackBerry Visor Mount Speakerphone VM-605

Perform one of the following actions:

- If the BlackBerry® Visor Mount Speakerphone VM-605 is not locked, press and hold the front panel for 2 seconds.
- If the BlackBerry Visor Mount Speakerphone VM-605 is locked, press and hold the **FM** key, the **Volume Up** key, and the front panel together for 4 seconds.

Turn off the BlackBerry Visor Mount Speakerphone VM-605

To prevent the BlackBerry® Visor Mount Speakerphone VM-605 from turning on and off accidentally, you can lock it.

Perform one of the following actions:

- To turn off the BlackBerry Visor Mount Speakerphone VM-605 and lock it, press and hold the **FM** key, the **Volume Up** key, and the front panel together for 4 seconds.
- To turn off the BlackBerry Visor Mount Speakerphone VM-605 without locking it, press and hold the front panel for 4 seconds.

Unlock the BlackBerry Visor Mount Speakerphone VM-605

Press and hold the **Volume Up** key, **FM** key, and front panel together for 4 seconds.

Pair and connect your BlackBerry Visor Mount Speakerphone VM-605 with your BlackBerry device

To perform this task, your BlackBerry® Visor Mount Speakerphone VM-605 must be turned off first.

CAUTION: Always give your full attention to driving. Driving safely is your first responsibility. Always pair or configure your BlackBerry device with your BlackBerry Visor Mount Speakerphone VM-605 and your vehicle's stereo system before operating your vehicle.

Note: The Bluetooth® radio on your BlackBerry device can drain your battery quickly. To keep your battery fully charged, you can plug your BlackBerry device into a BlackBerry® Micro-USB Vehicle Power Adapter - 12V while the Bluetooth radio is on.

Before you can use your BlackBerry Visor Mount Speakerphone VM-605, you must pair it with your BlackBerry device. The first time that you pair your BlackBerry Visor Mount Speakerphone VM-605 with your BlackBerry device, the two automatically connect. If your BlackBerry device and BlackBerry Visor Mount Speakerphone VM-605 become disconnected, you can manually connect them.

1. Press and hold the front panel until the connection status LED flashes and you hear the message "pairing mode".
2. On your BlackBerry device, from the Home screen, click **Manage Connections**.
3. Click **Set Up Bluetooth**.
4. Click **Search**.
5. Click **BlackBerry VM 605**.
6. In the Password field, type **0000**.
7. Click **Yes** to connect to the BlackBerry Visor Mount Speakerphone VM-605.

When the connection status LED remains on and you hear the message "connected", you have successfully paired and connected your BlackBerry Visor Mount Speakerphone VM-605 with your BlackBerry device.

Adjust the volume on the BlackBerry Visor Mount Speakerphone VM-605

Press the **Volume Up** key or the **Volume Down** key on the left side of the of the BlackBerry® Visor Mount Speakerphone VM-605.

Charge the BlackBerry Visor Mount Speakerphone VM-605 using a vehicle power adapter

When you charge the BlackBerry® Visor Mount Speakerphone VM-605 for the first time, charge it for 2 hours.

1. Connect the small end of the BlackBerry® Micro-USB Vehicle Power Adapter - 12V to the charging port on the BlackBerry Visor Mount Speakerphone VM-605.
2. Plug the vehicle power adapter into your vehicle's power outlet.

When the battery status LED turns green, the BlackBerry Visor Mount Speakerphone VM-605 is fully charged.

Charge the BlackBerry Visor Mount Speakerphone VM-605 using a travel charger

When you charge the BlackBerry® Visor Mount Speakerphone VM-605 for the first time, charge it for 2 hours.

1. Connect the small end of the micro-USB BlackBerry® Travel Charger to the charging port on the BlackBerry Visor Mount Speakerphone VM-605.
2. Plug the travel charger into a power outlet.

When the battery status LED turns green, the BlackBerry Visor Mount Speakerphone VM-605 is fully charged.

LED notifications

| LED notification | Description |
|---|---|
| battery status LED | on: The battery is charging. |
| | flashing: The battery is low. Recharge the battery. |
| | green: The battery is fully charged. |
| connection status LED | on: The BlackBerry® Visor Mount Speakerphone VM-605 is connected to your BlackBerry device. |
| | flashing: The BlackBerry Visor Mount Speakerphone VM-605 is ready to pair with your BlackBerry device. |
| call status LED | on: You are on a call. |
| | flashing: You have an incoming call. |
| FM LED | on: The FM transmitter is transmitting. |
| | flashing: The BlackBerry Visor Mount Speakerphone VM-605 is ready for you to select an FM frequency. |
| call status LED and connection status LED | on: The BlackBerry Visor Mount Speakerphone VM-605 is scanning for frequencies. |
| | flashing alternately: The BlackBerry Visor Mount Speakerphone VM-605 is ready for you to select a language to use with the text-to-speech feature. |

Using the BlackBerry Visor Mount Speakerphone VM-605

Connect to your BlackBerry device

If you have already paired your BlackBerry® Visor Mount Speakerphone VM-605 with your BlackBerry device, and they become disconnected, you can manually connect them quickly.

1. Click the front panel quickly.
2. On your BlackBerry device, click **Yes** to connect to the BlackBerry Visor Mount Speakerphone VM-605.

Make a call using voice dialing

To perform this task, your BlackBerry® device must support voice dialing.

For more information about voice dialing, click the **Help** icon on the Home screen of your BlackBerry device.

1. Press and hold the front panel until you hear a beep.
2. After the beep, say a voice command.

Answer or end a call

Perform one of the following actions:

- To answer a call, click the front panel.
- To end a call, click the front panel again.

Ignore a call

Press and hold the front panel for 1 second.

Mute a call

During a call, press and hold the **Volume Down** key for 1 second.

To turn off mute, perform one of the following actions:

- If you are using your BlackBerry® Visor Mount Speakerphone VM-605 with your vehicle's stereo system, press and hold the **Volume Down** key for 1 second.
- If you are not using your BlackBerry Visor Mount Speakerphone VM-605 with your vehicle's stereo system, press the **Volume Up** or **Volume Down** key quickly.

Redial the last phone number

Click the front panel twice.

Move a call to your BlackBerry device

During a call, press and hold the front panel until you hear a beep.

After the beep, continue the call on your BlackBerry® device.

Using the BlackBerry Visor Mount Speakerphone VM-605 with your vehicle's stereo system

About using the BlackBerry Visor Mount Speakerphone VM-605 with your vehicle's stereo system

The BlackBerry® Visor Mount Speakerphone VM-605 has a built-in FM transmitter that you can use to listen to audio files that are on your BlackBerry device or to listen to calls from your device through your vehicle's stereo system. You can only listen to either an audio file or a call at a time.

If you use the FM transmitter for a phone call, other people who use a radio near you might be able to hear your phone conversations.

In some countries, there might be restrictions on the use of FM transmitters. Always check the laws and regulations in the country in which you are using the BlackBerry Visor Mount Speakerphone VM-605.

The FM transmitter turns off automatically after 1 minute if you are not listening to an audio file or a call through your vehicle's stereo system.

Tune the BlackBerry Visor Mount Speakerphone VM-605 to your vehicle's radio

To perform this task, the BlackBerry® Visor Mount Speakerphone VM-605 must be connected to your BlackBerry device.

Before you use the FM transmitter to listen to audio files or calls, turn up the volume on your BlackBerry device to the highest level, and then adjust the volume on your vehicle's stereo system to a comfortable listening level. Make sure you turn down the volume on your BlackBerry device when you are not using the FM transmitter.

Once you have tuned the BlackBerry Visor Mount Speakerphone VM-605 to your vehicle's radio, you can program frequently used FM channels in the quick access keys on your vehicle's radio. See the documentation for your vehicle's stereo system for more information.

1. Press the **FM** key.
The BlackBerry Visor Mount Speakerphone VM-605 announces an FM channel.
2. Tune your vehicle's radio to the same FM channel.
3. If the reception is unclear, on the BlackBerry Visor Mount Speakerphone VM-605, press and hold the **Volume Up** key until you hear "searching". The BlackBerry Visor Mount Speakerphone VM-605 announces a new available FM channel. Tune your vehicle's radio to the same FM channel.

Listen to audio files through your vehicle's stereo system

To perform this task, the BlackBerry® Visor Mount Speakerphone VM-605 must be paired with your BlackBerry device, and both the BlackBerry Visor Mount Speakerphone VM-605 and your vehicle's stereo system must be tuned to the same FM channel.

Play an audio file from your BlackBerry device.

For more information about playing audio files, click **Help** on your BlackBerry device.

Language options

About the language settings

The BlackBerry® Visor Mount Speakerphone VM-605 announces when you have an incoming call, and announces the status of your BlackBerry Visor Mount Speakerphone VM-605. For example, the BlackBerry Visor Mount Speakerphone VM-605 announces when it is in pairing mode. The BlackBerry Visor Mount Speakerphone VM-605 supports the following languages:

- US English
- UK English
- French
- Italian
- German
- Spanish
- Mexican Spanish
- Brazilian Portuguese
- Chinese

Change the language

1. With your BlackBerry® Visor Mount Speakerphone VM-605 turned off, press and hold the front panel until you hear the message "pairing mode".
2. Press and hold the **FM** key until you hear the current language.
3. Press the **Volume Up** or **Volume Down** key until you hear the language that you want to use.
4. Press and hold the **FM** key for 1 second.

Troubleshooting

I cannot turn on the BlackBerry Visor Mount Speakerphone VM-605

Try performing the following actions:

- Verify that the BlackBerry® Visor Mount Speakerphone VM-605 is charged.
- Verify that the BlackBerry Visor Mount Speakerphone VM-605 is not locked.

Related topics

[Unlock the BlackBerry Visor Mount Speakerphone VM-605, 4](#)

[Charge the BlackBerry Visor Mount Speakerphone VM-605 using a vehicle power adapter, 5](#)

[Charge the BlackBerry Visor Mount Speakerphone VM-605 using a vehicle power adapter, 5](#)

I cannot hear anything when I use my BlackBerry Visor Mount Speakerphone VM-605

Try performing any of the following actions:

- Verify that the volume on the BlackBerry® Visor Mount Speakerphone VM-605 is not turned down.
- If you are using this accessory with your vehicle's stereo system, verify that the stereo system is not tuned to an FM channel that is already occupied.

Related topics

[Adjust the volume on the BlackBerry Visor Mount Speakerphone VM-605, 5](#)

[Tune the BlackBerry Visor Mount Speakerphone VM-605 to your vehicle's radio, 9](#)

I hear static noise when I use my BlackBerry Visor Mount Speakerphone VM-605 with my vehicle's stereo system

Your vehicle's stereo system might be tuned to an FM channel that is already occupied.

Perform the following actions:

1. Press and hold the **Volume Up** key until you hear "searching". The BlackBerry® Visor Mount Speakerphone VM-605 announces a new available FM channel.
2. Tune your vehicle's radio to the same FM channel.

Related topics

[Tune the BlackBerry Visor Mount Speakerphone VM-605 to your vehicle's radio, 9](#)

My BlackBerry device displays a message that the BlackBerry device and the BlackBerry Visor Mount Speakerphone VM-605 are not connected

Pairing information might have been accidentally removed from your BlackBerry® device.

Perform the following actions on your BlackBerry device:

1. On the Home screen or in a folder, click the **Manage Connections** icon.
2. Click **Bluetooth Options**.
3. Verify that VM-605 appears in the **Paired Devices** list.

Related topics

[Pair and connect your BlackBerry Visor Mount Speakerphone VM-605 with your BlackBerry device, 4](#)

I cannot pair my BlackBerry Visor Mount Speakerphone VM-605 with more than one BlackBerry device at the same time

The BlackBerry® Visor Mount Speakerphone VM-605 pairs with one BlackBerry device at a time. The BlackBerry Visor Mount Speakerphone VM-605 can store up to eight devices in the memory.

To disconnect the existing paired device, perform the following actions:

1. On your BlackBerry Home screen or in a folder, click the **Manage Connections** icon.
2. Click **Bluetooth Options**.
3. Highlight **BlackBerry VM-605**.
4. Press the **Menu** key.
5. Click **Disconnect**.

Related topics

[Pair and connect your BlackBerry Visor Mount Speakerphone VM-605 with your BlackBerry device, 4](#)