
HL-2150N



Compact and professional, network-ready mono laser printer





- Up to 22ppm mono print speed
- Network ready
- HQ1200dpi print resolution
- Full-Speed USB 2.0 connectivity
- Up to 250 sheet paper tray
- · Cost effective consumables
- One year on-site warranty

HL-2150N

Stylish and compact, the Brother HL-2150N delivers fast, high quality output. With network connectivity built-in as standard, the HL-2150N is a great addition to your business.



Working in a small office or running a small business from home, it's always wise to have the option of low-cost mono laser printing.

Think about your daily print requirements.

Do all of your business documents really need to be printed in colour? Financial statements, letters and business stationery would all be more cost-efficient to print on a high speed mono laser printer.

By multiplying this by the number of users on your existing network the cost saving effect on your business could be substantial.

The Brother HL-2150N mono laser printer delivers fast, high quality print results quickly and efficiently.

Network-ready as standard, the HL-2150N can easily handle the demands of multiple users. Using the quick start guide you can be up and running in no time, printing high









quality documents at speeds of up to 22ppm. The slick, neat design means your printer requires the minimum amount of space.

It's compatible with Windows®, Mac® and Linux and its full-speed USB interface allows for easy connection with most modern devices, including laptops. The 250 sheet paper tray can cope with large print runs without the need to be regularly re-filled, and

media types such as envelopes, can be handled through its manual feed slot.

Add to this its low purchase price, together with a separate toner and drum, which means you only replace the toner or drum when necessary, and the HL-2150DN makes real business sense for your organisation.

HL-2150N Technical Specifications

	General		Printer Driver Functions	
	Technology Print Speed A4 First Print Out Time Resolution Processor Memory Capacity Interface Network IPv4 Supported Protocols IPv6 Supported Protocols Emulation	Electrophotographic Up to 22ppm Less than 10 seconds H01200 (2400 x 600), 600dpi, 300dpi 181MHz 16MB Full-Speed USB 2.0 Ethernet 10/100BASE-TX TCP/IP, ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS, DNS resolver, mDN, LLMMR responder, LPR/LPD, Port9100, IPP, FTP Server, POP before SMTP, SMTP AUTH, APOP, TELNET, SNMP, HTTP, TFTP, SMTP Client, ICMP, Web Services TCP/IP, NDP, RA, DNS resolver, mDNS, LLMMR responder, LPR/LPD, Port9100, IPP, FTP Server, POP before SMTP, SMTP AUTH, APOP, TELNET, SNMP, HTTP, TFTP, SMTP Client, ICMP, Web Services PCL®6	Printer Driver Features Utilities	N-up Printing - Reduce up to 2, 4, 9, 16 or 25 A4 pages to 1 A4 page Poster Printing - Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages Watermark Printing - Print documents with predefined text or user-defined messages Quick Print Set-up - Select print options in the driver quickly Manual Duplex - Manually print on both sides of the paper Status Monitor - A function for showing printer errors on your PC Web Based Management - Web browser print server management Driver Deployment Wizard - A quick and easy way to deploy Brother printer drivers on a Networked Windows® PC BR Admin Light - Print Server Management for
	Resident Fonts Display	PCL®6-49 Scalable Fonts, 12 Bitmap Fonts, 11 Barcodes 4 LED Toner (Yellow), Drum (Yellow), Error (Red), Go (Blue)	Web Download Utilities http://solutions.brother.com	Windows® and Mac OS® X 10.2.4 or greater BRAdmin Professional - For LAN management Web BRAdmin Professional - Server based management Utility / Windows® IIS(4.0/5.0) mode only
ı	Paper Handling			
	Paper Input	250 Sheets Standard Paper Tray	Supplies	
	Paper Output Media Specifications	1 Sheet Manual Paper Feed Slot 100 Sheets (Face Down)	In-box Toner Standard Toner High Yield Toner Drum	Approx. 1,500 pages* TN-2110 - Approx. 1,500 pages* TN-2120 - Approx. 2,600 pages* DR-2100 - Approx.12,000 pages
	Media Types Standard Paper Tray - Plain Paper, Bond Paper, Recycled Paper, Transparencies (up to 10 pages)		Dimensions / Weight	
	Transparencies Media Weights	Manual Feed Slot - Plain Paper, Bond Paper, Recycled Paper, Envelopes, Labels, Standard Paper Tray - 60 - 105 g/m2 (16 - 28 lb)	Dimensions (W x D x H) Weights	With carton 475x454x360mm Without carton 368x361x170.5mm With carton 8.4kg, without carton 6.8kg
	Manual Feed Slot - 60 - 163 g/m2 (16 - 43 lb)		Others	
	Media Sizes	Standard Paper Tray - A4, Letter, B5 (ISO/JIS), A5, B6 (ISO), A6, Eve Manual Feed Slot - Width 76.2 to 220 mm, Length 116 to 406.4 mm	Power Consumption Noise Level	460W printing 80W standby 7W sleep Sound Pressure (Printing) LpAm= 51 dB (A) (Standby) LpAm= 30 dB (A)
Printer Driver Software			Sound Power (Printing) LWAd= 6.7 B (A)	
	Windows [®]	Windows Vista™, Windows® XP Professional (32 & 64 bit editions) / XP Home Edition, Windows Server 2003® (32 & 64 bit editions), Windows® 2000 Professional	Ecology Laser Classification	(Standby) LWAd= 4.5 B (A) Power Save - Consume less energy when not in use Toner Save - Reduces toner usage Class 1 Laser Product (IEC 60825-1:2001)
	Macintosh® Linux	Brother Laser Driver for Mac OS® X 10.2.4 or greater GDI Printer Driver for Linux	*Declared yield values in accordance with ISO/IEC 19752	





All Brother mono colour laser printers come complete with 12 months on-site warranty, upon registration.

For best results always use original Brother consumables to guarantee the best in high performance colour laser printing for your business.

www.brother.co.uk/originals

Contact:

Office Technology Irl. Ltd., Unit G9 Riverview Business Park,

Nangor Road, Dublin 12. Tel: 01 460 44 44

Fax: 01 460 33 33 Email: info@officetechnology.ie Website: www.officetechnology.ie



