

D-Link Wireless Configuration Setup Instructions

Please run Windows Critical Updates prior to setting the D-link configurations. Without the appropriate updates your computer will not authenticate to our network.

1) Open the D-Link Air Premier Client Utility



2) Select New

| ent Status Profile Manageme | nt Diagnostics | |
|-----------------------------|-----------------|----------------|
| s test | | New |
| | | Modify |
| | | Remove |
| | | Activate |
|)etails | | |
| Network Type: | Infrastructure | Import |
| Security Mode: | Disabled | |
| Network Name 1 (SSID1): | <empty></empty> | Export |
| Network Name 2 (SSID2): | <empty></empty> | Scan |
| Network Name 3 (SSID3): | <empty></empty> | |
| | | Order Profiles |

a) Enter Jefferson as Profile name

b) In the SSID 1 field enter "swopenwpa" (without the quotations)

| Profile Settings | lefferson | | |
|------------------|-----------|---|--|
| Fionie Name. | | | |
| Client Name: | PCSV021 | | |
| Network Names | | 7 | |
| SSID1: | swopenwpa | | |
| SSID2: | | | |
| SSID3: | | | |
| | | | |
| | | | |
| | | | |
| | | | |





| | ? |
|---|---|
| | |
| | |
| WPA/WPA2 EAP Type: PEAP (EAP-MSCHAP V2) | |
| | |
| 802.1× EAP Type: LEAP | |
| 1 | |
| | |
| Allow Association to Mixed Cells | |
| | |
| | |
| | |
| | |
| ΠΚ | Cancel |
| | |
| | WPA/WPA2 EAP Type: PEAP (EAP-MSCHAP V2) |

3) Select Security Tab
a) Select WPA/WPA2
b) In WPA/WPA2 EAP
Type select PEAP
(EAP – MSCHAP V2)
c) Click configure

| | Setup | |
|-------------------|--|-----------|
| Profile Managemen | nt | <u>?×</u> |
| General Security | Advanced | |
| De | efine PEAP (EAP-MSCHAP V2) Configuration | |
| Set Security | Use Machine Information For Domain Logon | |
| • WPA/ | Trusted Root Certification Authorities | |
| C WPA/ | <anv></anv> | |
| C 802.1x | Lise Windows Liser Name and Password | |
| C Wired | User Information for DEAD (CAD MCCUAD) (2) Authoritization | |
| C None | | |
| | User Name: | |
| Conl | | |
| | | |
| | Confirm Password: | |
| | | |
| | Settings OK Cancel | |
| | | |
| | | |
| | | |
| | | |
| | | |

d) Make sure the box for Use Machine information for Domain logon is unchecked
e) Trusted Root Certification Authorities should be set on <Any>
f) Uncheck "Use Windows User Name and Password" and enter your campus key and password

4) Click ok to Configuration5) Click ok to Profile management

10/6/2008



| n Options | | |
|-----------------------------|----------------------|-----------------|
| ent Status Profile Manageme | ent Diagnostics | |
| test See jefferson | | New |
| | | Modify |
| | | Remove |
| | | Activate |
| Details Network Tupe: | Infractructure | |
| Security Mode: | PEAP (EAP-MSCHAP V2) | Import |
| Network Name 1 (SSID1): | swopenwpa | Export |
| Network Name 2 (SSID2): | <empty></empty> | Scan |
| Network Name 3 (SSID3): | <empty></empty> | |
| Auto Soloot Profiles | | Order Profiles. |

6) Select Jefferson and select "Activate". You should see the wireless icon move to Jefferson once you select "Activate". 7) Hit X to close out of the Utility. (You may need to reboot your computer for the settings to

apply)