

EPSON®

BRIGHT, SVGA PROJECTOR PACKED WITH PRESENTER-PLEASING FEATURES.

Best-in-class image quality. Exceptional 1500 ANSI lumens of brightness. Dazzling color saturation and Epson's worldclass reliability. Put them together and you've got an idea of why the EPSON PowerLite® 5350 is one of the most talked-about portable projectors to hit the market.

For starters, its 3-LCD technology produces 1.44 million pixels of eye-pleasing color. A unique metal sandwich placed between each pixel virtually eliminates light leakage and pixel "cross-talk". You'll notice the images projected from the PowerLite 5350 are sharper, crisper and better defined than those from its less sophisticated competition.

But there's more. Like a phenomenal 85% illumination ratio. So your projected images are just as rich and vivid and colorful at the image corners as in the center. A 250:1 contrast ratio makes the finest print easier to read—even from the back of the room.

The PowerLite 5350 is also one of the most versatile, easy-to-use projectors available. Its exclusive SizeWise™ imaging technology lets you use it with SXGA, XGA, SVGA and VGA computers and enjoy picture-perfect projection from them all, making it ideal for multiple presenters using different types of computers. Plus, its 20° keystone correction feature ensures sharp, easy-to-view imagery—even in small or odd shaped rooms. A remote control is a standard accessory with a host of features, including mouse control, electronic zoom and a pointer.

You can also use the PowerLite 5350 with a wide range of video signals. It supports NTSC, PAL, SECAM and is HDTV compatible! A new Picture-in-Picture feature allows simultaneous viewing of computer and video images.

The EPSON PowerLite 5350—the new high-performance, multimedia portable projector from the #1 projector manufacturer in the world. Use it to take your presentations from merely memorable to truly outstanding.



EPSON PowerLite 5350 Multimedia Projector

FEATURES

- SVGA (800 x 600) projection, 3 LCD design and unique metal sandwich structure
- Powerful 1500 ANSI lumens
- 85% illumination ratio and a 250:1 contrast ratio
- 20° keystone correction
- EPSON SizeWise technology
- Wide range of video and installation capabilities
- EPSON PrivateLineSM toll-free technical support number

BENEFITS

- State-of-the-art image quality, superior color saturation, and reduced light leakage between pixels for more distant images.
- Ultra-bright, easy-to-view images in a wide range of lighting conditions.
- Even, vivid color saturation without "hot spots" and easier-to-read black text.
- Automatic squaring of screen image lets you place the projector anywhere in the room.
- Supports SXGA(1280 x 1024) technology, XGA (1024 x 768), SVGA (800 x 600), and VGA (640 x 480) Macintosh and PC computers.
- Compatible with international video formats. Supports 16:9 aspect ratio. (HDTV)
- Staffed from 6 a.m. to 6 p.m. PST Monday to Friday. Calls are typically answered within 45 seconds.



EPSON POWERLITE 5350 SPECIFICATIONS

Projection System
EPSON Original Prism technology

LCD Panel
EPSON 1.32" Poly-Silicon TFT; Active-matrix

Number of Pixels
1,440,000 pixels
(800 x 600) x 3 panels

Pixel Arrangement
Stripe

Lens
Manual zoom /manual focus
1:1.3 zoom, F = 2.0 - 2.3, f = 55 - 72mm

Keystone Correction
Electronic +/- 20 degrees

Lamp
Ultra High Efficiency (UHE)
150W (user replaceable)

Image Size
Diagonal 23" - 300"

Projection Distance
3.9' - 52' (1.2m - 15.7m)

Color Reproduction
24 bit, 16.7 million colors

Brightness
1500 ANSI lumens (typical)

Contrast Ratio
250:1

Illumination Ratio
85% (typical)

Projection Methods
Front projection Yes
Rear/ceiling mount Yes

Audio
Built-in stereo speakers
3w + 3w stereo

Pixel Clock
13.5 - 160 MHz

H Sync
15 - 92 kHz

V Sync
43 - 85 Hz

Video Signal RGB (PC)
Video signal level
Analog RGB 0.71Vp-p 75 Ω
TTL RGB*

Sync. signal level
Separate H, V TTL RGB*
Composite TTL RGB*
Sync. on green 0.286Vp-p 75 Ω

Operating Noise Level
<42 dB

*accepts 3.3V output level

Power Requirements/Consumption
AC 100 to 120V/200 to 240V
± 10%, 50/60 Hz

Multiple Aspect Ratio
5:4 SXGA, UXGA
4:3 VGA, SVGA, XGA
16:9 Wide screen video

Video
Signal level
Composite video 1Vp-p 75 Ω
S-video Luminance .714Vp-p,
Chrominance 0.284Vp-p 75 Ω

Interface Standards
NTSC NTSC, Chroma subcarrier
frequency 3.58 MHz, 4.43 MHz
Chroma subcarrier frequency
PAL, PAL-M, PAL-N CCIR, Chroma
PAI-N Subcarrier frequency 4.43 MHz
SECAM CCIR, Carrier frequency
4.43 MHz
HDTV 480I, 480P, 720P, 1080I, 1080P

Audio Signal
Input
Input voltage 500 mVrms
Input impedance 47K Ω
Output
Output voltage 0 - 500 mVrms
Output impedance 600 Ω

Physical Characteristics
11.8" x 15.8" x 5.1" (W x D x H); 13.8 lb

Supplied Accessories
AC cable, main cable, audio/video cable, Macintosh®
desktop adapter, Macintosh monitor adapter, remote
control, 2 AA batteries, Link IV software CD, user's
manual, quick reference guide, PS/2 mouse cable,
serial mouse cable, Macintosh mouse cable, USB
mouse cable, PC serial cable, Macintosh serial cable

Product/Accessory Part Numbers
EPSON PowerLite 5350 ELP-5350
multimedia projector
Optional Accessories
Wheeled soft case for projector/laptop ELPKS18
Soft shell shoulder case projector/laptop ELPKS10
Molded hard shell carrying case ELPKS17
ATA shipping case ELPKS19
Replacement lamp unit ELPLP09
Long throw lens ELP1101
Wide angle conversion lens ELPKW01
Remote control IR receiver ELPST02
ELP communication cable set ELPKC17

Warranty
Standard one year limited warranty includes EPSON
Road Service Program and EPSON PrivateLine
dedicated toll-free support (U.S. and Canada only)

Support - The Epson Connection™
Pre-Sales Support U.S. & Canada 800-463-7766
Automated Technical Support 800-922-8911
Internet Website <http://www.epson.com>
 <http://www.presentersonline.com>



YOU'VE GOT TO SEE IT IN **EPSON** COLOR.™



Epson America, Inc.
3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada, Ltd.
550 McNicoll, Willowdale, Ontario M2H 2E1

Epson Latin America, Inc.
6303 Blue Lagoon Drive, Miami, FL 33126

Specifications and terms are subject to change without notice. EPSON is a registered trademark of Seiko Epson Corporation. PowerLite is a registered trademark. SizeWise is a trademark and PrivateLine, Epson Connection and Presenters Online are service marks of Epson America, Inc. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. © Copyright 1999 Epson America, Inc. CPD-8521 50K 9/99 LG