

## NEED MORE HELP?

# Jabra®

## Jabra® PRO™ 9460 and 9460-Duo

### EUROPE

Belgique/Belgium	+ 49 (0)8031 2651 72
Czech Republic	800 522 722
Danmark	+ 45 45 75 99 99
Deutschland	+ 49 (0)8031 2651 72
España	+ 34 916 398 064
France	+ 33 (0) 130 589 075
Italia	+ 39 02 5832 8253
Luxembourg	+ 49 (0)8031 2651 72,
Nederland	+ 49 (0)8031 2651 72
Norge	+ 47 32 22 74 70
Österreich	+ 49 (0)8031 2651 72
Poland	0-801-800-550; + 48 12 254-40-15
Russia	sorlov@gn.com darkhipov@gn.com
Suomi	+ 358 9 396 811
Sverige	+ 46 (0)8 693 09 00
United Kingdom	01784 220172 + 01784 220140

### USA & CANADA

Canada	1-800-489-4199
USA	1-800-826-4656

### ASIA

Australia	1800636086 - local distributor CS/1800-083-140 - GN APAC CS
China	+ 86-21-5836 5067
Hong Kong	800-968-265 (Toll free)
India	000-800-852-1185 (Toll free)
Indonesia	001-803-852-7664
Japan	+ 81-3-5297-7976
Malaysia	1800-812-160 (Toll free)
New Zealand	0800-447-982 (Toll free)
Philippines	+ 63-2-2424806
Singapore	800-860-0019 (Toll free)
Taiwan	0080-186-3013 (Toll free)

For further languages please refer to the manuals  
on the enclosed CD.

### EUROPE:

EN/FR/DE/IT/NL/ES/DA/SE/NO/FI/PT/RU/TR/CZ/HU

### USA & CANADA:

US/FR/ES/PT

### ASIA:

EN/CHT



A BRAND BY

**GN Netcom**

© 2009 GN Netcom A/S. All rights reserved. Jabra® is a registered trademark of GN Netcom A/S. All other trademarks included herein are the property of their respective owners. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by GN Netcom A/S is under license. (Design and specifications subject to change without notice).

MADE IN CHINA  
TYPE: 9400HS/BS



www.jabra.com

81-02929 D

## Quick start guide

www.jabra.com

PATENTS AND DESIGN REGISTRATION PENDING INTERNATIONAL

REGISTER YOUR JABRA AT [JABRA.COM/REGISTER](http://JABRA.COM/REGISTER) - FOR NEWS, SUPPORT AND COMPETITIONS

JABRA PRO 9460 HEADSET DIAGRAMS

Figure 1:





Figure 2:



JABRA PRO 9460 BASE DIAGRAM

Figure 3:



DIAL-IN NUMBER FOR AUTOMATIC DESKPHONE SETUP

(Jabra Setup Server)

Australia	(+61) 390015714	Italy	(+39) 199241498
Austria	(+43) 720881373	Japan	(+81) 345209655
Belgium	(+32) 28081988	Netherlands	(+31) 858880322
Canada	(+1) 5146670459	New Zealand	(+64) 99853540
China	(+86) 2131001806	Norway	(+47) 85449926
Czech Republic	(+42) 0246019050	Poland	(+48) 223988168
Denmark	(+45) 69121700	Russia	(+7) 812-3092605
Finland	(+35) 8942415766	Singapore	(+65) 31031365
France	(+33) 975180988	South Africa	(+27) 114613389
Germany	(+49) 8922061142	Spain	(+34) 901667428
Hong Kong	(+852) 317-09541	Sweden	(+46) 101992532
India	000-800-100-7140	Switzerland	(+41) 435002588
Ireland	(+353) 766060801	United Kingdom	(+44) 8708200018
Israel	(+972) 37219694	United States of America	(+1) 202 446 0321

6 Telephone port



9 USB port



7 Handset port



10 Power adapter port



8 AUX port



11 Remote online-indicator port



## IMPORTANT



This guide will help you connect and configure your headset solution. It is important that you follow the instructions in each section in the order in which they are given.

Please note that the touchscreen base has a built-in setup wizard, which guides you through all of the required connections and settings, automating many of the tasks. It launches the first time you apply power to the base.

Basic headset operation is also introduced here. See the full user manual on the supplied CD-ROM for complete details about how to use your Jabra® PRO™ headset.

This product contains font software programs which generate human readable typeface designs ("Font Software") on base display. The Font Software family is Frutiger® Next licensed to GN Netcom by Linotype®.







## JABRA PRO 9460 HEADSET DIAGRAMS

- 1 Multifunction button (answer/end call, among other functions)
- 2 Touch panel for volume and mute control
- 3 Activity and status indicator (multicolor LED)
- 4 Noise-cancelling microphone
- 5 Boom arm (flex)
- 6 Recharge contact
- 7 Mount for wearing-style attachments
- 8 Speaker(s)

*Figure 1: Jabra PRO 9460 headset as seen from the outer and inner sides, respectively*

*Figure 2: Jabra PRO 9460-Duo headset as seen from the outer and inner sides, respectively*

## JABRA PRO 9460 BASE DIAGRAM

- 1 Headset cradle
- 2 Recharge contact
- 3 Touchscreen
- 4 Clear dial-tone switch
- 5 Cover for desk-phone control
- 6 Telephone port 
- 7 Handset port 
- 8 AUX port 
- 9 USB port 
- 10 Power adapter port 
- 11 Remote online-indicator port 
- 12 Security slot 
- 13 Speaker for ring tones and touchscreen audio feedback

*Figure 3: Jabra PRO 9460 base, seen from the front and back, respectively*


## INSTALLATION AND SETUP

### Step 1: Attach the headset to the headband

**Note:** This step does not apply to Jabra PRO 9460-Duo, as it is always worn as a headband.

Included in the standard package are the headband and ear hook wearing styles. If you want to attach the ear hook, refer to the procedure in the full user manual on the CD-ROM supplied with your headset.


1. Align the mounting surface of the headset with matching socket on the headband attachment.
2. Press the headset assembly firmly onto the outer side of the headband attachment until it clicks into place (snap-to-click). If you have trouble pressing them together, try to rotate the boom arm about 30° and try again.
3. Rotate the headset boom arm for left- or right-ear use as needed. Always position the microphone so that it sits as close to the corner of your mouth as possible when you wear the headset.
4. Adjust the length of the headband to fit snugly around your head.




### Step 2: Adjust the headset cradle

The headset cradle is already attached to the Jabra PRO base when it is delivered but you might want to adjust its angle in order to optimize for left- or right-handed docking.

To do this, simply rotate the cradle until it sits at your preferred docking angle. As you rotate the cradle, you will feel it fit into a number of distinct positions on the base. The figure below shows the angular range; -90 to +45 degrees.



### Step 3: Apply power to the base

Connect the mains power adapter to the base's power port (marked with ) , then plug it into a mains power socket.



A setup wizard automatically launches on the touchscreen.



#### Step 4: Connect the base to your desk phone

Let the wizard guide you through the task of connecting your desk phone to the base.

The way in which you connect the two devices will vary according to whether the phone has a headset port and whether it has an electronic hook-switch or remote handset lifter (such as the GN1000).

You need to determine this yourself. For example, you might already have an electronic hook-switch (EHS) installed or you might have ordered a remote handset lifter (such as the GN1000) together with your headset package. You can use the wizard to configure your EHS connection (if any).

**Note:** Connection to a phone which includes an electronic hook-switch requires a model-specific adapter from Jabra. See the user manual for more.

#### Step 5: Configure the base for your desk phone

Once the base has established a connection to the desk phone, the optimal clear dial-tone switch and microphone level settings need to be determined.

The wizard will prompt you to call your local Jabra setup server — **see the cover of this quick start guide for a list of numbers**. This enables the Jabra PRO base to test its clear dial-tone switch and mic.-level settings by exchanging signals with the setup server.

**Note:** If the base is unable to contact the server, you can choose to configure the desk phone manually. See the user manual for more.


To set the clear dial-tone switch position and mic.-level:

1. Open the panel on the front-right of the Jabra PRO base by slipping your thumbnail under the bottom edge of the panel and pulling forward and up. This reveals the clear dial-tone switch.
2. The touchscreen wizard prompts you to call the Jabra setup server. Follow the on-screen instructions.
3. The wizard prompts you to select positions (A – G) manually on the base's clear dial-tone switch. The base itself will determine which of these is the best.

Once it has established the optimal clear dial-tone switch position, the base will determine the optimal microphone level automatically.

#### Step 6: Connect the base to your softphone (PC)

To use Jabra PRO with a softphone, you must first connect the Jabra PRO base to your PC via a USB cable. The softphone part of the setup wizard will prompt you to do this.


1. Connect the small connector (mini USB) of the supplied USB cable to the port marked  on the Jabra PRO base.

2. Connect the other end of the USB cable to any free USB port on your computer.

### Step 7: Enable your softphone interface

1. Insert the CD-ROM included with your headset into your PC and install the Jabra PC Suite software.

The softphone part of the setup wizard will prompt you to do this.



The installation includes the supported softphone drivers necessary to enable the softphone interface.

If you have any questions as you work through the setup wizard, or if you would like to learn more on how to use the many advanced features of your headset solution, please refer to the full user manual. This is included on the CD-ROM in PDF format.

2. Right-click on the Jabra icon in the Windows Notification Area and select **Open Device Service**.

The Jabra Device Service window opens. This shows the list of softphone drivers installed on your PC. Use the online help available in this window to learn more.

3. Select the softphone you want to use (target softphone) from those available in the **Select softphone for outgoing calls** drop-down list.
4. Run the Jabra Control Center — click on the Windows Start button and select All Programs > Jabra > Jabra PC Suite > Jabra Control Center.
5. Select the Softphone tab for your Jabra PRO device.

6. In **Target softphone for outgoing calls**, select either **Microsoft Office Communicator** or **Softphones supported by Jabra PC Suite**. Configure other parameters, as required.

This establishes the default softphone target type. Use the online help available in this window to learn more.

## TOUCHSCREEN CONTROLS

During normal operation, the touchscreen displays information about your headset, shows the current target phone for outgoing calls and indicates its status. From here, you can answer an incoming call, end the current call, access your base settings, choose a target phone and open an audio link to the current target phone.




Figure 5: Touchscreen controls for standard, everyday operation

- 1 **Settings icon:** touch here to go to the settings menu for your base and headset.
  - 2 **Battery indicator:** indicates the current charge level of your headset.
  - 3 **Current target phone:** shows the current target phone and indicates its status (ringing, online, etc.). This is the phone to which you will connect if you **tap** the headset multifunction button or touch the activate-audio-link icon.
  - 4 **Other phones:** touch the appropriate icon here to change the current target phone — or **press** the headset multifunction button when no call is active to cycle through available phones (press and hold for about two seconds).
  - 5 **Activate audio link:** touch here to answer an incoming call or activate the audio link to the current target phone — or **tap** the headset multifunction button when no call is active.
- Please see the user manual for complete details.

## DAILY USE

### Storing and charging the headset:

Whenever you are not using your headset, keep it in its recharge cradle as shown below. It is held firmly in place by a magnet.



The headset LED indicates whether it is charging (constant yellow) or fully charged (no light). Check the headset battery level indicated on the touchscreen. Usually, the headset ships with the battery partially charged.

### Note:

- charging occurs automatically, as soon as you dock the headset in the cradle
- the headset is still in operation even while it is charging

### Wearing the headset:

- Always wear the headset with the microphone positioned as close to your mouth as possible.



### To place or answer a call over your desk phone:

1. Touch the desk-phone icon on the touchscreen to make the desk phone the current target. (If necessary — the largest of the phone icons on the screen indicates the current target.)



2. Open the audio channel from your headset to your desk phone by doing one of the following:

- Touch the open-connection icon on the touchscreen.
- **Tap** the multifunction button at the back of your headset.



3. Open the connection from your desk phone to the phone network by doing one of the following:

- If your desk phone has a headset button, then press the headset button.
- If you do not have an electronic hookswitch, handset lifter or headset button, then lift the handset of your desk phone and place it next to the phone.

**Note:** If your desk phone has an electronic hookswitch or GN1000 Remote Handset Lifter, then the connection opens automatically.


If you are answering a call, then begin talking. If you are making a call, then dial the number on your desk phone.



4. When you are done talking, close the connection from your desk phone to the phone network by doing one of the following:

- If your desk phone has a headset button, then press the headset button.
- If you do not have an electronic hookswitch, handset lifter or headset button, then hang up the handset on your desk phone.

**Note:** If your desk phone has an electronic hookswitch or GN1000 Remote Handset Lifter, then the connection closes automatically.





5. Close the audio channel from your headset to your desk phone by doing one of the following:

- Touch the end-call icon on the touchscreen.
- **Tap** the multifunction button at the back of your headset.
- Remove the headset and place it in its cradle on the base.



3. When you are done talking, do one of the following to hang up:

- Press the end-call button on your softphone.
- Touch the end-call icon on the touchscreen.
- **Tap** the multifunction button at the back of your headset.
- Remove the headset and place it in its cradle on the base.




### To place a call over a softphone:

1. Put on your headset.



2. Dial your softphone and press the call button as usual. The base detects that you have placed a call and opens the connection to your headset automatically.



### To answer a call over a softphone:

1. The base automatically detects that a softphone is ringing and shows the incoming-call animation. Answer the call by doing one of the following:

- Touch the open-connection icon on the touchscreen.
- **Tap** the multifunction button at the back of your headset.
- Lift the headset from its cradle on the base and put it on.




2. When you are done talking, do one of the following to hang up:

- Press the end-call button on your softphone.
- Touch the end-call icon on the touchscreen.
- **Tap** the multifunction button at the back of your headset.
- Remove the headset and place it in its cradle on the base.




### During a call:

- To adjust the volume you hear, slide your finger up or down the headset's touch-sensitive panel.



- To mute or un-mute the microphone, double-tap on the headset's touch-sensitive panel. A soft tone sounds every now and then to remind you when the microphone is muted.



Dispose of the product according to local standards and regulations.

[www.jabra.com/weee](http://www.jabra.com/weee)