

产品目录 → 气缸安装件, 系列 CM1

螺栓

产品手册



产品目录 → 气缸安装件, 系列 CM1

螺栓


	销AA4	3
	AA6, 柱塞AA6带用于叉固定装置AB6的扭转制动装置 AB6	4

产品目录 → 气缸安装件, 系列 CM1

销AA4



00105158



00105182

产品代码	活塞- Ø	Ø EK e8	EL	Ø d 1)	L6 1)	Ø TD e9	材料	表面	标准化
1823120020	32	10	45,2 +2	23	9	10	钢	镀锌	-
1823120021	40	12	52,2 +2	25	9	12	钢	镀锌	-
1823120022	50	12	60,2 +2	25	9	12	钢	镀锌	-
1823120023	63	16	70,2 +2	32	11	16	钢	镀锌	-
1823120024	80	16	90,2 +2	32	11	16	钢	镀锌	-
1823120025	100	20	110,2 +2	40	11	20	钢	镀锌	-
5236000092	125	25	132 +0,5	34,2	3,5	25	钢	镀锌	ISO 15552
5237000092	160, 200	30	172 +0,5	40,5	4	30	钢	镀锌	ISO 15552
5239000092	250	40	202 +0,5	52,6	6,5	40	钢	镀锌	ISO 15552
5239010092	320	45	222 +0,5	59,1	7	45	钢	镀锌	ISO 15552
3661302000	25, 32	10	29,2	19	2,4	10	钢	镀锌	-
3661303000	40, 50	12	34,4	21	2,8	12	钢	镀锌	-
3661304000	63, 80	16	48,4	28	2,8	16	钢	镀锌	-
3661306000	100	20	58,4	40	3,3	20	钢	镀锌	-
3661310000	125	25	69,4	40	3,8	25	钢	镀锌	-
3661312000	125, 160	30	86,5	42	4,7	30	钢	镀锌	-
3671312000	160, 200	30	93,8	53	5,1	30	钢	镀锌	-
3661320000	200	35	99,5	60	5,2	35	钢	镀锌	-

产品代码	注											
1823120020	2)											
1823120021	2)											
1823120022	2)											
1823120023	2)											
1823120024	2)											
1823120025	2)											
5236000092	2)											
5237000092	2)											
5239000092	2)											
5239010092	2)											
3661302000	2)											
3661303000	2)											
3661304000	2)											
3661306000	2)											
3661310000	2)											
3661312000	2)											
3671312000	2)											
3661320000	2)											

1) 最大值.


2) 供货内容范围: 带保险环的螺栓

产品目录 → 气缸安装件, 系列 CM1

AA6, 柱塞AA6带用于叉固定装置AB6的扭转制动装置 AB6



00112286



D300_018

供货范围: 螺栓, 包括锁紧环或固定板在内

产品代码	活塞- Ø	A	Ø d	C	Ø D3 -0,1	Ø D4 H12	Ø EK h9	EL +0,2	L6	AP	L4 -0,4
5230000082	32	18	22	10	10	3	10	32,5	4,5	41	14
5231000082	40	22	26	12	12	4	12	38	5	48	16
5232000082	50	28	34,5	16	16	4	16	43	6	54	20
5233000082	63	28	34,5	16	16	4	16	49	6	60	20
5234000082	80	28	34,5	16	16	4	20	63	6	74	24
5235000082	100	28	34,5	16	16	4	20	73	6	84	24
5236000082	125	40,5	40,5	20,25	30	6	30	94	5	106	36
5237000082	160, 200	46,8	46,8	23,4	35	6	35	119	5	131	41
5239000082	250	52,6	52,6	26,3	40	8	40	121	6	137	48
5239010082	320	64,5	64,5	32,25	50	8	50	146	7	163	58

产品代码	Ø TD e9	材料	标准化								
5230000082	10	不锈钢	ISO 15552								
5231000082	12	不锈钢	-								
5232000082	16	不锈钢	-								
5233000082	16	不锈钢	-								
5234000082	20	不锈钢	-								
5235000082	20	不锈钢	ISO 15552								
5236000082	30	不锈钢	ISO 15552								
5237000082	35	不锈钢	ISO 15552								
5239000082	40	不锈钢	ISO 15552								
5239010082	50	不锈钢	ISO 15552								

Bosch Rexroth AG
Pneumatics
Ulmer Straße 4
D - 30880 Laatzen
Phone +49 511 2136-0
Fax +49 511 2136-2 69
sales-pneumatics@boschrexroth.de
www.boschrexroth.com/pneumatics

Your contact:

**香港博世力士乐(中国)有限公司
上海代表处**
中国上海市浦东大道1号中国船舶大厦4楼
邮编: 200120
电话: (86-21) 3866 6000
传真: (86-21) 3866 6111

**博世力士乐(中国)有限公司
香港办事处**
香港九龙长沙湾长顺街19号
杨耀松第六工业大厦1楼
电话: (852) 2262 5100
传真: (852) 2786 0733

**香港博世力士乐(中国)有限公司
北京代表处**
中国北京经济技术开发区永昌南路6号
邮编: 100176
电话: (86-10) 6782 7000
传真: (86-10) 6782 7020

**香港博世力士乐(中国)有限公司
大连代表处**
中国大连市西岗区新开路99号
珠江国际大厦2005室
邮编: 116011
电话: (86-411) 8368 2602
传真: (86-411) 8368 2702

**香港博世力士乐(中国)有限公司
广州代表处**
中国广州市开发区科学城光谱西路
邮编: 510663
电话: (86-20) 3229 9551
传真: (86-20) 3229 9528

**博世力士乐(中国)有限公司
成都代表处**
中国成都市顺城大街308号
冠城广场21楼B-C座
邮编: 610017
电话: (86-28) 8652 7550
传真: (86-28) 8652 7123

博世力士乐(常州)有限公司
中国江苏常州市武进区人民东路16号
邮编: 213161
电话: (86-519) 8175 000
传真: (86-519) 8175 088

博世力士乐(北京)液压有限公司
中国北京经济技术开发区永昌南路6号
邮编: 100176
电话: (86-10) 6782 7000
传真: (86-10) 6782 7020

上海博世力士乐液压及自动化有限公司
中国上海市外高桥保税区富特东一路122号
邮编: 200131
电话: (86-21) 5866 3030
传真: (86-21) 5866 5523

**上海博世力士乐液压及自动化有限公司
金桥分公司**
中国上海市金桥出口加工区金皖路55号
邮编: 201206
电话: (86-21) 3866 6333
传真: (86-21) 3866 6222

further contacts:
www.boschrexroth.com/addresses

The data specified above only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification. It must be remembered that our products are subject to a natural process of wear and aging.

© This document, as well as the data, specifications and other informations set forth in it, are the exclusive property of Bosch Rexroth AG. Without their consent it may not be reproduced or given to third parties.

Subject to modifications.

Online-PDF
13-12-2011