


产品目录 → 气缸安装件, 系列 CM1

法兰安装件

产品手册



产品目录 → 气缸安装件, 系列 CM1
法兰安装件

	MF1, MF2, 法兰安装件 ▶ 气缸固定装置符合 ISO 15552	3
	法兰安装件 MF1 , MF2	4
	MF8, 法兰安装件 ▶ 气缸固定装置符合 ISO 6432	6
	系列 131, 法兰安装件	7



产品目录 → 气缸安装件, 系列 CM1

MF1, MF2, 法兰安装件

► 气缸固定装置符合 ISO 15552



00105812



00126399

供货内容范围：法兰固定装置，包括固定螺栓


产品代码	活塞- Ø	Ød H11	Ød1	Ød2	E 1)	ØFB	L4	MF	R	TF	TG
1827001277	32	30	6,6	11	50	7	4,5	10	32	64	32,5 ±0,2
1827001278	40	35	6,6	11	55	9	4,5	10	36	72	38 ±0,2
1827001279	50	40	9	15	65	9	6	12	45	90	46,5 ±0,2
1827001499	63	45	9	15	75	9	6	12	50	100	56,5 ±0,2
1827001281	80	45	11	18	100	12	9	16	63	126	72 ±0,2
1827001282	100	55	11	18	120	14	9	16	75	150	89 ±0,2
1827004861	125	60	14	20	140	16	10,5	20	90	180	110 ±0,3
1827001460	160	65	18	26	180	18	9,5	20	115	230	140 ±0,3
1827001461	200	75	18	26	220	22	12,5	25	135	270	175 ±0,3
1827001462	250	90	22	33	280	26	10,5	25	165	330	220 ±0,3

产品代码	UF	材料	表面								
1827001277	80	钢	镀锌								
1827001278	90	钢	镀锌								
1827001279	110	钢	镀锌								
1827001499	125	钢	镀锌								
1827001281	154	钢	镀锌								
1827001282	186	钢	镀锌								
1827004861	220	钢	镀锌								
1827001460	275	钢	镀锌								
1827001461	312	钢	镀锌								
1827001462	380	钢	镀锌								

1) 最大值.

产品目录 → 气缸安装件, 系列 CM1

法兰安装件 MF1 , MF2



供货内容范围：法兰固定装置，包括固定螺栓

产品代码	活塞- Ø	d	Ø d1	Ø d2	E	Ø FB	L4	MF	R	TF	TG
1821038241	16	10	4,5	10	29	5,5	5,6	10	—	43	18
1827002292	20	12	5,5	10	36	6,6	4,6	10	—	55	22
1827002293	25	12	5,5	10	40	6,6	4,6	10	—	60	26
1827002294	32	14	6,6	11	50	7	3,6	10	32	65	32
1827002295	40	14	6,6	11	60	9	3,6	10	36	82	42
1827002296	50	18	9	15	68	9	3,4	12	45	90	50
1827002297	63	18	9	15	87	9	6,4	15	50	110	62
1827002298	80	23	11	18	107	12	4,4	15	63	135	82
1827002299	100	28	11	18	128	14	4,4	15	75	163	103
3682002000	25	25	5,5	9,5	40	7	4,8	10	26	52	27
3662003000	32	26	5,5	9,5	46	7	4,8	10	32	64	32
3662004000	40	36	6,6	11	55	9	4,5	13	36	72	40
3662005000	50	41	6,6	11	62	9	6,5	13	45	90	46
3662006000	63	41	9	14,5	80	9	7,5	16	50	100	59
3662008000	80	50	9	14,5	94	12	9,5	18	63	126	73
3662010000	100	58	11	17,5	114	14	7,5	18	75	150	90
3662012000	125	72	14	21	140	16	7	20	90	180	110
3662016000	160	87	16	24	180	18	7	22	115	230	140
3662020000	200	87	18	27	220	22	8	25	135	270	175
3662025000	250	104	22	45	270	26	11	25	165	330	218
3662032000	320	110	26	52	340	33	14	30	200	400	274
2990602003	32	26	5,5	9,5	46	10	4,5	10	32 Js 14	64 Js 14	32
2990602004	40	36	6,6	11	55	13	6,5	13	36 Js 14	72 Js 14	40
2990602005	50	41	6,6	11	60	13	6,5	13	45 Js 14	90 Js 14	46
2990602006	63	41	9	14,5	80	16	7,5	16	50 Js 14	100 Js 14	59
2990602008	80	50	9	14,5	94	18	9,5	18	63 Js 14	126 Js 14	73
2990602010	100	58	11	17,5	114	18	7,5	18	75 Js 14	150 Js 14	90
2990602012	125	72	14	21	140	20	7	20	90 Js 14	180 Js 14	110

产品代码	UF	材料	表面	重量 [kg]	图片						
1821038241	55	钢	镀锌	-	Fig. 1						
1827002292	70	钢	镀锌	-	Fig. 1						
1827002293	76	钢	镀锌	-	Fig. 1						
1827002294	80	钢	镀锌	-	Fig. 2						
1827002295	102	钢	镀锌	-	Fig. 2						
1827002296	110	钢	镀锌	-	Fig. 2						

产品目录 → 气缸安装件, 系列 CM1

法兰安装件 MF1 , MF2



产品代码	UF	材料	表面	重量 [kg]	图片						
1827002297	130	钢	镀锌	-	Fig. 2						
1827002298	160	钢	镀锌	-	Fig. 2						
1827002299	190	钢	镀锌	-	Fig. 2						
3682002000	66	钢	镀锌	-	Fig. 2						
3662003000	80	钢	镀锌	-	Fig. 2						
3662004000	90	钢	镀锌	-	Fig. 2						
3662005000	110	钢	镀锌	-	Fig. 2						
3662006000	120	钢	镀锌	-	Fig. 2						
3662008000	155	钢	镀锌	-	Fig. 2						
3662010000	180	钢	镀锌	-	Fig. 2						
3662012000	220	钢	镀锌	-	Fig. 2						
3662016000	280	钢	镀锌	-	Fig. 2						
3662020000	320	钢	镀锌	-	Fig. 2						
3662025000	380	钢	镀锌	-	Fig. 2						
3662032000	460	钢	镀锌	-	Fig. 2						
2990602003	80	不锈钢, 抗 酸性	-	0,3	Fig. 2						
2990602004	90	不锈钢, 抗 酸性	-	0,4	Fig. 2						
2990602005	110	不锈钢, 抗 酸性	-	0,5	Fig. 2						
2990602006	120	不锈钢, 抗 酸性	-	1	Fig. 2						
2990602008	155	不锈钢, 抗 酸性	-	1,8	Fig. 2						
2990602010	180	不锈钢, 抗 酸性	-	2,6	Fig. 2						
2990602012	220	不锈钢, 抗 酸性	-	4,1	Fig. 2						

产品目录 → 气缸安装件, 系列 CM1

MF8, 法兰安装件
► 气缸固定装置符合 ISO 6432



00106405



D132_007


产品代码	活塞- Ø	Ø d	Ø FB	MF	TF js14	UF	UR	材料			
3322010000	8, 10	12	4,5	3	30	40	22	不锈钢			
3322016000	12, 16	16	5,5	4	40	53	30	不锈钢			
3322020000	20, 25	22,1	6,6	5	50	68	40	不锈钢			
1821036012	8, 10	12,1	4,5	3	30	40	25	钢			
1821036011	12, 16	16,1	5,5	4	40	53	30	钢			
1821036010	20, 25	22,1	6,6	5	50	66	40	钢			

产品目录 → 气缸安装件, 系列 CM1

系列 131, 法兰安装件



t131_004



D131_005

产品代码	活塞- Ø	Ø d	材料	表面							
3342006000	6	6,1	钢	镀锌							
3342010000	10	8,1	钢	镀锌							

Bosch Rexroth AG
Pneumatics
Ulmer Straße 4
D - 30880 Laatzen
Phone +49 511 2136-0
Fax +49 511 2136-2 69
sales-pneumatics@boschrexroth.de
www.boschrexroth.com/pneumatics

Your contact:

**香港博世力士乐(中国)有限公司
上海代表处**
中国上海市浦东大道1号中国船舶大厦4楼
邮编: 200120
电话: (86-21) 3866 6000
传真: (86-21) 3866 6111

**博世力士乐(中国)有限公司
香港办事处**
香港九龙长沙湾长顺街19号
杨耀松第六工业大厦1楼
电话: (852) 2262 5100
传真: (852) 2786 0733

**香港博世力士乐(中国)有限公司
北京代表处**
中国北京经济技术开发区永昌南路6号
邮编: 100176
电话: (86-10) 6782 7000
传真: (86-10) 6782 7020

**香港博世力士乐(中国)有限公司
大连代表处**
中国大连市西岗区新开路99号
珠江国际大厦2005室
邮编: 116011
电话: (86-411) 8368 2602
传真: (86-411) 8368 2702

**香港博世力士乐(中国)有限公司
广州代表处**
中国广州市开发区科学城光谱西路
邮编: 510663
电话: (86-20) 3229 9551
传真: (86-20) 3229 9528

**博世力士乐(中国)有限公司
成都代表处**
中国成都市顺城大街308号
冠城广场21楼B-C座
邮编: 610017
电话: (86-28) 8652 7550
传真: (86-28) 8652 7123

博世力士乐(常州)有限公司
中国江苏常州市武进区人民东路16号
邮编: 213161
电话: (86-519) 8175 000
传真: (86-519) 8175 088

博世力士乐(北京)液压有限公司
中国北京经济技术开发区永昌南路6号
邮编: 100176
电话: (86-10) 6782 7000
传真: (86-10) 6782 7020

上海博世力士乐液压及自动化有限公司
中国上海市外高桥保税区富特东一路122号
邮编: 200131
电话: (86-21) 5866 3030
传真: (86-21) 5866 5523

**上海博世力士乐液压及自动化有限公司
金桥分公司**
中国上海市金桥出口加工区金路路55号
邮编: 201206
电话: (86-21) 3866 6333
传真: (86-21) 3866 6222

further contacts:
www.boschrexroth.com/addresses

The data specified above only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification. It must be remembered that our products are subject to a natural process of wear and aging.

© This document, as well as the data, specifications and other informations set forth in it, are the exclusive property of Bosch Rexroth AG. Without their consent it may not be reproduced or given to third parties.

Subject to modifications.

Online-PDF
13-12-2011