


产品目录 → 活塞杆连接件, 系列 CM2

柔性耦合连接件

产品手册



产品目录 → 活塞杆连接件, 系列 CM2
柔性耦合连接件


	PM7, 带托板的柔性耦合连接件	3
	PM5, 性耦合连接件, 球形	4
	GU3, 柔性耦合连接件 A 形 ▶ 用于控制单元 ▶ 结构"U", Ø20–100	5
	GU3, 柔性耦合连接件 B 形 ▶ 用于控制单元 ▶ 结构"H", Ø20–100	6
	GU3, 柔性耦合连接件 C 形 ▶ 用于控制单元 ▶ 规格"U"和"H", Ø12–63	7

产品目录 → 活塞杆连接件, 系列 CM2

PM7, 带托板的柔性耦合连接件



00105170




00105194

产品代码	KK	a1	a2	d1 h11	d6 H13	d7 H13	e1 H13	e2	h1	t2	H
1827001629	M10x1,25	60	37	20	6,6	11	36 ±0,15	23 ±0,15	15	7	24
1827001630	M12x1,25	60	56	25	9	15	42 ±0,2	38 ±0,2	20	9	30
1827001631	M16x1,5	80	80	30	11	18	58 ±0,2	58 ±0,2	20	11	32
1827001632	M20x1,5	90	90	40	14	20	65 ±0,3	65 ±0,3	20	13	35
1827001633	M27x2	90	90	40	14	20	65 ±0,3	65 ±0,3	20	13	35
1827001634	M36x2	125	125	60	18	26	90 ±0,3	90 ±0,3	30	17	55

产品代码	SW	材料	表面	重量 [kg]					
1827001629	17	钢	镀锌	0,3					
1827001630	19	钢	镀锌	0,4					
1827001631	24	钢	镀锌	0,9					
1827001632	36	钢	镀锌	1,15					
1827001633	36	钢	镀锌	1,1					
1827001634	50	钢	镀锌	3,4					

PM5, 性耦合连接件, 球形




产品代码	KK	B1	Ø D1	D2	Ø D3	F	L ±2	L2	L3 ±1	SW1	SW2	SW3
1826409008	M4	2,2	12	13,5	4	13	33	8	5,6	12	3,2	7
R412007860	M5	2,5	8,5	14,8	6	12	38,5	13,5	4,3	7	5	8
1826409000	M6	3,2	8,5	15	6	11,5	39	12	3,5	7	5	10
1826409001	M8	4	12,5	20	8	14,5	55	15	5	10	6	13
1826409002	M10x1,25	6	21,5	34	14	23	73	20	7,5	19	12	17
1826409003	M12x1,25	7	21,5	34	14	28	77	24	13	19	12	19
1826409004	M16x1,5	8	33,5	47	22	32	108	32	9	30	19	24
1826409005	M20x1,5	10	33,5	47	22	42	122	40	19	30	19	30
1826409006	M27x2	13,5	62	62	28	48	147	54	14	32	24	41
1826409007	M36x2	18	80	80	38	86	241	72	18,2	50	36	55
R412007729	M42x2	21	64	98	42	96	271	82	20	60	36	65

产品代码	SW4	材料	表面	重量 [kg]						
1826409008	12	钢	镀锌	0,02						
R412007860	13	钢	镀锌	0,02						
1826409000	13	钢	镀锌	0,02						
1826409001	17	钢	镀锌	0,05						
1826409002	30	钢	镀锌	0,21						
1826409003	30	钢	镀锌	0,21						
1826409004	41	钢	镀锌	0,65						
1826409005	41	钢	镀锌	0,68						
1826409006	55	钢	镀锌	1,7						
1826409007	75	钢	镀锌	5,4						
R412007729	85	钢	镀锌	8,76						

产品目录 → 活塞杆连接件, 系列 CM2

GU3, 柔性耦合连接件 A 形
► 用于控制单元 ► 结构"U", Ø20-100



产品代码	KK	Ø	M	A	B	C	ØD	ØE	ØF
1827020171	M8	20	2x M6x12	22	10	9,5	20	45	36
1827020172	M10x1,25	25	2x M6x12	22	10	9,5	20	45	36
1827020173	M10x1,25	32	2x M6x12	22	10	9,5	20	45	36
1827020176	M20x1,5	80/100	4x M6x14	22	11,5	8	32	60	51


产品代码	材料									
1827020171	不锈钢									
1827020172	不锈钢									
1827020173	不锈钢									
1827020176	不锈钢									

产品目录 → 活塞杆连接件, 系列 CM2

GU3, 柔性耦合连接件 B 形
► 用于控制单元 ► 结构"H", Ø20–100



00106407



00105878_a

* 1.5 - 1.8 mm的径向平衡
供货范围: 柔性耦合连接件 包括固定螺钉

产品代码	KK	Ø	M	A	B	C	D	ØE	ØF
1827020177	M8	20	2x M5x12	22	14	6	14,5	33	26
1827020178	M10x1,25	25/32	2x M5x12	17	14	6	14,5	33	26
1827020179	M20x1,5	80/100	4x M6x20	32	14	11,5	32	60	51


产品代码	材料										
1827020177	不锈钢										
1827020178	不锈钢										
1827020179	不锈钢										

产品目录 → 活塞杆连接件, 系列 CM2

GU3, 柔性耦合连接件 C 形
► 用于控制单元 ► 规格“U”和“H”, Ø12–63



00136409



00132063

* 2 - 2.5 mm 的径向平衡
供货范围: 柔性耦合连接件 包括固定螺钉

产品代码	KK	Ø	M	A	B	C	D	ØE	ØF
1827020170	M6	12/16	2x M4x10	18	7	7	10	□22	□15
1827020174	M12x1,25	40	2x M6x12	22	14	8	18	45	36
1827020175	M16x1,5	50/63	4x M6x14	26	14	8	24	54	45

产品代码	材料									
1827020170	不锈钢									
1827020174	不锈钢									
1827020175	不锈钢									

Bosch Rexroth AG
Pneumatics
Ulmer Straße 4
D - 30880 Laatzen
Phone +49 511 2136-0
Fax +49 511 2136-2 69
sales-pneumatics@boschrexroth.de
www.boschrexroth.com/pneumatics

Your contact:

**香港博世力士乐(中国)有限公司
上海代表处**
中国上海市浦东大道1号中国船舶大厦4楼
邮编: 200120
电话: (86-21) 3866 6000
传真: (86-21) 3866 6111

**博世力士乐(中国)有限公司
香港办事处**
香港九龙长沙湾长顺街19号
杨耀松第六工业大厦1楼
电话: (852) 2262 5100
传真: (852) 2786 0733

**香港博世力士乐(中国)有限公司
北京代表处**
中国北京经济技术开发区永昌南路6号
邮编: 100176
电话: (86-10) 6782 7000
传真: (86-10) 6782 7020

**香港博世力士乐(中国)有限公司
大连代表处**
中国大连市西岗区新开路99号
珠江国际大厦2005室
邮编: 116011
电话: (86-411) 8368 2602
传真: (86-411) 8368 2702

**香港博世力士乐(中国)有限公司
广州代表处**
中国广州市开发区科学城光谱西路
邮编: 510663
电话: (86-20) 3229 9551
传真: (86-20) 3229 9528

**博世力士乐(中国)有限公司
成都代表处**
中国成都市顺城大街308号
冠城广场21楼B-C座
邮编: 610017
电话: (86-28) 8652 7550
传真: (86-28) 8652 7123

博世力士乐(常州)有限公司
中国江苏常州市武进区人民东路16号
邮编: 213161
电话: (86-519) 8175 000
传真: (86-519) 8175 088

博世力士乐(北京)液压有限公司
中国北京经济技术开发区永昌南路6号
邮编: 100176
电话: (86-10) 6782 7000
传真: (86-10) 6782 7020

上海博世力士乐液压及自动化有限公司
中国上海市外高桥保税区富特东一路122号
邮编: 200131
电话: (86-21) 5866 3030
传真: (86-21) 5866 5523

**上海博世力士乐液压及自动化有限公司
金桥分公司**
中国上海市金桥出口加工区金皖路55号
邮编: 201206
电话: (86-21) 3866 6333
传真: (86-21) 3866 6222

further contacts:
www.boschrexroth.com/addresses

The data specified above only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification. It must be remembered that our products are subject to a natural process of wear and aging.

© This document, as well as the data, specifications and other informations set forth in it, are the exclusive property of Bosch Rexroth AG. Without their consent it may not be reproduced or given to third parties.

Subject to modifications.

Online-PDF
06-02-2012